

# MIO-FESTLEGUNG: U-HEFT

FESTLEGUNG GEMÄSS § 355 ABSATZ 1 SGB V

Gemäß § 355 Abs. 1 SGB V trifft die KBV die notwendigen Festlegungen für die Inhalte der elektronischen Patientenakte nach § 341 SGB V, um deren semantische und syntaktische Interoperabilität zu gewährleisten. Die Festlegung erfolgt in einem strukturierten Prozess gemäß der Verfahrensordnung im Benehmen mit Organisationen des Gesundheitswesens.

Der Vorstand der KBV trifft folgende Festlegung:

## ARTIKEL 1 - ÜBERGREIFENDE FESTLEGUNGEN ZU FHIR®

Übergreifend für alle FHIR®-Ressourcen gelten die nachfolgenden Festlegungen:

### 1. FESTLEGUNG DER IN DER EPA ZU SPEICHERNDE FHIR®-RESSOURCEN

In die ePA (elektronische Patientenakte) dürfen lediglich Bundle als Informationsobjekte für das U-Heft geladen werden. Für das U-Heft gibt es drei verschiedene Bundle:

- KBV\_PR\_MIO\_CMR\_Bundle für Einträge ins U-Heft selbst (U-Heft-Untersuchungen). Das Kürzel CMR steht für Child Medical Record.
- KBV\_PR\_MIO\_PC\_Bundle für Einträge in die Teilnahmekarte (U-Heft-Teilnahmekarte). Das Kürzel PC steht für Participation Card.
- KBV\_PR\_MIO\_PN\_Bundle für Einträge von Elternnotizen (1.8 Elternnotiz). Das Kürzel PN steht für Parental Notes.

Für die Szenarien des U-Heftes wie z.B. U2 dokumentieren gibt es jeweils eigene Compositions (in diesem Fall Composition\_U2), welche die Struktur der U-Heft Einträge in FHIR® vorgeben. Die Inhalte der Compositions sind in verschiedene Sections aufgeteilt, welche die Abschnitte im U-Heft widerspiegeln. Die Inhalte der Compositions bestehen aus Verweisen auf andere Ressourcen.

Da ein Dokument im juristischen Sinne vollständig und unveränderlich sein muss, wird die Composition mit allen referenzierten Ressourcen zu einem Bundle zusammengefasst.

### 2. FESTLEGUNG DES FORMATS DER FHIR®-RESSOURCEN

Die in der elektronischen Patientenakte (ePA) zu speichernden FHIR®-Ressourcen weisen ein XML-Format gemäß FHIR®-Spezifikation R4 auf.

### 3. FESTLEGUNG ZUR NUTZUNG VON MUST-SUPPORT

Als Must-Support deklarierte Elemente müssen durch jedes System, welches diese Spezifikation implementiert, unterstützt werden. Das bedeutet, dass das jeweilige System diese interpretieren und verarbeiten können muss. Die Deklaration als Must-Support wird, wie in der Beispielabbildung dargestellt, durch eine rotes S gekennzeichnet.

#### Beispielabbildung

 `date`  `1..1` `dateTime`

# ARTIKEL 2 - FESTLEGUNG DER FHIR®-RESSOURCEN

## 1. KBV\_CM\_MIO\_CMR\_BODYSITE\_HIP\_GERMAN

KBV_CM_MIO_CMR_Bodysite_Hip_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_Bodysite_Hip_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_Bodysite_Hip_German"/>
6	<title value="Hüftlateralität"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für
17	Hüftlateralität mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
	Implementers of these artefacts must have the appropriate SNOMED CT
	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_Bodysite_Hip_German"/>
23	<targetVersion value="1.0.1"/>
	<element>
	<code value="362906008"/>

```
24     <display value="Entire right hip joint (body structure)"/>
25     <target>
26         <code value="rechteHuefte"/>
27         <display value="rechte Hüfte"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="362905007"/>
33     <display value="Entire left hip joint (body structure)"/>
34     <target>
35         <code value="linkeHuefte"/>
36         <display value="linke Hüfte"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 </group>
41 </ConceptMap>
```

## 2. KBV\_CM\_MIO\_CMR\_EXAMINATION\_NUMBER\_GERMAN

### KBV\_CM\_MIO\_CMR\_Examination\_Number\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Examination_Number_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Examination_Number_German"/>
5   <title value="Untersuchungsnummer U-Heft"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Untersuchungsnummer U-Heft mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Examination_Number_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="170099002"/>
24      <display value="Child examination - birth (procedure)"/>
25      <target>
26        <code value="U1Geburt"/>
```

```

27         <display value="U1 Geburt"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="170107008"/>
33     <display value="Child examination - 10 days (procedure)"/>
34     <target>
35         <code value="U2310Lebenstag"/>
36         <display value="U2 3.-10. Lebenstag"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="243788004:370131001=133931009"/>
42     <display value="Child examination (procedure) : Recipient
category = Infant (person)"/>
43     <target>
44         <code value="U345Lebenswoche"/>
45         <display value="U3 4.-5. Lebenswoche"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="170250008"/>
51     <display value="Child 3 month examination (procedure)"/>
52     <target>
53         <code value="U434Lebensmonat"/>
54         <display value="U4 3.-4. Lebensmonat"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="170263002"/>
60     <display value="Child 6 month examination (procedure)"/>
61     <target>
62         <code value="U567Lebensmonat"/>
63         <display value="U5 6.-7. Lebensmonat"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="170254004"/>
69     <display value="Child 1 year examination (procedure)"/>
70     <target>
71         <code value="U61012Lebensmonat"/>
72         <display value="U6 10.-12. Lebensmonat"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="401140000"/>
78     <display value="Child 2 year examination (procedure)"/>
79     <target>
80         <code value="U72124Lebensmonat"/>
81         <display value="U7 21.-24. Lebensmonat"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>

```

```

86     <code value="170281004"/>
87     <display value="Child 3 year examination (procedure)"/>
88     <target>
89         <code value="U7a3436Lebensmonat"/>
90         <display value="U7a 34.-36. Lebensmonat"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 <element>
95     <code value="410635005"/>
96     <display value="Child 4 year examination (procedure)"/>
97     <target>
98         <code value="U84648Lebensmonat"/>
99         <display value="U8 46.-48. Lebensmonat"/>
100        <equivalence value="equivalent"/>
101    </target>
102 </element>
103 <element>
104     <code value="243788004:370131001=410602000"/>
105     <display value="Child examination (procedure) : Recipient
category (attribute) = Preschool child (person)"/>
106     <target>
107         <code value="U96064Lebensmonat"/>
108         <display value="U9 60.-64. Lebensmonat"/>
109         <equivalence value="equivalent"/>
110     </target>
111 </element>
112 <element>
113     <code value="738796001:363702006=171191008"/>
114     <display value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Cystic fibrosis screening
(procedure)"/>
115     <target>
116         <code value="ScreeningaufMukoviszidose"/>
117         <display value="Screening auf Mukoviszidose"/>
118         <equivalence value="equivalent"/>
119     </target>
120 </element>
121 <element>
122     <code value="738796001:363702006=428447008"/>
123     <display value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Newborn blood spot screening
(procedure)"/>
124     <target>
125         <code value="ErweitertesNeugeborenenScreening"/>
126         <display value="Erweitertes Neugeborenen-Screening"/>
127         <equivalence value="equivalent"/>
128     </target>
129 </element>
130 <element>
131     <code value="171241003"/>
132     <display value="Congenital dislocation of the hip screening
(procedure)"/>
133     <target>
134         <code value="ScreeningaufHueftgelenkdysplasieundluxation"/
>
135         <display value="Screening auf Hüftgelenkdysplasie und
-luxation"/>
136         <equivalence value="equivalent"/>
137     </target>

```

```

138     </element>
139     <element>
140         <code value="252957005"/>
141         <display value="Children's hearing test (procedure)"/>
142         <target>
143             <code value="Hoerscreening"/>
144             <display value="Hörscreening"/>
145             <equivalence value="equivalent"/>
146         </target>
147     </element>
148     <element>
149         <code value="129822005"/>
150         <display value="Childhood growth AND/OR development finding
151 (finding)"/>
152         <target>
153             <code value="Perzentilkurven"/>
154             <display value="Perzentilkurven"/>
155             <equivalence value="equivalent"/>
156         </target>
157     </element>
158     <element>
159         <code value="252465000:405813007=56459004"/>
160         <display value="Pulse oximetry (procedure) : Procedure site -
161 Direct (attribute) = Foot structure (body structure)"/>
162         <target>
163             <code value="PulsoxymetrieScreeningMessungamFuss"/>
164             <display value="Pulsoxymetrie-Screening (Messung am Fuß)"/>
165             <equivalence value="equivalent"/>
166         </target>
167     </element>
168 </group>
169 </ConceptMap>

```



### 3. KBV\_CM\_MIO\_CMR\_FOETAL\_POSITION\_GERMAN

KBV_CM_MIO_CMR_Foetal_Position_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_Foetal_Position_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_Foetal_Position_German"/>
6	<title value="Kindslage aus Sicht d. Kindes"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für Kindslage
17	aus Sicht d. Kindes mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_Foetal_Position_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="394698008:246090004=70028003"/>
	<display value="Birth history (situation) : Associated finding
	(attribute) = Vertex presentation (finding)"/>
	</element>
	</group>
	</conceptmap>

```

26         <code value="Schaedellage"/>
27         <display value="Schädellage"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="407613009"/>
33     <display value="Born by breech delivery (situation)"/>
34     <target>
35         <code value="Beckenendlage"/>
36         <display value="Beckenendlage"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="394698008:246090004=199362007"/>
42     <display value="Birth history (situation) : Associated finding
(attribute) = Transverse lie - delivered (disorder)"/>
43     <target>
44         <code value="Querlage"/>
45         <display value="Querlage"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

#### 4. KBV\_CM\_MIO\_CMR\_GENDER\_BIRTH\_GERMAN

KBV_CM_MIO_CMR_Gender_Birth_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_Gender_Birth_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_Gender_Birth_German"/>
6	<title value="Geschlecht SNOMED"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für Geschlecht
17	SNOMED mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_Gender_Birth_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="703118005"/>
26	<display value="Feminine gender (finding)"/>
	<target>
	<code value="W"/>

```
27         <display value="W"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="703117000"/>
33     <display value="Masculine gender (finding)"/>
34     <target>
35         <code value="M"/>
36         <display value="M"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="394744001"/>
42     <display value="Gender unspecified (finding)"/>
43     <target>
44         <code value="X"/>
45         <display value="X"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>
```

## 5. KBV\_CM\_MIO\_CMR\_GRAF\_HIP\_ULTRASOUND\_CLASSIFICATION\_GERMAN

### KBV\_CM\_MIO\_CMR\_Graf\_Hip\_Ultrasound\_Classification\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Graf_Hip_Ultrasound_Classification_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Graf_Hip_Ultrasound_Classification_German"/
>
5   <title value="Hüfttyp nach Graf"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für Hüfttyp
nach Graf mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Graf_Hip_Ultrasound_Classification"/>
19    <sourceVersion value="1.0.1"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Graf_Hip_Ultrasound_Classification_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="1ab"/>
24      <display value="Graf Ia/Ib"/>
25    </element>
  </group>
</ConceptMap>
```

```

26         <code value="IaIb"/>
27         <display value="Ia/Ib"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="2a"/>
33     <display value="Graf IIa"/>
34     <target>
35         <code value="IIa"/>
36         <display value="IIa"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="2cd"/>
42     <display value="Graf IIc/D"/>
43     <target>
44         <code value="IIcD"/>
45         <display value="IIc/D"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="3a"/>
51     <display value="Graf IIIa"/>
52     <target>
53         <code value="IIIa"/>
54         <display value="IIIa"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="3b"/>
60     <display value="Graf IIIb"/>
61     <target>
62         <code value="IIIb"/>
63         <display value="IIIb"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="4"/>
69     <display value="Graf IV"/>
70     <target>
71         <code value="IV"/>
72         <display value="IV"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 6. KBV\_CM\_MIO\_CMR\_HEARSCREENING\_METHOD\_GERMAN

### KBV\_CM\_MIO\_CMR\_Hearscreening\_Method\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Hearscreening_Method_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Hearscreening_Method_German"/>
5   <title value="Hörscreenigmethode"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Hörscreenigmethode mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hearscreening_Method_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="446077009"/>
24      <display value="Automated otoacoustic emission test
(procedure)"/>
25    </element>
  </group>
</ConceptMap>
```

```

26         <code value="ErstuntersuchungmittelsTEOAEinderRegelindenerst
27         <display value="Erstuntersuchung mittels TEOAE, in der
28         <equivalence value="equivalent"/>
29         </target>
30     </element>
31     <element>
32         <code value="252616000:246513007=261422002"/>
33         <display value="Auditory brainstem electric response audiometry
34         (procedure) : Revision status (attribute) = First stage of multistage
35         procedure (qualifier value)"/>
36         <target>
37             <code value="ErstuntersuchungmittelsAABRinderRegelindenerst
38             <display value="Erstuntersuchung mittels AABR, in der Regel
39             in den ersten 3 Lebenstagen"/>
40             <equivalence value="equivalent"/>
41             </target>
42         </element>
43         <element>
44             <code value="252616000:246513007=261426004"/>
45             <display value="Auditory brainstem electric response audiometry
46             (procedure) : Revision status (attribute) = Second stage of multistaged
47             procedure (qualifier value)"/>
48             <target>
49                 <code value="KontrollAABRbeiauffaelligemErstbefundinderRege
50                 lbisU2"/>
51                 <display value="Kontroll-AABR bei auffälligem Erstbefund,
52                 in der Regel bis U2"/>
53                 <equivalence value="equivalent"/>
54                 </target>
55             </element>
56     </group>
57 </ConceptMap>

```



## 7. KBV\_CM\_MIO\_CM\_R\_HEARSCREENING\_RESULT\_GERMAN

### KBV\_CM\_MIO\_CM\_R\_Hearscreening\_Result\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CM_R_Hearscreening_Result_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CM_R_Hearscreening_Result_German"/>
5   <title value="Hörscreeningbefund Lokalisation"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Hörscreeningbefund Lokalisation mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CM_R_Hearscreening_Result_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="275727004"/>
24      <display value="Hearing test normal (finding)"/>
25      <target>
26        <code value="Hoerbefundunauffaelligbeidseits"/>
```

```
27         <display value="Hörbefund unauffällig beidseits"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="134376008"/>
33     <display value="Hearing test right abnormality (finding)"/>
34     <target>
35         <code value="Hoerbefundauffaelligrechts"/>
36         <display value="Hörbefund auffällig rechts"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="134375007"/>
42     <display value="Hearing test left abnormality (finding)"/>
43     <target>
44         <code value="Hoerbefundauffaelliglinks"/>
45         <display value="Hörbefund auffällig links"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>
```

## 8. KBV\_CM\_MIO\_CMR\_HIP\_HISTORY\_GERMAN

KBV_CM_MIO_CMR_Hip_History_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/ KBV_CM_MIO_CMR_Hip_History_German"/>
3	<version value="1.0.1"/>
4	<name value="KBV_CM_MIO_CMR_Hip_History_German"/>
5	<title value="Hüftanamnese"/>
6	<status value="draft"/>
7	<experimental value="false"/>
8	
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für Hüftanamnese mit deutschen Bezeichnungen"/>
17	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc (http:// loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (Loinc) Committee and is available at no cost under the license at http://loinc.org/license. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
20	<target value="https://fhir.kbv.de/CodeSystem/ KBV_CS_MIO_CMR_Hip_History_German"/>
21	<targetVersion value="1.0.1"/>
22	<element>
23	<code value="407613009"/>
24	<display value="Born by breech delivery (situation)"/>
25	<target>
26	<code value="GeburtausBeckenendlage"/>

```

27         <display value="Geburt aus Beckenendlage"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="700191004"/>
33     <display value="Family history of congenital hip dysplasia
(situation)"/>
34     <target>
35         <code value="HueftgelenksluxationbzwHueftgelenksdysplasiein
Herkunftsfamilie"/>
36         <display value="Hüftgelenksluxation bzw.
Hüftgelenksdysplasie in Herkunftsfamilie"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="73573004"/>
42     <display value="Congenital anomaly of musculoskeletal system
(disorder)"/>
43     <target>
44         <code value="StellungsanomaliebzwFehlbildungeninsbderFuesse
"/>
45         <display value="Stellungsanomalie bzw. Fehlbildungen (insb.
der Füße)"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

## 9. KBV\_CM\_MIO\_CMR\_HIP\_PROCEEDING\_GERMAN

### KBV\_CM\_MIO\_CMR\_Hip\_Proceeding\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Hip_Proceeding_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Hip_Proceeding_German"/>
5   <title value="Hüfte - weiteres Vorgehen"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für Hüfte -
weiteres Vorgehen mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hip_Proceeding_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="440378000:704321009=241502008"/>
24      <display value="Referral for (observable entity) :
Characterizes (attribute) = Ultrasound scan of hip (procedure)"/>
25    </element>
26  </group>
27 </ConceptMap>
```

```

26         <code value="Kontrollsonographie"/>
27         <display value="Kontrollsonographie"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="306228005"/>
33     <display value="Referral for diagnostic investigation
34 (procedure)"/>
35     <target>
36         <code value="UeberweisungzurdiagnostischenAbklaerung"/>
37         <display value="Überweisung zur diagnostischen Abklärung"/>
38         <equivalence value="equivalent"/>
39     </target>
40 </element>
41 <element>
42     <code value="243796009:
43 {363589002=112731004,408731000=410511007,408730004=410535002,408732007=4106
44 04004}"/>
45     <display value="Situation with explicit context (situation) :
46 { Associated procedure (attribute) = Reduction of congenital hip
47 dislocation by splint (procedure), Temporal context (attribute) = Current
48 or past (actual) (qualifier value), Procedure context (attribute) =
49 Indicated (qualifier value), Subject relationship context (attribute) =
50 Subject of record (person) }"/>
51     <target>
52         <code value="Behandlungsempfehlung"/>
53         <display value="Behandlungsempfehlung"/>
54         <equivalence value="equivalent"/>
55     </target>
56 </element>
57 </group>
58 </ConceptMap>

```

## 10. KBV\_CM\_MIO\_CMR\_HIP\_SCREENING\_METHOD\_GERMAN

### KBV\_CM\_MIO\_CMR\_Hip\_Screening\_Method\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Hip_Screening_Method_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Hip_Screening_Method_German"/>
5   <title value="Hüftscreening Methode"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Hüftscreening Methode mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hip_Screening_Method_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="129125009:
{363589002=241503003,408730004=398166005,408731000=410588008}"/>
```

```

24      <display value="Procedure with explicit context (situation) :
{ Associated procedure (attribute) = Ultrasound scan of neonatal hip
(procedure) , Procedure context (situation) = Performed (qualifier value) ,
Temporal context (situation) = Past - time unspecified (qualifier value) }"
/>
25      <target>
26          <code value="HueftsonographischerVorbefundja"/>
27          <display value="Hüftsonographischer Vorbefund: ja"/>
28          <equivalence value="equivalent"/>
29      </target>
30  </element>
31  <element>
32      <code value="129125009:
{363589002=241503003,408730004=385660001,408731000=410588008}"/>
33      <display value="Procedure with explicit context (situation) :
{ Associated procedure (attribute) = Ultrasound scan of neonatal hip
(procedure) , Procedure context (situation) = Not done (qualifier value) ,
Temporal context (situation) = Past - time unspecified (qualifier value) }"
/>
34      <target>
35          <code value="HueftsonographischerVorbefundnein"/>
36          <display value="Hüftsonographischer Vorbefund: nein"/>
37          <equivalence value="equivalent"/>
38      </target>
39  </element>
40  <element>
41      <code value="129125009:
{363589002=241503003,408730004=410537005,408731000=410588008}"/>
42      <display value="Procedure with explicit context (situation) :
{ Associated procedure (attribute) = Ultrasound scan of neonatal hip
(procedure) , Procedure context (situation) = Action status unknown
(qualifier value) , Temporal context (situation) = Past - time unspecified
(qualifier value) }"/>
43      <target>
44          <code value="HueftsonographischerVorbefundunbekannt"/>
45          <display value="Hüftsonographischer Vorbefund: unbekannt"/>
46          <equivalence value="equivalent"/>
47      </target>
48  </element>
49  <element>
50      <code value="129125009:
{363589002=241503003,408730004=398166005,408731000=410584005}"/>
51      <display value="Procedure with explicit context
(situation) : { Associated procedure (attribute) = Ultrasound scan of
neonatal hip (procedure) , Procedure context (situation) = Performed
(qualifier value) , Temporal context (situation) = Current - time specified
(qualifier value) }"/>
52      <target>
53          <code value="HueftsonographischerBefundinder45Lebenswoche"/
>
54          <display value="Hüftsonographischer Befund in der 4.-5.
Lebenswoche"/>
55          <equivalence value="equivalent"/>
56      </target>
57  </element>
58  </group>
59  </ConceptMap>

```



## 11. KBV\_CM\_MIO\_CMR\_MEDICATION\_STATEMENT\_STATUS\_GERMAN

### KBV\_CM\_MIO\_CMR\_Medication\_Statement\_Status\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Medication_Statement_Status_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Medication_Statement_Status_German"/>
5   <title value="Vitamin-K-Prophylaxe Status"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für Vitamin-K-
Prophylaxe Status mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://hl7.org/fhir/CodeSystem/medication-statement-
status"/>
19    <sourceVersion value="4.0.1"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Medication_Statement_Status_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="completed"/>
24      <display value="Completed"/>
25      <target>
26        <code value="verabreicht"/>
```

```
27         <display value="verabreicht"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="not-taken"/>
33     <display value="Not-Taken"/>
34     <target>
35         <code value="nichtverabreicht"/>
36         <display value="nicht verabreicht"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 </group>
41 </ConceptMap>
```

## 12. KBV\_CM\_MIO\_CMR\_NEWBORN\_BLOOD\_SPOT\_SCREENING\_TYPE\_GERMAN

### KBV\_CM\_MIO\_CMR\_Newborn\_Blood\_Spot\_Screening\_Type\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Newborn_Blood_Spot_Screening_Type_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Newborn_Blood_Spot_Screening_Type_German"/>
5   <title value="Typ der Blutabnahme"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für Typ der
Blutabnahme mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Newborn_Blood_Spot_Screening_Type_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="425758004:246513007=261422002"/>
24      <display value="Diagnostic blood test (procedure) : Revision
status (attribute) = First stage of multistage procedure (qualifier value)"
/>
/>
```

```

25     <target>
26         <code value="Erstblutabnahme"/>
27         <display value="Erstblutabnahme"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="425758004:246513007=261426004"/>
33     <display value="Diagnostic blood test (procedure) : Revision
status (attribute) = Second stage of multistaged procedure (qualifier
value)"/>
34     <target>
35         <code value="Zweitblutabnahme"/>
36         <display value="Zweitblutabnahme"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="425758004:246513007=261429006"/>
42     <display value="Diagnostic blood test (procedure) : Revision
status (attribute) = Third stage of multistaged procedure (qualifier
value)"/>
43     <target>
44         <code value="Kontrollblutabnahme"/>
45         <display value="Kontrollblutabnahme"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

### 13. KBV\_CM\_MIO\_CMR\_PERCENTILE\_BODY\_MEASURE\_LOINC\_GERMAN

#### KBV\_CM\_MIO\_CMR\_Percentile\_Body\_Measure\_Loinc\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Percentile_Body_Measure_Loinc_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Percentile_Body_Measure_Loinc_German"/>
5   <title value="Perzentilkörpermaß LOINC"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Perzentilkörpermaß LOINC mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Percentile_Body_Measure_Loinc_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="8336-0"/>
24      <display value="Body weight [Percentile] Per age"/>
25      <target>
26        <code value="Koerpergewicht"/>
```

```

27         <display value="Körpergewicht"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="8303-0"/>
33     <display value="Body height [Percentile]"/>
34     <target>
35         <code value="Koeperlaenge"/>
36         <display value="Körperlänge"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="8289-1"/>
42     <display value="Head Occipital-frontal circumference
43 Percentile"/>
44     <target>
45         <code value="Kopfumfang"/>
46         <display value="Kopfumfang"/>
47         <equivalence value="equivalent"/>
48     </target>
49 </element>
50 <element>
51     <code value="59574-4"/>
52     <display value="Body mass index (BMI) [Percentile]"/>
53     <target>
54         <code value="BMI"/>
55         <display value="BMI"/>
56         <equivalence value="equivalent"/>
57     </target>
58 </element>
59 </group>
</ConceptMap>

```

## 14. KBV\_CM\_MIO\_CMR\_PERCENTILE\_BODY\_MEASURE\_SNOMED\_GERMAN

### KBV\_CM\_MIO\_CMR\_Percentile\_Body\_Measure\_Snomed\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Percentile_Body_Measure_Snomed_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Percentile_Body_Measure_Snomed_German"/>
5   <title value="Perzentilkörpermaß SNOMED"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Perzentilkörpermaß SNOMED mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Percentile_Body_Measure_Snomed_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="27113001:370130000=415068004"/>
24      <display value="Body weight (observable entity) : Property
(attribute) = Percentile value (qualifier value)"/>
25    </element>
  </target>
</group>
</conceptmap>
```

```

26         <code value="Koerpergewicht"/>
27         <display value="Körpergewicht"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="50373000:370130000=415068004"/>
33     <display value="Body height measure (observable entity) :
Property (attribute) = Percentile value (qualifier value)"/>
34     <target>
35         <code value="Koerperlaenge"/>
36         <display value="Körperlänge"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="363812007:370130000=415068004"/>
42     <display value="Head circumference (observable entity) :
Property (attribute) = Percentile value (qualifier value)"/>
43     <target>
44         <code value="Kopfumfang"/>
45         <display value="Kopfumfang"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="60621009:370130000=415068004"/>
51     <display value="Body mass index (observable entity) : Property
(attribute) = Percentile value (qualifier value)"/>
52     <target>
53         <code value="BMI"/>
54         <display value="BMI"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```



## 15. KBV\_CM\_MIO\_CMR\_PRACTITIONER\_SPECIALITY\_GERMAN

### KBV\_CM\_MIO\_CMR\_Practitioner\_Speciality\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Practitioner_Speciality_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Practitioner_Speciality_German"/>
5   <title value="Rolle des Behandelnden"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für Rolle des
Behandelnden mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Practitioner_Speciality_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="309343006"/>
24      <display value="Physician (occupation)"/>
25      <target>
26        <code value="ArztAerztin"/>
```

```
27         <display value="Arzt/ &#196;rztin"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 </group>
32 </ConceptMap>
```

## 16. KBV\_CM\_MIO\_CMR\_PREGNANCY\_HISTORY\_GERMAN

### KBV\_CM\_MIO\_CMR\_Pregnancy\_History\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Pregnancy_History_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_Pregnancy_History_German"/>
5   <title value="Schwangerschaftsanamnese"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Schwangerschaftsanamnese mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Pregnancy_History_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="721151003"/>
24      <display value="Maternal history of gestational diabetes
(situation)"/>
25    </element>
  </target>
</group>
</conceptmap>
```

```

26         <code value="Gestationsdiabetes"/>
27         <display value="Gestationsdiabetes"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="704144000"/>
33     <display value="Maternal history of diabetes mellitus
(situation)"/>
34     <target>
35         <code value="Diabetesmellitus"/>
36         <display value="Diabetes mellitus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="417451006+410684002:
{408731000=410512000,363589002=416608005,408730004=410525008,408732007=4443
01002}"/>
42     <display value="Procedure needed (situation) + Drug therapy
status (situation) : { Temporal context (attribute) = Current or specified
time (qualifier value) , Associated procedure (attribute) = Drug therapy
(procedure) , Procedure context (attribute) = Needed (qualifier value) ,
Subject relationship context (attribute) = Mother of subject (person) }"/>
43     <target>
44         <code value="Dauermedikation"/>
45         <display value="Dauermedikation"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="160427003:246090004=40609001"/>
51     <display value="Family history with explicit context pertaining
to mother (situation) : Associated finding (attribute) = Infectious disease
in mother complicating pregnancy, childbirth AND/OR puerperium (disorder)"/
>
52     <target>
53         <code value="akuteoderchronischeInfektioneninderSchwangersc
haft"/>
54         <display value="akute oder chronische Infektionen in der
Schwangerschaft"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="160427003:246090004=165775009"/>
60     <display value="Family history with explicit context pertaining
to mother (situation) : Associated finding (attribute) = Indirect Coombs
test positive (finding)"/>
61     <target>
62         <code value="AntikoerperSuchtestpositiv"/>
63         <display value="Antikörper-Suchtest positiv"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="160427003:246090004=120001000119107"/>
69     <display value="Family history with explicit context pertaining
to mother (situation) : Associated finding (attribute) = Group B
streptococcus infection in mother complicating childbirth (disorder)"/>

```

```

70         <target>
71             <code value="BStreptokokkenStatusderMutterpositiv"/>
72             <display value="B-Streptokokken-Status der Mutter positiv"/
>
73             <equivalence value="equivalent"/>
74         </target>
75     </element>
76     <element>
77         <code value="160427003:246090004=16356006"/>
78         <display value="Family history with explicit context pertaining
to mother (situation) : Associated finding (attribute) = Multiple pregnancy
(disorder)"/>
79         <target>
80             <code value="Mehrlingsschwangerschaft"/>
81             <display value="Mehrlingsschwangerschaft"/>
82             <equivalence value="equivalent"/>
83         </target>
84     </element>
85     <element>
86         <code value="413350009:
{246090004=199646006,408732007=444301002}"/>
87         <display value="Finding with explicit context (situation) :
{ Associated finding (attribute) = Polyhydramnios - delivered (disorder),
Subject relationship context (attribute) = Mother of subject (person) }"/>
88         <target>
89             <code value="PolyHydramnion"/>
90             <display value="(Poly-)Hydramnion"/>
91             <equivalence value="equivalent"/>
92         </target>
93     </element>
94     <element>
95         <code value="413350009:
{246090004=59566000,408732007=444301002}"/>
96         <display value="Finding with explicit context (situation) :
{ Associated finding (attribute) = Oligohydramnios (disorder), Subject
relationship context (attribute) = Mother of subject (person) }"/>
97         <target>
98             <code value="Oligohydramnion"/>
99             <display value="Oligohydramnion"/>
100            <equivalence value="equivalent"/>
101        </target>
102    </element>
103    <element>
104        <code value="288256007"/>
105        <display value="History of maternal psychiatric problem
(situation)"/>
106        <target>
107            <code value="besonderepsychischeBelastungen"/>
108            <display value="besondere psychische Belastungen"/>
109            <equivalence value="equivalent"/>
110        </target>
111    </element>
112    <element>
113        <code value="413350009:
{246090004=284465006,408732007=444301002}"/>
114        <display value="Finding with explicit context (situation) :
{ Associated finding (attribute) = Finding relating to psychosocial
functioning (finding), Subject relationship context (attribute) = Mother of
subject (person) }"/>
115        <target>

```

```
116         <code value="besonderesozialeBelastungen"/>
117         <display value="besondere soziale Belastungen"/>
118         <equivalence value="equivalent"/>
119     </target>
120 </element>
121 <element>
122     <code value="442080007"/>
123     <display value="Drug misuse by mother (situation)"/>
124     <target>
125         <code value="Abusus"/>
126         <display value="Abusus"/>
127         <equivalence value="equivalent"/>
128     </target>
129 </element>
130 </group>
131 </ConceptMap>
```

## 17. KBV\_CM\_MIO\_CMR\_PULSE\_OXYMETRY\_SCREENING\_DATA\_ABSENT\_REASON\_GERMAN

KBV_CM_MIO_CMR_Pulse_Oxymetry_Screening_Data_Absent_Reason_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_Pulse_Oxymetry_Screening_Data_Absent_Reason_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_Pulse_Oxymetry_Screening_Data_Absent_Reason
6	_German"/>
7	<title value="Gründe zur Ablehnung des Pulsoxymetriescreenings"/>
8	<status value="draft"/>
9	<experimental value="false"/>
10	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
11	<contact>
12	<telecom>
13	<system value="url"/>
14	<value value="http://www.kbv.de"/>
15	</telecom>
16	</contact>
17	<description value="Diese Conceptmap verknüpft die Codes zur Gründe zur
	Ablehnung des Pulsoxymetriescreenings mit deutschen Bezeichnungen"/>
	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
	which is used by permission of SNOMED International. All rights reserved.
	SNOMED CT®, was originally created by The College of American Pathologists.
	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
	Implementers of these artefacts must have the appropriate SNOMED CT
	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE."/>
18	<group>
19	<source value="http://snomed.info/sct"/>
20	<sourceVersion value="http://snomed.info/sct/900000000000207008/
21	version/20210131"/>
22	<target value="https://fhir.kbv.de/CodeSystem/
23	KBV_CS_MIO_CMR_Pulse_Oxymetry_Screening_Data_Absent_Reason_German"/>
24	<targetVersion value="1.0.1"/>
	<element>
	<code value="428119001:
	{363589002=250554003,408730004=410534003}" />

```

25     <display value="Procedure not indicated (situation) :
{ Associated procedure (attribute) = Measurement of oxygen saturation at
periphery (procedure) , Procedure context (attribute) = Not indicated
(qualifier value) }" />
26     <target>
27         <code value="keinPulsoxymetriescreeningBeiPraenatalDiagnost
iziertemKritischemHerzfehler" />
28         <display value="Kein Pulsoxymetrie-Screening bei pränatal
diagnostiziertem kritischem Herzfehler" />
29         <equivalence value="equivalent" />
30     </target>
31 </element>
32 <element>
33     <code value="183948000:363589002=250554003" />
34     <display value="Refused procedure - parent's wish (situation) :
Associated procedure (attribute) = Measurement of oxygen saturation at
periphery (procedure)" />
35     <target>
36         <code value="elternWuenschenKeineUntersuchung" />
37         <display value="Eltern wünschen keine Untersuchung" />
38         <equivalence value="equivalent" />
39     </target>
40 </element>
41 </group>
42 </ConceptMap>

```



## 18. KBV\_CM\_MIO\_CMR\_PULSE\_OXYMETRY\_SCREENING\_MEASUREMENT\_TYPE\_GERMAN

### KBV\_CM\_MIO\_CMR\_Pulse\_Oxymetry\_Screening\_Measurement\_Type\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Pulse_Oxymetry_Screening_Measurement_Type_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_Pulse_Oxymetry_Screening_Measurement_Type_G
erman"/>
5    <title value="Typ der Pulsoxymetriemessung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für Typ der
Pulsoxymetriemessung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Pulse_Oxymetry_Screening_Measurement_Type_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="250554003:363703001=399455000"/>

```

```

24      <display value="Measurement of oxygen saturation at periphery
      (procedure) : Has intent (attribute) = Primary procedure (qualifier value)"
      />
25      <target>
26          <code value="Erstmessung"/>
27          <display value="Erstmessung"/>
28          <equivalence value="equivalent"/>
29      </target>
30  </element>
31  <element>
32      <code value="250554003:363703001=262134003"/>
33      <display value="Measurement of oxygen saturation at periphery
      (procedure) : Has intent (attribute) = Secondary procedure (qualifier
      value)"/>
34          <target>
35              <code value="Kontrollmessung"/>
36              <display value="Kontrollmessung"/>
37              <equivalence value="equivalent"/>
38          </target>
39      </element>
40  </group>
41 </ConceptMap>

```

## 19. KBV\_CM\_MIO\_CMR\_U1\_APGAR\_SCORE\_IDENTIFIER\_GERMAN

### KBV\_CM\_MIO\_CMR\_U1\_Apgar\_Score\_Identifier\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U1_Apgar_Score_Identifier_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U1_Apgar_Score_Identifier_German"/>
5   <title value="Apgar Score am Zeitpunkt"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für Apgar
Score am Zeitpunkt mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18    <group>
19      <source value="http://snomed.info/sct"/>
20      <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
21      <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_Apgar_Score_Identifier_German"/>
22      <targetVersion value="1.0.1"/>
23      <element>
24        <code value="169922007"/>
25        <display value="Apgar score at 10 minutes (observable entity)"/>
26    </group>
27  </conceptmap>
```

```
26     <target>
27         <code value="ApgarzumZeitpunkt10MinnachGeburt"/>
28         <display value="Apgar zum Zeitpunkt 10 Min. nach Geburt"/>
29         <equivalence value="equivalent"/>
30     </target>
31 </element>
32 <element>
33     <code value="169909004"/>
34     <display value="Apgar score at 5 minutes (observable entity)"/>
35     <target>
36         <code value="ApgarzumZeitpunkt5MinnachGeburt"/>
37         <display value="Apgar zum Zeitpunkt 5 Min. nach Geburt"/>
38         <equivalence value="equivalent"/>
39     </target>
40 </element>
41 </group>
42 </ConceptMap>
```

## 20. KBV\_CM\_MIO\_CMR\_U1\_APGAR\_SCORE\_VALUE\_GERMAN

### KBV\_CM\_MIO\_CMR\_U1\_Apgar\_Score\_Value\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U1_Apgar_Score_Value_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U1_Apgar_Score_Value_German"/>
5   <title value="Apgar-Score Wert"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für Apgar-
Score Wert mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_Apgar_Score_Value_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="77714001"/>
24      <display value="Apgar score 0 (finding)"/>
25      <target>
26        <code value="Apgar0"/>
```

```

27         <display value="Apgar 0"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43610007"/>
33     <display value="Apgar score 1 (finding)"/>
34     <target>
35         <code value="Apgar1"/>
36         <display value="Apgar 1"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="39910003"/>
42     <display value="Apgar score 2 (finding)"/>
43     <target>
44         <code value="Apgar2"/>
45         <display value="Apgar 2"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="26635001"/>
51     <display value="Apgar score 3 (finding)"/>
52     <target>
53         <code value="Apgar3"/>
54         <display value="Apgar 3"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="38107004"/>
60     <display value="Apgar score 4 (finding)"/>
61     <target>
62         <code value="Apgar4"/>
63         <display value="Apgar 4"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="24388001"/>
69     <display value="Apgar score 5 (finding)"/>
70     <target>
71         <code value="Apgar5"/>
72         <display value="Apgar 5"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="10318004"/>
78     <display value="Apgar score 6 (finding)"/>
79     <target>
80         <code value="Apgar6"/>
81         <display value="Apgar 6"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>
86     <code value="13323003"/>

```

```

87     <display value="Apgar score 7 (finding)"/>
88     <target>
89         <code value="Apgar7"/>
90         <display value="Apgar 7"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 <element>
95     <code value="12431004"/>
96     <display value="Apgar score 8 (finding)"/>
97     <target>
98         <code value="Apgar8"/>
99         <display value="Apgar 8"/>
100        <equivalence value="equivalent"/>
101    </target>
102 </element>
103 <element>
104     <code value="64198003"/>
105     <display value="Apgar score 9 (finding)"/>
106     <target>
107         <code value="Apgar9"/>
108         <display value="Apgar 9"/>
109         <equivalence value="equivalent"/>
110    </target>
111 </element>
112 <element>
113     <code value="49544001"/>
114     <display value="Apgar score 10 (finding)"/>
115     <target>
116         <code value="Apgar10"/>
117         <display value="Apgar 10"/>
118         <equivalence value="equivalent"/>
119    </target>
120 </element>
121 </group>
122 </ConceptMap>

```

## 21. KBV\_CM\_MIO\_CMR\_U1\_U3\_BIRTHMODE\_GERMAN

### KBV\_CM\_MIO\_CMR\_U1\_U3\_Birthmode\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U1_U3_Birthmode_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U1_U3_Birthmode_German"/>
5   <title value="Geburtsmodus"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Geburtsmodus mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_U3_Birthmode_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="395683001"/>
24      <display value="Born by normal vaginal delivery (situation)"/>
25      <target>
26        <code value="Spontan"/>
```



```

27         <display value="Spontan"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="394699000"/>
33     <display value="Born by cesarean section (situation)"/>
34     <target>
35         <code value="Sectio"/>
36         <display value="Sectio"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="407614003"/>
42     <display value="Born by ventouse delivery (situation)"/>
43     <target>
44         <code value="Vakuum"/>
45         <display value="Vakuum"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="395681004"/>
51     <display value="Born by forceps delivery (situation)"/>
52     <target>
53         <code value="Forceps"/>
54         <display value="Forceps"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 22. KBV\_CM\_MIO\_CMR\_U1\_U3\_PULSE\_OXYMETRY\_MEASUREMENT\_GERMAN

### KBV\_CM\_MIO\_CMR\_U1\_U3\_Pulse\_Oxymetry\_Measurement\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement_German"/>
5   <title value="Auffälligkeit Sauerstoffsättigung"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für
Auffälligkeit Sauerstoffsättigung mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="449171008"/>
24      <display value="Oxygen saturation below reference range
(finding)"/>
25    </element>
  </group>
</ConceptMap>
```

```

26         <code value="auffaellig"/>
27         <display value="auffällig"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="448225001"/>
33     <display value="Oxygen saturation within reference range
(finding)"/>
34     <target>
35         <code value="unauffaellig"/>
36         <display value="unauffällig"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40
41     <element>
42         <code value="129125009:
{363589002=250554003,408730004=385643006,408732007=410604004}"/>
43         <display value="Procedure with explicit context
(situation) : { Associated procedure (attribute) = Measurement of oxygen
saturation at periphery (prcedure) , Procedure context (attribute) = To be
done (qualifier value) }"/>
44
45         <target>
46             <code value="kontrollbuerftig"/>
47             <display value="kontrollbedürftig"/>
48             <equivalence value="equivalent"/>
49         </target>
50     </element>
51
52
53 </group>
54 </ConceptMap>

```

## 23. KBV\_CM\_MIO\_CMR\_U2\_CONSULTATION\_GERMAN

### KBV\_CM\_MIO\_CMR\_U2\_Consultation\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U2_Consultation_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U2_Consultation_German"/>
5   <title value="U2 - Beratung"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U2 -
Beratung mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18    <group>
19      <source value="http://snomed.info/sct"/>
20      <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
21      <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Consultation_German"/>
22      <targetVersion value="1.0.1"/>
23      <element>
24        <code value="438650006"/>
25        <display value="Dietary education for breast feeding
(procedure)"/>
```

```

26         <target>
27             <code value="StillenErnaehrung"/>
28             <display value="Stillen/Ernährung"/>
29             <equivalence value="equivalent"/>
30         </target>
31     </element>
32     <element>
33         <code value="408433001"/>
34         <display value="Recommendation to carer regarding prevention of
sudden infant death syndrome (procedure)"/>
35         <target>
36             <code value="ploetzlicherKindstod"/>
37             <display value="plötzlicher Kindstod"/>
38             <equivalence value="equivalent"/>
39         </target>
40     </element>
41     <element>
42         <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
43         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
44         <target>
45             <code value="InformationzuRachitisprophylaxemittelsVitaminD
undKariesprophylaxemittelsFluorid"/>
46             <display value="Information zu Rachitisprophylaxe mittels
Vitamin D und Kariesprophylaxe mittels Fluorid"/>
47             <equivalence value="equivalent"/>
48         </target>
49     </element>
50     <element>
51         <code value="409066002:363702006=698350008"/>
52         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of vitamin K1 via oral
route (procedure)"/>
53         <target>
54             <code value="VitaminKProphylaxepruefenundwennnoetigdurchfue
hren"/>
55             <display value="Vitamin-K-Prophylaxe prüfen und wenn nötig
durchführen"/>
56             <equivalence value="equivalent"/>
57         </target>
58     </element>
59     <element>
60         <code value="424673000"/>
61         <display value="Community resources education, guidance and
counseling (procedure)"/>
62         <target>
63             <code value="InformationenzuregionalenUnterstuetzungsangebo
tenzBELternKindHilfenFrueheHilfen"/>
64             <display value="Informationen zu regionalen
Unterstützungsangeboten (z.B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
65             <equivalence value="equivalent"/>
66         </target>
67     </element>
68 </group>
69 </ConceptMap>

```

## 24. KBV\_CM\_MIO\_CMR\_U2\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CM\_MIO\_CMR\_U2\_Current\_Child\_History\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U2_Current_Child_History_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U2_Current_Child_History_German"/>
5   <title value="U2 - Aktuelle Anamnese des Kindes"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U2 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Current_Child_History_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="715949008"/>
24      <display value="Serious physical health problem (finding)"/>
25    </element>
  </group>
</ConceptMap>
```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationen"/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="399122003"/>
33     <display value="Swallowing problem (finding)"/>
34     <target>
35         <code value="SchwierigkeitenbeimTrinkenSchluckstoerungen"/>
36         <display value="Schwierigkeiten beim Trinken,
Schluckstörungen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="271863002"/>
42     <display value="Stool color abnormal (finding)"/>
43     <target>
44         <code value="StuhlfarbemitFarbtafelerfragen"/>
45         <display value="Stuhlfarbe (mit Farbtafel erfragen)"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="162214009"/>
51     <display value="Crying infant (finding)"/>
52     <target>
53         <code value="auffaelligesSchreien"/>
54         <display value="auffälliges Schreien"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="413350009:
{408729009=410519009,408731000=410512000,408732007=410604004,246090004=5278
1008}"/>
60     <display value="Finding with explicit context (situation) :
{ Finding context (attribute) = At risk context (qualifier value), Temporal
context (attribute) = Current or specified time (qualifier value), Subject
relationship context (attribute) = Subject of record (person), Associated
finding (attribute) = Congenital hip dysplasia (disorder) }"/>
61     <target>
62         <code value="RisikofaktorenfuerHueftdysplasie"/>
63         <display value="Risikofaktoren für Hüftdysplasie"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 25. KBV\_CM\_MIO\_CMR\_U2\_FAMILY\_HISTORY\_GERMAN

### KBV\_CM\_MIO\_CMR\_U2\_Family\_History\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U2_Family_History_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U2_Family_History_German"/>
5   <title value="U2 - Familienanamnese"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U2 -
Familienanamnese mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Family_History_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="160346003"/>
24      <display value="Family history: Eye disorder (situation)"/>
25    </element>
  </group>
</ConceptMap>
```



```

26         <code value="AugenerkrankungenzBStrabismusAmblyopieerbliche
Augenkrankheit"/>
27         <display value="Augenerkrankungen (z. B. Strabismus,
Augenkrankheit)"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="160352002"/>
33     <display value="Family history: Ear disorder (situation)"/>
34     <target>
35         <code value="angeboreneHoerstoerungenoderOhrfehlbildungen"/
>
36         <display value="angeborene Hörstörungen oder
Ohrfehlbildungen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="737367001"/>
42     <display value="Family history of disorder of immune function
(situation)"/>
43     <target>
44         <code value="Immundefekte"/>
45         <display value="Immundefekte"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="700191004"/>
51     <display value="Family history of congenital hip dysplasia
(situation)"/>
52     <target>
53         <code value="Hueftdysplasie"/>
54         <display value="Hüftdysplasie"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 26. KBV\_CM\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_HEAD\_GERMAN

KBV_CM_MIO_CMR_U2_Physical_Exam_Head_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U2_Physical_Exam_Head_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U2_Physical_Exam_Head_German"/>
6	<title value="U2 - Kopf"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U2 - Kopf
17	mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U2_Physical_Exam_Head_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="111235007"/>
	<display value="Musculoskeletal disorder of the neck
	(disorder)"/>
	</element>
	</group>
	</conceptmap>

```

26         <code value="Fehlhaltung"/>
27         <display value="Fehlhaltung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="253978002"/>
33     <display value="Dysmorphic features (finding)"/>
34     <target>
35         <code value="Dysmorphiezeichen"/>
36         <display value="Dysmorphiezeichen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="248387005"/>
42     <display value="Cranial suture finding (finding)"/>
43     <target>
44         <code value="Schaedelnaehte"/>
45         <display value="Schädelnähte"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="206200000"/>
51     <display value="Cephalhematoma due to birth trauma (disorder)"/
>
52     <target>
53         <code value="Kephalhaematom"/>
54         <display value="Kephalhämatom"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="366372002"/>
60     <display value="Finding of level of fontanelle (finding)"/>
61     <target>
62         <code value="Fontanellentonus"/>
63         <display value="Fontanellentonus"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="23149001:363698007=783207002"/>
69     <display value="Bone crepitus (finding) : Finding site
(attribute) = Bone and/or joint structure of cranium (body structure)"/>
70     <target>
71         <code value="Crepitatio capitis"/>
72         <display value="Crepitatio capitis"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 27. KBV\_CM\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

### KBV\_CM\_MIO\_CMR\_U2\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U2_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U2_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U2 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U2 -
Mundhöhle, Kiefer, Nase mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Physical_Exam_Mouth_Nose_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="300255008"/>
24       <display value="Oral cavity problem (finding)"/>
25     </element>

```

```

26         <code value="AuffaelligkeitenderSchleimhautunddesKieferkamm
s"/>
27         <display value="Auffälligkeiten der Schleimhaut und des
Kieferkamms"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="449790007"/>
33     <display value="Orfacial cleft (disorder)"/>
34     <target>
35         <code value="KieferGaumenanomalie"/>
36         <display value="Kiefer- Gaumenanomalie"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="125593007"/>
42     <display value="Injury of face (disorder)"/>
43     <target>
44         <code value="Verletzungszeichen"/>
45         <display value="Verletzungszeichen"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="65476007:363698007=21974007"/>
51     <display value="Abnormal size (finding) : Finding site
(attribute) = Tongue structure (body structure)"/>
52     <target>
53         <code value="abnormeGroessederZunge"/>
54         <display value="abnorme Größe der Zunge"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="232209000"/>
60     <display value="Nasal obstruction (disorder)"/>
61     <target>
62         <code value="behinderteNasenatmung"/>
63         <display value="behinderte Nasenatmung"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 28. KBV\_CM\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

KBV_CM_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System_Ger
6	man"/>
7	<title value="U2 - Bewegungsapparat"/>
8	<status value="draft"/>
9	<experimental value="false"/>
10	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
11	<contact>
12	<telecom>
13	<system value="url"/>
14	<value value="http://www.kbv.de"/>
15	</telecom>
16	</contact>
17	<description value="Diese Conceptmap verknüpft die Codes für U2 -
18	Bewegungsapparat mit deutschen Bezeichnungen"/>
19	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
20	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
21	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
22	which is used by permission of SNOMED International. All rights reserved.
23	SNOMED CT®, was originally created by The College of American Pathologists.
24	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
25	Implementers of these artefacts must have the appropriate SNOMED CT
	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="422949007"/>
	<display value="Musculoskeletal asymmetry (finding)"/>
	</element>

```

26         <code value="Asymmetrien"/>
27         <display value="Asymmetrien"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34     <target>
35         <code value="Schiefhaltung"/>
36         <display value="Schiefhaltung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="225606002"/>
42     <display value="Abnormal movement (finding)"/>
43     <target>
44         <code value="Spontanmotorik"/>
45         <display value="Spontanmotorik"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366725004"/>
51     <display value="Finding of muscle tone (finding)"/>
52     <target>
53         <code value="Muskeltonus"/>
54         <display value="Muskeltonus"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="8652009"/>
60     <display value="Opisthotonus (finding)"/>
61     <target>
62         <code value="Opisthotonus"/>
63         <display value="Opisthotonus"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="298180004"/>
69     <display value="Finding of range of joint movement (finding)"/>
70     <target>
71         <code value="passiveBeweglichkeitdergrossenGelenke"/>
72         <display value="passive Beweglichkeit der großen Gelenke"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="299742001+299743006"/>
78     <display value="Moro reflex absent (finding) + Moro reflex
equivocal (finding)"/>
79     <target>
80         <code value="MoroReaktion"/>
81         <display value="Moro-Reaktion"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>

```

```

85     <element>
86         <code value="299796002"/>
87         <display value="Galant's reflex absent (finding)"/>
88         <target>
89             <code value="GalantReflex"/>
90             <display value="Galant-Reflex"/>
91             <equivalence value="equivalent"/>
92         </target>
93     </element>
94     <element>
95         <code value="299763004+299764005"/>
96         <display value="Stepping reflex absent (finding)+Stepping
97 reflex equivocal (finding)"/>
98         <target>
99             <code value="Schreitautomatismus"/>
100            <display value="Schreitautomatismus"/>
101            <equivalence value="equivalent"/>
102        </target>
103    </element>
104    <element>
105        <code value="404684003:116676008=72704001"/>
106        <display value="Clinical finding (finding) : Associated
107 morphology (attribute) = Fracture (morphologic abnormality)"/>
108        <target>
109            <code value="klinischeFrakturzeichen"/>
110            <display value="klinische Frakturzeichen"/>
111            <equivalence value="equivalent"/>
112        </target>
113    </element>
</group>
</ConceptMap>

```



## 29. KBV\_CM\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_SKIN\_GERMAN

KBV_CM_MIO_CMR_U2_Physical_Exam_Skin_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U2_Physical_Exam_Skin_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U2_Physical_Exam_Skin_German"/>
6	<title value="U2 - Haut"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U2 - Haut
17	mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U2_Physical_Exam_Skin_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="267029006"/>
26	<display value="Pale - symptom (finding)"/>
	<target>
	<code value="auffaelligeBlaesse"/>

```

27         <display value="auffällige Blässe"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="3415004"/>
33     <display value="Cyanosis (finding)"/>
34     <target>
35         <code value="Zyanose"/>
36         <display value="Zyanose"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="18165001"/>
42     <display value="Jaundice (finding)"/>
43     <target>
44         <code value="Ikterus"/>
45         <display value="Ikterus"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="400210000"/>
51     <display value="Hemangioma (disorder)"/>
52     <target>
53         <code value="Haemangiome"/>
54         <display value="Hämangiome"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="21119008"/>
60     <display value="Pigmented nevus, no International
61     <target>
62         <code value="NaeviundanderePigmentanomalien"/>
63         <display value="Naevi und andere Pigmentanomalien"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="267038008"/>
69     <display value="Edema (finding)"/>
70     <target>
71         <code value="Oedeme"/>
72         <display value="Ödeme"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="781645001"/>
78     <display value="Injury to skin caused by trauma (finding)"/>
79     <target>
80     <code value="AnhaltfuerVerletzungenzBHaematomePetechienVerb
81     <display value="Anhalt für Verletzungen (z.B. Hämatome,
82     <equivalence value="equivalent"/>

```

```
83     </target>
84   </element>
85   <element>
86     <code value="251839006"/>
87     <display value="Fluid balance finding (finding)"/>
88     <target>
89       <code value="Hydratationszustand"/>
90       <display value="Hydratationszustand"/>
91       <equivalence value="equivalent"/>
92     </target>
93   </element>
94 </group>
95 </ConceptMap>
```

### 30. KBV\_CM\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals_German
6	"/>
7	<title value="U2, U3 - Abdomen, Genitale"/>
8	<status value="draft"/>
9	<experimental value="false"/>
10	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
11	<contact>
12	<telecom>
13	<system value="url"/>
14	<value value="http://www.kbv.de"/>
15	</telecom>
16	</contact>
17	<description value="Diese Conceptmap verknüpft die Codes für U2, U3 -
	Abdomen, Genitale mit deutschen Bezeichnungen"/>
	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
	which is used by permission of SNOMED International. All rights reserved.
	SNOMED CT®, was originally created by The College of American Pathologists.
	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
	Implementers of these artefacts must have the appropriate SNOMED CT
	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals_German"/>
23	<targetVersion value="1.0.1"/>
	<element>
	<code value="822987005:
	{116676008=49755003,363698007=818987002}"/>

```

24      <display value="Finding of abdominopelvic segment of trunk
(finding) : {Associated morphology (attribute) = Developmental anomaly
(morphologic abnormality) , Finding site (attribute) = Structure of
abdominopelvic cavity (body structure) }"/>
25      <target>
26          <code value="Anomalien"/>
27          <display value="Anomalien"/>
28          <equivalence value="equivalent"/>
29      </target>
30  </element>
31  <element>
32      <code value="249537008"/>
33      <display value="Umbilicus finding (finding)"/>
34      <target>
35          <code value="Nabelveraenderungen"/>
36          <display value="Nabelveraenderungen"/>
37          <equivalence value="equivalent"/>
38      </target>
39  </element>
40  <element>
41      <code value="65476007:{363698007=10200004,363698007=78961009}"/
>
42      <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure) }"/>
43      <target>
44          <code value="LeberundMilzgroesse"/>
45          <display value="Leber- und Milzgröße"/>
46          <equivalence value="equivalent"/>
47      </target>
48  </element>
49  <element>
50      <code value="128545000"/>
51      <display value="Hernia of abdominal wall (disorder)"/>
52      <target>
53          <code value="Hernien"/>
54          <display value="Hernien"/>
55          <equivalence value="equivalent"/>
56      </target>
57  </element>
58  </group>
59 </ConceptMap>

```

### 31. KBV\_CM\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_EARS\_GERMAN

KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Ears_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Ears_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Ears_German"/>
6	<title value="U2, U3 - Ohren"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U2, U3 -
17	Ohren mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Ears_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="282038006"/>
	<display value="Congenital abnormality of external ear
	(disorder)"/>
	</element>
	</group>
	</conceptmap>

```
26         <code value="FehlbildungenzB0hrfistelnAnhaengselAtresie"/>
27         <display value="Fehlbildungen (z. B. Ohrfisteln, Anhängsel,
Atresie)"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 </group>
32 </ConceptMap>
```

## 32. KBV\_CM\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_EYES\_GERMAN

### KBV\_CM\_MIO\_CMR\_U2\_U3\_Physical\_Exam\_Eyes\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Eyes_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U2_U3_Physical_Exam_Eyes_German"/>
5   <title value="U2, U3 - Augen"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U2, U3 -
Augen mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Eyes_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="737269000"/>
24      <display value="Eye appearance abnormal (finding)"/>
25    </element>
  </group>
</ConceptMap>
```



```

26         <code value="InspektionmorphologischeAuffaelligkeitenzBPtos
isLeukokorieBulbusgroessenauffaelligkeitenKolobom"/>
27         <display value="Inspektion: morphologische Auffälligkeiten
(z. B. Ptosis, Leukokorie, Bulbusgrößen auffälligkeiten, Kolobom)"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="307699005"/>
33     <display value="Nystagmus present (finding)"/>
34     <target>
35         <code value="InspektionNystagmus"/>
36         <display value="Inspektion: Nystagmus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="400964006"/>
42     <display value="Iris transillumination (finding)"/>
43     <target>
44         <code value="PruefungimdurchfallendenLichtTransillumination
sauffaelligkeitbeitruebungderbrechendenMedien"/>
45         <display value="Prüfung im durchfallenden Licht:
Transilluminationsauffälligkeit bei Trübung der brechenden Medien"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

### 33. KBV\_CM\_MIO\_CMR\_U2\_U4\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

#### KBV\_CM\_MIO\_CMR\_U2\_U4\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_
Tract_German"/>
5   <title value="U2, U3, U4 - Thorax, Lunge, Atemwege"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U2, U3, U4
- Thorax, Lunge, Atemwege mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="301272007"/>
24      <display value="Chest auscultation finding (finding)"/>
25      <target>

```

```

26         <code value="Auskultation"/>
27         <display value="Auskultation"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="301273002"/>
33     <display value="Abnormal breath sounds (finding)"/>
34     <target>
35         <code value="Atemgeraeusch"/>
36         <display value="Atemgeräusch"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="17077006"/>
42     <display value="Abnormal respiratory rate (finding)"/>
43     <target>
44         <code value="Atemfrequenz"/>
45         <display value="Atemfrequenz"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="67909005"/>
51     <display value="Chest wall retraction (finding)"/>
52     <target>
53         <code value="Einziehungen"/>
54         <display value="Einziehungen"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="298706004"/>
60     <display value="Finding of appearance of thorax (finding)"/>
61     <target>
62         <code value="Thoraxkonfiguration"/>
63         <display value="Thoraxkonfiguration"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="298761006"/>
69     <display value="Finding of clavicle structure (finding)"/>
70     <target>
71         <code value="Schluesselbeine"/>
72         <display value="Schlüsselbeine"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 34. KBV\_CM\_MIO\_CMR\_U2\_U6\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION\_GERMAN

## KBV\_CM\_MIO\_CMR\_U2\_U6\_Physical\_Exam\_Heart\_Blood\_Circulation\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U2_U6_Physical_Exam_Heart_Blood_Circulation_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U2_U6_Physical_Exam_Heart_Blood_Circulation
_German"/>
5   <title value="U2, U3, U4, U5, U6 - Herz, Kreislauf"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U2, U3,
U4, U5, U6 - Herz, Kreislauf mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U6_Physical_Exam_Heart_Blood_Circulation_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="361135004"/>
24      <display value="Abnormal cardiac rate (finding)"/>
25      <target>

```

```

26         <code value="Herzfrequenz"/>
27         <display value="Herzfrequenz"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="698247007"/>
33     <display value="Cardiac arrhythmia (disorder)"/>
34     <target>
35         <code value="Herzrhythmus"/>
36         <display value="Herzrhythmus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="123824001"/>
42     <display value="Heart sounds abnormal (finding)"/>
43     <target>
44         <code value="Herztoene"/>
45         <display value="Herztöne"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="88610006"/>
51     <display value="Heart murmur (finding)"/>
52     <target>
53         <code value="Herznebengeräusche"/>
54         <display value="Herznebengeräusche"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="50178004"/>
60     <display value="Abnormal femoral pulse (finding)"/>
61     <target>
62         <code value="Femoralispulse"/>
63         <display value="Femoralispulse"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

### 35. KBV\_CM\_MIO\_CMR\_U3\_CONSULTATION\_GERMAN

#### KBV\_CM\_MIO\_CMR\_U3\_Consultation\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U3_Consultation_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U3_Consultation_German"/>
5   <title value="U3 - Beratung"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U3 -
Beratung mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Consultation_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="438650006"/>
24      <display value="Dietary education for breast feeding
(procedure)"/>
25    </element>
  </target>
```

```

26         <code value="StillenErnaehrungMundhygiene"/>
27         <display value="Stillen/Ernährung/Mundhygiene"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="408433001"/>
33     <display value="Recommendation to caregiver regarding
prevention of sudden infant death syndrome (procedure)"/>
34     <target>
35         <code value="ploetzlicherKindstod"/>
36         <display value="plötzlicher Kindstod"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="409066002:363702006=698350008"/>
42     <display value="Education, guidance and counseling
(precedure) : Has focus (attribute) = Administration of vitamin K1 via oral
route (procedure)"/>
43     <target>
44         <code value="VitaminKProphylaxepruefenundwennnoetigdurchfue
hren"/>
45         <display value="Vitamin-K-Prophylaxe prüfen und wenn nötig
durchführen"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
51     <display value="Education, guidance and counseling
(precedure) : Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
52     <target>
53         <code value="RachitisprophylaxemittelsVitaminDundKariesprop
hylaxemittelsFluorid"/>
54         <display value="Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="424673000"/>
60     <display value="Community resources education, guidance and
counseling (procedure)"/>
61     <target>
62         <code value="InformationenzuregionalenUnterstuetzungsangebo
tenzBELternKindHilfenFrueheHilfen"/>
63         <display value="Informationen zu regionalen
Unterstützungsangeboten (z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="409059003"/>
69     <display value="Safety education, guidance, and counseling
(procedure)"/>
70     <target>

```

```

71         <code value="Unfallverhuetung"/>
72         <display value="Unfallverhütung"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="702971000"/>
78     <display value="Counseling for childhood immunization
(procedure)"/>
79     <target>
80         <code value="AufklaerungueberImpfungenVorschlageinesImpfter
mins"/>
81         <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>
86     <code value="409066002:363702006=162214009"/>
87     <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Crying infant (finding)"/>
88     <target>
89         <code value="UmgangmitSchreibaby"/>
90         <display value="Umgang mit Schreibaby"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 </group>
95 </ConceptMap>

```



## 36. KBV\_CM\_MIO\_CMR\_U3\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CM\_MIO\_CMR\_U3\_Current\_Child\_History\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U3_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U3_Current_Child_History_German"/>
5    <title value="U3 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U3 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Current_Child_History_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="715949008"/>
24       <display value="Serious physical health problem (finding)"/>
25     </element>

```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelle"/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="399122003"/>
33     <display value="Swallowing problem (finding)"/>
34     <target>
35         <code value="SchwierigkeitenbeimTrinkenSchluckstoerungenkei
nealtersgemaesseErnaehrung"/>
36         <display value="Schwierigkeiten beim Trinken,
Schluckstörungen, keine altersgemäße Ernährung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="162214009"/>
42     <display value="Crying infant (finding)"/>
43     <target>
44         <code value="auffaelligesSchreien"/>
45         <display value="auffälliges Schreien"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="271863002"/>
51     <display value="Stool color abnormal (finding)"/>
52     <target>
53         <code value="StuhlfarbemitFarbtafelerfragen"/>
54         <display value="Stuhlfarbe (mit Farbtafel erfragen)"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

### 37. KBV\_CM\_MIO\_CMR\_U3\_DEVELOPMENT\_ASSESSMENT\_GERMAN

#### KBV\_CM\_MIO\_CMR\_U3\_Development\_Assessment\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U3_Development_Assessment_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U3_Development_Assessment_German"/>
5   <title value="U3 - Orient. Beurt. Entwicklung"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U3 -
Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Development_Assessment_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="364832000"/>
24      <display value="Finding related to ability to perform gross
motor function (finding)"/>
25      <target>
```

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="285770005"/>
42     <display value="Finding of perceptual performance (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="106126000"/>
60     <display value="Emotional state finding (finding)"/>
61     <target>
62         <code value="StimmungAffekt"/>
63         <display value="Stimmung/Affekt"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="365997002"/>
69     <display value="Finding related to ability to interact with
others (finding)"/>
70     <target>
71         <code value="KontaktKommunikation"/>
72         <display value="Kontakt/Kommunikation"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="106131003"/>
78     <display value="Mood finding (finding)"/>
79     <target>
80         <code value="RegulationStimulation"/>
81         <display value="Regulation/Stimulation"/>
82         <equivalence value="equivalent"/>

```

```
83         </target>
84     </element>
85 </group>
86 </ConceptMap>
```

### 38. KBV\_CM\_MIO\_CMR\_U3\_FAMILY\_HISTORY\_GERMAN

KBV_CM_MIO_CMR_U3_Family_History_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U3_Family_History_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U3_Family_History_German"/>
6	<title value="U3 - Familienanamnese"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U3 -
17	Familienanamnese mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U3_Family_History_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="160346003"/>
	<display value="Family history: Eye disorder (situation)"/>
	</element>
	</group>
	</conceptmap>

```

26         <code value="AugenerkrankungenzBKindlicheKataraktStrabismus
AmblyopieerblicheAugenerkrankungen"/>
27         <display value="Augenerkrankungen (z. B. Kindliche
Katarakt, Strabismus, Amblyopie, erbliche Augenerkrankungen)"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="160352002"/>
33     <display value="Family history: Ear disorder (situation)"/>
34     <target>
35         <code value="angeboreneHoerstoerungenoderOhrfehlbildungen"/
>
36         <display value="angeborene Hörstörungen oder
Ohrfehlbildungen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="737367001"/>
42     <display value="Family history of disorder of immune function
(situation)"/>
43     <target>
44         <code value="Immundefekte"/>
45         <display value="Immundefekte"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

### 39. KBV\_CM\_MIO\_CMR\_U3\_PHYSICAL\_EXAM\_HEAD\_GERMAN

#### KBV\_CM\_MIO\_CMR\_U3\_Physical\_Exam\_Head\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U3_Physical_Exam_Head_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U3_Physical_Exam_Head_German"/>
5   <title value="U3 - Kopf"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U3 - Kopf
mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Physical_Exam_Head_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="111235007"/>
24      <display value="Musculoskeletal disorder of the neck
(disorder)"/>
25    </element>
  </target>
```



```

26         <code value="Fehlhaltung"/>
27         <display value="Fehlhaltung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="253978002"/>
33     <display value="Dysmorphic features (finding)"/>
34     <target>
35         <code value="Dysmorphiezeichen"/>
36         <display value="Dysmorphiezeichen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="248387005"/>
42     <display value="Cranial suture finding (finding)"/>
43     <target>
44         <code value="Schaedelnaehte"/>
45         <display value="Schädelnähte"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="206200000"/>
51     <display value="Cephalhematoma due to birth trauma (disorder)"/
>
52     <target>
53         <code value="Kephalhaematom"/>
54         <display value="Kephalhämatom"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="366372002"/>
60     <display value="Finding of level of fontanelle (finding)"/>
61     <target>
62         <code value="Fontanellentonus"/>
63         <display value="Fontanellentonus"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="23149001:363698007=783207002"/>
69     <display value="Bone crepitus (finding) : Finding site
(attribute) = Bone and/or joint structure of cranium (body structure)"/>
70     <target>
71         <code value="Crepitatio capitis"/>
72         <display value="Crepitatio capitis"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="293291000119108"/>
78     <display value="Acquired postural plagiocephaly (disorder)"/>
79     <target>
80         <code value="lagebedingteSchaedelasymmetrie"/>
81         <display value="lagebedingte Schädelasymmetrie"/>
82         <equivalence value="equivalent"/>
83     </target>

```

```
84     </element>
85   </group>
86 </ConceptMap>
```

#### 40. KBV\_CM\_MIO\_CMR\_U3\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

KBV_CM_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System_Ger
6	man"/>
7	<title value="U3 - Bewegungsapparat"/>
8	<status value="draft"/>
9	<experimental value="false"/>
10	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
11	<contact>
12	<telecom>
13	<system value="url"/>
14	<value value="http://www.kbv.de"/>
15	</telecom>
16	</contact>
17	<description value="Diese Conceptmap verknüpft die Codes für U3 -
18	Bewegungsapparat mit deutschen Bezeichnungen"/>
19	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
20	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
21	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
22	which is used by permission of SNOMED International. All rights reserved.
23	SNOMED CT®, was originally created by The College of American Pathologists.
24	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
25	Implementers of these artefacts must have the appropriate SNOMED CT
	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="422949007"/>
	<display value="Musculoskeletal asymmetry (finding)"/>
	</element>

```

26         <code value="Asymmetrien"/>
27         <display value="Asymmetrien"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34     <target>
35         <code value="Schiefhaltung"/>
36         <display value="Schiefhaltung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="225606002"/>
42     <display value="Abnormal movement (finding)"/>
43     <target>
44         <code value="Spontanmotorik"/>
45         <display value="Spontanmotorik"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366725004"/>
51     <display value="Finding of muscle tone (finding)"/>
52     <target>
53         <code value="Muskeltonus"/>
54         <display value="Muskeltonus"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="8652009"/>
60     <display value="Opisthotonus (finding)"/>
61     <target>
62         <code value="Opisthotonus"/>
63         <display value="Opisthotonus"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="298180004"/>
69     <display value="Finding of range of joint movement (finding)"/>
70     <target>
71         <code value="passiveBeweglichkeitdergrossenGelenke"/>
72         <display value="passive Beweglichkeit der großen Gelenke"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="366420008"/>
78     <display value="Peripheral reflex finding (finding)"/>
79     <target>
80         <code value="Muskeleigenreflexe"/>
81         <display value="Muskeleigenreflexe"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>

```

```

86     <code value="299745004+299746003"/>
87     <display value="Palmar reflex absent (finding) + Palmar reflex
equivocal (finding)"/>
88     <target>
89         <code value="Handgreifreflex"/>
90         <display value="Handgreifreflex"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 <element>
95     <code value="299742001+299743006"/>
96     <display value="Moro reflex absent (finding) + Moro reflex
equivocal (finding)"/>
97     <target>
98         <code value="MoroReaktion"/>
99         <display value="Moro-Reaktion"/>
100        <equivalence value="equivalent"/>
101    </target>
102 </element>
103 <element>
104     <code value="299757008+299758003"/>
105     <display value="Sucking reflex absent (finding) + Sucking
reflex equivocal (finding)"/>
106     <target>
107         <code value="Saugreflex"/>
108         <display value="Saugreflex"/>
109         <equivalence value="equivalent"/>
110    </target>
111 </element>
112 <element>
113     <code value="404684003:116676008=72704001"/>
114     <display value="Clinical finding (finding) : Associated
morphology (attribute) = Fracture (morphologic abnormality)"/>
115     <target>
116         <code value="klinischeFrakturzeichen"/>
117         <display value="klinische Frakturzeichen"/>
118         <equivalence value="equivalent"/>
119    </target>
120 </element>
121 </group>
122 </ConceptMap>

```

#### 41. KBV\_CM\_MIO\_CMR\_U3\_U4\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

KBV_CM_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose_German"/>
6	<title value="U3, U4 - Mundhöhle, Kiefer, Nase"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U3, U4 -
17	Mundhöhle, Kiefer, Nase mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="300255008"/>
	<display value="Oral cavity problem (finding)"/>
	</element>
	</group>

```

26         <code value="AuffaelligkeitenderSchleimhautunddesKieferkamm
s"/>
27         <display value="Auffälligkeiten der Schleimhaut und des
Kieferkamms"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="449790007"/>
33     <display value="Orofacial cleft (disorder)"/>
34     <target>
35         <code value="KieferGaumenanomalie"/>
36         <display value="Kiefer- Gaumenanomalie"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="125593007"/>
42     <display value="Injury of face (disorder)"/>
43     <target>
44         <code value="Verletzungszeichen"/>
45         <display value="Verletzungszeichen"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="65476007:363698007=21974007"/>
51     <display value="Abnormal size (finding) : Finding site
(attribute) = Tongue structure (body structure)"/>
52     <target>
53         <code value="abnormeGroessederZunge"/>
54         <display value="abnorme Größe der Zunge"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="232209000"/>
60     <display value="Nasal obstruction (disorder)"/>
61     <target>
62         <code value="behinderteNasentatmung"/>
63         <display value="behinderte Nasentatmung"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="367381002"/>
69     <display value="Weak mouth closure (finding)"/>
70     <target>
71         <code value="orofacialerHypotonus"/>
72         <display value="orofacialer Hypotonus"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 42. KBV\_CM\_MIO\_CMR\_U3\_U4\_PHYSICAL\_EXAM\_SKIN\_GERMAN

KBV_CM_MIO_CMR_U3_U4_Physical_Exam_Skin_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U3_U4_Physical_Exam_Skin_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U3_U4_Physical_Exam_Skin_German"/>
6	<title value="U3, U4 - Haut"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U3, U4 -
17	Haut mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U3_U4_Physical_Exam_Skin_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="267029006"/>
26	<display value="Pale - symptom (finding)"/>
	<target>
	<code value="auffaelligeBlaesse"/>



```

27         <display value="auffällige Blässe"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="3415004"/>
33     <display value="Cyanosis (finding)"/>
34     <target>
35         <code value="Zyanose"/>
36         <display value="Zyanose"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="18165001"/>
42     <display value="Jaundice (finding)"/>
43     <target>
44         <code value="Ikterus"/>
45         <display value="Ikterus"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="400210000"/>
51     <display value="Hemangioma (disorder)"/>
52     <target>
53         <code value="Haemangiome"/>
54         <display value="Hämangiome"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="370172004"/>
60     <display value="Skin pigmentation (finding)"/>
61     <target>
62         <code value="NaeviundanderePigmentanomalien"/>
63         <display value="Naevi und andere Pigmentanomalien"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="267038008"/>
69     <display value="Edema (finding)"/>
70     <target>
71         <code value="Oedeme"/>
72         <display value="Ödeme"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="781645001"/>
78     <display value="Injury to skin caused by trauma (finding)"/>
79     <target>
80         <code value="AnhaltfuerVerletzungenzBHaematomePetechienVerbrennungenNarben"/>
81         <display value="Anhalt für Verletzungen (z. B. Hämatome, Petechien, Verbrennungen, Narben)"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>

```

```
85     <element>
86         <code value="106076001:116676008=708039003"/>
87         <display value="Skin finding (finding) : Associated morphology
(attribute) = Inflammatory lesion (morphologic abnormality)"/>
88         <target>
89             <code value="entzuendlicheHautveraenderungen"/>
90             <display value="entzündliche Hautveränderungen"/>
91             <equivalence value="equivalent"/>
92         </target>
93     </element>
94 </group>
95 </ConceptMap>
```

### 43. KBV\_CM\_MIO\_CMR\_U3\_U9\_AGE\_APPROPRIATE\_DEVELOPMENT\_GERMAN

KBV_CM_MIO_CMR_U3_U9_Age_Appropriate_Development_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U3_U9_Age_Appropriate_Development_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U3_U9_Age_Appropriate_Development_German"/>
6	<title value="altersgemäÙe Entwicklung"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für
17	altersgemäÙe Entwicklung mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U3_U9_Age_Appropriate_Development_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="23397005"/>
	<display value="Normal growth and development for age
	(finding)"/>
	</element>
	</group>
	</conceptmap>

```
26         <code value="altersgemaesseEntwicklung"/>
27         <display value="altersgemäße Entwicklung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="409033001"/>
33     <display value="Altered growth and development (finding)"/>
34     <target>
35         <code value="nichtaltersgemaesseEntwicklung"/>
36         <display value="nicht altersgemäße Entwicklung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 </group>
41 </ConceptMap>
```

#### 44. KBV\_CM\_MIO\_CMR\_U3\_U9\_SOCIAL\_HISTORY\_GERMAN

##### KBV\_CM\_MIO\_CMR\_U3\_U9\_Social\_History\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U3_U9_Social_History_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U3_U9_Social_History_German"/>
5   <title value="U3-U9 - Sozialanamnese"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U3-U9 -
Sozialanamnese mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_U9_Social_History_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="105485001"/>
24      <display value="Family tension (finding)"/>
25      <target>
26        <code value="besondereBelastungeninderFamilie"/>
```

```
27         <display value="besondere Belastungen in der Familie"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="276104006"/>
33     <display value="Home unsettled (finding)"/>
34     <target>
35         <code value="Betreuungssituation"/>
36         <display value="Betreuungssituation"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 </group>
41 </ConceptMap>
```

## 45. KBV\_CM\_MIO\_CMR\_U4\_CONSULTATION\_GERMAN

### KBV\_CM\_MIO\_CMR\_U4\_Consultation\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U4_Consultation_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U4_Consultation_German"/>
5   <title value="U4 - Beratung"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U4 -
Beratung mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Consultation_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="438650006"/>
24      <display value="Dietary education for breast feeding
(procedure)"/>
25    </element>
  </target>
```

```

26         <code value="StillenErnaehrungMundgesundheits"/>
27         <display value="Stillen/Ernährung/Mundgesundheits"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="408433001"/>
33     <display value="Recommendation to caregiver regarding
prevention of sudden infant death syndrome (procedure)"/>
34     <target>
35         <code value="ploetzlicherKindstod"/>
36         <display value="plötzlicher Kindstod"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
42     <display value="Education, guidance and counseling
(procedure) : { Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
43     <target>
44         <code value="RachitisprophylaxemittelsVitaminDundKariesprop
hylaxemittelsFluorid"/>
45         <display value="Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="424673000"/>
51     <display value="Community resources education, guidance and
counseling (procedure)"/>
52     <target>
53         <code value="InformationenzuregionalenUnterstuetzungsangebo
tenzBELternKindHilfenFrueheHilfen"/>
54         <display value="Informationen zu regionalen
Unterstützungsangeboten (z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="409059003"/>
60     <display value="Safety education, guidance, and counseling
(procedure)"/>
61     <target>
62         <code value="Unfallverhuetung"/>
63         <display value="Unfallverhütung"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="702971000"/>
69     <display value="Counseling for childhood immunization
(procedure)"/>
70     <target>
71         <code value="AufklaerungueberImpfungenVorschlageinesImpfter
minsImpfstatusentsprechendderSchutzimpfungsRichtliniedesGBAueberpruefen"/>

```



```

72         <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend der Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="409066002:363702006=162214009"/>
78     <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Crying infant (finding)"/>
79     <target>
80         <code value="UmgangmitSchreibabySchlafundEssstoerung"/>
81         <display value="Umgang mit Schreibaby, Schlaf- und
Esstörung"/>
82     <equivalence value="equivalent"/>
83 </target>
84 </element>
85 <element>
86     <code value="424308004"/>
87     <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
88     <target>
89         <code value="SprachberatungFoerderungvonMutterspracheunddeu
tscherSpracheeinschliesslicherLautundGebaerdensprache"/>
90         <display value="Sprachberatung: Förderung von
„Muttersprache“ und deutscher Sprache (einschließlich der Laut- und
Gebärdensprache)"/>
91     <equivalence value="equivalent"/>
92 </target>
93 </element>
94 </group>
95 </ConceptMap>

```

#### 46. KBV\_CM\_MIO\_CMR\_U4\_CURRENT\_CHILD\_HISTORY\_GERMAN

##### KBV\_CM\_MIO\_CMR\_U4\_Current\_Child\_History\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U4_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U4_Current_Child_History_German"/>
5    <title value="U4 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U4 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Current_Child_History_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="715949008"/>
24       <display value="Serious physical health problem (finding)"/>
25     </element>

```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelle"/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="399122003"/>
33     <display value="Swallowing problem (finding)"/>
34     <target>
35         <code value="SchwierigkeitenbeimTrinkenundFuetternErbrechen
Schluckstoerungen"/>
36         <display value="Schwierigkeiten beim Trinken und Füttern,
Erbrechen, Schluckstörungen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="271840007+111360009"/>
42     <display value="Abnormal feces (finding)+Obstipation
(disorder)"/>
43     <target>
44         <code value="abnormeStuehleStuhlfarbemitFarbtafelerfragenOb
stipation"/>
45         <display value="abnorme Stühle (Stuhlfarbe mit Farbtafel
erfragen), Obstipation"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="162214009"/>
51     <display value="Crying infant (finding)"/>
52     <target>
53         <code value="auffaelligesSchreien"/>
54         <display value="auffälliges Schreien"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 47. KBV\_CM\_MIO\_CMR\_U4\_DEVELOPMENT\_ASSESSMENT\_GERMAN

### KBV\_CM\_MIO\_CMR\_U4\_Development\_Assessment\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U4_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U4_Development_Assessment_German"/>
5    <title value="U4 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U4 -
Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Development_Assessment_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="364832000"/>
24       <display value="Finding related to ability to perform gross
motor function (finding)"/>
25     <target>

```

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="285770005"/>
42     <display value="Finding of perceptual performance (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="106126000"/>
60     <display value="Emotional state finding (finding)"/>
61     <target>
62         <code value="StimmungAffekt"/>
63         <display value="Stimmung/Affekt"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="365997002"/>
69     <display value="Finding related to ability to interact with
others (finding)"/>
70     <target>
71         <code value="KontaktKommunikation"/>
72         <display value="Kontakt/Kommunikation"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="106131003"/>
78     <display value="Mood finding (finding)"/>
79     <target>
80         <code value="RegulationStimulation"/>
81         <display value="Regulation/Stimulation"/>
82         <equivalence value="equivalent"/>

```

```
83         </target>
84     </element>
85 </group>
86 </ConceptMap>
```

#### 48. KBV\_CM\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

##### KBV\_CM\_MIO\_CMR\_U4\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U4_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U4_Physical_Exam_Abdomen_Genitals_German"/>
5    <title value="U4 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U4 -
Abdomen, Genitale mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Physical_Exam_Abdomen_Genitals_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="822987005:
{116676008=49755003,363698007=818987002}"/>

```

```

24      <display value="Finding of abdominopelvic segment of trunk
(finding) : {Associated morphology (attribute) = Developmental anomaly
(morphologic abnormality) , Finding site (attribute) = Structure of
abdominopelvic cavity (body structure) }"/>
25      <target>
26          <code value="Anomalien"/>
27          <display value="Anomalien"/>
28          <equivalence value="equivalent"/>
29      </target>
30  </element>
31  <element>
32      <code value="65476007:{363698007=10200004,363698007=78961009}"/
>
33      <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure) }"/>
34      <target>
35          <code value="LeberundMilzgroesse"/>
36          <display value="Leber- und Milzgröße"/>
37          <equivalence value="equivalent"/>
38      </target>
39  </element>
40  <element>
41      <code value="128545000"/>
42      <display value="Hernia of abdominal wall (disorder)"/>
43      <target>
44          <code value="Hernien"/>
45          <display value="Hernien"/>
46          <equivalence value="equivalent"/>
47      </target>
48  </element>
49  </group>
50 </ConceptMap>

```



#### 49. KBV\_CM\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_HEAD\_GERMAN

KBV_CM_MIO_CMR_U4_Physical_Exam_Head_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U4_Physical_Exam_Head_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U4_Physical_Exam_Head_German"/>
6	<title value="U4 - Kopf"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U4 - Kopf
17	mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U4_Physical_Exam_Head_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="111235007"/>
	<display value="Musculoskeletal disorder of the neck
	(disorder)"/>
	</element>
	</group>
	</conceptmap>

```

26         <code value="Fehlhaltung"/>
27         <display value="Fehlhaltung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="253978002"/>
33     <display value="Dysmorphic features (finding)"/>
34     <target>
35         <code value="Dysmorphiezeichen"/>
36         <display value="Dysmorphiezeichen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="248387005"/>
42     <display value="Cranial suture finding (finding)"/>
43     <target>
44         <code value="Schaedelnaehte"/>
45         <display value="Schädelnähte"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="206200000"/>
51     <display value="Cephalhematoma due to birth trauma (disorder)"/
>
52     <target>
53         <code value="Kephalhaematom"/>
54         <display value="Kephalhämatom"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="366372002"/>
60     <display value="Finding of level of fontanelle (finding)"/>
61     <target>
62         <code value="Fontanellentonus"/>
63         <display value="Fontanellentonus"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 50. KBV\_CM\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CM\_MIO\_CMR\_U4\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U4_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U4_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U4 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U4 -
Bewegungsapparat mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Physical_Exam_Musculoskeletal_System_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="422949007"/>
24       <display value="Musculoskeletal asymmetry (finding)"/>
25     </element>

```

```

26         <code value="Asymmetrien"/>
27         <display value="Asymmetrien"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34     <target>
35         <code value="Schiefhaltung"/>
36         <display value="Schiefhaltung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="225606002"/>
42     <display value="Abnormal movement (finding)"/>
43     <target>
44         <code value="Spontanmotorik"/>
45         <display value="Spontanmotorik"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366725004"/>
51     <display value="Finding of muscle tone (finding)"/>
52     <target>
53         <code value="Muskeltonus"/>
54         <display value="Muskeltonus"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="8652009"/>
60     <display value="Opisthotonus (finding)"/>
61     <target>
62         <code value="Opisthotonus"/>
63         <display value="Opisthotonus"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="298180004"/>
69     <display value="Finding of range of joint movement (finding)"/>
70     <target>
71         <code value="passiveBeweglichkeitdergrossenGelenke"/>
72         <display value="passive Beweglichkeit der großen Gelenke"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="366420008"/>
78     <display value="Peripheral reflex finding (finding)"/>
79     <target>
80         <code value="Muskeleigenreflexe"/>
81         <display value="Muskeleigenreflexe"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>

```

```

86     <code value="299745004+299746003"/>
87     <display value="Palmar reflex absent (finding) + Palmar reflex
equivocal (finding)"/>
88     <target>
89         <code value="Handgreifreflex"/>
90         <display value="Handgreifreflex"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 <element>
95     <code value="246592003+246589002"/>
96     <display value="Absent plantar response (finding) + Equivocal
plantar response (finding)"/>
97     <target>
98         <code value="Fussgreifreflex"/>
99         <display value="Fußgreifreflex"/>
100        <equivalence value="equivalent"/>
101    </target>
102 </element>
103 <element>
104     <code value="366121000"/>
105     <display value="Primitive reflex finding (finding)"/>
106     <target>
107         <code value="Neugeborenenreflexe"/>
108         <display value="Neugeborenenreflexe"/>
109         <equivalence value="equivalent"/>
110     </target>
111 </element>
112 <element>
113     <code value="404684003:116676008=72704001"/>
114     <display value="Clinical finding (finding) : Associated
morphology (attribute) = Fracture (morphologic abnormality)"/>
115     <target>
116         <code value="klinischeFrakturzeichen"/>
117         <display value="klinische Frakturzeichen"/>
118         <equivalence value="equivalent"/>
119     </target>
120 </element>
121 </group>
122 </ConceptMap>

```

## 51. KBV\_CM\_MIO\_CMR\_U4\_U5\_PHYSICAL\_EXAM\_EYES\_GERMAN

KBV_CM_MIO_CMR_U4_U5_Physical_Exam_Eyes_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U4_U5_Physical_Exam_Eyes_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U4_U5_Physical_Exam_Eyes_German"/>
6	<title value="U4, U5 - Augen"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U4, U5 -
17	Augen mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
27	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
28	is available at no cost under the license at http://loinc.org/license.
29	Loinc® is a registered United States trademark of Regenstrief Institute,
30	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
31	and UCUM definitions or is derived from it, subject to a license from
32	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
33	table, UCUM codes, UCUM definitions also is subject to this license, a copy
34	of which is available at http://unitsofmeasure.org. The current complete
35	UCUM table, UCUM Specification are available for download at http://
36	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
37	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
38	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
39	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
40	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
41	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
42	PARTICULAR PURPOSE." /><group>
43	<source value="http://snomed.info/sct"/>
44	<sourceVersion value="http://snomed.info/sct/900000000000207008/
45	version/20210131"/>
46	<target value="https://fhir.kbv.de/CodeSystem/
47	KBV_CS_MIO_CMR_U4_U5_Physical_Exam_Eyes_German"/>
48	<targetVersion value="1.0.1"/>
49	<element>
50	<code value="737269000"/>
51	<display value="Eye appearance abnormal (finding)"/>
52	</element>
53	</group>
54	</conceptmap>

```

26         <code value="InspektionmorphologischeAuffaelligkeitenzBptos
isLeukokorieBulbusgroessenauffaelligkeitenKolobom"/>
27         <display value="Inspektion: morphologische Auffälligkeiten
(z. B. Ptosis, Leukokorie, Bulbusgrößenauffälligkeiten, Kolobom)"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="307699005"/>
33     <display value="Nystagmus present (finding)"/>
34     <target>
35         <code value="InspektionNystagmus"/>
36         <display value="Inspektion: Nystagmus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="400964006"/>
42     <display value="Iris transillumination (finding)"/>
43     <target>
44         <code value="BruecknerTestTransilluminationsunterschiedzBbe
iTruebungderbrechendenMedienStrabismusAnisometropie"/>
45         <display value="Brückner-Test:
Transilluminationsunterschied (z. B. bei Trübung der brechenden Medien,
Strabismus, Anisometropie)"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="870705000"/>
51     <display value="Poor visual fixation (finding)"/>
52     <target>
53         <code value="PruefungderBlickfolgemiteinemgeraeschlosedas
KindinteressierendenObjektzBLichtquelleFixationsschwaecherechtslinks"/>
54         <display value="Prüfung der Blickfolge mit einem
geräuschlosen, das Kind interessierenden Objekt (z.B. Lichtquelle):
Fixationsschwäche rechts/links"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 52. KBV\_CM\_MIO\_CMR\_U5\_CONSULTATION\_GERMAN

### KBV\_CM\_MIO\_CMR\_U5\_Consultation\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_Consultation_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U5_Consultation_German"/>
5   <title value="U5 - Beratung"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U5 -
Beratung mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Consultation_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="438650006"/>
24      <display value="Dietary education for breast feeding
(procedure)"/>
25    </element>
  </target>
```



```

26         <code value="StillenErnaehrung"/>
27         <display value="Stillen/Ernährung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="408433001"/>
33     <display value="Recommendation to caregiver regarding
prevention of sudden infant death syndrome (procedure)"/>
34     <target>
35         <code value="ploetzlicherKindstod"/>
36         <display value="plötzlicher Kindstod"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
42     <display value="Education, guidance and counseling
(precedure) : Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
43     <target>
44         <code value="RachitisprophylaxemittelsVitaminDundKariesprop
hylaxemittelsFluorid"/>
45         <display value="Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="424673000"/>
51     <display value="Community resources education, guidance and
counseling (procedure)"/>
52     <target>
53         <code value="InformationenzuregionalenUnterstuetzungsangebo
tenzBELternKindHilfenFrueheHilfen"/>
54         <display value="Informationen zu regionalen
Unterstützungsangeboten (z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="409059003"/>
60     <display value="Safety education, guidance, and counseling
(procedure)"/>
61     <target>
62         <code value="Unfallverhuetung"/>
63         <display value="Unfallverhütung"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="702971000"/>
69     <display value="Counseling for childhood immunization
(procedure)"/>
70     <target>
71         <code value="AufklaerungueberImpfungenVorschlageinesImpfter
minsImpfstatusentsprechendderSchutzimpfungsRichtliniedesGBAueberpruefen"/>

```

```

72         <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend der Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="243085009"/>
78     <display value="Oral health education (procedure)"/>
79     <target>
80         <code value="HinweisezuMundhygieneundzahnschonenderErnaehru
ng"/>
81         <display value="Hinweise zu Mundhygiene und zahnschonender
Ernährung"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>
86     <code value="424308004"/>
87     <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
88     <target>
89         <code value="SprachberatungFoerderungvonMutterspracheunddeu
tscherSpracheeinschliesslichderLautundGebaerdensprache"/>
90         <display value="Sprachberatung: Förderung von
„Muttersprache“ und deutscher Sprache (einschließlich der Laut- und
Gebärdensprache)"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 <element>
95     <code value="274410002"/>
96     <display value="Dental referral - child (procedure)"/>
97     <target>
98         <code value="VerweiszumZahnarztzurZahnaerztinzurAbklaerung
onAuffaelligkeitenanZaehnenundSchleimhaut"/>
99         <display value="Verweis zum Zahnarzt / zur Zahnärztin zur
Abklärung von Auffälligkeiten an Zähnen und Schleimhaut"/>
100        <equivalence value="equivalent"/>
101    </target>
102 </element>
103 <element>
104     <code value="408935001"/>
105     <display value="Substance abuse prevention education
(procedure)"/>
106     <target>
107         <code value="Sucht"/>
108         <display value="Sucht"/>
109         <equivalence value="equivalent"/>
110     </target>
111 </element>
112 <element>
113     <code value="410310007"/>
114     <display value="Skin care education, guidance, and counseling
(procedure)"/>
115     <target>
116         <code value="UVSchutz"/>
117         <display value="UV-Schutz"/>
118         <equivalence value="equivalent"/>
119     </target>

```

```
120     </element>
121     </group>
122 </ConceptMap>
```

### 53. KBV\_CM\_MIO\_CMR\_U5\_CURRENT\_CHILD\_HISTORY\_GERMAN

#### KBV\_CM\_MIO\_CMR\_U5\_Current\_Child\_History\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_Current_Child_History_German"/>
5    <title value="U5 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Current_Child_History_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="715949008"/>
24       <display value="Serious physical health problem (finding)"/>
25     </element>

```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"
/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und
häufige Infektionen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="248124006"/>
33     <display value="Eating problem (finding)"/>
34     <target>
35         <code value="Essverhaltensnichtaltersgemaess"/>
36         <display value="Essverhalten nicht altersgemäß"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="271840007"/>
42     <display value="Abnormal feces (finding)"/>
43     <target>
44         <code value="abnormeStuehle"/>
45         <display value="abnorme Stühle"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="162214009"/>
51     <display value="Crying infant (finding)"/>
52     <target>
53         <code value="auffaelligesSchreien"/>
54         <display value="auffälliges Schreien"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="162339002"/>
60     <display value="Hearing normal (finding)"/>
61     <target>
62         <code value="KanndasKindguthoerenKindreagiertauflauteundlei
seSchallreizewendetdenKopfzurSchallquelle"/>
63         <display value="Kann das Kind gut hören? (Kind reagiert auf
laute und leise Schallreize, wendet den Kopf zur Schallquelle)"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 54. KBV\_CM\_MIO\_CMR\_U5\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CM\_MIO\_CMR\_U5\_Development\_Assessment\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_Development_Assessment_German"/>
5    <title value="U5 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5 -
Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Development_Assessment_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="364832000"/>
24       <display value="Finding related to ability to perform gross
motor function (finding)"/>
25     <target>

```

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="365374008"/>
42     <display value="Finding related to ability to play (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="268672004"/>
60     <display value=" Disorder of speech and language development
(disorder)"/>
61     <target>
62         <code value="Sprache"/>
63         <display value="Sprache"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="106126000"/>
69     <display value="Emotional state finding (finding)"/>
70     <target>
71         <code value="StimmungAffekt"/>
72         <display value="Stimmung/Affekt"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="365997002"/>
78     <display value="Finding related to ability to interact with
others (finding)"/>
79     <target>
80         <code value="KontaktKommunikation"/>
81         <display value="Kontakt/Kommunikation"/>

```

```
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>
86     <code value="106131003"/>
87     <display value="Mood finding (finding)"/>
88     <target>
89         <code value="RegulationStimulation"/>
90         <display value="Regulation/Stimulation"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 </group>
95 </ConceptMap>
```



## 55. KBV\_CM\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CM\_MIO\_CMR\_U5\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_Physical_Exam_Chest_Lung_Respiratory_Tra
ct_German"/>
5    <title value="U5 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5 -
Thorax, Lunge, Atemwege mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="301272007"/>
24       <display value="Chest auscultation finding (finding)"/>
25     </element>

```

```

26         <code value="Auskultation"/>
27         <display value="Auskultation"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="301273002"/>
33     <display value="Abnormal breath sounds (finding)"/>
34     <target>
35         <code value="Atemgeraeusch"/>
36         <display value="Atemgeräusch"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="17077006"/>
42     <display value="Abnormal respiratory rate (finding)"/>
43     <target>
44         <code value="Atemfrequenz"/>
45         <display value="Atemfrequenz"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="67909005"/>
51     <display value="Chest wall retraction (finding)"/>
52     <target>
53         <code value="Einziehungen"/>
54         <display value="Einziehungen"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="298706004"/>
60     <display value="Finding of appearance of thorax (finding)"/>
61     <target>
62         <code value="Thoraxkonfiguration"/>
63         <display value="Thoraxkonfiguration"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 56. KBV\_CM\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CM\_MIO\_CMR\_U5\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U5 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5 -
Mundhöhle, Kiefer, Nase mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Physical_Exam_Mouth_Nose_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="125593007"/>
24       <display value="Injury of face (disorder)"/>
25       <target>
26         <code value="Verletzungszeichen"/>

```

```
27         <display value="Verletzungszeichen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="367381002"/>
33     <display value="Weak mouth closure (finding)"/>
34     <target>
35         <code value="fehlenderMundschluss"/>
36         <display value="fehlender Mundschluss"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 </group>
41 </ConceptMap>
```

## 57. KBV\_CM\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CM\_MIO\_CMR\_U5\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U5 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5 -
Bewegungsapparat mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Physical_Exam_Musculoskeletal_System_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="422949007"/>
24       <display value="Musculoskeletal asymmetry (finding)"/>
25     </element>

```

```

26         <code value="Asymmetrien"/>
27         <display value="Asymmetrien"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34     <target>
35         <code value="Schiefhaltung"/>
36         <display value="Schiefhaltung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="225606002"/>
42     <display value="Abnormal movement (finding)"/>
43     <target>
44         <code value="Spontanmotorik"/>
45         <display value="Spontanmotorik"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366725004"/>
51     <display value="Finding of muscle tone (finding)"/>
52     <target>
53         <code value="Muskeltonus"/>
54         <display value="Muskeltonus"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="298180004"/>
60     <display value="Finding of range of joint movement (finding)"/>
61     <target>
62         <code value="passiveBeweglichkeitdergrossenGelenke"/>
63         <display value="passive Beweglichkeit der großen Gelenke"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="366420008"/>
69     <display value="Peripheral reflex finding (finding)"/>
70     <target>
71         <code value="Muskeleigenreflexe"/>
72         <display value="Muskeleigenreflexe"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="404684003:116676008=72704001"/>
78     <display value="Clinical finding (finding) : Associated
morphology (attribute) = Fracture (morphologic abnormality)"/>
79     <target>
80         <code value="klinischeFrakturzeichen"/>
81         <display value="klinische Frakturzeichen"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>

```

85

</group>

86

</ConceptMap>

## 58. KBV\_CM\_MIO\_CMR\_U5\_U6\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CM\_MIO\_CMR\_U5\_U6\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals_German
"/>
5    <title value="U5, U6 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5, U6 -
Abdomen, Genitale mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="822987005:
{116676008=49755003,363698007=818987002}"/>

```



```

24      <display value="Finding of abdominopelvic segment of trunk
(finding) : {Associated morphology (attribute) = Developmental anomaly
(morphologic abnormality) , Finding site (attribute) = Structure of
abdominopelvic cavity (body structure) }"/>
25      <target>
26          <code value="Anomalien"/>
27          <display value="Anomalien"/>
28          <equivalence value="equivalent"/>
29      </target>
30  </element>
31  <element>
32      <code value="204878001"/>
33      <display value="Undescended testicle (disorder)"/>
34      <target>
35          <code value="Hodenhochstandrechtslinks"/>
36          <display value="Hodenhochstand rechts/links"/>
37          <equivalence value="equivalent"/>
38      </target>
39  </element>
40  <element>
41      <code value="128545000"/>
42      <display value="Hernia of abdominal wall (disorder)"/>
43      <target>
44          <code value="Hernien"/>
45          <display value="Hernien"/>
46          <equivalence value="equivalent"/>
47      </target>
48  </element>
49  <element>
50      <code value="65476007:{363698007=10200004,363698007=78961009}"/
>
51      <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure) }"/>
52      <target>
53          <code value="LeberundMilzgroesse"/>
54          <display value="Leber- und Milzgröße"/>
55          <equivalence value="equivalent"/>
56      </target>
57  </element>
58  </group>
59 </ConceptMap>

```

## 59. KBV\_CM\_MIO\_CMR\_U5\_U6\_PHYSICAL\_EXAM\_HEAD\_GERMAN

## KBV\_CM\_MIO\_CMR\_U5\_U6\_Physical\_Exam\_Head\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_U6_Physical_Exam_Head_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_U6_Physical_Exam_Head_German"/>
5    <title value="U5, U6 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5, U6 -
Kopf mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_U6_Physical_Exam_Head_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="111235007"/>
24       <display value="Musculoskeletal disorder of the neck
(disorder)"/>
25     </element>
  </target>

```

```

26         <code value="Fehlhaltung"/>
27         <display value="Fehlhaltung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="253978002"/>
33     <display value="Dysmorphic features (finding)"/>
34     <target>
35         <code value="Dysmorphiezeichen"/>
36         <display value="Dysmorphiezeichen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="248387005"/>
42     <display value="Cranial suture finding (finding)"/>
43     <target>
44         <code value="Schaedelnaehte"/>
45         <display value="Schädelnähte"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366372002"/>
51     <display value="Finding of level of fontanelle (finding)"/>
52     <target>
53         <code value="Fontanellentonus"/>
54         <display value="Fontanellentonus"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 60. KBV\_CM\_MIO\_CMR\_U5\_U9\_PHYSICAL\_EXAM\_SKIN\_GERMAN

## KBV\_CM\_MIO\_CMR\_U5\_U9\_Physical\_Exam\_Skin\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U5_U9_Physical_Exam_Skin_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U5_U9_Physical_Exam_Skin_German"/>
5    <title value="U5, U6, U7, U7a, U8, U9 - Haut"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U5, U6,
U7, U7a, U8, U9 - Haut mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_U9_Physical_Exam_Skin_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="267029006"/>
24       <display value="Pale - symptom (finding)"/>
25       <target>
26         <code value="auffaelligeBlaesse"/>

```

```

27         <display value="auffällige Blässe"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="781645001"/>
33     <display value="Injury to skin caused by trauma (finding)"/>
34     <target>
35         <code value="AnhaltfuerVerletzungenzBHaematomePetechienVerbrennungenNarben"/>
36         <display value="Anhalt für Verletzungen (z. B. Hämatome, Petechien, Verbrennungen, Narben)"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="106076001:116676008=708039003"/>
42     <display value="Skin finding (finding) : Associated morphology (attribute) = Inflammatory lesion (morphologic abnormality)"/>
43     <target>
44         <code value="entzuendlicheHautveraenderungen"/>
45         <display value="entzündliche Hautveränderungen"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

## 61. KBV\_CM\_MIO\_CMR\_U6\_CONSULTATION\_GERMAN

### KBV\_CM\_MIO\_CMR\_U6\_Consultation\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U6_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U6_Consultation_German"/>
5    <title value="U6 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U6 -
Beratung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Consultation_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="441041000124100"/>
24       <display value="Counseling about nutrition (procedure)"/>
25       <target>
26         <code value="Ernaehrung"/>

```

```

27         <display value="Ernährung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="409066002:
33 {363702006=444069008,363702006=426482000}"/>
34     <display value="Education, guidance and counseling
35 (procedure) : Has focus (attribute) = Administration of Vitamin D
36 supplement (procedure) , Has focus (attribute) = Prevention of dental
37 caries (procedure) ]"/>
38     <target>
39         <code value="RachitisprophylaxemittelsVitaminDundKariesprop
40 hylaxemittelsFluorid"/>
41         <display value="Rachitisprophylaxe mittels Vitamin D und
42 Kariesprophylaxe mittels Fluorid"/>
43         <equivalence value="equivalent"/>
44     </target>
45 </element>
46 <element>
47     <code value="424673000"/>
48     <display value="Community resources education, guidance and
49 counseling (procedure)"/>
50     <target>
51         <code value="InformationenzuregionalenUnterstuetzungsangebo
52 tenzBELternKindHilfenFrueheHilfen"/>
53         <display value="Informationen zu regionalen
54 Unterstuetzungsangeboten (z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="409059003"/>
60     <display value="Safety education, guidance, and counseling
61 (procedure)"/>
62     <target>
63         <code value="Unfallverhuetung"/>
64         <display value="Unfallverhütung"/>
65         <equivalence value="equivalent"/>
66     </target>
67 </element>
68 <element>
69     <code value="702971000"/>
70     <display value="Counseling for childhood immunization
71 (procedure)"/>
72     <target>
73         <code value="AufklaerungueberImpfungenVorschlageinesImpfter
74 minsImpfstatusentsprechendSchutzimpfungsRichtliniedesGBAAueberpruefen"/>
75         <display value="Aufklärung über Impfungen/Vorschlag eines
76 Impfsterms, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
77 überprüfen"/>
78         <equivalence value="equivalent"/>
79     </target>
80 </element>
81 <element>
82     <code value="243085009"/>
83     <display value="Oral health education (procedure)"/>
84     <target>
85         <code value="HinweisezuMundhygieneZahnpflegeundzahnschonend
86 erErnaehrung"/>

```

```

72         <display value="Hinweise zu Mundhygiene (Zahnpflege) und
zahnschonender Ernährung"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="424308004"/>
78     <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
79     <target>
80         <code value="SprachberatungFoerderungvonMutterspracheunddeu
tscherSpracheeinschliesslichderLautundGebaerdensprache"/>
81         <display value="Sprachberatung: Förderung von
„Muttersprache“ und deutscher Sprache (einschließlich der Laut- und
Gebärdensprache)"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>
86     <code value="274410002"/>
87     <display value="Dental referral - child (procedure)"/>
88     <target>
89         <code value="VerweiszumZahnarztzurZahnaerztinzurAbklaerung
onAuffaelligkeitenanZaehnenundSchleimhaut"/>
90         <display value="Verweis zum Zahnarzt / zur Zahnärztin zur
Abklärung von Auffälligkeiten an Zähnen und Schleimhaut"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 <element>
95     <code value="408935001"/>
96     <display value="Substance abuse prevention education
(procedure)"/>
97     <target>
98         <code value="Sucht"/>
99         <display value="Sucht"/>
100        <equivalence value="equivalent"/>
101    </target>
102 </element>
103 </group>
104 </ConceptMap>

```



## 62. KBV\_CM\_MIO\_CMR\_U6\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CM\_MIO\_CMR\_U6\_Current\_Child\_History\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U6_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U6_Current_Child_History_German"/>
5    <title value="U6 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U6 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Current_Child_History_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="715949008"/>
24       <display value="Serious physical health problem (finding)"/>
25     </element>

```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"
/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und
häufige Infektionen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="248124006"/>
33     <display value="Eating problem (finding)"/>
34     <target>
35         <code value="Essverhaltensnichtaltersgemaess"/>
36         <display value="Essverhalten nicht altersgemäß"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="271840007"/>
42     <display value="Abnormal feces (finding)"/>
43     <target>
44         <code value="abnormeStuehle"/>
45         <display value="abnorme Stühle"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="162339002"/>
51     <display value="Hearing normal (finding)"/>
52     <target>
53         <code value="HoervermoegenReaktionaufleiselauteSchallreizeK
opfbzwBlickwendungzurSchallquelle"/>
54         <display value="Hörvermögen: Reaktion auf leise/laute
Schallreize, Kopf- bzw. Blickwendung zur Schallquelle"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="72863001"/>
60     <display value="Snoring (finding)"/>
61     <target>
62         <code value="regelmaessigesSchnarchen"/>
63         <display value="regelmäßiges Schnarchen"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

### 63. KBV\_CM\_MIO\_CMR\_U6\_DEVELOPMENT\_ASSESSMENT\_GERMAN

KBV_CM_MIO_CMR_U6_Development_Assessment_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U6_Development_Assessment_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U6_Development_Assessment_German"/>
6	<title value="U6 - Orient. Beurt. Entwicklung"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U6 -
17	Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U6_Development_Assessment_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="364832000"/>
	<display value="Finding related to ability to perform gross
	motor function (finding)"/>
	</element>
	</group>
	</conceptmap>

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="4941000175101"/>
42     <display value="Difficulty following instructions (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="268672004"/>
60     <display value="Disorder of speech and language development
(disorder)"/>
61     <target>
62         <code value="Sprache"/>
63         <display value="Sprache"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="106126000"/>
69     <display value="Emotional state finding (finding)"/>
70     <target>
71         <code value="StimmungAffekt"/>
72         <display value="Stimmung/Affekt"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="365997002"/>
78     <display value="Finding related to ability to interact with
others (finding)"/>
79     <target>
80         <code value="KontaktKommunikation"/>
81         <display value="Kontakt/Kommunikation"/>

```

```
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>
86     <code value="106131003"/>
87     <display value="Mood finding (finding)"/>
88     <target>
89         <code value="RegulationStimulation"/>
90         <display value="Regulation/Stimulation"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 </group>
95 </ConceptMap>
```

## 64. KBV\_CM\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_EYES\_GERMAN

## KBV\_CM\_MIO\_CMR\_U6\_Physical\_Exam\_Eyes\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U6_Physical_Exam_Eyes_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U6_Physical_Exam_Eyes_German"/>
5    <title value="U6 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U6 - Augen
mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Physical_Exam_Eyes_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="737269000"/>
24       <display value="Eye appearance abnormal (finding)"/>
25       <target>
26         <code value="InspektionmorphologischeAuffaelligkeiten"/>

```

```

27         <display value="Inspektion: morphologische Auffälligkeiten"
/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="307699005"/>
33     <display value="Nystagmus present (finding)"/>
34     <target>
35         <code value="InspektionNystagmus"/>
36         <display value="Inspektion: Nystagmus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="400964006"/>
42     <display value="Iris transillumination (finding)"/>
43     <target>
44         <code value="BruecknerTestTransilluminationsunterschiedzBbe
iTruebungderbrechendenMedienStrabismusAnisometropie"/>
45         <display value="Brückner-Test:
Transilluminationsunterschied (z.B. bei Trübung der brechenden Medien,
Strabismus, Anisometropie)"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="870705000"/>
51     <display value="Poor visual fixation (finding)"/>
52     <target>
53         <code value="PruefungderBlickfolgemiteinemgeraeschlossenDas
KindinteressierendenObjektzBLichtquelleFixationsschwaecherechtslinks"/>
54         <display value="Prüfung der Blickfolge mit einem
geräuschlosen, das Kind interessierenden Objekt (z.B. Lichtquelle):
Fixationsschwäche rechts/links"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="34241000119104"/>
60     <display value="Ocular torticollis (disorder)"/>
61     <target>
62         <code value="InspektionKopffehlhaltung"/>
63         <display value="Inspektion: Kopffehlhaltung"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="301937002"/>
69     <display value="Finding of appearance of pupil (finding)"/>
70     <target>
71         <code value="PupillenstatusVergleichGroesseFormLichtreaktio
nrechtslinks"/>
72         <display value="Pupillenstatus: Vergleich Größe, Form,
Lichtreaktion rechts/links"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>

```





## 65. KBV\_CM\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CM\_MIO\_CMR\_U6\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U6_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U6_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U6 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U6 -
Mundhöhle, Kiefer, Nase mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Physical_Exam_Mouth_Nose_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="125593007"/>
24       <display value="Injury of face (disorder)"/>
25       <target>
26         <code value="Verletzungszeichen"/>

```

```

27         <display value="Verletzungszeichen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="367381002"/>
33     <display value="Weak mouth closure (finding)"/>
34     <target>
35         <code value="fehlenderMundschluss"/>
36         <display value="fehlender Mundschluss"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="300255008"/>
42     <display value="Oral cavity problem (finding)"/>
43     <target>
44         <code value="AuffaelligkeitenanZaehnenundSchleimhaeuten"/>
45         <display value="Auffälligkeiten an Zähnen und
Schleimhäuten"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="232209000"/>
51     <display value="Nasal obstruction (disorder)"/>
52     <target>
53         <code value="behinderteNasenatmung"/>
54         <display value="behinderte Nasenatmung"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="38160000"/>
60     <display value="Abnormal voice (finding)"/>
61     <target>
62         <code value="auffaelligerStimmklangzBHeiserkeitundNaeseln"/
>
63         <display value="auffälliger Stimmklang (z.B. Heiserkeit und
Näseln)"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 66. KBV\_CM\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CM\_MIO\_CMR\_U6\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U6_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U6_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U6 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U6 -
Bewegungsapparat mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Physical_Exam_Musculoskeletal_System_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="422949007"/>
24       <display value="Musculoskeletal asymmetry (finding)"/>
25     </element>

```

```

26         <code value="Asymmetrien"/>
27         <display value="Asymmetrien"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34     <target>
35         <code value="Schiefhaltung"/>
36         <display value="Schiefhaltung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="225606002"/>
42     <display value="Abnormal movement (finding)"/>
43     <target>
44         <code value="Spontanmotorik"/>
45         <display value="Spontanmotorik"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366725004"/>
51     <display value="Finding of muscle tone (finding)"/>
52     <target>
53         <code value="Muskeltonus"/>
54         <display value="Muskeltonus"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="298180004"/>
60     <display value="Finding of range of joint movement (finding)"/>
61     <target>
62         <code value="passiveBeweglichkeitdergrossenGelenke"/>
63         <display value="passive Beweglichkeit der großen Gelenke"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="366420008"/>
69     <display value="Peripheral reflex finding (finding)"/>
70     <target>
71         <code value="Muskeleigenreflexe"/>
72         <display value="Muskeleigenreflexe"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 67. KBV\_CM\_MIO\_CMR\_U6\_U7\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CM\_MIO\_CMR\_U6\_U7\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_
Tract_German"/>
5   <title value="U6, U7 - Thorax, Lunge, Atemwege"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U6, U7 -
Thorax, Lunge, Atemwege mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="301272007"/>
24      <display value="Chest auscultation finding (finding)"/>
25      <target>

```

```

26         <code value="Auskultation"/>
27         <display value="Auskultation"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="301273002"/>
33     <display value="Abnormal breath sounds (finding)"/>
34     <target>
35         <code value="Atemgeraeusch"/>
36         <display value="Atemgeräusch"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="17077006"/>
42     <display value="Abnormal respiratory rate (finding)"/>
43     <target>
44         <code value="Atemfrequenz"/>
45         <display value="Atemfrequenz"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="67909005"/>
51     <display value="Chest wall retraction (finding)"/>
52     <target>
53         <code value="Einziehungen"/>
54         <display value="Einziehungen"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="298706004"/>
60     <display value="Finding of appearance of thorax (finding)"/>
61     <target>
62         <code value="Thoraxkonfiguration"/>
63         <display value="Thoraxkonfiguration"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="423230008"/>
69     <display value="Wide spaced nipples (finding)"/>
70     <target>
71         <code value="Mamillenabstand"/>
72         <display value="Mamillenabstand"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 68. KBV\_CM\_MIO\_CMR\_U7\_CONSULTATION\_GERMAN

### KBV\_CM\_MIO\_CMR\_U7\_Consultation\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7_Consultation_German"/>
5    <title value="U7 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7 -
Beratung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Consultation_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="408431004"/>
24       <display value="Recommendation to caregiver regarding child's
dental health (procedure)"/>
25     <target>

```

```

26         <code value="HinweiszurZahnpflegeFluorid"/>
27         <display value="Hinweis zur Zahnpflege (Fluorid)"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="409059003"/>
33     <display value="Safety education, guidance, and counseling
(procedure)"/>
34     <target>
35         <code value="Unfallverhuetung"/>
36         <display value="Unfallverhütung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="424308004"/>
42     <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
43     <target>
44         <code value="SprachberatungFoerderungvonMutterspracheunddeu
tscherSpracheeinschliesslichderLautundGebaerdensprache"/>
45         <display value="Sprachberatung: Förderung von
„Muttersprache“ und deutscher Sprache (einschließlich der Laut- und
Gebärdensprache)"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="304507003"/>
51     <display value="Exercise education (procedure)"/>
52     <target>
53         <code value="Bewegung"/>
54         <display value="Bewegung"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="441041000124100"/>
60     <display value="Counseling about nutrition (procedure)"/>
61     <target>
62         <code value="Ernaehrung"/>
63         <display value="Ernährung"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="702971000"/>
69     <display value="Counseling for childhood immunization
(procedure)"/>
70     <target>
71         <code value="AufklaerungueberImpfungenVorschlageinesImpfter
minsImpfstatusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
72         <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>

```



```
77     <code value="274410002"/>
78     <display value="Dental referral - child (procedure)"/>
79     <target>
80         <code value="VerweiszurZahnaerztinoderzumZahnarztzurzahnaer
ztlichenFrueherkennungsuntersuchung"/>
81         <display value="Verweis zur Zahnärztin oder zum Zahnarzt
zur zahnärztlichen Früherkennungsuntersuchung"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 </group>
86 </ConceptMap>
```

## 69. KBV\_CM\_MIO\_CMR\_U7\_CURRENT\_CHILD\_HISTORY\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7\_Current\_Child\_History\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7_Current_Child_History_German"/>
5    <title value="U7 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Current_Child_History_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="715949008"/>
24       <display value="Serious physical health problem (finding)"/>
25     </element>

```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"
/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und
häufige Infektionen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="248124006"/>
33     <display value="Eating problem (finding)"/>
34     <target>
35         <code value="Essverhaltensnichtaltersgemaess"/>
36         <display value="Essverhalten nicht altersgemäß"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="271840007"/>
42     <display value="Abnormal feces (finding)"/>
43     <target>
44         <code value="abnormeStuehle"/>
45         <display value="abnorme Stühle"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="416940007:363589002=234723000"/>
51     <display value="Past history of procedure (situation) :
Associated procedure (attribute = Topical application of fluoride - tooth
(procedure)"/>
52     <target>
53         <code value="KariesprophylaxemittelsFluorid"/>
54         <display value="Kariesprophylaxe mittels Fluorid"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="162339002"/>
60     <display value="Hearing normal (finding)"/>
61     <target>
62         <code value="HoervermoegenReaktionaufleiselauteSchallreizeK
opfbzwBlickwendungzurSchallquelle"/>
63         <display value="Hörvermögen: Reaktion auf leise/laute
Schallreize, Kopf- bzw. Blickwendung zur Schallquelle"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="72863001"/>
69     <display value="Snoring (finding)"/>
70     <target>
71         <code value="regelmaessigesSchnarchen"/>
72         <display value="regelmäßiges Schnarchen"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="425067005"/>

```

```

78         <display value="Speech and language development finding
(finding)"/>
79         <target>
80             <code value="SindSiemitderSprachentwicklungIhresKindeszufri
eden"/>
81             <display value="Sind Sie mit der Sprachentwicklung Ihres
Kindes zufrieden?"/>
82             <equivalence value="equivalent"/>
83         </target>
84     </element>
85     <element>
86         <code value="288599003"/>
87         <display value="Able to use verbal communication (finding)"/>
88         <target>
89             <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
90             <display value="Wird Ihr Kind von der Umgebung gut
verstanden?"/>
91             <equivalence value="equivalent"/>
92         </target>
93     </element>
94 </group>
95 </ConceptMap>

```

## 70. KBV\_CM\_MIO\_CMR\_U7\_DEVELOPMENT\_ASSESSMENT\_GERMAN

### KBV\_CM\_MIO\_CMR\_U7\_Development\_Assessment\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7_Development_Assessment_German"/>
5    <title value="U7 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7 -
Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Development_Assessment_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="364832000"/>
24       <display value="Finding related to ability to perform gross
motor function (finding)"/>
25     <target>

```

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="365926000"/>
42     <display value="Finding of problem solving (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="268672004"/>
60     <display value="Disorder of speech and language development
(disorder)"/>
61     <target>
62         <code value="Sprache"/>
63         <display value="Sprache"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="365997002"/>
69     <display value="Finding related to ability to interact with
others (finding)"/>
70     <target>
71         <code value="InteraktionKommunikation"/>
72         <display value="Interaktion/Kommunikation"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 71. KBV\_CM\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_EYES\_GERMAN

### KBV\_CM\_MIO\_CMR\_U7\_Physical\_Exam\_Eyes\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_Physical_Exam_Eyes_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7_Physical_Exam_Eyes_German"/>
5    <title value="U7 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7 - Augen
mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Physical_Exam_Eyes_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="737269000"/>
24       <display value="Eye appearance abnormal (finding)"/>
25       <target>
26         <code value="InspektionmorphologischeAuffaelligkeiten"/>

```

```

27         <display value="Inspektion: morphologische Auffälligkeiten"
/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="307699005"/>
33     <display value="Nystagmus present (finding)"/>
34     <target>
35         <code value="InspektionNystagmus"/>
36         <display value="Inspektion: Nystagmus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="400964006"/>
42     <display value="Iris transillumination (finding)"/>
43     <target>
44         <code value="BruecknerTestTransilluminationsunterschiedzBbe
iTruebungderbrechendenMedienStrabismusAnisometropie"/>
45         <display value="Brückner-Test:
Transilluminationsunterschied (z. B. bei Trübung der brechenden Medien,
Strabismus, Anisometropie)"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="34241000119104"/>
51     <display value="Ocular torticollis (disorder)"/>
52     <target>
53         <code value="InspektionKopffehlhaltung"/>
54         <display value="Inspektion: Kopffehlhaltung"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="301937002"/>
60     <display value="Finding of appearance of pupil (finding)"/>
61     <target>
62         <code value="PupillenstatusVergleichGroesseFormLichtreaktio
nrechtslinks"/>
63         <display value="Pupillenstatus: Vergleich Größe, Form,
Lichtreaktion rechts/links"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```



## 72. KBV\_CM\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U7 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7 -
Mundhöhle, Kiefer, Nase mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Physical_Exam_Mouth_Nose_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="300255008"/>
24       <display value="Oral cavity problem (finding)"/>
25       <target>
26         <code value="AuffaelligkeitenanZaehnenundSchleimhaut"/>

```

```

27         <display value="Auffälligkeiten an Zähnen und Schleimhaut"/
28     >
29         <equivalence value="equivalent"/>
30     </target>
31 </element>
32 <element>
33     <code value="125593007"/>
34     <display value="Injury of face (disorder)"/>
35     <target>
36         <code value="Verletzungszeichen"/>
37         <display value="Verletzungszeichen"/>
38         <equivalence value="equivalent"/>
39     </target>
40 </element>
41 <element>
42     <code value="59140005"/>
43     <display value="Abnormal salivary secretion (finding)"/>
44     <target>
45         <code value="Speichelfluss"/>
46         <display value="Speichelfluss"/>
47         <equivalence value="equivalent"/>
48     </target>
49 </element>
50 <element>
51     <code value="38160000"/>
52     <display value="Abnormal voice (finding)"/>
53     <target>
54         <code value="auffaelligerStimmklang"/>
55         <display value="auffälliger Stimmklang"/>
56         <equivalence value="equivalent"/>
57     </target>
58 </element>
59 </group>
</ConceptMap>

```

## 73. KBV\_CM\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U7 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7 -
Bewegungsapparat mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="422949007"/>
24       <display value="Musculoskeletal asymmetry (finding)"/>
25     </element>

```

```

26         <code value="Asymmetrien"/>
27         <display value="Asymmetrien"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34     <target>
35         <code value="Schiefhaltung"/>
36         <display value="Schiefhaltung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="298180004"/>
42     <display value="Finding of range of joint movement (finding)"/>
43     <target>
44         <code value="passiveBeweglichkeitdergrossenGelenke"/>
45         <display value="passive Beweglichkeit der großen Gelenke"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366420008"/>
51     <display value="Peripheral reflex finding (finding)"/>
52     <target>
53         <code value="Muskeleigenreflexe"/>
54         <display value="Muskeleigenreflexe"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 74. KBV\_CM\_MIO\_CMR\_U7\_U7A\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7\_U7a\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals_Germa
n"/>
5    <title value="U7, U7a - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7, U7a -
Abdomen, Genitale mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="204878001"/>
24       <display value="Undescended testicle (disorder)"/>
25     </element>

```

```

26         <code value="Hodenhochstandrechtslinks"/>
27         <display value="Hodenhochstand rechts/links"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="128545000"/>
33     <display value="Hernia of abdominal wall (disorder)"/>
34     <target>
35         <code value="Hernien"/>
36         <display value="Hernien"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="65476007:{363698007=10200004,363698007=78961009}"/
42 >
43     <display value="Abnormal size (finding) : {Finding site
44 (attribute) = Liver structure (body structure) , Finding site (attribute) =
45 Splenic structure (body structure)}/>
46     <target>
47         <code value="LeberundMilzgroesse"/>
48         <display value="Leber- und Milzgröße"/>
49         <equivalence value="equivalent"/>
50     </target>
51 </element>
52 </group>
53 </ConceptMap>

```

## 75. KBV\_CM\_MIO\_CMR\_U7\_U9\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7\_U9\_Physical\_Exam\_Heart\_Blood\_Circulation\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation
_
German"/>
5   <title value="U7, U7a, U8, U9 - Herz, Kreislauf"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U7, U7a,
U8, U9 - Herz, Kreislauf mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="361135004"/>
24      <display value="Abnormal cardiac rate (finding)"/>
25      <target>

```

```

26         <code value="Herzfrequenz"/>
27         <display value="Herzfrequenz"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="698247007"/>
33     <display value="Cardiac arrhythmia (disorder)"/>
34     <target>
35         <code value="Herzrhythmus"/>
36         <display value="Herzrhythmus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="123824001"/>
42     <display value="Heart sounds abnormal (finding)"/>
43     <target>
44         <code value="Herztoene"/>
45         <display value="Herztöne"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="88610006"/>
51     <display value="Heart murmur (finding)"/>
52     <target>
53         <code value="Herznebengeräusche"/>
54         <display value="Herznebengeräusche"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```



## 76. KBV\_CM\_MIO\_CMR\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7a\_and\_U9\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_Tract_German
"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7a_and_U9_Physical_Exam_Chest_Lung_Respira
tory_Tract_German"/>
5    <title value="U7a, U9 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7a, U9 -
Thorax, Lunge, Atemwege mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_Tract_German
"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="301272007"/>

```

```

24     <display value="Chest auscultation finding (finding)"/>
25     <target>
26         <code value="Auskultation"/>
27         <display value="Auskultation"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="301273002"/>
33     <display value="Abnormal breath sounds (finding)"/>
34     <target>
35         <code value="Atemgeraeusch"/>
36         <display value="Atemgeräusch"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="17077006"/>
42     <display value="Abnormal respiratory rate (finding)"/>
43     <target>
44         <code value="Atemfrequenz"/>
45         <display value="Atemfrequenz"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="298706004"/>
51     <display value="Finding of appearance of thorax (finding)"/>
52     <target>
53         <code value="Thoraxkonfiguration"/>
54         <display value="Thoraxkonfiguration"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="423230008"/>
60     <display value="Wide spaced nipples (finding)"/>
61     <target>
62         <code value="Mamillenabstand"/>
63         <display value="Mamillenabstand"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 77. KBV\_CM\_MIO\_CMR\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7a\_and\_U9\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7a_and_U9_Physical_Exam_Musculoskeletal_System_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U7a_and_U9_Physical_Exam_Musculoskeletal_Sy
stem_German"/>
5   <title value="U7a, U9 - Bewegungsapparat"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U7a, U9 -
Bewegungsapparat mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_and_U9_Physical_Exam_Musculoskeletal_System_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="422949007"/>
24      <display value="Musculoskeletal asymmetry (finding)"/>
25    </element>

```

```

26         <code value="Asymmetrien"/>
27         <display value="Asymmetrien"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34     <target>
35         <code value="Schiefhaltung"/>
36         <display value="Schiefhaltung"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="298180004"/>
42     <display value="Finding of range of joint movement (finding)"/>
43     <target>
44         <code value="passiveBeweglichkeitdergrossenGelenke"/>
45         <display value="passive Beweglichkeit der großen Gelenke"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="366420008"/>
51     <display value="Peripheral reflex finding (finding)"/>
52     <target>
53         <code value="Muskeleigenreflexe"/>
54         <display value="Muskeleigenreflexe"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="366725004"/>
60     <display value="Finding of muscle tone (finding)"/>
61     <target>
62         <code value="Muskeltonus"/>
63         <display value="Muskeltonus"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 78. KBV\_CM\_MIO\_CMR\_U7A\_CONSULTATION\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7a\_Consultation\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7a_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7a_Consultation_German"/>
5    <title value="U7a - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7a -
Beratung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Consultation_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="409059003"/>
24       <display value="Safety education, guidance, and counseling
(procedure)"/>
25     </element>
  </target>

```

```

26         <code value="Unfallverhuetung"/>
27         <display value="Unfallverhütung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="424308004"/>
33     <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
34     <target>
35         <code value="SprachberatungFoerderungvonMutterspracheunddeu
tscherSpracheeinschliesslichderLautundGebaerdensprache"/>
36         <display value="Sprachberatung: Förderung von
„Muttersprache“ und deutscher Sprache (einschließlich der Laut- und
Gebärdensprache)"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="441041000124100"/>
42     <display value="Counseling about nutrition (procedure)"/>
43     <target>
44         <code value="Ernaehrung"/>
45         <display value="Ernährung"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="304507003"/>
51     <display value="Exercise education (procedure)"/>
52     <target>
53         <code value="Bewegung"/>
54         <display value="Bewegung"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="709135003"/>
60     <display value="Video screen time education (procedure)"/>
61     <target>
62         <code value="MedienzBMedienkonsumTVSpielekonsolenDauerbesch
allung"/>
63         <display value="Medien (z. B. Medienkonsum, TV,
Spielekonsolen, Dauerbeschallung)"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="410263001"/>
69     <display value="Medical/dental care education, guidance, and
counseling (procedure)"/>
70     <target>
71         <code value="InformationueberzahnarztlicheVorsorgeab30Mona
ten"/>
72         <display value="Information über zahnärztliche Vorsorge ab
30 Monaten"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>

```

```

77     <code value="702971000"/>
78     <display value="Counseling for childhood immunization
(procedure)"/>
79     <target>
80         <code value="AufklaerungueberImpfungenVorschlageinesImpfter
minsImpfstatusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
81         <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>
86     <code value="274410002"/>
87     <display value="Dental referral - child (procedure)"/>
88     <target>
89         <code value="VerweiszurZahnaerztinoderzumZahnarztzurzahnaer
ztlichenFrueherkennungsuntersuchung"/>
90         <display value="Verweis zur Zahnärztin oder zum Zahnarzt
zur zahnärztlichen Früherkennungsuntersuchung"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 </group>
95 </ConceptMap>

```

## 79. KBV\_CM\_MIO\_CMR\_U7A\_CURRENT\_CHILD\_HISTORY\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7a\_Current\_Child\_History\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7a_Current_Child_History_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U7a_Current_Child_History_German"/>
5   <title value="U7a - Aktuelle Anamnese des Kindes"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U7a -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Current_Child_History_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="715949008"/>
24      <display value="Serious physical health problem (finding)"/>
25    </element>
  </group>
</ConceptMap>

```



```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"
/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und
häufige Infektionen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="248124006"/>
33     <display value="Eating problem (finding)"/>
34     <target>
35         <code value="Essverhaltensnichtaltersgemaess"/>
36         <display value="Essverhalten nicht altersgemäß"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="271840007"/>
42     <display value="Abnormal feces (finding)"/>
43     <target>
44         <code value="abnormeStuehle"/>
45         <display value="abnorme Stühle"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="416940007:363589002=234723000"/>
51     <display value="Past history of procedure (situation) :
Associated procedure (attribute = Topical application of fluoride - tooth
(procedure)"/>
52     <target>
53         <code value="KariesprophylaxemittelsFluorid"/>
54         <display value="Kariesprophylaxe mittels Fluorid"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="162339002"/>
60     <display value="Hearing normal (finding)"/>
61     <target>
62         <code value="Hoervermoegen"/>
63         <display value="Hörvermögen"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="72863001"/>
69     <display value="Snoring (finding)"/>
70     <target>
71         <code value="regelmaessigesSchnarchen"/>
72         <display value="regelmäßiges Schnarchen"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="288599003"/>
78     <display value="Able to use verbal communication (finding)"/>
79     <target>

```

```

80         <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
81         <display value="Wird Ihr Kind von der Umgebung gut
verstanden?"/>
82         <equivalence value="equivalent"/>
83         </target>
84     </element>
85     <element>
86         <code value="425067005"/>
87         <display value="Speech and language development finding
(finding)"/>
88         <target>
89             <code value="SindSiemitderSprachentwicklungIhresKindeszufri
eden"/>
90             <display value="Sind Sie mit der Sprachentwicklung Ihres
Kindes zufrieden?"/>
91             <equivalence value="equivalent"/>
92             </target>
93         </element>
94     <element>
95         <code value="141441000119107"/>
96         <display value="Childhood onset stuttering (finding)"/>
97         <target>
98             <code value="StottertIhrKind"/>
99             <display value="Stottert Ihr Kind?"/>
100             <equivalence value="equivalent"/>
101         </target>
102     </element>
103 </group>
104 </ConceptMap>

```

## 80. KBV\_CM\_MIO\_CMR\_U7A\_DEVELOPMENT\_ASSESSMENT\_GERMAN

### KBV\_CM\_MIO\_CMR\_U7a\_Development\_Assessment\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7a_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7a_Development_Assessment_German"/>
5    <title value="U7a - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7a -
Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Development_Assessment_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="364832000"/>
24       <display value="Finding related to ability to perform gross
motor function (finding)"/>
25     <target>

```

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="304866004"/>
42     <display value="Psychodynamic attachment finding (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="268672004"/>
60     <display value="Disorder of speech and language development
(disorder)"/>
61     <target>
62         <code value="Sprache"/>
63         <display value="Sprache"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="365997002"/>
69     <display value="Finding related to ability to interact with
others (finding)"/>
70     <target>
71         <code value="InteraktionKommunikation"/>
72         <display value="Interaktion/Kommunikation"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 81. KBV\_CM\_MIO\_CMR\_U7A\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CM\_MIO\_CMR\_U7a\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U7a_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U7a_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U7a - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U7a -
Mundhöhle, Kiefer, Nase mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Physical_Exam_Mouth_Nose_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="300255008"/>
24       <display value="Oral cavity problem (finding)"/>
25       <target>
26         <code value="AuffaelligkeitenanZaehnenundSchleimhaut"/>

```

```

27         <display value="Auffälligkeiten an Zähnen und Schleimhaut"/
>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="125593007"/>
33     <display value="Injury of face (disorder)"/>
34     <target>
35         <code value="Verletzungszeichen"/>
36         <display value="Verletzungszeichen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="449790007"/>
42     <display value="Orofacial cleft (disorder)"/>
43     <target>
44         <code value="Kieferanomalie"/>
45         <display value="Kieferanomalie"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="367381002"/>
51     <display value="Weak mouth closure (finding)"/>
52     <target>
53         <code value="fehlenderMundschluss"/>
54         <display value="fehlender Mundschluss"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="232209000"/>
60     <display value="Nasal obstruction (disorder)"/>
61     <target>
62         <code value="behinderteNasentatmung"/>
63         <display value="behinderte Nasentatmung"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 82. KBV\_CM\_MIO\_CMR\_U7a\_U9\_PHYSICAL\_EXAM\_EYES\_GERMAN

KBV_CM_MIO_CMR_U7a_U9_Physical_Exam_Eyes_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_CMR_U7a_U9_Physical_Exam_Eyes_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_CMR_U7a_U9_Physical_Exam_Eyes_German"/>
6	<title value="U7a, U8, U9 - Augen"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für U7a, U8,
17	U9 - Augen mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_CMR_U7a_U9_Physical_Exam_Eyes_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="737269000"/>
26	<display value="Eye appearance abnormal (finding)"/>
	<target>
	<code value="InspektionmorphologischeAuffaelligkeiten"/>

```

27         <display value="Inspektion: morphologische Auffälligkeiten"
/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="307699005"/>
33     <display value="Nystagmus present (finding)"/>
34     <target>
35         <code value="InspektionNystagmus"/>
36         <display value="Inspektion: Nystagmus"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="22066006"/>
42     <display value="Strabismus (disorder)"/>
43     <target>
44         <code value="HornhautreflexbildchenauffaelligStrabismus"/>
45         <display value="Hornhautreflexbildchen: auffällig
(Strabismus)"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="34241000119104"/>
51     <display value="Ocular torticollis (disorder)"/>
52     <target>
53         <code value="InspektionKopffehlhaltung"/>
54         <display value="Inspektion: Kopffehlhaltung"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="301937002"/>
60     <display value="Finding of appearance of pupil (finding)"/>
61     <target>
62         <code value="Pupillenstatusauffaellig"/>
63         <display value="Pupillenstatus: auffällig"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="252853008:363713009=263654008"/>
69     <display value="Stereotests (procedure) : Has interpretation
(attribute) = Abnormal (qualifier value)"/>
70     <target>
71         <code value="StereoTestauffaellig"/>
72         <display value="Stereo-Test: auffällig"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="342061000119102"/>
78     <display value="Amblyopia of left eye (disorder)"/>
79     <target>
80         <code value="SehtestmonokularePruefungSehschwaechelinks"/>
81         <display value="Sehtest (monokulare Prüfung): Sehschwäche
links"/>
82         <equivalence value="equivalent"/>

```



```

83         </target>
84     </element>
85     <element>
86         <code value="336451000119108"/>
87         <display value="Amblyopia of right eye (disorder)"/>
88         <target>
89             <code value="SehtestmonokularePruefungSehschwaecherechts"/>
90             <display value="Sehtest (monokulare Prüfung): Sehschwäche
rechts"/>
91             <equivalence value="equivalent"/>
92         </target>
93     </element>
94     <element>
95         <code value="3289004"/>
96         <display value="Anisometropia (disorder)"/>
97         <target>
98             <code value="SehtestmonokularePruefungRechtsLinksDifferenz"
/>
99             <display value="Sehtest (monokulare Prüfung): Rechts-Links-
Differenz"/>
100             <equivalence value="equivalent"/>
101         </target>
102     </element>
103 </group>
104 </ConceptMap>

```

### 83. KBV\_CM\_MIO\_CMR\_U8\_CONSULTATION\_GERMAN

#### KBV\_CM\_MIO\_CMR\_U8\_Consultation\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U8_Consultation_German"/>
5    <title value="U8 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U8 -
Beratung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Consultation_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="409059003"/>
24       <display value="Safety education, guidance, and counseling
(procedure)"/>
25     </element>
    </target>
  </group>
</ConceptMap>

```

```

26         <code value="Unfallverhuetung"/>
27         <display value="Unfallverhütung"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="424308004"/>
33     <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
34     <target>
35         <code value="SprachberatungFoerderungvonMutterspracheunddeu
tscherSpracheeinschliesslichderLautundGebaerdensprache"/>
36         <display value="Sprachberatung: Förderung von
„Muttersprache“ und deutscher Sprache (einschließlich der Laut- und
Gebärdensprache)"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="441041000124100"/>
42     <display value="Counseling about nutrition (procedure)"/>
43     <target>
44         <code value="Ernaehrung"/>
45         <display value="Ernährung"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="304507003"/>
51     <display value="Exercise education (procedure)"/>
52     <target>
53         <code value="Bewegung"/>
54         <display value="Bewegung"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="709135003"/>
60     <display value="Video screen time education (procedure)"/>
61     <target>
62         <code value="MedienzBMedienkonsumTVSpielekonsolenDauerbesch
allung"/>
63         <display value="Medien (z. B. Medienkonsum, TV,
Spielekonsolen, Dauerbeschallung)"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="702971000"/>
69     <display value="Counseling for childhood immunization
(procedure)"/>
70     <target>
71         <code value="AufklaerungueberImpfungenVorschlageinesImpfter
minsImpfstatusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
72         <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>

```

```
76     <element>
77         <code value="274410002"/>
78         <display value="Dental referral - child (procedure)"/>
79         <target>
80             <code value="VerweiszurZahnaerztinoderzumZahnarztzurzahnaer
ztlichenFrueherkennungsuntersuchung"/>
81             <display value="Verweis zur Zahnärztin oder zum Zahnarzt
zur zahnärztlichen Früherkennungsuntersuchung"/>
82             <equivalence value="equivalent"/>
83         </target>
84     </element>
85 </group>
86 </ConceptMap>
```

## 84. KBV\_CM\_MIO\_CMR\_U8\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CM\_MIO\_CMR\_U8\_Current\_Child\_History\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U8_Current_Child_History_German"/>
5    <title value="U8 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U8 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Current_Child_History_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="715949008"/>
24       <display value="Serious physical health problem (finding)"/>
25     </element>

```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"
/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und
häufige Infektionen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="72863001"/>
33     <display value="Snoring (finding)"/>
34     <target>
35         <code value="regelmaessigesSchnarchen"/>
36         <display value="regelmäßiges Schnarchen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="425067005"/>
42     <display value="Speech and language development finding
(finding)"/>
43     <target>
44         <code value="SindSiemitderSprachentwicklungIhresKindeszufri
eden"/>
45         <display value="Sind Sie mit der Sprachentwicklung Ihres
Kindes zufrieden?"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="288599003"/>
51     <display value="Able to use verbal communication (finding)"/>
52     <target>
53         <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
54         <display value="Wird Ihr Kind von der Umgebung gut
verstanden?"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="141441000119107"/>
60     <display value="Childhood onset stuttering (finding)"/>
61     <target>
62         <code value="StottertIhrKind"/>
63         <display value="Stottert Ihr Kind?"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```

## 85. KBV\_CM\_MIO\_CMR\_U8\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CM\_MIO\_CMR\_U8\_Development\_Assessment\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U8_Development_Assessment_German"/>
5    <title value="U8 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U8 -
Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Development_Assessment_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="364832000"/>
24       <display value="Finding related to ability to perform gross
motor function (finding)"/>
25     <target>

```

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="365715000"/>
42     <display value="Finding related to ability to process
information (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="268672004"/>
60     <display value="Disorder of speech and language development
(disorder)"/>
61     <target>
62         <code value="Sprache"/>
63         <display value="Sprache"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="365997002"/>
69     <display value="Finding related to ability to interact with
others (finding)"/>
70     <target>
71         <code value="InteraktionKommunikation"/>
72         <display value="Interaktion/Kommunikation"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```



## 86. KBV\_CM\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CM\_MIO\_CMR\_U8\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals_German"/>
5    <title value="U8 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U8 -
Abdomen, Genitale mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="204878001"/>
24       <display value="Undescended testicle (disorder)"/>
25       <target>
26         <code value="Hodenhochstandrechtslinks"/>

```

```

27         <display value="Hodenhochstand rechts/links"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="128545000"/>
33     <display value="Hernia of abdominal wall (disorder)"/>
34     <target>
35         <code value="Hernien"/>
36         <display value="Hernien"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="65476007:{363698007=10200004,363698007=78961009}"/
>
42     <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure)}/>
43     <target>
44         <code value="LeberundMilzgroesse"/>
45         <display value="Leber- und Milzgröße"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="167222005"/>
51     <display value="Abnormal urinalysis (finding)"/>
52     <target>
53         <code value="auffaelligerHarnbefundMehrfachteststreifen"/>
54         <display value="auffälliger Harnbefund
(Mehrfachteststreifen)"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 87. KBV\_CM\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CM\_MIO\_CMR\_U8\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U8_Physical_Exam_Chest_Lung_Respiratory_Tra
ct_German"/>
5   <title value="U8 - Thorax, Lunge, Atemwege"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U8 -
Thorax, Lunge, Atemwege mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="301272007"/>
24      <display value="Chest auscultation finding (finding)"/>
25      <target>

```

```

26         <code value="Auskultation"/>
27         <display value="Auskultation"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="301273002"/>
33     <display value="Abnormal breath sounds (finding)"/>
34     <target>
35         <code value="Atemgeraeusch"/>
36         <display value="Atemgeräusch"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="17077006"/>
42     <display value="Abnormal respiratory rate (finding)"/>
43     <target>
44         <code value="Atemfrequenz"/>
45         <display value="Atemfrequenz"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="298706004"/>
51     <display value="Finding of appearance of thorax (finding)"/>
52     <target>
53         <code value="Thoraxkonfiguration"/>
54         <display value="Thoraxkonfiguration"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="423230008"/>
60     <display value="Wide spaced nipples (finding)"/>
61     <target>
62         <code value="Mamillenabstand"/>
63         <display value="Mamillenabstand"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="404684003:{47429007=41345002,363698007=731726001}"
69 />
70     <display value="Clinical finding (finding) : { Associated with
71 (attribute) = Rickets (disorder), Finding site (attribute) = Entire bone of
72 thorax (body structure) }"/>
73     <target>
74         <code value="HinweisaufRachitis"/>
75         <display value="Hinweis auf Rachitis"/>
76         <equivalence value="equivalent"/>
77     </target>
78 </element>
79 </group>
80 </ConceptMap>

```

## 88. KBV\_CM\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_EARS\_GERMAN

## KBV\_CM\_MIO\_CMR\_U8\_Physical\_Exam\_Ears\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_Physical_Exam_Ears_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U8_Physical_Exam_Ears_German"/>
5   <title value="U8 - Ohren"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U8 - Ohren
mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Ears_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="134376008"/>
24      <display value="Hearing test right abnormality (finding)"/>
25      <target>
26        <code value="HoertestmittelsScreeningaudiometrierechts"/>

```

```

27         <display value="Hörtest mittels Screeningaudiometrie:
rechts"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="134375007"/>
33     <display value="Hearing test left abnormality (finding)"/>
34     <target>
35         <code value="HoertestmittelsScreeningaudiometrielinks"/>
36         <display value="Hörtest mittels Screeningaudiometrie:
links"/>
37     <equivalence value="equivalent"/>
38     </target>
39 </element>
40 </group>
41 </ConceptMap>

```

## 89. KBV\_CM\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CM\_MIO\_CMR\_U8\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_Physical_Exam_Musculoskeletal_System_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U8_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5   <title value="U7a, U9 - Bewegungsapparat"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U7a, U9 -
Bewegungsapparat mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Musculoskeletal_System_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="298380006"/>
24      <display value="Deformity of spine (finding)"/>
25    </element>

```

```

26         <code value="Vorbeugetest"/>
27         <display value="Vorbeugetest"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="422949007"/>
33     <display value="Musculoskeletal asymmetry (finding)"/>
34     <target>
35         <code value="Asymmetrien"/>
36         <display value="Asymmetrien"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="43029002"/>
42     <display value="Abnormal posture (finding)"/>
43     <target>
44         <code value="Schiefhaltung"/>
45         <display value="Schiefhaltung"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="225606002"/>
51     <display value="Abnormal movement (finding)"/>
52     <target>
53         <code value="Spontanmotorik"/>
54         <display value="Spontanmotorik"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="298180004"/>
60     <display value="Finding of range of joint movement (finding)"/>
61     <target>
62         <code value="passiveBeweglichkeitdergrossenGelenke"/>
63         <display value="passive Beweglichkeit der großen Gelenke"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="366725004"/>
69     <display value="Finding of muscle tone (finding)"/>
70     <target>
71         <code value="Muskeltonus"/>
72         <display value="Muskeltonus"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="366420008"/>
78     <display value="Peripheral reflex finding (finding)"/>
79     <target>
80         <code value="Muskeleigenreflexe"/>
81         <display value="Muskeleigenreflexe"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>

```



```
86     <code value="404684003:{47429007=41345002,363698007=2592007}"/>
87     <display value="Clinical finding (finding) : { Associated with
(attribute) = Rickets (disorder), Finding site (attribute) = All
extremities (body structure) }"/>
88     <target>
89         <code value="HinweisaufRachitisandenExtremitaeten"/>
90         <display value="Hinweis auf Rachitis an den Extremitäten"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 </group>
95 </ConceptMap>
```

90. KBV\_CM\_MIO\_CMR\_U8\_U9\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

```

KBV_CM_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose_German
1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U8, U9 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U8, U9 -
Mundhöhle, Kiefer, Nase mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="300255008"/>
24       <display value="Oral cavity problem (finding)"/>
25       <target>
26         <code value="AuffaelligkeitenanZaehnenundSchleimhaut"/>

```

```

27         <display value="Auffälligkeiten an Zähnen und Schleimhaut"/
>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="449790007"/>
33     <display value="Orofacial cleft (disorder)"/>
34     <target>
35         <code value="Kieferanomalie"/>
36         <display value="Kieferanomalie"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="125593007"/>
42     <display value="Injury of face (disorder)"/>
43     <target>
44         <code value="Verletzungszeichen"/>
45         <display value="Verletzungszeichen"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

## 91. KBV\_CM\_MIO\_CMR\_U9\_CONSULTATION\_GERMAN

### KBV\_CM\_MIO\_CMR\_U9\_Consultation\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U9_Consultation_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CM_MIO_CMR_U9_Consultation_German"/>
5   <title value="U9 - Beratung"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Diese Conceptmap verknüpft die Codes für U9 -
Beratung mit deutschen Bezeichnungen"/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18    <source value="http://snomed.info/sct"/>
19    <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Consultation_German"/>
21    <targetVersion value="1.0.1"/>
22    <element>
23      <code value="409066002:
{363702006=426482000,260686004=360160009}"/>
```

```

24      <display value="Education, guidance and counseling
(procedure) : { Has focus (attribute) = Prevention of dental caries
(procedure) , Method (attribute) = Checking - action (qualifier value) }"/>
25      <target>
26          <code value="KariesprophylaxemittelsFluoridpruefen"/>
27          <display value="Kariesprophylaxe mittels Fluorid prüfen"/>
28          <equivalence value="equivalent"/>
29      </target>
30  </element>
31  <element>
32      <code value="409059003"/>
33      <display value="Safety education, guidance, and counseling
(procedure)"/>
34      <target>
35          <code value="Unfallverhuetung"/>
36          <display value="Unfallverhütung"/>
37          <equivalence value="equivalent"/>
38      </target>
39  </element>
40  <element>
41      <code value="424308004"/>
42      <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
43      <target>
44          <code value="SprachberatungFoerderungvondeutscherSpracheund
MutterspracheeinschliesslicherLautundGebaerdensprache"/>
45          <display value="Sprachberatung: Förderung von deutscher
Sprache und „Muttersprache“ (einschließlich der Laut- und Gebärdensprache)"
/>
46          <equivalence value="equivalent"/>
47      </target>
48  </element>
49  <element>
50      <code value="284352003+304507003"/>
51      <display value="Obesity diet education (procedure) + Exercise
education (procedure)"/>
52      <target>
53          <code value="BewegungundAdipositaspraevention"/>
54          <display value="Bewegung und Adipositasprävention"/>
55          <equivalence value="equivalent"/>
56      </target>
57  </element>
58  <element>
59      <code value="11816003"/>
60      <display value="Diet education (procedure)"/>
61      <target>
62          <code value="Ernaehrung"/>
63          <display value="Ernährung"/>
64          <equivalence value="equivalent"/>
65      </target>
66  </element>
67  <element>
68      <code value="709135003"/>
69      <display value="Video screen time education (procedure)"/>
70      <target>
71          <code value="MedienzBMedienkonsumTVSpielekonsolenDauerbesch
allung"/>
72          <display value="Medien (z. B. Medienkonsum, TV,
Spielekonsolen, Dauerbeschallung)"/>
73          <equivalence value="equivalent"/>

```

```

74         </target>
75     </element>
76     <element>
77         <code value="408935001"/>
78         <display value="Substance abuse prevention education
79 (procedure)"/>
80         <target>
81             <code value="Sucht"/>
82             <display value="Sucht"/>
83             <equivalence value="equivalent"/>
84         </target>
85     </element>
86     <element>
87         <code value="702971000"/>
88         <display value="Counseling for childhood immunization
89 (procedure)"/>
90         <target>
91             <code value="AufklaerungueberImpfungenVorschlageinesImpfster
92 minsImpfstatusentsprechendSchutzimpfungsRichtlinedesGBAueberpruefen"/>
93             <display value="Aufklärung über Impfungen/Vorschlag eines
94 Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
95 überprüfen"/>
96             <equivalence value="equivalent"/>
97         </target>
98     </element>
99     <element>
100         <code value="274410002"/>
101         <display value="Dental referral - child (procedure)"/>
102         <target>
103             <code value="VerweiszurZahnaerztinoderzumZahnarztzurzahnaer
104ztlichenFrueherkennungsuntersuchung"/>
105             <display value="Verweis zur Zahnärztin oder zum Zahnarzt
106zur zahnärztlichen Früherkennungsuntersuchung"/>
107             <equivalence value="equivalent"/>
108         </target>
109     </element>
110 </group>
111 </ConceptMap>

```

## 92. KBV\_CM\_MIO\_CMR\_U9\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CM\_MIO\_CMR\_U9\_Current\_Child\_History\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U9_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U9_Current_Child_History_German"/>
5    <title value="U9 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U9 -
Aktuelle Anamnese des Kindes mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Current_Child_History_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="715949008"/>
24       <display value="Serious physical health problem (finding)"/>
25     </element>

```

```

26         <code value="schwerwiegendeErkrankungenseitderletztenUnters
uchungOperationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"
/>
27         <display value="schwerwiegende Erkrankungen seit der
letzten Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und
häufige Infektionen"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="300228004"/>
33     <display value="Hearing problem (finding)"/>
34     <target>
35         <code value="Hoervermoegen"/>
36         <display value="Hörvermögen"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="425067005"/>
42     <display value="Speech and language development finding
(finding)"/>
43     <target>
44         <code value="SindSiemitderSprachentwicklungIhresKindeszufri
eden"/>
45         <display value="Sind Sie mit der Sprachentwicklung Ihres
Kindes zufrieden?"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="288599003"/>
51     <display value="Able to use verbal communication (finding)"/>
52     <target>
53         <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
54         <display value="Wird Ihr Kind von der Umgebung gut
verstanden?"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="141441000119107"/>
60     <display value="Childhood onset stuttering (finding)"/>
61     <target>
62         <code value="StottertIhrKind"/>
63         <display value="Stottert Ihr Kind?"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 </group>
68 </ConceptMap>

```



### 93. KBV\_CM\_MIO\_CMR\_U9\_DEVELOPMENT\_ASSESSMENT\_GERMAN

#### KBV\_CM\_MIO\_CMR\_U9\_Development\_Assessment\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U9_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U9_Development_Assessment_German"/>
5    <title value="U9 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U9 -
Orient. Beurt. Entwicklung mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Development_Assessment_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="364832000"/>
24       <display value="Finding related to ability to perform gross
motor function (finding)"/>
25     <target>

```

```

26         <code value="Grobmotorik"/>
27         <display value="Grobmotorik"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="364944003"/>
33     <display value="Finding related to ability to perform fine
motor function (finding)"/>
34     <target>
35         <code value="Feinmotorik"/>
36         <display value="Feinmotorik"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="106136008"/>
42     <display value="Memory finding (finding)"/>
43     <target>
44         <code value="PerzeptionKognition"/>
45         <display value="Perzeption/Kognition"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="284490008"/>
51     <display value="Finding relating to complex and social
behaviors (finding)"/>
52     <target>
53         <code value="SozialeemotionaleKompetenz"/>
54         <display value="Soziale/emotionale Kompetenz"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="268672004"/>
60     <display value="Disorder of speech and language development
(disorder)"/>
61     <target>
62         <code value="Sprache"/>
63         <display value="Sprache"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="365997002"/>
69     <display value="Finding related to ability to interact with
others (finding)"/>
70     <target>
71         <code value="InteraktionKommunikation"/>
72         <display value="Interaktion/Kommunikation"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

#### 94. KBV\_CM\_MIO\_CMR\_U9\_PHYSICAL\_EXAM ABDOMEN\_GENITALS\_GERMAN

##### KBV\_CM\_MIO\_CMR\_U9\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CM_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals_German"/>
5    <title value="U9 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Diese Conceptmap verknüpft die Codes für U9 -
Abdomen, Genitale mit deutschen Bezeichnungen"/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /><group>
18     <source value="http://snomed.info/sct"/>
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals_German"/>
21     <targetVersion value="1.0.1"/>
22     <element>
23       <code value="65476007:{363698007=10200004,363698007=78961009}"/
>

```

```

24      <display value="Abnormal size (finding) : {Finding site
      (attribute) = Liver structure (body structure) , Finding site (attribute) =
      Splenic structure (body structure)}"/>
25      <target>
26          <code value="LeberundMilzgroesse"/>
27          <display value="Leber- und Milzgröße"/>
28          <equivalence value="equivalent"/>
29      </target>
30  </element>
31  <element>
32      <code value="128545000"/>
33      <display value="Hernia of abdominal wall (disorder)"/>
34      <target>
35          <code value="Hernien"/>
36          <display value="Hernien"/>
37          <equivalence value="equivalent"/>
38      </target>
39  </element>
40 </group>
41 </ConceptMap>

```

## 95. KBV\_CM\_MIO\_PC\_PN\_EXAMINATION\_NUMBER\_GERMAN

KBV_CM_MIO_PC_PN_Examination_Number_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_PC_PN_Examination_Number_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CM_MIO_PC_PN_Examination_Number_German"/>
6	<title value="Untersuchungsnummer Teilnahmekarte"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für
17	Untersuchungsnummer Teilnahmekarte mit deutschen Bezeichnungen"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." /><group>
18	<source value="http://snomed.info/sct"/>
19	<sourceVersion value="http://snomed.info/sct/900000000000207008/
20	version/20210131"/>
21	<target value="https://fhir.kbv.de/CodeSystem/
22	KBV_CS_MIO_PC_PN_Examination_Number_German"/>
23	<targetVersion value="1.0.1"/>
24	<element>
25	<code value="170107008"/>
26	<display value="Child examination - 10 days (procedure)"/>
	<target>
	<code value="U2310Lebenstag"/>

```

27         <display value="U2 3.-10. Lebensstag"/>
28         <equivalence value="equivalent"/>
29     </target>
30 </element>
31 <element>
32     <code value="243788004:370131001=133931009"/>
33     <display value="Child examination (procedure) : Recipient
category = Infant (person)"/>
34     <target>
35         <code value="U345Lebenswoche"/>
36         <display value="U3 4.-5. Lebenswoche"/>
37         <equivalence value="equivalent"/>
38     </target>
39 </element>
40 <element>
41     <code value="170250008"/>
42     <display value="Child 3 month examination (procedure)"/>
43     <target>
44         <code value="U434Lebensmonat"/>
45         <display value="U4 3.-4. Lebensmonat"/>
46         <equivalence value="equivalent"/>
47     </target>
48 </element>
49 <element>
50     <code value="170263002"/>
51     <display value="Child 6 month examination (procedure)"/>
52     <target>
53         <code value="U567Lebensmonat"/>
54         <display value="U5 6.-7. Lebensmonat"/>
55         <equivalence value="equivalent"/>
56     </target>
57 </element>
58 <element>
59     <code value="170254004"/>
60     <display value="Child 1 year examination (procedure)"/>
61     <target>
62         <code value="U61012Lebensmonat"/>
63         <display value="U6 10.-12. Lebensmonat"/>
64         <equivalence value="equivalent"/>
65     </target>
66 </element>
67 <element>
68     <code value="401140000"/>
69     <display value="Child 2 year examination (procedure)"/>
70     <target>
71         <code value="U72124Lebensmonat"/>
72         <display value="U7 21.-24. Lebensmonat"/>
73         <equivalence value="equivalent"/>
74     </target>
75 </element>
76 <element>
77     <code value="170281004"/>
78     <display value="Child 3 year examination (procedure)"/>
79     <target>
80         <code value="U7a3436Lebensmonat"/>
81         <display value="U7a 34.-36. Lebensmonat"/>
82         <equivalence value="equivalent"/>
83     </target>
84 </element>
85 <element>

```

```

86     <code value="410635005"/>
87     <display value="Child 4 year examination (procedure)"/>
88     <target>
89         <code value="U84648Lebensmonat"/>
90         <display value="U8 46.-48. Lebensmonat"/>
91         <equivalence value="equivalent"/>
92     </target>
93 </element>
94 <element>
95     <code value="243788004:370131001=410602000"/>
96     <display value="Child examination (procedure) : Recipient
97 category (attribute) = Preschool child (person)"/>
98     <target>
99         <code value="U96064Lebensmonat"/>
100        <display value="U9 60.-64. Lebensmonat"/>
101        <equivalence value="equivalent"/>
102    </target>
103 </element>
104 </group>
</ConceptMap>

```

## 96. KBV\_CS\_MIO\_CMR\_BODYSITE\_HIP\_GERMAN

## KBV\_CS\_MIO\_CMR\_Bodysite\_Hip\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Bodysite_Hip_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Bodysite_Hip_German"/>
5    <title value="Hüftlateralität"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hüftlateralität."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="rechteHuefte"/>
21     <display value="rechte Hüfte"/>
22   </concept>
23   <concept>
24     <code value="linkeHuefte"/>
25     <display value="linke Hüfte"/>
26   </concept>
27 </CodeSystem>

```



## 97. KBV\_CS\_MIO\_CMR\_EXAMINATION\_NUMBER\_GERMAN

KBV_CS_MIO_CMR_Examination_Number_German	
1	<CodeSystem xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/CodeSystem/
3	KBV_CS_MIO_CMR_Examination_Number_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CS_MIO_CMR_Examination_Number_German"/>
6	<title value="Untersuchungsnummer U-Heft"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Dieses Codesystem enthält die Codes für deutsche
17	Bezeichner für Untersuchungsnummer U-Heft."/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
27	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
28	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." />  <caseSensitive value="true"/>
18	<content value="complete"/>
19	<concept>
20	<code value="U1Geburt"/>
21	<display value="U1 Geburt"/>
22	</concept>
23	<concept>
24	<code value="U2310Lebenstag"/>
25	<display value="U2 3.-10. Lebensstag"/>
26	</concept>
27	<concept>
28	<code value="U345Lebenswoche"/>

```

29     <display value="U3 4.-5. Lebenswoche"/>
30 </concept>
31 <concept>
32     <code value="U434Lebensmonat"/>
33     <display value="U4 3.-4. Lebensmonat"/>
34 </concept>
35 <concept>
36     <code value="U567Lebensmonat"/>
37     <display value="U5 6.-7. Lebensmonat"/>
38 </concept>
39 <concept>
40     <code value="U61012Lebensmonat"/>
41     <display value="U6 10.-12. Lebensmonat"/>
42 </concept>
43 <concept>
44     <code value="U72124Lebensmonat"/>
45     <display value="U7 21.-24. Lebensmonat"/>
46 </concept>
47 <concept>
48     <code value="U7a3436Lebensmonat"/>
49     <display value="U7a 34.-36. Lebensmonat"/>
50 </concept>
51 <concept>
52     <code value="U84648Lebensmonat"/>
53     <display value="U8 46.-48. Lebensmonat"/>
54 </concept>
55 <concept>
56     <code value="U96064Lebensmonat"/>
57     <display value="U9 60.-64. Lebensmonat"/>
58 </concept>
59 <concept>
60     <code value="ScreeningaufMukoviszidose"/>
61     <display value="Screening auf Mukoviszidose"/>
62 </concept>
63 <concept>
64     <code value="ErweitertesNeugeborenenScreening"/>
65     <display value="Erweitertes Neugeborenen-Screening"/>
66 </concept>
67 <concept>
68     <code value="ScreeningaufHueftgelenksdysplasieundluxation"/>
69     <display value="Screening auf Hüftgelenksdysplasie und -luxation"/>
70 </concept>
71 <concept>
72     <code value="Hoerscreening"/>
73     <display value="Hörscreening"/>
74 </concept>
75 <concept>
76     <code value="Perzentilkurven"/>
77     <display value="Perzentilkurven"/>
78 </concept>
79 <concept>
80     <code value="PulsoxymetrieScreeningMessungamFuss"/>
81     <display value="Pulsoxymetrie-Screening (Messung am Fuß)"/>
82 </concept>
83 </CodeSystem>

```

## 98. KBV\_CS\_MIO\_CMR\_FOETAL\_POSITION\_GERMAN

KBV_CS_MIO_CMR_Foetal_Position_German	
1	<CodeSystem xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/CodeSystem/
3	KBV_CS_MIO_CMR_Foetal_Position_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CS_MIO_CMR_Foetal_Position_German"/>
6	<title value="Kindslage aus Sicht d. Kindes"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Dieses Codesystem enthält die Codes für deutsche
17	Bezeichner für Kindslage aus Sicht d. Kindes."/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc ( <a href="http://loinc.org">http://</a>
26	<a href="http://loinc.org">loinc.org</a> ). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
27	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
28	is available at no cost under the license at <a href="http://loinc.org/license">http://loinc.org/license</a> .
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at <a href="http://unitsofmeasure.org">http://unitsofmeasure.org</a> . The current complete
	UCUM table, UCUM Specification are available for download at <a href="http://unitsofmeasure.org">http://</a>
	<a href="http://unitsofmeasure.org">unitsofmeasure.org</a> . The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." />  <caseSensitive value="true"/>
18	<content value="complete"/>
19	<concept>
20	<code value="Schaedellage"/>
21	<display value="Schädellage"/>
22	</concept>
23	<concept>
24	<code value="Beckenendlage"/>
25	<display value="Beckenendlage"/>
26	</concept>
27	<concept>
28	<code value="Querlage"/>

```
29     <display value="Querlage"/>
30   </concept>
31 </CodeSystem>
```

99. KBV\_CS\_MIO\_CMR\_GENDER\_BIRTH\_GERMAN

```

KBV_CS_MIO_CMR_Gender_Birth_German
1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Gender_Birth_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Gender_Birth_German"/>
5    <title value="Geschlecht SNOMED"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Geschlecht SNOMED."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="W"/>
21     <display value="W"/>
22   </concept>
23   <concept>
24     <code value="M"/>
25     <display value="M"/>
26   </concept>
27   <concept>
28     <code value="X"/>

```

```
29     <display value="X"/>
30   </concept>
31 </CodeSystem>
```

## 100. KBV\_CS\_MIO\_CMR\_GRAF\_HIP\_ULTRASOUND\_CLASSIFICATION

### KBV\_CS\_MIO\_CMR\_Graf\_Hip\_Ultrasound\_Classification

```
1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Graf_Hip_Ultrasound_Classification"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_Graf_Hip_Ultrasound_Classification"/>
5   <title value="Hüfttyp nach Graf"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hüfttyp nach Graf."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="1ab"/>
21      <display value="Graf Ia/Ib"/>
22    </concept>
23    <concept>
24      <code value="2a"/>
25      <display value="Graf IIa"/>
26    </concept>
27    <concept>
28      <code value="2cd"/>
```

```
29     <math display="block">Graf\ IIC/D</math>
30 </concept>
31 <concept>
32     <code value="3a"/>
33     <math display="block">Graf\ IIIa</math>
34 </concept>
35 <concept>
36     <code value="3b"/>
37     <math display="block">Graf\ IIIb</math>
38 </concept>
39 <concept>
40     <code value="4"/>
41     <math display="block">Graf\ IV</math>
42 </concept>
43 </CodeSystem>
```



## 101. KBV\_CS\_MIO\_CMR\_GRAF\_HIP\_ULTRASOUND\_CLASSIFICATION\_GERMAN

## KBV\_CS\_MIO\_CMR\_Graf\_Hip\_Ultrasound\_Classification\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Graf_Hip_Ultrasound_Classification_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Graf_Hip_Ultrasound_Classification_German"/
>
5    <title value="Hüfttyp nach Graf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hüfttyp nach Graf."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="IaIb"/>
21     <display value="Ia/Ib"/>
22   </concept>
23   <concept>
24     <code value="IIa"/>
25     <display value="IIa"/>
26   </concept>
27   <concept>

```

```
28     <code value="IIcD"/>
29     <display value="IIc/D"/>
30 </concept>
31 <concept>
32     <code value="IIIa"/>
33     <display value="IIIa"/>
34 </concept>
35 <concept>
36     <code value="IIIb"/>
37     <display value="IIIb"/>
38 </concept>
39 <concept>
40     <code value="IV"/>
41     <display value="IV"/>
42 </concept>
43 </CodeSystem>
```

## 102. KBV\_CS\_MIO\_CMR\_HEARSCREENING\_METHOD\_GERMAN

### KBV\_CS\_MIO\_CMR\_Hearscreening\_Method\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hearscreening_Method_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Hearscreening_Method_German"/>
5    <title value="Hörscreenigmethode"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hörscreenigmethode."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="ErstuntersuchungmittelsTEOAEinderRegelindenersten3Lebe
nstagen"/>
21       <display value="Erstuntersuchung mittels TEOAE, in der Regel in den
ersten 3 Lebenstagen"/>
22     </concept>
23     <concept>
24       <code value="ErstuntersuchungmittelsAABRinderRegelindenersten3Leben
stagen"/>

```

```
25     <display value="Erstuntersuchung mittels AABR, in der Regel in den
26     </concept>
27     <concept>
28     <code value="KontrollAABRbeiauffaelligemErstbefundinderRegelbisU2"/
29     >
30     <display value="Kontroll-AABR bei auffälligem Erstbefund, in der
31     Regel bis U2"/>
32     </concept>
33 </CodeSystem>
```

### 103. KBV\_CS\_MIO\_CMR\_HEARSCREENING\_RESULT\_GERMAN

#### KBV\_CS\_MIO\_CMR\_Hearscreening\_Result\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hearscreening_Result_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Hearscreening_Result_German"/>
5    <title value="Hörscreeningbefund Lokalisation"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hörscreeningbefund Lokalisation."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Hoerbefundunauffaelligbeidseits"/>
21     <display value="Hörbefund unauffällig beidseits"/>
22   </concept>
23   <concept>
24     <code value="Hoerbefundauffaelligrechts"/>
25     <display value="Hörbefund auffällig rechts"/>
26   </concept>
27   <concept>
28     <code value="Hoerbefundauffaelliglinks"/>

```

```
29         <display value="Hörbefund auffällig links"/>
30     </concept>
31 </CodeSystem>
```

## 104. KBV\_CS\_MIO\_CMR\_HIP\_HISTORY\_GERMAN

### KBV\_CS\_MIO\_CMR\_Hip\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hip_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Hip_History_German"/>
5    <title value="Hüftanamnese"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hüftanamnese."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="GeburtausBeckenendlage"/>
21     <display value="Geburt aus Beckenendlage"/>
22   </concept>
23   <concept>
24     <code value="HueftgelenksluxationbzwHueftgelenksdysplasieinHerkunft
sfamilie"/>
25     <display value="Hüftgelenksluxation bzw. Hüftgelenksdysplasie in
Herkunftsfamilie"/>
26   </concept>

```

```
27     <concept>
28         <code value="StellungsanomaliebzwFehlbildungeninsbderFuesse"/>
29         <display value="Stellungsanomalie bzw. Fehlbildungen (insb. der
30 Füße)"/>
31     </concept>
</CodeSystem>
```



## 105. KBV\_CS\_MIO\_CMR\_HIP\_PROCEEDING\_GERMAN

## KBV\_CS\_MIO\_CMR\_Hip\_Proceeding\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hip_Proceeding_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Hip_Proceeding_German"/>
5    <title value="Hüfte - weiteres Vorgehen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hüfte - weiteres Vorgehen."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Kontrollsonographie"/>
21     <display value="Kontrollsonographie"/>
22   </concept>
23   <concept>
24     <code value="UeberweisungzurdiagnostischenAbklaerung"/>
25     <display value="Überweisung zur diagnostischen Abklärung"/>
26   </concept>
27   <concept>
28     <code value="Behandlungsempfehlung"/>

```

```
29     <display value="Behandlungsempfehlung"/>
30     </concept>
31 </CodeSystem>
```

## 106. KBV\_CS\_MIO\_CMR\_HIP\_SCREENING\_METHOD\_GERMAN

### KBV\_CS\_MIO\_CMR\_Hip\_Screening\_Method\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Hip_Screening_Method_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Hip_Screening_Method_German"/>
5    <title value="Hüftscreening Methode"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Hüftscreening Methode."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="HueftsonographischerVorbefundja"/>
21     <display value="Hüftsonographischer Vorbefund: ja"/>
22   </concept>
23   <concept>
24     <code value="HueftsonographischerVorbefundnein"/>
25     <display value="Hüftsonographischer Vorbefund: nein"/>
26   </concept>
27   <concept>
28     <code value="HueftsonographischerVorbefundunbekannt"/>

```

```
29     <display value="Hüftsonographischer Vorbefund: unbekannt"/>
30   </concept>
31   <concept>
32     <code value="HueftsonographischerBefundinder45Lebenswoche"/>
33     <display value="Hüftsonographischer Befund in der 4.-5.
Lebenswoche"/>
34   </concept>
35 </CodeSystem>
```

## 107. KBV\_CS\_MIO\_CMR\_MEDICATION\_STATEMENT\_STATUS\_GERMAN

### KBV\_CS\_MIO\_CMR\_Medication\_Statement\_Status\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Medication_Statement_Status_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Medication_Statement_Status_German"/>
5    <title value="Vitamin-K-Prophylaxe Status"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Vitamin-K-Prophylaxe Status."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="verabreicht"/>
21     <display value="verabreicht"/>
22   </concept>
23   <concept>
24     <code value="nichtverabreicht"/>
25     <display value="nicht verabreicht"/>
26   </concept>
27 </CodeSystem>

```

## 108. KBV\_CS\_MIO\_CMR\_NEWBORN\_BLOOD\_SPOT\_SCREENING\_TYPE\_GERMAN

## KBV\_CS\_MIO\_CMR\_Newborn\_Blood\_Spot\_Screening\_Type\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Newborn_Blood_Spot_Screening_Type_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Newborn_Blood_Spot_Screening_Type_German"/>
5    <title value="Typ der Blutabnahme"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Typ der Blutabnahme."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Erstblutabnahme"/>
21     <display value="Erstblutabnahme"/>
22   </concept>
23   <concept>
24     <code value="Zweitblutabnahme"/>
25     <display value="Zweitblutabnahme"/>
26   </concept>
27   <concept>
28     <code value="Kontrollblutabnahme"/>

```

```
29     <display value="Kontrollblutabnahme"/>
30     </concept>
31 </CodeSystem>
```

## 109. KBV\_CS\_MIO\_CMR\_PERCENTILE\_BODY\_MEASURE\_LOINC\_GERMAN

### KBV\_CS\_MIO\_CMR\_Percentile\_Body\_Measure\_Loinc\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Percentile_Body_Measure_Loinc_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Percentile_Body_Measure_Loinc_German"/>
5    <title value="Perzentilkörpermaß LOINC"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Perzentilkörpermaß LOINC."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Koerpergewicht"/>
21     <display value="Körpergewicht"/>
22   </concept>
23   <concept>
24     <code value="Koerperlaenge"/>
25     <display value="Körperlänge"/>
26   </concept>
27   <concept>
28     <code value="Kopfumfang"/>

```



```
29     <display value="Kopfumfang"/>
30   </concept>
31   <concept>
32     <code value="BMI"/>
33     <display value="BMI"/>
34   </concept>
35 </CodeSystem>
```

## 110. KBV\_CS\_MIO\_CMR\_PERCENTILE\_BODY\_MEASURE\_SNOMED\_GERMAN

### KBV\_CS\_MIO\_CMR\_Percentile\_Body\_Measure\_Snomed\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Percentile_Body_Measure_Snomed_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Percentile_Body_Measure_Snomed_German"/>
5    <title value="Perzentilkörpermaß SNOMED"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Perzentilkörpermaß SNOMED."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />    <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="Koerpergewicht"/>
21       <display value="Körpergewicht"/>
22     </concept>
23     <concept>
24       <code value="Koerperlaenge"/>
25       <display value="Körperlänge"/>
26     </concept>
27     <concept>
28       <code value="Kopfumfang"/>

```

```
29     <display value="Kopfumfang"/>
30   </concept>
31   <concept>
32     <code value="BMI"/>
33     <display value="BMI"/>
34   </concept>
35 </CodeSystem>
```

## 111. KBV\_CS\_MIO\_CMR\_PRACTITIONER\_SPECIALITY\_GERMAN

### KBV\_CS\_MIO\_CMR\_Practitioner\_Speciality\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Practitioner_Speciality_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Practitioner_Speciality_German"/>
5    <title value="Rolle des Behandelnden"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Rolle des Behandelnden."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="ArztAerztin"/>
21       <display value="Arzt/ &#196;rztin"/>
22     </concept>
23   </CodeSystem>

```

## 112. KBV\_CS\_MIO\_CMR\_PREGNANCY\_HISTORY\_GERMAN

### KBV\_CS\_MIO\_CMR\_Pregnancy\_History\_German

```
1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Pregnancy_History_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_Pregnancy_History_German"/>
5   <title value="Schwangerschaftsanamnese"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Schwangerschaftsanamnese."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Gestationsdiabetes"/>
21      <display value="Gestationsdiabetes"/>
22    </concept>
23    <concept>
24      <code value="Diabetesmellitus"/>
25      <display value="Diabetes mellitus"/>
26    </concept>
27    <concept>
28      <code value="Dauermedikation"/>
```

```

29     <display value="Dauermedikation"/>
30 </concept>
31 <concept>
32     <code value="akuteoderchronischeInfektioneninderSchwangerschaft"/>
33     <display value="akute oder chronische Infektionen in der
Schwangerschaft"/>
34 </concept>
35 <concept>
36     <code value="AntikoerperSuchtestpositiv"/>
37     <display value="Antikörper-Suchtest positiv"/>
38 </concept>
39 <concept>
40     <code value="BStreptokokkenStatusderMutterpositiv"/>
41     <display value="B-Streptokokken-Status der Mutter positiv"/>
42 </concept>
43 <concept>
44     <code value="Mehrlingsschwangerschaft"/>
45     <display value="Mehrlingsschwangerschaft"/>
46 </concept>
47 <concept>
48     <code value="PolyHydramnion"/>
49     <display value="(Poly-)Hydramnion"/>
50 </concept>
51 <concept>
52     <code value="Oligohydramnion"/>
53     <display value="Oligohydramnion"/>
54 </concept>
55 <concept>
56     <code value="besonderepsychischeBelastungen"/>
57     <display value="besondere psychische Belastungen"/>
58 </concept>
59 <concept>
60     <code value="besonderesozialeBelastungen"/>
61     <display value="besondere soziale Belastungen"/>
62 </concept>
63 <concept>
64     <code value="Abusus"/>
65     <display value="Abusus"/>
66 </concept>
67 </CodeSystem>

```

### 113. KBV\_CS\_MIO\_CMR\_PULSE\_OXYMETRY\_SCREENING\_DATA\_ABSENT\_REASON\_GERMAN

#### KBV\_CS\_MIO\_CMR\_Pulse\_Oxymetry\_Screening\_Data\_Absent\_Reason\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Pulse_Oxymetry_Screening_Data_Absent_Reason_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Pulse_Oxymetry_Screening_Data_Absent_Reason
_German"/>
5    <title value="Gründe zur Ablehnung des Pulsoxymetriescreenings"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Gründe zur Ablehnung des Pulsoxymetriescreenings."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18     <caseSensitive value="true"/>
19     <content value="complete"/>
20     <concept>
21       <code value="elternWuenschenKeineUntersuchung" />
22       <display value="Eltern wünschen keine Untersuchung" />
23     </concept>
24     <concept>
25       <code value="keinPulsoxymetriescreeningBeiPraenatalDiagnostiziertem
KritischemHerzfehler" />

```

```
26     <display value="Kein Pulsoxymetrie-Screening bei pränatal
27     diagnostiziertem kritischem Herzfehler" />
28     </concept>
    </CodeSystem>
```



## 114. KBV\_CS\_MIO\_CMR\_PULSE\_OXYMETRY\_SCREENING\_MEASUREMENT\_TYPE\_GERMAN

### KBV\_CS\_MIO\_CMR\_Pulse\_Oxymetry\_Screening\_Measurement\_Type\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Pulse_Oxymetry_Screening_Measurement_Type_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_Pulse_Oxymetry_Screening_Measurement_Type_G
erman"/>
5    <title value="Typ der Pulsoxymetriemessung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Typ der Pulsoxymetriemessung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18     <caseSensitive value="true"/>
19     <content value="complete"/>
20     <concept>
21       <code value="Erstmessung"/>
22       <display value="Erstmessung"/>
23     </concept>
24     <concept>
25       <code value="Kontrollmessung"/>
26       <display value="Kontrollmessung"/>
27     </concept>

```



## 115. KBV\_CS\_MIO\_CMR\_U1\_APGAR\_SCORE\_IDENTIFIER\_GERMAN

## KBV\_CS\_MIO\_CMR\_U1\_Apgar\_Score\_Identifier\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_Apgar_Score_Identifier_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U1_Apgar_Score_Identifier_German"/>
5    <title value="Apgar Score am Zeitpunkt"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Apgar Score am Zeitpunkt."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="ApgarzumZeitpunkt10MinnachGeburt"/>
21     <display value="Apgar zum Zeitpunkt 10 Min. nach Geburt"/>
22   </concept>
23   <concept>
24     <code value="ApgarzumZeitpunkt5MinnachGeburt"/>
25     <display value="Apgar zum Zeitpunkt 5 Min. nach Geburt"/>
26   </concept>
27 </CodeSystem>

```

## 116. KBV\_CS\_MIO\_CMR\_U1\_APGAR\_SCORE\_VALUE\_GERMAN

### KBV\_CS\_MIO\_CMR\_U1\_Apgar\_Score\_Value\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_Apgar_Score_Value_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U1_Apgar_Score_Value_German"/>
5    <title value="Apgar-Score Wert"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Apgar-Score Wert."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Apgar0"/>
21     <display value="Apgar 0"/>
22   </concept>
23   <concept>
24     <code value="Apgar1"/>
25     <display value="Apgar 1"/>
26   </concept>
27   <concept>
28     <code value="Apgar2"/>

```

```
29     <math display="block">Apgar 2</math>
30 </concept>
31 <concept>
32     <code value="Apgar3"/>
33     <math display="block">Apgar 3</math>
34 </concept>
35 <concept>
36     <code value="Apgar4"/>
37     <math display="block">Apgar 4</math>
38 </concept>
39 <concept>
40     <code value="Apgar5"/>
41     <math display="block">Apgar 5</math>
42 </concept>
43 <concept>
44     <code value="Apgar6"/>
45     <math display="block">Apgar 6</math>
46 </concept>
47 <concept>
48     <code value="Apgar7"/>
49     <math display="block">Apgar 7</math>
50 </concept>
51 <concept>
52     <code value="Apgar8"/>
53     <math display="block">Apgar 8</math>
54 </concept>
55 <concept>
56     <code value="Apgar9"/>
57     <math display="block">Apgar 9</math>
58 </concept>
59 <concept>
60     <code value="Apgar10"/>
61     <math display="block">Apgar 10</math>
62 </concept>
63 </CodeSystem>
```

## 117. KBV\_CS\_MIO\_CMR\_U1\_U3\_BIRTHMODE\_GERMAN

### KBV\_CS\_MIO\_CMR\_U1\_U3\_Birthmode\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_U3_Birthmode_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U1_U3_Birthmode_German"/>
5    <title value="Geburtsmodus"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Geburtsmodus."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Spontan"/>
21     <display value="Spontan"/>
22   </concept>
23   <concept>
24     <code value="Sectio"/>
25     <display value="Sectio"/>
26   </concept>
27   <concept>
28     <code value="Vakuum"/>

```

```
29     <display value="Vakuum"/>
30   </concept>
31   <concept>
32     <code value="Forceps"/>
33     <display value="Forceps"/>
34   </concept>
35 </CodeSystem>
```

## 118. KBV\_CS\_MIO\_CMR\_U1\_U3\_PULSE\_OXYMETRY\_MEASUREMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U1\_U3\_Pulse\_Oxymetry\_Measurement\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement_German"/>
5    <title value="Auffälligkeit Sauerstoffsättigung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Auffälligkeit Sauerstoffsättigung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="auffaellig"/>
21     <display value="auffällig"/>
22   </concept>
23   <concept>
24     <code value="unauffaellig"/>
25     <display value="unauffällig"/>
26   </concept>
27   <concept>
28     <code value="kontrollbuerftig"/>

```



```
29     <display value="kontrollbedürftig"/>
30     </concept>
31 </CodeSystem>
```

## 119. KBV\_CS\_MIO\_CMR\_U2\_CONSULTATION\_GERMAN

### KBV\_CS\_MIO\_CMR\_U2\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_Consultation_German"/>
5    <title value="U2 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="StillenErnaehrung"/>
21     <display value="Stillen/Ernährung"/>
22   </concept>
23   <concept>
24     <code value="ploetzlicherKindstod"/>
25     <display value="plötzlicher Kindstod"/>
26   </concept>
27   <concept>

```

```
28     <code value="Information zu Rachitisprophylaxe mittels Vitamin D und Karie
sprophylaxe mittels Fluorid"/>
29     <display value="Information zu Rachitisprophylaxe mittels Vitamin D
und Kariesprophylaxe mittels Fluorid"/>
30   </concept>
31   <concept>
32     <code value="Vitamin K Prophylaxe prüfen und wenn nötig durchführen"/>
33     <display value="Vitamin-K-Prophylaxe prüfen und wenn nötig
durchführen"/>
34   </concept>
35   <concept>
36     <code value="Informationen zu regionalen Unterstützungsangeboten z.B. Elt
ern Kind Hilfen Frühe Hilfen"/>
37     <display value="Informationen zu regionalen Unterstützungsangeboten
(z.B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
38   </concept>
39 </CodeSystem>
```

## 120. KBV\_CS\_MIO\_CMR\_U2\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CS\_MIO\_CMR\_U2\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_Current_Child_History_German"/>
5    <title value="U2 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungenseitderletztenUntersuchungOp
erationen"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen"/>
22     </concept>
23     <concept>
24       <code value="SchwierigkeitenbeimTrinkenSchluckstoerungen"/>
25       <display value="Schwierigkeiten beim Trinken, Schluckstörungen"/>
26     </concept>

```

```
27 <concept>
28   <code value="StuhlfarbemitFarbtafelerfragen"/>
29   <display value="Stuhlfarbe (mit Farbtafel erfragen)"/>
30 </concept>
31 <concept>
32   <code value="auffaelligesSchreien"/>
33   <display value="auffälliges Schreien"/>
34 </concept>
35 <concept>
36   <code value="RisikofaktorenfuerHueftdysplasie"/>
37   <display value="Risikofaktoren für Hüftdysplasie"/>
38 </concept>
39 </CodeSystem>
```

## 121. KBV\_CS\_MIO\_CMR\_U2\_FAMILY\_HISTORY\_GERMAN

KBV_CS_MIO_CMR_U2_Family_History_German	
1	<CodeSystem xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/CodeSystem/
3	KBV_CS_MIO_CMR_U2_Family_History_German"/>
4	<version value="1.0.1"/>
5	<name value="KBV_CS_MIO_CMR_U2_Family_History_German"/>
6	<title value="U2 - Familienanamnese"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Dieses Codesystem enthält die Codes für deutsche
17	Bezeichner für U2 - Familienanamnese."/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from Loinc (http://
26	loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
	the Logical Observation Identifiers Names and Codes (Loinc) Committee and
	is available at no cost under the license at http://loinc.org/license.
	Loinc® is a registered United States trademark of Regenstrief Institute,
	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
	and UCUM definitions or is derived from it, subject to a license from
	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
	table, UCUM codes, UCUM definitions also is subject to this license, a copy
	of which is available at http://unitsofmeasure.org. The current complete
	UCUM table, UCUM Specification are available for download at http://
	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
	PARTICULAR PURPOSE." />  <caseSensitive value="true"/>
18	<content value="complete"/>
19	<concept>
20	<code value="AugenerkrankungenBStrabismusAmblyopieerblicheAugenkra
21	nkheit"/>
22	<display value="Augenerkrankungen (z. B. Strabismus, Amblyopie,
23	erbliche Augenkrankheit)"/>
24	</concept>
25	<concept>
26	<code value="angeboreneHoerstoerungenoderOhrfehlbildungen"/>
	<display value="angeborene Hörstörungen oder Ohrfehlbildungen"/>
	</concept>

```
27     <concept>
28         <code value="Immundefekte"/>
29         <display value="Immundefekte"/>
30     </concept>
31     <concept>
32         <code value="Hueftdysplasie"/>
33         <display value="Hüftdysplasie"/>
34     </concept>
35 </CodeSystem>
```

## 122. KBV\_CS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_HEAD\_GERMAN

### KBV\_CS\_MIO\_CMR\_U2\_Physical\_Exam\_Head\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Physical_Exam_Head_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_Physical_Exam_Head_German"/>
5    <title value="U2 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2 - Kopf."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Fehlhaltung"/>
21     <display value="Fehlhaltung"/>
22   </concept>
23   <concept>
24     <code value="Dysmorphiezeichen"/>
25     <display value="Dysmorphiezeichen"/>
26   </concept>
27   <concept>
28     <code value="Schaedelnaehte"/>

```



```
29     <display value="Schädelnähte"/>
30 </concept>
31 <concept>
32     <code value="Kephalhaematom"/>
33     <display value="Kephalhämatom"/>
34 </concept>
35 <concept>
36     <code value="Fontanellentonus"/>
37     <display value="Fontanellentonus"/>
38 </concept>
39 <concept>
40     <code value="Crepitatio capitis"/>
41     <display value="Crepitatio capitis"/>
42 </concept>
43 </CodeSystem>
```

## 123. KBV\_CS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U2 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2 - Mundhöhle, Kiefer, Nase."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="AuffaelligkeitenderSchleimhautunddesKieferkamms"/>
21     <display value="Auffälligkeiten der Schleimhaut und des
Kieferkamms"/>
22   </concept>
23   <concept>
24     <code value="KieferGaumenanomalie"/>
25     <display value="Kiefer- Gaumenanomalie"/>
26   </concept>
27   <concept>

```

```
28     <code value="Verletzungszeichen"/>
29     <display value="Verletzungszeichen"/>
30 </concept>
31 <concept>
32     <code value="abnormeGroessederZunge"/>
33     <display value="abnorme Größe der Zunge"/>
34 </concept>
35 <concept>
36     <code value="behinderteNasenatmung"/>
37     <display value="behinderte Nasenatmung"/>
38 </concept>
39 </CodeSystem>
```

## 124. KBV\_CS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U2 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2 - Bewegungsapparat."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Asymmetrien"/>
21     <display value="Asymmetrien"/>
22   </concept>
23   <concept>
24     <code value="Schiefhaltung"/>
25     <display value="Schiefhaltung"/>
26   </concept>
27   <concept>

```

```
28     <code value="Spontanmotorik"/>
29     <display value="Spontanmotorik"/>
30 </concept>
31 <concept>
32     <code value="Muskeltonus"/>
33     <display value="Muskeltonus"/>
34 </concept>
35 <concept>
36     <code value="Opisthotonus"/>
37     <display value="Opisthotonus"/>
38 </concept>
39 <concept>
40     <code value="passiveBeweglichkeitdergrossenGelenke"/>
41     <display value="passive Beweglichkeit der großen Gelenke"/>
42 </concept>
43 <concept>
44     <code value="MoroReaktion"/>
45     <display value="Moro-Reaktion"/>
46 </concept>
47 <concept>
48     <code value="GalantReflex"/>
49     <display value="Galant-Reflex"/>
50 </concept>
51 <concept>
52     <code value="Schreitautomatismus"/>
53     <display value="Schreitautomatismus"/>
54 </concept>
55 <concept>
56     <code value="klinischeFrakturzeichen"/>
57     <display value="klinische Frakturzeichen"/>
58 </concept>
59 </CodeSystem>
```

## 125. KBV\_CS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_SKIN\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_Physical\_Exam\_Skin\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_Physical_Exam_Skin_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_Physical_Exam_Skin_German"/>
5    <title value="U2 - Haut"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2 - Haut."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="auffaelligeBlaesse"/>
21     <display value="auffällige Blässe"/>
22   </concept>
23   <concept>
24     <code value="Zyanose"/>
25     <display value="Zyanose"/>
26   </concept>
27   <concept>
28     <code value="Ikterus"/>

```

```

29     <display value="Ikterus"/>
30 </concept>
31 <concept>
32     <code value="Haemangiome"/>
33     <display value="Hämangiome"/>
34 </concept>
35 <concept>
36     <code value="NaeviundanderePigmentanomalien"/>
37     <display value="Naevi und andere Pigmentanomalien"/>
38 </concept>
39 <concept>
40     <code value="Oedeme"/>
41     <display value="Ödeme"/>
42 </concept>
43 <concept>
44     <code value="AnhaltfuerVerletzungenzBHaematomePetechienVerbrennungN
45 arben"/>
46     <display value="Anhalt für Verletzungen (z.B. Hämatome, Petechien,
47 Verbrennung, Narben)"/>
48 </concept>
49 <concept>
50     <code value="Hydratationszustand"/>
51     <display value="Hydratationszustand"/>
</concept>
</CodeSystem>

```

## 126. KBV\_CS\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_U3\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals_German
"/>
5   <title value="U2, U3 - Abdomen, Genitale"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2, U3 - Abdomen, Genitale."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Anomalien"/>
21     <display value="Anomalien"/>
22   </concept>
23   <concept>
24     <code value="Nabelveraenderungen"/>
25     <display value="Nabelveränderungen"/>
26   </concept>
27   <concept>

```



```
28     <code value="LeberundMilzgroesse"/>
29     <display value="Leber- und Milzgröße"/>
30 </concept>
31 <concept>
32     <code value="Hernien"/>
33     <display value="Hernien"/>
34 </concept>
35 </CodeSystem>
```

## 127. KBV\_CS\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_EARS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_U3\_Physical\_Exam\_Ears\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Ears_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Ears_German"/>
5    <title value="U2, U3 - Ohren"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2, U3 - Ohren."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="FehlbildungenzB0hrfistelAnhaengselAtresie"/>
21       <display value="Fehlbildungen (z. B. Ohrfistel, Anhängsel,
Atresie)"/>
22     </concept>
23   </CodeSystem>

```

## 128. KBV\_CS\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_EYES\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_U3\_Physical\_Exam\_Eyes\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Eyes_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_U3_Physical_Exam_Eyes_German"/>
5    <title value="U2, U3 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2, U3 - Augen."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="InspektionmorphologischeAuffaelligkeitenzBPtosisLeukok
orieBulbusgroessenauffaelligkeitenKolobom"/>
21       <display value="Inspektion: morphologische Auffälligkeiten (z. B.
Ptosis, Leukokorie, Bulbusgrößenauffälligkeiten, Kolobom)"/>
22     </concept>
23     <concept>
24       <code value="InspektionNystagmus"/>
25       <display value="Inspektion: Nystagmus"/>
26     </concept>

```

```
27     <concept>
28         <code value="PruefungimdurchfallendenLichtTransilluminationsauffael
29         <display value="Prüfung im durchfallenden Licht:
30         Transilluminationsauffälligkeit bei Trübung der brechenden Medien"/>
31     </concept>
</CodeSystem>
```

## 129. KBV\_CS\_MIO\_CMR\_U2\_U4\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_U4\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_
Tract_German"/>
5   <title value="U2, U3, U4 - Thorax, Lunge, Atemwege"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2, U3, U4 - Thorax, Lunge, Atemwege."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Auskultation"/>
21      <display value="Auskultation"/>
22    </concept>
23    <concept>
24      <code value="Atemgeraesuch"/>
25      <display value="Atemgeräusch"/>
26    </concept>
27  </concept>

```

```
28     <code value="Atemfrequenz"/>
29     <display value="Atemfrequenz"/>
30 </concept>
31 <concept>
32     <code value="Einziehungen"/>
33     <display value="Einziehungen"/>
34 </concept>
35 <concept>
36     <code value="Thoraxkonfiguration"/>
37     <display value="Thoraxkonfiguration"/>
38 </concept>
39 <concept>
40     <code value="Schluesselbeine"/>
41     <display value="Schlüsselbeine"/>
42 </concept>
43 </CodeSystem>
```

## 130. KBV\_CS\_MIO\_CMR\_U2\_U6\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION\_GERMAN

## KBV\_CS\_MIO\_CMR\_U2\_U6\_Physical\_Exam\_Heart\_Blood\_Circulation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U2_U6_Physical_Exam_Heart_Blood_Circulation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U2_U6_Physical_Exam_Heart_Blood_Circulation
_U6_German"/>
5    <title value="U2, U3, U4, U5, U6 - Herz, Kreislauf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U2, U3, U4, U5, U6 - Herz, Kreislauf."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Herzfrequenz"/>
21     <display value="Herzfrequenz"/>
22   </concept>
23   <concept>
24     <code value="Herzrhythmus"/>
25     <display value="Herzrhythmus"/>
26   </concept>
27   <concept>

```

```
28     <code value="Herztoene"/>
29     <display value="Herztöne"/>
30 </concept>
31 <concept>
32     <code value="Herznebengeraeusche"/>
33     <display value="Herznebengeräusche"/>
34 </concept>
35 <concept>
36     <code value="Femoralispulse"/>
37     <display value="Femoralispulse"/>
38 </concept>
39 </CodeSystem>
```



## 131. KBV\_CS\_MIO\_CMR\_U3\_CONSULTATION\_GERMAN

### KBV\_CS\_MIO\_CMR\_U3\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_Consultation_German"/>
5    <title value="U3 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="StillenErnaehrungMundhygiene"/>
21     <display value="Stillen/Ernährung/Mundhygiene"/>
22   </concept>
23   <concept>
24     <code value="ploetzlicherKindstod"/>
25     <display value="plötzlicher Kindstod"/>
26   </concept>
27   <concept>
28     <code value="VitaminKProphylaxepruefenundwennnoetigdurchfuehren"/>

```

```

29     <display value="Vitamin-K-Prophylaxe prüfen und wenn nötig
durchführen"/>
30   </concept>
31   <concept>
32     <code value="RachitisprophylaxemittelsVitaminDundKariesprophylaxemi
ttelsFluorid"/>
33     <display value="Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid"/>
34   </concept>
35   <concept>
36     <code value="InformationenzuregionalenUnterstuetzungsangebotenzBElt
ernKindHilfenFrueheHilfen"/>
37     <display value="Informationen zu regionalen Unterstützungsangeboten
(z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
38   </concept>
39   <concept>
40     <code value="Unfallverhuetung"/>
41     <display value="Unfallverhütung"/>
42   </concept>
43   <concept>
44     <code value="AufklaerungueberImpfungenVorschlageinesImpftermins"/>
45     <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins"/>
46   </concept>
47   <concept>
48     <code value="UmgangmitSchreibaby"/>
49     <display value="Umgang mit Schreibaby"/>
50   </concept>
51 </CodeSystem>

```

### 132. KBV\_CS\_MIO\_CMR\_U3\_CURRENT\_CHILD\_HISTORY\_GERMAN

#### KBV\_CS\_MIO\_CMR\_U3\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_Current_Child_History_German"/>
5    <title value="U3 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungseitderletztenUntersuchungOp
erationenKrampfanfaelle"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle"/>
22     </concept>
23     <concept>
24       <code value="SchwierigkeitenbeimTrinkenSchluckstoerungenkeinealters
gemaesseErnaehrung"/>

```

```
25     <display value="Schwierigkeiten beim Trinken, Schluckstörungen,  
26     keine altersgemäÙe Ernährung"/>  
27   </concept>  
28   <concept>  
29     <code value="auffaelligesSchreien"/>  
30     <display value="auffälliges Schreien"/>  
31   </concept>  
32   <concept>  
33     <code value="StuhlfarbemitFarbtafelerfragen"/>  
34     <display value="Stuhlfarbe (mit Farbtafel erfragen)"/>  
35   </concept>  
</CodeSystem>
```

### 133. KBV\_CS\_MIO\_CMR\_U3\_DEVELOPMENT\_ASSESSMENT\_GERMAN

#### KBV\_CS\_MIO\_CMR\_U3\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_Development_Assessment_German"/>
5    <title value="U3 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3 - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Grobmotorik"/>
21     <display value="Grobmotorik"/>
22   </concept>
23   <concept>
24     <code value="Feinmotorik"/>
25     <display value="Feinmotorik"/>
26   </concept>
27   <concept>
28     <code value="PerzeptionKognition"/>

```

```
29     <display value="Perzeption/Kognition"/>
30 </concept>
31 <concept>
32     <code value="SozialeemotionaleKompetenz"/>
33     <display value="Soziale/emotionale Kompetenz"/>
34 </concept>
35 <concept>
36     <code value="StimmungAffekt"/>
37     <display value="Stimmung/Affekt"/>
38 </concept>
39 <concept>
40     <code value="KontaktKommunikation"/>
41     <display value="Kontakt/Kommunikation"/>
42 </concept>
43 <concept>
44     <code value="RegulationStimulation"/>
45     <display value="Regulation/Stimulation"/>
46 </concept>
47 </CodeSystem>
```

## 134. KBV\_CS\_MIO\_CMR\_U3\_FAMILY\_HISTORY\_GERMAN

### KBV\_CS\_MIO\_CMR\_U3\_Family\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Family_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_Family_History_German"/>
5    <title value="U3 - Familienanamnese"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3 - Familienanamnese."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="AugenerkrankungenzBKindlicheKataraktStrabismusAmblyopi
ererblicheAugenerkrankungen"/>
21       <display value="Augenerkrankungen (z. B. Kindliche Katarakt,
Strabismus, Amblyopie, erbliche Augenerkrankungen)"/>
22     </concept>
23     <concept>
24       <code value="angeboreneHoerstoerungenoderOhrfehlbildungen"/>
25       <display value="angeborene Hörstörungen oder Ohrfehlbildungen"/>
26     </concept>

```

```
27     <concept>
28         <code value="Immundefekte"/>
29         <display value="Immundefekte"/>
30     </concept>
31 </CodeSystem>
```



## 135. KBV\_CS\_MIO\_CMR\_U3\_PHYSICAL\_EXAM\_HEAD\_GERMAN

## KBV\_CS\_MIO\_CMR\_U3\_Physical\_Exam\_Head\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Physical_Exam_Head_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_Physical_Exam_Head_German"/>
5    <title value="U3 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3 - Kopf."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Fehlhaltung"/>
21     <display value="Fehlhaltung"/>
22   </concept>
23   <concept>
24     <code value="Dysmorphiezeichen"/>
25     <display value="Dysmorphiezeichen"/>
26   </concept>
27   <concept>
28     <code value="Schaedelnaehte"/>

```

```
29     <display value="Schädelnähte"/>
30 </concept>
31 <concept>
32     <code value="Kephalhaematom"/>
33     <display value="Kephalhämatom"/>
34 </concept>
35 <concept>
36     <code value="Fontanellentonus"/>
37     <display value="Fontanellentonus"/>
38 </concept>
39 <concept>
40     <code value="Crepitatio capitis"/>
41     <display value="Crepitatio capitis"/>
42 </concept>
43 <concept>
44     <code value="lagebedingteSchaedelasymmetrie"/>
45     <display value="lagebedingte Schädelasymmetrie"/>
46 </concept>
47 </CodeSystem>
```

## 136. KBV\_CS\_MIO\_CMR\_U3\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U3\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5   <title value="U3 - Bewegungsapparat"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3 - Bewegungsapparat."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Asymmetrien"/>
21      <display value="Asymmetrien"/>
22    </concept>
23    <concept>
24      <code value="Schiefhaltung"/>
25      <display value="Schiefhaltung"/>
26    </concept>
27  </concept>

```

```

28     <code value="Spontanmotorik"/>
29     <display value="Spontanmotorik"/>
30 </concept>
31 <concept>
32     <code value="Muskeltonus"/>
33     <display value="Muskeltonus"/>
34 </concept>
35 <concept>
36     <code value="Opisthotonus"/>
37     <display value="Opisthotonus"/>
38 </concept>
39 <concept>
40     <code value="passiveBeweglichkeitdergrossenGelenke"/>
41     <display value="passive Beweglichkeit der großen Gelenke"/>
42 </concept>
43 <concept>
44     <code value="Muskeleigenreflexe"/>
45     <display value="Muskeleigenreflexe"/>
46 </concept>
47 <concept>
48     <code value="Handgreifreflex"/>
49     <display value="Handgreifreflex"/>
50 </concept>
51 <concept>
52     <code value="MoroReaktion"/>
53     <display value="Moro-Reaktion"/>
54 </concept>
55 <concept>
56     <code value="Saugreflex"/>
57     <display value="Saugreflex"/>
58 </concept>
59 <concept>
60     <code value="klinischeFrakturzeichen"/>
61     <display value="klinische Frakturzeichen"/>
62 </concept>
63 </CodeSystem>

```

## 137. KBV\_CS\_MIO\_CMR\_U3\_U4\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CS\_MIO\_CMR\_U3\_U4\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U3, U4 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3, U4 - Mundhöhle, Kiefer, Nase."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="AuffaelligkeitenderSchleimhautunddesKieferkamms"/>
21     <display value="Auffälligkeiten der Schleimhaut und des
Kieferkamms"/>
22   </concept>
23   <concept>
24     <code value="KieferGaumenanomalie"/>
25     <display value="Kiefer- Gaumenanomalie"/>
26   </concept>
27   <concept>

```

```
28     <code value="Verletzungszeichen"/>
29     <display value="Verletzungszeichen"/>
30 </concept>
31 <concept>
32     <code value="abnormeGroessederZunge"/>
33     <display value="abnorme Größe der Zunge"/>
34 </concept>
35 <concept>
36     <code value="behinderteNasenatmung"/>
37     <display value="behinderte Nasenatmung"/>
38 </concept>
39 <concept>
40     <code value="orofacialerHypotonus"/>
41     <display value="orofacialer Hypotonus"/>
42 </concept>
43 </CodeSystem>
```

## 138. KBV\_CS\_MIO\_CMR\_U3\_U4\_PHYSICAL\_EXAM\_SKIN\_GERMAN

## KBV\_CS\_MIO\_CMR\_U3\_U4\_Physical\_Exam\_Skin\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_U4_Physical_Exam_Skin_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_U4_Physical_Exam_Skin_German"/>
5    <title value="U3, U4 - Haut"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3, U4 - Haut."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="auffaelligeBlaesse"/>
21     <display value="auffällige Blässe"/>
22   </concept>
23   <concept>
24     <code value="Zyanose"/>
25     <display value="Zyanose"/>
26   </concept>
27   <concept>
28     <code value="Ikterus"/>

```

```

29     <display value="Ikterus"/>
30 </concept>
31 <concept>
32     <code value="Haemangiome"/>
33     <display value="Hämangiome"/>
34 </concept>
35 <concept>
36     <code value="NaeviundanderePigmentanomalien"/>
37     <display value="Naevi und andere Pigmentanomalien"/>
38 </concept>
39 <concept>
40     <code value="Oedeme"/>
41     <display value="Ödeme"/>
42 </concept>
43 <concept>
44     <code value="AnhaltfuerVerletzungenzBHaematomePetechienVerbrennunge
nNarben"/>
45     <display value="Anhalt für Verletzungen (z. B. Hämatome, Petechien,
Verbrennungen, Narben)"/>
46 </concept>
47 <concept>
48     <code value="entzuendlicheHautveraenderungen"/>
49     <display value="entzündliche Hautveränderungen"/>
50 </concept>
51 </CodeSystem>

```



## 139. KBV\_CS\_MIO\_CMR\_U3\_U9\_AGE\_APPROPRIATE\_DEVELOPMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U3\_U9\_Age\_Appropriate\_Development\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_U9_Age_Appropriate_Development_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_U9_Age_Appropriate_Development_German"/>
5    <title value="altersgemäße Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für altersgemäße Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="altersgemaesseEntwicklung"/>
21     <display value="altersgemäße Entwicklung"/>
22   </concept>
23   <concept>
24     <code value="nichtaltersgemaesseEntwicklung"/>
25     <display value="nicht altersgemäße Entwicklung"/>
26   </concept>
27 </CodeSystem>

```

## 140. KBV\_CS\_MIO\_CMR\_U3\_U9\_SOCIAL\_HISTORY\_GERMAN

## KBV\_CS\_MIO\_CMR\_U3\_U9\_Social\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U3_U9_Social_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U3_U9_Social_History_German"/>
5    <title value="U3-U9 - Sozialanamnese"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U3-U9 - Sozialanamnese."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS
IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="besondereBelastungeninderFamilie"/>
21     <display value="besondere Belastungen in der Familie"/>
22   </concept>
23   <concept>
24     <code value="Betreuungssituation"/>
25     <display value="Betreuungssituation"/>
26   </concept>
27 </CodeSystem>

```

## 141. KBV\_CS\_MIO\_CMR\_U4\_CONSULTATION\_GERMAN

### KBV\_CS\_MIO\_CMR\_U4\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U4_Consultation_German"/>
5    <title value="U4 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U4 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="StillenErnaehrungMundgesundheit"/>
21     <display value="Stillen/Ernährung/Mundgesundheit"/>
22   </concept>
23   <concept>
24     <code value="ploetzlicherKindstod"/>
25     <display value="plötzlicher Kindstod"/>
26   </concept>
27   <concept>

```

```

28     <code value="RachitisprophylaxemittelsVitaminDundKariesprophylaxemi
ttelsFluorid"/>
29     <display value="Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid"/>
30   </concept>
31   <concept>
32     <code value="InformationenzuregionalenUnterstuetzungsangebotenzBElt
ernKindHilfenFrueheHilfen"/>
33     <display value="Informationen zu regionalen Unterstützungsangeboten
(z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
34   </concept>
35   <concept>
36     <code value="Unfallverhuetung"/>
37     <display value="Unfallverhütung"/>
38   </concept>
39   <concept>
40     <code value="AufklaerungueberImpfungenVorschlageinesImpfterminsImpf
statusentsprechenderSchutzimpfungsRichtliniedesGBAueberpruefen"/>
41     <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend der Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
42   </concept>
43   <concept>
44     <code value="UmgangmitSchreibabySchlafundEsstoerung"/>
45     <display value="Umgang mit Schreibaby, Schlaf- und Essstörung"/>
46   </concept>
47   <concept>
48     <code value="SprachberatungFoerderungvonMutterspracheunddeutscherSp
racheeinschliesslichderLautundGebaerdensprache"/>
49     <display value="Sprachberatung: Förderung von „Muttersprache“ und
deutscher Sprache (einschließlich der Laut- und Gebärdensprache)"/>
50   </concept>
51 </CodeSystem>

```

## 142. KBV\_CS\_MIO\_CMR\_U4\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CS\_MIO\_CMR\_U4\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U4_Current_Child_History_German"/>
5    <title value="U4 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U4 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungseitderletztenUntersuchungOp
erationenKrampfanfaelle"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle"/>
22     </concept>
23     <concept>
24       <code value="SchwierigkeitenbeimTrinkenundFuetternErbrechenSchlucks
toerungen"/>

```

```
25     <display value="Schwierigkeiten beim Trinken und Füttern,  
26     Erbrechen, Schluckstörungen"/>  
27     </concept>  
27     <concept>  
28         <code value="abnormeStuehleStuhlfarbemitFarbtafelerfragenObstipatio  
29     n"/>  
29     <display value="abnorme Stühle (Stuhlfarbe mit Farbtafel erfragen),  
30     Obstipation"/>  
30     </concept>  
31     <concept>  
32         <code value="auffaelligesSchreien"/>  
33         <display value="auffälliges Schreien"/>  
34     </concept>  
35 </CodeSystem>
```

## 143. KBV\_CS\_MIO\_CMR\_U4\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U4\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U4_Development_Assessment_German"/>
5    <title value="U4 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U4 - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Grobmotorik"/>
21     <display value="Grobmotorik"/>
22   </concept>
23   <concept>
24     <code value="Feinmotorik"/>
25     <display value="Feinmotorik"/>
26   </concept>
27   <concept>
28     <code value="PerzeptionKognition"/>

```

```
29     <display value="Perzeption/Kognition"/>
30 </concept>
31 <concept>
32     <code value="SozialeemotionaleKompetenz"/>
33     <display value="Soziale/emotionale Kompetenz"/>
34 </concept>
35 <concept>
36     <code value="StimmungAffekt"/>
37     <display value="Stimmung/Affekt"/>
38 </concept>
39 <concept>
40     <code value="KontaktKommunikation"/>
41     <display value="Kontakt/Kommunikation"/>
42 </concept>
43 <concept>
44     <code value="RegulationStimulation"/>
45     <display value="Regulation/Stimulation"/>
46 </concept>
47 </CodeSystem>
```



## 144. KBV\_CS\_MIO\_CMR\_U4\_PHYSICAL\_EXAM ABDOMEN\_GENITALS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U4\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U4_Physical_Exam_Abdomen_Genitals_German"/>
5    <title value="U4 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U4 - Abdomen, Genitale."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Anomalien"/>
21     <display value="Anomalien"/>
22   </concept>
23   <concept>
24     <code value="LeberundMilzgroesse"/>
25     <display value="Leber- und Milzgröße"/>
26   </concept>
27   <concept>
28     <code value="Hernien"/>

```

```
29     <display value="Hernien"/>
30     </concept>
31 </CodeSystem>
```

## 145. KBV\_CS\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_HEAD\_GERMAN

## KBV\_CS\_MIO\_CMR\_U4\_Physical\_Exam\_Head\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Physical_Exam_Head_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U4_Physical_Exam_Head_German"/>
5    <title value="U4 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U4 - Kopf."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Fehlhaltung"/>
21     <display value="Fehlhaltung"/>
22   </concept>
23   <concept>
24     <code value="Dysmorphiezeichen"/>
25     <display value="Dysmorphiezeichen"/>
26   </concept>
27   <concept>
28     <code value="Schaedelnaehte"/>

```

```
29     <display value="Schädelnähte"/>
30 </concept>
31 <concept>
32     <code value="Kephalhaematom"/>
33     <display value="Kephalhämatom"/>
34 </concept>
35 <concept>
36     <code value="Fontanellentonus"/>
37     <display value="Fontanellentonus"/>
38 </concept>
39 </CodeSystem>
```

## 146. KBV\_CS\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U4\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U4_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U4 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U4 - Bewegungsapparat."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Asymmetrien"/>
21     <display value="Asymmetrien"/>
22   </concept>
23   <concept>
24     <code value="Schiefhaltung"/>
25     <display value="Schiefhaltung"/>
26   </concept>
27   <concept>

```

```

28     <code value="Spontanmotorik"/>
29     <display value="Spontanmotorik"/>
30 </concept>
31 <concept>
32     <code value="Muskeltonus"/>
33     <display value="Muskeltonus"/>
34 </concept>
35 <concept>
36     <code value="Opisthotonus"/>
37     <display value="Opisthotonus"/>
38 </concept>
39 <concept>
40     <code value="passiveBeweglichkeitdergrossenGelenke"/>
41     <display value="passive Beweglichkeit der großen Gelenke"/>
42 </concept>
43 <concept>
44     <code value="Muskeleigenreflexe"/>
45     <display value="Muskeleigenreflexe"/>
46 </concept>
47 <concept>
48     <code value="Handgreifreflex"/>
49     <display value="Handgreifreflex"/>
50 </concept>
51 <concept>
52     <code value="Fussgreifreflex"/>
53     <display value="Fußgreifreflex"/>
54 </concept>
55 <concept>
56     <code value="Neugeborenenreflexe"/>
57     <display value="Neugeborenenreflexe"/>
58 </concept>
59 <concept>
60     <code value="klinischeFrakturzeichen"/>
61     <display value="klinische Frakturzeichen"/>
62 </concept>
63 </CodeSystem>

```

## 147. KBV\_CS\_MIO\_CMR\_U4\_U5\_PHYSICAL\_EXAM\_EYES\_GERMAN

## KBV\_CS\_MIO\_CMR\_U4\_U5\_Physical\_Exam\_Eyes\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U4_U5_Physical_Exam_Eyes_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U4_U5_Physical_Exam_Eyes_German"/>
5    <title value="U4, U5 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U4, U5 - Augen."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="InspektionmorphologischeAuffaelligkeitenzBPtosisLeukok
orieBulbusgroessenauffaelligkeitenKolobom"/>
21       <display value="Inspektion: morphologische Auffälligkeiten (z. B.
Ptosis, Leukokorie, Bulbusgrößenauffälligkeiten, Kolobom)"/>
22     </concept>
23     <concept>
24       <code value="InspektionNystagmus"/>
25       <display value="Inspektion: Nystagmus"/>
26     </concept>

```

```
27     <concept>
28         <code value="BruecknerTestTransilluminationsunterschiedzBeiTruebun
29         <display value="Brückner-Test: Transilluminationsunterschied (z. B.
30         </concept>
31         <concept>
32         <code value="PruefungderBlickfolgemit einemgeraeschlosedasKindinte
33         <display value="Prüfung der Blickfolge mit einem Geräuschlosen, das
34         </concept>
35 </CodeSystem>
```



## 148. KBV\_CS\_MIO\_CMR\_U5\_CONSULTATION\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U5_Consultation_German"/>
5    <title value="U5 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="StillenErnaehrung"/>
21     <display value="Stillen/Ernaehrung"/>
22   </concept>
23   <concept>
24     <code value="ploetzlicherKindstod"/>
25     <display value="plötzlicher Kindstod"/>
26   </concept>
27   <concept>

```

```

28     <code value="RachitisprophylaxemittelsVitaminDundKariesprophylaxemi
ttelsFluorid"/>
29     <display value="Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid"/>
30   </concept>
31   <concept>
32     <code value="InformationenzuregionalenUnterstuetzungsangebotenzBElt
ernKindHilfenFrueheHilfen"/>
33     <display value="Informationen zu regionalen Unterstützungsangeboten
(z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
34   </concept>
35   <concept>
36     <code value="Unfallverhuetung"/>
37     <display value="Unfallverhütung"/>
38   </concept>
39   <concept>
40     <code value="AufklaerungueberImpfungenVorschlageinesImpfterminsImpf
statusentsprechenderSchutzimpfungsRichtliniedesGBAueberpruefen"/>
41     <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend der Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
42   </concept>
43   <concept>
44     <code value="HinweisezuMundhygieneundzahnschonenderErnaehrung"/>
45     <display value="Hinweise zu Mundhygiene und zahnschonender
Ernährung"/>
46   </concept>
47   <concept>
48     <code value="SprachberatungFoerderungvonMutterspracheunddeutscherSp
racheeinschliesslicherLautundGebaerdensprache"/>
49     <display value="Sprachberatung: Förderung von „Muttersprache“ und
deutscher Sprache (einschließlich der Laut- und Gebärdensprache)"/>
50   </concept>
51   <concept>
52     <code value="VerweiszumZahnarztzurZahnaerztinzurAbklaerungvonAuffae
lligkeitenanZaehnenundSchleimhaut"/>
53     <display value="Verweis zum Zahnarzt / zur Zahnärztin zur Abklärung
von Auffälligkeiten an Zähnen und Schleimhaut"/>
54   </concept>
55   <concept>
56     <code value="Sucht"/>
57     <display value="Sucht"/>
58   </concept>
59   <concept>
60     <code value="UVSchutz"/>
61     <display value="UV-Schutz"/>
62   </concept>
63 </CodeSystem>

```

## 149. KBV\_CS\_MIO\_CMR\_U5\_CURRENT\_CHILD\_HISTORY\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U5_Current_Child_History_German"/>
5    <title value="U5 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungenseitderletztenUntersuchungOp
erationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und häufige
Infektionen"/>
22     </concept>
23     <concept>
24       <code value="Essverhaltensnichtaltersgemaess"/>
25       <display value="Essverhalten nicht altersgemäß"/>

```

```
26 </concept>
27 <concept>
28   <code value="abnormeStuehle"/>
29   <display value="abnorme Stühle"/>
30 </concept>
31 <concept>
32   <code value="auffaelligesSchreien"/>
33   <display value="auffälliges Schreien"/>
34 </concept>
35 <concept>
36   <code value="KannDasKindguthoerenKindreagiertauflauteundleiseSchall
37 reizewendetdenKopfzurSchallquelle"/>
37   <display value="Kann das Kind gut hören? (Kind reagiert auf laute
38 und leise Schallreize, wendet den Kopf zur Schallquelle)"/>
38 </concept>
39 </CodeSystem>
```

## 150. KBV\_CS\_MIO\_CMR\_U5\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U5_Development_Assessment_German"/>
5    <title value="U5 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5 - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Grobmotorik"/>
21     <display value="Grobmotorik"/>
22   </concept>
23   <concept>
24     <code value="Feinmotorik"/>
25     <display value="Feinmotorik"/>
26   </concept>
27   <concept>
28     <code value="PerzeptionKognition"/>

```

```
29     <display value="Perzeption/Kognition"/>
30 </concept>
31 <concept>
32     <code value="SozialeemotionaleKompetenz"/>
33     <display value="Soziale/emotionale Kompetenz"/>
34 </concept>
35 <concept>
36     <code value="Sprache"/>
37     <display value="Sprache"/>
38 </concept>
39 <concept>
40     <code value="StimmungAffekt"/>
41     <display value="Stimmung/Affekt"/>
42 </concept>
43 <concept>
44     <code value="KontaktKommunikation"/>
45     <display value="Kontakt/Kommunikation"/>
46 </concept>
47 <concept>
48     <code value="RegulationStimulation"/>
49     <display value="Regulation/Stimulation"/>
50 </concept>
51 </CodeSystem>
```

## 151. KBV\_CS\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U5_Physical_Exam_Chest_Lung_Respiratory_Tra
ct_German"/>
5    <title value="U5 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5 - Thorax, Lunge, Atemwege."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Auskultation"/>
21     <display value="Auskultation"/>
22   </concept>
23   <concept>
24     <code value="Atemgeraesuch"/>
25     <display value="Atemgeräusch"/>
26   </concept>
27   <concept>

```

```
28     <code value="Atemfrequenz"/>
29     <display value="Atemfrequenz"/>
30 </concept>
31 <concept>
32     <code value="Einziehungen"/>
33     <display value="Einziehungen"/>
34 </concept>
35 <concept>
36     <code value="Thoraxkonfiguration"/>
37     <display value="Thoraxkonfiguration"/>
38 </concept>
39 </CodeSystem>
```



## 152. KBV\_CS\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U5_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U5 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5 - Mundhöhle, Kiefer, Nase."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Verletzungszeichen"/>
21     <display value="Verletzungszeichen"/>
22   </concept>
23   <concept>
24     <code value="fehlenderMundschluss"/>
25     <display value="fehlender Mundschluss"/>
26   </concept>
27 </CodeSystem>

```

## 153. KBV\_CS\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_Physical_Exam_Musculoskeletal_System_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U5_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5   <title value="U5 - Bewegungsapparat"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5 - Bewegungsapparat."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Asymmetrien"/>
21      <display value="Asymmetrien"/>
22    </concept>
23    <concept>
24      <code value="Schiefhaltung"/>
25      <display value="Schiefhaltung"/>
26    </concept>
27  </concept>

```

```
28     <code value="Spontanmotorik"/>
29     <display value="Spontanmotorik"/>
30 </concept>
31 <concept>
32     <code value="Muskeltonus"/>
33     <display value="Muskeltonus"/>
34 </concept>
35 <concept>
36     <code value="passiveBeweglichkeitdergrossenGelenke"/>
37     <display value="passive Beweglichkeit der großen Gelenke"/>
38 </concept>
39 <concept>
40     <code value="Muskeleigenreflexe"/>
41     <display value="Muskeleigenreflexe"/>
42 </concept>
43 <concept>
44     <code value="klinischeFrakturzeichen"/>
45     <display value="klinische Frakturzeichen"/>
46 </concept>
47 </CodeSystem>
```

## 154. KBV\_CS\_MIO\_CMR\_U5\_U6\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_U6\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals_German
"/>
5   <title value="U5, U6 - Abdomen, Genitale"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5, U6 - Abdomen, Genitale."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Anomalien"/>
21      <display value="Anomalien"/>
22    </concept>
23    <concept>
24      <code value="Hodenhochstandrechtslinks"/>
25      <display value="Hodenhochstand rechts/links"/>
26    </concept>
27    <concept>

```

```
28     <code value="Hernien"/>
29     <display value="Hernien"/>
30 </concept>
31 <concept>
32     <code value="LeberundMilzgroesse"/>
33     <display value="Leber- und Milzgröße"/>
34 </concept>
35 </CodeSystem>
```

## 155. KBV\_CS\_MIO\_CMR\_U5\_U6\_PHYSICAL\_EXAM\_HEAD\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_U6\_Physical\_Exam\_Head\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_U6_Physical_Exam_Head_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U5_U6_Physical_Exam_Head_German"/>
5    <title value="U5, U6 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5, U6 - Kopf."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Fehlhaltung"/>
21     <display value="Fehlhaltung"/>
22   </concept>
23   <concept>
24     <code value="Dysmorphiezeichen"/>
25     <display value="Dysmorphiezeichen"/>
26   </concept>
27   <concept>
28     <code value="Schaedelnaehte"/>

```

```
29     <display value="Schädelnähte"/>
30   </concept>
31   <concept>
32     <code value="Fontanelleonus"/>
33     <display value="Fontanelleonus"/>
34   </concept>
35 </CodeSystem>
```

## 156. KBV\_CS\_MIO\_CMR\_U5\_U9\_PHYSICAL\_EXAM\_SKIN\_GERMAN

## KBV\_CS\_MIO\_CMR\_U5\_U9\_Physical\_Exam\_Skin\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U5_U9_Physical_Exam_Skin_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U5_U9_Physical_Exam_Skin_German"/>
5    <title value="U5, U6, U7, U7a, U8, U9 - Haut"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U5, U6, U7, U7a, U8, U9 - Haut."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="auffaelligeBlaesse"/>
21       <display value="auffällige Blässe"/>
22     </concept>
23     <concept>
24       <code value="AnhaltfuerVerletzungenzBHaematomePetechienVerbrennunge
nNarben"/>
25       <display value="Anhalt für Verletzungen (z. B. Hämatome, Petechien,
Verbrennungen, Narben)"/>
26     </concept>

```



```
27     <concept>
28         <code value="entzuendlicheHautveraenderungen"/>
29         <display value="entzündliche Hautveränderungen"/>
30     </concept>
31 </CodeSystem>
```

## 157. KBV\_CS\_MIO\_CMR\_U6\_CONSULTATION\_GERMAN

## KBV\_CS\_MIO\_CMR\_U6\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U6_Consultation_German"/>
5    <title value="U6 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U6 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Ernaehrung"/>
21     <display value="Ernährung"/>
22   </concept>
23   <concept>
24     <code value="RachitisprophylaxemittelsVitaminDundKariesprophylaxemi
ttelsFluorid"/>
25     <display value="Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid"/>
26   </concept>

```

```

27     <concept>
28         <code value="InformationenzuregionalenUnterstuetzungsangebotenzBElt
ernKindHilfenFrueheHilfen"/>
29         <display value="Informationen zu regionalen Unterstützungsangeboten
(z. B. Eltern-Kind-Hilfen, Frühe Hilfen)"/>
30     </concept>
31     <concept>
32         <code value="Unfallverhuetung"/>
33         <display value="Unfallverhütung"/>
34     </concept>
35     <concept>
36         <code value="AufklaerungueberImpfungenVorschlageinesImpfterminsImpf
statusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
37         <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
38     </concept>
39     <concept>
40         <code value="HinweisezuMundhygieneZahnpflegeundzahnschonenderErnaeh
rung"/>
41         <display value="Hinweise zu Mundhygiene (Zahnpflege) und
zahnschonender Ernährung"/>
42     </concept>
43     <concept>
44         <code value="SprachberatungFoerderungvonMutterspracheunddeutscherSp
racheeinschliesslichderLautundGebaerdensprache"/>
45         <display value="Sprachberatung: Förderung von „Muttersprache“ und
deutscher Sprache (einschließlich der Laut- und Gebärdensprache)"/>
46     </concept>
47     <concept>
48         <code value="VerweiszumZahnarztzurZahnaerztinzurAbklaerungvonAuffae
lligkeitenanZaehnenundSchleimhaut"/>
49         <display value="Verweis zum Zahnarzt / zur Zahnärztin zur Abklärung
von Auffälligkeiten an Zähnen und Schleimhaut"/>
50     </concept>
51     <concept>
52         <code value="Sucht"/>
53         <display value="Sucht"/>
54     </concept>
55 </CodeSystem>

```

## 158. KBV\_CS\_MIO\_CMR\_U6\_CURRENT\_CHILD\_HISTORY\_GERMAN

## KBV\_CS\_MIO\_CMR\_U6\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U6_Current_Child_History_German"/>
5    <title value="U6 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U6 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungenseitderletztenUntersuchungOp
erationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und häufige
Infektionen"/>
22     </concept>
23     <concept>
24       <code value="Essverhaltensnichtaltersgemaess"/>
25       <display value="Essverhalten nicht altersgemäß"/>

```

```
26     </concept>
27     <concept>
28         <code value="abnormeStuehle"/>
29         <display value="abnorme Stühle"/>
30     </concept>
31     <concept>
32         <code value="HoervermoegenReaktionaufleiselauteSchallreizeKopfbzwBl
33         ickwendungzurSchallquelle"/>
34         <display value="Hörvermögen: Reaktion auf leise/laute Schallreize,
35         Kopf- bzw. Blickwendung zur Schallquelle"/>
36     </concept>
37     <concept>
38         <code value="regelmaessigesSchnarchen"/>
39         <display value="regelmäßiges Schnarchen"/>
40     </concept>
41 </CodeSystem>
```

## 159. KBV\_CS\_MIO\_CMR\_U6\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U6\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U6_Development_Assessment_German"/>
5    <title value="U6 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U6 - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Grobmotorik"/>
21     <display value="Grobmotorik"/>
22   </concept>
23   <concept>
24     <code value="Feinmotorik"/>
25     <display value="Feinmotorik"/>
26   </concept>
27   <concept>
28     <code value="PerzeptionKognition"/>

```

```
29     <display value="Perzeption/Kognition"/>
30 </concept>
31 <concept>
32     <code value="SozialeemotionaleKompetenz"/>
33     <display value="Soziale/emotionale Kompetenz"/>
34 </concept>
35 <concept>
36     <code value="Sprache"/>
37     <display value="Sprache"/>
38 </concept>
39 <concept>
40     <code value="StimmungAffekt"/>
41     <display value="Stimmung/Affekt"/>
42 </concept>
43 <concept>
44     <code value="KontaktKommunikation"/>
45     <display value="Kontakt/Kommunikation"/>
46 </concept>
47 <concept>
48     <code value="RegulationStimulation"/>
49     <display value="Regulation/Stimulation"/>
50 </concept>
51 </CodeSystem>
```

## 160. KBV\_CS\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_EYES\_GERMAN

## KBV\_CS\_MIO\_CMR\_U6\_Physical\_Exam\_Eyes\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Physical_Exam_Eyes_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U6_Physical_Exam_Eyes_German"/>
5    <title value="U6 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U6 - Augen."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="InspektionmorphologischeAuffaelligkeiten"/>
21     <display value="Inspektion: morphologische Auffälligkeiten"/>
22   </concept>
23   <concept>
24     <code value="InspektionNystagmus"/>
25     <display value="Inspektion: Nystagmus"/>
26   </concept>
27   <concept>

```



```

28     <code value="BruecknerTestTransilluminationsunterschiedzBeiTruebun
gderbrechendenMedienStrabismusAnisometropie"/>
29     <display value="Brückner-Test: Transilluminationsunterschied (z.B.
bei Trübung der brechenden Medien, Strabismus, Anisometropie)"/>
30     </concept>
31     <concept>
32         <code value="PruefungderBlickfolgemiteinemgeraeschlosedasKindinte
ressierendenObjektzBLichtquelleFixationsschwaecherechtslinks"/>
33         <display value="Prüfung der Blickfolge mit einem geräuschlosen, das
Kind interessierenden Objekt (z.B. Lichtquelle): Fixationsschwäche rechts/
links"/>
34         </concept>
35         <concept>
36             <code value="InspektionKopffehlhaltung"/>
37             <display value="Inspektion: Kopffehlhaltung"/>
38         </concept>
39         <concept>
40             <code value="PupillenstatusVergleichGroesseFormLichtreaktionrechtsl
inks"/>
41             <display value="Pupillenstatus: Vergleich Größe, Form,
Lichtreaktion rechts/links"/>
42         </concept>
43 </CodeSystem>

```

## 161. KBV\_CS\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CS\_MIO\_CMR\_U6\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U6_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U6 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U6 - Mundhöhle, Kiefer, Nase."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Verletzungszeichen"/>
21     <display value="Verletzungszeichen"/>
22   </concept>
23   <concept>
24     <code value="fehlenderMundschluss"/>
25     <display value="fehlender Mundschluss"/>
26   </concept>
27   <concept>
28     <code value="AuffaelligkeitenanZaehnenundSchleimhaeuten"/>

```

```
29     <display value="Auffälligkeiten an Zähnen und Schleimhäuten"/>
30 </concept>
31 <concept>
32     <code value="behinderteNasenatmung"/>
33     <display value="behinderte Nasenatmung"/>
34 </concept>
35 <concept>
36     <code value="auffaelligerStimmklangzBHeiserkeitundNaeseIn"/>
37     <display value="auffälliger Stimmklang (z.B. Heiserkeit und
38 Näseln)"/>
39 </concept>
</CodeSystem>
```

## 162. KBV\_CS\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U6\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U6_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U6 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U6 - Bewegungsapparat."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Asymmetrien"/>
21     <display value="Asymmetrien"/>
22   </concept>
23   <concept>
24     <code value="Schiefhaltung"/>
25     <display value="Schiefhaltung"/>
26   </concept>
27   <concept>

```

```
28     <code value="Spontanmotorik"/>
29     <display value="Spontanmotorik"/>
30 </concept>
31 <concept>
32     <code value="Muskeltonus"/>
33     <display value="Muskeltonus"/>
34 </concept>
35 <concept>
36     <code value="passiveBeweglichkeitdergrossenGelenke"/>
37     <display value="passive Beweglichkeit der großen Gelenke"/>
38 </concept>
39 <concept>
40     <code value="Muskeleigenreflexe"/>
41     <display value="Muskeleigenreflexe"/>
42 </concept>
43 </CodeSystem>
```

## 163. KBV\_CS\_MIO\_CMR\_U6\_U7\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U6\_U7\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_
Tract_German"/>
5   <title value="U6, U7 - Thorax, Lunge, Atemwege"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U6, U7 - Thorax, Lunge, Atemwege."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Auskultation"/>
21      <display value="Auskultation"/>
22    </concept>
23    <concept>
24      <code value="Atemgeraesuch"/>
25      <display value="Atemgeräusch"/>
26    </concept>
27  </concept>

```

```
28     <code value="Atemfrequenz"/>
29     <display value="Atemfrequenz"/>
30 </concept>
31 <concept>
32     <code value="Einziehungen"/>
33     <display value="Einziehungen"/>
34 </concept>
35 <concept>
36     <code value="Thoraxkonfiguration"/>
37     <display value="Thoraxkonfiguration"/>
38 </concept>
39 <concept>
40     <code value="Mamillenabstand"/>
41     <display value="Mamillenabstand"/>
42 </concept>
43 </CodeSystem>
```

## 164. KBV\_CS\_MIO\_CMR\_U7\_CONSULTATION\_GERMAN

### KBV\_CS\_MIO\_CMR\_U7\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_Consultation_German"/>
5    <title value="U7 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="HinweiszurZahnpflegeFluorid"/>
21     <display value="Hinweis zur Zahnpflege (Fluorid)"/>
22   </concept>
23   <concept>
24     <code value="Unfallverhuetung"/>
25     <display value="Unfallverhütung"/>
26   </concept>
27   <concept>

```



```

28     <code value="SprachberatungFoerderungvonMutterspracheunddeutscherSp
racheeinschliesslichderLautundGebaerdensprache"/>
29     <display value="Sprachberatung: Förderung von „Muttersprache“ und
deutscher Sprache (einschließlich der Laut- und Gebärdensprache)"/>
30   </concept>
31   <concept>
32     <code value="Bewegung"/>
33     <display value="Bewegung"/>
34   </concept>
35   <concept>
36     <code value="Ernaehrung"/>
37     <display value="Ernährung"/>
38   </concept>
39   <concept>
40     <code value="AufklaerungueberImpfungenVorschlageinesImpfterminsImpf
statusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
41     <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
42   </concept>
43   <concept>
44     <code value="VerweiszurZahnaerztinoderzumZahnarztzurzahnaerztlichen
Frueherkennungsuntersuchung"/>
45     <display value="Verweis zur Zahnärztin oder zum Zahnarzt zur
zahnärztlichen Früherkennungsuntersuchung"/>
46   </concept>
47 </CodeSystem>

```

## 165. KBV\_CS\_MIO\_CMR\_U7\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CS\_MIO\_CMR\_U7\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_Current_Child_History_German"/>
5    <title value="U7 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungenseitderletztenUntersuchungOp
erationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und häufige
Infektionen"/>
22     </concept>
23     <concept>
24       <code value="Essverhaltensnichtaltersgemaess"/>
25       <display value="Essverhalten nicht altersgemäß"/>

```

```

26     </concept>
27     <concept>
28         <code value="abnormeStuehle"/>
29         <display value="abnorme Stühle"/>
30     </concept>
31     <concept>
32         <code value="KariesprophylaxemittelsFluorid"/>
33         <display value="Kariesprophylaxe mittels Fluorid"/>
34     </concept>
35     <concept>
36         <code value="HoervermoegenReaktionaufleiselauteSchallreizeKopfbzwBl
27         <display value="Hörvermögen: Reaktion auf leise/laute Schallreize,
28         Kopf- bzw. Blickwendung zur Schallquelle"/>
39     </concept>
40     <concept>
41         <code value="regelmaessigesSchnarchen"/>
42         <display value="regelmäßiges Schnarchen"/>
43     </concept>
44     <concept>
45         <code value="SindSiemitderSprachentwicklungIhresKindeszufrieden"/>
46         <display value="Sind Sie mit der Sprachentwicklung Ihres Kindes
47         zufrieden?"/>
48     </concept>
49     <concept>
50         <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
51         <display value="Wird Ihr Kind von der Umgebung gut verstanden?"/>
52     </concept>
53 </CodeSystem>

```

## 166. KBV\_CS\_MIO\_CMR\_U7\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_Development_Assessment_German"/>
5    <title value="U7 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7 - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Grobmotorik"/>
21     <display value="Grobmotorik"/>
22   </concept>
23   <concept>
24     <code value="Feinmotorik"/>
25     <display value="Feinmotorik"/>
26   </concept>
27   <concept>
28     <code value="PerzeptionKognition"/>

```

```
29     <display value="Perzeption/Kognition"/>
30 </concept>
31 <concept>
32     <code value="SozialeemotionaleKompetenz"/>
33     <display value="Soziale/emotionale Kompetenz"/>
34 </concept>
35 <concept>
36     <code value="Sprache"/>
37     <display value="Sprache"/>
38 </concept>
39 <concept>
40     <code value="InteraktionKommunikation"/>
41     <display value="Interaktion/Kommunikation"/>
42 </concept>
43 </CodeSystem>
```

## 167. KBV\_CS\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_EYES\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7\_Physical\_Exam\_Eyes\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Physical_Exam_Eyes_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_Physical_Exam_Eyes_German"/>
5    <title value="U7 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7 - Augen."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="InspektionmorphologischeAuffaelligkeiten"/>
21     <display value="Inspektion: morphologische Auffälligkeiten"/>
22   </concept>
23   <concept>
24     <code value="InspektionNystagmus"/>
25     <display value="Inspektion: Nystagmus"/>
26   </concept>
27   <concept>

```

```

28     <code value="BruecknerTestTransilluminationsunterschiedzBbeiTruebun
gderbrechendenMedienStrabismusAnisometropie"/>
29     <display value="Brückner-Test: Transilluminationsunterschied (z. B.
bei Trübung der brechenden Medien, Strabismus, Anisometropie)"/>
30     </concept>
31     <concept>
32         <code value="InspektionKopffehlhaltung"/>
33         <display value="Inspektion: Kopffehlhaltung"/>
34     </concept>
35     <concept>
36         <code value="PupillenstatusVergleichGroesseFormLichtreaktionrechtsl
inks"/>
37         <display value="Pupillenstatus: Vergleich Größe, Form,
Lichtreaktion rechts/links"/>
38     </concept>
39 </CodeSystem>

```

## 168. KBV\_CS\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U7 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7 - Mundhöhle, Kiefer, Nase."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="AuffaelligkeitenanZaehnenundSchleimhaut"/>
21     <display value="Auffälligkeiten an Zähnen und Schleimhaut"/>
22   </concept>
23   <concept>
24     <code value="Verletzungszeichen"/>
25     <display value="Verletzungszeichen"/>
26   </concept>
27   <concept>
28     <code value="Speichelfluss"/>

```



```
29     <display value="Speichelfluss"/>
30   </concept>
31   <concept>
32     <code value="auffaelligerStimmklang"/>
33     <display value="auffälliger Stimmklang"/>
34   </concept>
35 </CodeSystem>
```

## 169. KBV\_CS\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5    <title value="U7 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7 - Bewegungsapparat."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Asymmetrien"/>
21     <display value="Asymmetrien"/>
22   </concept>
23   <concept>
24     <code value="Schiefhaltung"/>
25     <display value="Schiefhaltung"/>
26   </concept>
27   <concept>

```

```
28     <code value="passiveBeweglichkeitdergrossenGelenke"/>
29     <display value="passive Beweglichkeit der großen Gelenke"/>
30 </concept>
31 <concept>
32     <code value="Muskeleigenreflexe"/>
33     <display value="Muskeleigenreflexe"/>
34 </concept>
35 </CodeSystem>
```

## 170. KBV\_CS\_MIO\_CMR\_U7\_U7a\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7\_U7a\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals_Germa
n"/>
5    <title value="U7, U7a - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7, U7a - Abdomen, Genitale."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Hodenhochstandrechtslinks"/>
21     <display value="Hodenhochstand rechts/links"/>
22   </concept>
23   <concept>
24     <code value="Hernien"/>
25     <display value="Hernien"/>
26   </concept>
27   <concept>

```

```
28     <code value="LeberundMilzgroesse"/>
29     <display value="Leber- und Milzgröße"/>
30   </concept>
31 </CodeSystem>
```

## 171. KBV\_CS\_MIO\_CMR\_U7\_U9\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7\_U9\_Physical\_Exam\_Heart\_Blood\_Circulation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation
   _German"/>
5    <title value="U7, U7a, U8, U9 - Herz, Kreislauf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
   Bezeichner für U7, U7a, U8, U9 - Herz, Kreislauf."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
   Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
   unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
   which is used by permission of SNOMED International. All rights reserved.
   SNOMED CT®, was originally created by The College of American Pathologists.
   SNOMED and SNOMED CT are registered trademarks of SNOMED International.
   Implementers of these artefacts must have the appropriate SNOMED CT
   Affiliate license. This material contains content from Loinc (http://
   loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
   the Logical Observation Identifiers Names and Codes (Loinc) Committee and
   is available at no cost under the license at http://loinc.org/license.
   Loinc® is a registered United States trademark of Regenstrief Institute,
   Inc. This product includes all or a portion of the UCUM table, UCUM codes,
   and UCUM definitions or is derived from it, subject to a license from
   Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
   table, UCUM codes, UCUM definitions also is subject to this license, a copy
   of which is available at http://unitsofmeasure.org. The current complete
   UCUM table, UCUM Specification are available for download at http://
   unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
   1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
   Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
   FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
   IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
   NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
   PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Herzfrequenz"/>
21     <display value="Herzfrequenz"/>
22   </concept>
23   <concept>
24     <code value="Herzrhythmus"/>
25     <display value="Herzrhythmus"/>
26   </concept>
27   <concept>

```

```
28     <code value="Herztoene"/>
29     <display value="Herztöne"/>
30 </concept>
31 <concept>
32     <code value="Herznebengeraeusche"/>
33     <display value="Herznebengeräusche"/>
34 </concept>
35 </CodeSystem>
```

## 172. KBV\_CS\_MIO\_CMU\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CS\_MIO\_CMU\_U7a\_and\_U9\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMU_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_Tract_German
"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMU_U7a_and_U9_Physical_Exam_Chest_Lung_Respira
tory_Tract_German"/>
5    <title value="U7a, U9 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7a, U9 - Thorax, Lunge, Atemwege."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Auskultation"/>
21     <display value="Auskultation"/>
22   </concept>
23   <concept>
24     <code value="Atemgeräusch"/>
25     <display value="Atemgeräusch"/>
26   </concept>

```



```
27 <concept>
28   <code value="Atemfrequenz"/>
29   <display value="Atemfrequenz"/>
30 </concept>
31 <concept>
32   <code value="Thoraxkonfiguration"/>
33   <display value="Thoraxkonfiguration"/>
34 </concept>
35 <concept>
36   <code value="Mamillenabstand"/>
37   <display value="Mamillenabstand"/>
38 </concept>
39 </CodeSystem>
```

## 173. KBV\_CS\_MIO\_CMR\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7a\_and\_U9\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_and_U9_Physical_Exam_Musculoskeletal_System_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U7a_and_U9_Physical_Exam_Musculoskeletal_Sy
stem_German"/>
5   <title value="U7a, U9 - Bewegungsapparat"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7a, U9 - Bewegungsapparat."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Asymmetrien"/>
21     <display value="Asymmetrien"/>
22   </concept>
23   <concept>
24     <code value="Schiefhaltung"/>
25     <display value="Schiefhaltung"/>
26   </concept>
27   <concept>

```

```
28     <code value="passiveBeweglichkeitdergrossenGelenke"/>
29     <display value="passive Beweglichkeit der großen Gelenke"/>
30 </concept>
31 <concept>
32     <code value="Muskeleigenreflexe"/>
33     <display value="Muskeleigenreflexe"/>
34 </concept>
35 <concept>
36     <code value="Muskeltonus"/>
37     <display value="Muskeltonus"/>
38 </concept>
39 </CodeSystem>
```

## 174. KBV\_CS\_MIO\_CMR\_U7A\_CONSULTATION\_GERMAN

### KBV\_CS\_MIO\_CMR\_U7a\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7a_Consultation_German"/>
5    <title value="U7a - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7a - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Unfallverhuetung"/>
21     <display value="Unfallverhütung"/>
22   </concept>
23   <concept>
24     <code value="SprachberatungFoerderungvonMutterspracheunddeutscherSp
racheeinschliesslichderLautundGebaerdensprache"/>
25     <display value="Sprachberatung: Förderung von „Muttersprache“ und
deutscher Sprache (einschließlich der Laut- und Gebärdensprache)"/>
26   </concept>

```

```

27     <concept>
28         <code value="Ernaehrung"/>
29         <display value="Ernährung"/>
30     </concept>
31     <concept>
32         <code value="Bewegung"/>
33         <display value="Bewegung"/>
34     </concept>
35     <concept>
36         <code value="MedienzBMedienkonsumTVSpielekonsolenDauerbeschallung"/
37 >
38         <display value="Medien (z. B. Medienkonsum, TV, Spielekonsolen,
39 Dauerbeschallung)"/>
40     </concept>
41     <concept>
42         <code value="InformationueberzahnaerztlicheVorsorgeab30Monaten"/>
43         <display value="Information über zahnärztliche Vorsorge ab 30
44 Monaten"/>
45     </concept>
46     <concept>
47         <code value="AufklaerungueberImpfungenVorschlageinesImpfterminsImpf
48 statusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
49         <display value="Aufklärung über Impfungen/Vorschlag eines
50 Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
51 überprüfen"/>
52     </concept>
53     <concept>
54         <code value="VerweiszurZahnaerztinoderzumZahnarztzuzahnaerztlichen
55 Frueherkennungsuntersuchung"/>
56         <display value="Verweis zur Zahnärztin oder zum Zahnarzt zur
57 zahnärztlichen Früherkennungsuntersuchung"/>
58     </concept>
59 </CodeSystem>

```

## 175. KBV\_CS\_MIO\_CMR\_U7A\_CURRENT\_CHILD\_HISTORY\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7a\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7a_Current_Child_History_German"/>
5    <title value="U7a - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7a - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungenseitderletztenUntersuchungOp
erationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und häufige
Infektionen"/>
22     </concept>
23     <concept>
24       <code value="Essverhaltensnichtaltersgemaess"/>
25       <display value="Essverhalten nicht altersgemäß"/>

```

```

26     </concept>
27     <concept>
28         <code value="abnormeStuehle"/>
29         <display value="abnorme Stühle"/>
30     </concept>
31     <concept>
32         <code value="KariesprophylaxemittelsFluorid"/>
33         <display value="Kariesprophylaxe mittels Fluorid"/>
34     </concept>
35     <concept>
36         <code value="Hoervermoegen"/>
37         <display value="Hörvermögen"/>
38     </concept>
39     <concept>
40         <code value="regelmaessigesSchnarchen"/>
41         <display value="regelmäßiges Schnarchen"/>
42     </concept>
43     <concept>
44         <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
45         <display value="Wird Ihr Kind von der Umgebung gut verstanden?"/>
46     </concept>
47     <concept>
48         <code value="SindSiemitderSprachentwicklungIhresKindeszufrieden"/>
49         <display value="Sind Sie mit der Sprachentwicklung Ihres Kindes
zufrieden?"/>
50     </concept>
51     <concept>
52         <code value="StottertIhrKind"/>
53         <display value="Stottert Ihr Kind?"/>
54     </concept>
55 </CodeSystem>

```

## 176. KBV\_CS\_MIO\_CMR\_U7A\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7a\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7a_Development_Assessment_German"/>
5    <title value="U7a - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7a - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Grobmotorik"/>
21     <display value="Grobmotorik"/>
22   </concept>
23   <concept>
24     <code value="Feinmotorik"/>
25     <display value="Feinmotorik"/>
26   </concept>
27   <concept>
28     <code value="PerzeptionKognition"/>

```



```
29     <display value="Perzeption/Kognition"/>
30 </concept>
31 <concept>
32     <code value="SozialeemotionaleKompetenz"/>
33     <display value="Soziale/emotionale Kompetenz"/>
34 </concept>
35 <concept>
36     <code value="Sprache"/>
37     <display value="Sprache"/>
38 </concept>
39 <concept>
40     <code value="InteraktionKommunikation"/>
41     <display value="Interaktion/Kommunikation"/>
42 </concept>
43 </CodeSystem>
```

## 177. KBV\_CS\_MIO\_CMR\_U7A\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7a\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7a_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U7a - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7a - Mundhöhle, Kiefer, Nase."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />    <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="AuffaelligkeitenanZaehnenundSchleimhaut"/>
21       <display value="Auffälligkeiten an Zähnen und Schleimhaut"/>
22     </concept>
23     <concept>
24       <code value="Verletzungszeichen"/>
25       <display value="Verletzungszeichen"/>
26     </concept>
27     <concept>
28       <code value="Kieferanomalie"/>

```

```
29     <display value="Kieferanomalie"/>
30 </concept>
31 <concept>
32     <code value="fehlenderMundschluss"/>
33     <display value="fehlender Mundschluss"/>
34 </concept>
35 <concept>
36     <code value="behinderteNasenatmung"/>
37     <display value="behinderte Nasenatmung"/>
38 </concept>
39 </CodeSystem>
```

## 178. KBV\_CS\_MIO\_CMR\_U7a\_U9\_PHYSICAL\_EXAM\_EYES\_GERMAN

## KBV\_CS\_MIO\_CMR\_U7a\_U9\_Physical\_Exam\_Eyes\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U7a_U9_Physical_Exam_Eyes_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U7a_U9_Physical_Exam_Eyes_German"/>
5    <title value="U7a, U8, U9 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7a, U8, U9 - Augen."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="InspektionmorphologischeAuffaelligkeiten"/>
21     <display value="Inspektion: morphologische Auffälligkeiten"/>
22   </concept>
23   <concept>
24     <code value="InspektionNystagmus"/>
25     <display value="Inspektion: Nystagmus"/>
26   </concept>
27   <concept>
28     <code value="HornhautreflexbildchenauffaelligStrabismus"/>

```

```

29     <display value="Hornhautreflexbildchen: auffällig (Strabismus)"/>
30 </concept>
31 <concept>
32     <code value="InspektionKopffehlhaltung"/>
33     <display value="Inspektion: Kopffehlhaltung"/>
34 </concept>
35 <concept>
36     <code value="Pupillenstatusauffaellig"/>
37     <display value="Pupillenstatus: auffällig"/>
38 </concept>
39 <concept>
40     <code value="StereoTestauffaellig"/>
41     <display value="Stereo-Test: auffällig"/>
42 </concept>
43 <concept>
44     <code value="SehtestmonokularePruefungSehschwaechelinks"/>
45     <display value="Sehtest (monokulare Prüfung): Sehschwäche links"/>
46 </concept>
47 <concept>
48     <code value="SehtestmonokularePruefungSehschwaecherechts"/>
49     <display value="Sehtest (monokulare Prüfung): Sehschwäche rechts"/>
50 </concept>
51 <concept>
52     <code value="SehtestmonokularePruefungRechtsLinksDifferenz"/>
53     <display value="Sehtest (monokulare Prüfung): Rechts-Links-
Differenz"/>
54 </concept>
55 </CodeSystem>

```

## 179. KBV\_CS\_MIO\_CMR\_U8\_CONSULTATION\_GERMAN

### KBV\_CS\_MIO\_CMR\_U8\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U8_Consultation_German"/>
5    <title value="U8 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U8 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Unfallverhuetung"/>
21     <display value="Unfallverhütung"/>
22   </concept>
23   <concept>
24     <code value="SprachberatungFoerderungvonMutterspracheunddeutscherSp
racheeinschliesslichderLautundGebaerdensprache"/>
25     <display value="Sprachberatung: Förderung von „Muttersprache“ und
deutscher Sprache (einschließlich der Laut- und Gebärdensprache)"/>
26   </concept>

```

```

27     <concept>
28         <code value="Ernaehrung"/>
29         <display value="Ernährung"/>
30     </concept>
31     <concept>
32         <code value="Bewegung"/>
33         <display value="Bewegung"/>
34     </concept>
35     <concept>
36         <code value="MedienzBMedienkonsumTVSpielekonsolenDauerbeschallung"/
37 >
38         <display value="Medien (z. B. Medienkonsum, TV, Spielekonsolen,
39 Dauerbeschallung)"/>
40     </concept>
41     <concept>
42         <code value="AufklaerungueberImpfungenVorschlageinesImpfterminsImpf
43 statusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
44         <display value="Aufklärung über Impfungen/Vorschlag eines
45 Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
46 überprüfen"/>
47     </concept>
48     <concept>
49         <code value="VerweiszurZahnaerztinoderzumZahnarztzurzahnaerztlichen
50Frueherkennungsuntersuchung"/>
51         <display value="Verweis zur Zahnärztin oder zum Zahnarzt zur
52zahnärztlichen Früherkennungsuntersuchung"/>
53     </concept>
54 </CodeSystem>

```

## 180. KBV\_CS\_MIO\_CMR\_U8\_CURRENT\_CHILD\_HISTORY\_GERMAN

### KBV\_CS\_MIO\_CMR\_U8\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U8_Current_Child_History_German"/>
5    <title value="U8 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U8 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="schwerwiegendeErkrankungenseitderletztenUntersuchungOp
erationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"/>
21       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und häufige
Infektionen"/>
22     </concept>
23     <concept>
24       <code value="regelmaessigesSchnarchen"/>
25       <display value="regelmäßiges Schnarchen"/>

```



```
26     </concept>
27     <concept>
28         <code value="SindSiemitderSprachentwicklungIhresKindeszufrieden"/>
29         <display value="Sind Sie mit der Sprachentwicklung Ihres Kindes
zufrieden?"/>
30     </concept>
31     <concept>
32         <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
33         <display value="Wird Ihr Kind von der Umgebung gut verstanden?"/>
34     </concept>
35     <concept>
36         <code value="StottertIhrKind"/>
37         <display value="Stottert Ihr Kind?"/>
38     </concept>
39 </CodeSystem>
```

## 181. KBV\_CS\_MIO\_CMR\_U8\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U8\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U8_Development_Assessment_German"/>
5    <title value="U8 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U8 - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Grobmotorik"/>
21     <display value="Grobmotorik"/>
22   </concept>
23   <concept>
24     <code value="Feinmotorik"/>
25     <display value="Feinmotorik"/>
26   </concept>
27   <concept>
28     <code value="PerzeptionKognition"/>

```

```
29     <display value="Perzeption/Kognition"/>
30 </concept>
31 <concept>
32     <code value="SozialeemotionaleKompetenz"/>
33     <display value="Soziale/emotionale Kompetenz"/>
34 </concept>
35 <concept>
36     <code value="Sprache"/>
37     <display value="Sprache"/>
38 </concept>
39 <concept>
40     <code value="InteraktionKommunikation"/>
41     <display value="Interaktion/Kommunikation"/>
42 </concept>
43 </CodeSystem>
```

## 182. KBV\_CS\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U8\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals_German"/>
5    <title value="U8 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U8 - Abdomen, Genitale."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <caseSensitive value="true"/>
18   <content value="complete"/>
19   <concept>
20     <code value="Hodenhochstandrechtslinks"/>
21     <display value="Hodenhochstand rechts/links"/>
22   </concept>
23   <concept>
24     <code value="Hernien"/>
25     <display value="Hernien"/>
26   </concept>
27   <concept>
28     <code value="LeberundMilzgroesse"/>

```

```
29     <display value="Leber- und Milzgröße"/>
30   </concept>
31   <concept>
32     <code value="auffaelligerHarnbefundMehrfachtteststreifen"/>
33     <display value="auffälliger Harnbefund (Mehrfachtteststreifen)"/>
34   </concept>
35 </CodeSystem>
```

## 183. KBV\_CS\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U8\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Chest_Lung_Respiratory_Tract_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U8_Physical_Exam_Chest_Lung_Respiratory_Tra
ct_German"/>
5   <title value="U8 - Thorax, Lunge, Atemwege"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U8 - Thorax, Lunge, Atemwege."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Auskultation"/>
21      <display value="Auskultation"/>
22    </concept>
23    <concept>
24      <code value="Atemgeraesuch"/>
25      <display value="Atemgeräusch"/>
26    </concept>
27  </concept>

```

```
28     <code value="Atemfrequenz"/>
29     <display value="Atemfrequenz"/>
30 </concept>
31 <concept>
32     <code value="Thoraxkonfiguration"/>
33     <display value="Thoraxkonfiguration"/>
34 </concept>
35 <concept>
36     <code value="Mamillenabstand"/>
37     <display value="Mamillenabstand"/>
38 </concept>
39 <concept>
40     <code value="Hinweis auf Rachitis"/>
41     <display value="Hinweis auf Rachitis"/>
42 </concept>
43 </CodeSystem>
```

## 184. KBV\_CS\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_EARS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U8\_Physical\_Exam\_Ears\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Ears_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U8_Physical_Exam_Ears_German"/>
5    <title value="U8 - Ohren"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U8 - Ohren."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />    <caseSensitive value="true"/>
18     <content value="complete"/>
19     <concept>
20       <code value="HoertestmittelsScreeningaudiometrierechts"/>
21       <display value="Hörtest mittels Screeningaudiometrie: rechts"/>
22     </concept>
23     <concept>
24       <code value="HoertestmittelsScreeningaudiometrielinks"/>
25       <display value="Hörtest mittels Screeningaudiometrie: links"/>
26     </concept>
27   </CodeSystem>

```



## 185. KBV\_CS\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM\_GERMAN

## KBV\_CS\_MIO\_CMR\_U8\_Physical\_Exam\_Musculoskeletal\_System\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_Physical_Exam_Musculoskeletal_System_German"/>
3   <version value="1.0.1"/>
4   <name value="KBV_CS_MIO_CMR_U8_Physical_Exam_Musculoskeletal_System_Ger
man"/>
5   <title value="U7 - Bewegungsapparat"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U7 - Bewegungsapparat."/>
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />   <caseSensitive value="true"/>
18    <content value="complete"/>
19    <concept>
20      <code value="Vorbeugetest"/>
21      <display value="Vorbeugetest"/>
22    </concept>
23    <concept>
24      <code value="Asymmetrien"/>
25      <display value="Asymmetrien"/>
26    </concept>
27    <concept>

```

```
28     <code value="Schiefhaltung"/>
29     <display value="Schiefhaltung"/>
30 </concept>
31 <concept>
32     <code value="Spontanmotorik"/>
33     <display value="Spontanmotorik"/>
34 </concept>
35 <concept>
36     <code value="passiveBeweglichkeitdergrossenGelenke"/>
37     <display value="passive Beweglichkeit der großen Gelenke"/>
38 </concept>
39 <concept>
40     <code value="Muskeltonus"/>
41     <display value="Muskeltonus"/>
42 </concept>
43 <concept>
44     <code value="Muskeleigenreflexe"/>
45     <display value="Muskeleigenreflexe"/>
46 </concept>
47 <concept>
48     <code value="HinweisaufRachitisanExtremitaeten"/>
49     <display value="Hinweis auf Rachitis an den Extremitäten"/>
50 </concept>
51 </CodeSystem>
```

## 186. KBV\_CS\_MIO\_CMR\_U8\_U9\_PHYSICAL\_EXAM\_MOUTH\_NOSE\_GERMAN

## KBV\_CS\_MIO\_CMR\_U8\_U9\_Physical\_Exam\_Mouth\_Nose\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose_German"/>
5    <title value="U8, U9 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U8, U9 - Mundhöhle, Kiefer, Nase."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18   <content value="complete"/>
19   <concept>
20     <code value="AuffaelligkeitenanZaehnenundSchleimhaut"/>
21     <display value="Auffälligkeiten an Zähnen und Schleimhaut"/>
22   </concept>
23   <concept>
24     <code value="Kieferanomalie"/>
25     <display value="Kieferanomalie"/>
26   </concept>
27   <concept>
28     <code value="Verletzungszeichen"/>

```

```
29         <display value="Verletzungszeichen"/>
30     </concept>
31 </CodeSystem>
```

## 187. KBV\_CS\_MIO\_CMR\_U9\_CONSULTATION\_GERMAN

## KBV\_CS\_MIO\_CMR\_U9\_Consultation\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Consultation_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U9_Consultation_German"/>
5    <title value="U9 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U9 - Beratung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18     <caseSensitive value="true"/>
19     <content value="complete"/>
20     <concept>
21       <code value="KariesprophylaxemittelsFluoridpruefen"/>
22       <display value="Kariesprophylaxe mittels Fluorid prüfen"/>
23     </concept>
24     <concept>
25       <code value="Unfallverhuetung"/>
26       <display value="Unfallverhütung"/>
27     </concept>
28   </concept>

```

```

29     <code value="SprachberatungFoerderungvondeutscherSpracheundMuttersp
racheeinschliesslichderLautundGebaerdensprache"/>
30     <display value="Sprachberatung: Förderung von deutscher Sprache und
„Muttersprache“ (einschließlich der Laut- und Gebärdensprache)"/>
31   </concept>
32   <concept>
33     <code value="BewegungundAdipositaspraevention"/>
34     <display value="Bewegung und Adipositasprävention"/>
35   </concept>
36   <concept>
37     <code value="Ernaehrung"/>
38     <display value="Ernährung"/>
39   </concept>
40   <concept>
41     <code value="MedienzBMedienkonsumTVSpielekonsolenDauerbeschallung"/
>
42     <display value="Medien (z. B. Medienkonsum, TV, Spielekonsolen,
Dauerbeschallung)"/>
43   </concept>
44   <concept>
45     <code value="Sucht"/>
46     <display value="Sucht"/>
47   </concept>
48   <concept>
49     <code value="AufklaerungueberImpfungenVorschlageinesImpfterminsImpf
statusentsprechendSchutzimpfungsRichtliniedesGBAueberpruefen"/>
50     <display value="Aufklärung über Impfungen/Vorschlag eines
Impftermins, Impfstatus entsprechend Schutzimpfungs-Richtlinie des G-BA
überprüfen"/>
51   </concept>
52   <concept>
53     <code value="VerweiszurZahnaerztinoderzumZahnarztzuzahnaerztlichen
Frueherkennungsuntersuchung"/>
54     <display value="Verweis zur Zahnärztin oder zum Zahnarzt zur
zahnärztlichen Früherkennungsuntersuchung"/>
55   </concept>
56 </CodeSystem>

```

## 188. KBV\_CS\_MIO\_CMR\_U9\_CURRENT\_CHILD\_HISTORY\_GERMAN

## KBV\_CS\_MIO\_CMR\_U9\_Current\_Child\_History\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Current_Child_History_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U9_Current_Child_History_German"/>
5    <title value="U9 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U9 - Aktuelle Anamnese des Kindes."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18     <caseSensitive value="true"/>
19     <content value="complete"/>
20     <concept>
21       <code value="schwerwiegendeErkrankungenseitderletztenUntersuchungOp
erationenKrampfanfaelleschwereungewoehnlicheundhaeufigeInfektionen"/>
22       <display value="schwerwiegende Erkrankungen seit der letzten
Untersuchung, Operationen, Krampfanfälle, schwere ungewöhnliche und häufige
Infektionen"/>
23     </concept>
24     <concept>
25       <code value="Hoervermoegen"/>

```

```
26     <display value="Hörvermögen"/>
27 </concept>
28 <concept>
29     <code value="SindSiemitderSprachentwicklungIhresKindeszufrieden"/>
30     <display value="Sind Sie mit der Sprachentwicklung Ihres Kindes
zufrieden?"/>
31 </concept>
32 <concept>
33     <code value="WirdIhrKindvonderUmgebunggutverstanden"/>
34     <display value="Wird Ihr Kind von der Umgebung gut verstanden?"/>
35 </concept>
36 <concept>
37     <code value="StottertIhrKind"/>
38     <display value="Stottert Ihr Kind?"/>
39 </concept>
40 </CodeSystem>
```



## 189. KBV\_CS\_MIO\_CMR\_U9\_DEVELOPMENT\_ASSESSMENT\_GERMAN

## KBV\_CS\_MIO\_CMR\_U9\_Development\_Assessment\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Development_Assessment_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U9_Development_Assessment_German"/>
5    <title value="U9 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U9 - Orient. Beurt. Entwicklung."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18     <caseSensitive value="true"/>
19     <content value="complete"/>
20     <concept>
21       <code value="Grobmotorik"/>
22       <display value="Grobmotorik"/>
23     </concept>
24     <concept>
25       <code value="Feinmotorik"/>
26       <display value="Feinmotorik"/>
27     </concept>
28   </concept>

```

```
29     <code value="PerzeptionKognition"/>
30     <display value="Perzeption/Kognition"/>
31 </concept>
32 <concept>
33     <code value="SozialeemotionaleKompetenz"/>
34     <display value="Soziale/emotionale Kompetenz"/>
35 </concept>
36 <concept>
37     <code value="Sprache"/>
38     <display value="Sprache"/>
39 </concept>
40 <concept>
41     <code value="InteraktionKommunikation"/>
42     <display value="Interaktion/Kommunikation"/>
43 </concept>
44 </CodeSystem>
```

## 190. KBV\_CS\_MIO\_CMR\_U9\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS\_GERMAN

## KBV\_CS\_MIO\_CMR\_U9\_Physical\_Exam\_Abdomen\_Genitals\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals_German"/>
5    <title value="U9 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für U9 - Abdomen, Genitale."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18     <caseSensitive value="true"/>
19     <content value="complete"/>
20     <concept>
21       <code value="LeberundMilzgroesse"/>
22       <display value="Leber- und Milzgröße"/>
23     </concept>
24     <concept>
25       <code value="Hernien"/>
26       <display value="Hernien"/>
27     </concept>
28   </CodeSystem>

```

## 191. KBV\_CS\_MIO\_PC\_PN\_EXAMINATION\_NUMBER\_GERMAN

### KBV\_CS\_MIO\_PC\_PN\_Examination\_Number\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_PC_PN_Examination_Number_German"/>
3    <version value="1.0.1"/>
4    <name value="KBV_CS_MIO_PC_PN_Examination_Number_German"/>
5    <title value="Untersuchungsnummer Teilnahmekarte"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Untersuchungsnummer Teilnahmekarte."/>
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18     <caseSensitive value="true"/>
19     <content value="complete"/>
20     <concept>
21       <code value="U2310Lebenstag"/>
22       <display value="U2 3.-10. Lebenstag"/>
23     </concept>
24     <concept>
25       <code value="U345Lebenswoche"/>
26       <display value="U3 4.-5. Lebenswoche"/>
27     </concept>
28   </concept>

```

```
29     <code value="U434Lebensmonat"/>
30     <display value="U4 3.-4. Lebensmonat"/>
31 </concept>
32 <concept>
33     <code value="U567Lebensmonat"/>
34     <display value="U5 6.-7. Lebensmonat"/>
35 </concept>
36 <concept>
37     <code value="U61012Lebensmonat"/>
38     <display value="U6 10.-12. Lebensmonat"/>
39 </concept>
40 <concept>
41     <code value="U72124Lebensmonat"/>
42     <display value="U7 21.-24. Lebensmonat"/>
43 </concept>
44 <concept>
45     <code value="U7a3436Lebensmonat"/>
46     <display value="U7a 34.-36. Lebensmonat"/>
47 </concept>
48 <concept>
49     <code value="U84648Lebensmonat"/>
50     <display value="U8 46.-48. Lebensmonat"/>
51 </concept>
52 <concept>
53     <code value="U96064Lebensmonat"/>
54     <display value="U9 60.-64. Lebensmonat"/>
55 </concept>
56 </CodeSystem>
```

## 192. KBV\_EX\_MIO\_CMR\_EARLY\_COLLECTION\_OF\_BLOOD

### KBV\_EX\_MIO\_CMR\_Early\_Collection\_Of\_Blood

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Early_Collection_Of_Blood" />
3    <version value="1.0.1" />
4    <name value="KBV_EX_MIO_CMR_Early_Collection_Of_Blood" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="rim" />
12     <uri value="http://hl7.org/v3" />
13     <name value="RIM Mapping" />
14   </mapping>
15   <kind value="complex-type" />
16   <abstract value="false" />
17   <context>
18     <type value="element" />
19     <expression value="Procedure" />
20   </context>
21   <type value="Extension" />
22   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
23   <derivation value="constraint" />
24   <differential>
25     <element id="Extension">
26       <path value="Extension" />
27

```

```

28     <definition value="Mit dieser Extension kann eine Blutabnahme
29     innerhalb der ersten 36. Stunden nach der Geburt abgebildet werden." />
30     </element>
31     <element id="Extension.url">
32         <path value="Extension.url" />
33         <fixedUri value="https://fhir.kbv.de/StructureDefinition/
34         KBV_EX_MIO_CMR_Early_Collection_Of_Blood" />
35     </element>
36     <element id="Extension.value[x]">
37         <path value="Extension.value[x]" />
38         <slicing>
39             <discriminator>
40                 <type value="type" />
41                 <path value="$this" />
42             </discriminator>
43             <rules value="closed" />
44         </slicing>
45         <min value="1" />
46         <type>
47             <code value="CodeableConcept" />
48         </type>
49     </element>
50     <element id="Extension.value[x]:valueCodeableConcept">
51         <path value="Extension.value[x]" />
52         <sliceName value="valueCodeableConcept" />
53         <min value="1" />
54         <type>
55             <code value="CodeableConcept" />
56         </type>
57     </element>
58     <element id="Extension.value[x]:valueCodeableConcept.coding">
59         <path value="Extension.value[x].coding" />
60         <min value="1" />
61         <max value="1" />
62     </element>
63     <element id="Extension.value[x]:valueCodeableConcept.coding.system">
64         <path value="Extension.value[x].coding.system" />
65         <min value="1" />
66         <fixedUri value="http://snomed.info/sct" />
67     </element>
68     <element id="Extension.value[x]:valueCodeableConcept.coding.version">
69         <path value="Extension.value[x].coding.version" />
70         <min value="1" />
71         <fixedString value="http://snomed.info/sct/900000000000207008/
72         version/20210131" />
73     </element>
74     <element id="Extension.value[x]:valueCodeableConcept.coding.code">
75         <path value="Extension.value[x].coding.code" />
76         <min value="1" />
77         <fixedCode value="738796001:363702006=395507008" />
78     </element>
79     <element id="Extension.value[x]:valueCodeableConcept.coding.display">
80         <path value="Extension.value[x].coding.display" />
81         <min value="1" />
82         <patternString value="Collection of dried blood spot specimen
83         (procedure) : Has focus (attribute) = Premature infant (finding)" />
84     </element>
85     <element id="Extension.value[x]:valueCodeableConcept.coding.display.ex
86     tension:anzeigenameStatusReasonSnomed">

```

```

83     <path value="Extension.value[x].coding.display.extension" />
84     <sliceName value="anzeigennameStatusReasonSnomed" />
85     <min value="1" />
86     <max value="1" />
87     <type>
88         <code value="Extension" />
89         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
90     </type>
91     <mustSupport value="true" />
92 </element>
93     <element id="Extension.value[x]:valueCodeableConcept.coding.display.ext
ension:anzeigennameStatusReasonSnomed.extension">
94         <path value="Extension.value[x].coding.display.extension.extension" /
>
95         <slicing>
96             <discriminator>
97                 <type value="value" />
98                 <path value="url" />
99             </discriminator>
100            <rules value="open" />
101        </slicing>
102    </element>
103    <element id="Extension.value[x]:valueCodeableConcept.coding.display.ext
ension:anzeigennameStatusReasonSnomed.extension:content">
104        <path value="Extension.value[x].coding.display.extension.extension" /
>
105        <sliceName value="content" />
106    </element>
107    <element id="Extension.value[x]:valueCodeableConcept.coding.display.ext
ension:anzeigennameStatusReasonSnomed.extension:content.value[x]">
108        <path value="Extension.value[x].coding.display.extension.extension.va
lue[x]" />
109        <slicing>
110            <discriminator>
111                <type value="type" />
112                <path value="$this" />
113            </discriminator>
114            <rules value="closed" />
115        </slicing>
116        <mustSupport value="true" />
117    </element>
118    <element id="Extension.value[x]:valueCodeableConcept.coding.display.ext
ension:anzeigennameStatusReasonSnomed.extension:content.value[x]:valueString
">
119        <path value="Extension.value[x].coding.display.extension.extension.va
lue[x]" />
120        <sliceName value="valueString" />
121        <min value="1" />
122        <fixedString value="Erstabnahme vor der vollendeten 36.
Lebensstunde / Bei Geburt vor der vollendeten 32. Schwangerschaftswoche" /
>
123        <mustSupport value="true" />
124    </element>
125
126
127    <element id="Extension.value[x]:valueCodeableConcept.coding.userSelecte
d" >
128        <path value="Extension.value[x].coding.userSelected" />
129        <max value="0" />

```



```
130     </element>
131     <element id="Extension.value[x]:valueCodeableConcept.text" >
132         <path value="Extension.value[x].text" />
133         <max value="0" />
134     </element>
135 </differential>
136 </StructureDefinition>
```

## 193. KBV\_EX\_MIO\_CMR\_EXECUTING\_LABORATORY

### KBV\_EX\_MIO\_CMR\_Executing\_Laboratory

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Executing_Laboratory" />
3    <version value="1.0.1" />
4    <name value="KBV_EX_MIO_CMR_Executing_Laboratory" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="rim" />
12     <uri value="http://hl7.org/v3" />
13     <name value="RIM Mapping" />
14   </mapping>
15   <kind value="complex-type" />
16   <abstract value="false" />
17   <context>
18     <type value="element" />
19     <expression value="Procedure" />
20   </context>
21   <type value="Extension" />
22   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
23   <derivation value="constraint" />
24   <differential>
25     <element id="Extension.url">
26       <path value="Extension.url" />
27       <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Executing_Laboratory" />

```

```

28 </element>
29 <element id="Extension.value[x]">
30   <path value="Extension.value[x]" />
31   <slicing>
32     <discriminator>
33       <type value="type" />
34       <path value="$this" />
35     </discriminator>
36     <rules value="closed" />
37   </slicing>
38   <min value="1" />
39   <type>
40     <code value="Reference" />
41     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization_Screening_Laboratory|1.0.1" />
42   </type>
43 </element>
44 <element id="Extension.value[x]:valueReference">
45   <path value="Extension.value[x]" />
46   <sliceName value="valueReference" />
47   <min value="1" />
48   <type>
49     <code value="Reference" />
50     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
51   </type>
52 </element>
53 </element>
54 <element id="Extension.value[x]:valueReference.type">
55   <path value="Extension.value[x].type" />
56   <max value="0" />
57 </element>
58 <element id="Extension.value[x]:valueReference.identifier">
59   <path value="Extension.value[x].identifier" />
60   <max value="0" />
61 </element>
62 <element id="Extension.value[x]:valueReference.display">
63   <path value="Extension.value[x].display" />
64   <min value="1" />
65 </element>
66 </differential>
67 </StructureDefinition>

```

## 194. KBV\_EX\_MIO\_CMR\_INSTRUCTION

### KBV\_EX\_MIO\_CMR\_Instruction

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
3   <version value="1.0.1" />
4   <name value="KBV_EX_MIO_CMR_Instruction" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." /> <fhirVersion value="4.0.1" />
9   <mapping>
10     <identity value="rim" />
11     <uri value="http://hl7.org/v3" />
12     <name value="RIM Mapping" />
13   </mapping>
14   <kind value="complex-type" />
15   <abstract value="false" />
16   <context>
17     <type value="element" />
18     <expression value="Element" />
19   </context>
20   <context>
21     <type value="element" />
22     <expression value="Patient" />
23   </context>
24   <context>
25     <type value="element" />
26     <expression value="Practitioner" />
27   </context>
28   <context>
29     <type value="element" />
```

```

30     <expression value="Organization" />
31 </context>
32 <context>
33     <type value="element" />
34     <expression value="Observation.bodySite" />
35 </context>
36 <context>
37     <type value="element" />
38     <expression value="Encounter" />
39 </context>
40 <context>
41     <type value="element" />
42     <expression value="DiagnosticReport" />
43 </context>
44 <context>
45     <type value="element" />
46     <expression value="Composition" />
47 </context>
48 <context>
49     <type value="element" />
50     <expression value="Observation" />
51 </context>
52 <context>
53     <type value="element" />
54     <expression value="Composition.section.section" />
55 </context>
56 <type value="Extension" />
57 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
58 <derivation value="constraint" />
59 <differential>
60     <element id="Extension">
61         <path value="Extension" />
62         <short value="Ergänzende Angaben" />
63         <definition value="Mit diesem Profil ist eine zusätzlicher Kommentar/
Information definiert worden. Dieser kann an diverse Ressourcen hinzugefügt
werden. Der Informationsgehalt der beinhaltenden Ressource darf nicht
grundlegend verändert oder negiert werden." />
64     </element>
65     <element id="Extension.url">
66         <path value="Extension.url" />
67         <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
68     </element>
69     <element id="Extension.value[x]">
70         <path value="Extension.value[x]" />
71         <slicing>
72             <discriminator>
73                 <type value="type" />
74                 <path value="$this" />
75             </discriminator>
76             <rules value="closed" />
77         </slicing>
78         <min value="1" />
79         <type>
80             <code value="string" />
81         </type>
82     </element>
83     <element id="Extension.value[x]:valueString">
84         <path value="Extension.value[x]" />

```

```
85     <sliceName value="valueString" />
86     <min value="1" />
87     <type>
88         <code value="string" />
89     </type>
90 </element>
91 </differential>
92 </StructureDefinition>
```

## 195. KBV\_EX\_MIO\_CMR\_NOTE

### KBV\_EX\_MIO\_CMR\_Note

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
3   <version value="1.0.1" />
4   <name value="KBV_EX_MIO_CMR_Note" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="rim" />
12    <uri value="http://hl7.org/v3" />
13    <name value="RIM Mapping" />
14  </mapping>
15  <kind value="complex-type" />
16  <abstract value="false" />
17  <context>
18    <type value="element" />
19    <expression value="Element" />
20  </context>
21  <context>
22    <type value="element" />
23    <expression value="Patient" />
24  </context>
25  <context>
26    <type value="element" />
27    <expression value="Practitioner" />
28  </context>
29  <context>

```

```

30     <type value="element" />
31     <expression value="Organization" />
32 </context>
33 <context>
34     <type value="element" />
35     <expression value="Observation.bodySite" />
36 </context>
37 <context>
38     <type value="element" />
39     <expression value="Encounter" />
40 </context>
41 <context>
42     <type value="element" />
43     <expression value="DiagnosticReport" />
44 </context>
45 <context>
46     <type value="element" />
47     <expression value="Composition" />
48 </context>
49 <context>
50     <type value="element" />
51     <expression value="Observation" />
52 </context>
53 <context>
54     <type value="element" />
55     <expression value="MedicationStatement" />
56 </context>
57 <context>
58     <type value="element" />
59     <expression value="Composition.section.section" />
60 </context>
61 <type value="Extension" />
62 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
63 <derivation value="constraint" />
64 <differential>
65     <element id="Extension">
66         <path value="Extension" />
67         <short value="Ergänzende Angaben" />
68         <definition value="Mit diesem Profil ist eine zusätzlicher Kommentar/
Information definiert worden. Dieser kann an diverse Ressourcen hinzugefügt
werden. Der Informationsgehalt der beinhaltenden Ressource darf nicht
grundlegend verändert oder negiert werden." />
69     </element>
70     <element id="Extension.url">
71         <path value="Extension.url" />
72         <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
73     </element>
74     <element id="Extension.value[x]">
75         <path value="Extension.value[x]" />
76         <slicing>
77             <discriminator>
78                 <type value="type" />
79                 <path value="$this" />
80             </discriminator>
81             <rules value="closed" />
82         </slicing>
83         <min value="1" />
84     </type>

```



```
85     <code value="string" />
86     </type>
87 </element>
88 <element id="Extension.value[x]:valueString">
89     <path value="Extension.value[x]" />
90     <sliceName value="valueString" />
91     <min value="1" />
92     <type>
93         <code value="string" />
94     </type>
95 </element>
96 </differential>
97 </StructureDefinition>
```

## 196. KBV\_PR\_MIO\_CMR\_APPOINTMENT\_NEXT\_APPOINTMENT

### KBV\_PR\_MIO\_CMR\_Appointment\_Next\_Appointment

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Appointment_Next_Appointment" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="ical" />
22     <uri value="http://ietf.org/rfc/2445" />
23     <name value="iCalendar" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="v2" />
32   <uri value="http://hl7.org/v2" />
33   <name value="HL7 v2 Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Appointment" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Appointment" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Appointment">
42     <path value="Appointment" />
43     <short value="Dieses Profil bildet die jeweils nächste U-Untersuchung
ab." />
44
45     <constraint>
46       <key value="app-1" />
47       <severity value="error" />
48       <human value="At least year and month are needed" />
49       <expression value="requestedPeriod.start.toString().length() >=
7" />
50       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Appointment_Next_Appointment" />
51     </constraint>
52   </element>
53   <element id="Appointment.meta">
54     <path value="Appointment.meta" />
55     <min value="1" />
56   </element>
57   <element id="Appointment.meta.versionId">
58     <path value="Appointment.meta.versionId" />
59     <max value="0" />
60   </element>
61   <element id="Appointment.meta.lastUpdated">
62     <path value="Appointment.meta.lastUpdated" />
63     <max value="0" />
64   </element>
65   <element id="Appointment.meta.source">
66     <path value="Appointment.meta.source" />
67     <max value="0" />
68   </element>
69   <element id="Appointment.meta.profile">
70     <path value="Appointment.meta.profile" />
71     <min value="1" />
72     <max value="1" />
73     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Appointment_Next_Appointment|1.0.1" />
74   </element>
75   <element id="Appointment.meta.security">
76     <path value="Appointment.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Appointment.meta.tag">
80     <path value="Appointment.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Appointment.implicitRules">
84     <path value="Appointment.implicitRules" />

```

```

85     <max value="0" />
86 </element>
87 <element id="Appointment.language">
88     <path value="Appointment.language" />
89     <max value="0" />
90 </element>
91 <element id="Appointment.contained">
92     <path value="Appointment.contained" />
93     <max value="0" />
94 </element>
95 <element id="Appointment.identifier">
96     <path value="Appointment.identifier" />
97     <max value="0" />
98 </element>
99 <element id="Appointment.status">
100     <path value="Appointment.status" />
101     <fixedCode value="proposed" />
102 </element>
103 <element id="Appointment.cancelationReason">
104     <path value="Appointment.cancelationReason" />
105     <max value="0" />
106 </element>
107 <element id="Appointment.serviceCategory">
108     <path value="Appointment.serviceCategory" />
109     <max value="0" />
110 </element>
111 <element id="Appointment.serviceType">
112     <path value="Appointment.serviceType" />
113     <min value="1" />
114     <max value="1" />
115     <mustSupport value="true" />
116 </element>
117 <element id="Appointment.serviceType.coding">
118     <path value="Appointment.serviceType.coding" />
119     <min value="1" />
120     <max value="1" />
121     <mustSupport value="true" />
122 </element>
123 <element id="Appointment.serviceType.coding.system">
124     <path value="Appointment.serviceType.coding.system" />
125     <min value="1" />
126     <fixedUri value="http://snomed.info/sct" />
127 </element>
128 <element id="Appointment.serviceType.coding.version">
129     <path value="Appointment.serviceType.coding.version" />
130     <min value="1" />
131     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
132 </element>
133 <element id="Appointment.serviceType.coding.code">
134     <path value="Appointment.serviceType.coding.code" />
135     <min value="1" />
136     <fixedCode value="390840006:42752001=243788004" />
137 </element>
138 <element id="Appointment.serviceType.coding.display">
139     <path value="Appointment.serviceType.coding.display" />
140     <min value="1" />
141 </element>
142 <element id="Appointment.serviceType.coding.display.extension">
143     <path value="Appointment.serviceType.coding.display.extension" />

```

```

144     < slicing >
145         < discriminator >
146             < type value="value" />
147             < path value="url" />
148         < / discriminator >
149         < rules value="open" />
150     < / slicing >
151 < / element >
152 < element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed">
153     < path value="Appointment.serviceType.coding.display.extension" />
154     < sliceName value="anzeigenameServiceTypeSnomed" />
155     < label value="anzeigenameServiceTypeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161     < / type >
162     < mustSupport value="true" />
163 < / element >
164 < element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension">
165     < path value="Appointment.serviceType.coding.display.extension.extensi
on" />
166     < slicing >
167         < discriminator >
168             < type value="value" />
169             < path value="url" />
170         < / discriminator >
171         < rules value="open" />
172     < / slicing >
173 < / element >
174 < element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content">
175     < path value="Appointment.serviceType.coding.display.extension.extensi
on" />
176     < sliceName value="content" />
177 < / element >
178 < element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content.value[x]">
179     < path value="Appointment.serviceType.coding.display.extension.extensi
on.value[x]" />
180     < slicing >
181         < discriminator >
182             < type value="type" />
183             < path value="$this" />
184         < / discriminator >
185         < rules value="closed" />
186     < / slicing >
187     < mustSupport value="true" />
188 < / element >
189 < element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content.value[x]:valueString">
190     < path value="Appointment.serviceType.coding.display.extension.extensi
on.valueString" />
191     < sliceName value="valueString" />
192     < min value="1" />
193     < fixedString value="Nächste U-Untersuchung am:" />

```

```

194     <mustSupport value="true" />
195 </element>
196 <element id="Appointment.serviceType.coding.userSelected">
197   <path value="Appointment.serviceType.coding.userSelected" />
198   <max value="0" />
199 </element>
200 <element id="Appointment.serviceType.text">
201   <path value="Appointment.serviceType.text" />
202   <max value="0" />
203 </element>
204 <element id="Appointment.specialty">
205   <path value="Appointment.specialty" />
206   <max value="0" />
207 </element>
208 <element id="Appointment.appointmentType">
209   <path value="Appointment.appointmentType" />
210   <max value="0" />
211 </element>
212 <element id="Appointment.reasonCode">
213   <path value="Appointment.reasonCode" />
214   <max value="0" />
215 </element>
216 <element id="Appointment.priority">
217   <path value="Appointment.priority" />
218   <max value="0" />
219 </element>
220 <element id="Appointment.description">
221   <path value="Appointment.description" />
222   <max value="0" />
223 </element>
224 <element id="Appointment.supportingInformation">
225   <path value="Appointment.supportingInformation" />
226   <max value="0" />
227 </element>
228 <element id="Appointment.start">
229   <path value="Appointment.start" />
230   <max value="0" />
231 </element>
232 <element id="Appointment.end">
233   <path value="Appointment.end" />
234   <max value="0" />
235 </element>
236 <element id="Appointment.minutesDuration">
237   <path value="Appointment.minutesDuration" />
238   <max value="0" />
239 </element>
240 <element id="Appointment.slot">
241   <path value="Appointment.slot" />
242   <max value="0" />
243 </element>
244 <element id="Appointment.created">
245   <path value="Appointment.created" />
246   <max value="0" />
247 </element>
248 <element id="Appointment.comment">
249   <path value="Appointment.comment" />
250   <max value="0" />
251 </element>
252 <element id="Appointment.patientInstruction">
253   <path value="Appointment.patientInstruction" />

```

```

254     <max value="0" />
255 </element>
256 <element id="Appointment.basedOn">
257   <path value="Appointment.basedOn" />
258   <max value="0" />
259 </element>
260 <element id="Appointment.participant">
261   <path value="Appointment.participant" />
262   <mustSupport value="true" />
263 </element>
264 <element id="Appointment.participant.type">
265   <path value="Appointment.participant.type" />
266   <max value="0" />
267 </element>
268 <element id="Appointment.participant.actor">
269   <path value="Appointment.participant.actor" />
270   <min value="1" />
271   <type>
272     <code value="Reference" />
273     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
274 KBV_PR_MIO_CMR_Patient|1.0.1" />
275     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
276 KBV_PR_MIO_CMR_Practitioner|1.0.1" />
277   </type>
278   <mustSupport value="true" />
279 </element>
280 <element id="Appointment.participant.actor.reference">
281   <path value="Appointment.participant.actor.reference" />
282   <min value="1" />
283   <mustSupport value="true" />
284 </element>
285 <element id="Appointment.participant.actor.type">
286   <path value="Appointment.participant.actor.type" />
287   <max value="0" />
288 </element>
289 <element id="Appointment.participant.actor.identifier">
290   <path value="Appointment.participant.actor.identifier" />
291   <max value="0" />
292 </element>
293 <element id="Appointment.participant.actor.display">
294   <path value="Appointment.participant.actor.display" />
295   <max value="0" />
296 </element>
297 <element id="Appointment.participant.required">
298   <path value="Appointment.participant.required" />
299   <max value="0" />
300 </element>
301 <element id="Appointment.participant.status">
302   <path value="Appointment.participant.status" />
303   <fixedCode value="accepted" />
304 </element>
305 <element id="Appointment.participant.period">
306   <path value="Appointment.participant.period" />
307   <max value="0" />
308 </element>
309 <element id="Appointment.requestedPeriod">
310   <path value="Appointment.requestedPeriod" />
311   <min value="1" />
312   <max value="1" />
313   <mustSupport value="true" />

```

```
312     </element>
313     <element id="Appointment.requestedPeriod.start">
314         <path value="Appointment.requestedPeriod.start" />
315         <min value="1" />
316         <mustSupport value="true" />
317     </element>
318     <element id="Appointment.requestedPeriod.end">
319         <path value="Appointment.requestedPeriod.end" />
320         <max value="0" />
321     </element>
322 </differential>
323 </StructureDefinition>
```



## 197. KBV\_PR\_MIO\_CMR\_APPOINTMENT\_NEXT\_IMMUNIZATION\_APPOINTMENT

## KBV\_PR\_MIO\_CMR\_Appointment\_Next\_Immunization\_Appointment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="ical" />
22    <uri value="http://ietf.org/rfc/2445" />
23    <name value="iCalendar" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="v2" />
32   <uri value="http://hl7.org/v2" />
33   <name value="HL7 v2 Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Appointment" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Appointment" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Appointment">
42     <path value="Appointment" />
43     <short value="Dieses Profil bildet den nächsten Impftermin ab." />
44
45     <constraint>
46       <key value="app-1" />
47       <severity value="error" />
48       <human value="At least year and month are needed" />
49       <expression value="requestedPeriod.start.toString().length() >=
7" />
50     </constraint>
51   </element>
52   <element id="Appointment.meta">
53     <path value="Appointment.meta" />
54     <min value="1" />
55   </element>
56   <element id="Appointment.meta.versionId">
57     <path value="Appointment.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Appointment.meta.lastUpdated">
61     <path value="Appointment.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Appointment.meta.source">
65     <path value="Appointment.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Appointment.meta.profile">
69     <path value="Appointment.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Appointment_Next_Immunization_Appointment|1.0.1" />
73   </element>
74   <element id="Appointment.meta.security">
75     <path value="Appointment.meta.security" />
76     <max value="0" />
77   </element>
78   <element id="Appointment.meta.tag">
79     <path value="Appointment.meta.tag" />
80     <max value="0" />
81   </element>
82   <element id="Appointment.implicitRules">
83     <path value="Appointment.implicitRules" />
84     <max value="0" />
85   </element>
86   <element id="Appointment.language">

```

```

87     <path value="Appointment.language" />
88     <max value="0" />
89 </element>
90 <element id="Appointment.contained">
91     <path value="Appointment.contained" />
92     <max value="0" />
93 </element>
94 <element id="Appointment.identifier">
95     <path value="Appointment.identifier" />
96     <max value="0" />
97 </element>
98 <element id="Appointment.status">
99     <path value="Appointment.status" />
100    <fixedCode value="proposed" />
101 </element>
102 <element id="Appointment.cancelationReason">
103     <path value="Appointment.cancelationReason" />
104     <max value="0" />
105 </element>
106 <element id="Appointment.serviceCategory">
107     <path value="Appointment.serviceCategory" />
108     <max value="0" />
109 </element>
110 <element id="Appointment.serviceType">
111     <path value="Appointment.serviceType" />
112     <min value="1" />
113     <max value="1" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Appointment.serviceType.coding">
117     <path value="Appointment.serviceType.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Appointment.serviceType.coding.system">
123     <path value="Appointment.serviceType.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Appointment.serviceType.coding.version">
128     <path value="Appointment.serviceType.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
131     version/20210131" />
132 </element>
133 <element id="Appointment.serviceType.coding.code">
134     <path value="Appointment.serviceType.coding.code" />
135     <min value="1" />
136     <fixedCode value="390840006:42752001=127785005" />
137 </element>
138 <element id="Appointment.serviceType.coding.display">
139     <path value="Appointment.serviceType.coding.display" />
140     <min value="1" />
141 </element>
142 <element id="Appointment.serviceType.coding.display.extension">
143     <path value="Appointment.serviceType.coding.display.extension" />
144     <slicing>
145         <discriminator>
146             <type value="value" />

```

```

146         <path value="url" />
147     </discriminator>
148     <rules value="open" />
149 </slicing>
150 </element>
151 <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed">
152     <path value="Appointment.serviceType.coding.display.extension" />
153     <sliceName value="anzeigenaServiceTypeSnomed" />
154     <min value="1" />
155     <max value="1" />
156     <type>
157         <code value="Extension" />
158         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159     </type>
160     <mustSupport value="true" />
161 </element>
162 <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension">
163     <path value="Appointment.serviceType.coding.display.extension.extensi
on" />
164     <slicing>
165         <discriminator>
166             <type value="value" />
167             <path value="url" />
168         </discriminator>
169         <rules value="open" />
170     </slicing>
171 </element>
172 <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content">
173     <path value="Appointment.serviceType.coding.display.extension.extensi
on" />
174     <sliceName value="content" />
175 </element>
176 <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content.value[x]">
177     <path value="Appointment.serviceType.coding.display.extension.extensi
on.value[x]" />
178     <slicing>
179         <discriminator>
180             <type value="type" />
181             <path value="$this" />
182         </discriminator>
183         <rules value="closed" />
184     </slicing>
185     <mustSupport value="true" />
186 </element>
187 <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content.value[x]:valueString">
188     <extension url="http://hl7.org/fhir/StructureDefinition/
structuredefinition-standards-status">
189         <valueCode value="normative" />
190     </extension>
191     <extension url="http://hl7.org/fhir/StructureDefinition/
structuredefinition-normative-version">
192         <valueCode value="4.0.0" />
193     </extension>

```

```

194     <path value="Appointment.serviceType.coding.display.extension.extension.value[x]" />
195     <sliceName value="valueString" />
196     <min value="1" />
197     <fixedString value="nächster Impftermin am:" />
198     <mustSupport value="true" />
199 </element>
200 <element id="Appointment.serviceType.coding.userSelected">
201     <path value="Appointment.serviceType.coding.userSelected" />
202     <max value="0" />
203 </element>
204 <element id="Appointment.serviceType.text">
205     <path value="Appointment.serviceType.text" />
206     <max value="0" />
207 </element>
208 <element id="Appointment.specialty">
209     <path value="Appointment.specialty" />
210     <max value="0" />
211 </element>
212 <element id="Appointment.appointmentType">
213     <path value="Appointment.appointmentType" />
214     <max value="0" />
215 </element>
216 <element id="Appointment.reasonCode">
217     <path value="Appointment.reasonCode" />
218     <max value="0" />
219 </element>
220 <element id="Appointment.reasonReference">
221     <path value="Appointment.reasonReference" />
222     <max value="0" />
223 </element>
224 <element id="Appointment.priority">
225     <path value="Appointment.priority" />
226     <max value="0" />
227 </element>
228 <element id="Appointment.description">
229     <path value="Appointment.description" />
230     <max value="0" />
231 </element>
232 <element id="Appointment.supportingInformation">
233     <path value="Appointment.supportingInformation" />
234     <max value="0" />
235 </element>
236 <element id="Appointment.start">
237     <path value="Appointment.start" />
238     <max value="0" />
239 </element>
240 <element id="Appointment.end">
241     <path value="Appointment.end" />
242     <max value="0" />
243 </element>
244 <element id="Appointment.minutesDuration">
245     <path value="Appointment.minutesDuration" />
246     <max value="0" />
247 </element>
248 <element id="Appointment.slot">
249     <path value="Appointment.slot" />
250     <max value="0" />
251 </element>
252 <element id="Appointment.created">

```

```

253     <path value="Appointment.created" />
254     <max value="0" />
255 </element>
256 <element id="Appointment.comment">
257     <path value="Appointment.comment" />
258     <max value="0" />
259 </element>
260 <element id="Appointment.patientInstruction">
261     <path value="Appointment.patientInstruction" />
262     <max value="0" />
263 </element>
264 <element id="Appointment.basedOn">
265     <path value="Appointment.basedOn" />
266     <max value="0" />
267 </element>
268 <element id="Appointment.participant">
269     <path value="Appointment.participant" />
270     <mustSupport value="true" />
271 </element>
272 <element id="Appointment.participant.type">
273     <path value="Appointment.participant.type" />
274     <max value="0" />
275 </element>
276 <element id="Appointment.participant.actor">
277     <path value="Appointment.participant.actor" />
278     <min value="1" />
279     <type>
280         <code value="Reference" />
281         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
282         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
283     </type>
284     <mustSupport value="true" />
285 </element>
286 <element id="Appointment.participant.actor.reference">
287     <path value="Appointment.participant.actor.reference" />
288     <min value="1" />
289     <mustSupport value="true" />
290 </element>
291 <element id="Appointment.participant.actor.type">
292     <path value="Appointment.participant.actor.type" />
293     <max value="0" />
294 </element>
295 <element id="Appointment.participant.actor.identifier">
296     <path value="Appointment.participant.actor.identifier" />
297     <max value="0" />
298 </element>
299 <element id="Appointment.participant.actor.display">
300     <path value="Appointment.participant.actor.display" />
301     <max value="0" />
302 </element>
303 <element id="Appointment.participant.required">
304     <path value="Appointment.participant.required" />
305     <max value="0" />
306 </element>
307 <element id="Appointment.participant.status">
308     <path value="Appointment.participant.status" />
309     <fixedCode value="accepted" />
310 </element>

```

```
311 <element id="Appointment.participant.period">
312   <path value="Appointment.participant.period" />
313   <max value="0" />
314 </element>
315 <element id="Appointment.requestedPeriod">
316   <path value="Appointment.requestedPeriod" />
317   <min value="1" />
318   <max value="1" />
319   <mustSupport value="true" />
320 </element>
321 <element id="Appointment.requestedPeriod.start">
322   <path value="Appointment.requestedPeriod.start" />
323   <min value="1" />
324   <mustSupport value="true" />
325 </element>
326 <element id="Appointment.requestedPeriod.end">
327   <path value="Appointment.requestedPeriod.end" />
328   <max value="0" />
329 </element>
330 </differential>
331 </StructureDefinition>
```

## 198. KBV\_PR\_MIO\_CMR\_APPOINTMENT\_PARTICIPATION\_PERIOD

### KBV\_PR\_MIO\_CMR\_Appointment\_Participation\_Period

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Participation_Period" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Appointment_Participation_Period" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="ical" />
22     <uri value="http://ietf.org/rfc/2445" />
23     <name value="iCalendar" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29   </mapping>

```



```

30 <mapping>
31   <identity value="v2" />
32   <uri value="http://hl7.org/v2" />
33   <name value="HL7 v2 Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Appointment" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Appointment" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Appointment">
42     <path value="Appointment" />
43     <short value="Dieses Profil dient der Darstellung der Ober- und
Untergrenzen für den Zeitpunkt einer U-Untersuchung, z.B. U2 3.-10.
Lebenstag, abhängig vom Geburtsdatum des Kindes." />
44   </element>
45   <element id="Appointment.meta">
46     <path value="Appointment.meta" />
47     <min value="1" />
48   </element>
49   <element id="Appointment.meta.versionId">
50     <path value="Appointment.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Appointment.meta.lastUpdated">
54     <path value="Appointment.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Appointment.meta.source">
58     <path value="Appointment.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Appointment.meta.profile">
62     <path value="Appointment.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Participation_Period|1.0.1" />
66   </element>
67   <element id="Appointment.meta.security">
68     <path value="Appointment.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Appointment.meta.tag">
72     <path value="Appointment.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Appointment.implicitRules">
76     <path value="Appointment.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Appointment.language">
80     <path value="Appointment.language" />
81     <max value="0" />
82   </element>
83   <element id="Appointment.text">
84     <path value="Appointment.text" />
85     <max value="0" />

```

```

86 </element>
87 <element id="Appointment.contained">
88   <path value="Appointment.contained" />
89   <max value="0" />
90 </element>
91 <element id="Appointment.identifier">
92   <path value="Appointment.identifier" />
93   <max value="0" />
94 </element>
95 <element id="Appointment.status">
96   <path value="Appointment.status" />
97   <fixedCode value="proposed" />
98 </element>
99 <element id="Appointment.cancelationReason">
100   <path value="Appointment.cancelationReason" />
101   <max value="0" />
102 </element>
103 <element id="Appointment.serviceCategory">
104   <path value="Appointment.serviceCategory" />
105   <min value="1" />
106   <max value="1" />
107   <mustSupport value="true" />
108 </element>
109 <element id="Appointment.serviceCategory.coding">
110   <path value="Appointment.serviceCategory.coding" />
111   <min value="1" />
112   <max value="1" />
113   <mustSupport value="true" />
114 </element>
115 <element id="Appointment.serviceCategory.coding.system">
116   <path value="Appointment.serviceCategory.coding.system" />
117   <min value="1" />
118   <fixedUri value="http://snomed.info/sct" />
119 </element>
120 <element id="Appointment.serviceCategory.coding.version">
121   <path value="Appointment.serviceCategory.coding.version" />
122   <min value="1" />
123   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
124 </element>
125 <element id="Appointment.serviceCategory.coding.code">
126   <path value="Appointment.serviceCategory.coding.code" />
127   <min value="1" />
128   <fixedCode value="243788004" />
129 </element>
130 <element id="Appointment.serviceCategory.coding.display">
131   <path value="Appointment.serviceCategory.coding.display" />
132   <min value="1" />
133   <fixedString value="Child examination (procedure)" />
134 </element>
135 <element id="Appointment.serviceCategory.coding.userSelected">
136   <path value="Appointment.serviceCategory.coding.userSelected" />
137   <max value="0" />
138 </element>
139 <element id="Appointment.serviceCategory.text">
140   <path value="Appointment.serviceCategory.text" />
141   <max value="0" />
142 </element>
143 <element id="Appointment.serviceType">
144   <path value="Appointment.serviceType" />

```

```

145     <min value="1" />
146     <max value="1" />
147     <mustSupport value="true" />
148     <binding>
149         <strength value="required" />
150         <description value="Examination Number" />
151         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_PC_PN_Examination_Number" />
152     </binding>
153 </element>
154 <element id="Appointment.serviceType.coding">
155     <path value="Appointment.serviceType.coding" />
156     <min value="1" />
157     <max value="1" />
158     <mustSupport value="true" />
159 </element>
160 <element id="Appointment.serviceType.coding.system">
161     <path value="Appointment.serviceType.coding.system" />
162     <min value="1" />
163 </element>
164 <element id="Appointment.serviceType.coding.version">
165     <path value="Appointment.serviceType.coding.version" />
166     <min value="1" />
167 </element>
168 <element id="Appointment.serviceType.coding.code">
169     <path value="Appointment.serviceType.coding.code" />
170     <min value="1" />
171 </element>
172 <element id="Appointment.serviceType.coding.display">
173     <path value="Appointment.serviceType.coding.display" />
174     <min value="1" />
175 </element>
176 <element id="Appointment.serviceType.coding.display.extension">
177     <path value="Appointment.serviceType.coding.display.extension" />
178     <slicing>
179         <discriminator>
180             <type value="value" />
181             <path value="url" />
182         </discriminator>
183         <rules value="open" />
184     </slicing>
185 </element>
186 <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed">
187     <path value="Appointment.serviceType.coding.display.extension" />
188     <sliceName value="anzeigenameServiceTypeSnomed" />
189     <min value="1" />
190     <max value="1" />
191     <type>
192         <code value="Extension" />
193         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
194     </type>
195     <mustSupport value="true" />
196 </element>
197 <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension">
198     <path value="Appointment.serviceType.coding.display.extension.extensi
on" />
199     <slicing>

```

```

200     <discriminator>
201       <type value="value" />
202       <path value="url" />
203     </discriminator>
204     <rules value="open" />
205   </slicing>
206 </element>
207   <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content">
208     <path value="Appointment.serviceType.coding.display.extension.extensi
on" />
209     <sliceName value="content" />
210   </element>
211   <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content.value[x]">
212     <path value="Appointment.serviceType.coding.display.extension.extensi
on.value[x]" />
213     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
214     <mustSupport value="true" />
215   </element>
216   <element id="Appointment.serviceType.coding.display.extension:anzeigena
meServiceTypeSnomed.extension:content.value[x]:valueString">
217     <path value="Appointment.serviceType.coding.display.extension.extensi
on.valueString" />
218     <sliceName value="valueString" />
219     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_PC\_PN\_Examination\_Number\_German|1.0.1" />
220     <min value="1" />
221     <mustSupport value="true" />
222   </element>
223   <element id="Appointment.serviceType.coding.userSelected">
224     <path value="Appointment.serviceType.coding.userSelected" />
225     <max value="0" />
226   </element>
227   <element id="Appointment.serviceType.text">
228     <path value="Appointment.serviceType.text" />
229     <max value="0" />
230   </element>
231   <element id="Appointment.specialty">
232     <path value="Appointment.specialty" />
233     <max value="0" />
234   </element>
235   <element id="Appointment.appointmentType">
236     <path value="Appointment.appointmentType" />
237     <max value="0" />
238   </element>
239   <element id="Appointment.reasonCode">
240     <path value="Appointment.reasonCode" />
241     <max value="0" />
242   </element>
243   <element id="Appointment.reasonReference">
244     <path value="Appointment.reasonReference" />
245     <max value="0" />
246   </element>
247   <element id="Appointment.priority">
248     <path value="Appointment.priority" />

```

```

249     <max value="0" />
250 </element>
251 <element id="Appointment.description">
252     <path value="Appointment.description" />
253     <max value="0" />
254 </element>
255 <element id="Appointment.supportingInformation">
256     <path value="Appointment.supportingInformation" />
257     <max value="0" />
258 </element>
259 <element id="Appointment.start">
260     <path value="Appointment.start" />
261     <max value="0" />
262 </element>
263 <element id="Appointment.end">
264     <path value="Appointment.end" />
265     <max value="0" />
266 </element>
267 <element id="Appointment.minutesDuration">
268     <path value="Appointment.minutesDuration" />
269     <max value="0" />
270 </element>
271 <element id="Appointment.slot">
272     <path value="Appointment.slot" />
273     <max value="0" />
274 </element>
275 <element id="Appointment.created">
276     <path value="Appointment.created" />
277     <max value="0" />
278 </element>
279 <element id="Appointment.comment">
280     <path value="Appointment.comment" />
281     <max value="0" />
282 </element>
283 <element id="Appointment.patientInstruction">
284     <path value="Appointment.patientInstruction" />
285     <max value="0" />
286 </element>
287 <element id="Appointment.basedOn">
288     <path value="Appointment.basedOn" />
289     <max value="0" />
290 </element>
291 <element id="Appointment.participant">
292     <path value="Appointment.participant" />
293     <max value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Appointment.participant.type">
297     <path value="Appointment.participant.type" />
298     <max value="0" />
299 </element>
300 <element id="Appointment.participant.actor">
301     <path value="Appointment.participant.actor" />
302     <min value="1" />
303     <type>
304         <code value="Reference" />
305         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
306     </type>
307     <mustSupport value="true" />

```

```

308 </element>
309 <element id="Appointment.participant.actor.reference">
310   <path value="Appointment.participant.actor.reference" />
311   <min value="1" />
312   <mustSupport value="true" />
313 </element>
314 <element id="Appointment.participant.actor.type">
315   <path value="Appointment.participant.actor.type" />
316   <max value="0" />
317 </element>
318 <element id="Appointment.participant.actor.identifier">
319   <path value="Appointment.participant.actor.identifier" />
320   <max value="0" />
321 </element>
322 <element id="Appointment.participant.actor.display">
323   <path value="Appointment.participant.actor.display" />
324   <max value="0" />
325 </element>
326 <element id="Appointment.participant.required">
327   <path value="Appointment.participant.required" />
328   <max value="0" />
329 </element>
330 <element id="Appointment.participant.status">
331   <path value="Appointment.participant.status" />
332   <fixedCode value="accepted" />
333 </element>
334 <element id="Appointment.participant.period">
335   <path value="Appointment.participant.period" />
336   <max value="0" />
337 </element>
338 <element id="Appointment.requestedPeriod">
339   <path value="Appointment.requestedPeriod" />
340   <min value="1" />
341   <max value="1" />
342   <mustSupport value="true" />
343 </element>
344 <element id="Appointment.requestedPeriod.start">
345   <path value="Appointment.requestedPeriod.start" />
346   <min value="1" />
347   <mustSupport value="true" />
348 </element>
349 <element id="Appointment.requestedPeriod.end">
350   <path value="Appointment.requestedPeriod.end" />
351   <min value="1" />
352   <mustSupport value="true" />
353 </element>
354 </differential>
355 </StructureDefinition>

```

## 199. KBV\_PR\_MIO\_CMR\_BUNDLE

### KBV\_PR\_MIO\_CMR\_Bundle

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Bundle" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Bundle" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="v2" />
12     <uri value="http://hl7.org/v2" />
13     <name value="HL7 v2 Mapping" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="cda" />
22     <uri value="http://hl7.org/v3/cda" />
23     <name value="CDA (R2)" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29   </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Bundle" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/Bundle" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Bundle">
37 <path value="Bundle" />
38 <short value="Dieses Profil Dieses Profil dient als bündelndes
Element. Das Bundle kann als Klammer-Ressource verstanden werden, die die
notwendigen Ressourcen zusammenfügt. Diese Ressource und die darin
gebündelten Ressourcen können dann mit einer Signatur versehen werden." />
39
40 <constraint>
41 <key value="TypeComposition" />
42 <severity value="error" />
43 <human value="Es dürfen nur Compositions der U-Untersuchungen bzw.
der speziellen Früherkennungsuntersuchungen vorhanden sein" />
44 <expression value="entry.where(meta.profile='https://fhir.kbv.de/
StructureDefinition/KBV_PR_MIO_CMR_Composition_U1' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U2' or meta.profile='https://fhir.kbv.de/
StructureDefinition/KBV_PR_MIO_CMR_Composition_U3' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U4' or meta.profile='https://fhir.kbv.de/
StructureDefinition/KBV_PR_MIO_CMR_Composition_U5' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U6' or meta.profile='https://fhir.kbv.de/
StructureDefinition/KBV_PR_MIO_CMR_Composition_U7' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U8' or meta.profile='https://fhir.kbv.de/
StructureDefinition/KBV_PR_MIO_CMR_Composition_U9' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Cystic_Fibrosis_Screening' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Extended_Newborn_Screening' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Hip_Screening' or meta.profile='https://
fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Neonatal_Hearscreening' or
meta.profile='https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Percentile_Curve' or meta.profile='https://
fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Pulse_Oxymetry_Screening').isDistinct()" />
45 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Bundle" />
46 </constraint>
47 <constraint>
48 <key value="OneComposition" />
49 <severity value="error" />
50 <human value="Es darf genau eine Composition geben" />
51 <expression value="entry.where(ofType(Composition)).isDistinct()" /
>
52 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Bundle" />
53 </constraint>
54 </element>
55 <element id="Bundle.meta">
56 <path value="Bundle.meta" />
57 <min value="1" />

```



```

58 </element>
59 <element id="Bundle.meta.versionId">
60   <path value="Bundle.meta.versionId" />
61   <max value="0" />
62 </element>
63 <element id="Bundle.meta.lastUpdated">
64   <path value="Bundle.meta.lastUpdated" />
65   <max value="0" />
66 </element>
67 <element id="Bundle.meta.source">
68   <path value="Bundle.meta.source" />
69   <max value="0" />
70 </element>
71 <element id="Bundle.meta.profile">
72   <path value="Bundle.meta.profile" />
73   <min value="1" />
74   <max value="1" />
75   <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Bundle|1.0.1" />
76 </element>
77 <element id="Bundle.meta.security">
78   <path value="Bundle.meta.security" />
79   <max value="0" />
80 </element>
81 <element id="Bundle.meta.tag">
82   <path value="Bundle.meta.tag" />
83   <max value="0" />
84 </element>
85 <element id="Bundle.implicitRules">
86   <path value="Bundle.implicitRules" />
87   <max value="0" />
88 </element>
89 <element id="Bundle.language">
90   <path value="Bundle.language" />
91   <max value="0" />
92 </element>
93 <element id="Bundle.identifier">
94   <path value="Bundle.identifier" />
95   <min value="1" />
96   <mustSupport value="true" />
97 </element>
98 <element id="Bundle.identifier.use">
99   <path value="Bundle.identifier.use" />
100  <max value="0" />
101 </element>
102 <element id="Bundle.identifier.type">
103   <path value="Bundle.identifier.type" />
104   <max value="0" />
105 </element>
106 <element id="Bundle.identifier.system">
107   <path value="Bundle.identifier.system" />
108   <min value="1" />
109   <fixedUri value="urn:iETF:rFC:3936" />
110   <mustSupport value="true" />
111 </element>
112 <element id="Bundle.identifier.value">
113   <path value="Bundle.identifier.value" />
114   <min value="1" />
115   <mustSupport value="true" />
116 </element>

```

```

117 <element id="Bundle.identif.ier.period">
118   <path value="Bundle.identif.ier.period" />
119   <max value="0" />
120 </element>
121 <element id="Bundle.identif.ier.assigner">
122   <path value="Bundle.identif.ier.assigner" />
123   <max value="0" />
124 </element>
125 <element id="Bundle.type">
126   <path value="Bundle.type" />
127   <fixedCode value="document" />
128   <mustSupport value="true" />
129 </element>
130 <element id="Bundle.timestamp">
131   <path value="Bundle.timestamp" />
132   <min value="1" />
133   <mustSupport value="true" />
134 </element>
135 <element id="Bundle.total">
136   <path value="Bundle.total" />
137   <max value="0" />
138 </element>
139 <element id="Bundle.link">
140   <path value="Bundle.link" />
141   <max value="0" />
142 </element>
143 <element id="Bundle.entry">
144   <path value="Bundle.entry" />
145   <min value="1" />
146   <mustSupport value="true" />
147 </element>
148 <element id="Bundle.entry.link">
149   <path value="Bundle.entry.link" />
150   <max value="0" />
151 </element>
152 <element id="Bundle.entry.fullUrl">
153   <path value="Bundle.entry.fullUrl" />
154   <min value="1" />
155   <mustSupport value="true" />
156 </element>
157 <element id="Bundle.entry.resource">
158   <path value="Bundle.entry.resource" />
159   <min value="1" />
160   <mustSupport value="true" />
161 </element>
162 <element id="Bundle.entry.search">
163   <path value="Bundle.entry.search" />
164   <max value="0" />
165 </element>
166 <element id="Bundle.entry.request">
167   <path value="Bundle.entry.request" />
168   <max value="0" />
169 </element>
170 <element id="Bundle.entry.response">
171   <path value="Bundle.entry.response" />
172   <max value="0" />
173 </element>
174 <element id="Bundle.signature">
175   <path value="Bundle.signature" />
176   <max value="0" />

```

```
177     </element>  
178   </differential>  
179 </StructureDefinition>
```

## 200. KBV\_PR\_MIO\_CMR\_CARE\_PLAN\_U2\_U9\_RESULT

## KBV\_PR\_MIO\_CMR\_Care\_Plan\_U2\_U9\_Result

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="CarePlan" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
CarePlan" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="CarePlan">
37 <path value="CarePlan" />
38 <short value="Dieses Profil bezieht sich auf den Ergebnisteil der
Kindervorsorgeuntersuchungen U2 bis U9 und umfasst die Informationen zu den
vereinbarten weiteren Maßnahmen und den zu beobachtenden Auffälligkeiten."
/>
39 </element>
40 <element id="CarePlan.meta">
41 <path value="CarePlan.meta" />
42 <min value="1" />
43 </element>
44 <element id="CarePlan.meta.versionId">
45 <path value="CarePlan.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="CarePlan.meta.lastUpdated">
49 <path value="CarePlan.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="CarePlan.meta.source">
53 <path value="CarePlan.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="CarePlan.meta.profile">
57 <path value="CarePlan.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Care_Plan_U2_U9_Result|1.0.1" />
61 </element>
62 <element id="CarePlan.meta.security">
63 <path value="CarePlan.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="CarePlan.meta.tag">
67 <path value="CarePlan.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="CarePlan.implicitRules">
71 <path value="CarePlan.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="CarePlan.language">
75 <path value="CarePlan.language" />
76 <max value="0" />
77 </element>
78 <element id="CarePlan.contained">
79 <path value="CarePlan.contained" />
80 <max value="0" />
81 </element>
82 <element id="CarePlan.identifizier">
83 <path value="CarePlan.identifizier" />
84 <max value="0" />

```

```

85 </element>
86 <element id="CarePlan.instantiatesCanonical">
87   <path value="CarePlan.instantiatesCanonical" />
88   <max value="0" />
89 </element>
90 <element id="CarePlan.instantiatesUri">
91   <path value="CarePlan.instantiatesUri" />
92   <max value="0" />
93 </element>
94 <element id="CarePlan.basedOn">
95   <path value="CarePlan.basedOn" />
96   <max value="0" />
97 </element>
98 <element id="CarePlan.replaces">
99   <path value="CarePlan.replaces" />
100  <max value="0" />
101 </element>
102 <element id="CarePlan.partOf">
103   <path value="CarePlan.partOf" />
104   <max value="0" />
105 </element>
106 <element id="CarePlan.status">
107   <path value="CarePlan.status" />
108   <fixedCode value="completed" />
109 </element>
110 <element id="CarePlan.intent">
111   <path value="CarePlan.intent" />
112   <fixedCode value="proposal" />
113 </element>
114 <element id="CarePlan.category">
115   <path value="CarePlan.category" />
116   <max value="0" />
117 </element>
118 <element id="CarePlan.title">
119   <path value="CarePlan.title" />
120   <max value="0" />
121 </element>
122 <element id="CarePlan.description">
123   <path value="CarePlan.description" />
124   <max value="0" />
125 </element>
126 <element id="CarePlan.subject">
127   <path value="CarePlan.subject" />
128   <type>
129     <code value="Reference" />
130     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
131   </type>
132   <mustSupport value="true" />
133 </element>
134 <element id="CarePlan.subject.reference">
135   <path value="CarePlan.subject.reference" />
136   <min value="1" />
137   <mustSupport value="true" />
138 </element>
139 <element id="CarePlan.subject.type">
140   <path value="CarePlan.subject.type" />
141   <max value="0" />
142 </element>
143 <element id="CarePlan.subject.identifier">

```

```

144     <path value="CarePlan.subject.identifier" />
145     <max value="0" />
146 </element>
147 <element id="CarePlan.subject.display">
148     <path value="CarePlan.subject.display" />
149     <max value="0" />
150 </element>
151 <element id="CarePlan.encounter">
152     <path value="CarePlan.encounter" />
153     <min value="1" />
154     <type>
155         <code value="Reference" />
156         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
157     </type>
158     <mustSupport value="true" />
159 </element>
160 <element id="CarePlan.encounter.reference">
161     <path value="CarePlan.encounter.reference" />
162     <min value="1" />
163     <mustSupport value="true" />
164 </element>
165 <element id="CarePlan.encounter.type">
166     <path value="CarePlan.encounter.type" />
167     <max value="0" />
168 </element>
169 <element id="CarePlan.encounter.identifier">
170     <path value="CarePlan.encounter.identifier" />
171     <max value="0" />
172 </element>
173 <element id="CarePlan.encounter.display">
174     <path value="CarePlan.encounter.display" />
175     <max value="0" />
176 </element>
177 <element id="CarePlan.period">
178     <path value="CarePlan.period" />
179     <max value="0" />
180 </element>
181 <element id="CarePlan.created">
182     <path value="CarePlan.created" />
183     <min value="1" />
184     <mustSupport value="true" />
185 </element>
186 <element id="CarePlan.author">
187     <path value="CarePlan.author" />
188     <type>
189         <code value="Reference" />
190         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
191     </type>
192     <mustSupport value="true" />
193 </element>
194 <element id="CarePlan.author.reference">
195     <path value="CarePlan.author.reference" />
196     <min value="1" />
197     <mustSupport value="true" />
198 </element>
199 <element id="CarePlan.author.type">
200     <path value="CarePlan.author.type" />
201     <max value="0" />

```

```

202 </element>
203 <element id="CarePlan.author.identifier">
204   <path value="CarePlan.author.identifier" />
205   <max value="0" />
206 </element>
207 <element id="CarePlan.author.display">
208   <path value="CarePlan.author.display" />
209   <max value="0" />
210 </element>
211 <element id="CarePlan.contributor">
212   <path value="CarePlan.contributor" />
213   <max value="0" />
214 </element>
215 <element id="CarePlan.careTeam">
216   <path value="CarePlan.careTeam" />
217   <max value="0" />
218 </element>
219 <element id="CarePlan.addresses">
220   <path value="CarePlan.addresses" />
221   <max value="0" />
222 </element>
223 <element id="CarePlan.supportingInfo">
224   <path value="CarePlan.supportingInfo" />
225   <max value="0" />
226 </element>
227 <element id="CarePlan.goal">
228   <path value="CarePlan.goal" />
229   <max value="0" />
230 </element>
231 <element id="CarePlan.activity">
232   <path value="CarePlan.activity" />
233   <slicing>
234     <discriminator>
235       <type value="value" />
236       <path value="detail.code.coding.code" />
237     </discriminator>
238     <rules value="closed" />
239   </slicing>
240   <min value="1" />
241   <max value="2" />
242   <mustSupport value="true" />
243 </element>
244 <element id="CarePlan.activity:weitereMassnahmenVereinbart">
245   <path value="CarePlan.activity" />
246   <sliceName value="weitereMassnahmenVereinbart" />
247   <max value="1" />
248   <mustSupport value="true" />
249 </element>
250 <element id="CarePlan.activity:weitereMassnahmenVereinbart.outcomeCodeableConcept">
251   <path value="CarePlan.activity.outcomeCodeableConcept" />
252   <max value="0" />
253 </element>
254 <element id="CarePlan.activity:weitereMassnahmenVereinbart.outcomeReference">
255   <path value="CarePlan.activity.outcomeReference" />
256   <max value="0" />
257 </element>
258 <element id="CarePlan.activity:weitereMassnahmenVereinbart.progress">
259   <path value="CarePlan.activity.progress" />

```



```

260     <max value="0" />
261 </element>
262 <element id="CarePlan.activity:weitereMassnahmenVereinbart.reference">
263   <path value="CarePlan.activity.reference" />
264   <max value="0" />
265 </element>
266 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail">
267   <path value="CarePlan.activity.detail" />
268   <min value="1" />
269   <mustSupport value="true" />
270 </element>
271 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.kind">
272   <path value="CarePlan.activity.detail.kind" />
273   <max value="0" />
274 </element>
275 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.insta
ntiatesCanonical">
276   <path value="CarePlan.activity.detail.instantiatesCanonical" />
277   <max value="0" />
278 </element>
279 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.insta
ntiatesUri">
280   <path value="CarePlan.activity.detail.instantiatesUri" />
281   <max value="0" />
282 </element>
283 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code">
284   <path value="CarePlan.activity.detail.code" />
285   <min value="1" />
286   <mustSupport value="true" />
287 </element>
288 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding">
289   <path value="CarePlan.activity.detail.code.coding" />
290   <min value="1" />
291   <max value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.system">
295   <path value="CarePlan.activity.detail.code.coding.system" />
296   <min value="1" />
297   <fixedUri value="http://snomed.info/sct" />
298 </element>
299 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.version">
300   <path value="CarePlan.activity.detail.code.coding.version" />
301   <min value="1" />
302   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
303 </element>
304 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.code">
305   <path value="CarePlan.activity.detail.code.coding.code" />
306   <min value="1" />
307   <fixedCode value="722448004" />
308 </element>
309 <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.display">
310   <path value="CarePlan.activity.detail.code.coding.display" />
311   <min value="1" />

```

```

312     </element>
313     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.display.extension">
314       <path value="CarePlan.activity.detail.code.coding.display.extension"
/>
315       < slicing>
316         < discriminator>
317           < type value="value" />
318           < path value="url" />
319         </ discriminator>
320         < rules value="open" />
321       </ slicing>
322     </ element>
323     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.display.extension:anzeigenameActivityWeitereMassnahmenVereinbartSnom
ed">
324       < path value="CarePlan.activity.detail.code.coding.display.extension"
/>
325       < sliceName value="anzeigenameActivityWeitereMassnahmenVereinbartSnome
d" />
326       < min value="1" />
327       < max value="1" />
328       < type>
329         < code value="Extension" />
330         < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
331       </ type>
332       < mustSupport value="true" />
333     </ element>
334     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.display.extension:anzeigenameActivityWeitereMassnahmenVereinbartSnom
ed.extension">
335       < path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension" />
336       < slicing>
337         < discriminator>
338           < type value="value" />
339           < path value="url" />
340         </ discriminator>
341         < rules value="open" />
342       </ slicing>
343     </ element>
344     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.display.extension:anzeigenameActivityWeitereMassnahmenVereinbartSnom
ed.extension:content">
345       < path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension" />
346       < sliceName value="content" />
347     </ element>
348     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.display.extension:anzeigenameActivityWeitereMassnahmenVereinbartSnom
ed.extension:content.value[x]">
349       < path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension.value[x]" />
350       < slicing>
351         < discriminator>
352           < type value="type" />
353           < path value="$this" />
354         </ discriminator>
355         < rules value="closed" />

```

```

356     </slicing>
357     <mustSupport value="true" />
358 </element>
359     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.display.extension:anzeigenameActivityWeitereMassnahmenVereinbartSnom
ed.extension:content.value[x]:valueString">
360         <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension.value[x]" />
361         <sliceName value="valueString" />
362         <min value="1" />
363         <fixedString value="weitere Maßnahmen vereinbart:" />
364         <mustSupport value="true" />
365     </element>
366     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
coding.userSelected">
367         <path value="CarePlan.activity.detail.code.coding.userSelected" />
368         <max value="0" />
369     </element>
370     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.code.
text">
371         <path value="CarePlan.activity.detail.code.text" />
372         <max value="0" />
373     </element>
374     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.reaso
nCode">
375         <path value="CarePlan.activity.detail.reasonCode" />
376         <max value="0" />
377     </element>
378     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.reaso
nReference">
379         <path value="CarePlan.activity.detail.reasonReference" />
380         <max value="0" />
381     </element>
382     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.goal">
383         <path value="CarePlan.activity.detail.goal" />
384         <max value="0" />
385     </element>
386     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.statu
sReason">
387         <path value="CarePlan.activity.detail.statusReason" />
388         <max value="0" />
389     </element>
390     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.doNot
Perform">
391         <path value="CarePlan.activity.detail.doNotPerform" />
392         <max value="0" />
393     </element>
394     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.sched
uled[x]">
395         <path value="CarePlan.activity.detail.scheduled[x]" />
396         <max value="0" />
397     </element>
398     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.locat
ion">
399         <path value="CarePlan.activity.detail.location" />
400         <max value="0" />
401     </element>
402     <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.perfo
rmer">
403         <path value="CarePlan.activity.detail.performer" />

```

```

404     <max value="0" />
405   </element>
406   <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.produ
ct[x]">
407     <path value="CarePlan.activity.detail.product[x]" />
408     <max value="0" />
409   </element>
410   <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.daily
Amount">
411     <path value="CarePlan.activity.detail.dailyAmount" />
412     <max value="0" />
413   </element>
414   <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.quant
ity">
415     <path value="CarePlan.activity.detail.quantity" />
416     <max value="0" />
417   </element>
418   <element id="CarePlan.activity:weitereMassnahmenVereinbart.detail.descr
iption">
419     <path value="CarePlan.activity.detail.description" />
420     <min value="1" />
421     <mustSupport value="true" />
422   </element>
423   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung">
424     <path value="CarePlan.activity" />
425     <sliceName value="auffaelligkeitenZurBeobachtung" />
426     <max value="1" />
427     <mustSupport value="true" />
428   </element>
429   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.outcomeCo
deableConcept">
430     <path value="CarePlan.activity.outcomeCodeableConcept" />
431     <max value="0" />
432   </element>
433   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.outcomeRe
ference">
434     <path value="CarePlan.activity.outcomeReference" />
435     <max value="0" />
436   </element>
437   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.progress">
438     <path value="CarePlan.activity.progress" />
439     <max value="0" />
440   </element>
441   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.reference
">
442     <path value="CarePlan.activity.reference" />
443     <max value="0" />
444   </element>
445   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail">
446     <path value="CarePlan.activity.detail" />
447     <min value="1" />
448     <mustSupport value="true" />
449   </element>
450   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.ki
nd">
451     <path value="CarePlan.activity.detail.kind" />
452     <max value="0" />
453   </element>
454   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.in
stantiatesCanonical">

```

```

455     <path value="CarePlan.activity.detail.instantiatesCanonical" />
456     <max value="0" />
457 </element>
458 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.in
stantiatesUri">
459     <path value="CarePlan.activity.detail.instantiatesUri" />
460     <max value="0" />
461 </element>
462 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de">
463     <path value="CarePlan.activity.detail.code" />
464     <min value="1" />
465     <mustSupport value="true" />
466 </element>
467 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding">
468     <path value="CarePlan.activity.detail.code.coding" />
469     <min value="1" />
470     <max value="1" />
471     <mustSupport value="true" />
472 </element>
473 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.system">
474     <path value="CarePlan.activity.detail.code.coding.system" />
475     <min value="1" />
476     <fixedUri value="http://snomed.info/sct" />
477 </element>
478 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.version">
479     <path value="CarePlan.activity.detail.code.coding.version" />
480     <min value="1" />
481     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
482 </element>
483 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.code">
484     <path value="CarePlan.activity.detail.code.coding.code" />
485     <min value="1" />
486     <fixedCode value="271906008" />
487 </element>
488 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.display">
489     <path value="CarePlan.activity.detail.code.coding.display" />
490     <min value="1" />
491 </element>
492 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.display.extension">
493     <path value="CarePlan.activity.detail.code.coding.display.extension"
/>
494     <slicing>
495         <discriminator>
496             <type value="value" />
497             <path value="url" />
498         </discriminator>
499         <rules value="open" />
500     </slicing>
501 </element>
502 <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.display.extension:anzeigennameActivityAuffaelligkeitenZurBeobachtu
ngSnomed">

```

```

503     <path value="CarePlan.activity.detail.code.coding.display.extension"
/>
504   <sliceName value="anzeigenameActivityAuffaelligkeitenZurBeobachtungSn
omed" />
505     <min value="1" />
506     <max value="1" />
507     <type>
508       <code value="Extension" />
509       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
510     </type>
511     <mustSupport value="true" />
512   </element>
513   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.display.extension:anzeigenameActivityAuffaelligkeitenZurBeobachtu
ngSnomed.extension">
514     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension" />
515     <licing>
516       <discriminator>
517         <type value="value" />
518         <path value="url" />
519       </discriminator>
520       <rules value="open" />
521     </licing>
522   </element>
523   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.display.extension:anzeigenameActivityAuffaelligkeitenZurBeobachtu
ngSnomed.extension:content">
524     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension" />
525     <sliceName value="content" />
526   </element>
527   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.display.extension:anzeigenameActivityAuffaelligkeitenZurBeobachtu
ngSnomed.extension:content.value[x]">
528     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension.value[x]" />
529     <licing>
530       <discriminator>
531         <type value="type" />
532         <path value="$this" />
533       </discriminator>
534       <rules value="closed" />
535     </licing>
536     <mustSupport value="true" />
537   </element>
538   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.display.extension:anzeigenameActivityAuffaelligkeitenZurBeobachtu
ngSnomed.extension:content.value[x]:valueString">
539     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension.value[x]" />
540     <sliceName value="valueString" />
541     <min value="1" />
542     <fixedString value="Auffälligkeiten zur Beobachtung:" />
543     <mustSupport value="true" />
544   </element>
545   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.coding.userSelected">
546     <path value="CarePlan.activity.detail.code.coding.userSelected" />

```

```

547     <max value="0" />
548   </element>
549   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.co
de.text">
550     <path value="CarePlan.activity.detail.code.text" />
551     <max value="0" />
552   </element>
553   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.re
asonCode">
554     <path value="CarePlan.activity.detail.reasonCode" />
555     <max value="0" />
556   </element>
557   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.re
asonReference">
558     <path value="CarePlan.activity.detail.reasonReference" />
559     <max value="0" />
560   </element>
561   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.go
al">
562     <path value="CarePlan.activity.detail.goal" />
563     <max value="0" />
564   </element>
565   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.st
atusReason">
566     <path value="CarePlan.activity.detail.statusReason" />
567     <max value="0" />
568   </element>
569   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.do
NotPerform">
570     <path value="CarePlan.activity.detail.doNotPerform" />
571     <max value="0" />
572   </element>
573   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.sc
heduled[x]">
574     <path value="CarePlan.activity.detail.scheduled[x]" />
575     <max value="0" />
576   </element>
577   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.lo
cation">
578     <path value="CarePlan.activity.detail.location" />
579     <max value="0" />
580   </element>
581   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.pe
rformer">
582     <path value="CarePlan.activity.detail.performer" />
583     <max value="0" />
584   </element>
585   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.pr
oduct[x]">
586     <path value="CarePlan.activity.detail.product[x]" />
587     <max value="0" />
588   </element>
589   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.da
ilyAmount">
590     <path value="CarePlan.activity.detail.dailyAmount" />
591     <max value="0" />
592   </element>
593   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.qu
antity">
594     <path value="CarePlan.activity.detail.quantity" />

```

```
595     <max value="0" />
596   </element>
597   <element id="CarePlan.activity:auffaelligkeitenZurBeobachtung.detail.de
description">
598     <path value="CarePlan.activity.detail.description" />
599     <min value="1" />
600     <mustSupport value="true" />
601   </element>
602   <element id="CarePlan.note">
603     <path value="CarePlan.note" />
604     <max value="0" />
605   </element>
606 </differential>
607 </StructureDefinition>
```



## 201. KBV\_PR\_MIO\_CMR\_CARE\_PLAN\_U3\_U4\_HIP\_SCREENING\_PLAN

### KBV\_PR\_MIO\_CMR\_Care\_Plan\_U3\_U4\_Hip\_Screening\_Plan

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U3_U4_Hip_Screening_Plan" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Care_Plan_U3_U4_Hip_Screening_Plan" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="CarePlan" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
CarePlan" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="CarePlan">
37 <path value="CarePlan" />
38 <short value="Dieses Profil bezieht sich auf Maßnahmen, die aus der
Hüftgelenksuntersuchung resultieren." />
39 </element>
40 <element id="CarePlan.meta">
41 <path value="CarePlan.meta" />
42 <min value="1" />
43 </element>
44 <element id="CarePlan.meta.versionId">
45 <path value="CarePlan.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="CarePlan.meta.lastUpdated">
49 <path value="CarePlan.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="CarePlan.meta.source">
53 <path value="CarePlan.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="CarePlan.meta.profile">
57 <path value="CarePlan.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Care_Plan_U3_U4_Hip_Screening_Plan|1.0.1" />
61 </element>
62 <element id="CarePlan.meta.security">
63 <path value="CarePlan.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="CarePlan.meta.tag">
67 <path value="CarePlan.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="CarePlan.implicitRules">
71 <path value="CarePlan.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="CarePlan.language">
75 <path value="CarePlan.language" />
76 <max value="0" />
77 </element>
78 <element id="CarePlan.contained">
79 <path value="CarePlan.contained" />
80 <max value="0" />
81 </element>
82 <element id="CarePlan.identifizier">
83 <path value="CarePlan.identifizier" />
84 <max value="0" />
85 </element>
86 <element id="CarePlan.instantiatesCanonical">

```

```

87     <path value="CarePlan.instantiatesCanonical" />
88     <max value="0" />
89 </element>
90 <element id="CarePlan.instantiatesUri">
91     <path value="CarePlan.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="CarePlan.basedOn">
95     <path value="CarePlan.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="CarePlan.replaces">
99     <path value="CarePlan.replaces" />
100    <max value="0" />
101 </element>
102 <element id="CarePlan.partOf">
103     <path value="CarePlan.partOf" />
104     <max value="0" />
105 </element>
106 <element id="CarePlan.status">
107     <path value="CarePlan.status" />
108     <fixedCode value="unknown" />
109 </element>
110     <element id="CarePlan.intent">
111         <path value="CarePlan.intent" />
112         <fixedCode value="plan" />
113     </element>
114     <element id="CarePlan.category">
115         <path value="CarePlan.category" />
116         <max value="0" />
117     </element>
118 <element id="CarePlan.title">
119     <path value="CarePlan.title" />
120     <min value="1" />
121     <fixedString value="Weiteres Vorgehen:" />
122     <mustSupport value="true" />
123 </element>
124 <element id="CarePlan.description">
125     <path value="CarePlan.description" />
126     <max value="0" />
127 </element>
128 <element id="CarePlan.subject">
129     <path value="CarePlan.subject" />
130     <type>
131         <code value="Reference" />
132         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
133     </type>
134     <mustSupport value="true" />
135 </element>
136 <element id="CarePlan.subject.reference">
137     <path value="CarePlan.subject.reference" />
138     <min value="1" />
139     <mustSupport value="true" />
140 </element>
141 <element id="CarePlan.subject.type">
142     <path value="CarePlan.subject.type" />
143     <max value="0" />
144 </element>
145 <element id="CarePlan.subject.identifier">

```

```

146     <path value="CarePlan.subject.identifier" />
147     <max value="0" />
148 </element>
149 <element id="CarePlan.subject.display">
150     <path value="CarePlan.subject.display" />
151     <max value="0" />
152 </element>
153 <element id="CarePlan.encounter">
154     <path value="CarePlan.encounter" />
155     <min value="1" />
156     <type>
157         <code value="Reference" />
158         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
159     </type>
160     <mustSupport value="true" />
161 </element>
162 <element id="CarePlan.encounter.reference">
163     <path value="CarePlan.encounter.reference" />
164     <min value="1" />
165     <mustSupport value="true" />
166 </element>
167 <element id="CarePlan.encounter.type">
168     <path value="CarePlan.encounter.type" />
169     <max value="0" />
170 </element>
171 <element id="CarePlan.encounter.identifier">
172     <path value="CarePlan.encounter.identifier" />
173     <max value="0" />
174 </element>
175 <element id="CarePlan.encounter.display">
176     <path value="CarePlan.encounter.display" />
177     <max value="0" />
178 </element>
179 <element id="CarePlan.period">
180     <path value="CarePlan.period" />
181     <max value="0" />
182 </element>
183 <element id="CarePlan.created">
184     <path value="CarePlan.created" />
185     <min value="1" />
186     <mustSupport value="true" />
187 </element>
188 <element id="CarePlan.author">
189     <path value="CarePlan.author" />
190     <type>
191         <code value="Reference" />
192         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
193     </type>
194     <mustSupport value="true" />
195 </element>
196 <element id="CarePlan.author.reference">
197     <path value="CarePlan.author.reference" />
198     <min value="1" />
199     <mustSupport value="true" />
200 </element>
201 <element id="CarePlan.author.type">
202     <path value="CarePlan.author.type" />
203     <max value="0" />

```

```

204 </element>
205 <element id="CarePlan.author.identifier">
206   <path value="CarePlan.author.identifier" />
207   <max value="0" />
208 </element>
209 <element id="CarePlan.author.display">
210   <path value="CarePlan.author.display" />
211   <max value="0" />
212 </element>
213 <element id="CarePlan.contributor">
214   <path value="CarePlan.contributor" />
215   <max value="0" />
216 </element>
217 <element id="CarePlan.careTeam">
218   <path value="CarePlan.careTeam" />
219   <max value="0" />
220 </element>
221 <element id="CarePlan.addresses">
222   <path value="CarePlan.addresses" />
223   <max value="0" />
224 </element>
225 <element id="CarePlan.supportingInfo">
226   <path value="CarePlan.supportingInfo" />
227   <max value="0" />
228 </element>
229 <element id="CarePlan.goal">
230   <path value="CarePlan.goal" />
231   <max value="0" />
232 </element>
233 <element id="CarePlan.activity">
234   <path value="CarePlan.activity" />
235   <min value="1" />
236   <max value="3" />
237   <mustSupport value="true" />
238 </element>
239 <element id="CarePlan.activity.outcomeCodeableConcept">
240   <path value="CarePlan.activity.outcomeCodeableConcept" />
241   <max value="0" />
242 </element>
243 <element id="CarePlan.activity.outcomeReference">
244   <path value="CarePlan.activity.outcomeReference" />
245   <max value="0" />
246 </element>
247 <element id="CarePlan.activity.progress">
248   <path value="CarePlan.activity.progress" />
249   <max value="0" />
250 </element>
251 <element id="CarePlan.activity.reference">
252   <path value="CarePlan.activity.reference" />
253   <max value="0" />
254 </element>
255 <element id="CarePlan.activity.detail">
256   <path value="CarePlan.activity.detail" />
257   <min value="1" />
258   <mustSupport value="true" />
259 </element>
260 <element id="CarePlan.activity.detail.kind">
261   <path value="CarePlan.activity.detail.kind" />
262   <max value="0" />
263 </element>

```

```

264 <element id="CarePlan.activity.detail.instantiatesCanonical">
265   <path value="CarePlan.activity.detail.instantiatesCanonical" />
266   <max value="0" />
267 </element>
268 <element id="CarePlan.activity.detail.instantiatesUri">
269   <path value="CarePlan.activity.detail.instantiatesUri" />
270   <max value="0" />
271 </element>
272 <element id="CarePlan.activity.detail.code">
273   <path value="CarePlan.activity.detail.code" />
274   <min value="1" />
275   <mustSupport value="true" />
276   <binding>
277     <strength value="required" />
278     <description value="weiteres Vorgehen Hüfte" />
279     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CM_R_Hip_Proceeding" />
280   </binding>
281 </element>
282 <element id="CarePlan.activity.detail.code.coding">
283   <path value="CarePlan.activity.detail.code.coding" />
284   <min value="1" />
285   <max value="1" />
286   <mustSupport value="true" />
287 </element>
288 <element id="CarePlan.activity.detail.code.coding.system">
289   <path value="CarePlan.activity.detail.code.coding.system" />
290   <min value="1" />
291 </element>
292 <element id="CarePlan.activity.detail.code.coding.version">
293   <path value="CarePlan.activity.detail.code.coding.version" />
294   <min value="1" />
295 </element>
296 <element id="CarePlan.activity.detail.code.coding.code">
297   <path value="CarePlan.activity.detail.code.coding.code" />
298   <min value="1" />
299 </element>
300 <element id="CarePlan.activity.detail.code.coding.display">
301   <path value="CarePlan.activity.detail.code.coding.display" />
302   <min value="1" />
303 </element>
304 <element id="CarePlan.activity.detail.code.coding.display.extension">
305   <path value="CarePlan.activity.detail.code.coding.display.extension"
/>
306   <slicing>
307     <discriminator>
308       <type value="value" />
309       <path value="url" />
310     </discriminator>
311     <rules value="open" />
312   </slicing>
313 </element>
314 <element id="CarePlan.activity.detail.code.coding.display.extension:anz
eigennameActivitySnomed">
315   <path value="CarePlan.activity.detail.code.coding.display.extension"
/>
316   <sliceName value="anzeigennameActivitySnomed" />
317   <min value="1" />
318   <max value="1" />
319   <type>

```

```

320     <code value="Extension" />
321     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
322   </type>
323   <mustSupport value="true" />
324 </element>
325   <element id="CarePlan.activity.detail.code.coding.display.extension:anz
eigennameActivitySnomed.extension">
326     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension" />
327     <licing>
328       <discriminator>
329         <type value="value" />
330         <path value="url" />
331       </discriminator>
332       <rules value="open" />
333     </licing>
334   </element>
335   <element id="CarePlan.activity.detail.code.coding.display.extension:anz
eigennameActivitySnomed.extension:content">
336     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension" />
337     <sliceName value="content" />
338   </element>
339   <element id="CarePlan.activity.detail.code.coding.display.extension:anz
eigennameActivitySnomed.extension:content.value[x]">
340     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension.value[x]" />
341     <licing>
342       <discriminator>
343         <type value="type" />
344         <path value="$this" />
345       </discriminator>
346       <rules value="closed" />
347     </licing>
348     <mustSupport value="true" />
349   </element>
350   <element id="CarePlan.activity.detail.code.coding.display.extension:anz
eigennameActivitySnomed.extension:content.value[x]:valueString">
351     <path value="CarePlan.activity.detail.code.coding.display.extension.e
xtension.value[x]" />
352     <sliceName value="valueString" />
353     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus: KBV_CM_MIO_CM_R_Hip_Proceeding_German" />
354     <min value="1" />
355     <mustSupport value="true" />
356   </element>
357   <element id="CarePlan.activity.detail.code.coding.userSelected">
358     <path value="CarePlan.activity.detail.code.coding.userSelected" />
359     <max value="0" />
360   </element>
361   <element id="CarePlan.activity.detail.code.text">
362     <path value="CarePlan.activity.detail.code.text" />
363     <max value="0" />
364   </element>
365   <element id="CarePlan.activity.detail.reasonCode">
366     <path value="CarePlan.activity.detail.reasonCode" />
367     <max value="0" />

```

```

368 </element>
369 <element id="CarePlan.activity.detail.reasonReference">
370   <path value="CarePlan.activity.detail.reasonReference" />
371   <max value="0" />
372 </element>
373 <element id="CarePlan.activity.detail.goal">
374   <path value="CarePlan.activity.detail.goal" />
375   <max value="0" />
376 </element>
377 <element id="CarePlan.activity.detail.statusReason">
378   <path value="CarePlan.activity.detail.statusReason" />
379   <max value="0" />
380 </element>
381 <element id="CarePlan.activity.detail.doNotPerform">
382   <path value="CarePlan.activity.detail.doNotPerform" />
383   <max value="0" />
384 </element>
385 <element id="CarePlan.activity.detail.scheduled[x]">
386   <path value="CarePlan.activity.detail.scheduled[x]" />
387   <max value="0" />
388 </element>
389 <element id="CarePlan.activity.detail.location">
390   <path value="CarePlan.activity.detail.location" />
391   <max value="0" />
392 </element>
393 <element id="CarePlan.activity.detail.performer">
394   <path value="CarePlan.activity.detail.performer" />
395   <max value="0" />
396 </element>
397 <element id="CarePlan.activity.detail.product[x]">
398   <path value="CarePlan.activity.detail.product[x]" />
399   <max value="0" />
400 </element>
401 <element id="CarePlan.activity.detail.dailyAmount">
402   <path value="CarePlan.activity.detail.dailyAmount" />
403   <max value="0" />
404 </element>
405 <element id="CarePlan.activity.detail.quantity">
406   <path value="CarePlan.activity.detail.quantity" />
407   <max value="0" />
408 </element>
409 <element id="CarePlan.activity.detail.description">
410   <path value="CarePlan.activity.detail.description" />
411   <max value="0" />
412 </element>
413 <element id="CarePlan.note">
414   <path value="CarePlan.note" />
415   <max value="0" />
416 </element>
417 </differential>
418 </StructureDefinition>

```



## 202. KBV\_PR\_MIO\_CMR\_COMPOSITION\_CYSTIC\_FIBROSIS\_SCREENING

### KBV\_PR\_MIO\_CMR\_Composition\_Cystic\_Fibrosis\_Screening

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Cystic_Fibrosis_Screening" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_Cystic_Fibrosis_Screening" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil umfasst die spezielle
Früherkennungsuntersuchung &quot;Mukoviszidosescreening&quot;." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Composition_Cystic_Fibrosis_Screening1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87 <element id="Composition.identifier">
88   <path value="Composition.identifier" />
89   <max value="0" />
90 </element>
91 <element id="Composition.status">
92   <path value="Composition.status" />
93   <fixedCode value="final" />
94 </element>
95 <element id="Composition.type">
96   <path value="Composition.type" />
97   <mustSupport value="true" />
98 </element>
99 <element id="Composition.type.coding">
100   <path value="Composition.type.coding" />
101   <min value="1" />
102   <max value="1" />
103   <mustSupport value="true" />
104 </element>
105 <element id="Composition.type.coding.system">
106   <path value="Composition.type.coding.system" />
107   <min value="1" />
108   <fixedUri value="http://snomed.info/sct" />
109 </element>
110 <element id="Composition.type.coding.version">
111   <path value="Composition.type.coding.version" />
112   <min value="1" />
113   <fixedString value="http://snomed.info/sct/900000000000207008/
114   version/20210131" />
115 </element>
116 <element id="Composition.type.coding.code">
117   <path value="Composition.type.coding.code" />
118   <min value="1" />
119   <fixedCode value="738796001:363702006=171191008" />
120 </element>
121 <element id="Composition.type.coding.display">
122   <path value="Composition.type.coding.display" />
123   <min value="1" />
124   <fixedString value="Collection of dried blood spot specimen
125   (procedure) : Has focus (attribute) = Cystic fibrosis screening
126   (procedure)" />
127 </element>
128 <element id="Composition.type.coding.userSelected">
129   <path value="Composition.type.coding.userSelected" />
130   <max value="0" />
131 </element>
132 <element id="Composition.type.text">
133   <path value="Composition.type.text" />
134   <max value="0" />
135 </element>
136 <element id="Composition.category">
137   <path value="Composition.category" />
138   <min value="1" />
139   <max value="1" />
140   <mustSupport value="true" />
141 </element>
142 <element id="Composition.category.coding">
143   <path value="Composition.category.coding" />
144   <min value="1" />
145   <max value="1" />
146   <mustSupport value="true" />

```

```

144 </element>
145 <element id="Composition.category.coding.system">
146   <path value="Composition.category.coding.system" />
147   <min value="1" />
148   <fixedUri value="http://snomed.info/sct" />
149 </element>
150 <element id="Composition.category.coding.version">
151   <path value="Composition.category.coding.version" />
152   <min value="1" />
153   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
154 </element>
155 <element id="Composition.category.coding.code">
156   <path value="Composition.category.coding.code" />
157   <min value="1" />
158   <fixedCode value="243788004" />
159 </element>
160 <element id="Composition.category.coding.display">
161   <path value="Composition.category.coding.display" />
162   <min value="1" />
163   <fixedString value="Child examination (procedure)" />
164 </element>
165 <element id="Composition.category.coding.userSelected">
166   <path value="Composition.category.coding.userSelected" />
167   <max value="0" />
168 </element>
169 <element id="Composition.category.text">
170   <path value="Composition.category.text" />
171   <max value="0" />
172 </element>
173 <element id="Composition.subject">
174   <path value="Composition.subject" />
175   <min value="1" />
176   <type>
177     <code value="Reference" />
178     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
179   </type>
180   <mustSupport value="true" />
181 </element>
182 <element id="Composition.subject.reference">
183   <path value="Composition.subject.reference" />
184   <min value="1" />
185   <mustSupport value="true" />
186 </element>
187 <element id="Composition.subject.type">
188   <path value="Composition.subject.type" />
189   <max value="0" />
190 </element>
191 <element id="Composition.subject.identifier">
192   <path value="Composition.subject.identifier" />
193   <max value="0" />
194 </element>
195 <element id="Composition.subject.display">
196   <path value="Composition.subject.display" />
197   <max value="0" />
198 </element>
199 <element id="Composition.encounter">
200   <path value="Composition.encounter" />
201   <min value="1" />

```

```

202     <type>
203         <code value="Reference" />
204         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
205     </type>
206     <mustSupport value="true" />
207 </element>
208 <element id="Composition.encounter.reference">
209     <path value="Composition.encounter.reference" />
210     <min value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Composition.encounter.type">
214     <path value="Composition.encounter.type" />
215     <max value="0" />
216 </element>
217 <element id="Composition.encounter.identifier">
218     <path value="Composition.encounter.identifier" />
219     <max value="0" />
220 </element>
221 <element id="Composition.encounter.display">
222     <path value="Composition.encounter.display" />
223     <max value="0" />
224 </element>
225 <element id="Composition.author">
226     <path value="Composition.author" />
227     <max value="2" />
228     <type>
229         <code value="Reference" />
230         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
231         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
232     </type>
233     <mustSupport value="true" />
234 </element>
235 <element id="Composition.author.reference">
236     <path value="Composition.author.reference" />
237     <min value="1" />
238     <mustSupport value="true" />
239 </element>
240 <element id="Composition.author.type">
241     <path value="Composition.author.type" />
242     <max value="0" />
243 </element>
244 <element id="Composition.author.identifier">
245     <path value="Composition.author.identifier" />
246     <max value="0" />
247 </element>
248 <element id="Composition.author.display">
249     <path value="Composition.author.display" />
250     <max value="0" />
251 </element>
252 <element id="Composition.title">
253     <path value="Composition.title" />
254     <fixedString value="Spezielle Früherkennungsuntersuchungen" />
255     <mustSupport value="true" />
256 </element>
257 <element id="Composition.confidentiality">
258     <path value="Composition.confidentiality" />

```

```

259     <max value="0" />
260 </element>
261 <element id="Composition.attester">
262     <path value="Composition.attester" />
263     <max value="0" />
264 </element>
265 <element id="Composition.custodian">
266     <path value="Composition.custodian" />
267     <max value="0" />
268 </element>
269 <element id="Composition.relatesTo">
270     <path value="Composition.relatesTo" />
271     <max value="0" />
272 </element>
273 <element id="Composition.event">
274     <path value="Composition.event" />
275     <max value="0" />
276 </element>
277 <element id="Composition.section">
278     <path value="Composition.section" />
279     <min value="1" />
280     <max value="1" />
281     <mustSupport value="true" />
282 </element>
283 <element id="Composition.section.title">
284     <path value="Composition.section.title" />
285     <min value="1" />
286     <fixedString value="Screening auf Mukoviszidose" />
287     <mustSupport value="true" />
288 </element>
289 <element id="Composition.section.code">
290     <path value="Composition.section.code" />
291     <max value="0" />
292 </element>
293 <element id="Composition.section.author">
294     <path value="Composition.section.author" />
295     <max value="0" />
296 </element>
297 <element id="Composition.section.focus">
298     <path value="Composition.section.focus" />
299     <max value="0" />
300 </element>
301 <element id="Composition.section.text">
302     <path value="Composition.section.text" />
303     <max value="0" />
304 </element>
305 <element id="Composition.section.mode">
306     <path value="Composition.section.mode" />
307     <max value="0" />
308 </element>
309 <element id="Composition.section.orderedBy">
310     <path value="Composition.section.orderedBy" />
311     <max value="0" />
312 </element>
313 <element id="Composition.section.entry">
314     <path value="Composition.section.entry" />
315     <min value="1" />
316     <max value="1" />
317     <type>
318         <code value="Reference" />

```

```
319     <targetProfile value="https://fhir.kbv.de/StructureDefinition/  
KBV_PR_MIO_CMR_Procedure_U1_U3_Cystic_Fibrosis_Screening|1.0.1" />  
320   </type>  
321   <mustSupport value="true" />  
322 </element>  
323 <element id="Composition.section.entry.reference">  
324   <path value="Composition.section.entry.reference" />  
325   <min value="1" />  
326   <mustSupport value="true" />  
327 </element>  
328 <element id="Composition.section.entry.type">  
329   <path value="Composition.section.entry.type" />  
330   <max value="0" />  
331 </element>  
332 <element id="Composition.section.entry.identifier">  
333   <path value="Composition.section.entry.identifier" />  
334   <max value="0" />  
335 </element>  
336 <element id="Composition.section.entry.display">  
337   <path value="Composition.section.entry.display" />  
338   <max value="0" />  
339 </element>  
340 <element id="Composition.section.emptyReason">  
341   <path value="Composition.section.emptyReason" />  
342   <max value="0" />  
343 </element>  
344 <element id="Composition.section.section">  
345   <path value="Composition.section.section" />  
346   <max value="0" />  
347 </element>  
348 </differential>  
349 </StructureDefinition>
```

## 203. KBV\_PR\_MIO\_CMR\_COMPOSITION\_EXTENDED\_NEWBORN\_SCREENING

### KBV\_PR\_MIO\_CMR\_Composition\_Extended\_Newborn\_Screening

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Extended_Newborn_Screening" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_Extended_Newborn_Screening" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Composition bildet alle Ressourcen ab, die im
Zusammenhang mit dem erweiterten Neugeborenencreening eines Kindes
stehen." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Extended_Newborn_Screening|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />

```

```

86 </element>
87 <element id="Composition.identifier">
88   <path value="Composition.identifier" />
89   <max value="0" />
90 </element>
91 <element id="Composition.status">
92   <path value="Composition.status" />
93   <fixedCode value="final" />
94 </element>
95 <element id="Composition.type">
96   <path value="Composition.type" />
97   <mustSupport value="true" />
98 </element>
99 <element id="Composition.type.coding">
100  <path value="Composition.type.coding" />
101  <min value="1" />
102  <max value="1" />
103  <mustSupport value="true" />
104 </element>
105 <element id="Composition.type.coding.system">
106  <path value="Composition.type.coding.system" />
107  <min value="1" />
108  <fixedUri value="http://snomed.info/sct" />
109 </element>
110 <element id="Composition.type.coding.version">
111  <path value="Composition.type.coding.version" />
112  <min value="1" />
113  <fixedString value="http://snomed.info/sct/900000000000207008/
114  version/20210131" />
115 </element>
116 <element id="Composition.type.coding.code">
117  <path value="Composition.type.coding.code" />
118  <min value="1" />
119  <fixedCode value="738796001:363702006=428447008" />
120 </element>
121 <element id="Composition.type.coding.display">
122  <path value="Composition.type.coding.display" />
123  <min value="1" />
124  <fixedString value="Collection of dried blood spot specimen
125  (procedure) : Has focus (attribute) = Newborn blood spot screening
126  (procedure)" />
127 </element>
128 <element id="Composition.type.coding.userSelected">
129  <path value="Composition.type.coding.userSelected" />
130  <max value="0" />
131 </element>
132 <element id="Composition.type.text">
133  <path value="Composition.type.text" />
134  <max value="0" />
135 </element>
136 <element id="Composition.category">
137  <path value="Composition.category" />
138  <min value="1" />
139  <max value="1" />
140  <mustSupport value="true" />
141 </element>
142 <element id="Composition.category.coding">
143  <path value="Composition.category.coding" />
144  <min value="1" />
145  <max value="1" />

```

```

143     <mustSupport value="true" />
144 </element>
145 <element id="Composition.category.coding.system">
146   <path value="Composition.category.coding.system" />
147   <min value="1" />
148   <fixedUri value="http://snomed.info/sct" />
149 </element>
150 <element id="Composition.category.coding.version">
151   <path value="Composition.category.coding.version" />
152   <min value="1" />
153   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
154 </element>
155 <element id="Composition.category.coding.code">
156   <path value="Composition.category.coding.code" />
157   <min value="1" />
158   <fixedCode value="243788004" />
159 </element>
160 <element id="Composition.category.coding.display">
161   <path value="Composition.category.coding.display" />
162   <min value="1" />
163   <fixedString value="Child examination (procedure)" />
164 </element>
165 <element id="Composition.category.coding.userSelected">
166   <path value="Composition.category.coding.userSelected" />
167   <max value="0" />
168 </element>
169 <element id="Composition.category.text">
170   <path value="Composition.category.text" />
171   <max value="0" />
172 </element>
173 <element id="Composition.subject">
174   <path value="Composition.subject" />
175   <min value="1" />
176   <type>
177     <code value="Reference" />
178     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
179   </type>
180   <mustSupport value="true" />
181 </element>
182 <element id="Composition.subject.reference">
183   <path value="Composition.subject.reference" />
184   <min value="1" />
185   <mustSupport value="true" />
186 </element>
187 <element id="Composition.subject.type">
188   <path value="Composition.subject.type" />
189   <max value="0" />
190 </element>
191 <element id="Composition.subject.identifier">
192   <path value="Composition.subject.identifier" />
193   <max value="0" />
194 </element>
195 <element id="Composition.subject.display">
196   <path value="Composition.subject.display" />
197   <max value="0" />
198 </element>
199 <element id="Composition.encounter">
200   <path value="Composition.encounter" />

```

```

201     <min value="1" />
202     <type>
203         <code value="Reference" />
204         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
205     </type>
206     <mustSupport value="true" />
207 </element>
208 <element id="Composition.encounter.reference">
209     <path value="Composition.encounter.reference" />
210     <min value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Composition.encounter.type">
214     <path value="Composition.encounter.type" />
215     <max value="0" />
216 </element>
217 <element id="Composition.encounter.identifier">
218     <path value="Composition.encounter.identifier" />
219     <max value="0" />
220 </element>
221 <element id="Composition.encounter.display">
222     <path value="Composition.encounter.display" />
223     <max value="0" />
224 </element>
225 <element id="Composition.author">
226     <path value="Composition.author" />
227     <max value="2" />
228     <type>
229         <code value="Reference" />
230         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
231         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
232     </type>
233     <mustSupport value="true" />
234 </element>
235 <element id="Composition.author.reference">
236     <path value="Composition.author.reference" />
237     <min value="1" />
238     <mustSupport value="true" />
239 </element>
240 <element id="Composition.author.type">
241     <path value="Composition.author.type" />
242     <max value="0" />
243 </element>
244 <element id="Composition.author.identifier">
245     <path value="Composition.author.identifier" />
246     <max value="0" />
247 </element>
248 <element id="Composition.author.display">
249     <path value="Composition.author.display" />
250     <max value="0" />
251 </element>
252 <element id="Composition.title">
253     <path value="Composition.title" />
254     <fixedString value="Spezielle Früherkennungsuntersuchungen" />
255     <mustSupport value="true" />
256 </element>
257 <element id="Composition.confidentiality">

```

```

258     <path value="Composition.confidentiality" />
259     <max value="0" />
260 </element>
261 <element id="Composition.attester">
262     <path value="Composition.attester" />
263     <max value="0" />
264 </element>
265 <element id="Composition.custodian">
266     <path value="Composition.custodian" />
267     <max value="0" />
268 </element>
269 <element id="Composition.relatesTo">
270     <path value="Composition.relatesTo" />
271     <max value="0" />
272 </element>
273 <element id="Composition.event">
274     <path value="Composition.event" />
275     <max value="0" />
276 </element>
277 <element id="Composition.section">
278     <path value="Composition.section" />
279     <min value="1" />
280     <max value="1" />
281     <mustSupport value="true" />
282 </element>
283 <element id="Composition.section.title">
284     <path value="Composition.section.title" />
285     <min value="1" />
286     <fixedString value="Erweitertes Neugeborenen-Screening" />
287     <mustSupport value="true" />
288 </element>
289 <element id="Composition.section.code">
290     <path value="Composition.section.code" />
291     <max value="0" />
292 </element>
293 <element id="Composition.section.author">
294     <path value="Composition.section.author" />
295     <max value="0" />
296 </element>
297 <element id="Composition.section.focus">
298     <path value="Composition.section.focus" />
299     <max value="0" />
300 </element>
301 <element id="Composition.section.text">
302     <path value="Composition.section.text" />
303     <max value="0" />
304 </element>
305 <element id="Composition.section.mode">
306     <path value="Composition.section.mode" />
307     <max value="0" />
308 </element>
309 <element id="Composition.section.orderedBy">
310     <path value="Composition.section.orderedBy" />
311     <max value="0" />
312 </element>
313 <element id="Composition.section.entry">
314     <path value="Composition.section.entry" />
315     <min value="1" />
316     <max value="1" />
317 <type>

```

```

318     <code value="Reference" />
319     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening|1.0.1" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Composition.section.entry.reference">
324     <path value="Composition.section.entry.reference" />
325     <min value="1" />
326     <mustSupport value="true" />
327 </element>
328 <element id="Composition.section.entry.type">
329     <path value="Composition.section.entry.type" />
330     <max value="0" />
331 </element>
332 <element id="Composition.section.entry.identifier">
333     <path value="Composition.section.entry.identifier" />
334     <max value="0" />
335 </element>
336 <element id="Composition.section.entry.display">
337     <path value="Composition.section.entry.display" />
338     <max value="0" />
339 </element>
340 <element id="Composition.section.emptyReason">
341     <path value="Composition.section.emptyReason" />
342     <max value="0" />
343 </element>
344 <element id="Composition.section.section">
345     <path value="Composition.section.section" />
346     <max value="0" />
347 </element>
348 </differential>
349 </StructureDefinition>

```

## 204. KBV\_PR\_MIO\_CMR\_COMPOSITION\_HIP\_SCREENING

### KBV\_PR\_MIO\_CMR\_Composition\_Hip\_Screening

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Hip_Screening" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Composition_Hip_Screening" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="cda" />
22     <uri value="http://hl7.org/v3/cda" />
23     <name value="CDA (R2)" />
24   </mapping>
25   <mapping>
26     <identity value="fhirdocumentreference" />
27     <uri value="http://hl7.org/fhir/documentreference" />
28     <name value="FHIR DocumentReference" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Composition bildet alle Ressourcen ab, die im
Zusammenhang mit der Neugeborenenhüftuntersuchung eines Kindes stehen." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Composition_Hip_Screening|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```



```

87 <element id="Composition.identifier">
88   <path value="Composition.identifier" />
89   <max value="0" />
90 </element>
91 <element id="Composition.status">
92   <path value="Composition.status" />
93   <fixedCode value="final" />
94 </element>
95 <element id="Composition.type">
96   <path value="Composition.type" />
97   <mustSupport value="true" />
98 </element>
99 <element id="Composition.type.coding">
100   <path value="Composition.type.coding" />
101   <min value="1" />
102   <max value="1" />
103   <mustSupport value="true" />
104 </element>
105 <element id="Composition.type.coding.system">
106   <path value="Composition.type.coding.system" />
107   <min value="1" />
108   <fixedUri value="http://snomed.info/sct" />
109 </element>
110 <element id="Composition.type.coding.version">
111   <path value="Composition.type.coding.version" />
112   <min value="1" />
113   <fixedString value="http://snomed.info/sct/900000000000207008/
114   version/20210131" />
115 </element>
116 <element id="Composition.type.coding.code">
117   <path value="Composition.type.coding.code" />
118   <min value="1" />
119   <fixedCode value="171241003" />
120 </element>
121 <element id="Composition.type.coding.display">
122   <path value="Composition.type.coding.display" />
123   <min value="1" />
124   <fixedString value="Congenital dislocation of the hip screening
125   (procedure)" />
126 </element>
127 <element id="Composition.type.coding.userSelected">
128   <path value="Composition.type.coding.userSelected" />
129   <max value="0" />
130 </element>
131 <element id="Composition.type.text">
132   <path value="Composition.type.text" />
133   <max value="0" />
134 </element>
135 <element id="Composition.category">
136   <path value="Composition.category" />
137   <min value="1" />
138   <max value="1" />
139   <mustSupport value="true" />
140 </element>
141 <element id="Composition.category.coding">
142   <path value="Composition.category.coding" />
143   <min value="1" />
144   <max value="1" />
145   <mustSupport value="true" />
146 </element>

```

```

145 <element id="Composition.category.coding.system">
146   <path value="Composition.category.coding.system" />
147   <min value="1" />
148   <fixedUri value="http://snomed.info/sct" />
149 </element>
150 <element id="Composition.category.coding.version">
151   <path value="Composition.category.coding.version" />
152   <min value="1" />
153   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
154 </element>
155 <element id="Composition.category.coding.code">
156   <path value="Composition.category.coding.code" />
157   <min value="1" />
158   <fixedCode value="243788004" />
159 </element>
160 <element id="Composition.category.coding.display">
161   <path value="Composition.category.coding.display" />
162   <min value="1" />
163   <fixedString value="Child examination (procedure)" />
164 </element>
165 <element id="Composition.category.coding.userSelected">
166   <path value="Composition.category.coding.userSelected" />
167   <max value="0" />
168 </element>
169 <element id="Composition.category.text">
170   <path value="Composition.category.text" />
171   <max value="0" />
172 </element>
173 <element id="Composition.subject">
174   <path value="Composition.subject" />
175   <min value="1" />
176   <type>
177     <code value="Reference" />
178     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
179   </type>
180   <mustSupport value="true" />
181 </element>
182 <element id="Composition.subject.reference">
183   <path value="Composition.subject.reference" />
184   <min value="1" />
185   <mustSupport value="true" />
186 </element>
187 <element id="Composition.subject.type">
188   <path value="Composition.subject.type" />
189   <max value="0" />
190 </element>
191 <element id="Composition.subject.identifier">
192   <path value="Composition.subject.identifier" />
193   <max value="0" />
194 </element>
195 <element id="Composition.subject.display">
196   <path value="Composition.subject.display" />
197   <max value="0" />
198 </element>
199 <element id="Composition.encounter">
200   <path value="Composition.encounter" />
201   <min value="1" />
202   <type>

```

```

203     <code value="Reference" />
204     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
205   </type>
206   <mustSupport value="true" />
207 </element>
208 <element id="Composition.encounter.reference">
209   <path value="Composition.encounter.reference" />
210   <min value="1" />
211   <mustSupport value="true" />
212 </element>
213 <element id="Composition.encounter.type">
214   <path value="Composition.encounter.type" />
215   <max value="0" />
216 </element>
217 <element id="Composition.encounter.identifier">
218   <path value="Composition.encounter.identifier" />
219   <max value="0" />
220 </element>
221 <element id="Composition.encounter.display">
222   <path value="Composition.encounter.display" />
223   <max value="0" />
224 </element>
225 <element id="Composition.author">
226   <path value="Composition.author" />
227   <max value="2" />
228   <type>
229     <code value="Reference" />
230     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
231     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
232   </type>
233   <mustSupport value="true" />
234 </element>
235 <element id="Composition.author.reference">
236   <path value="Composition.author.reference" />
237   <min value="1" />
238   <mustSupport value="true" />
239 </element>
240 <element id="Composition.author.type">
241   <path value="Composition.author.type" />
242   <max value="0" />
243 </element>
244 <element id="Composition.author.identifier">
245   <path value="Composition.author.identifier" />
246   <max value="0" />
247 </element>
248 <element id="Composition.author.display">
249   <path value="Composition.author.display" />
250   <max value="0" />
251 </element>
252 <element id="Composition.title">
253   <path value="Composition.title" />
254   <fixedString value="Spezielle Früherkennungsuntersuchungen" />
255   <mustSupport value="true" />
256 </element>
257 <element id="Composition.confidentiality">
258   <path value="Composition.confidentiality" />
259   <max value="0" />

```

```

260 </element>
261 <element id="Composition.attester">
262   <path value="Composition.attester" />
263   <max value="0" />
264 </element>
265 <element id="Composition.custodian">
266   <path value="Composition.custodian" />
267   <max value="0" />
268 </element>
269 <element id="Composition.relatesTo">
270   <path value="Composition.relatesTo" />
271   <max value="0" />
272 </element>
273 <element id="Composition.event">
274   <path value="Composition.event" />
275   <max value="0" />
276 </element>
277 <element id="Composition.section">
278   <path value="Composition.section" />
279   <min value="1" />
280   <max value="1" />
281   <mustSupport value="true" />
282 </element>
283 <element id="Composition.section.title">
284   <path value="Composition.section.title" />
285   <min value="1" />
286   <fixedString value="Screening auf Hüftgelenksdysplasie und
-luxation" />
287   <mustSupport value="true" />
288 </element>
289 <element id="Composition.section.code">
290   <path value="Composition.section.code" />
291   <max value="0" />
292 </element>
293 <element id="Composition.section.author">
294   <path value="Composition.section.author" />
295   <max value="0" />
296 </element>
297 <element id="Composition.section.focus">
298   <path value="Composition.section.focus" />
299   <max value="0" />
300 </element>
301 <element id="Composition.section.text">
302   <path value="Composition.section.text" />
303   <max value="0" />
304 </element>
305 <element id="Composition.section.mode">
306   <path value="Composition.section.mode" />
307   <max value="0" />
308 </element>
309 <element id="Composition.section.orderedBy">
310   <path value="Composition.section.orderedBy" />
311   <max value="0" />
312 </element>
313 <element id="Composition.section.entry">
314   <path value="Composition.section.entry" />
315   <min value="1" />
316   <type>
317     <code value="Reference" />

```

```

318     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Problem_Of_Hip|1.0.1" />
319     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Hip_Screening_History|1.0.1" />
320     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U3_U4_Hip_Screening|1.0.1" />
321     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U3_U4_Hip_Screening_Plan|1.0.1" />
322     </type>
323     <mustSupport value="true" />
324 </element>
325 <element id="Composition.section.entry.reference">
326   <path value="Composition.section.entry.reference" />
327   <min value="1" />
328   <mustSupport value="true" />
329 </element>
330 <element id="Composition.section.entry.type">
331   <path value="Composition.section.entry.type" />
332   <max value="0" />
333 </element>
334 <element id="Composition.section.entry.identifier">
335   <path value="Composition.section.entry.identifier" />
336   <max value="0" />
337 </element>
338 <element id="Composition.section.entry.display">
339   <path value="Composition.section.entry.display" />
340   <max value="0" />
341 </element>
342 <element id="Composition.section.emptyReason">
343   <path value="Composition.section.emptyReason" />
344   <max value="0" />
345 </element>
346 <element id="Composition.section.section">
347   <path value="Composition.section.section" />
348   <max value="0" />
349 </element>
350 </differential>
351 </StructureDefinition>

```

## 205. KBV\_PR\_MIO\_CMV\_COMPOSITION\_NEONATAL\_HEARSCREENING

## KBV\_PR\_MIO\_CMV\_Composition\_Neonatal\_Hearscreening

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Composition_Neonatal_Hearscreening" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Composition_Neonatal_Hearscreening" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS
IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="cda" />
22     <uri value="http://hl7.org/v3/cda" />
23     <name value="CDA (R2)" />
24   </mapping>
25   <mapping>
26     <identity value="fhirdocumentreference" />
27     <uri value="http://hl7.org/fhir/documentreference" />
28     <name value="FHIR DocumentReference" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Composition bildet alle Ressourcen ab, die im
Zusammenhang mit dem Neugeborenenh rscreening eines Kindes stehen." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Composition_Neonatal_Hearscreening|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87 <element id="Composition.identifier">
88   <path value="Composition.identifier" />
89   <max value="0" />
90 </element>
91 <element id="Composition.status">
92   <path value="Composition.status" />
93   <fixedCode value="final" />
94 </element>
95 <element id="Composition.type">
96   <path value="Composition.type" />
97   <mustSupport value="true" />
98 </element>
99 <element id="Composition.type.coding">
100  <path value="Composition.type.coding" />
101  <slicing>
102    <discriminator>
103      <type value="value" />
104      <path value="system" />
105    </discriminator>
106    <rules value="closed" />
107  </slicing>
108  <min value="2" />
109  <max value="2" />
110  <mustSupport value="true" />
111 </element>
112 <element id="Composition.type.coding:codeSnomed">
113  <path value="Composition.type.coding" />
114  <sliceName value="codeSnomed" />
115  <min value="1" />
116  <max value="1" />
117  <mustSupport value="true" />
118 </element>
119 <element id="Composition.type.coding:codeSnomed.system">
120  <path value="Composition.type.coding.system" />
121  <min value="1" />
122  <fixedUri value="http://snomed.info/sct" />
123 </element>
124 <element id="Composition.type.coding:codeSnomed.version">
125  <path value="Composition.type.coding.version" />
126  <min value="1" />
127  <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
128 </element>
129 <element id="Composition.type.coding:codeSnomed.code">
130  <path value="Composition.type.coding.code" />
131  <min value="1" />
132  <fixedCode value="417491009" />
133 </element>
134 <element id="Composition.type.coding:codeSnomed.display">
135  <path value="Composition.type.coding.display" />
136  <min value="1" />
137  <fixedString value="Neonatal hearing test (procedure)" />
138 </element>
139 <element id="Composition.type.coding:codeSnomed.userSelected">
140  <path value="Composition.type.coding.userSelected" />
141  <max value="0" />
142 </element>
143 <element id="Composition.type.coding:codeLoinc">
144  <path value="Composition.type.coding" />
145  <sliceName value="codeLoinc" />

```



```

146     <min value="1" />
147     <max value="1" />
148     <mustSupport value="true" />
149 </element>
150 <element id="Composition.type.coding:codeLoinc.system">
151     <path value="Composition.type.coding.system" />
152     <min value="1" />
153     <fixedUri value="http://loinc.org" />
154 </element>
155 <element id="Composition.type.coding:codeLoinc.version">
156     <path value="Composition.type.coding.version" />
157     <min value="1" />
158     <fixedString value="2.69" />
159 </element>
160 <element id="Composition.type.coding:codeLoinc.code">
161     <path value="Composition.type.coding.code" />
162     <min value="1" />
163     <fixedCode value="54111-0" />
164 </element>
165 <element id="Composition.type.coding:codeLoinc.display">
166     <path value="Composition.type.coding.display" />
167     <min value="1" />
168     <fixedString value="Newborn hearing screening panel" />
169 </element>
170 <element id="Composition.type.coding:codeLoinc.userSelected">
171     <path value="Composition.type.coding.userSelected" />
172     <max value="0" />
173 </element>
174 <element id="Composition.type.text">
175     <path value="Composition.type.text" />
176     <max value="0" />
177 </element>
178 <element id="Composition.category">
179     <path value="Composition.category" />
180     <min value="1" />
181     <max value="1" />
182     <mustSupport value="true" />
183 </element>
184 <element id="Composition.category.coding">
185     <path value="Composition.category.coding" />
186     <min value="1" />
187     <max value="1" />
188     <mustSupport value="true" />
189 </element>
190 <element id="Composition.category.coding.system">
191     <path value="Composition.category.coding.system" />
192     <min value="1" />
193     <fixedUri value="http://snomed.info/sct" />
194 </element>
195 <element id="Composition.category.coding.version">
196     <path value="Composition.category.coding.version" />
197     <min value="1" />
198     <fixedString value="http://snomed.info/sct/900000000000207008/
199     version/20210131" />
200 </element>
201 <element id="Composition.category.coding.code">
202     <path value="Composition.category.coding.code" />
203     <min value="1" />
204     <fixedCode value="243788004" />
205 </element>

```

```

205 <element id="Composition.category.coding.display">
206   <path value="Composition.category.coding.display" />
207   <min value="1" />
208   <fixedString value="Child examination (procedure)" />
209 </element>
210 <element id="Composition.category.coding.userSelected">
211   <path value="Composition.category.coding.userSelected" />
212   <max value="0" />
213 </element>
214 <element id="Composition.category.text">
215   <path value="Composition.category.text" />
216   <max value="0" />
217 </element>
218 <element id="Composition.subject">
219   <path value="Composition.subject" />
220   <min value="1" />
221   <type>
222     <code value="Reference" />
223     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
224   </type>
225   <mustSupport value="true" />
226 </element>
227 <element id="Composition.subject.reference">
228   <path value="Composition.subject.reference" />
229   <min value="1" />
230   <mustSupport value="true" />
231 </element>
232 <element id="Composition.subject.type">
233   <path value="Composition.subject.type" />
234   <max value="0" />
235 </element>
236 <element id="Composition.subject.identifier">
237   <path value="Composition.subject.identifier" />
238   <max value="0" />
239 </element>
240 <element id="Composition.subject.display">
241   <path value="Composition.subject.display" />
242   <max value="0" />
243 </element>
244 <element id="Composition.encounter">
245   <path value="Composition.encounter" />
246   <min value="1" />
247   <type>
248     <code value="Reference" />
249     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
250   </type>
251   <mustSupport value="true" />
252 </element>
253 <element id="Composition.encounter.reference">
254   <path value="Composition.encounter.reference" />
255   <min value="1" />
256   <mustSupport value="true" />
257 </element>
258 <element id="Composition.encounter.type">
259   <path value="Composition.encounter.type" />
260   <max value="0" />
261 </element>
262 <element id="Composition.encounter.identifier">

```

```

263     <path value="Composition.encounter.identifier" />
264     <max value="0" />
265 </element>
266 <element id="Composition.encounter.display">
267     <path value="Composition.encounter.display" />
268     <max value="0" />
269 </element>
270 <element id="Composition.author">
271     <path value="Composition.author" />
272     <max value="2" />
273     <type>
274         <code value="Reference" />
275         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
276         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
277     </type>
278     <mustSupport value="true" />
279 </element>
280 <element id="Composition.author.reference">
281     <path value="Composition.author.reference" />
282     <min value="1" />
283     <mustSupport value="true" />
284 </element>
285 <element id="Composition.author.type">
286     <path value="Composition.author.type" />
287     <max value="0" />
288 </element>
289 <element id="Composition.author.identifier">
290     <path value="Composition.author.identifier" />
291     <max value="0" />
292 </element>
293 <element id="Composition.author.display">
294     <path value="Composition.author.display" />
295     <max value="0" />
296 </element>
297 <element id="Composition.title">
298     <path value="Composition.title" />
299     <fixedString value="Spezielle Früherkennungsuntersuchungen" />
300     <mustSupport value="true" />
301 </element>
302 <element id="Composition.confidentiality">
303     <path value="Composition.confidentiality" />
304     <max value="0" />
305 </element>
306 <element id="Composition.attester">
307     <path value="Composition.attester" />
308     <max value="0" />
309 </element>
310 <element id="Composition.custodian">
311     <path value="Composition.custodian" />
312     <max value="0" />
313 </element>
314 <element id="Composition.relatesTo">
315     <path value="Composition.relatesTo" />
316     <max value="0" />
317 </element>
318 <element id="Composition.event">
319     <path value="Composition.event" />
320     <max value="0" />

```

```

321 </element>
322 <element id="Composition.section">
323   <path value="Composition.section" />
324   <min value="1" />
325   <max value="1" />
326   <mustSupport value="true" />
327 </element>
328 <element id="Composition.section.title">
329   <path value="Composition.section.title" />
330   <min value="1" />
331   <fixedString value="Neugeborenen-Hörscreening" />
332   <mustSupport value="true" />
333 </element>
334 <element id="Composition.section.code">
335   <path value="Composition.section.code" />
336   <max value="0" />
337 </element>
338 <element id="Composition.section.author">
339   <path value="Composition.section.author" />
340   <max value="0" />
341 </element>
342 <element id="Composition.section.focus">
343   <path value="Composition.section.focus" />
344   <max value="0" />
345 </element>
346 <element id="Composition.section.text">
347   <path value="Composition.section.text" />
348   <max value="0" />
349 </element>
350 <element id="Composition.section.mode">
351   <path value="Composition.section.mode" />
352   <max value="0" />
353 </element>
354 <element id="Composition.section.orderedBy">
355   <path value="Composition.section.orderedBy" />
356   <max value="0" />
357 </element>
358 <element id="Composition.section.entry">
359   <path value="Composition.section.entry" />
360   <min value="1" />
361   <type>
362     <code value="Reference" />
363     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Neonatal_Hearscreening|1.0.1" />
364     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service|
1.0.1" />
365     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce|1.0.1" />
366   </type>
367   <mustSupport value="true" />
368 </element>
369 <element id="Composition.section.entry.reference">
370   <path value="Composition.section.entry.reference" />
371   <min value="1" />
372   <mustSupport value="true" />
373 </element>
374 <element id="Composition.section.entry.type">
375   <path value="Composition.section.entry.type" />

```

```
376     <max value="0" />
377 </element>
378 <element id="Composition.section.entry.identifier">
379     <path value="Composition.section.entry.identifier" />
380     <max value="0" />
381 </element>
382 <element id="Composition.section.entry.display">
383     <path value="Composition.section.entry.display" />
384     <max value="0" />
385 </element>
386 <element id="Composition.section.emptyReason">
387     <path value="Composition.section.emptyReason" />
388     <max value="0" />
389 </element>
390 <element id="Composition.section.section">
391     <path value="Composition.section.section" />
392     <max value="0" />
393 </element>
394 </differential>
395 </StructureDefinition>
```

## 206. KBV\_PR\_MIO\_CMR\_COMPOSITION\_PERCENTILE\_CURVE

## KBV\_PR\_MIO\_CMR\_Composition\_Percentile\_Curve

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Percentile_Curve" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_Percentile_Curve" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Composition bildet alle Ressourcen ab, die im
Zusammenhang mit den Perzentilkurven stehen." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMIR_Composition_Percentile_Curve|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87 <element id="Composition.identifier">
88   <path value="Composition.identifier" />
89   <max value="0" />
90 </element>
91 <element id="Composition.status">
92   <path value="Composition.status" />
93   <fixedCode value="final" />
94 </element>
95 <element id="Composition.type">
96   <path value="Composition.type" />
97   <mustSupport value="true" />
98 </element>
99 <element id="Composition.type.coding">
100   <path value="Composition.type.coding" />
101   <min value="1" />
102   <max value="1" />
103   <mustSupport value="true" />
104 </element>
105 <element id="Composition.type.coding.system">
106   <path value="Composition.type.coding.system" />
107   <min value="1" />
108   <fixedUri value="http://snomed.info/sct" />
109 </element>
110 <element id="Composition.type.coding.version">
111   <path value="Composition.type.coding.version" />
112   <min value="1" />
113   <fixedString value="http://snomed.info/sct/900000000000207008/
114   version/20210131" />
115 </element>
116 <element id="Composition.type.coding.code">
117   <path value="Composition.type.coding.code" />
118   <min value="1" />
119   <fixedCode value="129822005" />
120 </element>
121 <element id="Composition.type.coding.display">
122   <path value="Composition.type.coding.display" />
123   <min value="1" />
124   <fixedString value="Childhood growth AND/OR development finding
125   (finding)" />
126 </element>
127 <element id="Composition.type.coding.userSelected">
128   <path value="Composition.type.coding.userSelected" />
129   <max value="0" />
130 </element>
131 <element id="Composition.type.text">
132   <path value="Composition.type.text" />
133   <max value="0" />
134 </element>
135 <element id="Composition.category">
136   <path value="Composition.category" />
137   <min value="1" />
138   <max value="1" />
139   <mustSupport value="true" />
140 </element>
141 <element id="Composition.category.coding">
142   <path value="Composition.category.coding" />
143   <min value="1" />
144   <max value="1" />
145   <mustSupport value="true" />
146 </element>

```



```

145 <element id="Composition.category.coding.system">
146   <path value="Composition.category.coding.system" />
147   <min value="1" />
148   <fixedUri value="http://snomed.info/sct" />
149 </element>
150 <element id="Composition.category.coding.version">
151   <path value="Composition.category.coding.version" />
152   <min value="1" />
153   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
154 </element>
155 <element id="Composition.category.coding.code">
156   <path value="Composition.category.coding.code" />
157   <min value="1" />
158   <fixedCode value="243788004" />
159 </element>
160 <element id="Composition.category.coding.display">
161   <path value="Composition.category.coding.display" />
162   <min value="1" />
163   <fixedString value="Child examination (procedure)" />
164 </element>
165 <element id="Composition.category.coding.userSelected">
166   <path value="Composition.category.coding.userSelected" />
167   <max value="0" />
168 </element>
169 <element id="Composition.category.text">
170   <path value="Composition.category.text" />
171   <max value="0" />
172 </element>
173 <element id="Composition.subject">
174   <path value="Composition.subject" />
175   <min value="1" />
176   <type>
177     <code value="Reference" />
178     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
179   </type>
180   <mustSupport value="true" />
181 </element>
182 <element id="Composition.subject.reference">
183   <path value="Composition.subject.reference" />
184   <min value="1" />
185   <mustSupport value="true" />
186 </element>
187 <element id="Composition.subject.type">
188   <path value="Composition.subject.type" />
189   <max value="0" />
190 </element>
191 <element id="Composition.subject.identifier">
192   <path value="Composition.subject.identifier" />
193   <max value="0" />
194 </element>
195 <element id="Composition.subject.display">
196   <path value="Composition.subject.display" />
197   <max value="0" />
198 </element>
199 <element id="Composition.encounter">
200   <path value="Composition.encounter" />
201   <min value="1" />
202   <type>

```

```

203     <code value="Reference" />
204     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
205   </type>
206   <mustSupport value="true" />
207 </element>
208 <element id="Composition.encounter.reference">
209   <path value="Composition.encounter.reference" />
210   <min value="1" />
211   <mustSupport value="true" />
212 </element>
213 <element id="Composition.encounter.type">
214   <path value="Composition.encounter.type" />
215   <max value="0" />
216 </element>
217 <element id="Composition.encounter.identifier">
218   <path value="Composition.encounter.identifier" />
219   <max value="0" />
220 </element>
221 <element id="Composition.encounter.display">
222   <path value="Composition.encounter.display" />
223   <max value="0" />
224 </element>
225 <element id="Composition.author">
226   <path value="Composition.author" />
227   <max value="2" />
228   <type>
229     <code value="Reference" />
230     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
231     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
232   </type>
233   <mustSupport value="true" />
234 </element>
235 <element id="Composition.author.reference">
236   <path value="Composition.author.reference" />
237   <min value="1" />
238   <mustSupport value="true" />
239 </element>
240 <element id="Composition.author.type">
241   <path value="Composition.author.type" />
242   <max value="0" />
243 </element>
244 <element id="Composition.author.identifier">
245   <path value="Composition.author.identifier" />
246   <max value="0" />
247 </element>
248 <element id="Composition.author.display">
249   <path value="Composition.author.display" />
250   <max value="0" />
251 </element>
252 <element id="Composition.title">
253   <path value="Composition.title" />
254   <fixedString value="Perzentilkurven" />
255   <mustSupport value="true" />
256 </element>
257 <element id="Composition.confidentiality">
258   <path value="Composition.confidentiality" />
259   <max value="0" />

```

```

260 </element>
261 <element id="Composition.attester">
262   <path value="Composition.attester" />
263   <max value="0" />
264 </element>
265 <element id="Composition.custodian">
266   <path value="Composition.custodian" />
267   <max value="0" />
268 </element>
269 <element id="Composition.relatesTo">
270   <path value="Composition.relatesTo" />
271   <max value="0" />
272 </element>
273 <element id="Composition.event">
274   <path value="Composition.event" />
275   <max value="0" />
276 </element>
277 <element id="Composition.section">
278   <path value="Composition.section" />
279   <min value="1" />
280   <max value="1" />
281   <mustSupport value="true" />
282 </element>
283 <element id="Composition.section.title">
284   <path value="Composition.section.title" />
285   <min value="1" />
286   <fixedString value="Körpermaße" />
287   <mustSupport value="true" />
288 </element>
289 <element id="Composition.section.code">
290   <path value="Composition.section.code" />
291   <max value="0" />
292 </element>
293 <element id="Composition.section.author">
294   <path value="Composition.section.author" />
295   <max value="0" />
296 </element>
297 <element id="Composition.section.focus">
298   <path value="Composition.section.focus" />
299   <max value="0" />
300 </element>
301 <element id="Composition.section.text">
302   <path value="Composition.section.text" />
303   <max value="0" />
304 </element>
305 <element id="Composition.section.mode">
306   <path value="Composition.section.mode" />
307   <max value="0" />
308 </element>
309 <element id="Composition.section.orderedBy">
310   <path value="Composition.section.orderedBy" />
311   <max value="0" />
312 </element>
313 <element id="Composition.section.entry">
314   <path value="Composition.section.entry" />
315   <min value="2" />
316   <max value="2" />
317   <type>
318     <code value="Reference" />

```

```

319     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Body_Measures|1.0.1" />
320     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values|1.0.1" />
321     </type>
322     <mustSupport value="true" />
323 </element>
324 <element id="Composition.section.entry.reference">
325     <path value="Composition.section.entry.reference" />
326     <min value="1" />
327     <mustSupport value="true" />
328 </element>
329 <element id="Composition.section.entry.type">
330     <path value="Composition.section.entry.type" />
331     <max value="0" />
332 </element>
333 <element id="Composition.section.entry.identifier">
334     <path value="Composition.section.entry.identifier" />
335     <max value="0" />
336 </element>
337 <element id="Composition.section.entry.display">
338     <path value="Composition.section.entry.display" />
339     <max value="0" />
340 </element>
341 <element id="Composition.section.emptyReason">
342     <path value="Composition.section.emptyReason" />
343     <max value="0" />
344 </element>
345 <element id="Composition.section.section">
346     <path value="Composition.section.section" />
347     <max value="0" />
348 </element>
349 </differential>
350 </StructureDefinition>

```

## 207. KBV\_PR\_MIO\_CMR\_COMPOSITION\_PULSE\_OXYMETRY\_SCREENING

## KBV\_PR\_MIO\_CMR\_Composition\_Pulse\_Oxymetry\_Screening

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_Pulse_Oxymetry_Screening" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Composition_Pulse_Oxymetry_Screening" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="cda" />
22     <uri value="http://hl7.org/v3/cda" />
23     <name value="CDA (R2)" />
24   </mapping>
25   <mapping>
26     <identity value="fhirdocumentreference" />
27     <uri value="http://hl7.org/fhir/documentreference" />
28     <name value="FHIR DocumentReference" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Composition bildet alle Ressourcen ab, die im
Zusammenhang mit dem Pulsoxymetriescreening stehen." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Composition_Pulse_Oxymetry_Screening|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87 <element id="Composition.identifier">
88   <path value="Composition.identifier" />
89   <max value="0" />
90 </element>
91 <element id="Composition.status">
92   <path value="Composition.status" />
93   <fixedCode value="final" />
94 </element>
95 <element id="Composition.type">
96   <path value="Composition.type" />
97   <mustSupport value="true" />
98 </element>
99 <element id="Composition.type.coding">
100   <path value="Composition.type.coding" />
101   <min value="1" />
102   <max value="1" />
103   <mustSupport value="true" />
104 </element>
105 <element id="Composition.type.coding.system">
106   <path value="Composition.type.coding.system" />
107   <min value="1" />
108   <fixedUri value="http://snomed.info/sct" />
109 </element>
110 <element id="Composition.type.coding.version">
111   <path value="Composition.type.coding.version" />
112   <min value="1" />
113   <fixedString value="http://snomed.info/sct/900000000000207008/
114   version/20210131" />
115 </element>
116 <element id="Composition.type.coding.code">
117   <path value="Composition.type.coding.code" />
118   <min value="1" />
119   <fixedCode value="252465000:405813007=56459004" />
120 </element>
121 <element id="Composition.type.coding.display">
122   <path value="Composition.type.coding.display" />
123   <min value="1" />
124   <fixedString value="Pulse oximetry (procedure) : Procedure site -
125   Direct (attribute) = Foot structure (body structure)" />
126 </element>
127 <element id="Composition.type.coding.userSelected">
128   <path value="Composition.type.coding.userSelected" />
129   <max value="0" />
130 </element>
131 <element id="Composition.type.text">
132   <path value="Composition.type.text" />
133   <max value="0" />
134 </element>
135 <element id="Composition.category">
136   <path value="Composition.category" />
137   <min value="1" />
138   <max value="1" />
139   <mustSupport value="true" />
140 </element>
141 <element id="Composition.category.coding">
142   <path value="Composition.category.coding" />
143   <min value="1" />
144   <max value="1" />
145   <mustSupport value="true" />
146 </element>

```

```

145 <element id="Composition.category.coding.system">
146   <path value="Composition.category.coding.system" />
147   <min value="1" />
148   <fixedUri value="http://snomed.info/sct" />
149 </element>
150 <element id="Composition.category.coding.version">
151   <path value="Composition.category.coding.version" />
152   <min value="1" />
153   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
154 </element>
155 <element id="Composition.category.coding.code">
156   <path value="Composition.category.coding.code" />
157   <min value="1" />
158   <fixedCode value="243788004" />
159 </element>
160 <element id="Composition.category.coding.display">
161   <path value="Composition.category.coding.display" />
162   <min value="1" />
163   <fixedString value="Child examination (procedure)" />
164 </element>
165 <element id="Composition.category.coding.userSelected">
166   <path value="Composition.category.coding.userSelected" />
167   <max value="0" />
168 </element>
169 <element id="Composition.category.text">
170   <path value="Composition.category.text" />
171   <max value="0" />
172 </element>
173 <element id="Composition.subject">
174   <path value="Composition.subject" />
175   <min value="1" />
176   <type>
177     <code value="Reference" />
178     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
179   </type>
180   <mustSupport value="true" />
181 </element>
182 <element id="Composition.subject.reference">
183   <path value="Composition.subject.reference" />
184   <min value="1" />
185   <mustSupport value="true" />
186 </element>
187 <element id="Composition.subject.type">
188   <path value="Composition.subject.type" />
189   <max value="0" />
190 </element>
191 <element id="Composition.subject.identifier">
192   <path value="Composition.subject.identifier" />
193   <max value="0" />
194 </element>
195 <element id="Composition.subject.display">
196   <path value="Composition.subject.display" />
197   <max value="0" />
198 </element>
199 <element id="Composition.encounter">
200   <path value="Composition.encounter" />
201   <min value="1" />
202   <type>

```



```

203     <code value="Reference" />
204     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
205   </type>
206   <mustSupport value="true" />
207 </element>
208 <element id="Composition.encounter.reference">
209   <path value="Composition.encounter.reference" />
210   <min value="1" />
211   <mustSupport value="true" />
212 </element>
213 <element id="Composition.encounter.type">
214   <path value="Composition.encounter.type" />
215   <max value="0" />
216 </element>
217 <element id="Composition.encounter.identifier">
218   <path value="Composition.encounter.identifier" />
219   <max value="0" />
220 </element>
221 <element id="Composition.encounter.display">
222   <path value="Composition.encounter.display" />
223   <max value="0" />
224 </element>
225 <element id="Composition.author">
226   <path value="Composition.author" />
227   <max value="2" />
228   <type>
229     <code value="Reference" />
230     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
231     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
232   </type>
233   <mustSupport value="true" />
234 </element>
235 <element id="Composition.author.reference">
236   <path value="Composition.author.reference" />
237   <min value="1" />
238   <mustSupport value="true" />
239 </element>
240 <element id="Composition.author.type">
241   <path value="Composition.author.type" />
242   <max value="0" />
243 </element>
244 <element id="Composition.author.identifier">
245   <path value="Composition.author.identifier" />
246   <max value="0" />
247 </element>
248 <element id="Composition.author.display">
249   <path value="Composition.author.display" />
250   <max value="0" />
251 </element>
252 <element id="Composition.title">
253   <path value="Composition.title" />
254   <fixedString value="Spezielle Früherkennungsuntersuchungen" />
255   <mustSupport value="true" />
256 </element>
257 <element id="Composition.confidentiality">
258   <path value="Composition.confidentiality" />
259   <max value="0" />

```

```

260 </element>
261 <element id="Composition.attester">
262   <path value="Composition.attester" />
263   <max value="0" />
264 </element>
265 <element id="Composition.custodian">
266   <path value="Composition.custodian" />
267   <max value="0" />
268 </element>
269 <element id="Composition.relatesTo">
270   <path value="Composition.relatesTo" />
271   <max value="0" />
272 </element>
273 <element id="Composition.event">
274   <path value="Composition.event" />
275   <max value="0" />
276 </element>
277 <element id="Composition.section">
278   <path value="Composition.section" />
279   <min value="1" />
280   <max value="1" />
281   <mustSupport value="true" />
282 </element>
283 <element id="Composition.section.title">
284   <path value="Composition.section.title" />
285   <min value="1" />
286   <fixedString value="Pulsoxymetrie-Screening" />
287   <mustSupport value="true" />
288 </element>
289
290 <element id="Composition.section.code">
291   <path value="Composition.section.code" />
292   <max value="0" />
293
294 </element>
295 <element id="Composition.section.author">
296   <path value="Composition.section.author" />
297   <max value="0" />
298 </element>
299 <element id="Composition.section.focus">
300   <path value="Composition.section.focus" />
301   <max value="0" />
302 </element>
303   <element id="Composition.section.text">
304     <path value="Composition.section.text" />
305     <max value="0" />
306 </element>
307 <element id="Composition.section.mode">
308   <path value="Composition.section.mode" />
309   <max value="0" />
310 </element>
311 <element id="Composition.section.orderedBy">
312   <path value="Composition.section.orderedBy" />
313   <max value="0" />
314 </element>
315 <element id="Composition.section.entry">
316   <path value="Composition.section.entry" />
317   <min value="1"/>
318   <type>
319     <code value="Reference" />

```

```

320     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_U3_Pulse_Oxymetry|1.0.1" />
321     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_U1_U3_Pulse_Oxymetry_Clarification|1.0.1" />
322     </type>
323
324     <mustSupport value="true" />
325 </element>
326 <element id="Composition.section.entry.reference">
327   <path value="Composition.section.entry.reference" />
328   <min value="1" />
329   <mustSupport value="true" />
330 </element>
331 <element id="Composition.section.entry.type">
332   <path value="Composition.section.entry.type" />
333   <max value="0" />
334 </element>
335 <element id="Composition.section.entry.identifier">
336   <path value="Composition.section.entry.identifier" />
337   <max value="0" />
338 </element>
339 <element id="Composition.section.entry.display">
340   <path value="Composition.section.entry.display" />
341   <max value="0" />
342 </element>
343 <element id="Composition.section.emptyReason">
344   <path value="Composition.section.emptyReason" />
345   <max value="0" />
346 </element>
347 <element id="Composition.section.section">
348   <path value="Composition.section.section" />
349   <max value="0" />
350 </element>
351 </differential>
352 </StructureDefinition>

```

## 208. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U1

## KBV\_PR\_MIO\_CMR\_Composition\_U1

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U1" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_U1" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Ressource umfasst alle Inhalte, die im Rahmen der
Kindervorsorgeuntersuchung U1 erfasst werden." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U1|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87     <element id="Composition.extension">
88     <path value="Composition.extension" />
89     <slicing>
90     <discriminator>
91     <type value="value" />
92     <path value="url" />
93     </discriminator>
94     <rules value="open" />
95     </slicing>
96 </element>
97 <element id="Composition.extension:uHeftEinleitung">
98     <path value="Composition.extension" />
99     <sliceName value="uHeftEinleitung" />
100     <short value="Einleitung des U Heftes" />
101     <min value="1" />
102     <max value="1" />
103     <type>
104     <code value="Extension" />
105     <profile value="https://fhir.kbv.de/StructureDefinition/
106 KBV_EX_Base_Additional_Comment" />
107     </type>
108     <mustSupport value="true" />
109 </element>
110 <element id="Composition.extension:uHeftEinleitung.value[x]">
111     <path value="Composition.extension.value[x]" />
112     <slicing>
113     <discriminator>
114     <type value="type" />
115     <path value="$this" />
116     </discriminator>
117     <rules value="closed" />
118     </slicing>
119     <mustSupport value="true" />
120 </element>
121 <element id="Composition.extension:uHeftEinleitung.value[x]:valueString
122 ">
123     <path value="Composition.extension.value[x]" />
124     <sliceName value="valueString" />

```

**<fixedString** value="Liebe Eltern, herzlichen Glückwunsch zur Geburt Ihres Babys! Gerade in den ersten Lebensjahren macht Ihr Kind sehr viele Entwicklungsschritte. Um eventuell vorliegende Erkrankungen und Entwicklungsverzögerungen frühzeitig erkennen und entsprechend handeln zu können, gibt es regelmäßige Untersuchungen. Diese sind ein wichtiger Teil der Gesundheitsvorsorge für Ihr Kind. Die Kosten werden von der gesetzlichen Krankenversicherung übernommen. Innerhalb der ersten sechs Lebensjahre untersucht die Ärztin oder der Arzt, ob sich Ihr Kind gesund und altersgemäß entwickelt. Die Ergebnisse jeder Untersuchung werden Ihnen erläutert. Darüber hinaus werden Sie über Schutzimpfungen informiert, die zugleich mit den Untersuchungen erfolgen können. Sie haben bei sämtlichen Untersuchungen die Gelegenheit, die Entwicklung Ihres Kindes mit der Ärztin oder dem Arzt zu besprechen und Fragen zu stellen, etwa zu Themen wie Ernährung oder Unfallvermeidung. Zudem erhalten Sie im Rahmen der einzelnen Untersuchungen von der Ärztin oder dem Arzt Informationen zu regionalen Unterstützungsangeboten (wie z. B. Eltern-Kind-Angebote, Frühe Hilfen, Familienhebammen, -paten, öffentlicher Gesundheitsdienst). Für alle Untersuchungen sind bestimmte Zeiträume vorgegeben. Dass Sie diese kennen und einhalten, ist besonders wichtig, da manche Liebe Eltern, herzlichen Glückwunsch zur Geburt Ihres Babys! Bitte beachten Sie, dass es sich bei dem Gelben Heft um eine vertrauliche Information handelt. Keine Institution (z. B. Kita, Schule, Jugendamt) darf eine Einsichtnahme verlangen. Sie entscheiden, wem Sie den Einblick gewähren. Die herausnehmbare Teilnahmekarte ist als Beleg für die Wahrnehmung der Untersuchungen ausreichend. Erkrankungen nur in einer bestimmten Altersspanne rechtzeitig erkannt und behandelt werden können (z. B. Stoffwechselstörungen oder Fehlstellungen der Hüfte). Auch bei Frühgeborenen, also Kindern, die vor der 37+0 Schwangerschaftswoche geboren werden, sollen die Untersuchungszeiträume dringend eingehalten werden. In solchen Fällen wird der frühe Geburtstermin bei der Interpretation der Ergebnisse berücksichtigt. Bitte nutzen Sie das Angebot der Untersuchungen! Sie geben sich und Ihrem Kind die Chance, dass gesundheitliche Probleme oder Auffälligkeiten rechtzeitig erkannt und behandelt werden können. Wir wünschen Ihrem Kind und Ihnen alles Gute! Gemeinsamer Bundesausschuss, Berlin\* | Der Gemeinsame Bundesausschuss (G-BA) wird gebildet von der Kassenärztlichen und der Kassenzahnärztlichen Bundesvereinigung, der Deutschen Krankenhausgesellschaft e.V. und dem Spitzenverband der gesetzlichen Krankenversicherung. Der G-BA legt in Richtlinien fest, welche Leistungen der medizinischen Versorgung von der gesetzlichen Krankenversicherung übernommen werden. Das Gelbe Heft ist eine Anlage der Kinder-Richtlinie des G-BA. Weitere Informationen finden Sie auf den Internetseiten des G-BA unter [www.g-ba.de](http://www.g-ba.de)." />

```

125     <mustSupport value="true" />
126   </element>
127   <element id="Composition.extension:u1Einleitung">
128     <path value="Composition.extension" />
129     <sliceName value="u1Einleitung" />
130     <min value="1" />
131     <max value="1" />
132     <type>
133       <code value="Extension" />
134       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
135     </type>
136     <mustSupport value="true" />
137   </element>
138   <element id="Composition.extension:u1Einleitung.value[x]">
139     <path value="Composition.extension.value[x]" />
140     <mustSupport value="true" />
141   </element>

```

```

142     <element id="Composition.extension:u1Einleitung.value[x]:valueString">
143       <path value="Composition.extension.value[x]" />
144       <sliceName value="valueString" />
145       <fixedString value="U1 Elterninformation zur Neugeborenen-
Erstuntersuchung Unmittelbar nach der Geburt findet die erste Untersuchung
Ihres Babys statt. Die Ärztin oder der Arzt oder die Hebamme oder der
Entbindungspfleger vergewissern sich, dass Ihr Baby die Geburt gut
überstanden hat. Es geht bei der U1 vor allem darum, sofort
behandlungsbedürftige Zustände und äußerliche Fehlbildungen zu erkennen. So
können notwendige Sofortmaßnahmen eingeleitet und Komplikationen vermieden
werden. Das wird untersucht: • Mit dem sogenannten Apgar-Wert werden die
Hautfarbe des Babys, der Herzschlag, die Reflexe, die Muskelspannung und
die Atmung geprüft. Dieser Wert wird nach fünf und nochmals nach zehn
Minuten ermittelt. • Um sicher zu sein, dass Ihr Neugeborenes während der
Geburt ausreichend mit Sauerstoff versorgt worden ist, wird der Nabelschnur
Blut entnommen und dessen pH-Wert (Säuregrad) bestimmt. • Es wird nach
äußerlich erkennbaren Fehlbildungen geschaut. Ihr Baby wird gemessen und
gewogen und es erhält nach Rücksprache mit Ihnen Vitamin K, um inneren
Blutungen vorzubeugen. Zur Ernährung Ihres Kindes (Stillen oder andere
Ernährungsformen) werden Sie fachkundig beraten und können während der
gesamten Stillzeit und bei Ernährungsproblemen auf Hilfe zurückgreifen. In
den kommenden drei Tagen werden Ihnen für Ihr Baby weitere wichtige
Untersuchungen empfohlen. Diese sollen eine rechtzeitige Behandlung der
jeweiligen Erkrankungen ermöglichen. Der Test auf kritische angeborene
Herzfehler sollte nach der 24. bis zur 48. Lebensstunde Ihres Babys
durchgeführt werden. Die Tests auf angeborene Stoffwechselstörungen und
Mukoviszidose aus einigen Tropfen Blut Ihres Babys sollten zwischen der 36.
und 72. Lebensstunde erfolgen. Der Hörtest für Neugeborene sollte bis zur
72. Lebensstunde vorgenommen werden. Zu diesen Untersuchungen erhalten Sie
jeweils ein ausführliches Informationsblatt. Die nächste Untersuchung soll
vom 3. bis zum 10. Lebensstag (U2) vorgenommen werden." />
146     <mustSupport value="true" />
147   </element>
148
149
150   <element id="Composition.identifizier">
151     <path value="Composition.identifizier" />
152     <max value="0" />
153   </element>
154   <element id="Composition.status">
155     <path value="Composition.status" />
156     <fixedCode value="final" />
157   </element>
158   <element id="Composition.type">
159     <path value="Composition.type" />
160     <mustSupport value="true" />
161   </element>
162   <element id="Composition.type.coding">
163     <path value="Composition.type.coding" />
164     <min value="1" />
165     <max value="1" />
166     <mustSupport value="true" />
167   </element>
168   <element id="Composition.type.coding.system">
169     <path value="Composition.type.coding.system" />
170     <min value="1" />
171     <fixedUri value="http://snomed.info/sct" />
172   </element>
173   <element id="Composition.type.coding.version">
174     <path value="Composition.type.coding.version" />

```



```

175     <min value="1" />
176     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
177 </element>
178 <element id="Composition.type.coding.code">
179     <path value="Composition.type.coding.code" />
180     <min value="1" />
181     <fixedCode value="170099002" />
182 </element>
183 <element id="Composition.type.coding.display">
184     <path value="Composition.type.coding.display" />
185     <min value="1" />
186     <fixedString value="Child examination - birth (procedure)" />
187 </element>
188 <element id="Composition.type.coding.userSelected">
189     <path value="Composition.type.coding.userSelected" />
190     <max value="0" />
191 </element>
192 <element id="Composition.type.text">
193     <path value="Composition.type.text" />
194     <max value="0" />
195 </element>
196 <element id="Composition.category">
197     <path value="Composition.category" />
198     <min value="1" />
199     <max value="1" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Composition.category.coding">
203     <path value="Composition.category.coding" />
204     <min value="1" />
205     <max value="1" />
206     <mustSupport value="true" />
207 </element>
208 <element id="Composition.category.coding.system">
209     <path value="Composition.category.coding.system" />
210     <min value="1" />
211     <fixedUri value="http://snomed.info/sct" />
212 </element>
213 <element id="Composition.category.coding.version">
214     <path value="Composition.category.coding.version" />
215     <min value="1" />
216     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
217 </element>
218 <element id="Composition.category.coding.code">
219     <path value="Composition.category.coding.code" />
220     <min value="1" />
221     <fixedCode value="243788004" />
222 </element>
223 <element id="Composition.category.coding.display">
224     <path value="Composition.category.coding.display" />
225     <min value="1" />
226     <fixedString value="Child examination (procedure)" />
227 </element>
228 <element id="Composition.category.coding.userSelected">
229     <path value="Composition.category.coding.userSelected" />
230     <max value="0" />
231 </element>
232 <element id="Composition.category.text">

```

```

233     <path value="Composition.category.text" />
234     <max value="0" />
235 </element>
236 <element id="Composition.subject">
237     <path value="Composition.subject" />
238     <min value="1" />
239     <type>
240         <code value="Reference" />
241         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
242     </type>
243     <mustSupport value="true" />
244 </element>
245 <element id="Composition.subject.reference">
246     <path value="Composition.subject.reference" />
247     <min value="1" />
248     <mustSupport value="true" />
249 </element>
250 <element id="Composition.subject.type">
251     <path value="Composition.subject.type" />
252     <max value="0" />
253 </element>
254 <element id="Composition.subject.identifier">
255     <path value="Composition.subject.identifier" />
256     <max value="0" />
257 </element>
258 <element id="Composition.subject.display">
259     <path value="Composition.subject.display" />
260     <max value="0" />
261 </element>
262 <element id="Composition.encounter">
263     <path value="Composition.encounter" />
264     <min value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="Composition.encounter.reference">
272     <path value="Composition.encounter.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="Composition.encounter.type">
277     <path value="Composition.encounter.type" />
278     <max value="0" />
279 </element>
280 <element id="Composition.encounter.identifier">
281     <path value="Composition.encounter.identifier" />
282     <max value="0" />
283 </element>
284 <element id="Composition.encounter.display">
285     <path value="Composition.encounter.display" />
286     <max value="0" />
287 </element>
288 <element id="Composition.author">
289     <path value="Composition.author" />
290     <max value="2" />

```

```

291     <type>
292       <code value="Reference" />
293       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
294       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
295     </type>
296     <mustSupport value="true" />
297   </element>
298   <element id="Composition.author.reference">
299     <path value="Composition.author.reference" />
300     <min value="1" />
301     <mustSupport value="true" />
302   </element>
303   <element id="Composition.author.type">
304     <path value="Composition.author.type" />
305     <max value="0" />
306   </element>
307   <element id="Composition.author.identifier">
308     <path value="Composition.author.identifier" />
309     <max value="0" />
310   </element>
311   <element id="Composition.author.display">
312     <path value="Composition.author.display" />
313     <max value="0" />
314   </element>
315   <element id="Composition.title">
316     <path value="Composition.title" />
317     <fixedString value="U1" />
318     <mustSupport value="true" />
319   </element>
320   <element id="Composition.confidentiality">
321     <path value="Composition.confidentiality" />
322     <max value="0" />
323   </element>
324   <element id="Composition.attester">
325     <path value="Composition.attester" />
326     <max value="0" />
327   </element>
328   <element id="Composition.custodian">
329     <path value="Composition.custodian" />
330     <max value="0" />
331   </element>
332   <element id="Composition.relatesTo">
333     <path value="Composition.relatesTo" />
334     <max value="0" />
335   </element>
336   <element id="Composition.event">
337     <path value="Composition.event" />
338     <max value="0" />
339   </element>
340   <element id="Composition.section">
341     <path value="Composition.section" />
342     <slicing>
343       <discriminator>
344         <type value="value" />
345         <path value="title" />
346       </discriminator>
347       <rules value="closed" />
348     </slicing>

```

```

349     <mustSupport value="true" />
350 </element>
351 <element id="Composition.section:schwangerschaftsanamnese">
352   <path value="Composition.section" />
353   <sliceName value="schwangerschaftsanamnese" />
354   <min value="1" />
355   <max value="1" />
356   <mustSupport value="true" />
357 </element>
358 <element id="Composition.section:schwangerschaftsanamnese.extension">
359   <path value="Composition.section.extension" />
360   <slicing>
361     <discriminator>
362       <type value="value" />
363       <path value="url" />
364     </discriminator>
365     <rules value="open" />
366   </slicing>
367 </element>
368 <element id="Composition.section:schwangerschaftsanamnese.extension:anamneseAnweisung">
369   <path value="Composition.section.extension" />
370   <sliceName value="anamneseAnweisung" />
371   <min value="1" />
372   <max value="1" />
373   <type>
374     <code value="Extension" />
375     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
376   </type>
377   <mustSupport value="true" />
378 </element>
379 <element id="Composition.section:schwangerschaftsanamnese.extension:anamneseAnweisung.value[x]">
380   <path value="Composition.section.extension.value[x]" />
381   <mustSupport value="true" />
382 </element>
383 <element id="Composition.section:schwangerschaftsanamnese.extension:anamneseAnweisung.value[x]:valueString">
384   <path value="Composition.section.extension.value[x]" />
385   <sliceName value="valueString" />
386   <fixedString value="Zutreffendes bitte ankreuzen!" />
387   <mustSupport value="true" />
388 </element>
389 <element id="Composition.section:schwangerschaftsanamnese.title">
390   <path value="Composition.section.title" />
391   <min value="1" />
392   <fixedString value="Schwangerschaftsanamnese" />
393   <mustSupport value="true" />
394 </element>
395 <element id="Composition.section:schwangerschaftsanamnese.code">
396   <path value="Composition.section.code" />
397   <min value="1" />
398   <mustSupport value="true" />
399 </element>
400 <element id="Composition.section:schwangerschaftsanamnese.code.coding">
401   <path value="Composition.section.code.coding" />
402   <min value="1" />
403   <max value="1" />
404   <mustSupport value="true" />

```

```

405     </element>
406     <element id="Composition.section:schwangerschaftsanamnese.code.coding.s
system">
407         <path value="Composition.section.code.coding.system" />
408         <min value="1" />
409         <fixedUri value="http://snomed.info/sct" />
410     </element>
411     <element id="Composition.section:schwangerschaftsanamnese.code.coding.v
ersion">
412         <path value="Composition.section.code.coding.version" />
413         <min value="1" />
414         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
415     </element>
416     <element id="Composition.section:schwangerschaftsanamnese.code.coding.c
ode">
417         <path value="Composition.section.code.coding.code" />
418         <min value="1" />
419         <fixedCode value="160427003" />
420     </element>
421     <element id="Composition.section:schwangerschaftsanamnese.code.coding.d
isplay">
422         <path value="Composition.section.code.coding.display" />
423         <min value="1" />
424         <fixedString value="Family history with explicit context pertaining
to mother (situation)" />
425     </element>
426     <element id="Composition.section:schwangerschaftsanamnese.code.coding.u
serSelected">
427         <path value="Composition.section.code.coding.userSelected" />
428         <max value="0" />
429     </element>
430     <element id="Composition.section:schwangerschaftsanamnese.code.text">
431         <path value="Composition.section.code.text" />
432         <max value="0" />
433     </element>
434     <element id="Composition.section:schwangerschaftsanamnese.author">
435         <path value="Composition.section.author" />
436         <max value="0" />
437     </element>
438     <element id="Composition.section:schwangerschaftsanamnese.focus">
439         <path value="Composition.section.focus" />
440         <short value="The Focus in this Section is on the Childs Mother" />
441         <max value="0" />
442     </element>
443     <element id="Composition.section:schwangerschaftsanamnese.text">
444         <path value="Composition.section.text" />
445         <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
446         <min value="1" />
447     </element>
448     <element id="Composition.section:schwangerschaftsanamnese.text.status">
449         <path value="Composition.section.text.status" />
450         <fixedCode value="generated" />
451     </element>
452     <element id="Composition.section:schwangerschaftsanamnese.mode">
453         <path value="Composition.section.mode" />
454         <max value="0" />
455     </element>
456     <element id="Composition.section:schwangerschaftsanamnese.orderedBy">

```

```

457     <path value="Composition.section.orderedBy" />
458     <max value="0" />
459 </element>
460 <element id="Composition.section:schwangerschaftsanamnese.entry">
461     <path value="Composition.section.entry" />
462     <type>
463         <code value="Reference" />
464         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Pregnancy_History|1.0.1" />
465     </type>
466     <mustSupport value="true" />
467 </element>
468 <element id="Composition.section:schwangerschaftsanamnese.entry.referen
ce">
469     <path value="Composition.section.entry.reference" />
470     <min value="1" />
471     <mustSupport value="true" />
472 </element>
473 <element id="Composition.section:schwangerschaftsanamnese.entry.type">
474     <path value="Composition.section.entry.type" />
475     <max value="0" />
476 </element>
477 <element id="Composition.section:schwangerschaftsanamnese.entry.identif
ier">
478     <path value="Composition.section.entry.identifizier" />
479     <max value="0" />
480 </element>
481 <element id="Composition.section:schwangerschaftsanamnese.entry.display
">
482     <path value="Composition.section.entry.display" />
483     <max value="0" />
484 </element>
485 <element id="Composition.section:schwangerschaftsanamnese.emptyReason">
486     <path value="Composition.section.emptyReason" />
487     <mustSupport value="true" />
488 </element>
489 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding">
490     <path value="Composition.section.emptyReason.coding" />
491     <min value="1" />
492     <max value="1" />
493     <mustSupport value="true" />
494 </element>
495 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.system">
496     <path value="Composition.section.emptyReason.coding.system" />
497     <min value="1" />
498     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
499 </element>
500 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.version">
501     <path value="Composition.section.emptyReason.coding.version" />
502     <min value="1" />
503     <fixedString value="4.0.1" />
504 </element>
505 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.code">
506     <path value="Composition.section.emptyReason.coding.code" />
507     <min value="1" />

```

```

508     <fixedCode value="closed" />
509 </element>
510 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.display">
511     <path value="Composition.section.emptyReason.coding.display" />
512     <min value="1" />
513     <fixedString value="Closed" />
514 </element>
515 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.userSelected">
516     <path value="Composition.section.emptyReason.coding.userSelected" />
517     <max value="0" />
518 </element>
519 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.t
ext">
520     <path value="Composition.section.emptyReason.text" />
521     <max value="0" />
522 </element>
523 <element id="Composition.section:schwangerschaftsanamnese.section">
524     <path value="Composition.section.section" />
525     <max value="0" />
526 </element>
527 <element id="Composition.section:geburtsanamnese">
528     <path value="Composition.section" />
529     <sliceName value="geburtsanamnese" />
530     <min value="1" />
531     <max value="1" />
532     <mustSupport value="true" />
533 </element>
534 <element id="Composition.section:geburtsanamnese.extension">
535     <path value="Composition.section.extension" />
536     <slicing>
537         <discriminator>
538             <type value="value" />
539             <path value="url" />
540         </discriminator>
541         <rules value="open" />
542     </slicing>
543 </element>
544 <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung">
545     <path value="Composition.section.extension" />
546     <sliceName value="anamneseAnweisung" />
547     <min value="1" />
548     <max value="1" />
549     <type>
550         <code value="Extension" />
551         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
552     </type>
553     <mustSupport value="true" />
554 </element>
555 <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung.value[x]">
556     <path value="Composition.section.extension.value[x]" />
557     <mustSupport value="true" />
558 </element>
559 <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung.value[x]:valueString">
560     <path value="Composition.section.extension.value[x]" />

```

```

561     <sliceName value="valueString" />
562     <fixedString value="Zutreffendes bitte ankreuzen!" />
563     <mustSupport value="true" />
564 </element>
565 <element id="Composition.section:geburtsanamnese.title">
566     <path value="Composition.section.title" />
567     <min value="1" />
568     <fixedString value="Geburtsanamnese" />
569     <mustSupport value="true" />
570 </element>
571 <element id="Composition.section:geburtsanamnese.code">
572     <path value="Composition.section.code" />
573     <min value="1" />
574     <mustSupport value="true" />
575 </element>
576 <element id="Composition.section:geburtsanamnese.code.coding">
577     <path value="Composition.section.code.coding" />
578     <min value="1" />
579     <max value="1" />
580     <mustSupport value="true" />
581 </element>
582 <element id="Composition.section:geburtsanamnese.code.coding.system">
583     <path value="Composition.section.code.coding.system" />
584     <min value="1" />
585     <fixedUri value="http://snomed.info/sct" />
586 </element>
587 <element id="Composition.section:geburtsanamnese.code.coding.version">
588     <path value="Composition.section.code.coding.version" />
589     <min value="1" />
590     <fixedString value="http://snomed.info/sct/900000000000207008/
591 version/20210131" />
592 </element>
593 <element id="Composition.section:geburtsanamnese.code.coding.code">
594     <path value="Composition.section.code.coding.code" />
595     <min value="1" />
596     <fixedCode value="364319003" />
597 </element>
598 <element id="Composition.section:geburtsanamnese.code.coding.display">
599     <path value="Composition.section.code.coding.display" />
600     <min value="1" />
601     <fixedString value="Pregnancy, childbirth / puerperium observable
602 (observable entity)" />
603 </element>
604 <element id="Composition.section:geburtsanamnese.code.coding.userSelected">
605     <path value="Composition.section.code.coding.userSelected" />
606     <max value="0" />
607 </element>
608 <element id="Composition.section:geburtsanamnese.code.text">
609     <path value="Composition.section.code.text" />
610     <max value="0" />
611 </element>
612 <element id="Composition.section:geburtsanamnese.author">
613     <path value="Composition.section.author" />
614     <max value="0" />
615 </element>
616 <element id="Composition.section:geburtsanamnese.focus">
617     <path value="Composition.section.focus" />
618     <max value="0" />
619 </element>

```



```

618 <element id="Composition.section:geburtsanamnese.text">
619   <path value="Composition.section.text" />
620   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
621   <min value="1" />
622 </element>
623 <element id="Composition.section:geburtsanamnese.text.status">
624   <path value="Composition.section.text.status" />
625   <fixedCode value="generated" />
626 </element>
627 <element id="Composition.section:geburtsanamnese.mode">
628   <path value="Composition.section.mode" />
629   <max value="0" />
630 </element>
631 <element id="Composition.section:geburtsanamnese.orderedBy">
632   <path value="Composition.section.orderedBy" />
633   <max value="0" />
634 </element>
635 <element id="Composition.section:geburtsanamnese.entry">
636   <path value="Composition.section.entry" />
637   <max value="0" />
638 </element>
639 <element id="Composition.section:geburtsanamnese.emptyReason">
640   <path value="Composition.section.emptyReason" />
641   <mustSupport value="true" />
642 </element>
643 <element id="Composition.section:geburtsanamnese.emptyReason.coding">
644   <path value="Composition.section.emptyReason.coding" />
645   <min value="1" />
646   <max value="1" />
647   <mustSupport value="true" />
648 </element>
649 <element id="Composition.section:geburtsanamnese.emptyReason.coding.syst
em">
650   <path value="Composition.section.emptyReason.coding.system" />
651   <min value="1" />
652   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
653 </element>
654 <element id="Composition.section:geburtsanamnese.emptyReason.coding.ver
sion">
655   <path value="Composition.section.emptyReason.coding.version" />
656   <min value="1" />
657   <fixedString value="4.0.1" />
658 </element>
659 <element id="Composition.section:geburtsanamnese.emptyReason.coding.cod
e">
660   <path value="Composition.section.emptyReason.coding.code" />
661   <min value="1" />
662   <fixedCode value="closed" />
663 </element>
664 <element id="Composition.section:geburtsanamnese.emptyReason.coding.dis
play">
665   <path value="Composition.section.emptyReason.coding.display" />
666   <min value="1" />
667   <fixedString value="Closed" />
668 </element>
669 <element id="Composition.section:geburtsanamnese.emptyReason.coding.use
rSelected">
670   <path value="Composition.section.emptyReason.coding.userSelected" />

```

```

671     <max value="0" />
672 </element>
673 <element id="Composition.section.geburtsanamnese.emptyReason.text">
674   <path value="Composition.section.emptyReason.text" />
675   <max value="0" />
676 </element>
677 <element id="Composition.section.geburtsanamnese.section">
678   <path value="Composition.section.section" />
679   <slicing>
680     <discriminator>
681       <type value="value" />
682       <path value="title" />
683     </discriminator>
684     <rules value="closed" />
685   </slicing>
686   <mustSupport value="true" />
687 </element>
688 <element id="Composition.section.geburtsanamnese.section.geschlecht">
689   <path value="Composition.section.section" />
690   <sliceName value="geschlecht" />
691   <max value="1" />
692   <mustSupport value="true" />
693 </element>
694 <element id="Composition.section.geburtsanamnese.section.geschlecht.tit
695 le">
696   <path value="Composition.section.section.title" />
697   <min value="1" />
698   <fixedString value="Geschlecht" />
699   <mustSupport value="true" />
700 </element>
701 <element id="Composition.section.geburtsanamnese.section.geschlecht.cod
702 e">
703   <path value="Composition.section.section.code" />
704   <min value="1" />
705   <mustSupport value="true" />
706 </element>
707 <element id="Composition.section.geburtsanamnese.section.geschlecht.cod
708 e.coding">
709   <path value="Composition.section.section.code.coding" />
710   <min value="1" />
711   <max value="1" />
712   <mustSupport value="true" />
713 </element>
714 <element id="Composition.section.geburtsanamnese.section.geschlecht.cod
715 e.coding.system">
716   <path value="Composition.section.section.code.coding.system" />
717   <min value="1" />
718   <fixedUri value="http://snomed.info/sct" />
719 </element>
720 <element id="Composition.section.geburtsanamnese.section.geschlecht.cod
721 e.coding.version">
722   <path value="Composition.section.section.code.coding.version" />
723   <min value="1" />
724   <fixedString value="http://snomed.info/sct/900000000000207008/
725 version/20210131" />
726 </element>
727 <element id="Composition.section.geburtsanamnese.section.geschlecht.cod
728 e.coding.code">
729   <path value="Composition.section.section.code.coding.code" />
730   <min value="1" />

```

```

724     <fixedCode value="263495000" />
725   </element>
726   <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding.display">
727     <path value="Composition.section.section.code.coding.display" />
728     <min value="1" />
729     <fixedString value="Gender (observable entity)" />
730   </element>
731   <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding.userSelected">
732     <path value="Composition.section.section.code.coding.userSelected" />
733     <max value="0" />
734   </element>
735   <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.text">
736     <path value="Composition.section.section.code.text" />
737     <max value="0" />
738   </element>
739   <element id="Composition.section:geburtsanamnese.section:geschlecht.aut
hor">
740     <path value="Composition.section.section.author" />
741     <max value="0" />
742   </element>
743   <element id="Composition.section:geburtsanamnese.section:geschlecht.foc
us">
744     <path value="Composition.section.section.focus" />
745     <max value="0" />
746   </element>
747   <element id="Composition.section:geburtsanamnese.section:geschlecht.tex
t">
748     <path value="Composition.section.section.text" />
749     <max value="0" />
750   </element>
751   <element id="Composition.section:geburtsanamnese.section:geschlecht.mod
e">
752     <path value="Composition.section.section.mode" />
753     <max value="0" />
754   </element>
755   <element id="Composition.section:geburtsanamnese.section:geschlecht.ord
eredBy">
756     <path value="Composition.section.section.orderedBy" />
757     <max value="0" />
758   </element>
759   <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry">
760     <path value="Composition.section.section.entry" />
761     <min value="1" />
762     <max value="1" />
763     <type>
764       <code value="Reference" />
765       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Gender_Birth_History|1.0.1" />
766     </type>
767     <mustSupport value="true" />
768   </element>
769   <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.reference">
770     <path value="Composition.section.section.entry.reference" />
771     <min value="1" />
772     <mustSupport value="true" />

```

```

773     </element>
774     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.type">
775         <path value="Composition.section.section.entry.type" />
776         <max value="0" />
777     </element>
778     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.identifizier">
779         <path value="Composition.section.section.entry.identifizier" />
780         <max value="0" />
781     </element>
782     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.display">
783         <path value="Composition.section.section.entry.display" />
784         <max value="0" />
785     </element>
786     <element id="Composition.section:geburtsanamnese.section:geschlecht.emp
tyReason">
787         <path value="Composition.section.section.emptyReason" />
788         <max value="0" />
789     </element>
790     <element id="Composition.section:geburtsanamnese.section:geschlecht.sec
tion">
791         <path value="Composition.section.section.section" />
792         <max value="0" />
793     </element>
794     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik">
795         <path value="Composition.section.section" />
796         <sliceName value="befundePraenatalerDiagnostik" />
797         <max value="1" />
798         <mustSupport value="true" />
799     </element>
800     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.title">
801         <path value="Composition.section.section.title" />
802         <min value="1" />
803         <fixedString value="Soweit vorhanden, Befunde einer pränatalen
Diagnostik:" />
804         <mustSupport value="true" />
805     </element>
806     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code">
807         <path value="Composition.section.section.code" />
808         <min value="1" />
809         <mustSupport value="true" />
810     </element>
811     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding">
812         <path value="Composition.section.section.code.coding" />
813         <slicing>
814             <discriminator>
815                 <type value="value" />
816                 <path value="system" />
817             </discriminator>
818             <rules value="closed" />
819         </slicing>
820         <min value="2" />
821         <max value="2" />
822         <mustSupport value="true" />

```

```

823     </element>
824     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed">
825         <path value="Composition.section.section.code.coding" />
826         <sliceName value="codeSnomed" />
827         <min value="1" />
828         <max value="1" />
829         <mustSupport value="true" />
830     </element>
831     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.system">
832         <path value="Composition.section.section.code.coding.system" />
833         <min value="1" />
834         <fixedUri value="http://snomed.info/sct" />
835     </element>
836     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.version">
837         <path value="Composition.section.section.code.coding.version" />
838         <min value="1" />
839         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
840     </element>
841     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.code">
842         <path value="Composition.section.section.code.coding.code" />
843         <min value="1" />
844         <fixedCode value="313199003" />
845     </element>
846     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.display">
847         <path value="Composition.section.section.code.coding.display" />
848         <min value="1" />
849         <fixedString value="Antenatal screening finding (observable
entity)" />
850     </element>
851     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.userSelected">
852         <path value="Composition.section.section.code.coding.userSelected" />
853         <max value="0" />
854     </element>
855     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc">
856         <path value="Composition.section.section.code.coding" />
857         <sliceName value="codeLoinc" />
858         <min value="1" />
859         <max value="1" />
860         <mustSupport value="true" />
861     </element>
862     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.system">
863         <path value="Composition.section.section.code.coding.system" />
864         <min value="1" />
865         <fixedUri value="http://loinc.org" />
866     </element>
867     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.version">
868         <path value="Composition.section.section.code.coding.version" />
869         <min value="1" />
870         <fixedString value="2.69" />
871     </element>

```

```

872     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.code">
873       <path value="Composition.section.section.code.coding.code" />
874       <min value="1" />
875       <fixedCode value="57078-8" />
876     </element>
877     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.display">
878       <path value="Composition.section.section.code.coding.display" />
879       <min value="1" />
880       <fixedString value="Antenatal testing and surveillance Narrative" />
881     </element>
882     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.userSelected">
883       <path value="Composition.section.section.code.coding.userSelected" />
884       <max value="0" />
885     </element>
886     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.text">
887       <path value="Composition.section.section.code.text" />
888       <max value="0" />
889     </element>
890     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.author">
891       <path value="Composition.section.section.author" />
892       <max value="0" />
893     </element>
894     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.focus">
895       <path value="Composition.section.section.focus" />
896       <max value="0" />
897     </element>
898     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.text">
899       <path value="Composition.section.section.text" />
900       <max value="0" />
901     </element>
902     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.mode">
903       <path value="Composition.section.section.mode" />
904       <max value="0" />
905     </element>
906     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.orderedBy">
907       <path value="Composition.section.section.orderedBy" />
908       <max value="0" />
909     </element>
910     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry">
911       <path value="Composition.section.section.entry" />
912       <min value="1" />
913       <max value="1" />
914       <type>
915         <code value="Reference" />
916         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Prenatal_Finding|1.0.1" />
917       </type>
918       <mustSupport value="true" />
919     </element>

```

```

920     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.reference">
921       <path value="Composition.section.section.entry.reference" />
922       <min value="1" />
923       <mustSupport value="true" />
924     </element>
925     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.type">
926       <path value="Composition.section.section.entry.type" />
927       <max value="0" />
928     </element>
929     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.identifizier">
930       <path value="Composition.section.section.entry.identifizier" />
931       <max value="0" />
932     </element>
933     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.display">
934       <path value="Composition.section.section.entry.display" />
935       <max value="0" />
936     </element>
937     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.emptyReason">
938       <path value="Composition.section.section.emptyReason" />
939       <max value="0" />
940     </element>
941     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.section">
942       <path value="Composition.section.section.section" />
943       <max value="0" />
944     </element>
945     <element id="Composition.section:geburtsanamnese.section:baseExcess">
946       <path value="Composition.section.section" />
947       <sliceName value="baseExcess" />
948       <max value="1" />
949       <mustSupport value="true" />
950     </element>
951     <element id="Composition.section:geburtsanamnese.section:baseExcess.tit
le">
952       <path value="Composition.section.section.title" />
953       <min value="1" />
954       <fixedString value="Base excess" />
955       <mustSupport value="true" />
956     </element>
957     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e">
958       <path value="Composition.section.section.code" />
959       <min value="1" />
960       <mustSupport value="true" />
961     </element>
962     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding">
963       <path value="Composition.section.section.code.coding" />
964       <slicing>
965         <discriminator>
966           <type value="value" />
967           <path value="system" />
968         </discriminator>
969         <rules value="closed" />
970       </slicing>

```

```

971     <min value="2" />
972     <max value="2" />
973     <mustSupport value="true" />
974   </element>
975   <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed">
976     <path value="Composition.section.section.code.coding" />
977     <sliceName value="codeSnomed" />
978     <min value="1" />
979     <max value="1" />
980     <mustSupport value="true" />
981   </element>
982   <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.system">
983     <path value="Composition.section.section.code.coding.system" />
984     <min value="1" />
985     <fixedUri value="http://snomed.info/sct" />
986   </element>
987   <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.version">
988     <path value="Composition.section.section.code.coding.version" />
989     <min value="1" />
990     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
991   </element>
992   <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.code">
993     <path value="Composition.section.section.code.coding.code" />
994     <min value="1" />
995     <fixedCode value="363787002:370134009=123029007,704319004=12499000,11
8598001=118556004,370132008=30766002,704327008=703430008,246093002=68615006
,246501002=723208001" />
996   </element>
997   <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.display">
998     <path value="Composition.section.section.code.coding.display" />
999     <min value="1" />
1000     <fixedString value="Observable entity (observable entity) : Time
aspect (attribute) = Single point in time (qualifier value) , Inheres in
(attribute) = Cord blood (substance) , Property (attribute) = Substance
concentration (property) (qualifier value) , Scale type (attribute) =
Quantitative (qualifier value) , Direct site (attribute) = Arterial cord
blood specimen (specimen) , Component (attribute) = Bicarbonate
(substance) , Technique (attribute) = Base excess calculation technique
(qualifier value)" />
1001   </element>
1002   <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.userSelected">
1003     <path value="Composition.section.section.code.coding.userSelected" />
1004     <max value="0" />
1005   </element>
1006   <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc">
1007     <path value="Composition.section.section.code.coding" />
1008     <sliceName value="codeLoinc" />
1009     <min value="1" />
1010     <max value="1" />
1011     <mustSupport value="true" />
1012   </element>

```



```

1013     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.system">
1014         <path value="Composition.section.section.code.coding.system" />
1015         <min value="1" />
1016         <fixedUri value="http://loinc.org" />
1017     </element>
1018     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.version">
1019         <path value="Composition.section.section.code.coding.version" />
1020         <min value="1" />
1021         <fixedString value="2.69" />
1022     </element>
1023     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.code">
1024         <path value="Composition.section.section.code.coding.code" />
1025         <min value="1" />
1026         <fixedCode value="28638-5" />
1027     </element>
1028     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.display">
1029         <path value="Composition.section.section.code.coding.display" />
1030         <min value="1" />
1031         <fixedString value="Base excess in Arterial cord blood by
calculation" />
1032     </element>
1033     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.userSelected">
1034         <path value="Composition.section.section.code.coding.userSelected" />
1035         <max value="0" />
1036     </element>
1037     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.text">
1038         <path value="Composition.section.section.code.text" />
1039         <max value="0" />
1040     </element>
1041     <element id="Composition.section:geburtsanamnese.section:baseExcess.aut
hor">
1042         <path value="Composition.section.section.author" />
1043         <max value="0" />
1044     </element>
1045     <element id="Composition.section:geburtsanamnese.section:baseExcess.foc
us">
1046         <path value="Composition.section.section.focus" />
1047         <max value="0" />
1048     </element>
1049     <element id="Composition.section:geburtsanamnese.section:baseExcess.tex
t">
1050         <path value="Composition.section.section.text" />
1051         <max value="0" />
1052     </element>
1053     <element id="Composition.section:geburtsanamnese.section:baseExcess.mod
e">
1054         <path value="Composition.section.section.mode" />
1055         <max value="0" />
1056     </element>
1057     <element id="Composition.section:geburtsanamnese.section:baseExcess.ord
eredBy">
1058         <path value="Composition.section.section.orderedBy" />
1059         <max value="0" />
1060     </element>

```

```

1061     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry">
1062       <path value="Composition.section.section.entry" />
1063       <min value="1" />
1064       <max value="1" />
1065       <type>
1066         <code value="Reference" />
1067         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Base_Excess|1.0.1" />
1068       </type>
1069       <mustSupport value="true" />
1070     </element>
1071     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.reference">
1072       <path value="Composition.section.section.entry.reference" />
1073       <min value="1" />
1074       <mustSupport value="true" />
1075     </element>
1076     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.type">
1077       <path value="Composition.section.section.entry.type" />
1078       <max value="0" />
1079     </element>
1080     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.identifier">
1081       <path value="Composition.section.section.entry.identifier" />
1082       <max value="0" />
1083     </element>
1084     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.display">
1085       <path value="Composition.section.section.entry.display" />
1086       <max value="0" />
1087     </element>
1088     <element id="Composition.section:geburtsanamnese.section:baseExcess.emp
tyReason">
1089       <path value="Composition.section.section.emptyReason" />
1090       <max value="0" />
1091     </element>
1092     <element id="Composition.section:geburtsanamnese.section:baseExcess.sec
tion">
1093       <path value="Composition.section.section.section" />
1094       <max value="0" />
1095     </element>
1096     <element id="Composition.section:geburtsanamnese.section:phWert">
1097       <path value="Composition.section.section" />
1098       <sliceName value="phWert" />
1099       <max value="1" />
1100       <mustSupport value="true" />
1101     </element>
1102     <element id="Composition.section:geburtsanamnese.section:phWert.title">
1103       <path value="Composition.section.section.title" />
1104       <min value="1" />
1105       <fixedString value="pH-Wert (Nabelarterie)" />
1106       <mustSupport value="true" />
1107     </element>
1108     <element id="Composition.section:geburtsanamnese.section:phWert.code">
1109       <path value="Composition.section.section.code" />
1110       <min value="1" />
1111       <mustSupport value="true" />
1112     </element>

```

```

1113     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding">
1114       <path value="Composition.section.section.code.coding" />
1115       <slicing>
1116         <discriminator>
1117           <type value="value" />
1118           <path value="system" />
1119         </discriminator>
1120         <rules value="closed" />
1121       </slicing>
1122       <min value="2" />
1123       <max value="2" />
1124       <mustSupport value="true" />
1125     </element>
1126     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed">
1127       <path value="Composition.section.section.code.coding" />
1128       <sliceName value="codeSnomed" />
1129       <min value="1" />
1130       <max value="1" />
1131       <mustSupport value="true" />
1132     </element>
1133     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.system">
1134       <path value="Composition.section.section.code.coding.system" />
1135       <min value="1" />
1136       <fixedUri value="http://snomed.info/sct" />
1137     </element>
1138     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.version">
1139       <path value="Composition.section.section.code.coding.version" />
1140       <min value="1" />
1141       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1142     </element>
1143     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.code">
1144       <path value="Composition.section.section.code.coding.code" />
1145       <min value="1" />
1146       <fixedCode value="363787002:370134009=123029007,704319004=12499000,24
6093002=89177007,704318007=702700007,370132008=30766002,704327008=703430008
" />
1147     </element>
1148     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.display">
1149       <path value="Composition.section.section.code.coding.display" />
1150       <min value="1" />
1151       <fixedString value="Observable entity (observable value) : Time
aspect (attribute) = Single point in time (qualifier value) , Inheres in
(attribute) = Cord blood (substance) , Component (attribute) = Proton
(substance) , Property type (attribute) = Logarithmic substance
concentration (property) (qualifier value) , Scale type (attribute) =
Quantitative (qualifier value) , Direct site (attribute) = Arterial cord
blood specimen (specimen)" />
1152     </element>
1153     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.userSelected">
1154       <path value="Composition.section.section.code.coding.userSelected" />
1155       <max value="0" />
1156     </element>

```

```

1157     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc">
1158         <path value="Composition.section.section.code.coding" />
1159         <sliceName value="codeLoinc" />
1160         <min value="1" />
1161         <max value="1" />
1162         <mustSupport value="true" />
1163     </element>
1164     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.system">
1165         <path value="Composition.section.section.code.coding.system" />
1166         <min value="1" />
1167         <fixedUri value="http://loinc.org" />
1168     </element>
1169     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.version">
1170         <path value="Composition.section.section.code.coding.version" />
1171         <min value="1" />
1172         <fixedString value="2.69" />
1173     </element>
1174     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.code">
1175         <path value="Composition.section.section.code.coding.code" />
1176         <min value="1" />
1177         <fixedCode value="28646-8" />
1178     </element>
1179     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.display">
1180         <path value="Composition.section.section.code.coding.display" />
1181         <min value="1" />
1182         <fixedString value="pH of Arterial cord blood" />
1183     </element>
1184     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.userSelected">
1185         <path value="Composition.section.section.code.coding.userSelected" />
1186         <max value="0" />
1187     </element>
1188     <element id="Composition.section:geburtsanamnese.section:phWert.code.te
xt">
1189         <path value="Composition.section.section.code.text" />
1190         <max value="0" />
1191     </element>
1192     <element id="Composition.section:geburtsanamnese.section:phWert.author">
1193         <path value="Composition.section.section.author" />
1194         <max value="0" />
1195     </element>
1196     <element id="Composition.section:geburtsanamnese.section:phWert.focus">
1197         <path value="Composition.section.section.focus" />
1198         <max value="0" />
1199     </element>
1200     <element id="Composition.section:geburtsanamnese.section:phWert.text">
1201         <path value="Composition.section.section.text" />
1202         <max value="0" />
1203     </element>
1204     <element id="Composition.section:geburtsanamnese.section:phWert.mode">
1205         <path value="Composition.section.section.mode" />
1206         <max value="0" />
1207     </element>
1208     <element id="Composition.section:geburtsanamnese.section:phWert.ordered
By">

```

```

1209     <path value="Composition.section.section.orderedBy" />
1210     <max value="0" />
1211 </element>
1212 <element id="Composition.section:geburtsanamnese.section:phWert.entry">
1213     <path value="Composition.section.section.entry" />
1214     <min value="1" />
1215     <max value="1" />
1216     <type>
1217         <code value="Reference" />
1218         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_pH_Value|1.0.1" />
1219     </type>
1220     <mustSupport value="true" />
1221 </element>
1222 <element id="Composition.section:geburtsanamnese.section:phWert.entry.r
eference">
1223     <path value="Composition.section.section.entry.reference" />
1224     <min value="1" />
1225     <mustSupport value="true" />
1226 </element>
1227 <element id="Composition.section:geburtsanamnese.section:phWert.entry.t
ype">
1228     <path value="Composition.section.section.entry.type" />
1229     <max value="0" />
1230 </element>
1231 <element id="Composition.section:geburtsanamnese.section:phWert.entry.i
dentifizier">
1232     <path value="Composition.section.section.entry.identifizier" />
1233     <max value="0" />
1234 </element>
1235 <element id="Composition.section:geburtsanamnese.section:phWert.entry.d
isplay">
1236     <path value="Composition.section.section.entry.display" />
1237     <max value="0" />
1238 </element>
1239 <element id="Composition.section:geburtsanamnese.section:phWert.emptyRe
ason">
1240     <path value="Composition.section.section.emptyReason" />
1241     <max value="0" />
1242 </element>
1243 <element id="Composition.section:geburtsanamnese.section:phWert.section
">
1244     <path value="Composition.section.section.section" />
1245     <max value="0" />
1246 </element>
1247 <element id="Composition.section:geburtsanamnese.section:kindslage">
1248     <path value="Composition.section.section" />
1249     <sliceName value="kindslage" />
1250     <max value="1" />
1251     <mustSupport value="true" />
1252 </element>
1253 <element id="Composition.section:geburtsanamnese.section:kindslage.titl
e">
1254     <path value="Composition.section.section.title" />
1255     <min value="1" />
1256     <fixedString value="Kindslage" />
1257     <mustSupport value="true" />
1258 </element>
1259 <element id="Composition.section:geburtsanamnese.section:kindslage.code
">

```

```

1260     <path value="Composition.section.section.code" />
1261     <min value="1" />
1262     <mustSupport value="true" />
1263 </element>
1264 <element id="Composition.section:geburtsanamnese.section:kindslage.code
.coding">
1265     <path value="Composition.section.section.code.coding" />
1266     <min value="1" />
1267     <max value="1" />
1268     <mustSupport value="true" />
1269 </element>
1270 <element id="Composition.section:geburtsanamnese.section:kindslage.code
.coding.system">
1271     <path value="Composition.section.section.code.coding.system" />
1272     <min value="1" />
1273     <fixedUri value="http://snomed.info/sct" />
1274 </element>
1275 <element id="Composition.section:geburtsanamnese.section:kindslage.code
.coding.version">
1276     <path value="Composition.section.section.code.coding.version" />
1277     <min value="1" />
1278     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1279 </element>
1280 <element id="Composition.section:geburtsanamnese.section:kindslage.code
.coding.code">
1281     <path value="Composition.section.section.code.coding.code" />
1282     <min value="1" />
1283     <fixedCode value="364607000" />
1284 </element>
1285 <element id="Composition.section:geburtsanamnese.section:kindslage.code
.coding.display">
1286     <path value="Composition.section.section.code.coding.display" />
1287     <min value="1" />
1288     <fixedString value="Position of fetus (observable entity)" />
1289 </element>
1290 <element id="Composition.section:geburtsanamnese.section:kindslage.code
.coding.userSelected">
1291     <path value="Composition.section.section.code.coding.userSelected" />
1292     <max value="0" />
1293 </element>
1294 <element id="Composition.section:geburtsanamnese.section:kindslage.code
.text">
1295     <path value="Composition.section.section.code.text" />
1296     <max value="0" />
1297 </element>
1298 <element id="Composition.section:geburtsanamnese.section:kindslage.auth
or">
1299     <path value="Composition.section.section.author" />
1300     <max value="0" />
1301 </element>
1302 <element id="Composition.section:geburtsanamnese.section:kindslage.focu
s">
1303     <path value="Composition.section.section.focus" />
1304     <max value="0" />
1305 </element>
1306 <element id="Composition.section:geburtsanamnese.section:kindslage.text
">
1307     <path value="Composition.section.section.text" />
1308     <max value="0" />

```

```

1309     </element>
1310     <element id="Composition.section:geburtsanamnese.section:kindslage.mode
">
1311         <path value="Composition.section.section.mode" />
1312         <max value="0" />
1313     </element>
1314     <element id="Composition.section:geburtsanamnese.section:kindslage.orde
redBy">
1315         <path value="Composition.section.section.orderedBy" />
1316         <max value="0" />
1317     </element>
1318     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y">
1319         <path value="Composition.section.section.entry" />
1320         <min value="1" />
1321         <max value="1" />
1322         <type>
1323             <code value="Reference" />
1324             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Foetal_Position|1.0.1" />
1325             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Different_Foetal_Position|1.0.1" />
1326         </type>
1327         <mustSupport value="true" />
1328     </element>
1329     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.reference">
1330         <path value="Composition.section.section.entry.reference" />
1331         <min value="1" />
1332         <mustSupport value="true" />
1333     </element>
1334     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.type">
1335         <path value="Composition.section.section.entry.type" />
1336         <max value="0" />
1337     </element>
1338     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.identifizier">
1339         <path value="Composition.section.section.entry.identifizier" />
1340         <max value="0" />
1341     </element>
1342     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.display">
1343         <path value="Composition.section.section.entry.display" />
1344         <max value="0" />
1345     </element>
1346     <element id="Composition.section:geburtsanamnese.section:kindslage.empt
yReason">
1347         <path value="Composition.section.section.emptyReason" />
1348         <max value="0" />
1349     </element>
1350     <element id="Composition.section:geburtsanamnese.section:kindslage.sect
ion">
1351         <path value="Composition.section.section.section" />
1352         <max value="0" />
1353     </element>
1354     <element id="Composition.section:geburtsanamnese.section:geburtsmodus">
1355         <path value="Composition.section.section" />
1356         <sliceName value="geburtsmodus" />
1357         <max value="1" />

```

```

1358     <mustSupport value="true" />
1359 </element>
1360 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.t
title">
1361     <path value="Composition.section.section.title" />
1362     <min value="1" />
1363     <fixedString value="Geburtsmodus" />
1364     <mustSupport value="true" />
1365 </element>
1366 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode">
1367     <path value="Composition.section.section.code" />
1368     <min value="1" />
1369     <mustSupport value="true" />
1370 </element>
1371 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.coding">
1372     <path value="Composition.section.section.code.coding" />
1373     <min value="1" />
1374     <max value="1" />
1375     <mustSupport value="true" />
1376 </element>
1377 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.coding.system">
1378     <path value="Composition.section.section.code.coding.system" />
1379     <min value="1" />
1380     <fixedUri value="http://snomed.info/sct" />
1381 </element>
1382 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.coding.version">
1383     <path value="Composition.section.section.code.coding.version" />
1384     <min value="1" />
1385     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1386 </element>
1387 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.coding.code">
1388     <path value="Composition.section.section.code.coding.code" />
1389     <min value="1" />
1390     <fixedCode value="394698008" />
1391 </element>
1392 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.coding.display">
1393     <path value="Composition.section.section.code.coding.display" />
1394     <min value="1" />
1395     <fixedString value="Birth history (situation)" />
1396 </element>
1397 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.coding.userSelected">
1398     <path value="Composition.section.section.code.coding.userSelected" />
1399     <max value="0" />
1400 </element>
1401 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.text">
1402     <path value="Composition.section.section.code.text" />
1403     <max value="0" />
1404 </element>
1405 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.a
uthor">
1406     <path value="Composition.section.section.author" />

```



```

1407     <max value="0" />
1408   </element>
1409   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.f
ocus">
1410     <path value="Composition.section.section.focus" />
1411     <max value="0" />
1412   </element>
1413   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.t
ext">
1414     <path value="Composition.section.section.text" />
1415     <max value="0" />
1416   </element>
1417   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.m
ode">
1418     <path value="Composition.section.section.mode" />
1419     <max value="0" />
1420   </element>
1421   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.o
rderedBy">
1422     <path value="Composition.section.section.orderedBy" />
1423     <max value="0" />
1424   </element>
1425   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry">
1426     <path value="Composition.section.section.entry" />
1427     <min value="1" />
1428     <max value="1" />
1429     <type>
1430       <code value="Reference" />
1431       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Birthmode|1.0.1" />
1432     </type>
1433     <mustSupport value="true" />
1434   </element>
1435   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.reference">
1436     <path value="Composition.section.section.entry.reference" />
1437     <min value="1" />
1438     <mustSupport value="true" />
1439   </element>
1440   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.type">
1441     <path value="Composition.section.section.entry.type" />
1442     <max value="0" />
1443   </element>
1444   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.identifier">
1445     <path value="Composition.section.section.entry.identifier" />
1446     <max value="0" />
1447   </element>
1448   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.display">
1449     <path value="Composition.section.section.entry.display" />
1450     <max value="0" />
1451   </element>
1452   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
mptyReason">
1453     <path value="Composition.section.section.emptyReason" />
1454     <max value="0" />
1455   </element>

```

```

1456     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.s
action">
1457         <path value="Composition.section.section.section" />
1458         <max value="0" />
1459     </element>
1460     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit">
1461         <path value="Composition.section.section" />
1462         <sliceName value="geburtsdatumUhrzeit" />
1463         <max value="1" />
1464         <mustSupport value="true" />
1465     </element>
1466     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.title">
1467         <path value="Composition.section.section.title" />
1468         <min value="1" />
1469         <fixedString value="Geburtsdatum" />
1470         <mustSupport value="true" />
1471     </element>
1472     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code">
1473         <path value="Composition.section.section.code" />
1474         <min value="1" />
1475         <mustSupport value="true" />
1476     </element>
1477     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding">
1478         <path value="Composition.section.section.code.coding" />
1479         <min value="1" />
1480         <max value="1" />
1481         <mustSupport value="true" />
1482     </element>
1483     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding.system">
1484         <path value="Composition.section.section.code.coding.system" />
1485         <min value="1" />
1486         <fixedUri value="http://snomed.info/sct" />
1487     </element>
1488     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding.version">
1489         <path value="Composition.section.section.code.coding.version" />
1490         <min value="1" />
1491         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1492     </element>
1493     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding.code">
1494         <path value="Composition.section.section.code.coding.code" />
1495         <min value="1" />
1496         <fixedCode value="184099003+397836004" />
1497     </element>
1498     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding.display">
1499         <path value="Composition.section.section.code.coding.display" />
1500         <min value="1" />
1501         <fixedString value="Date of birth (observable entity) + Time of
delivery (observable entity)" />
1502     </element>
1503     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding.userSelected">

```

```

1504     <path value="Composition.section.section.code.coding.userSelected" />
1505     <max value="0" />
1506   </element>
1507   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.text">
1508     <path value="Composition.section.section.code.text" />
1509     <max value="0" />
1510   </element>
1511   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.author">
1512     <path value="Composition.section.section.author" />
1513     <max value="0" />
1514   </element>
1515   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.focus">
1516     <path value="Composition.section.section.focus" />
1517     <max value="0" />
1518   </element>
1519   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.text">
1520     <path value="Composition.section.section.text" />
1521     <max value="0" />
1522   </element>
1523   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.mode">
1524     <path value="Composition.section.section.mode" />
1525     <max value="0" />
1526   </element>
1527   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.orderedBy">
1528     <path value="Composition.section.section.orderedBy" />
1529     <max value="0" />
1530   </element>
1531   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry">
1532     <path value="Composition.section.section.entry" />
1533     <min value="1" />
1534     <max value="1" />
1535     <type>
1536       <code value="Reference" />
1537       <targetProfile value="https://fhir.kbv.de/StructureDefinition/KBV_PR_MIO_CMRObservation_U1_U3_Date_Time_of_Birth|1.0.1" />
1538     </type>
1539     <mustSupport value="true" />
1540   </element>
1541   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.reference">
1542     <path value="Composition.section.section.entry.reference" />
1543     <min value="1" />
1544     <mustSupport value="true" />
1545   </element>
1546   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.type">
1547     <path value="Composition.section.section.entry.type" />
1548     <max value="0" />
1549   </element>
1550   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.identifier">
1551     <path value="Composition.section.section.entry.identifier" />
1552     <max value="0" />

```

```

1553     </element>
1554     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.display">
1555         <path value="Composition.section.section.entry.display" />
1556         <max value="0" />
1557     </element>
1558     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.emptyReason">
1559         <path value="Composition.section.section.emptyReason" />
1560         <max value="0" />
1561     </element>
1562     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.section">
1563         <path value="Composition.section.section.section" />
1564         <max value="0" />
1565     </element>
1566     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage">
1567         <path value="Composition.section.section" />
1568         <sliceName value="schwangerschaftswocheTage" />
1569         <max value="1" />
1570         <mustSupport value="true" />
1571     </element>
1572     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.title">
1573         <path value="Composition.section.section.title" />
1574         <min value="1" />
1575         <fixedString value="SSW (Wochen+Tage)" />
1576         <mustSupport value="true" />
1577     </element>
1578     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code">
1579         <path value="Composition.section.section.code" />
1580         <min value="1" />
1581         <mustSupport value="true" />
1582     </element>
1583     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding">
1584         <path value="Composition.section.section.code.coding" />
1585         <min value="1" />
1586         <max value="1" />
1587         <mustSupport value="true" />
1588     </element>
1589     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.system">
1590         <path value="Composition.section.section.code.coding.system" />
1591         <min value="1" />
1592         <fixedUri value="http://snomed.info/sct" />
1593     </element>
1594     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.version">
1595         <path value="Composition.section.section.code.coding.version" />
1596         <min value="1" />
1597         <fixedString value="http://snomed.info/sct/900000000000207008/version/20210131" />
1598     </element>
1599     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.code">
1600         <path value="Composition.section.section.code.coding.code" />
1601         <min value="1" />

```

```

1602     <fixedCode value="412726003" />
1603   </element>
1604   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.code.coding.display">
1605     <path value="Composition.section.section.code.coding.display" />
1606     <min value="1" />
1607     <fixedString value="Length of gestation at birth (observable
entity)" />
1608   </element>
1609   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.code.coding.userSelected">
1610     <path value="Composition.section.section.code.coding.userSelected" />
1611     <max value="0" />
1612   </element>
1613   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.code.text">
1614     <path value="Composition.section.section.code.text" />
1615     <max value="0" />
1616   </element>
1617   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.author">
1618     <path value="Composition.section.section.author" />
1619     <max value="0" />
1620   </element>
1621   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.focus">
1622     <path value="Composition.section.section.focus" />
1623     <max value="0" />
1624   </element>
1625   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.text">
1626     <path value="Composition.section.section.text" />
1627     <max value="0" />
1628   </element>
1629   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.mode">
1630     <path value="Composition.section.section.mode" />
1631     <max value="0" />
1632   </element>
1633   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.orderedBy">
1634     <path value="Composition.section.section.orderedBy" />
1635     <max value="0" />
1636   </element>
1637   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.entry">
1638     <path value="Composition.section.section.entry" />
1639     <min value="1" />
1640     <max value="1" />
1641     <type>
1642       <code value="Reference" />
1643       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Length_Gestation_At_Birth|1.0.1" />
1644     </type>
1645     <mustSupport value="true" />
1646   </element>
1647   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.entry.reference">
1648     <path value="Composition.section.section.entry.reference" />
1649     <min value="1" />

```

```

1650     <mustSupport value="true" />
1651   </element>
1652   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.entry.type">
1653     <path value="Composition.section.section.entry.type" />
1654     <max value="0" />
1655   </element>
1656   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.entry.identifizier">
1657     <path value="Composition.section.section.entry.identifizier" />
1658     <max value="0" />
1659   </element>
1660   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.entry.display">
1661     <path value="Composition.section.section.entry.display" />
1662     <max value="0" />
1663   </element>
1664   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.emptyReason">
1665     <path value="Composition.section.section.emptyReason" />
1666     <max value="0" />
1667   </element>
1668   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.section">
1669     <path value="Composition.section.section.section" />
1670     <max value="0" />
1671   </element>
1672   <element id="Composition.section:familienanamnese">
1673     <path value="Composition.section" />
1674     <sliceName value="familienanamnese" />
1675     <min value="1" />
1676     <max value="1" />
1677     <mustSupport value="true" />
1678   </element>
1679   <element id="Composition.section:familienanamnese.extension">
1680     <path value="Composition.section.extension" />
1681     <licing>
1682       <discriminator>
1683         <type value="value" />
1684         <path value="url" />
1685       </discriminator>
1686       <rules value="open" />
1687     </licing>
1688   </element>
1689   <element id="Composition.section:familienanamnese.extension:anamneseAnweisung">
1690     <path value="Composition.section.extension" />
1691     <sliceName value="anamneseAnweisung" />
1692     <min value="1" />
1693     <max value="1" />
1694     <type>
1695       <code value="Extension" />
1696       <profile value="https://fhir.kbv.de/StructureDefinition/KBV_EX_MIO_CMV_Instruction" />
1697     </type>
1698     <mustSupport value="true" />
1699   </element>
1700   <element id="Composition.section:familienanamnese.extension:anamneseAnweisung.value[x]">
1701     <path value="Composition.section.extension.value[x]" />

```

```

1702     <mustSupport value="true" />
1703   </element>
1704   <element id="Composition.section:familienanamnese.extension:anamneseAnw
eistung.value[x]:valueString">
1705     <path value="Composition.section.extension.value[x]" />
1706     <sliceName value="valueString" />
1707     <fixedString value="Zutreffendes bitte ankreuzen!" />
1708     <mustSupport value="true" />
1709   </element>
1710   <element id="Composition.section:familienanamnese.extension:familienana
mneseHinweis">
1711     <path value="Composition.section.extension" />
1712     <sliceName value="familienanamneseHinweis" />
1713     <min value="1" />
1714     <max value="1" />
1715     <type>
1716       <code value="Extension" />
1717       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
1718     </type>
1719     <mustSupport value="true" />
1720   </element>
1721   <element id="Composition.section:familienanamnese.extension:familienana
mneseHinweis.value[x]">
1722     <path value="Composition.section.extension.value[x]" />
1723     <mustSupport value="true" />
1724   </element>
1725   <element id="Composition.section:familienanamnese.extension:familienana
mneseHinweis.value[x]:valueString">
1726     <path value="Composition.section.extension.value[x]" />
1727     <sliceName value="valueString" />
1728     <fixedString value="(u.a. behandlungsbedürftige Hyperbilirubinämie
bei einem vorausgegangenen Kind)" />
1729     <mustSupport value="true" />
1730   </element>
1731   <element id="Composition.section:familienanamnese.title">
1732     <path value="Composition.section.title" />
1733     <min value="1" />
1734     <fixedString value="Familienanamnese" />
1735     <mustSupport value="true" />
1736   </element>
1737   <element id="Composition.section:familienanamnese.code">
1738     <path value="Composition.section.code" />
1739     <min value="1" />
1740     <mustSupport value="true" />
1741   </element>
1742   <element id="Composition.section:familienanamnese.code.coding">
1743     <path value="Composition.section.code.coding" />
1744     <min value="1" />
1745     <max value="1" />
1746     <mustSupport value="true" />
1747   </element>
1748   <element id="Composition.section:familienanamnese.code.coding.system">
1749     <path value="Composition.section.code.coding.system" />
1750     <min value="1" />
1751     <fixedUri value="http://snomed.info/sct" />
1752   </element>
1753   <element id="Composition.section:familienanamnese.code.coding.version">
1754     <path value="Composition.section.code.coding.version" />
1755     <min value="1" />

```

```

1756     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1757   </element>
1758   <element id="Composition.section:familienanamnese.code.coding.code">
1759     <path value="Composition.section.code.coding.code" />
1760     <min value="1" />
1761     <fixedCode value="422432008" />
1762   </element>
1763   <element id="Composition.section:familienanamnese.code.coding.display">
1764     <path value="Composition.section.code.coding.display" />
1765     <min value="1" />
1766     <fixedString value="Family history section (record artifact)" />
1767   </element>
1768   <element id="Composition.section:familienanamnese.code.coding.userSelected">
1769     <path value="Composition.section.code.coding.userSelected" />
1770     <max value="0" />
1771   </element>
1772   <element id="Composition.section:familienanamnese.code.text">
1773     <path value="Composition.section.code.text" />
1774     <max value="0" />
1775   </element>
1776   <element id="Composition.section:familienanamnese.author">
1777     <path value="Composition.section.author" />
1778     <max value="0" />
1779   </element>
1780   <element id="Composition.section:familienanamnese.focus">
1781     <path value="Composition.section.focus" />
1782     <max value="0" />
1783   </element>
1784   <element id="Composition.section:familienanamnese.text">
1785     <path value="Composition.section.text" />
1786     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1787     <min value="1" />
1788   </element>
1789   <element id="Composition.section:familienanamnese.text.status">
1790     <path value="Composition.section.text.status" />
1791     <fixedCode value="generated" />
1792   </element>
1793   <element id="Composition.section:familienanamnese.mode">
1794     <path value="Composition.section.mode" />
1795     <max value="0" />
1796   </element>
1797   <element id="Composition.section:familienanamnese.orderedBy">
1798     <path value="Composition.section.orderedBy" />
1799     <max value="0" />
1800   </element>
1801   <element id="Composition.section:familienanamnese.entry">
1802     <path value="Composition.section.entry" />
1803     <max value="1" />
1804     <type>
1805       <code value="Reference" />
1806       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Family_History|1.0.1" />
1807     </type>
1808     <mustSupport value="true" />
1809   </element>
1810   <element id="Composition.section:familienanamnese.entry.reference">
1811     <path value="Composition.section.entry.reference" />

```



```

1812     <min value="1" />
1813     <mustSupport value="true" />
1814 </element>
1815 <element id="Composition.section:familienanamnese.entry.type">
1816   <path value="Composition.section.entry.type" />
1817   <max value="0" />
1818 </element>
1819 <element id="Composition.section:familienanamnese.entry.identifrier">
1820   <path value="Composition.section.entry.identifrier" />
1821   <max value="0" />
1822 </element>
1823 <element id="Composition.section:familienanamnese.entry.display">
1824   <path value="Composition.section.entry.display" />
1825   <max value="0" />
1826 </element>
1827 <element id="Composition.section:familienanamnese.emptyReason">
1828   <path value="Composition.section.emptyReason" />
1829   <mustSupport value="true" />
1830 </element>
1831 <element id="Composition.section:familienanamnese.emptyReason.coding">
1832   <path value="Composition.section.emptyReason.coding" />
1833   <min value="1" />
1834   <max value="1" />
1835   <mustSupport value="true" />
1836 </element>
1837 <element id="Composition.section:familienanamnese.emptyReason.coding.system">
1838   <path value="Composition.section.emptyReason.coding.system" />
1839   <min value="1" />
1840   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1841 </element>
1842 <element id="Composition.section:familienanamnese.emptyReason.coding.ve
rsion">
1843   <path value="Composition.section.emptyReason.coding.version" />
1844   <min value="1" />
1845   <fixedString value="4.0.1" />
1846 </element>
1847 <element id="Composition.section:familienanamnese.emptyReason.coding.co
de">
1848   <path value="Composition.section.emptyReason.coding.code" />
1849   <min value="1" />
1850   <fixedCode value="closed" />
1851 </element>
1852 <element id="Composition.section:familienanamnese.emptyReason.coding.di
splay">
1853   <path value="Composition.section.emptyReason.coding.display" />
1854   <min value="1" />
1855   <fixedString value="Closed" />
1856 </element>
1857 <element id="Composition.section:familienanamnese.emptyReason.coding.us
erSelected">
1858   <path value="Composition.section.emptyReason.coding.userSelected" />
1859   <max value="0" />
1860 </element>
1861 <element id="Composition.section:familienanamnese.emptyReason.text">
1862   <path value="Composition.section.emptyReason.text" />
1863   <max value="0" />
1864 </element>
1865 <element id="Composition.section:familienanamnese.section">

```

```

1866     <path value="Composition.section.section" />
1867     <max value="0" />
1868 </element>
1869 <element id="Composition.section:untersuchung">
1870     <path value="Composition.section" />
1871     <sliceName value="untersuchung" />
1872     <min value="1" />
1873     <max value="1" />
1874     <mustSupport value="true" />
1875 </element>
1876 <element id="Composition.section:untersuchung.title">
1877     <path value="Composition.section.title" />
1878     <min value="1" />
1879     <fixedString value="Körperliche Untersuchung" />
1880     <mustSupport value="true" />
1881 </element>
1882 <element id="Composition.section:untersuchung.code">
1883     <path value="Composition.section.code" />
1884     <min value="1" />
1885     <mustSupport value="true" />
1886 </element>
1887 <element id="Composition.section:untersuchung.code.coding">
1888     <path value="Composition.section.code.coding" />
1889     <min value="1" />
1890     <max value="1" />
1891     <mustSupport value="true" />
1892 </element>
1893 <element id="Composition.section:untersuchung.code.coding.system">
1894     <path value="Composition.section.code.coding.system" />
1895     <min value="1" />
1896     <fixedUri value="http://snomed.info/sct" />
1897 </element>
1898 <element id="Composition.section:untersuchung.code.coding.version">
1899     <path value="Composition.section.code.coding.version" />
1900     <min value="1" />
1901     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1902 </element>
1903 <element id="Composition.section:untersuchung.code.coding.code">
1904     <path value="Composition.section.code.coding.code" />
1905     <min value="1" />
1906     <fixedCode value="425044008" />
1907 </element>
1908 <element id="Composition.section:untersuchung.code.coding.display">
1909     <path value="Composition.section.code.coding.display" />
1910     <min value="1" />
1911     <fixedString value="Physical exam section (record artifact)" />
1912 </element>
1913 <element id="Composition.section:untersuchung.code.coding.userSelected">
1914     <path value="Composition.section.code.coding.userSelected" />
1915     <max value="0" />
1916 </element>
1917 <element id="Composition.section:untersuchung.code.text">
1918     <path value="Composition.section.code.text" />
1919     <max value="0" />
1920 </element>
1921 <element id="Composition.section:untersuchung.author">
1922     <path value="Composition.section.author" />
1923     <max value="0" />
1924 </element>

```

```

1925 <element id="Composition.section:untersuchung.focus">
1926   <path value="Composition.section.focus" />
1927   <max value="0" />
1928 </element>
1929 <element id="Composition.section:untersuchung.text">
1930   <path value="Composition.section.text" />
1931   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1932   <min value="1" />
1933 </element>
1934 <element id="Composition.section:untersuchung.text.status">
1935   <path value="Composition.section.text.status" />
1936   <fixedCode value="generated" />
1937 </element>
1938 <element id="Composition.section:untersuchung.mode">
1939   <path value="Composition.section.mode" />
1940   <max value="0" />
1941 </element>
1942 <element id="Composition.section:untersuchung.orderedBy">
1943   <path value="Composition.section.orderedBy" />
1944   <max value="0" />
1945 </element>
1946 <element id="Composition.section:untersuchung.entry">
1947   <path value="Composition.section.entry" />
1948   <type>
1949     <code value="Reference" />
1950     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Edema_Of_Newborn|1.0.1" />
1951     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Neonatal_Jaundice|1.0.1" />
1952     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Birth_Trauma_Of_Fetus|1.0.1" />
1953     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Congenital_Malformation|1.0.1" />
1954     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Term_Infant|1.0.1" />
1955     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Apgar_Score|1.0.1" />
1956     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Birth_Length|1.0.1" />
1957     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Birth_Weight|1.0.1" />
1958   </type>
1959   <mustSupport value="true" />
1960 </element>
1961 <element id="Composition.section:untersuchung.entry.reference">
1962   <path value="Composition.section.entry.reference" />
1963   <min value="1" />
1964   <mustSupport value="true" />
1965 </element>
1966 <element id="Composition.section:untersuchung.entry.type">
1967   <path value="Composition.section.entry.type" />
1968   <max value="0" />
1969 </element>
1970 <element id="Composition.section:untersuchung.entry.identifizier">
1971   <path value="Composition.section.entry.identifizier" />
1972   <max value="0" />
1973 </element>
1974 <element id="Composition.section:untersuchung.entry.display">
1975   <path value="Composition.section.entry.display" />

```

```

1976     <max value="0" />
1977 </element>
1978 <element id="Composition.section:untersuchung.emptyReason">
1979     <path value="Composition.section.emptyReason" />
1980     <mustSupport value="true" />
1981 </element>
1982 <element id="Composition.section:untersuchung.emptyReason.coding">
1983     <path value="Composition.section.emptyReason.coding" />
1984     <min value="1" />
1985     <max value="1" />
1986     <mustSupport value="true" />
1987 </element>
1988 <element id="Composition.section:untersuchung.emptyReason.coding.system
">
1989     <path value="Composition.section.emptyReason.coding.system" />
1990     <min value="1" />
1991     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1992 </element>
1993 <element id="Composition.section:untersuchung.emptyReason.coding.version">
1994     <path value="Composition.section.emptyReason.coding.version" />
1995     <min value="1" />
1996     <fixedString value="4.0.1" />
1997 </element>
1998 <element id="Composition.section:untersuchung.emptyReason.coding.code">
1999     <path value="Composition.section.emptyReason.coding.code" />
2000     <min value="1" />
2001     <fixedCode value="closed" />
2002 </element>
2003 <element id="Composition.section:untersuchung.emptyReason.coding.display">
2004     <path value="Composition.section.emptyReason.coding.display" />
2005     <min value="1" />
2006     <fixedString value="Closed" />
2007 </element>
2008 <element id="Composition.section:untersuchung.emptyReason.coding.userSelected">
2009     <path value="Composition.section.emptyReason.coding.userSelected" />
2010     <max value="0" />
2011 </element>
2012 <element id="Composition.section:untersuchung.emptyReason.text">
2013     <path value="Composition.section.emptyReason.text" />
2014     <max value="0" />
2015 </element>
2016 <element id="Composition.section:untersuchung.section">
2017     <path value="Composition.section.section" />
2018     <max value="0" />
2019 </element>
2020 <element id="Composition.section:sonstiges">
2021     <path value="Composition.section" />
2022     <sliceName value="sonstiges" />
2023     <min value="1" />
2024     <max value="1" />
2025     <mustSupport value="true" />
2026 </element>
2027 <element id="Composition.section:sonstiges.title">
2028     <path value="Composition.section.title" />
2029     <min value="1" />
2030     <fixedString value="Sonstiges" />

```

```

2031     <mustSupport value="true" />
2032 </element>
2033 <element id="Composition.section.sonstiges.code">
2034     <path value="Composition.section.code" />
2035     <min value="1" />
2036     <mustSupport value="true" />
2037 </element>
2038 <element id="Composition.section.sonstiges.code.coding">
2039     <path value="Composition.section.code.coding" />
2040     <min value="1" />
2041     <max value="1" />
2042     <mustSupport value="true" />
2043 </element>
2044 <element id="Composition.section.sonstiges.code.coding.system">
2045     <path value="Composition.section.code.coding.system" />
2046     <min value="1" />
2047     <fixedUri value="http://snomed.info/sct" />
2048 </element>
2049 <element id="Composition.section.sonstiges.code.coding.version">
2050     <path value="Composition.section.code.coding.version" />
2051     <min value="1" />
2052     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2053 </element>
2054 <element id="Composition.section.sonstiges.code.coding.code">
2055     <path value="Composition.section.code.coding.code" />
2056     <min value="1" />
2057     <fixedCode value="129125009:363589002=386359008" />
2058 </element>
2059 <element id="Composition.section.sonstiges.code.coding.display">
2060     <path value="Composition.section.code.coding.display" />
2061     <min value="1" />
2062     <fixedString value="Procedure with explicit context (situation) :
Associated procedure (attribute) = Administration of drug or medicament
via oral route (procedure)" />
2063 </element>
2064 <element id="Composition.section.sonstiges.code.coding.userSelected">
2065     <path value="Composition.section.code.coding.userSelected" />
2066     <max value="0" />
2067 </element>
2068 <element id="Composition.section.sonstiges.code.text">
2069     <path value="Composition.section.code.text" />
2070     <max value="0" />
2071 </element>
2072 <element id="Composition.section.sonstiges.author">
2073     <path value="Composition.section.author" />
2074     <max value="0" />
2075 </element>
2076 <element id="Composition.section.sonstiges.focus">
2077     <path value="Composition.section.focus" />
2078     <max value="0" />
2079 </element>
2080 <element id="Composition.section.sonstiges.text">
2081     <path value="Composition.section.text" />
2082     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2083     <min value="1" />
2084 </element>
2085 <element id="Composition.section.sonstiges.text.status">
2086     <path value="Composition.section.text.status" />

```

```

2087     <fixedCode value="generated" />
2088 </element>
2089 <element id="Composition.section.sonstiges.mode">
2090   <path value="Composition.section.mode" />
2091   <max value="0" />
2092 </element>
2093 <element id="Composition.section.sonstiges.orderedBy">
2094   <path value="Composition.section.orderedBy" />
2095   <max value="0" />
2096 </element>
2097 <element id="Composition.section.sonstiges.entry">
2098   <path value="Composition.section.entry" />
2099   <max value="1" />
2100   <type>
2101     <code value="Reference" />
2102     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Medication_Statement_Vitamine_K_Prophylaxis|1.0.1" />
2103   </type>
2104   <mustSupport value="true" />
2105 </element>
2106 <element id="Composition.section.sonstiges.entry.reference">
2107   <path value="Composition.section.entry.reference" />
2108   <min value="1" />
2109   <mustSupport value="true" />
2110 </element>
2111 <element id="Composition.section.sonstiges.entry.type">
2112   <path value="Composition.section.entry.type" />
2113   <max value="0" />
2114 </element>
2115 <element id="Composition.section.sonstiges.entry.identifizier">
2116   <path value="Composition.section.entry.identifizier" />
2117   <max value="0" />
2118 </element>
2119 <element id="Composition.section.sonstiges.entry.display">
2120   <path value="Composition.section.entry.display" />
2121   <max value="0" />
2122 </element>
2123 <element id="Composition.section.sonstiges.emptyReason">
2124   <path value="Composition.section.emptyReason" />
2125   <mustSupport value="true" />
2126 </element>
2127 <element id="Composition.section.sonstiges.emptyReason.coding">
2128   <path value="Composition.section.emptyReason.coding" />
2129   <min value="1" />
2130   <max value="1" />
2131   <mustSupport value="true" />
2132 </element>
2133 <element id="Composition.section.sonstiges.emptyReason.coding.system">
2134   <path value="Composition.section.emptyReason.coding.system" />
2135   <min value="1" />
2136   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2137 </element>
2138 <element id="Composition.section.sonstiges.emptyReason.coding.version">
2139   <path value="Composition.section.emptyReason.coding.version" />
2140   <min value="1" />
2141   <fixedString value="4.0.1" />
2142 </element>
2143 <element id="Composition.section.sonstiges.emptyReason.coding.code">
2144   <path value="Composition.section.emptyReason.coding.code" />

```

```

2145     <min value="1" />
2146     <fixedCode value="closed" />
2147 </element>
2148 <element id="Composition.section:sonstiges.emptyReason.coding.display">
2149   <path value="Composition.section.emptyReason.coding.display" />
2150   <min value="1" />
2151   <fixedString value="Closed" />
2152 </element>
2153 <element id="Composition.section:sonstiges.emptyReason.coding.userSelected">
2154   <path value="Composition.section.emptyReason.coding.userSelected" />
2155   <max value="0" />
2156 </element>
2157 <element id="Composition.section:sonstiges.emptyReason.text">
2158   <path value="Composition.section.emptyReason.text" />
2159   <max value="0" />
2160 </element>
2161 <element id="Composition.section:sonstiges.section">
2162   <path value="Composition.section.section" />
2163   <max value="0" />
2164 </element>
2165 <element id="Composition.section:sonstiges.section.title">
2166   <path value="Composition.section.section.title" />
2167   <max value="0" />
2168 </element>
2169 <element id="Composition.section:sonstiges.section.author">
2170   <path value="Composition.section.section.author" />
2171   <max value="0" />
2172 </element>
2173 <element id="Composition.section:sonstiges.section.focus">
2174   <path value="Composition.section.section.focus" />
2175   <max value="0" />
2176 </element>
2177 <element id="Composition.section:sonstiges.section.text">
2178   <path value="Composition.section.section.text" />
2179   <max value="0" />
2180 </element>
2181 <element id="Composition.section:sonstiges.section.mode">
2182   <path value="Composition.section.section.mode" />
2183   <max value="0" />
2184 </element>
2185 <element id="Composition.section:sonstiges.section.orderedBy">
2186   <path value="Composition.section.section.orderedBy" />
2187   <max value="0" />
2188 </element>
2189 <element id="Composition.section:sonstiges.section.entry">
2190   <path value="Composition.section.section.entry" />
2191   <max value="1" />
2192 </element>
2193 <element id="Composition.section:sonstiges.section.entry.type">
2194   <path value="Composition.section.section.entry.type" />
2195   <max value="0" />
2196 </element>
2197 <element id="Composition.section:sonstiges.section.entry.identifler">
2198   <path value="Composition.section.section.entry.identifler" />
2199   <max value="0" />
2200 </element>
2201 <element id="Composition.section:sonstiges.section.entry.display">
2202   <path value="Composition.section.section.entry.display" />
2203   <max value="0" />

```

```

2204 </element>
2205 <element id="Composition.section.sonstiges.section.emptyReason">
2206   <path value="Composition.section.section.emptyReason" />
2207   <max value="0" />
2208 </element>
2209 <element id="Composition.section.sonstiges.section.section">
2210   <path value="Composition.section.section.section" />
2211   <max value="0" />
2212 </element>
2213 <element id="Composition.section.pulsoxymetrieScreening">
2214   <path value="Composition.section" />
2215   <sliceName value="pulsoxymetrieScreening" />
2216   <min value="1" />
2217   <max value="1" />
2218   <mustSupport value="true" />
2219 </element>
2220 <element id="Composition.section.pulsoxymetrieScreening.title">
2221   <path value="Composition.section.title" />
2222   <min value="1" />
2223   <fixedString value="Pulsoxymetrie-Screening (Messung am Fuß)" />
2224   <mustSupport value="true" />
2225 </element>
2226 <element id="Composition.section.pulsoxymetrieScreening.code">
2227   <path value="Composition.section.code" />
2228   <min value="1" />
2229   <mustSupport value="true" />
2230 </element>
2231 <element id="Composition.section.pulsoxymetrieScreening.code.coding">
2232   <path value="Composition.section.code.coding" />
2233   <min value="1" />
2234   <max value="1" />
2235   <mustSupport value="true" />
2236 </element>
2237 <element id="Composition.section.pulsoxymetrieScreening.code.coding.system">
2238   <path value="Composition.section.code.coding.system" />
2239   <min value="1" />
2240   <fixedUri value="http://snomed.info/sct" />
2241 </element>
2242 <element id="Composition.section.pulsoxymetrieScreening.code.coding.version">
2243   <path value="Composition.section.code.coding.version" />
2244   <min value="1" />
2245   <fixedString value="http://snomed.info/sct/900000000000207008/
2246   version/20210131" />
2247 </element>
2248 <element id="Composition.section.pulsoxymetrieScreening.code.coding.code">
2249   <path value="Composition.section.code.coding.code" />
2250   <min value="1" />
2251   <fixedCode value="252465000:405813007=56459004" />
2252 </element>
2253 <element id="Composition.section.pulsoxymetrieScreening.code.coding.display">
2254   <path value="Composition.section.code.coding.display" />
2255   <min value="1" />
2256   <fixedString value="Pulse oximetry (procedure) : Procedure site -
Direct (attribute) = Foot structure (body structure)" />
</element>

```



```

2257     <element id="Composition.section:pulsoxymetrieScreening.code.coding.userSelected">
2258         <path value="Composition.section.code.coding.userSelected" />
2259         <max value="0" />
2260     </element>
2261     <element id="Composition.section:pulsoxymetrieScreening.code.text">
2262         <path value="Composition.section.code.text" />
2263         <max value="0" />
2264     </element>
2265     <element id="Composition.section:pulsoxymetrieScreening.author">
2266         <path value="Composition.section.author" />
2267         <max value="0" />
2268     </element>
2269     <element id="Composition.section:pulsoxymetrieScreening.focus">
2270         <path value="Composition.section.focus" />
2271         <max value="0" />
2272     </element>
2273     <element id="Composition.section:pulsoxymetrieScreening.text">
2274         <path value="Composition.section.text" />
2275         <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2276         <min value="1" />
2277     </element>
2278     <element id="Composition.section:pulsoxymetrieScreening.text.status">
2279         <path value="Composition.section.text.status" />
2280         <fixedCode value="generated" />
2281     </element>
2282     <element id="Composition.section:pulsoxymetrieScreening.mode">
2283         <path value="Composition.section.mode" />
2284         <max value="0" />
2285     </element>
2286     <element id="Composition.section:pulsoxymetrieScreening.orderedBy">
2287         <path value="Composition.section.orderedBy" />
2288         <max value="0" />
2289     </element>
2290     <element id="Composition.section:pulsoxymetrieScreening.entry">
2291         <path value="Composition.section.entry" />
2292         <type>
2293             <code value="Reference" />
2294             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_U3_Pulse_Oxymetry|1.0.1" />
2295             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_U1_U3_Pulse_Oxymetry_Clarification|1.0.1" />
2296         </type>
2297         <mustSupport value="true" />
2298     </element>
2299     <element id="Composition.section:pulsoxymetrieScreening.entry.reference
">
2300         <path value="Composition.section.entry.reference" />
2301         <min value="1" />
2302         <mustSupport value="true" />
2303     </element>
2304     <element id="Composition.section:pulsoxymetrieScreening.entry.type">
2305         <path value="Composition.section.entry.type" />
2306         <max value="0" />
2307     </element>
2308     <element id="Composition.section:pulsoxymetrieScreening.entry.identifie
r">
2309         <path value="Composition.section.entry.identifier" />
2310         <max value="0" />

```

```

2311 </element>
2312 <element id="Composition.section:pulsoxymetrieScreening.entry.display">
2313   <path value="Composition.section.entry.display" />
2314   <max value="0" />
2315 </element>
2316 <element id="Composition.section:pulsoxymetrieScreening.emptyReason">
2317   <path value="Composition.section.emptyReason" />
2318   <mustSupport value="true" />
2319 </element>
2320 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing">
2321   <path value="Composition.section.emptyReason.coding" />
2322   <min value="1" />
2323   <max value="1" />
2324   <mustSupport value="true" />
2325 </element>
2326 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.system">
2327   <path value="Composition.section.emptyReason.coding.system" />
2328   <min value="1" />
2329   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2330 </element>
2331 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.version">
2332   <path value="Composition.section.emptyReason.coding.version" />
2333   <min value="1" />
2334   <fixedString value="4.0.1" />
2335 </element>
2336 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.code">
2337   <path value="Composition.section.emptyReason.coding.code" />
2338   <min value="1" />
2339   <fixedCode value="closed" />
2340 </element>
2341 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.display">
2342   <path value="Composition.section.emptyReason.coding.display" />
2343   <min value="1" />
2344   <fixedString value="Closed" />
2345 </element>
2346 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.userSelected">
2347   <path value="Composition.section.emptyReason.coding.userSelected" />
2348   <max value="0" />
2349 </element>
2350 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.tex
t">
2351   <path value="Composition.section.emptyReason.text" />
2352   <max value="0" />
2353 </element>
2354 <element id="Composition.section:pulsoxymetrieScreening.section">
2355   <path value="Composition.section.section" />
2356   <max value="0" />
2357 </element>
2358 <element id="Composition.section:hoerscreening">
2359   <path value="Composition.section" />
2360   <sliceName value="hoerscreening" />
2361   <min value="1" />
2362   <max value="1" />

```

```

2363     <mustSupport value="true" />
2364 </element>
2365 <element id="Composition.section:hoerscreening.title">
2366   <path value="Composition.section.title" />
2367   <min value="1" />
2368   <fixedString value="Neugeborenen-Hörscreening" />
2369   <mustSupport value="true" />
2370 </element>
2371 <element id="Composition.section:hoerscreening.code">
2372   <path value="Composition.section.code" />
2373   <min value="1" />
2374   <mustSupport value="true" />
2375 </element>
2376 <element id="Composition.section:hoerscreening.code.coding">
2377   <path value="Composition.section.code.coding" />
2378   <slicing>
2379     <discriminator>
2380       <type value="value" />
2381       <path value="system" />
2382     </discriminator>
2383     <rules value="closed" />
2384   </slicing>
2385   <min value="2" />
2386   <max value="2" />
2387   <mustSupport value="true" />
2388 </element>
2389 <element id="Composition.section:hoerscreening.code.coding:codeSnomed">
2390   <path value="Composition.section.code.coding" />
2391   <sliceName value="codeSnomed" />
2392   <min value="1" />
2393   <max value="1" />
2394   <mustSupport value="true" />
2395 </element>
2396 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.s
system">
2397   <path value="Composition.section.code.coding.system" />
2398   <min value="1" />
2399   <fixedUri value="http://snomed.info/sct" />
2400 </element>
2401 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.v
ersion">
2402   <path value="Composition.section.code.coding.version" />
2403   <min value="1" />
2404   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2405 </element>
2406 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.c
ode">
2407   <path value="Composition.section.code.coding.code" />
2408   <min value="1" />
2409   <fixedCode value="252957005" />
2410 </element>
2411 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.d
isplay">
2412   <path value="Composition.section.code.coding.display" />
2413   <min value="1" />
2414   <fixedString value="Children's hearing test (procedure)" />
2415 </element>
2416 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.u
serSelected">

```

```

2417     <path value="Composition.section.code.coding.userSelected" />
2418     <max value="0" />
2419 </element>
2420 <element id="Composition.section:hoerscreening.code.coding:codeLoinc">
2421     <path value="Composition.section.code.coding" />
2422     <sliceName value="codeLoinc" />
2423     <min value="1" />
2424     <max value="1" />
2425     <mustSupport value="true" />
2426 </element>
2427 <element id="Composition.section:hoerscreening.code.coding:codeLoinc.system">
2428     <path value="Composition.section.code.coding.system" />
2429     <min value="1" />
2430     <fixedUri value="http://loinc.org" />
2431 </element>
2432 <element id="Composition.section:hoerscreening.code.coding:codeLoinc.version">
2433     <path value="Composition.section.code.coding.version" />
2434     <min value="1" />
2435     <fixedString value="2.69" />
2436 </element>
2437 <element id="Composition.section:hoerscreening.code.coding:codeLoinc.code">
2438     <path value="Composition.section.code.coding.code" />
2439     <min value="1" />
2440     <fixedCode value="54111-0" />
2441 </element>
2442 <element id="Composition.section:hoerscreening.code.coding:codeLoinc.display">
2443     <path value="Composition.section.code.coding.display" />
2444     <min value="1" />
2445     <fixedString value="Newborn hearing screening panel" />
2446 </element>
2447 <element id="Composition.section:hoerscreening.code.coding:codeLoinc.userSelected">
2448     <path value="Composition.section.code.coding.userSelected" />
2449     <max value="0" />
2450 </element>
2451 <element id="Composition.section:hoerscreening.code.text">
2452     <path value="Composition.section.code.text" />
2453     <max value="0" />
2454 </element>
2455 <element id="Composition.section:hoerscreening.author">
2456     <path value="Composition.section.author" />
2457     <max value="0" />
2458 </element>
2459 <element id="Composition.section:hoerscreening.focus">
2460     <path value="Composition.section.focus" />
2461     <max value="0" />
2462 </element>
2463 <element id="Composition.section:hoerscreening.text">
2464     <path value="Composition.section.text" />
2465     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2466     <min value="1" />
2467 </element>
2468 <element id="Composition.section:hoerscreening.text.status">
2469     <path value="Composition.section.text.status" />
2470     <fixedCode value="generated" />

```

```

2471 </element>
2472 <element id="Composition.section:hoerscreening.mode">
2473   <path value="Composition.section.mode" />
2474   <max value="0" />
2475 </element>
2476 <element id="Composition.section:hoerscreening.orderedBy">
2477   <path value="Composition.section.orderedBy" />
2478   <max value="0" />
2479 </element>
2480 <element id="Composition.section:hoerscreening.entry">
2481   <path value="Composition.section.entry" />
2482   <type>
2483     <code value="Reference" />
2484     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Neonatal_Hearscreening|1.0.1" />
2485     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service|
1.0.1" />
2486     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce|1.0.1" />
2487   </type>
2488   <mustSupport value="true" />
2489 </element>
2490 <element id="Composition.section:hoerscreening.entry.reference">
2491   <path value="Composition.section.entry.reference" />
2492   <min value="1" />
2493   <mustSupport value="true" />
2494 </element>
2495 <element id="Composition.section:hoerscreening.entry.type">
2496   <path value="Composition.section.entry.type" />
2497   <max value="0" />
2498 </element>
2499 <element id="Composition.section:hoerscreening.entry.identifier">
2500   <path value="Composition.section.entry.identifier" />
2501   <max value="0" />
2502 </element>
2503 <element id="Composition.section:hoerscreening.entry.display">
2504   <path value="Composition.section.entry.display" />
2505   <max value="0" />
2506 </element>
2507 <element id="Composition.section:hoerscreening.emptyReason">
2508   <path value="Composition.section.emptyReason" />
2509   <mustSupport value="true" />
2510 </element>
2511 <element id="Composition.section:hoerscreening.emptyReason.coding">
2512   <path value="Composition.section.emptyReason.coding" />
2513   <min value="1" />
2514   <max value="1" />
2515   <mustSupport value="true" />
2516 </element>
2517 <element id="Composition.section:hoerscreening.emptyReason.coding syste
m">
2518   <path value="Composition.section.emptyReason.coding.system" />
2519   <min value="1" />
2520   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2521 </element>
2522 <element id="Composition.section:hoerscreening.emptyReason.coding.versi
on">

```

```

2523     <path value="Composition.section.emptyReason.coding.version" />
2524     <min value="1" />
2525     <fixedString value="4.0.1" />
2526 </element>
2527 <element id="Composition.section:hoerscreening.emptyReason.coding.code">
2528     <path value="Composition.section.emptyReason.coding.code" />
2529     <min value="1" />
2530     <fixedCode value="closed" />
2531 </element>
2532 <element id="Composition.section:hoerscreening.emptyReason.coding.display">
2533     <path value="Composition.section.emptyReason.coding.display" />
2534     <min value="1" />
2535     <fixedString value="Closed" />
2536 </element>
2537 <element id="Composition.section:hoerscreening.emptyReason.coding.userSelected">
2538     <path value="Composition.section.emptyReason.coding.userSelected" />
2539     <max value="0" />
2540 </element>
2541 <element id="Composition.section:hoerscreening.emptyReason.text">
2542     <path value="Composition.section.emptyReason.text" />
2543     <max value="0" />
2544 </element>
2545 <element id="Composition.section:hoerscreening.section">
2546     <path value="Composition.section.section" />
2547     <max value="0" />
2548 </element>
2549 <element id="Composition.section:erweitertesNeugeborenenScreening">
2550     <path value="Composition.section" />
2551     <sliceName value="erweitertesNeugeborenenScreening" />
2552     <min value="1" />
2553     <max value="1" />
2554     <mustSupport value="true" />
2555 </element>
2556 <element id="Composition.section:erweitertesNeugeborenenScreening.title">
2557     <path value="Composition.section.title" />
2558     <min value="1" />
2559     <fixedString value="Erweitertes Neugeborenen-Screening" />
2560     <mustSupport value="true" />
2561 </element>
2562 <element id="Composition.section:erweitertesNeugeborenenScreening.code">
2563     <path value="Composition.section.code" />
2564     <min value="1" />
2565     <mustSupport value="true" />
2566 </element>
2567 <element id="Composition.section:erweitertesNeugeborenenScreening.code.coding">
2568     <path value="Composition.section.code.coding" />
2569     <min value="1" />
2570     <max value="1" />
2571     <mustSupport value="true" />
2572 </element>
2573 <element id="Composition.section:erweitertesNeugeborenenScreening.code.coding.system">
2574     <path value="Composition.section.code.coding.system" />
2575     <min value="1" />
2576     <fixedUri value="http://snomed.info/sct" />
2577 </element>

```

```

2578     <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.version">
2579         <path value="Composition.section.code.coding.version" />
2580         <min value="1" />
2581         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2582     </element>
2583     <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.code">
2584         <path value="Composition.section.code.coding.code" />
2585         <min value="1" />
2586         <fixedCode value="738796001:363702006=428447008" />
2587     </element>
2588     <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.display">
2589         <path value="Composition.section.code.coding.display" />
2590         <min value="1" />
2591         <fixedString value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Newborn blood spot screening
(procedure)" />
2592     </element>
2593     <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.userSelected">
2594         <path value="Composition.section.code.coding.userSelected" />
2595         <max value="0" />
2596     </element>
2597     <element id="Composition.section:erweitertesNeugeborenencreening.code.
text">
2598         <path value="Composition.section.code.text" />
2599         <max value="0" />
2600     </element>
2601     <element id="Composition.section:erweitertesNeugeborenencreening.autho
r">
2602         <path value="Composition.section.author" />
2603         <max value="0" />
2604     </element>
2605     <element id="Composition.section:erweitertesNeugeborenencreening.focus
">
2606         <path value="Composition.section.focus" />
2607         <max value="0" />
2608     </element>
2609     <element id="Composition.section:erweitertesNeugeborenencreening.text">
2610         <path value="Composition.section.text" />
2611         <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2612         <min value="1" />
2613     </element>
2614     <element id="Composition.section:erweitertesNeugeborenencreening.text.
status">
2615         <path value="Composition.section.text.status" />
2616         <fixedCode value="generated" />
2617     </element>
2618     <element id="Composition.section:erweitertesNeugeborenencreening.mode">
2619         <path value="Composition.section.mode" />
2620         <max value="0" />
2621     </element>
2622     <element id="Composition.section:erweitertesNeugeborenencreening.order
edBy">
2623         <path value="Composition.section.orderedBy" />
2624         <max value="0" />

```

```

2625     </element>
2626     <element id="Composition.section:erweitertesNeugeborenencreening.entry
">
2627         <path value="Composition.section.entry" />
2628         <max value="1" />
2629         <type>
2630             <code value="Reference" />
2631             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening|1.0.1" />
2632         </type>
2633         <mustSupport value="true" />
2634     </element>
2635     <element id="Composition.section:erweitertesNeugeborenencreening.entry
.reference">
2636         <path value="Composition.section.entry.reference" />
2637         <min value="1" />
2638         <mustSupport value="true" />
2639     </element>
2640     <element id="Composition.section:erweitertesNeugeborenencreening.entry
.type">
2641         <path value="Composition.section.entry.type" />
2642         <max value="0" />
2643     </element>
2644     <element id="Composition.section:erweitertesNeugeborenencreening.entry
.identifizier">
2645         <path value="Composition.section.entry.identifizier" />
2646         <max value="0" />
2647     </element>
2648     <element id="Composition.section:erweitertesNeugeborenencreening.entry
.display">
2649         <path value="Composition.section.entry.display" />
2650         <max value="0" />
2651     </element>
2652     <element id="Composition.section:erweitertesNeugeborenencreening.empty
Reason">
2653         <path value="Composition.section.emptyReason" />
2654         <mustSupport value="true" />
2655     </element>
2656     <element id="Composition.section:erweitertesNeugeborenencreening.empty
Reason.coding">
2657         <path value="Composition.section.emptyReason.coding" />
2658         <min value="1" />
2659         <max value="1" />
2660         <mustSupport value="true" />
2661     </element>
2662     <element id="Composition.section:erweitertesNeugeborenencreening.empty
Reason.coding.system">
2663         <path value="Composition.section.emptyReason.coding.system" />
2664         <min value="1" />
2665         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2666     </element>
2667     <element id="Composition.section:erweitertesNeugeborenencreening.empty
Reason.coding.version">
2668         <path value="Composition.section.emptyReason.coding.version" />
2669         <min value="1" />
2670         <fixedString value="4.0.1" />
2671     </element>
2672     <element id="Composition.section:erweitertesNeugeborenencreening.empty
Reason.coding.code">

```



```

2673     <path value="Composition.section.emptyReason.coding.code" />
2674     <min value="1" />
2675     <fixedCode value="closed" />
2676 </element>
2677 <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.display">
2678     <path value="Composition.section.emptyReason.coding.display" />
2679     <min value="1" />
2680     <fixedString value="Closed" />
2681 </element>
2682 <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.userSelected">
2683     <path value="Composition.section.emptyReason.coding.userSelected" />
2684     <max value="0" />
2685 </element>
2686 <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.text">
2687     <path value="Composition.section.emptyReason.text" />
2688     <max value="0" />
2689 </element>
2690 <element id="Composition.section:erweitertesNeugeborenenScreening.secti
on">
2691     <path value="Composition.section.section" />
2692     <max value="0" />
2693 </element>
2694 <element id="Composition.section:mukoviszidoseScreening">
2695     <path value="Composition.section" />
2696     <sliceName value="mukoviszidoseScreening" />
2697     <min value="1" />
2698     <max value="1" />
2699     <mustSupport value="true" />
2700 </element>
2701 <element id="Composition.section:mukoviszidoseScreening.title">
2702     <path value="Composition.section.title" />
2703     <min value="1" />
2704     <fixedString value="Screening auf Mukoviszidose" />
2705     <mustSupport value="true" />
2706 </element>
2707 <element id="Composition.section:mukoviszidoseScreening.code">
2708     <path value="Composition.section.code" />
2709     <min value="1" />
2710     <mustSupport value="true" />
2711 </element>
2712 <element id="Composition.section:mukoviszidoseScreening.code.coding">
2713     <path value="Composition.section.code.coding" />
2714     <min value="1" />
2715     <max value="1" />
2716     <mustSupport value="true" />
2717 </element>
2718 <element id="Composition.section:mukoviszidoseScreening.code.coding.sys
tem">
2719     <path value="Composition.section.code.coding.system" />
2720     <min value="1" />
2721     <fixedUri value="http://snomed.info/sct" />
2722 </element>
2723 <element id="Composition.section:mukoviszidoseScreening.code.coding.ver
sion">
2724     <path value="Composition.section.code.coding.version" />
2725     <min value="1" />

```

```

2726     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2727   </element>
2728   <element id="Composition.section:mukoviszidoseScreening.code.coding.cod
e">
2729     <path value="Composition.section.code.coding.code" />
2730     <min value="1" />
2731     <fixedCode value="738796001:363702006=171191008" />
2732   </element>
2733   <element id="Composition.section:mukoviszidoseScreening.code.coding.dis
play">
2734     <path value="Composition.section.code.coding.display" />
2735     <min value="1" />
2736     <fixedString value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Cystic fibrosis screening
(procedure)" />
2737   </element>
2738   <element id="Composition.section:mukoviszidoseScreening.code.coding.use
rSelected">
2739     <path value="Composition.section.code.coding.userSelected" />
2740     <max value="0" />
2741   </element>
2742   <element id="Composition.section:mukoviszidoseScreening.code.text">
2743     <path value="Composition.section.code.text" />
2744     <max value="0" />
2745   </element>
2746   <element id="Composition.section:mukoviszidoseScreening.author">
2747     <path value="Composition.section.author" />
2748     <max value="0" />
2749   </element>
2750   <element id="Composition.section:mukoviszidoseScreening.focus">
2751     <path value="Composition.section.focus" />
2752     <max value="0" />
2753   </element>
2754   <element id="Composition.section:mukoviszidoseScreening.text">
2755     <path value="Composition.section.text" />
2756     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2757     <min value="1" />
2758   </element>
2759   <element id="Composition.section:mukoviszidoseScreening.text.status">
2760     <path value="Composition.section.text.status" />
2761     <fixedCode value="generated" />
2762   </element>
2763   <element id="Composition.section:mukoviszidoseScreening.mode">
2764     <path value="Composition.section.mode" />
2765     <max value="0" />
2766   </element>
2767   <element id="Composition.section:mukoviszidoseScreening.orderedBy">
2768     <path value="Composition.section.orderedBy" />
2769     <max value="0" />
2770   </element>
2771   <element id="Composition.section:mukoviszidoseScreening.entry">
2772     <path value="Composition.section.entry" />
2773     <type>
2774       <code value="Reference" />
2775       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U1_U3_Cystic_Fibrosis_Screening|1.0.1" />
2776     </type>
2777     <mustSupport value="true" />

```

```

2778 </element>
2779 <element id="Composition.section:mukoviszidoseScreening.entry.reference
">
2780 <path value="Composition.section.entry.reference" />
2781 <min value="1" />
2782 <mustSupport value="true" />
2783 </element>
2784 <element id="Composition.section:mukoviszidoseScreening.entry.type">
2785 <path value="Composition.section.entry.type" />
2786 <max value="0" />
2787 </element>
2788 <element id="Composition.section:mukoviszidoseScreening.entry.identifie
r">
2789 <path value="Composition.section.entry.identifier" />
2790 <max value="0" />
2791 </element>
2792 <element id="Composition.section:mukoviszidoseScreening.entry.display">
2793 <path value="Composition.section.entry.display" />
2794 <max value="0" />
2795 </element>
2796 <element id="Composition.section:mukoviszidoseScreening.emptyReason">
2797 <path value="Composition.section.emptyReason" />
2798 <mustSupport value="true" />
2799 </element>
2800 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing">
2801 <path value="Composition.section.emptyReason.coding" />
2802 <min value="1" />
2803 <max value="1" />
2804 <mustSupport value="true" />
2805 </element>
2806 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.system">
2807 <path value="Composition.section.emptyReason.coding.system" />
2808 <min value="1" />
2809 <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2810 </element>
2811 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.version">
2812 <path value="Composition.section.emptyReason.coding.version" />
2813 <min value="1" />
2814 <fixedString value="4.0.1" />
2815 </element>
2816 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.code">
2817 <path value="Composition.section.emptyReason.coding.code" />
2818 <min value="1" />
2819 <fixedCode value="closed" />
2820 </element>
2821 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.display">
2822 <path value="Composition.section.emptyReason.coding.display" />
2823 <min value="1" />
2824 <fixedString value="Closed" />
2825 </element>
2826 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.userSelected">
2827 <path value="Composition.section.emptyReason.coding.userSelected" />
2828 <max value="0" />

```

```

2829 </element>
2830 <element id="Composition.section:mukoviszidoseScreening.emptyReason.tex
t">
2831   <path value="Composition.section.emptyReason.text" />
2832   <max value="0" />
2833 </element>
2834 <element id="Composition.section:mukoviszidoseScreening.section">
2835   <path value="Composition.section.section" />
2836   <max value="0" />
2837 </element>
2838 <element id="Composition.section:untersuchungsGrenzen">
2839   <path value="Composition.section" />
2840   <sliceName value="untersuchungsGrenzen" />
2841   <min value="1" />
2842   <max value="1" />
2843   <mustSupport value="true" />
2844 </element>
2845 <element id="Composition.section:untersuchungsGrenzen.title">
2846   <path value="Composition.section.title" />
2847   <min value="1" />
2848   <fixedString value="Bitte bringen Sie Ihr Kind zur Untersuchung:" />
2849   <mustSupport value="true" />
2850 </element>
2851 <element id="Composition.section:untersuchungsGrenzen.code">
2852   <path value="Composition.section.code" />
2853   <min value="1" />
2854   <mustSupport value="true" />
2855 </element>
2856 <element id="Composition.section:untersuchungsGrenzen.code.coding">
2857   <path value="Composition.section.code.coding" />
2858   <min value="1" />
2859   <max value="1" />
2860   <mustSupport value="true" />
2861 </element>
2862 <element id="Composition.section:untersuchungsGrenzen.code.coding syste
m">
2863   <path value="Composition.section.code.coding.system" />
2864   <min value="1" />
2865   <fixedUri value="http://snomed.info/sct" />
2866 </element>
2867 <element id="Composition.section:untersuchungsGrenzen.code.coding versi
on">
2868   <path value="Composition.section.code.coding.version" />
2869   <min value="1" />
2870   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2871 </element>
2872 <element id="Composition.section:untersuchungsGrenzen.code.coding.code">
2873   <path value="Composition.section.code.coding.code" />
2874   <min value="1" />
2875   <fixedCode value="185353001" />
2876 </element>
2877 <element id="Composition.section:untersuchungsGrenzen.code.coding displ
ay">
2878   <path value="Composition.section.code.coding.display" />
2879   <min value="1" />
2880   <fixedString value="Appointment date (finding)" />
2881 </element>
2882 <element id="Composition.section:untersuchungsGrenzen.code.coding.userS
elected">

```

```

2883     <path value="Composition.section.code.coding.userSelected" />
2884     <max value="0" />
2885 </element>
2886 <element id="Composition.section:untersuchungsGrenzen.code.text">
2887     <path value="Composition.section.code.text" />
2888     <max value="0" />
2889 </element>
2890 <element id="Composition.section:untersuchungsGrenzen.author">
2891     <path value="Composition.section.author" />
2892     <max value="0" />
2893 </element>
2894 <element id="Composition.section:untersuchungsGrenzen.focus">
2895     <path value="Composition.section.focus" />
2896     <max value="0" />
2897 </element>
2898 <element id="Composition.section:untersuchungsGrenzen.text">
2899     <path value="Composition.section.text" />
2900     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2901     <min value="1" />
2902 </element>
2903 <element id="Composition.section:untersuchungsGrenzen.text.status">
2904     <path value="Composition.section.text.status" />
2905     <fixedCode value="generated" />
2906 </element>
2907 <element id="Composition.section:untersuchungsGrenzen.mode">
2908     <path value="Composition.section.mode" />
2909     <max value="0" />
2910 </element>
2911 <element id="Composition.section:untersuchungsGrenzen.orderedBy">
2912     <path value="Composition.section.orderedBy" />
2913     <max value="0" />
2914 </element>
2915 <element id="Composition.section:untersuchungsGrenzen.entry">
2916     <path value="Composition.section.entry" />
2917     <min value="9" />
2918     <max value="9" />
2919     <type>
2920         <code value="Reference" />
2921         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMAR_Appointment_Participation_Period|1.0.1" />
2922     </type>
2923     <mustSupport value="true" />
2924 </element>
2925 <element id="Composition.section:untersuchungsGrenzen.entry.reference">
2926     <path value="Composition.section.entry.reference" />
2927     <min value="1" />
2928     <mustSupport value="true" />
2929 </element>
2930 <element id="Composition.section:untersuchungsGrenzen.entry.type">
2931     <path value="Composition.section.entry.type" />
2932     <max value="0" />
2933 </element>
2934 <element id="Composition.section:untersuchungsGrenzen.entry.identifizier">
2935     <path value="Composition.section.entry.identifizier" />
2936     <max value="0" />
2937 </element>
2938 <element id="Composition.section:untersuchungsGrenzen.entry.display">
2939     <path value="Composition.section.entry.display" />
2940     <max value="0" />

```

```

2941 </element>
2942 <element id="Composition.section:untersuchungsGrenzen.emptyReason">
2943   <path value="Composition.section.emptyReason" />
2944   <mustSupport value="true" />
2945 </element>
2946 <element id="Composition.section:untersuchungsGrenzen.emptyReason.coding">
2947   <path value="Composition.section.emptyReason.coding" />
2948   <min value="1" />
2949   <max value="1" />
2950   <mustSupport value="true" />
2951 </element>
2952 <element id="Composition.section:untersuchungsGrenzen.emptyReason.coding.system">
2953   <path value="Composition.section.emptyReason.coding.system" />
2954   <min value="1" />
2955   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2956 </element>
2957 <element id="Composition.section:untersuchungsGrenzen.emptyReason.coding.version">
2958   <path value="Composition.section.emptyReason.coding.version" />
2959   <min value="1" />
2960   <fixedString value="4.0.1" />
2961 </element>
2962 <element id="Composition.section:untersuchungsGrenzen.emptyReason.coding.code">
2963   <path value="Composition.section.emptyReason.coding.code" />
2964   <min value="1" />
2965   <fixedCode value="closed" />
2966 </element>
2967 <element id="Composition.section:untersuchungsGrenzen.emptyReason.coding.display">
2968   <path value="Composition.section.emptyReason.coding.display" />
2969   <min value="1" />
2970   <fixedString value="Closed" />
2971 </element>
2972 <element id="Composition.section:untersuchungsGrenzen.emptyReason.coding.userSelected">
2973   <path value="Composition.section.emptyReason.coding.userSelected" />
2974   <max value="0" />
2975 </element>
2976 <element id="Composition.section:untersuchungsGrenzen.emptyReason.text">
2977   <path value="Composition.section.emptyReason.text" />
2978   <max value="0" />
2979 </element>
2980 <element id="Composition.section:untersuchungsGrenzen.section">
2981   <path value="Composition.section.section" />
2982   <max value="0" />
2983 </element>
2984 <element id="Composition.section:perzentilkurven">
2985   <path value="Composition.section" />
2986   <sliceName value="perzentilkurven" />
2987   <max value="1" />
2988   <mustSupport value="true" />
2989 </element>
2990 <element id="Composition.section:perzentilkurven.title">
2991   <path value="Composition.section.title" />
2992   <min value="1" />
2993   <fixedString value="Perzentilkurven" />

```

```

2994     <mustSupport value="true" />
2995 </element>
2996 <element id="Composition.section.perzentilkurven.code">
2997     <path value="Composition.section.code" />
2998     <min value="1" />
2999     <mustSupport value="true" />
3000 </element>
3001 <element id="Composition.section.perzentilkurven.code.coding">
3002     <path value="Composition.section.code.coding" />
3003     <min value="1" />
3004     <max value="1" />
3005     <mustSupport value="true" />
3006 </element>
3007 <element id="Composition.section.perzentilkurven.code.coding.system">
3008     <path value="Composition.section.code.coding.system" />
3009     <min value="1" />
3010     <fixedUri value="http://snomed.info/sct" />
3011 </element>
3012 <element id="Composition.section.perzentilkurven.code.coding.version">
3013     <path value="Composition.section.code.coding.version" />
3014     <min value="1" />
3015     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3016 </element>
3017 <element id="Composition.section.perzentilkurven.code.coding.code">
3018     <path value="Composition.section.code.coding.code" />
3019     <min value="1" />
3020     <fixedCode value="129822005" />
3021 </element>
3022 <element id="Composition.section.perzentilkurven.code.coding.display">
3023     <path value="Composition.section.code.coding.display" />
3024     <min value="1" />
3025     <fixedString value="Childhood growth AND/OR development finding
(finding)" />
3026 </element>
3027 <element id="Composition.section.perzentilkurven.code.coding.userSelect
ed">
3028     <path value="Composition.section.code.coding.userSelected" />
3029     <max value="0" />
3030 </element>
3031 <element id="Composition.section.perzentilkurven.code.text">
3032     <path value="Composition.section.code.text" />
3033     <max value="0" />
3034 </element>
3035 <element id="Composition.section.perzentilkurven.author">
3036     <path value="Composition.section.author" />
3037     <max value="0" />
3038 </element>
3039 <element id="Composition.section.perzentilkurven.focus">
3040     <path value="Composition.section.focus" />
3041     <max value="0" />
3042 </element>
3043 <element id="Composition.section.perzentilkurven.text">
3044     <path value="Composition.section.text" />
3045     <min value="1" />
3046 </element>
3047 <element id="Composition.section.perzentilkurven.text.status">
3048     <path value="Composition.section.text.status" />
3049     <fixedCode value="generated" />
3050 </element>

```

```

3051 <element id="Composition.section:perzentilkurven.mode">
3052   <path value="Composition.section.mode" />
3053   <max value="0" />
3054 </element>
3055 <element id="Composition.section:perzentilkurven.orderedBy">
3056   <path value="Composition.section.orderedBy" />
3057   <max value="0" />
3058 </element>
3059 <element id="Composition.section:perzentilkurven.entry">
3060   <path value="Composition.section.entry" />
3061   <max value="1" />
3062   <type>
3063     <code value="Reference" />
3064     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values|1.0.1" />
3065   </type>
3066   <mustSupport value="true" />
3067 </element>
3068 <element id="Composition.section:perzentilkurven.entry.reference">
3069   <path value="Composition.section.entry.reference" />
3070   <min value="1" />
3071   <mustSupport value="true" />
3072 </element>
3073 <element id="Composition.section:perzentilkurven.entry.type">
3074   <path value="Composition.section.entry.type" />
3075   <max value="0" />
3076 </element>
3077 <element id="Composition.section:perzentilkurven.entry.identifizier">
3078   <path value="Composition.section.entry.identifizier" />
3079   <max value="0" />
3080 </element>
3081 <element id="Composition.section:perzentilkurven.entry.display">
3082   <path value="Composition.section.entry.display" />
3083   <max value="0" />
3084 </element>
3085 <element id="Composition.section:perzentilkurven.emptyReason">
3086   <path value="Composition.section.emptyReason" />
3087   <mustSupport value="true" />
3088 </element>
3089 <element id="Composition.section:perzentilkurven.emptyReason.coding">
3090   <path value="Composition.section.emptyReason.coding" />
3091   <min value="1" />
3092   <max value="1" />
3093   <mustSupport value="true" />
3094 </element>
3095 <element id="Composition.section:perzentilkurven.emptyReason.coding.sys
tem">
3096   <path value="Composition.section.emptyReason.coding.system" />
3097   <min value="1" />
3098   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
3099 </element>
3100 <element id="Composition.section:perzentilkurven.emptyReason.coding.ver
sion">
3101   <path value="Composition.section.emptyReason.coding.version" />
3102   <min value="1" />
3103   <fixedString value="4.0.1" />
3104 </element>
3105 <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
e">

```



```

3106     <path value="Composition.section.emptyReason.coding.code" />
3107     <min value="1" />
3108     <fixedCode value="closed" />
3109 </element>
3110 <element id="Composition.section:perzentilkurven.emptyReason.coding.display">
3111     <path value="Composition.section.emptyReason.coding.display" />
3112     <min value="1" />
3113     <fixedString value="Closed" />
3114 </element>
3115 <element id="Composition.section:perzentilkurven.emptyReason.coding.userSelected">
3116     <path value="Composition.section.emptyReason.coding.userSelected" />
3117     <max value="0" />
3118 </element>
3119 <element id="Composition.section:perzentilkurven.emptyReason.text">
3120     <path value="Composition.section.emptyReason.text" />
3121     <max value="0" />
3122 </element>
3123 <element id="Composition.section:perzentilkurven.section">
3124     <path value="Composition.section.section" />
3125     <max value="0" />
3126 </element>
3127 </differential>
3128 </StructureDefinition>

```

## 209. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U2

### KBV\_PR\_MIO\_CMR\_Composition\_U2

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U2" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_U2" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Ressource umfasst alle Inhalte, die im Rahmen der
Kindervorsorgeuntersuchung U2 erfasst werden." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U2|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87         <element id="Composition.extension">
88             <path value="Composition.extension" />
89             <slicing>
90                 <discriminator>
91                     <type value="value" />
92                     <path value="url" />
93                 </discriminator>
94                 <rules value="open" />
95             </slicing>
96         </element>
97     </element>
98     <element id="Composition.extension:u2Einleitung">
99         <path value="Composition.extension" />
100        <sliceName value="u2Einleitung" />
101        <short value="Einleitung" />
102        <min value="1" />
103        <max value="1" />
104        <type>
105            <code value="Extension" />
106            <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
107        </type>
108        <mustSupport value="true" />
109    </element>
110    <element id="Composition.extension:u2Einleitung.value[x]">
111        <path value="Composition.extension.value[x]" />
112        <mustSupport value="true" />
113    </element>
114    <element id="Composition.extension:u2Einleitung.value[x]:valueString">
115        <path value="Composition.extension.value[x]" />
116        <sliceName value="valueString" />
117        <fixedString value="U2 Elterninformation zur Untersuchung vom 3. bis
zum 10. Lebenstag Ihr Baby ist jetzt einige Tage alt. Wenn Sie in der
Klinik sind, wird die zweite Untersuchung, die U2, dort stattfinden. Wenn
Sie zu Hause sind, vereinbaren Sie so früh wie möglich einen
Untersuchungstermin bei der Ärztin oder dem Arzt, die oder der Ihr Baby
betreuen soll. Die U2 soll drei bis spätestens zehn Tage nach der Geburt
stattfinden. Falls die Tests auf kritische angeborene Herzfehler,
angeborene Stoffwechselstörungen und/oder Mukoviszidose sowie der
Neugeborenen-Hörtest noch nicht durchgeführt wurden, sollten sie umgehend
erfolgen, da es für einige Erkrankungen wichtig ist, dass die Diagnose
schnell gestellt werden kann. Durch eine eingehende körperliche
Untersuchung Ihres Babys sollen bei der U2 angeborene Erkrankungen und
Fehlbildungen (z. B. Fehlbildungen des Herzens) erkannt und
lebensbedrohliche Komplikationen vermieden werden. Hierzu gehört auch das
Erkennen einer behandlungsbedürftigen Gelbsucht. Bei dieser und bei allen
weiteren Untersuchungen wird Ihr Baby gemessen und gewogen. Es wird
besonders geachtet auf: • die Haut • die Sinnesorgane • die Brust- und
Bauchorgane • die Geschlechtsorgane • den Kopf (Mund, Nase, Augen, Ohren) •
das Skelettsystem mit Muskeln und Nerven. Die Ärztin oder der Arzt
bespricht mit Ihnen, was für die gesunde Entwicklung Ihres Babys wichtig
ist. Sie erhalten Informationen zu regionalen Unterstützungsangeboten (z.
B. Eltern-Kind-Hilfen, Frühe Hilfen). Bei dieser Untersuchung erhält Ihr
Baby nochmals Vitamin K, um Blutungen vorzubeugen. Außerdem werden Sie über
Vitamin D zur Vorbeugung der Knochenerkrankung Rachitis und über Fluorid
beraten, das für die spätere Zahnhärtung wichtig ist. Gegebenenfalls werden
diese Ihrem Baby verschrieben. Außerdem werden Sie zu den Themen Stillen
und Ernährung beraten sowie über Maßnahmen, die das Risiko eines
plötzlichen Kindstodes vermindern." />
118        <mustSupport value="true" />

```

```

119 </element>
120
121 <element id="Composition.identifier">
122   <path value="Composition.identifier" />
123   <max value="0" />
124 </element>
125
126 <element id="Composition.status">
127   <path value="Composition.status" />
128   <fixedCode value="final" />
129 </element>
130 <element id="Composition.type">
131   <path value="Composition.type" />
132   <mustSupport value="true" />
133 </element>
134 <element id="Composition.type.coding">
135   <path value="Composition.type.coding" />
136   <min value="1" />
137   <max value="1" />
138   <mustSupport value="true" />
139 </element>
140 <element id="Composition.type.coding.system">
141   <path value="Composition.type.coding.system" />
142   <min value="1" />
143   <fixedUri value="http://snomed.info/sct" />
144 </element>
145 <element id="Composition.type.coding.version">
146   <path value="Composition.type.coding.version" />
147   <min value="1" />
148   <fixedString value="http://snomed.info/sct/900000000000207008/
149   version/20210131" />
150 </element>
151 <element id="Composition.type.coding.code">
152   <path value="Composition.type.coding.code" />
153   <min value="1" />
154   <fixedCode value="170107008" />
155 </element>
156 <element id="Composition.type.coding.display">
157   <path value="Composition.type.coding.display" />
158   <min value="1" />
159   <fixedString value="Child examination - 10 days (procedure)" />
160 </element>
161 <element id="Composition.type.coding.userSelected">
162   <path value="Composition.type.coding.userSelected" />
163   <max value="0" />
164 </element>
165 <element id="Composition.type.text">
166   <path value="Composition.type.text" />
167   <max value="0" />
168 </element>
169 <element id="Composition.category">
170   <path value="Composition.category" />
171   <min value="1" />
172   <max value="1" />
173   <mustSupport value="true" />
174 </element>
175 <element id="Composition.category.coding">
176   <path value="Composition.category.coding" />
177   <min value="1" />
178   <max value="1" />

```

```

178     <mustSupport value="true" />
179 </element>
180 <element id="Composition.category.coding.system">
181   <path value="Composition.category.coding.system" />
182   <min value="1" />
183   <fixedUri value="http://snomed.info/sct" />
184 </element>
185 <element id="Composition.category.coding.version">
186   <path value="Composition.category.coding.version" />
187   <min value="1" />
188   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
189 </element>
190 <element id="Composition.category.coding.code">
191   <path value="Composition.category.coding.code" />
192   <min value="1" />
193   <fixedCode value="243788004" />
194 </element>
195 <element id="Composition.category.coding.display">
196   <path value="Composition.category.coding.display" />
197   <min value="1" />
198   <fixedString value="Child examination (procedure)" />
199 </element>
200 <element id="Composition.category.coding.userSelected">
201   <path value="Composition.category.coding.userSelected" />
202   <max value="0" />
203 </element>
204 <element id="Composition.category.text">
205   <path value="Composition.category.text" />
206   <max value="0" />
207 </element>
208 <element id="Composition.subject">
209   <path value="Composition.subject" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="Composition.subject.reference">
218   <path value="Composition.subject.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="Composition.subject.type">
223   <path value="Composition.subject.type" />
224   <max value="0" />
225 </element>
226 <element id="Composition.subject.identifier">
227   <path value="Composition.subject.identifier" />
228   <max value="0" />
229 </element>
230 <element id="Composition.subject.display">
231   <path value="Composition.subject.display" />
232   <max value="0" />
233 </element>
234 <element id="Composition.encounter">
235   <path value="Composition.encounter" />

```

```

236     <min value="1" />
237     <type>
238         <code value="Reference" />
239         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
240     </type>
241     <mustSupport value="true" />
242 </element>
243 <element id="Composition.encounter.reference">
244     <path value="Composition.encounter.reference" />
245     <min value="1" />
246     <mustSupport value="true" />
247 </element>
248 <element id="Composition.encounter.type">
249     <path value="Composition.encounter.type" />
250     <max value="0" />
251 </element>
252 <element id="Composition.encounter.identifier">
253     <path value="Composition.encounter.identifier" />
254     <max value="0" />
255 </element>
256 <element id="Composition.encounter.display">
257     <path value="Composition.encounter.display" />
258     <max value="0" />
259 </element>
260 <element id="Composition.author">
261     <path value="Composition.author" />
262     <max value="2" />
263     <type>
264         <code value="Reference" />
265         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
266         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
267     </type>
268     <mustSupport value="true" />
269 </element>
270 <element id="Composition.author.reference">
271     <path value="Composition.author.reference" />
272     <min value="1" />
273     <mustSupport value="true" />
274 </element>
275 <element id="Composition.author.type">
276     <path value="Composition.author.type" />
277     <max value="0" />
278 </element>
279 <element id="Composition.author.identifier">
280     <path value="Composition.author.identifier" />
281     <max value="0" />
282 </element>
283 <element id="Composition.author.display">
284     <path value="Composition.author.display" />
285     <max value="0" />
286 </element>
287 <element id="Composition.title">
288     <path value="Composition.title" />
289     <fixedString value="U2" />
290     <mustSupport value="true" />
291 </element>
292 <element id="Composition.confidentiality">

```

```

293     <path value="Composition.confidentiality" />
294     <max value="0" />
295 </element>
296 <element id="Composition.attester">
297     <path value="Composition.attester" />
298     <max value="0" />
299 </element>
300 <element id="Composition.custodian">
301     <path value="Composition.custodian" />
302     <max value="0" />
303 </element>
304 <element id="Composition.relatesTo">
305     <path value="Composition.relatesTo" />
306     <max value="0" />
307 </element>
308 <element id="Composition.event">
309     <path value="Composition.event" />
310     <max value="0" />
311 </element>
312 <element id="Composition.section">
313     <path value="Composition.section" />
314     <licing>
315         <discriminator>
316             <type value="value" />
317             <path value="title" />
318         </discriminator>
319         <rules value="closed" />
320     </licing>
321     <mustSupport value="true" />
322 </element>
323 <element id="Composition.section:schwangerschaftsanamnese">
324     <path value="Composition.section" />
325     <sliceName value="schwangerschaftsanamnese" />
326     <max value="1" />
327     <mustSupport value="true" />
328 </element>
329 <element id="Composition.section:schwangerschaftsanamnese.extension">
330     <path value="Composition.section.extension" />
331     <licing>
332         <discriminator>
333             <type value="value" />
334             <path value="url" />
335         </discriminator>
336         <rules value="open" />
337     </licing>
338 </element>
339 <element id="Composition.section:schwangerschaftsanamnese.extension:anamneseAnweisung">
340     <path value="Composition.section.extension" />
341     <sliceName value="anamneseAnweisung" />
342     <min value="1" />
343     <max value="1" />
344     <type>
345         <code value="Extension" />
346         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CM_Instruction" />
347     </type>
348     <mustSupport value="true" />
349 </element>

```



```

350     <element id="Composition.section:schwangerschaftsanamnese.extension:ana
mneseAnweisung.value[x]">
351       <path value="Composition.section.extension.value[x]" />
352       <mustSupport value="true" />
353     </element>
354     <element id="Composition.section:schwangerschaftsanamnese.extension:ana
mneseAnweisung.value[x]:valueString">
355       <path value="Composition.section.extension.value[x]" />
356       <sliceName value="valueString" />
357       <fixedString value="Zutreffendes bitte ankreuzen!" />
358       <mustSupport value="true" />
359     </element>
360     <element id="Composition.section:schwangerschaftsanamnese.title">
361       <path value="Composition.section.title" />
362       <min value="1" />
363       <fixedString value="Schwangerschaftsanamnese" />
364       <mustSupport value="true" />
365     </element>
366     <element id="Composition.section:schwangerschaftsanamnese.code">
367       <path value="Composition.section.code" />
368       <min value="1" />
369       <mustSupport value="true" />
370     </element>
371     <element id="Composition.section:schwangerschaftsanamnese.code.coding">
372       <path value="Composition.section.code.coding" />
373       <min value="1" />
374       <max value="1" />
375       <mustSupport value="true" />
376     </element>
377     <element id="Composition.section:schwangerschaftsanamnese.code.coding.s
ystem">
378       <path value="Composition.section.code.coding.system" />
379       <min value="1" />
380       <fixedUri value="http://snomed.info/sct" />
381     </element>
382     <element id="Composition.section:schwangerschaftsanamnese.code.coding.v
ersion">
383       <path value="Composition.section.code.coding.version" />
384       <min value="1" />
385       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
386     </element>
387     <element id="Composition.section:schwangerschaftsanamnese.code.coding.c
ode">
388       <path value="Composition.section.code.coding.code" />
389       <min value="1" />
390       <fixedCode value="160427003" />
391     </element>
392     <element id="Composition.section:schwangerschaftsanamnese.code.coding.d
isplay">
393       <path value="Composition.section.code.coding.display" />
394       <min value="1" />
395       <fixedString value="Family history with explicit context pertaining
to mother (situation)" />
396     </element>
397     <element id="Composition.section:schwangerschaftsanamnese.code.coding.u
serSelected">
398       <path value="Composition.section.code.coding.userSelected" />
399       <max value="0" />
400     </element>

```

```

401 <element id="Composition.section:schwangerschaftsanamnese.code.text">
402   <path value="Composition.section.code.text" />
403   <max value="0" />
404 </element>
405 <element id="Composition.section:schwangerschaftsanamnese.author">
406   <path value="Composition.section.author" />
407   <max value="0" />
408 </element>
409 <element id="Composition.section:schwangerschaftsanamnese.focus">
410   <path value="Composition.section.focus" />
411   <short value="The Focus in this Section is on the Childs Mother" />
412   <max value="0" />
413 </element>
414 <element id="Composition.section:schwangerschaftsanamnese.text">
415   <path value="Composition.section.text" />
416   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
417   <min value="1" />
418 </element>
419 <element id="Composition.section:schwangerschaftsanamnese.text.status">
420   <path value="Composition.section.text.status" />
421   <fixedCode value="generated" />
422 </element>
423 <element id="Composition.section:schwangerschaftsanamnese.mode">
424   <path value="Composition.section.mode" />
425   <max value="0" />
426 </element>
427 <element id="Composition.section:schwangerschaftsanamnese.orderedBy">
428   <path value="Composition.section.orderedBy" />
429   <max value="0" />
430 </element>
431 <element id="Composition.section:schwangerschaftsanamnese.entry">
432   <path value="Composition.section.entry" />
433   <type>
434     <code value="Reference" />
435     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Pregnancy_History|1.0.1" />
436   </type>
437   <mustSupport value="true" />
438 </element>
439 <element id="Composition.section:schwangerschaftsanamnese.entry.referen
ce">
440   <path value="Composition.section.entry.reference" />
441   <min value="1" />
442   <mustSupport value="true" />
443 </element>
444 <element id="Composition.section:schwangerschaftsanamnese.entry.identif
ier">
445   <path value="Composition.section.entry.identifrier" />
446   <max value="0" />
447 </element>
448 <element id="Composition.section:schwangerschaftsanamnese.entry.display
">
449   <path value="Composition.section.entry.display" />
450   <max value="0" />
451 </element>
452 <element id="Composition.section:schwangerschaftsanamnese.emptyReason">
453   <path value="Composition.section.emptyReason" />
454   <max value="0" />
455 </element>

```

```

456 <element id="Composition.section:schwangerschaftsanamnese.section">
457   <path value="Composition.section.section" />
458   <max value="0" />
459 </element>
460 <element id="Composition.section:geburtsanamnese">
461   <path value="Composition.section" />
462   <sliceName value="geburtsanamnese" />
463   <max value="1" />
464   <mustSupport value="true" />
465 </element>
466 <element id="Composition.section:geburtsanamnese.extension">
467   <path value="Composition.section.extension" />
468   <slicing>
469     <discriminator>
470       <type value="value" />
471       <path value="url" />
472     </discriminator>
473     <rules value="open" />
474   </slicing>
475 </element>
476 <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung">
477   <path value="Composition.section.extension" />
478   <sliceName value="anamneseAnweisung" />
479   <min value="1" />
480   <max value="1" />
481   <type>
482     <code value="Extension" />
483     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
484   </type>
485   <mustSupport value="true" />
486 </element>
487 <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung.value[x]">
488   <path value="Composition.section.extension.value[x]" />
489   <mustSupport value="true" />
490 </element>
491 <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung.value[x]:valueString">
492   <path value="Composition.section.extension.value[x]" />
493   <sliceName value="valueString" />
494   <fixedString value="Zutreffendes bitte ankreuzen!" />
495   <mustSupport value="true" />
496 </element>
497 <element id="Composition.section:geburtsanamnese.title">
498   <path value="Composition.section.title" />
499   <min value="1" />
500   <fixedString value="Geburtsanamnese" />
501   <mustSupport value="true" />
502 </element>
503 <element id="Composition.section:geburtsanamnese.code">
504   <path value="Composition.section.code" />
505   <min value="1" />
506   <mustSupport value="true" />
507 </element>
508 <element id="Composition.section:geburtsanamnese.code.coding">
509   <path value="Composition.section.code.coding" />
510   <min value="1" />
511   <max value="1" />

```

```

512     <mustSupport value="true" />
513 </element>
514 <element id="Composition.section:geburtsanamnese.code.coding.system">
515   <path value="Composition.section.code.coding.system" />
516   <min value="1" />
517   <fixedUri value="http://snomed.info/sct" />
518 </element>
519 <element id="Composition.section:geburtsanamnese.code.coding.version">
520   <path value="Composition.section.code.coding.version" />
521   <min value="1" />
522   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
523 </element>
524 <element id="Composition.section:geburtsanamnese.code.coding.code">
525   <path value="Composition.section.code.coding.code" />
526   <min value="1" />
527   <fixedCode value="364319003" />
528 </element>
529 <element id="Composition.section:geburtsanamnese.code.coding.display">
530   <path value="Composition.section.code.coding.display" />
531   <min value="1" />
532   <fixedString value="Pregnancy, childbirth / puerperium observable
(observable entity)" />
533 </element>
534 <element id="Composition.section:geburtsanamnese.code.coding.userSelect
ed">
535   <path value="Composition.section.code.coding.userSelected" />
536   <max value="0" />
537 </element>
538 <element id="Composition.section:geburtsanamnese.code.text">
539   <path value="Composition.section.code.text" />
540   <max value="0" />
541 </element>
542 <element id="Composition.section:geburtsanamnese.author">
543   <path value="Composition.section.author" />
544   <max value="0" />
545 </element>
546 <element id="Composition.section:geburtsanamnese.focus">
547   <path value="Composition.section.focus" />
548   <max value="0" />
549 </element>
550 <element id="Composition.section:geburtsanamnese.text">
551   <path value="Composition.section.text" />
552   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
553   <min value="1" />
554 </element>
555 <element id="Composition.section:geburtsanamnese.text.status">
556   <path value="Composition.section.text.status" />
557   <fixedCode value="generated" />
558 </element>
559 <element id="Composition.section:geburtsanamnese.mode">
560   <path value="Composition.section.mode" />
561   <max value="0" />
562 </element>
563 <element id="Composition.section:geburtsanamnese.orderedBy">
564   <path value="Composition.section.orderedBy" />
565   <max value="0" />
566 </element>
567 <element id="Composition.section:geburtsanamnese.entry">

```

```

568     <path value="Composition.section.entry" />
569     <max value="0" />
570 </element>
571 <element id="Composition.section:geburtsanamnese.emptyReason">
572     <path value="Composition.section.emptyReason" />
573     <mustSupport value="true" />
574 </element>
575 <element id="Composition.section:geburtsanamnese.emptyReason.coding">
576     <path value="Composition.section.emptyReason.coding" />
577     <min value="1" />
578     <max value="1" />
579     <mustSupport value="true" />
580 </element>
581 <element id="Composition.section:geburtsanamnese.emptyReason.coding.system">
582     <path value="Composition.section.emptyReason.coding.system" />
583     <min value="1" />
584     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
585 </element>
586 <element id="Composition.section:geburtsanamnese.emptyReason.coding.ver
sion">
587     <path value="Composition.section.emptyReason.coding.version" />
588     <min value="1" />
589     <fixedString value="4.0.1" />
590 </element>
591 <element id="Composition.section:geburtsanamnese.emptyReason.coding.cod
e">
592     <path value="Composition.section.emptyReason.coding.code" />
593     <min value="1" />
594     <fixedCode value="closed" />
595 </element>
596 <element id="Composition.section:geburtsanamnese.emptyReason.coding.dis
play">
597     <path value="Composition.section.emptyReason.coding.display" />
598     <min value="1" />
599     <fixedString value="Closed" />
600 </element>
601 <element id="Composition.section:geburtsanamnese.emptyReason.coding.use
rSelected">
602     <path value="Composition.section.emptyReason.coding.userSelected" />
603     <max value="0" />
604 </element>
605 <element id="Composition.section:geburtsanamnese.emptyReason.text">
606     <path value="Composition.section.emptyReason.text" />
607     <max value="0" />
608 </element>
609 <element id="Composition.section:geburtsanamnese.section">
610     <path value="Composition.section.section" />
611     <slicing>
612         <discriminator>
613             <type value="value" />
614             <path value="title" />
615         </discriminator>
616         <rules value="closed" />
617     </slicing>
618     <mustSupport value="true" />
619 </element>
620 <element id="Composition.section:geburtsanamnese.section:geschlecht">
621     <path value="Composition.section.section" />

```

```

622     <sliceName value="geschlecht" />
623     <max value="1" />
624     <mustSupport value="true" />
625 </element>
626 <element id="Composition.section:geburtsanamnese.section:geschlecht.title">
627     <path value="Composition.section.section.title" />
628     <min value="1" />
629     <fixedString value="Geschlecht" />
630     <mustSupport value="true" />
631 </element>
632 <element id="Composition.section:geburtsanamnese.section:geschlecht.code">
633     <path value="Composition.section.section.code" />
634     <min value="1" />
635     <mustSupport value="true" />
636 </element>
637 <element id="Composition.section:geburtsanamnese.section:geschlecht.code.coding">
638     <path value="Composition.section.section.code.coding" />
639     <min value="1" />
640     <max value="1" />
641     <mustSupport value="true" />
642 </element>
643 <element id="Composition.section:geburtsanamnese.section:geschlecht.code.coding.system">
644     <path value="Composition.section.section.code.coding.system" />
645     <min value="1" />
646     <fixedUri value="http://snomed.info/sct" />
647 </element>
648 <element id="Composition.section:geburtsanamnese.section:geschlecht.code.coding.version">
649     <path value="Composition.section.section.code.coding.version" />
650     <min value="1" />
651     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
652 </element>
653 <element id="Composition.section:geburtsanamnese.section:geschlecht.code.coding.code">
654     <path value="Composition.section.section.code.coding.code" />
655     <min value="1" />
656     <fixedCode value="263495000" />
657 </element>
658 <element id="Composition.section:geburtsanamnese.section:geschlecht.code.coding.display">
659     <path value="Composition.section.section.code.coding.display" />
660     <min value="1" />
661     <fixedString value="Gender (observable entity)" />
662 </element>
663 <element id="Composition.section:geburtsanamnese.section:geschlecht.code.coding.userSelected">
664     <path value="Composition.section.section.code.coding.userSelected" />
665     <max value="0" />
666 </element>
667 <element id="Composition.section:geburtsanamnese.section:geschlecht.code.text">
668     <path value="Composition.section.section.code.text" />
669     <max value="0" />
670 </element>

```

```

671     <element id="Composition.section:geburtsanamnese.section:geschlecht.aut
hor">
672         <path value="Composition.section.section.author" />
673         <max value="0" />
674     </element>
675     <element id="Composition.section:geburtsanamnese.section:geschlecht.foc
us">
676         <path value="Composition.section.section.focus" />
677         <max value="0" />
678     </element>
679     <element id="Composition.section:geburtsanamnese.section:geschlecht.tex
t">
680         <path value="Composition.section.section.text" />
681         <max value="0" />
682     </element>
683     <element id="Composition.section:geburtsanamnese.section:geschlecht.mod
e">
684         <path value="Composition.section.section.mode" />
685         <max value="0" />
686     </element>
687     <element id="Composition.section:geburtsanamnese.section:geschlecht.ord
eredBy">
688         <path value="Composition.section.section.orderedBy" />
689         <max value="0" />
690     </element>
691     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry">
692         <path value="Composition.section.section.entry" />
693         <min value="1" />
694         <max value="1" />
695         <type>
696             <code value="Reference" />
697             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Gender_Birth_History|1.0.1" />
698         </type>
699         <mustSupport value="true" />
700     </element>
701     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.reference">
702         <path value="Composition.section.section.entry.reference" />
703         <min value="1" />
704         <mustSupport value="true" />
705     </element>
706     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.type">
707         <path value="Composition.section.section.entry.type" />
708         <max value="0" />
709     </element>
710     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.identifier">
711         <path value="Composition.section.section.entry.identifier" />
712         <max value="0" />
713     </element>
714     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.display">
715         <path value="Composition.section.section.entry.display" />
716         <max value="0" />
717     </element>
718     <element id="Composition.section:geburtsanamnese.section:geschlecht.emp
tyReason">

```

```

719     <path value="Composition.section.section.emptyReason" />
720     <max value="0" />
721   </element>
722   <element id="Composition.section:geburtsanamnese.section:geschlecht.sec
tion">
723     <path value="Composition.section.section.section" />
724     <max value="0" />
725   </element>
726   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik">
727     <path value="Composition.section.section" />
728     <sliceName value="befundePraenatalerDiagnostik" />
729     <max value="1" />
730     <mustSupport value="true" />
731   </element>
732   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.title">
733     <path value="Composition.section.section.title" />
734     <min value="1" />
735     <fixedString value="Soweit vorhanden, Befunde einer pränatalen
Diagnostik:" />
736     <mustSupport value="true" />
737   </element>
738   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code">
739     <path value="Composition.section.section.code" />
740     <min value="1" />
741     <mustSupport value="true" />
742   </element>
743   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding">
744     <path value="Composition.section.section.code.coding" />
745     <licing>
746       <discriminator>
747         <type value="value" />
748         <path value="system" />
749       </discriminator>
750       <rules value="closed" />
751     </licing>
752     <min value="2" />
753     <max value="2" />
754     <mustSupport value="true" />
755   </element>
756   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed">
757     <path value="Composition.section.section.code.coding" />
758     <sliceName value="codeSnomed" />
759     <min value="1" />
760     <max value="1" />
761     <mustSupport value="true" />
762   </element>
763   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.system">
764     <path value="Composition.section.section.code.coding.system" />
765     <min value="1" />
766     <fixedUri value="http://snomed.info/sct" />
767   </element>
768   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.version">
769     <path value="Composition.section.section.code.coding.version" />

```



```

770     <min value="1" />
771     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
772   </element>
773   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.code">
774     <path value="Composition.section.section.code.coding.code" />
775     <min value="1" />
776     <fixedCode value="313199003" />
777   </element>
778   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.display">
779     <path value="Composition.section.section.code.coding.display" />
780     <min value="1" />
781     <fixedString value="Antenatal screening finding (observable
entity)" />
782   </element>
783   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeSnomed.userSelected">
784     <path value="Composition.section.section.code.coding.userSelected" />
785     <max value="0" />
786   </element>
787   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc">
788     <path value="Composition.section.section.code.coding" />
789     <sliceName value="codeLoinc" />
790     <min value="1" />
791     <max value="1" />
792     <mustSupport value="true" />
793   </element>
794   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.system">
795     <path value="Composition.section.section.code.coding.system" />
796     <min value="1" />
797     <fixedUri value="http://loinc.org" />
798   </element>
799   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.version">
800     <path value="Composition.section.section.code.coding.version" />
801     <min value="1" />
802     <fixedString value="2.69" />
803   </element>
804   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.code">
805     <path value="Composition.section.section.code.coding.code" />
806     <min value="1" />
807     <fixedCode value="57078-8" />
808   </element>
809   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.display">
810     <path value="Composition.section.section.code.coding.display" />
811     <min value="1" />
812     <fixedString value="Antenatal testing and surveillance Narrative" />
813   </element>
814   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.userSelected">
815     <path value="Composition.section.section.code.coding.userSelected" />
816     <max value="0" />
817   </element>

```

```

818     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.text">
819       <path value="Composition.section.section.code.text" />
820       <max value="0" />
821     </element>
822     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.author">
823       <path value="Composition.section.section.author" />
824       <max value="0" />
825     </element>
826     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.focus">
827       <path value="Composition.section.section.focus" />
828       <max value="0" />
829     </element>
830     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.text">
831       <path value="Composition.section.section.text" />
832       <max value="0" />
833     </element>
834     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.mode">
835       <path value="Composition.section.section.mode" />
836       <max value="0" />
837     </element>
838     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.orderedBy">
839       <path value="Composition.section.section.orderedBy" />
840       <max value="0" />
841     </element>
842     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry">
843       <path value="Composition.section.section.entry" />
844       <min value="1" />
845       <max value="1" />
846       <type>
847         <code value="Reference" />
848         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Prenatal_Finding|1.0.1" />
849       </type>
850       <mustSupport value="true" />
851     </element>
852     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.reference">
853       <path value="Composition.section.section.entry.reference" />
854       <min value="1" />
855       <mustSupport value="true" />
856     </element>
857     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.type">
858       <path value="Composition.section.section.entry.type" />
859       <max value="0" />
860     </element>
861     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.identifler">
862       <path value="Composition.section.section.entry.identifler" />
863       <max value="0" />
864     </element>
865     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.display">

```

```

866     <path value="Composition.section.section.entry.display" />
867     <max value="0" />
868 </element>
869     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.emptyReason">
870         <path value="Composition.section.section.emptyReason" />
871         <max value="0" />
872     </element>
873     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.section">
874         <path value="Composition.section.section.section" />
875         <max value="0" />
876     </element>
877     <element id="Composition.section:geburtsanamnese.section:baseExcess">
878         <path value="Composition.section.section" />
879         <sliceName value="baseExcess" />
880         <max value="1" />
881         <mustSupport value="true" />
882     </element>
883     <element id="Composition.section:geburtsanamnese.section:baseExcess.tit
le">
884         <path value="Composition.section.section.title" />
885         <min value="1" />
886         <fixedString value="Base excess" />
887         <mustSupport value="true" />
888     </element>
889     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e">
890         <path value="Composition.section.section.code" />
891         <min value="1" />
892         <mustSupport value="true" />
893     </element>
894     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding">
895         <path value="Composition.section.section.code.coding" />
896         <slicing>
897             <discriminator>
898                 <type value="value" />
899                 <path value="system" />
900             </discriminator>
901             <rules value="closed" />
902         </slicing>
903         <min value="2" />
904         <max value="2" />
905         <mustSupport value="true" />
906     </element>
907     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed">
908         <path value="Composition.section.section.code.coding" />
909         <sliceName value="codeSnomed" />
910         <min value="1" />
911         <max value="1" />
912         <mustSupport value="true" />
913     </element>
914     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.system">
915         <path value="Composition.section.section.code.coding.system" />
916         <min value="1" />
917         <fixedUri value="http://snomed.info/sct" />
918     </element>

```

```

919     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.version">
920       <path value="Composition.section.section.code.coding.version" />
921       <min value="1" />
922       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
923     </element>
924     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.code">
925       <path value="Composition.section.section.code.coding.code" />
926       <min value="1" />
927       <fixedCode value="363787002:370134009=123029007,704319004=12499000,11
8598001=118556004,370132008=30766002,704327008=703430008,246093002=68615006
,246501002=723208001" />
928     </element>
929     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.display">
930       <path value="Composition.section.section.code.coding.display" />
931       <min value="1" />
932       <fixedString value="Observable entity (observable entity) : Time
aspect (attribute) = Single point in time (qualifier value) , Inheres in
(attribute) = Cord blood (substance) , Property (attribute) = Substance
concentration (property) (qualifier value) , Scale type (attribute) =
Quantitative (qualifier value) , Direct site (attribute) = Arterial cord
blood specimen (specimen) , Component (attribute) = Bicarbonate
(substance) , Technique (attribute) = Base excess calculation technique
(qualifier value)" />
933     </element>
934     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.userSelected">
935       <path value="Composition.section.section.code.coding.userSelected" />
936       <max value="0" />
937     </element>
938     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc">
939       <path value="Composition.section.section.code.coding" />
940       <sliceName value="codeLoinc" />
941       <min value="1" />
942       <max value="1" />
943       <mustSupport value="true" />
944     </element>
945     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.system">
946       <path value="Composition.section.section.code.coding.system" />
947       <min value="1" />
948       <fixedUri value="http://loinc.org" />
949     </element>
950     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.version">
951       <path value="Composition.section.section.code.coding.version" />
952       <min value="1" />
953       <fixedString value="2.69" />
954     </element>
955     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.code">
956       <path value="Composition.section.section.code.coding.code" />
957       <min value="1" />
958       <fixedCode value="28638-5" />
959     </element>

```

```

960     <element id="Composition.section.geburtsanamnese.section.baseExcess.cod
e.coding:codeLoinc.display">
961       <path value="Composition.section.section.code.coding.display" />
962       <min value="1" />
963       <fixedString value="Base excess in Arterial cord blood by
calculation" />
964     </element>
965     <element id="Composition.section.geburtsanamnese.section.baseExcess.cod
e.coding:codeLoinc.userSelected">
966       <path value="Composition.section.section.code.coding.userSelected" />
967       <max value="0" />
968     </element>
969     <element id="Composition.section.geburtsanamnese.section.baseExcess.cod
e.text">
970       <path value="Composition.section.section.code.text" />
971       <max value="0" />
972     </element>
973     <element id="Composition.section.geburtsanamnese.section.baseExcess.aut
hor">
974       <path value="Composition.section.section.author" />
975       <max value="0" />
976     </element>
977     <element id="Composition.section.geburtsanamnese.section.baseExcess.foc
us">
978       <path value="Composition.section.section.focus" />
979       <max value="0" />
980     </element>
981     <element id="Composition.section.geburtsanamnese.section.baseExcess.tex
t">
982       <path value="Composition.section.section.text" />
983       <max value="0" />
984     </element>
985     <element id="Composition.section.geburtsanamnese.section.baseExcess.mod
e">
986       <path value="Composition.section.section.mode" />
987       <max value="0" />
988     </element>
989     <element id="Composition.section.geburtsanamnese.section.baseExcess.ord
eredBy">
990       <path value="Composition.section.section.orderedBy" />
991       <max value="0" />
992     </element>
993     <element id="Composition.section.geburtsanamnese.section.baseExcess.ent
ry">
994       <path value="Composition.section.section.entry" />
995       <min value="1" />
996       <max value="1" />
997       <type>
998         <code value="Reference" />
999         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Base_Excess|1.0.1" />
1000       </type>
1001       <mustSupport value="true" />
1002     </element>
1003     <element id="Composition.section.geburtsanamnese.section.baseExcess.ent
ry.reference">
1004       <path value="Composition.section.section.entry.reference" />
1005       <min value="1" />
1006       <mustSupport value="true" />
1007     </element>

```

```

1008     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.type">
1009         <path value="Composition.section.section.entry.type" />
1010         <max value="0" />
1011     </element>
1012     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.identified">
1013         <path value="Composition.section.section.entry.identified" />
1014         <max value="0" />
1015     </element>
1016     <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.display">
1017         <path value="Composition.section.section.entry.display" />
1018         <max value="0" />
1019     </element>
1020     <element id="Composition.section:geburtsanamnese.section:baseExcess.emp
tyReason">
1021         <path value="Composition.section.section.emptyReason" />
1022         <max value="0" />
1023     </element>
1024     <element id="Composition.section:geburtsanamnese.section:baseExcess.sec
tion">
1025         <path value="Composition.section.section.section" />
1026         <max value="0" />
1027     </element>
1028     <element id="Composition.section:geburtsanamnese.section:phWert">
1029         <path value="Composition.section.section" />
1030         <sliceName value="phWert" />
1031         <max value="1" />
1032         <mustSupport value="true" />
1033     </element>
1034     <element id="Composition.section:geburtsanamnese.section:phWert.title">
1035         <path value="Composition.section.section.title" />
1036         <min value="1" />
1037         <fixedString value="pH-Wert (Nabelarterie)" />
1038         <mustSupport value="true" />
1039     </element>
1040     <element id="Composition.section:geburtsanamnese.section:phWert.code">
1041         <path value="Composition.section.section.code" />
1042         <min value="1" />
1043         <mustSupport value="true" />
1044     </element>
1045     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding">
1046         <path value="Composition.section.section.code.coding" />
1047         <slicing>
1048             <discriminator>
1049                 <type value="value" />
1050                 <path value="system" />
1051             </discriminator>
1052             <rules value="closed" />
1053         </slicing>
1054         <min value="2" />
1055         <max value="2" />
1056         <mustSupport value="true" />
1057     </element>
1058     <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding.codeSnomed">
1059         <path value="Composition.section.section.code.coding" />
1060         <sliceName value="codeSnomed" />

```

```

1061     <min value="1" />
1062     <max value="1" />
1063     <mustSupport value="true" />
1064   </element>
1065   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.system">
1066     <path value="Composition.section.section.code.coding.system" />
1067     <min value="1" />
1068     <fixedUri value="http://snomed.info/sct" />
1069   </element>
1070   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.version">
1071     <path value="Composition.section.section.code.coding.version" />
1072     <min value="1" />
1073     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1074   </element>
1075   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.code">
1076     <path value="Composition.section.section.code.coding.code" />
1077     <min value="1" />
1078     <fixedCode value="363787002:370134009=123029007,704319004=12499000,24
6093002=89177007,704318007=702700007,370132008=30766002,704327008=703430008
" />
1079   </element>
1080   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.display">
1081     <path value="Composition.section.section.code.coding.display" />
1082     <min value="1" />
1083     <fixedString value="Observable entity (observable entity) : Time
aspect (attribute) = Single point in time (qualifier value) , Inheres in
(attribute) = Cord blood (substance) , Component (attribute) = Proton
(substance) , Property type (attribute) = Logarithmic substance
concentration (property) (qualifier value) , Scale type (attribute) =
Quantitative (qualifier value) , Direct site (attribute) = Arterial cord
blood specimen (specimen)" />
1084   </element>
1085   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.userSelected">
1086     <path value="Composition.section.section.code.coding.userSelected" />
1087     <max value="0" />
1088   </element>
1089   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc">
1090     <path value="Composition.section.section.code.coding" />
1091     <sliceName value="codeLoinc" />
1092     <min value="1" />
1093     <max value="1" />
1094     <mustSupport value="true" />
1095   </element>
1096   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.system">
1097     <path value="Composition.section.section.code.coding.system" />
1098     <min value="1" />
1099     <fixedUri value="http://loinc.org" />
1100   </element>
1101   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.version">
1102     <path value="Composition.section.section.code.coding.version" />
1103     <min value="1" />

```

```

1104     <fixedString value="2.69" />
1105   </element>
1106   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.code">
1107     <path value="Composition.section.section.code.coding.code" />
1108     <min value="1" />
1109     <fixedCode value="28646-8" />
1110   </element>
1111   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.display">
1112     <path value="Composition.section.section.code.coding.display" />
1113     <min value="1" />
1114     <fixedString value="pH of Arterial cord blood" />
1115   </element>
1116   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.userSelected">
1117     <path value="Composition.section.section.code.coding.userSelected" />
1118     <max value="0" />
1119   </element>
1120   <element id="Composition.section:geburtsanamnese.section:phWert.code.te
xt">
1121     <path value="Composition.section.section.code.text" />
1122     <max value="0" />
1123   </element>
1124   <element id="Composition.section:geburtsanamnese.section:phWert.author">
1125     <path value="Composition.section.section.author" />
1126     <max value="0" />
1127   </element>
1128   <element id="Composition.section:geburtsanamnese.section:phWert.focus">
1129     <path value="Composition.section.section.focus" />
1130     <max value="0" />
1131   </element>
1132   <element id="Composition.section:geburtsanamnese.section:phWert.text">
1133     <path value="Composition.section.section.text" />
1134     <max value="0" />
1135   </element>
1136   <element id="Composition.section:geburtsanamnese.section:phWert.mode">
1137     <path value="Composition.section.section.mode" />
1138     <max value="0" />
1139   </element>
1140   <element id="Composition.section:geburtsanamnese.section:phWert.ordered
By">
1141     <path value="Composition.section.section.orderedBy" />
1142     <max value="0" />
1143   </element>
1144   <element id="Composition.section:geburtsanamnese.section:phWert.entry">
1145     <path value="Composition.section.section.entry" />
1146     <min value="1" />
1147     <max value="1" />
1148     <type>
1149       <code value="Reference" />
1150       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_pH_Value|1.0.1" />
1151     </type>
1152     <mustSupport value="true" />
1153   </element>
1154   <element id="Composition.section:geburtsanamnese.section:phWert.entry.r
eference">
1155     <path value="Composition.section.section.entry.reference" />
1156     <min value="1" />

```



```

1157     <mustSupport value="true" />
1158   </element>
1159   <element id="Composition.section:geburtsanamnese.section:phWert.entry.type">
1160     <path value="Composition.section.section.entry.type" />
1161     <max value="0" />
1162   </element>
1163   <element id="Composition.section:geburtsanamnese.section:phWert.entry.identifizier">
1164     <path value="Composition.section.section.entry.identifizier" />
1165     <max value="0" />
1166   </element>
1167   <element id="Composition.section:geburtsanamnese.section:phWert.entry.display">
1168     <path value="Composition.section.section.entry.display" />
1169     <max value="0" />
1170   </element>
1171   <element id="Composition.section:geburtsanamnese.section:phWert.emptyReason">
1172     <path value="Composition.section.section.emptyReason" />
1173     <max value="0" />
1174   </element>
1175   <element id="Composition.section:geburtsanamnese.section:phWert.section">
1176     <path value="Composition.section.section.section" />
1177     <max value="0" />
1178   </element>
1179   <element id="Composition.section:geburtsanamnese.section:kindslage">
1180     <path value="Composition.section.section" />
1181     <sliceName value="kindslage" />
1182     <max value="1" />
1183     <mustSupport value="true" />
1184   </element>
1185   <element id="Composition.section:geburtsanamnese.section:kindslage.title">
1186     <path value="Composition.section.section.title" />
1187     <min value="1" />
1188     <fixedString value="Kindslage" />
1189     <mustSupport value="true" />
1190   </element>
1191   <element id="Composition.section:geburtsanamnese.section:kindslage.code">
1192     <path value="Composition.section.section.code" />
1193     <min value="1" />
1194     <mustSupport value="true" />
1195   </element>
1196   <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding">
1197     <path value="Composition.section.section.code.coding" />
1198     <min value="1" />
1199     <max value="1" />
1200     <mustSupport value="true" />
1201   </element>
1202   <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding.system">
1203     <path value="Composition.section.section.code.coding.system" />
1204     <min value="1" />
1205     <fixedUri value="http://snomed.info/sct" />
1206   </element>

```

```

1207     <element id="Composition.section:geburtsanamnese.section:kindslage.code
1208     .coding.version">
1209         <path value="Composition.section.section.code.coding.version" />
1210         <min value="1" />
1211         <fixedString value="http://snomed.info/sct/900000000000207008/
1212     version/20210131" />
1213     </element>
1214     <element id="Composition.section:geburtsanamnese.section:kindslage.code
1215     .coding.code">
1216         <path value="Composition.section.section.code.coding.code" />
1217         <min value="1" />
1218         <fixedCode value="364607000" />
1219     </element>
1220     <element id="Composition.section:geburtsanamnese.section:kindslage.code
1221     .coding.display">
1222         <path value="Composition.section.section.code.coding.display" />
1223         <min value="1" />
1224         <fixedString value="Position of fetus (observable entity)" />
1225     </element>
1226     <element id="Composition.section:geburtsanamnese.section:kindslage.code
1227     .coding.userSelected">
1228         <path value="Composition.section.section.code.coding.userSelected" />
1229         <max value="0" />
1230     </element>
1231     <element id="Composition.section:geburtsanamnese.section:kindslage.code
1232     .text">
1233         <path value="Composition.section.section.code.text" />
1234         <max value="0" />
1235     </element>
1236     <element id="Composition.section:geburtsanamnese.section:kindslage.auth
1237     or">
1238         <path value="Composition.section.section.author" />
1239         <max value="0" />
1240     </element>
1241     <element id="Composition.section:geburtsanamnese.section:kindslage.focu
1242     s">
1243         <path value="Composition.section.section.focus" />
1244         <max value="0" />
1245     </element>
1246     <element id="Composition.section:geburtsanamnese.section:kindslage.text
1247     ">
1248         <path value="Composition.section.section.text" />
1249         <max value="0" />
1250     </element>
1251     <element id="Composition.section:geburtsanamnese.section:kindslage.mode
1252     ">
1253         <path value="Composition.section.section.mode" />
1254         <max value="0" />
1255     </element>
1256     <element id="Composition.section:geburtsanamnese.section:kindslage.orde
1257     redBy">
1258         <path value="Composition.section.section.orderedBy" />
1259         <max value="0" />
1260     </element>
1261     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
1262     y">
1263         <path value="Composition.section.section.entry" />
1264         <min value="1" />
1265         <max value="1" />
1266     </element>
1267     <type>

```

```

1255     <code value="Reference" />
1256     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Foetal_Position|1.0.1" />
1257     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Different_Foetal_Position|1.0.1" />
1258   </type>
1259   <mustSupport value="true" />
1260 </element>
1261 <element id="Composition.section.geburtsanamnese.section.kindslage.ent
y.reference">
1262   <path value="Composition.section.section.entry.reference" />
1263   <min value="1" />
1264   <mustSupport value="true" />
1265 </element>
1266 <element id="Composition.section.geburtsanamnese.section.kindslage.ent
y.type">
1267   <path value="Composition.section.section.entry.type" />
1268   <max value="0" />
1269 </element>
1270 <element id="Composition.section.geburtsanamnese.section.kindslage.ent
y.identifier">
1271   <path value="Composition.section.section.entry.identifier" />
1272   <max value="0" />
1273 </element>
1274 <element id="Composition.section.geburtsanamnese.section.kindslage.ent
y.display">
1275   <path value="Composition.section.section.entry.display" />
1276   <max value="0" />
1277 </element>
1278 <element id="Composition.section.geburtsanamnese.section.kindslage.empt
yReason">
1279   <path value="Composition.section.section.emptyReason" />
1280   <max value="0" />
1281 </element>
1282 <element id="Composition.section.geburtsanamnese.section.kindslage.sect
ion">
1283   <path value="Composition.section.section.section" />
1284   <max value="0" />
1285 </element>
1286 <element id="Composition.section.geburtsanamnese.section.geburtsmodus">
1287   <path value="Composition.section.section" />
1288   <sliceName value="geburtsmodus" />
1289   <max value="1" />
1290   <mustSupport value="true" />
1291 </element>
1292 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.t
itle">
1293   <path value="Composition.section.section.title" />
1294   <min value="1" />
1295   <fixedString value="Geburtsmodus" />
1296   <mustSupport value="true" />
1297 </element>
1298 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode">
1299   <path value="Composition.section.section.code" />
1300   <min value="1" />
1301   <mustSupport value="true" />
1302 </element>
1303 <element id="Composition.section.geburtsanamnese.section.geburtsmodus.c
ode.coding">

```

```

1304     <path value="Composition.section.section.code.coding" />
1305     <min value="1" />
1306     <max value="1" />
1307     <mustSupport value="true" />
1308   </element>
1309   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.coding.system">
1310     <path value="Composition.section.section.code.coding.system" />
1311     <min value="1" />
1312     <fixedUri value="http://snomed.info/sct" />
1313   </element>
1314   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.coding.version">
1315     <path value="Composition.section.section.code.coding.version" />
1316     <min value="1" />
1317     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1318   </element>
1319   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.coding.code">
1320     <path value="Composition.section.section.code.coding.code" />
1321     <min value="1" />
1322     <fixedCode value="394698008" />
1323   </element>
1324   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.coding.display">
1325     <path value="Composition.section.section.code.coding.display" />
1326     <min value="1" />
1327     <fixedString value="Birth history (situation)" />
1328   </element>
1329   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.coding.userSelected">
1330     <path value="Composition.section.section.code.coding.userSelected" />
1331     <max value="0" />
1332   </element>
1333   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.text">
1334     <path value="Composition.section.section.code.text" />
1335     <max value="0" />
1336   </element>
1337   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.a
uthor">
1338     <path value="Composition.section.section.author" />
1339     <max value="0" />
1340   </element>
1341   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.f
ocus">
1342     <path value="Composition.section.section.focus" />
1343     <max value="0" />
1344   </element>
1345   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.t
ext">
1346     <path value="Composition.section.section.text" />
1347     <max value="0" />
1348   </element>
1349   <element id="Composition.section:geburtsanamnese.section:geburtsmodus.m
ode">
1350     <path value="Composition.section.section.mode" />
1351     <max value="0" />
1352   </element>

```

```

1353     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.o
rderedBy">
1354         <path value="Composition.section.section.orderedBy" />
1355         <max value="0" />
1356     </element>
1357     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry">
1358         <path value="Composition.section.section.entry" />
1359         <min value="1" />
1360         <max value="1" />
1361         <type>
1362             <code value="Reference" />
1363             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Birthmode|1.0.1" />
1364         </type>
1365         <mustSupport value="true" />
1366     </element>
1367     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.reference">
1368         <path value="Composition.section.section.entry.reference" />
1369         <min value="1" />
1370         <mustSupport value="true" />
1371     </element>
1372     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.type">
1373         <path value="Composition.section.section.entry.type" />
1374         <max value="0" />
1375     </element>
1376     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.identifizier">
1377         <path value="Composition.section.section.entry.identifizier" />
1378         <max value="0" />
1379     </element>
1380     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.display">
1381         <path value="Composition.section.section.entry.display" />
1382         <max value="0" />
1383     </element>
1384     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
mptyReason">
1385         <path value="Composition.section.section.emptyReason" />
1386         <max value="0" />
1387     </element>
1388     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.s
ection">
1389         <path value="Composition.section.section.section" />
1390         <max value="0" />
1391     </element>
1392     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit">
1393         <path value="Composition.section.section" />
1394         <sliceName value="geburtsdatumUhrzeit" />
1395         <max value="1" />
1396         <mustSupport value="true" />
1397     </element>
1398     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.title">
1399         <path value="Composition.section.section.title" />
1400         <min value="1" />
1401         <fixedString value="Geburtsdatum" />

```

```

1402     <mustSupport value="true" />
1403   </element>
1404   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code">
1405     <path value="Composition.section.section.code" />
1406     <min value="1" />
1407     <mustSupport value="true" />
1408   </element>
1409   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.coding">
1410     <path value="Composition.section.section.code.coding" />
1411     <min value="1" />
1412     <max value="1" />
1413     <mustSupport value="true" />
1414   </element>
1415   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.coding.system">
1416     <path value="Composition.section.section.code.coding.system" />
1417     <min value="1" />
1418     <fixedUri value="http://snomed.info/sct" />
1419   </element>
1420   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.coding.version">
1421     <path value="Composition.section.section.code.coding.version" />
1422     <min value="1" />
1423     <fixedString value="http://snomed.info/sct/900000000000207008/version/20210131" />
1424   </element>
1425   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.coding.code">
1426     <path value="Composition.section.section.code.coding.code" />
1427     <min value="1" />
1428     <fixedCode value="184099003+397836004" />
1429   </element>
1430   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.coding.display">
1431     <path value="Composition.section.section.code.coding.display" />
1432     <min value="1" />
1433     <fixedString value="Date of birth (observable entity) + Time of delivery (observable entity)" />
1434   </element>
1435   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.coding.userSelected">
1436     <path value="Composition.section.section.code.coding.userSelected" />
1437     <max value="0" />
1438   </element>
1439   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.code.text">
1440     <path value="Composition.section.section.code.text" />
1441     <max value="0" />
1442   </element>
1443   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.author">
1444     <path value="Composition.section.section.author" />
1445     <max value="0" />
1446   </element>
1447   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.focus">
1448     <path value="Composition.section.section.focus" />
1449     <max value="0" />

```

```

1450     </element>
1451     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.text">
1452         <path value="Composition.section.section.text" />
1453         <max value="0" />
1454     </element>
1455     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.mode">
1456         <path value="Composition.section.section.mode" />
1457         <max value="0" />
1458     </element>
1459     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.orderedBy">
1460         <path value="Composition.section.section.orderedBy" />
1461         <max value="0" />
1462     </element>
1463     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry">
1464         <path value="Composition.section.section.entry" />
1465         <min value="1" />
1466         <max value="1" />
1467         <type>
1468             <code value="Reference" />
1469             <targetProfile value="https://fhir.kbv.de/StructureDefinition/KBV_PR_MIO_CMR_Observation_U1_U3_Date_Time_of_Birth|1.0.1" />
1470         </type>
1471         <mustSupport value="true" />
1472     </element>
1473     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.reference">
1474         <path value="Composition.section.section.entry.reference" />
1475         <min value="1" />
1476         <mustSupport value="true" />
1477     </element>
1478     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.type">
1479         <path value="Composition.section.section.entry.type" />
1480         <max value="0" />
1481     </element>
1482     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.identifier">
1483         <path value="Composition.section.section.entry.identifier" />
1484         <max value="0" />
1485     </element>
1486     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.display">
1487         <path value="Composition.section.section.entry.display" />
1488         <max value="0" />
1489     </element>
1490     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.emptyReason">
1491         <path value="Composition.section.section.emptyReason" />
1492         <max value="0" />
1493     </element>
1494     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.section">
1495         <path value="Composition.section.section.section" />
1496         <max value="0" />
1497     </element>

```

```

1498     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1499     tstwocheTage">
1500         <path value="Composition.section.section" />
1501         <sliceName value="schwangerschaftstwocheTage" />
1502         <max value="1" />
1503         <mustSupport value="true" />
1504     </element>
1505     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1506     tstwocheTage.title">
1507         <path value="Composition.section.section.title" />
1508         <min value="1" />
1509         <fixedString value="SSW (Wochen+Tage)" />
1510         <mustSupport value="true" />
1511     </element>
1512     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1513     tstwocheTage.code">
1514         <path value="Composition.section.section.code" />
1515         <min value="1" />
1516         <mustSupport value="true" />
1517     </element>
1518     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1519     tstwocheTage.code.coding">
1520         <path value="Composition.section.section.code.coding" />
1521         <min value="1" />
1522         <max value="1" />
1523         <mustSupport value="true" />
1524     </element>
1525     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1526     tstwocheTage.code.coding.system">
1527         <path value="Composition.section.section.code.coding.system" />
1528         <min value="1" />
1529         <fixedUri value="http://snomed.info/sct" />
1530     </element>
1531     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1532     tstwocheTage.code.coding.version">
1533         <path value="Composition.section.section.code.coding.version" />
1534         <min value="1" />
1535         <fixedString value="http://snomed.info/sct/900000000000207008/
1536     version/20210131" />
1537     </element>
1538     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1539     tstwocheTage.code.coding.code">
1540         <path value="Composition.section.section.code.coding.code" />
1541         <min value="1" />
1542         <fixedCode value="412726003" />
1543     </element>
1544     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1545     tstwocheTage.code.coding.display">
1546         <path value="Composition.section.section.code.coding.display" />
1547         <min value="1" />
1548         <fixedString value="Length of gestation at birth (observable
1549     entity)" />
1550     </element>
1551     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1552     tstwocheTage.coding.userSelected">
1553         <path value="Composition.section.section.code.coding.userSelected" />
1554         <max value="0" />
1555     </element>
1556     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1557     tstwocheTage.text">

```



```

1546     <path value="Composition.section.section.code.text" />
1547     <max value="0" />
1548   </element>
1549   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.author">
1550     <path value="Composition.section.section.author" />
1551     <max value="0" />
1552   </element>
1553   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.focus">
1554     <path value="Composition.section.section.focus" />
1555     <max value="0" />
1556   </element>
1557   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.text">
1558     <path value="Composition.section.section.text" />
1559     <max value="0" />
1560   </element>
1561   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.mode">
1562     <path value="Composition.section.section.mode" />
1563     <max value="0" />
1564   </element>
1565   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.orderedBy">
1566     <path value="Composition.section.section.orderedBy" />
1567     <max value="0" />
1568   </element>
1569   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.entry">
1570     <path value="Composition.section.section.entry" />
1571     <min value="1" />
1572     <max value="1" />
1573     <type>
1574       <code value="Reference" />
1575       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Length_Gestation_At_Birth|1.0.1" />
1576     </type>
1577     <mustSupport value="true" />
1578   </element>
1579   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.entry.reference">
1580     <path value="Composition.section.section.entry.reference" />
1581     <min value="1" />
1582     <mustSupport value="true" />
1583   </element>
1584   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.entry.type">
1585     <path value="Composition.section.section.entry.type" />
1586     <max value="0" />
1587   </element>
1588   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.entry.identifier">
1589     <path value="Composition.section.section.entry.identifier" />
1590     <max value="0" />
1591   </element>
1592   <element id="Composition.section:geburtsanamnese.section:schwangerschaf
tswocheTage.entry.display">
1593     <path value="Composition.section.section.entry.display" />
1594     <max value="0" />

```

```

1595     </element>
1596     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.emptyReason">
1597         <path value="Composition.section.section.emptyReason" />
1598         <max value="0" />
1599     </element>
1600     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.section">
1601         <path value="Composition.section.section.section" />
1602         <max value="0" />
1603     </element>
1604     <element id="Composition.section:aktuelleAnamneseDesKindes">
1605         <path value="Composition.section" />
1606         <sliceName value="aktuelleAnamneseDesKindes" />
1607         <min value="1" />
1608         <max value="1" />
1609         <mustSupport value="true" />
1610     </element>
1611     <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
1612         <path value="Composition.section.extension" />
1613         <licing>
1614             <discriminator>
1615                 <type value="value" />
1616                 <path value="url" />
1617             </discriminator>
1618             <rules value="open" />
1619         </licing>
1620     </element>
1621     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:anamneseAnweisung">
1622         <path value="Composition.section.extension" />
1623         <sliceName value="anamneseAnweisung" />
1624         <min value="1" />
1625         <max value="1" />
1626         <type>
1627             <code value="Extension" />
1628             <profile value="https://fhir.kbv.de/StructureDefinition/KBV_EX_MIO_CMR_Instruction" />
1629         </type>
1630         <mustSupport value="true" />
1631     </element>
1632     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:anamneseAnweisung.value[x]">
1633         <path value="Composition.section.extension.value[x]" />
1634         <mustSupport value="true" />
1635     </element>
1636     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:anamneseAnweisung.value[x]:valueString">
1637         <path value="Composition.section.extension.value[x]" />
1638         <sliceName value="valueString" />
1639         <fixedString value="Zutreffendes bitte ankreuzen!" />
1640         <mustSupport value="true" />
1641     </element>
1642     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:hinweisNachtragen">
1643         <path value="Composition.section.extension" />
1644         <sliceName value="hinweisNachtragen" />
1645         <min value="1" />
1646         <max value="1" />
1647         <type>

```

```

1648     <code value="Extension" />
1649     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
1650   </type>
1651   <mustSupport value="true" />
1652 </element>
1653 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:hi
nweisNachtragen.value[x]">
1654   <path value="Composition.section.extension.value[x]" />
1655   <mustSupport value="true" />
1656 </element>
1657 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:hi
nweisNachtragen.value[x]:valueString">
1658   <path value="Composition.section.extension.value[x]" />
1659   <sliceName value="valueString" />
1660   <fixedString value="Schwangerschafts- und Geburtsanamnese: Erhebung
und Dokumentation in der U1 prüfen und ggf. nachtragen." />
1661   <mustSupport value="true" />
1662 </element>
1663 <element id="Composition.section:aktuelleAnamneseDesKindes.title">
1664   <path value="Composition.section.title" />
1665   <min value="1" />
1666   <fixedString value="Aktuelle Anamnese des Kindes" />
1667   <mustSupport value="true" />
1668 </element>
1669 <element id="Composition.section:aktuelleAnamneseDesKindes.code">
1670   <path value="Composition.section.code" />
1671   <min value="1" />
1672   <mustSupport value="true" />
1673 </element>
1674 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
1675   <path value="Composition.section.code.coding" />
1676   <min value="1" />
1677   <max value="1" />
1678   <mustSupport value="true" />
1679 </element>
1680 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
1681   <path value="Composition.section.code.coding.system" />
1682   <min value="1" />
1683   <fixedUri value="http://snomed.info/sct" />
1684 </element>
1685 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
1686   <path value="Composition.section.code.coding.version" />
1687   <min value="1" />
1688   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1689 </element>
1690 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
1691   <path value="Composition.section.code.coding.code" />
1692   <min value="1" />
1693   <fixedCode value="423374008" />
1694 </element>
1695 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
1696   <path value="Composition.section.code.coding.display" />
1697   <min value="1" />
1698   <fixedString value="Review of systems section (record artifact)" />

```

```

1699     </element>
1700     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
1701         <path value="Composition.section.code.coding.userSelected" />
1702         <max value="0" />
1703     </element>
1704     <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
1705         <path value="Composition.section.code.text" />
1706         <max value="0" />
1707     </element>
1708     <element id="Composition.section:aktuelleAnamneseDesKindes.author">
1709         <path value="Composition.section.author" />
1710         <max value="0" />
1711     </element>
1712     <element id="Composition.section:aktuelleAnamneseDesKindes.focus">
1713         <path value="Composition.section.focus" />
1714         <max value="0" />
1715     </element>
1716     <element id="Composition.section:aktuelleAnamneseDesKindes.text">
1717         <path value="Composition.section.text" />
1718         <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1719         <min value="1" />
1720     </element>
1721     <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
1722         <path value="Composition.section.text.status" />
1723         <fixedCode value="generated" />
1724     </element>
1725     <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
1726         <path value="Composition.section.mode" />
1727         <max value="0" />
1728     </element>
1729     <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
1730         <path value="Composition.section.orderedBy" />
1731         <max value="0" />
1732     </element>
1733     <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
1734         <path value="Composition.section.entry" />
1735         <type>
1736             <code value="Reference" />
1737             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_Current_Child_History|1.0.1" />
1738         </type>
1739         <mustSupport value="true" />
1740     </element>
1741     <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
1742         <path value="Composition.section.entry.reference" />
1743         <min value="1" />
1744         <mustSupport value="true" />
1745     </element>
1746     <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
1747         <path value="Composition.section.entry.type" />
1748         <max value="0" />
1749     </element>
1750     <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
1751         <path value="Composition.section.entry.identifier" />
1752         <max value="0" />
1753     </element>

```

```

1754 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.display"
1755 <path value="Composition.section.entry.display" />
1756 <max value="0" />
1757 </element>
1758 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
1759 <path value="Composition.section.emptyReason" />
1760 <mustSupport value="true" />
1761 </element>
1762 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
1763 <path value="Composition.section.emptyReason.coding" />
1764 <min value="1" />
1765 <max value="1" />
1766 <mustSupport value="true" />
1767 </element>
1768 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
1769 <path value="Composition.section.emptyReason.coding.system" />
1770 <min value="1" />
1771 <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1772 </element>
1773 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
1774 <path value="Composition.section.emptyReason.coding.version" />
1775 <min value="1" />
1776 <fixedString value="4.0.1" />
1777 </element>
1778 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
1779 <path value="Composition.section.emptyReason.coding.code" />
1780 <min value="1" />
1781 <fixedCode value="closed" />
1782 </element>
1783 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
1784 <path value="Composition.section.emptyReason.coding.display" />
1785 <min value="1" />
1786 <fixedString value="Closed" />
1787 </element>
1788 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
1789 <path value="Composition.section.emptyReason.coding.userSelected" />
1790 <max value="0" />
1791 </element>
1792 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
1793 <path value="Composition.section.emptyReason.text" />
1794 <max value="0" />
1795 </element>
1796 <element id="Composition.section:aktuelleAnamneseDesKindes.section">
1797 <path value="Composition.section.section" />
1798 <max value="0" />
1799 </element>
1800 <element id="Composition.section:familienanamnese">
1801 <path value="Composition.section" />
1802 <sliceName value="familienanamnese" />
1803 <min value="1" />
1804 <max value="1" />

```

```

1805     <mustSupport value="true" />
1806 </element>
1807 <element id="Composition.section:familienanamnese.extension">
1808   <path value="Composition.section.extension" />
1809   <slicing>
1810     <discriminator>
1811       <type value="value" />
1812       <path value="url" />
1813     </discriminator>
1814     <rules value="open" />
1815   </slicing>
1816 </element>
1817 <element id="Composition.section:familienanamnese.extension:anamneseAnw
1818 eisierung">
1819   <path value="Composition.section.extension" />
1820   <sliceName value="anamneseAnweisung" />
1821   <min value="1" />
1822   <max value="1" />
1823   <type>
1824     <code value="Extension" />
1825     <profile value="https://fhir.kbv.de/StructureDefinition/
1826 KBV_EX_MIO_CMR_Instruction" />
1827   </type>
1828   <mustSupport value="true" />
1829 </element>
1830 <element id="Composition.section:familienanamnese.extension:anamneseAnw
1831 eisierung.value[x]">
1832   <path value="Composition.section.extension.value[x]" />
1833   <mustSupport value="true" />
1834 </element>
1835 <element id="Composition.section:familienanamnese.extension:anamneseAnw
1836 eisierung.value[x]:valueString">
1837   <path value="Composition.section.extension.value[x]" />
1838   <sliceName value="valueString" />
1839   <fixedString value="Zutreffendes bitte ankreuzen!" />
1840   <mustSupport value="true" />
1841 </element>
1842 <element id="Composition.section:familienanamnese.extension:hinweisNach
1843 tragen">
1844   <path value="Composition.section.extension" />
1845   <sliceName value="hinweisNachtragen" />
1846   <min value="1" />
1847   <max value="1" />
1848   <type>
1849     <code value="Extension" />
1850     <profile value="https://fhir.kbv.de/StructureDefinition/
1851 KBV_EX_MIO_CMR_Note" />
1852   </type>
1853   <mustSupport value="true" />
1854 </element>
1855 <element id="Composition.section:familienanamnese.extension:hinweisNach
1856 tragen.value[x]">
1857   <path value="Composition.section.extension.value[x]" />
1858   <mustSupport value="true" />
1859 </element>
1860 <element id="Composition.section:familienanamnese.extension:hinweisNach
1861 tragen.value[x]:valueString">
1862   <path value="Composition.section.extension.value[x]" />
1863   <sliceName value="valueString" />

```

```

1856     <fixedString value="Schwangerschafts- und Geburtsanamnese: Erhebung
und Dokumentation in der UI prüfen und ggf. nachtragen." />
1857     <mustSupport value="true" />
1858 </element>
1859 <element id="Composition.section.familienanamnese.title">
1860     <path value="Composition.section.title" />
1861     <min value="1" />
1862     <fixedString value="Familienanamnese" />
1863     <mustSupport value="true" />
1864 </element>
1865 <element id="Composition.section.familienanamnese.code">
1866     <path value="Composition.section.code" />
1867     <min value="1" />
1868     <mustSupport value="true" />
1869 </element>
1870 <element id="Composition.section.familienanamnese.code.coding">
1871     <path value="Composition.section.code.coding" />
1872     <min value="1" />
1873     <max value="1" />
1874     <mustSupport value="true" />
1875 </element>
1876 <element id="Composition.section.familienanamnese.code.coding.system">
1877     <path value="Composition.section.code.coding.system" />
1878     <min value="1" />
1879     <fixedUri value="http://snomed.info/sct" />
1880 </element>
1881 <element id="Composition.section.familienanamnese.code.coding.version">
1882     <path value="Composition.section.code.coding.version" />
1883     <min value="1" />
1884     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1885 </element>
1886 <element id="Composition.section.familienanamnese.code.coding.code">
1887     <path value="Composition.section.code.coding.code" />
1888     <min value="1" />
1889     <fixedCode value="422432008" />
1890 </element>
1891 <element id="Composition.section.familienanamnese.code.coding.display">
1892     <path value="Composition.section.code.coding.display" />
1893     <min value="1" />
1894     <fixedString value="Family history section (record artifact)" />
1895 </element>
1896 <element id="Composition.section.familienanamnese.code.coding.userSelected">
1897     <path value="Composition.section.code.coding.userSelected" />
1898     <max value="0" />
1899 </element>
1900 <element id="Composition.section.familienanamnese.code.text">
1901     <path value="Composition.section.code.text" />
1902     <max value="0" />
1903 </element>
1904 <element id="Composition.section.familienanamnese.author">
1905     <path value="Composition.section.author" />
1906     <max value="0" />
1907 </element>
1908 <element id="Composition.section.familienanamnese.focus">
1909     <path value="Composition.section.focus" />
1910     <max value="0" />
1911 </element>
1912 <element id="Composition.section.familienanamnese.text">

```

```

1913     <path value="Composition.section.text" />
1914     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1915     <min value="1" />
1916   </element>
1917   <element id="Composition.section:familienanamnese.text.status">
1918     <path value="Composition.section.text.status" />
1919     <fixedCode value="generated" />
1920   </element>
1921   <element id="Composition.section:familienanamnese.mode">
1922     <path value="Composition.section.mode" />
1923     <max value="0" />
1924   </element>
1925   <element id="Composition.section:familienanamnese.orderedBy">
1926     <path value="Composition.section.orderedBy" />
1927     <max value="0" />
1928   </element>
1929   <element id="Composition.section:familienanamnese.entry">
1930     <path value="Composition.section.entry" />
1931     <type>
1932       <code value="Reference" />
1933       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_Family_History|1.0.1" />
1934     </type>
1935     <mustSupport value="true" />
1936   </element>
1937   <element id="Composition.section:familienanamnese.entry.reference">
1938     <path value="Composition.section.entry.reference" />
1939     <min value="1" />
1940     <mustSupport value="true" />
1941   </element>
1942   <element id="Composition.section:familienanamnese.entry.type">
1943     <path value="Composition.section.entry.type" />
1944     <max value="0" />
1945   </element>
1946   <element id="Composition.section:familienanamnese.entry.identifizier">
1947     <path value="Composition.section.entry.identifizier" />
1948     <max value="0" />
1949   </element>
1950   <element id="Composition.section:familienanamnese.entry.display">
1951     <path value="Composition.section.entry.display" />
1952     <max value="0" />
1953   </element>
1954   <element id="Composition.section:familienanamnese.emptyReason">
1955     <path value="Composition.section.emptyReason" />
1956     <mustSupport value="true" />
1957   </element>
1958   <element id="Composition.section:familienanamnese.emptyReason.coding">
1959     <path value="Composition.section.emptyReason.coding" />
1960     <min value="1" />
1961     <max value="1" />
1962     <mustSupport value="true" />
1963   </element>
1964   <element id="Composition.section:familienanamnese.emptyReason.coding.sy
stem">
1965     <path value="Composition.section.emptyReason.coding.system" />
1966     <min value="1" />
1967     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1968   </element>

```



```

1969     <element id="Composition.section:familienanamnese.emptyReason.coding.ve
1970     <path value="Composition.section.emptyReason.coding.version" />
1971     <min value="1" />
1972     <fixedString value="4.0.1" />
1973   </element>
1974   <element id="Composition.section:familienanamnese.emptyReason.coding.co
1975     <path value="Composition.section.emptyReason.coding.code" />
1976     <min value="1" />
1977     <fixedCode value="closed" />
1978   </element>
1979   <element id="Composition.section:familienanamnese.emptyReason.coding.di
1980     <path value="Composition.section.emptyReason.coding.display" />
1981     <min value="1" />
1982     <fixedString value="Closed" />
1983   </element>
1984   <element id="Composition.section:familienanamnese.emptyReason.coding.us
1985     <path value="Composition.section.emptyReason.coding.userSelected" />
1986     <max value="0" />
1987   </element>
1988   <element id="Composition.section:familienanamnese.emptyReason.text">
1989     <path value="Composition.section.emptyReason.text" />
1990     <max value="0" />
1991   </element>
1992   <element id="Composition.section:familienanamnese.section">
1993     <path value="Composition.section.section" />
1994     <max value="0" />
1995   </element>
1996   <element id="Composition.section:sozialanamnese">
1997     <path value="Composition.section" />
1998     <sliceName value="sozialanamnese" />
1999     <min value="1" />
2000     <max value="1" />
2001     <mustSupport value="true" />
2002   </element>
2003   <element id="Composition.section:sozialanamnese.extension">
2004     <path value="Composition.section.extension" />
2005     <licing>
2006       <discriminator>
2007         <type value="value" />
2008         <path value="url" />
2009       </discriminator>
2010       <rules value="open" />
2011     </licing>
2012   </element>
2013   <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
2014     <path value="Composition.section.extension" />
2015     <sliceName value="anamneseAnweisung" />
2016     <min value="1" />
2017     <max value="1" />
2018     <type>
2019       <code value="Extension" />
2020       <profile value="https://fhir.kbv.de/StructureDefinition/
2021       KBV_EX_MIO_CMRI_Anweisung" />
2022     </type>
     <mustSupport value="true" />

```

```

2023     </element>
2024     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
2025         <path value="Composition.section.extension.value[x]" />
2026         <mustSupport value="true" />
2027     </element>
2028     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
2029         <path value="Composition.section.extension.value[x]" />
2030         <sliceName value="valueString" />
2031         <fixedString value="Zutreffendes bitte ankreuzen!" />
2032         <mustSupport value="true" />
2033     </element>
2034     <element id="Composition.section:sozialanamnese.extension:hinweisNachtr
agen">
2035         <path value="Composition.section.extension" />
2036         <sliceName value="hinweisNachtragen" />
2037         <min value="1" />
2038         <max value="1" />
2039         <type>
2040             <code value="Extension" />
2041             <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
2042         </type>
2043         <mustSupport value="true" />
2044     </element>
2045     <element id="Composition.section:sozialanamnese.extension:hinweisNachtr
agen.value[x]">
2046         <path value="Composition.section.extension.value[x]" />
2047         <mustSupport value="true" />
2048     </element>
2049     <element id="Composition.section:sozialanamnese.extension:hinweisNachtr
agen.value[x]:valueString">
2050         <path value="Composition.section.extension.value[x]" />
2051         <sliceName value="valueString" />
2052         <fixedString value="Schwangerschafts- und Geburtsanamnese: Erhebung
und Dokumentation in der UI prüfen und ggf. nachtragen." />
2053         <mustSupport value="true" />
2054     </element>
2055     <element id="Composition.section:sozialanamnese.title">
2056         <path value="Composition.section.title" />
2057         <min value="1" />
2058         <fixedString value="Sozialanamnese" />
2059         <mustSupport value="true" />
2060     </element>
2061     <element id="Composition.section:sozialanamnese.code">
2062         <path value="Composition.section.code" />
2063         <min value="1" />
2064         <mustSupport value="true" />
2065     </element>
2066     <element id="Composition.section:sozialanamnese.code.coding">
2067         <path value="Composition.section.code.coding" />
2068         <min value="1" />
2069         <max value="1" />
2070         <mustSupport value="true" />
2071     </element>
2072     <element id="Composition.section:sozialanamnese.code.coding.system">
2073         <path value="Composition.section.code.coding.system" />
2074         <min value="1" />
2075         <fixedUri value="http://snomed.info/sct" />

```

```

2076 </element>
2077 <element id="Composition.section:sozialanamnese.code.coding.version">
2078   <path value="Composition.section.code.coding.version" />
2079   <min value="1" />
2080   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2081 </element>
2082 <element id="Composition.section:sozialanamnese.code.coding.code">
2083   <path value="Composition.section.code.coding.code" />
2084   <min value="1" />
2085   <fixedCode value="281575007" />
2086 </element>
2087 <element id="Composition.section:sozialanamnese.code.coding.display">
2088   <path value="Composition.section.code.coding.display" />
2089   <min value="1" />
2090   <fixedString value="Family social history (situation)" />
2091 </element>
2092 <element id="Composition.section:sozialanamnese.code.coding.userSelecte
d">
2093   <path value="Composition.section.code.coding.userSelected" />
2094   <max value="0" />
2095 </element>
2096 <element id="Composition.section:sozialanamnese.code.text">
2097   <path value="Composition.section.code.text" />
2098   <max value="0" />
2099 </element>
2100 <element id="Composition.section:sozialanamnese.author">
2101   <path value="Composition.section.author" />
2102   <max value="0" />
2103 </element>
2104 <element id="Composition.section:sozialanamnese.focus">
2105   <path value="Composition.section.focus" />
2106   <max value="0" />
2107 </element>
2108 <element id="Composition.section:sozialanamnese.text">
2109   <path value="Composition.section.text" />
2110   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2111   <min value="1" />
2112 </element>
2113 <element id="Composition.section:sozialanamnese.text.status">
2114   <path value="Composition.section.text.status" />
2115   <fixedCode value="generated" />
2116 </element>
2117 <element id="Composition.section:sozialanamnese.mode">
2118   <path value="Composition.section.mode" />
2119   <max value="0" />
2120 </element>
2121 <element id="Composition.section:sozialanamnese.orderedBy">
2122   <path value="Composition.section.orderedBy" />
2123   <max value="0" />
2124 </element>
2125 <element id="Composition.section:sozialanamnese.entry">
2126   <path value="Composition.section.entry" />
2127   <max value="1" />
2128   <type>
2129     <code value="Reference" />
2130     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_Social_History|1.0.1" />
2131   </type>

```

```

2132     <mustSupport value="true" />
2133 </element>
2134 <element id="Composition.section:sozialanamnese.entry.reference">
2135   <path value="Composition.section.entry.reference" />
2136   <min value="1" />
2137   <mustSupport value="true" />
2138 </element>
2139 <element id="Composition.section:sozialanamnese.entry.type">
2140   <path value="Composition.section.entry.type" />
2141   <max value="0" />
2142 </element>
2143 <element id="Composition.section:sozialanamnese.entry.identifrier">
2144   <path value="Composition.section.entry.identifrier" />
2145   <max value="0" />
2146 </element>
2147 <element id="Composition.section:sozialanamnese.entry.display">
2148   <path value="Composition.section.entry.display" />
2149   <max value="0" />
2150 </element>
2151 <element id="Composition.section:sozialanamnese.emptyReason">
2152   <path value="Composition.section.emptyReason" />
2153   <mustSupport value="true" />
2154 </element>
2155 <element id="Composition.section:sozialanamnese.emptyReason.coding">
2156   <path value="Composition.section.emptyReason.coding" />
2157   <min value="1" />
2158   <max value="1" />
2159   <mustSupport value="true" />
2160 </element>
2161 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
2162   <path value="Composition.section.emptyReason.coding.system" />
2163   <min value="1" />
2164   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2165 </element>
2166 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
2167   <path value="Composition.section.emptyReason.coding.version" />
2168   <min value="1" />
2169   <fixedString value="4.0.1" />
2170 </element>
2171 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
2172   <path value="Composition.section.emptyReason.coding.code" />
2173   <min value="1" />
2174   <fixedCode value="closed" />
2175 </element>
2176 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
2177   <path value="Composition.section.emptyReason.coding.display" />
2178   <min value="1" />
2179   <fixedString value="Closed" />
2180 </element>
2181 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
2182   <path value="Composition.section.emptyReason.coding.userSelected" />
2183   <max value="0" />
2184 </element>
2185 <element id="Composition.section:sozialanamnese.emptyReason.text">

```

```

2186     <path value="Composition.section.emptyReason.text" />
2187     <max value="0" />
2188 </element>
2189 <element id="Composition.section:sozialanamnese.section">
2190     <path value="Composition.section.section" />
2191     <max value="0" />
2192 </element>
2193 <element id="Composition.section:untersuchung">
2194     <path value="Composition.section" />
2195     <sliceName value="untersuchung" />
2196     <min value="1" />
2197     <max value="1" />
2198     <mustSupport value="true" />
2199 </element>
2200 <element id="Composition.section:untersuchung.extension">
2201     <path value="Composition.section.extension" />
2202     <licing>
2203         <discriminator>
2204             <type value="value" />
2205             <path value="url" />
2206         </discriminator>
2207         <rules value="open" />
2208     </licing>
2209 </element>
2210 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung">
2211     <path value="Composition.section.extension" />
2212     <sliceName value="untersuchungAnweisung" />
2213     <min value="1" />
2214     <max value="1" />
2215     <type>
2216         <code value="Extension" />
2217         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
2218     </type>
2219     <mustSupport value="true" />
2220 </element>
2221 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]">
2222     <path value="Composition.section.extension.value[x]" />
2223     <mustSupport value="true" />
2224 </element>
2225 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]:valueString">
2226     <path value="Composition.section.extension.value[x]" />
2227     <sliceName value="valueString" />
2228     <fixedString value="Nur Auffälligkeiten ankreuzen!" />
2229     <mustSupport value="true" />
2230 </element>
2231 <element id="Composition.section:untersuchung.title">
2232     <path value="Composition.section.title" />
2233     <min value="1" />
2234     <fixedString value="Körperliche Untersuchung" />
2235     <mustSupport value="true" />
2236 </element>
2237 <element id="Composition.section:untersuchung.code">
2238     <path value="Composition.section.code" />
2239     <min value="1" />
2240     <mustSupport value="true" />
2241 </element>

```

```

2242 <element id="Composition.section:untersuchung.code.coding">
2243   <path value="Composition.section.code.coding" />
2244   <min value="1" />
2245   <max value="1" />
2246   <mustSupport value="true" />
2247 </element>
2248 <element id="Composition.section:untersuchung.code.coding.system">
2249   <path value="Composition.section.code.coding.system" />
2250   <min value="1" />
2251   <fixedUri value="http://snomed.info/sct" />
2252 </element>
2253 <element id="Composition.section:untersuchung.code.coding.version">
2254   <path value="Composition.section.code.coding.version" />
2255   <min value="1" />
2256   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2257 </element>
2258 <element id="Composition.section:untersuchung.code.coding.code">
2259   <path value="Composition.section.code.coding.code" />
2260   <min value="1" />
2261   <fixedCode value="425044008" />
2262 </element>
2263 <element id="Composition.section:untersuchung.code.coding.display">
2264   <path value="Composition.section.code.coding.display" />
2265   <min value="1" />
2266   <fixedString value="Physical exam section (record artifact)" />
2267 </element>
2268 <element id="Composition.section:untersuchung.code.coding.userSelected">
2269   <path value="Composition.section.code.coding.userSelected" />
2270   <max value="0" />
2271 </element>
2272 <element id="Composition.section:untersuchung.code.text">
2273   <path value="Composition.section.code.text" />
2274   <max value="0" />
2275 </element>
2276 <element id="Composition.section:untersuchung.author">
2277   <path value="Composition.section.author" />
2278   <max value="0" />
2279 </element>
2280 <element id="Composition.section:untersuchung.focus">
2281   <path value="Composition.section.focus" />
2282   <max value="0" />
2283 </element>
2284 <element id="Composition.section:untersuchung.text">
2285   <path value="Composition.section.text" />
2286   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2287   <min value="1" />
2288 </element>
2289 <element id="Composition.section:untersuchung.text.status">
2290   <path value="Composition.section.text.status" />
2291   <fixedCode value="generated" />
2292 </element>
2293 <element id="Composition.section:untersuchung.mode">
2294   <path value="Composition.section.mode" />
2295   <max value="0" />
2296 </element>
2297 <element id="Composition.section:untersuchung.orderedBy">
2298   <path value="Composition.section.orderedBy" />
2299   <max value="0" />

```

```

2300 </element>
2301 <element id="Composition.section:untersuchung.entry">
2302   <path value="Composition.section.entry" />
2303   <type>
2304     <code value="Reference" />
2305     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_Physical_Exam_Skin|1.0.1" />
2306     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U4_Physical_Exam_Chest_Lung_Respiratory
_Tract|1.0.1" />
2307     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U3_Physical_Exam_Abdomen_Genitals|
1.0.1" />
2308     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />
2309     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U3_Physical_Exam_Ears|1.0.1" />
2310     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_Physical_Exam_Musculoskeletal_System|
1.0.1" />
2311     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_Physical_Exam_Head|1.0.1" />
2312     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_Physical_Exam_Mouth_Nose|1.0.1" />
2313     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U3_Physical_Exam_Eyes|1.0.1" />
2314     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
2315   </type>
2316   <mustSupport value="true" />
2317 </element>
2318 <element id="Composition.section:untersuchung.entry.reference">
2319   <path value="Composition.section.entry.reference" />
2320   <min value="1" />
2321   <mustSupport value="true" />
2322 </element>
2323 <element id="Composition.section:untersuchung.entry.type">
2324   <path value="Composition.section.entry.type" />
2325   <max value="0" />
2326 </element>
2327 <element id="Composition.section:untersuchung.entry.identifizier">
2328   <path value="Composition.section.entry.identifizier" />
2329   <max value="0" />
2330 </element>
2331 <element id="Composition.section:untersuchung.entry.display">
2332   <path value="Composition.section.entry.display" />
2333   <max value="0" />
2334 </element>
2335 <element id="Composition.section:untersuchung.emptyReason">
2336   <path value="Composition.section.emptyReason" />
2337   <mustSupport value="true" />
2338 </element>
2339 <element id="Composition.section:untersuchung.emptyReason.coding">
2340   <path value="Composition.section.emptyReason.coding" />
2341   <min value="1" />
2342   <max value="1" />
2343   <mustSupport value="true" />
2344 </element>

```

```

2345 <element id="Composition.section:untersuchung.emptyReason.coding.system
">
2346 <path value="Composition.section.emptyReason.coding.system" />
2347 <min value="1" />
2348 <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2349 </element>
2350 <element id="Composition.section:untersuchung.emptyReason.coding.versio
n">
2351 <path value="Composition.section.emptyReason.coding.version" />
2352 <min value="1" />
2353 <fixedString value="4.0.1" />
2354 </element>
2355 <element id="Composition.section:untersuchung.emptyReason.coding.code">
2356 <path value="Composition.section.emptyReason.coding.code" />
2357 <min value="1" />
2358 <fixedCode value="closed" />
2359 </element>
2360 <element id="Composition.section:untersuchung.emptyReason.coding.displa
y">
2361 <path value="Composition.section.emptyReason.coding.display" />
2362 <min value="1" />
2363 <fixedString value="Closed" />
2364 </element>
2365 <element id="Composition.section:untersuchung.emptyReason.coding.userSe
lected">
2366 <path value="Composition.section.emptyReason.coding.userSelected" />
2367 <max value="0" />
2368 </element>
2369 <element id="Composition.section:untersuchung.emptyReason.text">
2370 <path value="Composition.section.emptyReason.text" />
2371 <max value="0" />
2372 </element>
2373 <element id="Composition.section:untersuchung.section">
2374 <path value="Composition.section.section" />
2375 <max value="0" />
2376 </element>
2377 <element id="Composition.section:beratung">
2378 <path value="Composition.section" />
2379 <sliceName value="beratung" />
2380 <min value="1" />
2381 <max value="1" />
2382 <mustSupport value="true" />
2383 </element>
2384 <element id="Composition.section:beratung.extension">
2385 <path value="Composition.section.extension" />
2386 <licing>
2387 <discriminator>
2388 <type value="value" />
2389 <path value="url" />
2390 </discriminator>
2391 <rules value="open" />
2392 </licing>
2393 </element>
2394 <element id="Composition.section:beratung.extension:beratungAnweisung">
2395 <path value="Composition.section.extension" />
2396 <sliceName value="beratungAnweisung" />
2397 <min value="1" />
2398 <max value="1" />
2399 <type>

```



```

2400     <code value="Extension" />
2401     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
2402   </type>
2403   <mustSupport value="true" />
2404 </element>
2405 <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]">
2406   <path value="Composition.section.extension.value[x]" />
2407   <mustSupport value="true" />
2408 </element>
2409 <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]:valueString">
2410   <path value="Composition.section.extension.value[x]" />
2411   <sliceName value="valueString" />
2412   <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
2413   <mustSupport value="true" />
2414 </element>
2415 <element id="Composition.section:beratung.extension:beratungHinweis">
2416   <path value="Composition.section.extension" />
2417   <sliceName value="beratungHinweis" />
2418   <min value="1" />
2419   <max value="1" />
2420   <type>
2421     <code value="Extension" />
2422     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
2423   </type>
2424   <mustSupport value="true" />
2425 </element>
2426 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]">
2427   <path value="Composition.section.extension.value[x]" />
2428   <mustSupport value="true" />
2429 </element>
2430 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]:valueString">
2431   <path value="Composition.section.extension.value[x]" />
2432   <sliceName value="valueString" />
2433   <fixedString value="Beratung vor allem zu folgenden Themen:" />
2434   <mustSupport value="true" />
2435 </element>
2436 <element id="Composition.section:beratung.title">
2437   <path value="Composition.section.title" />
2438   <min value="1" />
2439   <fixedString value="Beratung" />
2440   <mustSupport value="true" />
2441 </element>
2442 <element id="Composition.section:beratung.code">
2443   <path value="Composition.section.code" />
2444   <min value="1" />
2445   <mustSupport value="true" />
2446 </element>
2447 <element id="Composition.section:beratung.code.coding">
2448   <path value="Composition.section.code.coding" />
2449   <min value="1" />
2450   <max value="1" />
2451   <mustSupport value="true" />
2452 </element>

```

```

2453 <element id="Composition.section:beratung.code.coding.system">
2454   <path value="Composition.section.code.coding.system" />
2455   <min value="1" />
2456   <fixedUri value="http://snomed.info/sct" />
2457 </element>
2458 <element id="Composition.section:beratung.code.coding.version">
2459   <path value="Composition.section.code.coding.version" />
2460   <min value="1" />
2461   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2462 </element>
2463 <element id="Composition.section:beratung.code.coding.code">
2464   <path value="Composition.section.code.coding.code" />
2465   <min value="1" />
2466   <fixedCode value="409066002" />
2467 </element>
2468 <element id="Composition.section:beratung.code.coding.display">
2469   <path value="Composition.section.code.coding.display" />
2470   <min value="1" />
2471   <fixedString value="Education, guidance and counseling (procedure)" /
>
2472 </element>
2473 <element id="Composition.section:beratung.code.coding.userSelected">
2474   <path value="Composition.section.code.coding.userSelected" />
2475   <max value="0" />
2476 </element>
2477 <element id="Composition.section:beratung.code.text">
2478   <path value="Composition.section.code.text" />
2479   <max value="0" />
2480 </element>
2481 <element id="Composition.section:beratung.author">
2482   <path value="Composition.section.author" />
2483   <max value="0" />
2484 </element>
2485 <element id="Composition.section:beratung.focus">
2486   <path value="Composition.section.focus" />
2487   <max value="0" />
2488 </element>
2489 <element id="Composition.section:beratung.text">
2490   <path value="Composition.section.text" />
2491   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2492   <min value="1" />
2493 </element>
2494 <element id="Composition.section:beratung.text.status">
2495   <path value="Composition.section.text.status" />
2496   <fixedCode value="generated" />
2497 </element>
2498 <element id="Composition.section:beratung.mode">
2499   <path value="Composition.section.mode" />
2500   <max value="0" />
2501 </element>
2502 <element id="Composition.section:beratung.orderedBy">
2503   <path value="Composition.section.orderedBy" />
2504   <max value="0" />
2505 </element>
2506 <element id="Composition.section:beratung.entry">
2507   <path value="Composition.section.entry" />
2508   <type>
2509     <code value="Reference" />

```

```

2510     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U2_Consultation|1.0.1" />
2511     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
2512   </type>
2513   <mustSupport value="true" />
2514 </element>
2515 <element id="Composition.section:beratung.entry.reference">
2516   <path value="Composition.section.entry.reference" />
2517   <min value="1" />
2518 </element>
2519 <element id="Composition.section:beratung.entry.type">
2520   <path value="Composition.section.entry.type" />
2521   <max value="0" />
2522 </element>
2523 <element id="Composition.section:beratung.entry.identifrier">
2524   <path value="Composition.section.entry.identifrier" />
2525   <max value="0" />
2526 </element>
2527 <element id="Composition.section:beratung.entry.display">
2528   <path value="Composition.section.entry.display" />
2529   <max value="0" />
2530 </element>
2531 <element id="Composition.section:beratung.emptyReason">
2532   <path value="Composition.section.emptyReason" />
2533   <mustSupport value="true" />
2534 </element>
2535 <element id="Composition.section:beratung.emptyReason.coding">
2536   <path value="Composition.section.emptyReason.coding" />
2537   <min value="1" />
2538   <max value="1" />
2539   <mustSupport value="true" />
2540 </element>
2541 <element id="Composition.section:beratung.emptyReason.coding.system">
2542   <path value="Composition.section.emptyReason.coding.system" />
2543   <min value="1" />
2544   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2545 </element>
2546 <element id="Composition.section:beratung.emptyReason.coding.version">
2547   <path value="Composition.section.emptyReason.coding.version" />
2548   <min value="1" />
2549   <fixedString value="4.0.1" />
2550 </element>
2551 <element id="Composition.section:beratung.emptyReason.coding.code">
2552   <path value="Composition.section.emptyReason.coding.code" />
2553   <min value="1" />
2554   <fixedCode value="closed" />
2555 </element>
2556 <element id="Composition.section:beratung.emptyReason.coding.display">
2557   <path value="Composition.section.emptyReason.coding.display" />
2558   <min value="1" />
2559   <fixedString value="Closed" />
2560 </element>
2561 <element id="Composition.section:beratung.emptyReason.coding.userSelect
ed">
2562   <path value="Composition.section.emptyReason.coding.userSelected" />
2563   <max value="0" />
2564 </element>
2565 <element id="Composition.section:beratung.emptyReason.text">

```

```

2566     <path value="Composition.section.emptyReason.text" />
2567     <max value="0" />
2568 </element>
2569 <element id="Composition.section:beratung.section">
2570     <path value="Composition.section.section" />
2571     <max value="0" />
2572 </element>
2573 <element id="Composition.section:ergebnisse">
2574     <path value="Composition.section" />
2575     <sliceName value="ergebnisse" />
2576     <min value="1" />
2577     <max value="1" />
2578     <mustSupport value="true" />
2579 </element>
2580
2581 <element id="Composition.section:ergebnisse.title">
2582     <path value="Composition.section.title" />
2583     <min value="1" />
2584     <fixedString value="Ergebnisse" />
2585     <mustSupport value="true" />
2586 </element>
2587 <element id="Composition.section:ergebnisse.code">
2588     <path value="Composition.section.code" />
2589     <min value="1" />
2590     <mustSupport value="true" />
2591 </element>
2592 <element id="Composition.section:ergebnisse.code.coding">
2593     <path value="Composition.section.code.coding" />
2594     <min value="1" />
2595     <max value="1" />
2596     <mustSupport value="true" />
2597 </element>
2598 <element id="Composition.section:ergebnisse.code.coding.system">
2599     <path value="Composition.section.code.coding.system" />
2600     <min value="1" />
2601     <fixedUri value="http://snomed.info/sct" />
2602 </element>
2603 <element id="Composition.section:ergebnisse.code.coding.version">
2604     <path value="Composition.section.code.coding.version" />
2605     <min value="1" />
2606     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2607 </element>
2608 <element id="Composition.section:ergebnisse.code.coding.code">
2609     <path value="Composition.section.code.coding.code" />
2610     <min value="1" />
2611     <fixedCode value="423100009" />
2612 </element>
2613 <element id="Composition.section:ergebnisse.code.coding.display">
2614     <path value="Composition.section.code.coding.display" />
2615     <min value="1" />
2616     <fixedString value="Results section (record artifact)" />
2617 </element>
2618 <element id="Composition.section:ergebnisse.code.coding.userSelected">
2619     <path value="Composition.section.code.coding.userSelected" />
2620     <max value="0" />
2621 </element>
2622 <element id="Composition.section:ergebnisse.code.text">
2623     <path value="Composition.section.code.text" />
2624     <max value="0" />

```

```

2625 </element>
2626 <element id="Composition.section:ergebnisse.author">
2627   <path value="Composition.section.author" />
2628   <max value="0" />
2629 </element>
2630 <element id="Composition.section:ergebnisse.focus">
2631   <path value="Composition.section.focus" />
2632   <max value="0" />
2633 </element>
2634 <element id="Composition.section:ergebnisse.text">
2635   <path value="Composition.section.text" />
2636   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2637   <min value="1" />
2638 </element>
2639 <element id="Composition.section:ergebnisse.text.status">
2640   <path value="Composition.section.text.status" />
2641   <fixedCode value="generated" />
2642 </element>
2643 <element id="Composition.section:ergebnisse.mode">
2644   <path value="Composition.section.mode" />
2645   <max value="0" />
2646 </element>
2647 <element id="Composition.section:ergebnisse.orderedBy">
2648   <path value="Composition.section.orderedBy" />
2649   <max value="0" />
2650 </element>
2651 <element id="Composition.section:ergebnisse.entry">
2652   <path value="Composition.section.entry" />
2653   <type>
2654     <code value="Reference" />
2655     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
2656     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Body_Measures|1.0.1" />
2657     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
2658     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
2659     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
2660   </type>
2661   <mustSupport value="true" />
2662 </element>
2663 <element id="Composition.section:ergebnisse.entry.reference">
2664   <path value="Composition.section.entry.reference" />
2665   <min value="1" />
2666 </element>
2667 <element id="Composition.section:ergebnisse.entry.type">
2668   <path value="Composition.section.entry.type" />
2669   <max value="0" />
2670 </element>
2671 <element id="Composition.section:ergebnisse.entry.identifrier">
2672   <path value="Composition.section.entry.identifrier" />
2673   <max value="0" />
2674 </element>
2675 <element id="Composition.section:ergebnisse.entry.display">
2676   <path value="Composition.section.entry.display" />
2677   <max value="0" />
2678 </element>

```

```

2679 <element id="Composition.section:ergebnisse.emptyReason">
2680   <path value="Composition.section.emptyReason" />
2681   <mustSupport value="true" />
2682 </element>
2683 <element id="Composition.section:ergebnisse.emptyReason.coding">
2684   <path value="Composition.section.emptyReason.coding" />
2685   <min value="1" />
2686   <max value="1" />
2687 </element>
2688 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
2689   <path value="Composition.section.emptyReason.coding.system" />
2690   <min value="1" />
2691   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2692 </element>
2693 <element id="Composition.section:ergebnisse.emptyReason.coding.version">
2694   <path value="Composition.section.emptyReason.coding.version" />
2695   <min value="1" />
2696   <fixedString value="4.0.1" />
2697 </element>
2698 <element id="Composition.section:ergebnisse.emptyReason.coding.code">
2699   <path value="Composition.section.emptyReason.coding.code" />
2700   <min value="1" />
2701   <fixedCode value="closed" />
2702 </element>
2703 <element id="Composition.section:ergebnisse.emptyReason.coding.display">
2704   <path value="Composition.section.emptyReason.coding.display" />
2705   <min value="1" />
2706   <fixedString value="Closed" />
2707 </element>
2708 <element id="Composition.section:ergebnisse.emptyReason.coding.userSele
cted">
2709   <path value="Composition.section.emptyReason.coding.userSelected" />
2710   <max value="0" />
2711 </element>
2712 <element id="Composition.section:ergebnisse.emptyReason.text">
2713   <path value="Composition.section.emptyReason.text" />
2714   <max value="0" />
2715 </element>
2716 <element id="Composition.section:ergebnisse.section">
2717   <path value="Composition.section.section" />
2718   <min value="1" />
2719   <max value="1" />
2720   <mustSupport value="true" />
2721 </element>
2722 <element id="Composition.section:ergebnisse.section.extension">
2723   <path value="Composition.section.section.extension" />
2724   <slicing>
2725     <discriminator>
2726       <type value="value" />
2727       <path value="url" />
2728     </discriminator>
2729     <rules value="open" />
2730   </slicing>
2731 </element>
2732 <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis">
2733   <path value="Composition.section.section.extension" />
2734   <sliceName value="pruefungAufklaerungHinweis" />
2735   <min value="1" />

```

```

2736     <max value="1" />
2737     <type>
2738         <code value="Extension" />
2739         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
2740     </type>
2741     <mustSupport value="true" />
2742 </element>
2743 <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis.value[x]">
2744     <path value="Composition.section.section.extension.value[x]" />
2745     <mustSupport value="true" />
2746 </element>
2747 <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis.value[x]:valueString">
2748     <path value="Composition.section.section.extension.value[x]" />
2749     <sliceName value="valueString" />
2750     <fixedString value="- Pulsoxymetrie-Screening - Erweitertes
Neugeborenen-Screening - Screening auf Mukoviszidose - Neugeborenen-
Hörscreening - Screening auf Hüftgelenkdsdysplasie und -luxation (nur bei
Risikofaktoren)" />
2751     <mustSupport value="true" />
2752 </element>
2753 <element id="Composition.section:ergebnisse.section.title">
2754     <path value="Composition.section.section.title" />
2755     <min value="1" />
2756     <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
2757     <mustSupport value="true" />
2758 </element>
2759 <element id="Composition.section:ergebnisse.section.code">
2760     <path value="Composition.section.section.code" />
2761     <max value="0" />
2762 </element>
2763 <element id="Composition.section:ergebnisse.section.author">
2764     <path value="Composition.section.section.author" />
2765     <max value="0" />
2766 </element>
2767 <element id="Composition.section:ergebnisse.section.focus">
2768     <path value="Composition.section.section.focus" />
2769     <max value="0" />
2770 </element>
2771 <element id="Composition.section:ergebnisse.section.text">
2772     <path value="Composition.section.section.text" />
2773     <max value="0" />
2774 </element>
2775 <element id="Composition.section:ergebnisse.section.mode">
2776     <path value="Composition.section.section.mode" />
2777     <max value="0" />
2778 </element>
2779 <element id="Composition.section:ergebnisse.section.orderedBy">
2780     <path value="Composition.section.section.orderedBy" />
2781     <max value="0" />
2782 </element>
2783 <element id="Composition.section:ergebnisse.section.entry">
2784     <path value="Composition.section.section.entry" />
2785     <max value="1" />
2786     <type>
2787         <code value="Reference" />

```

```

2788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Medication_Statement_Vitamine_K_Prophylaxis|1.0.1" />
2789     </type>
2790     <mustSupport value="true" />
2791 </element>
2792 <element id="Composition.section:ergebnisse.section.entry.reference">
2793     <path value="Composition.section.section.entry.reference" />
2794     <min value="1" />
2795     <mustSupport value="true" />
2796 </element>
2797 <element id="Composition.section:ergebnisse.section.entry.type">
2798     <path value="Composition.section.section.entry.type" />
2799     <max value="0" />
2800 </element>
2801 <element id="Composition.section:ergebnisse.section.entry.identifrier">
2802     <path value="Composition.section.section.entry.identifrier" />
2803     <max value="0" />
2804 </element>
2805 <element id="Composition.section:ergebnisse.section.entry.display">
2806     <path value="Composition.section.section.entry.display" />
2807     <max value="0" />
2808 </element>
2809 <element id="Composition.section:ergebnisse.section.emptyReason">
2810     <path value="Composition.section.section.emptyReason" />
2811     <max value="0" />
2812 </element>
2813 <element id="Composition.section:ergebnisse.section.section">
2814     <path value="Composition.section.section.section" />
2815     <max value="0" />
2816 </element>
2817 <element id="Composition.section:pulsoxymetrieScreening">
2818     <path value="Composition.section" />
2819     <sliceName value="pulsoxymetrieScreening" />
2820     <max value="1" />
2821     <mustSupport value="true" />
2822 </element>
2823 <element id="Composition.section:pulsoxymetrieScreening.title">
2824     <path value="Composition.section.title" />
2825     <min value="1" />
2826     <fixedString value="Pulsoxymetrie-Screening (Messung am Fuß)" />
2827     <mustSupport value="true" />
2828 </element>
2829 <element id="Composition.section:pulsoxymetrieScreening.code">
2830     <path value="Composition.section.code" />
2831     <min value="1" />
2832     <mustSupport value="true" />
2833 </element>
2834 <element id="Composition.section:pulsoxymetrieScreening.code.coding">
2835     <path value="Composition.section.code.coding" />
2836     <min value="1" />
2837     <max value="1" />
2838     <mustSupport value="true" />
2839 </element>
2840 <element id="Composition.section:pulsoxymetrieScreening.code.coding.sys
tem">
2841     <path value="Composition.section.code.coding.system" />
2842     <min value="1" />
2843     <fixedUri value="http://snomed.info/sct" />
2844 </element>

```



```

2845     <element id="Composition.section:pulsoxymetrieScreening.code.coding.ver
2846     <path value="Composition.section.code.coding.version" />
2847     <min value="1" />
2848     <fixedString value="http://snomed.info/sct/900000000000207008/
2849     </element>
2850     <element id="Composition.section:pulsoxymetrieScreening.code.coding.cod
2851     <path value="Composition.section.code.coding.code" />
2852     <min value="1" />
2853     <fixedCode value="252465000:405813007=56459004" />
2854     </element>
2855     <element id="Composition.section:pulsoxymetrieScreening.code.coding.dis
2856     <path value="Composition.section.code.coding.display" />
2857     <min value="1" />
2858     <fixedString value="Pulse oximetry (procedure) : Procedure site -
2859     </element>
2860     <element id="Composition.section:pulsoxymetrieScreening.code.coding.use
2861     <path value="Composition.section.code.coding.userSelected" />
2862     <max value="0" />
2863     </element>
2864     <element id="Composition.section:pulsoxymetrieScreening.code.text">
2865     <path value="Composition.section.code.text" />
2866     <max value="0" />
2867     </element>
2868     <element id="Composition.section:pulsoxymetrieScreening.author">
2869     <path value="Composition.section.author" />
2870     <max value="0" />
2871     </element>
2872     <element id="Composition.section:pulsoxymetrieScreening.focus">
2873     <path value="Composition.section.focus" />
2874     <max value="0" />
2875     </element>
2876     <element id="Composition.section:pulsoxymetrieScreening.text">
2877     <path value="Composition.section.text" />
2878     <definition value="In diesem Element ist mindestens der Titel der
2879     <min value="1" />
2880     </element>
2881     <element id="Composition.section:pulsoxymetrieScreening.text.status">
2882     <path value="Composition.section.text.status" />
2883     <fixedCode value="generated" />
2884     </element>
2885     <element id="Composition.section:pulsoxymetrieScreening.mode">
2886     <path value="Composition.section.mode" />
2887     <max value="0" />
2888     </element>
2889     <element id="Composition.section:pulsoxymetrieScreening.orderedBy">
2890     <path value="Composition.section.orderedBy" />
2891     <max value="0" />
2892     </element>
2893     <element id="Composition.section:pulsoxymetrieScreening.entry">
2894     <path value="Composition.section.entry" />
2895     <type>
2896     <code value="Reference" />

```

```

2897     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_U3_Pulse_Oxymetry|1.0.1" />
2898     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_U1_U3_Pulse_Oxymetry_Clarification|1.0.1" />
2899   </type>
2900   <mustSupport value="true" />
2901 </element>
2902 <element id="Composition.section:pulsoxymetrieScreening.entry.reference
">
2903   <path value="Composition.section.entry.reference" />
2904   <min value="1" />
2905   <mustSupport value="true" />
2906 </element>
2907 <element id="Composition.section:pulsoxymetrieScreening.entry.type">
2908   <path value="Composition.section.entry.type" />
2909   <max value="0" />
2910 </element>
2911 <element id="Composition.section:pulsoxymetrieScreening.entry.identifie
r">
2912   <path value="Composition.section.entry.identifier" />
2913   <max value="0" />
2914 </element>
2915 <element id="Composition.section:pulsoxymetrieScreening.emptyReason">
2916   <path value="Composition.section.emptyReason" />
2917   <mustSupport value="true" />
2918 </element>
2919 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing">
2920   <path value="Composition.section.emptyReason.coding" />
2921   <min value="1" />
2922   <max value="1" />
2923   <mustSupport value="true" />
2924 </element>
2925 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.system">
2926   <path value="Composition.section.emptyReason.coding.system" />
2927   <min value="1" />
2928   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2929 </element>
2930 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.version">
2931   <path value="Composition.section.emptyReason.coding.version" />
2932   <min value="1" />
2933   <fixedString value="4.0.1" />
2934 </element>
2935 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.code">
2936   <path value="Composition.section.emptyReason.coding.code" />
2937   <min value="1" />
2938   <fixedCode value="closed" />
2939 </element>
2940 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.display">
2941   <path value="Composition.section.emptyReason.coding.display" />
2942   <min value="1" />
2943   <fixedString value="Closed" />
2944 </element>
2945 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.cod
ing.userSelected">

```

```

2946     <path value="Composition.section.emptyReason.coding.userSelected" />
2947     <max value="0" />
2948 </element>
2949 <element id="Composition.section:pulsoxymetrieScreening.emptyReason.tex
2950     <path value="Composition.section.emptyReason.text" />
2951     <max value="0" />
2952 </element>
2953 <element id="Composition.section:pulsoxymetrieScreening.section">
2954     <path value="Composition.section.section" />
2955     <max value="0" />
2956 </element>
2957 <element id="Composition.section:hoerscreening">
2958     <path value="Composition.section" />
2959     <sliceName value="hoerscreening" />
2960     <max value="1" />
2961     <mustSupport value="true" />
2962 </element>
2963 <element id="Composition.section:hoerscreening.title">
2964     <path value="Composition.section.title" />
2965     <min value="1" />
2966     <fixedString value="Neugeborenen-Hörscreening" />
2967     <mustSupport value="true" />
2968 </element>
2969 <element id="Composition.section:hoerscreening.code">
2970     <path value="Composition.section.code" />
2971     <min value="1" />
2972     <mustSupport value="true" />
2973 </element>
2974 <element id="Composition.section:hoerscreening.code.coding">
2975     <path value="Composition.section.code.coding" />
2976     <licing>
2977         <discriminator>
2978             <type value="value" />
2979             <path value="system" />
2980         </discriminator>
2981         <rules value="closed" />
2982     </licing>
2983     <min value="2" />
2984     <max value="2" />
2985     <mustSupport value="true" />
2986 </element>
2987 <element id="Composition.section:hoerscreening.code.coding:codeSnomed">
2988     <path value="Composition.section.code.coding" />
2989     <sliceName value="codeSnomed" />
2990     <min value="1" />
2991     <max value="1" />
2992     <mustSupport value="true" />
2993 </element>
2994 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.s
2995     <path value="Composition.section.code.coding.system" />
2996     <min value="1" />
2997     <fixedUri value="http://snomed.info/sct" />
2998 </element>
2999 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.v
3000     <path value="Composition.section.code.coding.version" />
3001     <min value="1" />

```

```

3002     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3003   </element>
3004   <element id="Composition.section:hoerscreening.code.coding:codeSnomed.c
ode">
3005     <path value="Composition.section.code.coding.code" />
3006     <min value="1" />
3007     <fixedCode value="252957005" />
3008   </element>
3009   <element id="Composition.section:hoerscreening.code.coding:codeSnomed.d
isplay">
3010     <path value="Composition.section.code.coding.display" />
3011     <min value="1" />
3012     <fixedString value="Children's hearing test (procedure)" />
3013   </element>
3014   <element id="Composition.section:hoerscreening.code.coding:codeSnomed.u
serSelected">
3015     <path value="Composition.section.code.coding.userSelected" />
3016     <max value="0" />
3017   </element>
3018   <element id="Composition.section:hoerscreening.code.coding:codeLoinc">
3019     <path value="Composition.section.code.coding" />
3020     <sliceName value="codeLoinc" />
3021     <min value="1" />
3022     <max value="1" />
3023     <mustSupport value="true" />
3024   </element>
3025   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.sy
stem">
3026     <path value="Composition.section.code.coding.system" />
3027     <min value="1" />
3028     <fixedUri value="http://loinc.org" />
3029   </element>
3030   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.ve
rsion">
3031     <path value="Composition.section.code.coding.version" />
3032     <min value="1" />
3033     <fixedString value="2.69" />
3034   </element>
3035   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.co
de">
3036     <path value="Composition.section.code.coding.code" />
3037     <min value="1" />
3038     <fixedCode value="54111-0" />
3039   </element>
3040   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.di
splay">
3041     <path value="Composition.section.code.coding.display" />
3042     <min value="1" />
3043     <fixedString value="Newborn hearing screening panel" />
3044   </element>
3045   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.us
erSelected">
3046     <path value="Composition.section.code.coding.userSelected" />
3047     <max value="0" />
3048   </element>
3049   <element id="Composition.section:hoerscreening.code.text">
3050     <path value="Composition.section.code.text" />
3051     <max value="0" />
3052   </element>

```

```

3053 <element id="Composition.section:hoerscreening.author">
3054   <path value="Composition.section.author" />
3055   <max value="0" />
3056 </element>
3057 <element id="Composition.section:hoerscreening.focus">
3058   <path value="Composition.section.focus" />
3059   <max value="0" />
3060 </element>
3061 <element id="Composition.section:hoerscreening.text">
3062   <path value="Composition.section.text" />
3063   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
3064   <min value="1" />
3065 </element>
3066 <element id="Composition.section:hoerscreening.text.status">
3067   <path value="Composition.section.text.status" />
3068   <fixedCode value="generated" />
3069 </element>
3070 <element id="Composition.section:hoerscreening.mode">
3071   <path value="Composition.section.mode" />
3072   <max value="0" />
3073 </element>
3074 <element id="Composition.section:hoerscreening.orderedBy">
3075   <path value="Composition.section.orderedBy" />
3076   <max value="0" />
3077 </element>
3078 <element id="Composition.section:hoerscreening.entry">
3079   <path value="Composition.section.entry" />
3080   <type>
3081     <code value="Reference" />
3082     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Neonatal_Hearscreening|1.0.1" />
3083     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service|
1.0.1" />
3084     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce|1.0.1" />
3085   </type>
3086   <mustSupport value="true" />
3087 </element>
3088 <element id="Composition.section:hoerscreening.entry.reference">
3089   <path value="Composition.section.entry.reference" />
3090   <min value="1" />
3091   <mustSupport value="true" />
3092 </element>
3093 <element id="Composition.section:hoerscreening.entry.type">
3094   <path value="Composition.section.entry.type" />
3095   <max value="0" />
3096 </element>
3097 <element id="Composition.section:hoerscreening.entry.identifler">
3098   <path value="Composition.section.entry.identifler" />
3099   <max value="0" />
3100 </element>
3101 <element id="Composition.section:hoerscreening.entry.display">
3102   <path value="Composition.section.entry.display" />
3103   <max value="0" />
3104 </element>
3105 <element id="Composition.section:hoerscreening.emptyReason">
3106   <path value="Composition.section.emptyReason" />

```

```

3107     <mustSupport value="true" />
3108 </element>
3109 <element id="Composition.section:hoerscreening.emptyReason.coding">
3110   <path value="Composition.section.emptyReason.coding" />
3111   <min value="1" />
3112   <max value="1" />
3113   <mustSupport value="true" />
3114 </element>
3115 <element id="Composition.section:hoerscreening.emptyReason.coding.system">
3116   <path value="Composition.section.emptyReason.coding.system" />
3117   <min value="1" />
3118   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
3119 </element>
3120 <element id="Composition.section:hoerscreening.emptyReason.coding.version">
3121   <path value="Composition.section.emptyReason.coding.version" />
3122   <min value="1" />
3123   <fixedString value="4.0.1" />
3124 </element>
3125 <element id="Composition.section:hoerscreening.emptyReason.coding.code">
3126   <path value="Composition.section.emptyReason.coding.code" />
3127   <min value="1" />
3128   <fixedCode value="closed" />
3129 </element>
3130 <element id="Composition.section:hoerscreening.emptyReason.coding.display">
3131   <path value="Composition.section.emptyReason.coding.display" />
3132   <min value="1" />
3133   <fixedString value="Closed" />
3134 </element>
3135 <element id="Composition.section:hoerscreening.emptyReason.coding.userSelected">
3136   <path value="Composition.section.emptyReason.coding.userSelected" />
3137   <max value="0" />
3138 </element>
3139 <element id="Composition.section:hoerscreening.emptyReason.text">
3140   <path value="Composition.section.emptyReason.text" />
3141   <max value="0" />
3142 </element>
3143 <element id="Composition.section:hoerscreening.section">
3144   <path value="Composition.section.section" />
3145   <max value="0" />
3146 </element>
3147 <element id="Composition.section:erweitertesNeugeborenencreening">
3148   <path value="Composition.section" />
3149   <sliceName value="erweitertesNeugeborenencreening" />
3150   <max value="1" />
3151   <mustSupport value="true" />
3152 </element>
3153 <element id="Composition.section:erweitertesNeugeborenencreening.title">
3154   <path value="Composition.section.title" />
3155   <min value="1" />
3156   <fixedString value="Erweitertes Neugeborenen-Screening" />
3157   <mustSupport value="true" />
3158 </element>
3159 <element id="Composition.section:erweitertesNeugeborenencreening.code">
3160   <path value="Composition.section.code" />

```

```

3161     <min value="1" />
3162     <mustSupport value="true" />
3163 </element>
3164 <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding">
3165     <path value="Composition.section.code.coding" />
3166     <min value="1" />
3167     <max value="1" />
3168     <mustSupport value="true" />
3169 </element>
3170 <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.system">
3171     <path value="Composition.section.code.coding.system" />
3172     <min value="1" />
3173     <fixedUri value="http://snomed.info/sct" />
3174 </element>
3175 <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.version">
3176     <path value="Composition.section.code.coding.version" />
3177     <min value="1" />
3178     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3179 </element>
3180 <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.code">
3181     <path value="Composition.section.code.coding.code" />
3182     <min value="1" />
3183     <fixedCode value="738796001:363702006=428447008" />
3184 </element>
3185 <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.display">
3186     <path value="Composition.section.code.coding.display" />
3187     <min value="1" />
3188     <fixedString value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Newborn blood spot screening
(procedure)" />
3189 </element>
3190 <element id="Composition.section:erweitertesNeugeborenencreening.code.
coding.userSelected">
3191     <path value="Composition.section.code.coding.userSelected" />
3192     <max value="0" />
3193 </element>
3194 <element id="Composition.section:erweitertesNeugeborenencreening.code.
text">
3195     <path value="Composition.section.code.text" />
3196     <max value="0" />
3197 </element>
3198 <element id="Composition.section:erweitertesNeugeborenencreening.autho
r">
3199     <path value="Composition.section.author" />
3200     <max value="0" />
3201 </element>
3202 <element id="Composition.section:erweitertesNeugeborenencreening.focus
">
3203     <path value="Composition.section.focus" />
3204     <max value="0" />
3205 </element>
3206 <element id="Composition.section:erweitertesNeugeborenencreening.text">
3207     <path value="Composition.section.text" />

```

```

3208     <definition value="In diesem Element ist mindestens der Titel der
3209 Section anzugeben. Zusätzliche Informationen können angegeben werden." />
3210     <min value="1" />
3211   </element>
3212   <element id="Composition.section:erweitertesNeugeborenencreening.text.
3213 status">
3214     <path value="Composition.section.text.status" />
3215     <fixedCode value="generated" />
3216   </element>
3217   <element id="Composition.section:erweitertesNeugeborenencreening.mode">
3218     <path value="Composition.section.mode" />
3219     <max value="0" />
3220   </element>
3221   <element id="Composition.section:erweitertesNeugeborenencreening.order
3222 edBy">
3223     <path value="Composition.section.orderedBy" />
3224     <max value="0" />
3225   </element>
3226   <element id="Composition.section:erweitertesNeugeborenencreening.entry
3227 ">
3228     <path value="Composition.section.entry" />
3229     <max value="1" />
3230     <type>
3231       <code value="Reference" />
3232       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
3233 KBV_PR_MIO_CM_R_Procedure_U1_U3_Newborn_Blood_Spot_Screening|1.0.1" />
3234     </type>
3235     <mustSupport value="true" />
3236   </element>
3237   <element id="Composition.section:erweitertesNeugeborenencreening.entry
3238 .reference">
3239     <path value="Composition.section.entry.reference" />
3240     <min value="1" />
3241     <mustSupport value="true" />
3242   </element>
3243   <element id="Composition.section:erweitertesNeugeborenencreening.entry
3244 .type">
3245     <path value="Composition.section.entry.type" />
3246     <max value="0" />
3247   </element>
3248   <element id="Composition.section:erweitertesNeugeborenencreening.entry
3249 .identifier">
3250     <path value="Composition.section.entry.identifier" />
3251     <max value="0" />
3252   </element>
3253   <element id="Composition.section:erweitertesNeugeborenencreening.entry
3254 .display">
3255     <path value="Composition.section.entry.display" />
3256     <max value="0" />
3257   </element>
3258   <element id="Composition.section:erweitertesNeugeborenencreening.empty
3259 Reason">
3260     <path value="Composition.section.emptyReason" />
3261     <mustSupport value="true" />
3262   </element>
3263   <element id="Composition.section:erweitertesNeugeborenencreening.empty
3264 Reason.coding">
3265     <path value="Composition.section.emptyReason.coding" />
3266     <min value="1" />
3267     <max value="1" />

```



```

3257     <mustSupport value="true" />
3258   </element>
3259   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.system">
3260     <path value="Composition.section.emptyReason.coding.system" />
3261     <min value="1" />
3262     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
3263   </element>
3264   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.version">
3265     <path value="Composition.section.emptyReason.coding.version" />
3266     <min value="1" />
3267     <fixedString value="4.0.1" />
3268   </element>
3269   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.code">
3270     <path value="Composition.section.emptyReason.coding.code" />
3271     <min value="1" />
3272     <fixedCode value="closed" />
3273   </element>
3274   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.display">
3275     <path value="Composition.section.emptyReason.coding.display" />
3276     <min value="1" />
3277     <fixedString value="Closed" />
3278   </element>
3279   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.userSelected">
3280     <path value="Composition.section.emptyReason.coding.userSelected" />
3281     <max value="0" />
3282   </element>
3283   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.text">
3284     <path value="Composition.section.emptyReason.text" />
3285     <max value="0" />
3286   </element>
3287   <element id="Composition.section:erweitertesNeugeborenenScreening.secti
on">
3288     <path value="Composition.section.section" />
3289     <max value="0" />
3290   </element>
3291   <element id="Composition.section:mukoviszidoseScreening">
3292     <path value="Composition.section" />
3293     <sliceName value="mukoviszidoseScreening" />
3294     <max value="1" />
3295     <mustSupport value="true" />
3296   </element>
3297   <element id="Composition.section:mukoviszidoseScreening.title">
3298     <path value="Composition.section.title" />
3299     <min value="1" />
3300     <fixedString value="Screening auf Mukoviszidose" />
3301     <mustSupport value="true" />
3302   </element>
3303   <element id="Composition.section:mukoviszidoseScreening.code">
3304     <path value="Composition.section.code" />
3305     <min value="1" />
3306     <mustSupport value="true" />
3307   </element>
3308   <element id="Composition.section:mukoviszidoseScreening.code.coding">

```

```

3309     <path value="Composition.section.code.coding" />
3310     <min value="1" />
3311     <max value="1" />
3312     <mustSupport value="true" />
3313 </element>
3314 <element id="Composition.section:mukoviszidoseScreening.code.coding.system">
3315     <path value="Composition.section.code.coding.system" />
3316     <min value="1" />
3317     <fixedUri value="http://snomed.info/sct" />
3318 </element>
3319 <element id="Composition.section:mukoviszidoseScreening.code.coding.version">
3320     <path value="Composition.section.code.coding.version" />
3321     <min value="1" />
3322     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3323 </element>
3324 <element id="Composition.section:mukoviszidoseScreening.code.coding.code">
3325     <path value="Composition.section.code.coding.code" />
3326     <min value="1" />
3327     <fixedCode value="738796001:363702006=171191008" />
3328 </element>
3329 <element id="Composition.section:mukoviszidoseScreening.code.coding.display">
3330     <path value="Composition.section.code.coding.display" />
3331     <min value="1" />
3332     <fixedString value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Cystic fibrosis screening
(procedure)" />
3333 </element>
3334 <element id="Composition.section:mukoviszidoseScreening.code.coding.userSelected">
3335     <path value="Composition.section.code.coding.userSelected" />
3336     <max value="0" />
3337 </element>
3338 <element id="Composition.section:mukoviszidoseScreening.code.text">
3339     <path value="Composition.section.code.text" />
3340     <max value="0" />
3341 </element>
3342 <element id="Composition.section:mukoviszidoseScreening.author">
3343     <path value="Composition.section.author" />
3344     <max value="0" />
3345 </element>
3346 <element id="Composition.section:mukoviszidoseScreening.focus">
3347     <path value="Composition.section.focus" />
3348     <max value="0" />
3349 </element>
3350 <element id="Composition.section:mukoviszidoseScreening.text">
3351     <path value="Composition.section.text" />
3352     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
3353     <min value="1" />
3354 </element>
3355 <element id="Composition.section:mukoviszidoseScreening.text.status">
3356     <path value="Composition.section.text.status" />
3357     <fixedCode value="generated" />
3358 </element>
3359 <element id="Composition.section:mukoviszidoseScreening.mode">

```

```

3360     <path value="Composition.section.mode" />
3361     <max value="0" />
3362 </element>
3363 <element id="Composition.section:mukoviszidoseScreening.orderedBy">
3364     <path value="Composition.section.orderedBy" />
3365     <max value="0" />
3366 </element>
3367 <element id="Composition.section:mukoviszidoseScreening.entry">
3368     <path value="Composition.section.entry" />
3369     <type>
3370         <code value="Reference" />
3371         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Cystic_Fibrosis_Screening|1.0.1" />
3372     </type>
3373     <mustSupport value="true" />
3374 </element>
3375 <element id="Composition.section:mukoviszidoseScreening.entry.reference
">
3376     <path value="Composition.section.entry.reference" />
3377     <min value="1" />
3378     <mustSupport value="true" />
3379 </element>
3380 <element id="Composition.section:mukoviszidoseScreening.entry.type">
3381     <path value="Composition.section.entry.type" />
3382     <max value="0" />
3383 </element>
3384 <element id="Composition.section:mukoviszidoseScreening.entry.identifie
r">
3385     <path value="Composition.section.entry.identifier" />
3386     <max value="0" />
3387 </element>
3388 <element id="Composition.section:mukoviszidoseScreening.entry.display">
3389     <path value="Composition.section.entry.display" />
3390     <max value="0" />
3391 </element>
3392 <element id="Composition.section:mukoviszidoseScreening.emptyReason">
3393     <path value="Composition.section.emptyReason" />
3394     <mustSupport value="true" />
3395 </element>
3396 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing">
3397     <path value="Composition.section.emptyReason.coding" />
3398     <min value="1" />
3399     <max value="1" />
3400     <mustSupport value="true" />
3401 </element>
3402 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.system">
3403     <path value="Composition.section.emptyReason.coding.system" />
3404     <min value="1" />
3405     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
3406 </element>
3407 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.version">
3408     <path value="Composition.section.emptyReason.coding.version" />
3409     <min value="1" />
3410     <fixedString value="4.0.1" />
3411 </element>

```

```

3412     <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.code">
3413         <path value="Composition.section.emptyReason.coding.code" />
3414         <min value="1" />
3415         <fixedCode value="closed" />
3416     </element>
3417     <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.display">
3418         <path value="Composition.section.emptyReason.coding.display" />
3419         <min value="1" />
3420         <fixedString value="Closed" />
3421     </element>
3422     <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.userSelected">
3423         <path value="Composition.section.emptyReason.coding.userSelected" />
3424         <max value="0" />
3425     </element>
3426     <element id="Composition.section:mukoviszidoseScreening.emptyReason.tex
t">
3427         <path value="Composition.section.emptyReason.text" />
3428         <max value="0" />
3429     </element>
3430     <element id="Composition.section:mukoviszidoseScreening.section">
3431         <path value="Composition.section.section" />
3432         <max value="0" />
3433     </element>
3434     <element id="Composition.section:perzentilkurven">
3435         <path value="Composition.section" />
3436         <sliceName value="perzentilkurven" />
3437         <max value="1" />
3438         <mustSupport value="true" />
3439     </element>
3440     <element id="Composition.section:perzentilkurven.title">
3441         <path value="Composition.section.title" />
3442         <min value="1" />
3443         <fixedString value="Perzentilkurven" />
3444         <mustSupport value="true" />
3445     </element>
3446     <element id="Composition.section:perzentilkurven.code">
3447         <path value="Composition.section.code" />
3448         <min value="1" />
3449         <mustSupport value="true" />
3450     </element>
3451     <element id="Composition.section:perzentilkurven.code.coding">
3452         <path value="Composition.section.code.coding" />
3453         <min value="1" />
3454         <max value="1" />
3455         <mustSupport value="true" />
3456     </element>
3457     <element id="Composition.section:perzentilkurven.code.coding.system">
3458         <path value="Composition.section.code.coding.system" />
3459         <min value="1" />
3460         <fixedUri value="http://snomed.info/sct" />
3461     </element>
3462     <element id="Composition.section:perzentilkurven.code.coding.version">
3463         <path value="Composition.section.code.coding.version" />
3464         <min value="1" />
3465         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3466     </element>

```

```

3467 <element id="Composition.section:perzentilkurven.code.coding.code">
3468   <path value="Composition.section.code.coding.code" />
3469   <min value="1" />
3470   <fixedCode value="129822005" />
3471 </element>
3472 <element id="Composition.section:perzentilkurven.code.coding.display">
3473   <path value="Composition.section.code.coding.display" />
3474   <min value="1" />
3475   <fixedString value="Childhood growth AND/OR development finding
(finding)" />
3476 </element>
3477 <element id="Composition.section:perzentilkurven.code.coding.userSelect
ed">
3478   <path value="Composition.section.code.coding.userSelected" />
3479   <max value="0" />
3480 </element>
3481 <element id="Composition.section:perzentilkurven.code.text">
3482   <path value="Composition.section.code.text" />
3483   <max value="0" />
3484 </element>
3485 <element id="Composition.section:perzentilkurven.author">
3486   <path value="Composition.section.author" />
3487   <max value="0" />
3488 </element>
3489 <element id="Composition.section:perzentilkurven.focus">
3490   <path value="Composition.section.focus" />
3491   <max value="0" />
3492 </element>
3493 <element id="Composition.section:perzentilkurven.text">
3494   <path value="Composition.section.text" />
3495   <min value="1" />
3496 </element>
3497 <element id="Composition.section:perzentilkurven.text.status">
3498   <path value="Composition.section.text.status" />
3499   <fixedCode value="generated" />
3500 </element>
3501 <element id="Composition.section:perzentilkurven.mode">
3502   <path value="Composition.section.mode" />
3503   <max value="0" />
3504 </element>
3505 <element id="Composition.section:perzentilkurven.orderedBy">
3506   <path value="Composition.section.orderedBy" />
3507   <max value="0" />
3508 </element>
3509 <element id="Composition.section:perzentilkurven.entry">
3510   <path value="Composition.section.entry" />
3511   <max value="1" />
3512   <type>
3513     <code value="Reference" />
3514     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_Percentile_Values|1.0.1" />
3515   </type>
3516   <mustSupport value="true" />
3517 </element>
3518 <element id="Composition.section:perzentilkurven.entry.reference">
3519   <path value="Composition.section.entry.reference" />
3520   <min value="1" />
3521   <mustSupport value="true" />
3522 </element>
3523 <element id="Composition.section:perzentilkurven.entry.type">

```

```

3524     <path value="Composition.section.entry.type" />
3525     <max value="0" />
3526 </element>
3527 <element id="Composition.section:perzentilkurven.entry.identifizier">
3528     <path value="Composition.section.entry.identifizier" />
3529     <max value="0" />
3530 </element>
3531 <element id="Composition.section:perzentilkurven.entry.display">
3532     <path value="Composition.section.entry.display" />
3533     <max value="0" />
3534 </element>
3535 <element id="Composition.section:perzentilkurven.emptyReason">
3536     <path value="Composition.section.emptyReason" />
3537     <mustSupport value="true" />
3538 </element>
3539 <element id="Composition.section:perzentilkurven.emptyReason.coding">
3540     <path value="Composition.section.emptyReason.coding" />
3541     <min value="1" />
3542     <max value="1" />
3543     <mustSupport value="true" />
3544 </element>
3545 <element id="Composition.section:perzentilkurven.emptyReason.coding.syst
3546     <path value="Composition.section.emptyReason.coding.system" />
3547     <min value="1" />
3548     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
3549     </element>
3550 <element id="Composition.section:perzentilkurven.emptyReason.coding.ver
3551     <path value="Composition.section.emptyReason.coding.version" />
3552     <min value="1" />
3553     <fixedString value="4.0.1" />
3554 </element>
3555 <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
3556     <path value="Composition.section.emptyReason.coding.code" />
3557     <min value="1" />
3558     <fixedCode value="closed" />
3559 </element>
3560 <element id="Composition.section:perzentilkurven.emptyReason.coding.dis
3561     <path value="Composition.section.emptyReason.coding.display" />
3562     <min value="1" />
3563     <fixedString value="Closed" />
3564 </element>
3565 <element id="Composition.section:perzentilkurven.emptyReason.coding.use
3566     <path value="Composition.section.emptyReason.coding.userSelected" />
3567     <max value="0" />
3568 </element>
3569 <element id="Composition.section:perzentilkurven.emptyReason.text">
3570     <path value="Composition.section.emptyReason.text" />
3571     <max value="0" />
3572 </element>
3573 <element id="Composition.section:perzentilkurven.section">
3574     <path value="Composition.section.section" />
3575     <max value="0" />
3576 </element>
3577 </differential>

```



## 210. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U3

### KBV\_PR\_MIO\_CMR\_Composition\_U3

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U3" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Composition_U3" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="cda" />
22     <uri value="http://hl7.org/v3/cda" />
23     <name value="CDA (R2)" />
24   </mapping>
25   <mapping>
26     <identity value="fhirdocumentreference" />
27     <uri value="http://hl7.org/fhir/documentreference" />
28     <name value="FHIR DocumentReference" />
29   </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil stellt die gesamte dritte U-Untersuchung
dar." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U3|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87     <element id="Composition.extension">
88     <path value="Composition.extension" />
89     <slicing>
90         <discriminator>
91             <type value="value" />
92             <path value="url" />
93         </discriminator>
94         <rules value="open" />
95     </slicing>
96 </element>
97 <element id="Composition.extension:u3Einleitung">
98     <path value="Composition.extension" />
99     <sliceName value="u3Einleitung" />
100    <min value="1" />
101    <max value="1" />
102    <type>
103        <code value="Extension" />
104        <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
105    </type>
106    <mustSupport value="true" />
107 </element>
108 <element id="Composition.extension:u3Einleitung.value[x]">
109     <path value="Composition.extension.value[x]" />
110     <mustSupport value="true" />
111 </element>
112 <element id="Composition.extension:u3Einleitung.value[x]:valueString">
113     <path value="Composition.extension.value[x]" />
114     <sliceName value="valueString" />
115     <fixedString value="U3 Elterninformation zur Untersuchung von der 4.
bis zur 5. Lebenswoche Ihr Baby ist jetzt etwa einen Monat alt. Die meisten
Babys können von der dritten Woche an den Kopf zu Geräuschquellen
hinwenden. Sie schauen lieber farbige als graue Flächen an und haben einen
ausgeprägten Saug- und Greifreflex. Ein wichtiges Ziel der U3 und aller
weiteren Untersuchungen ist es, Entwicklungsauffälligkeiten möglichst
frühzeitig zu erkennen. Bei der U3 achtet die Ärztin oder der Arzt
beispielsweise darauf, ob Ihr Baby schon in Bauchlage den Kopf halten kann,
die Hände spontan öffnet oder aufmerksam in nahe Gesichter schaut. Neben
einer gründlichen körperlichen Untersuchung werden zusätzlich mit
Ultraschall die Hüftgelenke Ihres Babys überprüft, um eventuelle
Fehlstellungen rechtzeitig behandeln zu können. Die Ultraschalluntersuchung
der Hüftgelenke sollten Sie nutzen, da Sie Ihrem Baby dadurch
schwerwiegende, lebenslange Beschwerden ersparen können. Wie bei der U1 und
U2 wird die Ärztin oder der Arzt nochmals darauf achten, ob Ihr Baby eine
behandlungsbedürftige Gelbsucht hat, die zum Beispiel ein Hinweis auf einen
Verschluss der Gallengänge sein kann. Sie werden gefragt, ob es
Auffälligkeiten beim Schlafen, Trinken, bei der Verdauung oder im sonstigen
Verhalten Ihres Babys gibt. Zur Vorbeugung gegen die Knochenerkrankung
Rachitis wird Vitamin D sowie Fluorid für die spätere Zahnhärtung
empfohlen. Sie werden erneut zum Thema Stillen und Ernährung beraten sowie
über Maßnahmen, die das Risiko eines plötzlichen Kindstodes mindern. Zudem
geht es allgemein um Unfallverhütung und um Gefahren für Ihr Baby durch
Abhängigkeit und Sucht in der Familie. Falls die Tests auf angeborene
Stoffwechselstörungen und/oder Mukoviszidose sowie der Neugeborenen-Hörtest
noch nicht stattgefunden haben, sollten sie umgehend erfolgen, da es für
einige Erkrankungen wichtig ist, dass die Diagnose schnell gestellt werden
kann." />
116     <mustSupport value="true" />
117 </element>
118 <element id="Composition.identifier">

```

```

119     <path value="Composition.identifier" />
120     <max value="0" />
121 </element>
122 <element id="Composition.status">
123     <path value="Composition.status" />
124     <fixedCode value="final" />
125 </element>
126 <element id="Composition.type">
127     <path value="Composition.type" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Composition.type.coding">
131     <path value="Composition.type.coding" />
132     <min value="1" />
133     <max value="1" />
134     <mustSupport value="true" />
135 </element>
136 <element id="Composition.type.coding.system">
137     <path value="Composition.type.coding.system" />
138     <min value="1" />
139     <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Composition.type.coding.version">
142     <path value="Composition.type.coding.version" />
143     <min value="1" />
144     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
145 </element>
146 <element id="Composition.type.coding.code">
147     <path value="Composition.type.coding.code" />
148     <min value="1" />
149     <fixedCode value="243788004:370131001=133931009" />
150 </element>
151 <element id="Composition.type.coding.display">
152     <path value="Composition.type.coding.display" />
153     <min value="1" />
154     <fixedString value="Child examination (procedure) : Recipient
category = Infant (person)" />
155 </element>
156 <element id="Composition.type.coding.userSelected">
157     <path value="Composition.type.coding.userSelected" />
158     <max value="0" />
159 </element>
160 <element id="Composition.type.text">
161     <path value="Composition.type.text" />
162     <max value="0" />
163 </element>
164 <element id="Composition.category">
165     <path value="Composition.category" />
166     <min value="1" />
167     <max value="1" />
168     <mustSupport value="true" />
169 </element>
170 <element id="Composition.category.coding">
171     <path value="Composition.category.coding" />
172     <min value="1" />
173     <max value="1" />
174     <mustSupport value="true" />
175 </element>
176 <element id="Composition.category.coding.system">

```

```

177     <path value="Composition.category.coding.system" />
178     <min value="1" />
179     <fixedUri value="http://snomed.info/sct" />
180 </element>
181 <element id="Composition.category.coding.version">
182     <path value="Composition.category.coding.version" />
183     <min value="1" />
184     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
185 </element>
186 <element id="Composition.category.coding.code">
187     <path value="Composition.category.coding.code" />
188     <min value="1" />
189     <fixedCode value="243788004" />
190 </element>
191 <element id="Composition.category.coding.display">
192     <path value="Composition.category.coding.display" />
193     <min value="1" />
194     <fixedString value="Child examination (procedure)" />
195 </element>
196 <element id="Composition.category.coding.userSelected">
197     <path value="Composition.category.coding.userSelected" />
198     <max value="0" />
199 </element>
200 <element id="Composition.category.text">
201     <path value="Composition.category.text" />
202     <max value="0" />
203 </element>
204 <element id="Composition.subject">
205     <path value="Composition.subject" />
206     <min value="1" />
207     <type>
208         <code value="Reference" />
209         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
210     </type>
211     <mustSupport value="true" />
212 </element>
213 <element id="Composition.subject.reference">
214     <path value="Composition.subject.reference" />
215     <min value="1" />
216     <mustSupport value="true" />
217 </element>
218 <element id="Composition.subject.type">
219     <path value="Composition.subject.type" />
220     <max value="0" />
221 </element>
222 <element id="Composition.subject.identifier">
223     <path value="Composition.subject.identifier" />
224     <max value="0" />
225 </element>
226 <element id="Composition.subject.display">
227     <path value="Composition.subject.display" />
228     <max value="0" />
229 </element>
230 <element id="Composition.encounter">
231     <path value="Composition.encounter" />
232     <min value="1" />
233     <type>
234         <code value="Reference" />

```

```

235     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="Composition.encounter.reference">
240   <path value="Composition.encounter.reference" />
241   <min value="1" />
242   <mustSupport value="true" />
243 </element>
244 <element id="Composition.encounter.type">
245   <path value="Composition.encounter.type" />
246   <max value="0" />
247 </element>
248 <element id="Composition.encounter.identifier">
249   <path value="Composition.encounter.identifier" />
250   <max value="0" />
251 </element>
252 <element id="Composition.encounter.display">
253   <path value="Composition.encounter.display" />
254   <max value="0" />
255 </element>
256 <element id="Composition.author">
257   <path value="Composition.author" />
258   <max value="2" />
259   <type>
260     <code value="Reference" />
261     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
262     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
263   </type>
264   <mustSupport value="true" />
265 </element>
266 <element id="Composition.author.reference">
267   <path value="Composition.author.reference" />
268   <min value="1" />
269   <mustSupport value="true" />
270 </element>
271 <element id="Composition.author.type">
272   <path value="Composition.author.type" />
273   <max value="0" />
274 </element>
275 <element id="Composition.author.identifier">
276   <path value="Composition.author.identifier" />
277   <max value="0" />
278 </element>
279 <element id="Composition.author.display">
280   <path value="Composition.author.display" />
281   <max value="0" />
282 </element>
283 <element id="Composition.title">
284   <path value="Composition.title" />
285   <fixedString value="U3" />
286   <mustSupport value="true" />
287 </element>
288 <element id="Composition.confidentiality">
289   <path value="Composition.confidentiality" />
290   <max value="0" />
291 </element>

```

```

292 <element id="Composition.attester">
293   <path value="Composition.attester" />
294   <max value="0" />
295 </element>
296 <element id="Composition.custodian">
297   <path value="Composition.custodian" />
298   <max value="0" />
299 </element>
300 <element id="Composition.relatesTo">
301   <path value="Composition.relatesTo" />
302   <max value="0" />
303 </element>
304 <element id="Composition.event">
305   <path value="Composition.event" />
306   <max value="0" />
307 </element>
308 <element id="Composition.section">
309   <path value="Composition.section" />
310   <slicing>
311     <discriminator>
312       <type value="value" />
313       <path value="title" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <mustSupport value="true" />
318 </element>
319 <element id="Composition.section:schwangerschaftsanamnese">
320   <path value="Composition.section" />
321   <sliceName value="schwangerschaftsanamnese" />
322   <max value="1" />
323   <mustSupport value="true" />
324 </element>
325 <element id="Composition.section:schwangerschaftsanamnese.extension">
326   <path value="Composition.section.extension" />
327   <slicing>
328     <discriminator>
329       <type value="value" />
330       <path value="url" />
331     </discriminator>
332     <rules value="open" />
333   </slicing>
334 </element>
335 <element id="Composition.section:schwangerschaftsanamnese.extension:ana
mneseAnweisung">
336   <path value="Composition.section.extension" />
337   <sliceName value="anamneseAnweisung" />
338   <min value="1" />
339   <max value="1" />
340   <type>
341     <code value="Extension" />
342     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
343   </type>
344   <mustSupport value="true" />
345 </element>
346 <element id="Composition.section:schwangerschaftsanamnese.extension:ana
mneseAnweisung.value[x]">
347   <path value="Composition.section.extension.value[x]" />
348   <mustSupport value="true" />

```

```

349     </element>
350     <element id="Composition.section:schwangerschaftsanamnese.extension:ana
mneseAnweisung.value[x]:valueString">
351         <path value="Composition.section:schwangerschaftsanamnese.extension.value[x]" />
352         <sliceName value="valueString" />
353         <fixedString value="Zutreffendes bitte ankreuzen!" />
354         <mustSupport value="true" />
355     </element>
356     <element id="Composition.section:schwangerschaftsanamnese.title">
357         <path value="Composition.section.title" />
358         <min value="1" />
359         <fixedString value="Schwangerschaftsanamnese" />
360         <mustSupport value="true" />
361     </element>
362     <element id="Composition.section:schwangerschaftsanamnese.code">
363         <path value="Composition.section.code" />
364         <min value="1" />
365         <mustSupport value="true" />
366     </element>
367     <element id="Composition.section:schwangerschaftsanamnese.code.coding">
368         <path value="Composition.section.code.coding" />
369         <min value="1" />
370         <max value="1" />
371         <mustSupport value="true" />
372     </element>
373     <element id="Composition.section:schwangerschaftsanamnese.code.coding.s
ystem">
374         <path value="Composition.section.code.coding.system" />
375         <min value="1" />
376         <fixedUri value="http://snomed.info/sct" />
377     </element>
378     <element id="Composition.section:schwangerschaftsanamnese.code.coding.v
ersion">
379         <path value="Composition.section.code.coding.version" />
380         <min value="1" />
381         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
382     </element>
383     <element id="Composition.section:schwangerschaftsanamnese.code.coding.c
ode">
384         <path value="Composition.section.code.coding.code" />
385         <min value="1" />
386         <fixedCode value="160427003" />
387     </element>
388     <element id="Composition.section:schwangerschaftsanamnese.code.coding.d
isplay">
389         <path value="Composition.section.code.coding.display" />
390         <min value="1" />
391         <fixedString value="Family history with explicit context pertaining
to mother (situation)" />
392     </element>
393     <element id="Composition.section:schwangerschaftsanamnese.code.coding.u
serSelected">
394         <path value="Composition.section.code.coding.userSelected" />
395         <max value="0" />
396     </element>
397     <element id="Composition.section:schwangerschaftsanamnese.code.text">
398         <path value="Composition.section.code.text" />
399         <max value="0" />
400     </element>

```

```

401 <element id="Composition.section:schwangerschaftsanamnese.author">
402   <path value="Composition.section.author" />
403   <max value="0" />
404 </element>
405 <element id="Composition.section:schwangerschaftsanamnese.focus">
406   <path value="Composition.section.focus" />
407   <short value="The Focus in this Section is on the Childs Mother" />
408   <max value="0" />
409 </element>
410 <element id="Composition.section:schwangerschaftsanamnese.text">
411   <path value="Composition.section.text" />
412   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
413   <min value="1" />
414 </element>
415 <element id="Composition.section:schwangerschaftsanamnese.text.status">
416   <path value="Composition.section.text.status" />
417   <fixedCode value="generated" />
418 </element>
419 <element id="Composition.section:schwangerschaftsanamnese.mode">
420   <path value="Composition.section.mode" />
421   <max value="0" />
422 </element>
423 <element id="Composition.section:schwangerschaftsanamnese.orderedBy">
424   <path value="Composition.section.orderedBy" />
425   <max value="0" />
426 </element>
427 <element id="Composition.section:schwangerschaftsanamnese.entry">
428   <path value="Composition.section.entry" />
429   <type>
430     <code value="Reference" />
431     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Pregnancy_History|1.0.1" />
432   </type>
433   <mustSupport value="true" />
434 </element>
435 <element id="Composition.section:schwangerschaftsanamnese.entry.referen
ce">
436   <path value="Composition.section.entry.reference" />
437   <min value="1" />
438   <mustSupport value="true" />
439 </element>
440 <element id="Composition.section:schwangerschaftsanamnese.entry.identif
ier">
441   <path value="Composition.section.entry.identifizier" />
442   <max value="0" />
443 </element>
444 <element id="Composition.section:schwangerschaftsanamnese.entry.display
">
445   <path value="Composition.section.entry.display" />
446   <max value="0" />
447 </element>
448 <element id="Composition.section:schwangerschaftsanamnese.emptyReason">
449   <path value="Composition.section.emptyReason" />
450   <mustSupport value="true" />
451 </element>
452 <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding">
453   <path value="Composition.section.emptyReason.coding" />
454   <min value="1" />

```



```

455     <max value="1" />
456     <mustSupport value="true" />
457   </element>
458   <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.system">
459     <path value="Composition.section.emptyReason.coding.system" />
460     <min value="1" />
461     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
462   </element>
463   <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.version">
464     <path value="Composition.section.emptyReason.coding.version" />
465     <min value="1" />
466     <fixedString value="4.0.1" />
467   </element>
468   <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.code">
469     <path value="Composition.section.emptyReason.coding.code" />
470     <min value="1" />
471     <fixedCode value="closed" />
472   </element>
473   <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.display">
474     <path value="Composition.section.emptyReason.coding.display" />
475     <min value="1" />
476     <fixedString value="Closed" />
477   </element>
478   <element id="Composition.section:schwangerschaftsanamnese.emptyReason.c
oding.userSelected">
479     <path value="Composition.section.emptyReason.coding.userSelected" />
480     <max value="0" />
481   </element>
482   <element id="Composition.section:schwangerschaftsanamnese.emptyReason.t
ext">
483     <path value="Composition.section.emptyReason.text" />
484     <max value="0" />
485   </element>
486   <element id="Composition.section:schwangerschaftsanamnese.section">
487     <path value="Composition.section.section" />
488     <max value="0" />
489   </element>
490   <element id="Composition.section:geburtsanamnese">
491     <path value="Composition.section" />
492     <sliceName value="geburtsanamnese" />
493     <max value="1" />
494     <mustSupport value="true" />
495   </element>
496   <element id="Composition.section:geburtsanamnese.extension">
497     <path value="Composition.section.extension" />
498     <slicing>
499       <discriminator>
500         <type value="value" />
501         <path value="url" />
502       </discriminator>
503       <rules value="open" />
504     </slicing>
505   </element>
506   <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung">

```

```

507     <path value="Composition.section.extension" />
508     <sliceName value="anamneseAnweisung" />
509     <min value="1" />
510     <max value="1" />
511     <type>
512         <code value="Extension" />
513         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
514     </type>
515     <mustSupport value="true" />
516 </element>
517     <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung.value[x]">
518         <path value="Composition.section.extension.value[x]" />
519         <mustSupport value="true" />
520     </element>
521     <element id="Composition.section:geburtsanamnese.extension:anamneseAnwe
isung.value[x]:valueString">
522         <path value="Composition.section.extension.value[x]" />
523         <sliceName value="valueString" />
524         <fixedString value="Zutreffendes bitte ankreuzen!" />
525         <mustSupport value="true" />
526     </element>
527     <element id="Composition.section:geburtsanamnese.title">
528         <path value="Composition.section.title" />
529         <min value="1" />
530         <fixedString value="Geburtsanamnese" />
531         <mustSupport value="true" />
532     </element>
533     <element id="Composition.section:geburtsanamnese.code">
534         <path value="Composition.section.code" />
535         <min value="1" />
536         <mustSupport value="true" />
537     </element>
538     <element id="Composition.section:geburtsanamnese.code.coding">
539         <path value="Composition.section.code.coding" />
540         <min value="1" />
541         <max value="1" />
542         <mustSupport value="true" />
543     </element>
544     <element id="Composition.section:geburtsanamnese.code.coding.system">
545         <path value="Composition.section.code.coding.system" />
546         <min value="1" />
547         <fixedUri value="http://snomed.info/sct" />
548     </element>
549     <element id="Composition.section:geburtsanamnese.code.coding.version">
550         <path value="Composition.section.code.coding.version" />
551         <min value="1" />
552         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
553     </element>
554     <element id="Composition.section:geburtsanamnese.code.coding.code">
555         <path value="Composition.section.code.coding.code" />
556         <min value="1" />
557         <fixedCode value="364319003" />
558     </element>
559     <element id="Composition.section:geburtsanamnese.code.coding.display">
560         <path value="Composition.section.code.coding.display" />
561         <min value="1" />

```

```

562     <fixedString value="Pregnancy, childbirth / puerperium observable
(observable entity)" />
563 </element>
564 <element id="Composition.section:geburtsanamnese.code.coding.userSelect
ed">
565     <path value="Composition.section.code.coding.userSelected" />
566     <max value="0" />
567 </element>
568 <element id="Composition.section:geburtsanamnese.code.text">
569     <path value="Composition.section.code.text" />
570     <max value="0" />
571 </element>
572 <element id="Composition.section:geburtsanamnese.author">
573     <path value="Composition.section.author" />
574     <max value="0" />
575 </element>
576 <element id="Composition.section:geburtsanamnese.focus">
577     <path value="Composition.section.focus" />
578     <max value="0" />
579 </element>
580 <element id="Composition.section:geburtsanamnese.text">
581     <path value="Composition.section.text" />
582     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
583     <min value="1" />
584 </element>
585 <element id="Composition.section:geburtsanamnese.text.status">
586     <path value="Composition.section.text.status" />
587     <fixedCode value="generated" />
588 </element>
589 <element id="Composition.section:geburtsanamnese.mode">
590     <path value="Composition.section.mode" />
591     <max value="0" />
592 </element>
593 <element id="Composition.section:geburtsanamnese.orderedBy">
594     <path value="Composition.section.orderedBy" />
595     <max value="0" />
596 </element>
597 <element id="Composition.section:geburtsanamnese.entry">
598     <path value="Composition.section.entry" />
599     <max value="0" />
600 </element>
601 <element id="Composition.section:geburtsanamnese.emptyReason">
602     <path value="Composition.section.emptyReason" />
603     <mustSupport value="true" />
604 </element>
605 <element id="Composition.section:geburtsanamnese.emptyReason.coding">
606     <path value="Composition.section.emptyReason.coding" />
607     <min value="1" />
608     <max value="1" />
609     <mustSupport value="true" />
610 </element>
611 <element id="Composition.section:geburtsanamnese.emptyReason.coding.sys
tem">
612     <path value="Composition.section.emptyReason.coding.system" />
613     <min value="1" />
614     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
615 </element>

```

```

616     <element id="Composition.section:geburtsanamnese.emptyReason.coding.ver
sion">
617         <path value="Composition.section.emptyReason.coding.version" />
618         <min value="1" />
619         <fixedString value="4.0.1" />
620     </element>
621     <element id="Composition.section:geburtsanamnese.emptyReason.coding.cod
e">
622         <path value="Composition.section.emptyReason.coding.code" />
623         <min value="1" />
624         <fixedCode value="closed" />
625     </element>
626     <element id="Composition.section:geburtsanamnese.emptyReason.coding.dis
play">
627         <path value="Composition.section.emptyReason.coding.display" />
628         <min value="1" />
629         <fixedString value="Closed" />
630     </element>
631     <element id="Composition.section:geburtsanamnese.emptyReason.coding.use
rSelected">
632         <path value="Composition.section.emptyReason.coding.userSelected" />
633         <max value="0" />
634     </element>
635     <element id="Composition.section:geburtsanamnese.emptyReason.text">
636         <path value="Composition.section.emptyReason.text" />
637         <max value="0" />
638     </element>
639     <element id="Composition.section:geburtsanamnese.section">
640         <path value="Composition.section.section" />
641         <slicing>
642             <discriminator>
643                 <type value="value" />
644                 <path value="title" />
645             </discriminator>
646             <rules value="closed" />
647         </slicing>
648         <mustSupport value="true" />
649     </element>
650     <element id="Composition.section:geburtsanamnese.section:geschlecht">
651         <path value="Composition.section.section" />
652         <sliceName value="geschlecht" />
653         <max value="1" />
654         <mustSupport value="true" />
655     </element>
656     <element id="Composition.section:geburtsanamnese.section:geschlecht.tit
le">
657         <path value="Composition.section.section.title" />
658         <min value="1" />
659         <fixedString value="Geschlecht" />
660         <mustSupport value="true" />
661     </element>
662     <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e">
663         <path value="Composition.section.section.code" />
664         <min value="1" />
665         <mustSupport value="true" />
666     </element>
667     <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding">
668         <path value="Composition.section.section.code.coding" />

```

```

669     <min value="1" />
670     <max value="1" />
671     <mustSupport value="true" />
672 </element>
673 <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding.system">
674     <path value="Composition.section.section.code.coding.system" />
675     <min value="1" />
676     <fixedUri value="http://snomed.info/sct" />
677 </element>
678 <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding.version">
679     <path value="Composition.section.section.code.coding.version" />
680     <min value="1" />
681     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
682 </element>
683 <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding.code">
684     <path value="Composition.section.section.code.coding.code" />
685     <min value="1" />
686     <fixedCode value="263495000" />
687 </element>
688 <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding.display">
689     <path value="Composition.section.section.code.coding.display" />
690     <min value="1" />
691     <fixedString value="Gender (observable entity)" />
692 </element>
693 <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.coding.userSelected">
694     <path value="Composition.section.section.code.coding.userSelected" />
695     <max value="0" />
696 </element>
697 <element id="Composition.section:geburtsanamnese.section:geschlecht.cod
e.text">
698     <path value="Composition.section.section.code.text" />
699     <max value="0" />
700 </element>
701 <element id="Composition.section:geburtsanamnese.section:geschlecht.aut
hor">
702     <path value="Composition.section.section.author" />
703     <max value="0" />
704 </element>
705 <element id="Composition.section:geburtsanamnese.section:geschlecht.foc
us">
706     <path value="Composition.section.section.focus" />
707     <max value="0" />
708 </element>
709 <element id="Composition.section:geburtsanamnese.section:geschlecht.tex
t">
710     <path value="Composition.section.section.text" />
711     <max value="0" />
712 </element>
713 <element id="Composition.section:geburtsanamnese.section:geschlecht.mod
e">
714     <path value="Composition.section.section.mode" />
715     <max value="0" />
716 </element>

```

```

717     <element id="Composition.section:geburtsanamnese.section:geschlecht.ord
eredBy">
718         <path value="Composition.section.section.orderedBy" />
719         <max value="0" />
720     </element>
721     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry">
722         <path value="Composition.section.section.entry" />
723         <min value="1" />
724         <max value="1" />
725         <type>
726             <code value="Reference" />
727             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Gender_Birth_History|1.0.1" />
728         </type>
729         <mustSupport value="true" />
730     </element>
731     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.reference">
732         <path value="Composition.section.section.entry.reference" />
733         <min value="1" />
734         <mustSupport value="true" />
735     </element>
736     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.type">
737         <path value="Composition.section.section.entry.type" />
738         <max value="0" />
739     </element>
740     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.identifizier">
741         <path value="Composition.section.section.entry.identifizier" />
742         <max value="0" />
743     </element>
744     <element id="Composition.section:geburtsanamnese.section:geschlecht.ent
ry.display">
745         <path value="Composition.section.section.entry.display" />
746         <max value="0" />
747     </element>
748     <element id="Composition.section:geburtsanamnese.section:geschlecht.emp
tyReason">
749         <path value="Composition.section.section.emptyReason" />
750         <max value="0" />
751     </element>
752     <element id="Composition.section:geburtsanamnese.section:geschlecht.sec
tion">
753         <path value="Composition.section.section.section" />
754         <max value="0" />
755     </element>
756     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik">
757         <path value="Composition.section.section" />
758         <sliceName value="befundePraenatalerDiagnostik" />
759         <max value="1" />
760         <mustSupport value="true" />
761     </element>
762     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.title">
763         <path value="Composition.section.section.title" />
764         <min value="1" />

```

```

765     <fixedString value="Soweit vorhanden, Befunde einer pränatalen
Diagnostik:" />
766     <mustSupport value="true" />
767   </element>
768   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code">
769     <path value="Composition.section.section.code" />
770     <min value="1" />
771     <mustSupport value="true" />
772   </element>
773   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding">
774     <path value="Composition.section.section.code.coding" />
775     <licing>
776       <discriminator>
777         <type value="value" />
778         <path value="system" />
779       </discriminator>
780       <rules value="closed" />
781     </licing>
782     <min value="2" />
783     <max value="2" />
784     <mustSupport value="true" />
785   </element>
786   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding.codeSnomed">
787     <path value="Composition.section.section.code.coding" />
788     <sliceName value="codeSnomed" />
789     <min value="1" />
790     <max value="1" />
791     <mustSupport value="true" />
792   </element>
793   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding.codeSnomed.system">
794     <path value="Composition.section.section.code.coding.system" />
795     <min value="1" />
796     <fixedUri value="http://snomed.info/sct" />
797   </element>
798   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding.codeSnomed.version">
799     <path value="Composition.section.section.code.coding.version" />
800     <min value="1" />
801     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
802   </element>
803   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding.codeSnomed.code">
804     <path value="Composition.section.section.code.coding.code" />
805     <min value="1" />
806     <fixedCode value="313199003" />
807   </element>
808   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding.codeSnomed.display">
809     <path value="Composition.section.section.code.coding.display" />
810     <min value="1" />
811     <fixedString value="Antenatal screening finding (observable
entity)" />
812   </element>
813   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding.codeSnomed.userSelected">

```

```

814     <path value="Composition.section.section.code.coding.userSelected" />
815     <max value="0" />
816   </element>
817   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc">
818     <path value="Composition.section.section.code.coding" />
819     <sliceName value="codeLoinc" />
820     <min value="1" />
821     <max value="1" />
822     <mustSupport value="true" />
823   </element>
824   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.system">
825     <path value="Composition.section.section.code.coding.system" />
826     <min value="1" />
827     <fixedUri value="http://loinc.org" />
828   </element>
829   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.version">
830     <path value="Composition.section.section.code.coding.version" />
831     <min value="1" />
832     <fixedString value="2.69" />
833   </element>
834   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.code">
835     <path value="Composition.section.section.code.coding.code" />
836     <min value="1" />
837     <fixedCode value="57078-8" />
838   </element>
839   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.display">
840     <path value="Composition.section.section.code.coding.display" />
841     <min value="1" />
842     <fixedString value="Antenatal testing and surveillance Narrative" />
843   </element>
844   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.coding:codeLoinc.userSelected">
845     <path value="Composition.section.section.code.coding.userSelected" />
846     <max value="0" />
847   </element>
848   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.code.text">
849     <path value="Composition.section.section.code.text" />
850     <max value="0" />
851   </element>
852   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.author">
853     <path value="Composition.section.section.author" />
854     <max value="0" />
855   </element>
856   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.focus">
857     <path value="Composition.section.section.focus" />
858     <max value="0" />
859   </element>
860   <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.text">
861     <path value="Composition.section.section.text" />
862     <max value="0" />
863   </element>

```



```

864     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.mode">
865       <path value="Composition.section.section.mode" />
866       <max value="0" />
867     </element>
868     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.orderedBy">
869       <path value="Composition.section.section.orderedBy" />
870       <max value="0" />
871     </element>
872     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry">
873       <path value="Composition.section.section.entry" />
874       <min value="1" />
875       <max value="1" />
876       <type>
877         <code value="Reference" />
878         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Prenatal_Finding|1.0.1" />
879       </type>
880       <mustSupport value="true" />
881     </element>
882     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.reference">
883       <path value="Composition.section.section.entry.reference" />
884       <min value="1" />
885       <mustSupport value="true" />
886     </element>
887     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.type">
888       <path value="Composition.section.section.entry.type" />
889       <max value="0" />
890     </element>
891     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.identifizier">
892       <path value="Composition.section.section.entry.identifizier" />
893       <max value="0" />
894     </element>
895     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.entry.display">
896       <path value="Composition.section.section.entry.display" />
897       <max value="0" />
898     </element>
899     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.emptyReason">
900       <path value="Composition.section.section.emptyReason" />
901       <max value="0" />
902     </element>
903     <element id="Composition.section:geburtsanamnese.section:befundePraenat
alerDiagnostik.section">
904       <path value="Composition.section.section.section" />
905       <max value="0" />
906     </element>
907     <element id="Composition.section:geburtsanamnese.section:baseExcess">
908       <path value="Composition.section.section" />
909       <sliceName value="baseExcess" />
910       <max value="1" />
911       <mustSupport value="true" />
912     </element>

```

```

913     <element id="Composition.section:geburtsanamnese.section:baseExcess.tit
le">
914         <path value="Composition.section.section.title" />
915         <min value="1" />
916         <fixedString value="Base excess" />
917         <mustSupport value="true" />
918     </element>
919     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e">
920         <path value="Composition.section.section.code" />
921         <min value="1" />
922         <mustSupport value="true" />
923     </element>
924     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding">
925         <path value="Composition.section.section.code.coding" />
926         <slicing>
927             <discriminator>
928                 <type value="value" />
929                 <path value="system" />
930             </discriminator>
931             <rules value="closed" />
932         </slicing>
933         <min value="2" />
934         <max value="2" />
935         <mustSupport value="true" />
936     </element>
937     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed">
938         <path value="Composition.section.section.code.coding" />
939         <sliceName value="codeSnomed" />
940         <min value="1" />
941         <max value="1" />
942         <mustSupport value="true" />
943     </element>
944     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.system">
945         <path value="Composition.section.section.code.coding.system" />
946         <min value="1" />
947         <fixedUri value="http://snomed.info/sct" />
948     </element>
949     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.version">
950         <path value="Composition.section.section.code.coding.version" />
951         <min value="1" />
952         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
953     </element>
954     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.code">
955         <path value="Composition.section.section.code.coding.code" />
956         <min value="1" />
957         <fixedCode value="363787002:370134009=123029007,704319004=12499000,11
8598001=118556004,370132008=30766002,704327008=703430008,246093002=68615006
,246501002=723208001" />
958     </element>
959     <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.display">
960         <path value="Composition.section.section.code.coding.display" />
961         <min value="1" />

```

```

962     <fixedString value="Base excess (finding)" />
963 </element>
964 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeSnomed.userSelected">
965     <path value="Composition.section.section.code.coding.userSelected" />
966     <max value="0" />
967 </element>
968 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc">
969     <path value="Composition.section.section.code.coding" />
970     <sliceName value="codeLoinc" />
971     <min value="1" />
972     <max value="1" />
973     <mustSupport value="true" />
974 </element>
975 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.system">
976     <path value="Composition.section.section.code.coding.system" />
977     <min value="1" />
978     <fixedUri value="http://loinc.org" />
979 </element>
980 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.version">
981     <path value="Composition.section.section.code.coding.version" />
982     <min value="1" />
983     <fixedString value="2.69" />
984 </element>
985 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.code">
986     <path value="Composition.section.section.code.coding.code" />
987     <min value="1" />
988     <fixedCode value="28638-5" />
989 </element>
990 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.display">
991     <path value="Composition.section.section.code.coding.display" />
992     <min value="1" />
993     <fixedString value="Base excess in Arterial cord blood by
calculation" />
994 </element>
995 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.coding:codeLoinc.userSelected">
996     <path value="Composition.section.section.code.coding.userSelected" />
997     <max value="0" />
998 </element>
999 <element id="Composition.section:geburtsanamnese.section:baseExcess.cod
e.text">
1000     <path value="Composition.section.section.code.text" />
1001     <max value="0" />
1002 </element>
1003 <element id="Composition.section:geburtsanamnese.section:baseExcess.aut
hor">
1004     <path value="Composition.section.section.author" />
1005     <max value="0" />
1006 </element>
1007 <element id="Composition.section:geburtsanamnese.section:baseExcess.foc
us">
1008     <path value="Composition.section.section.focus" />
1009     <max value="0" />
1010 </element>

```

```

1011 <element id="Composition.section:geburtsanamnese.section:baseExcess.tex
t">
1012   <path value="Composition.section.section.text" />
1013   <max value="0" />
1014 </element>
1015 <element id="Composition.section:geburtsanamnese.section:baseExcess.mod
e">
1016   <path value="Composition.section.section.mode" />
1017   <max value="0" />
1018 </element>
1019 <element id="Composition.section:geburtsanamnese.section:baseExcess.ord
eredBy">
1020   <path value="Composition.section.section.orderedBy" />
1021   <max value="0" />
1022 </element>
1023 <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry">
1024   <path value="Composition.section.section.entry" />
1025   <min value="1" />
1026   <max value="1" />
1027   <type>
1028     <code value="Reference" />
1029     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Base_Excess|1.0.1" />
1030   </type>
1031   <mustSupport value="true" />
1032 </element>
1033 <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.reference">
1034   <path value="Composition.section.section.entry.reference" />
1035   <min value="1" />
1036   <mustSupport value="true" />
1037 </element>
1038 <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.type">
1039   <path value="Composition.section.section.entry.type" />
1040   <max value="0" />
1041 </element>
1042 <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.identifier">
1043   <path value="Composition.section.section.entry.identifier" />
1044   <max value="0" />
1045 </element>
1046 <element id="Composition.section:geburtsanamnese.section:baseExcess.ent
ry.display">
1047   <path value="Composition.section.section.entry.display" />
1048   <max value="0" />
1049 </element>
1050 <element id="Composition.section:geburtsanamnese.section:baseExcess.emp
tyReason">
1051   <path value="Composition.section.section.emptyReason" />
1052   <max value="0" />
1053 </element>
1054 <element id="Composition.section:geburtsanamnese.section:baseExcess.sec
tion">
1055   <path value="Composition.section.section.section" />
1056   <max value="0" />
1057 </element>
1058 <element id="Composition.section:geburtsanamnese.section:phWert">
1059   <path value="Composition.section.section" />

```

```

1060     <sliceName value="pHWert" />
1061     <max value="1" />
1062     <mustSupport value="true" />
1063 </element>
1064 <element id="Composition.section.geburtsanamnese.section.pHWert.title">
1065     <path value="Composition.section.section.title" />
1066     <min value="1" />
1067     <fixedString value="pH-Wert (Nabelarterie)" />
1068     <mustSupport value="true" />
1069 </element>
1070 <element id="Composition.section.geburtsanamnese.section.pHWert.code">
1071     <path value="Composition.section.section.code" />
1072     <min value="1" />
1073     <mustSupport value="true" />
1074 </element>
1075 <element id="Composition.section.geburtsanamnese.section.pHWert.code.co
ding">
1076     <path value="Composition.section.section.code.coding" />
1077     <slicing>
1078         <discriminator>
1079             <type value="value" />
1080             <path value="system" />
1081         </discriminator>
1082         <rules value="closed" />
1083     </slicing>
1084     <min value="2" />
1085     <max value="2" />
1086     <mustSupport value="true" />
1087 </element>
1088 <element id="Composition.section.geburtsanamnese.section.pHWert.code.co
ding:codeSnomed">
1089     <path value="Composition.section.section.code.coding" />
1090     <sliceName value="codeSnomed" />
1091     <min value="1" />
1092     <max value="1" />
1093     <mustSupport value="true" />
1094 </element>
1095 <element id="Composition.section.geburtsanamnese.section.pHWert.code.co
ding:codeSnomed.system">
1096     <path value="Composition.section.section.code.coding.system" />
1097     <min value="1" />
1098     <fixedUri value="http://snomed.info/sct" />
1099 </element>
1100 <element id="Composition.section.geburtsanamnese.section.pHWert.code.co
ding:codeSnomed.version">
1101     <path value="Composition.section.section.code.coding.version" />
1102     <min value="1" />
1103     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1104 </element>
1105 <element id="Composition.section.geburtsanamnese.section.pHWert.code.co
ding:codeSnomed.code">
1106     <path value="Composition.section.section.code.coding.code" />
1107     <min value="1" />
1108     <fixedCode value="363787002:370134009=123029007,704319004=12499000,24
6093002=89177007,704318007=702700007,370132008=30766002,704327008=703430008
" />
1109 </element>
1110 <element id="Composition.section.geburtsanamnese.section.pHWert.code.co
ding:codeSnomed.display">

```

```

1111     <path value="Composition.section.section.code.coding.display" />
1112     <min value="1" />
1113     <fixedString value="Observable entity (observable entity) : Time
aspect (attribute) = Single point in time (qualifier value) , Inheres in
(attribute) = Cord blood (substance) , Component (attribute) = Proton
(substance) , Property type (attribute) = Logarithmic substance
concentration (property) (qualifier value) , Scale type (attribute) =
Quantitative (qualifier value) , Direct site (attribute) = Arterial cord
blood specimen (specimen)" />
1114   </element>
1115   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeSnomed.userSelected">
1116     <path value="Composition.section.section.code.coding.userSelected" />
1117     <max value="0" />
1118   </element>
1119   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc">
1120     <path value="Composition.section.section.code.coding" />
1121     <sliceName value="codeLoinc" />
1122     <min value="1" />
1123     <max value="1" />
1124     <mustSupport value="true" />
1125   </element>
1126   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.system">
1127     <path value="Composition.section.section.code.coding.system" />
1128     <min value="1" />
1129     <fixedUri value="http://loinc.org" />
1130   </element>
1131   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.version">
1132     <path value="Composition.section.section.code.coding.version" />
1133     <min value="1" />
1134     <fixedString value="2.69" />
1135   </element>
1136   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.code">
1137     <path value="Composition.section.section.code.coding.code" />
1138     <min value="1" />
1139     <fixedCode value="28646-8" />
1140   </element>
1141   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.display">
1142     <path value="Composition.section.section.code.coding.display" />
1143     <min value="1" />
1144     <fixedString value="pH of Arterial cord blood" />
1145   </element>
1146   <element id="Composition.section:geburtsanamnese.section:phWert.code.co
ding:codeLoinc.userSelected">
1147     <path value="Composition.section.section.code.coding.userSelected" />
1148     <max value="0" />
1149   </element>
1150   <element id="Composition.section:geburtsanamnese.section:phWert.code.te
xt">
1151     <path value="Composition.section.section.code.text" />
1152     <max value="0" />
1153   </element>
1154   <element id="Composition.section:geburtsanamnese.section:phWert.author">
1155     <path value="Composition.section.section.author" />
1156     <max value="0" />

```

```

1157 </element>
1158 <element id="Composition.section.geburtsanamnese.section.phWert.focus">
1159   <path value="Composition.section.section.focus" />
1160   <max value="0" />
1161 </element>
1162 <element id="Composition.section.geburtsanamnese.section.phWert.text">
1163   <path value="Composition.section.section.text" />
1164   <max value="0" />
1165 </element>
1166 <element id="Composition.section.geburtsanamnese.section.phWert.mode">
1167   <path value="Composition.section.section.mode" />
1168   <max value="0" />
1169 </element>
1170 <element id="Composition.section.geburtsanamnese.section.phWert.ordered
By">
1171   <path value="Composition.section.section.orderedBy" />
1172   <max value="0" />
1173 </element>
1174 <element id="Composition.section.geburtsanamnese.section.phWert.entry">
1175   <path value="Composition.section.section.entry" />
1176   <min value="1" />
1177   <max value="1" />
1178   <type>
1179     <code value="Reference" />
1180     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_pH_Value|1.0.1" />
1181   </type>
1182   <mustSupport value="true" />
1183 </element>
1184 <element id="Composition.section.geburtsanamnese.section.phWert.entry.r
eference">
1185   <path value="Composition.section.section.entry.reference" />
1186   <min value="1" />
1187   <mustSupport value="true" />
1188 </element>
1189 <element id="Composition.section.geburtsanamnese.section.phWert.entry.t
ype">
1190   <path value="Composition.section.section.entry.type" />
1191   <max value="0" />
1192 </element>
1193 <element id="Composition.section.geburtsanamnese.section.phWert.entry.i
dentifier">
1194   <path value="Composition.section.section.entry.identifier" />
1195   <max value="0" />
1196 </element>
1197 <element id="Composition.section.geburtsanamnese.section.phWert.entry.d
isplay">
1198   <path value="Composition.section.section.entry.display" />
1199   <max value="0" />
1200 </element>
1201 <element id="Composition.section.geburtsanamnese.section.phWert.emptyRe
ason">
1202   <path value="Composition.section.section.emptyReason" />
1203   <max value="0" />
1204 </element>
1205 <element id="Composition.section.geburtsanamnese.section.phWert.section
">
1206   <path value="Composition.section.section.section" />
1207   <max value="0" />
1208 </element>

```

```

1209 <element id="Composition.section:geburtsanamnese.section:kindslage">
1210   <path value="Composition.section.section" />
1211   <sliceName value="kindslage" />
1212   <max value="1" />
1213   <mustSupport value="true" />
1214 </element>
1215 <element id="Composition.section:geburtsanamnese.section:kindslage.title">
1216   <path value="Composition.section.section.title" />
1217   <min value="1" />
1218   <fixedString value="Kindslage" />
1219   <mustSupport value="true" />
1220 </element>
1221 <element id="Composition.section:geburtsanamnese.section:kindslage.code">
1222   <path value="Composition.section.section.code" />
1223   <min value="1" />
1224   <mustSupport value="true" />
1225 </element>
1226 <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding">
1227   <path value="Composition.section.section.code.coding" />
1228   <min value="1" />
1229   <max value="1" />
1230   <mustSupport value="true" />
1231 </element>
1232 <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding.system">
1233   <path value="Composition.section.section.code.coding.system" />
1234   <min value="1" />
1235   <fixedUri value="http://snomed.info/sct" />
1236 </element>
1237 <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding.version">
1238   <path value="Composition.section.section.code.coding.version" />
1239   <min value="1" />
1240   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1241 </element>
1242 <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding.code">
1243   <path value="Composition.section.section.code.coding.code" />
1244   <min value="1" />
1245   <fixedCode value="364607000" />
1246 </element>
1247 <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding.display">
1248   <path value="Composition.section.section.code.coding.display" />
1249   <min value="1" />
1250   <fixedString value="Position of fetus (observable entity)" />
1251 </element>
1252 <element id="Composition.section:geburtsanamnese.section:kindslage.code.coding.userSelected">
1253   <path value="Composition.section.section.code.coding.userSelected" />
1254   <max value="0" />
1255 </element>
1256 <element id="Composition.section:geburtsanamnese.section:kindslage.code.text">
1257   <path value="Composition.section.section.code.text" />
1258   <max value="0" />

```



```

1259     </element>
1260     <element id="Composition.section:geburtsanamnese.section:kindslage.auth
or">
1261         <path value="Composition.section.section.author" />
1262         <max value="0" />
1263     </element>
1264     <element id="Composition.section:geburtsanamnese.section:kindslage.focu
s">
1265         <path value="Composition.section.section.focus" />
1266         <max value="0" />
1267     </element>
1268     <element id="Composition.section:geburtsanamnese.section:kindslage.text
">
1269         <path value="Composition.section.section.text" />
1270         <max value="0" />
1271     </element>
1272     <element id="Composition.section:geburtsanamnese.section:kindslage.mode
">
1273         <path value="Composition.section.section.mode" />
1274         <max value="0" />
1275     </element>
1276     <element id="Composition.section:geburtsanamnese.section:kindslage orde
redBy">
1277         <path value="Composition.section.section.orderedBy" />
1278         <max value="0" />
1279     </element>
1280     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y">
1281         <path value="Composition.section.section.entry" />
1282         <min value="1" />
1283         <max value="1" />
1284         <type>
1285             <code value="Reference" />
1286             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Foetal_Position|1.0.1" />
1287             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Different_Foetal_Position|1.0.1" />
1288         </type>
1289         <mustSupport value="true" />
1290     </element>
1291     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.reference">
1292         <path value="Composition.section.section.entry.reference" />
1293         <min value="1" />
1294         <mustSupport value="true" />
1295     </element>
1296     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.type">
1297         <path value="Composition.section.section.entry.type" />
1298         <max value="0" />
1299     </element>
1300     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.identifier">
1301         <path value="Composition.section.section.entry.identifier" />
1302         <max value="0" />
1303     </element>
1304     <element id="Composition.section:geburtsanamnese.section:kindslage.entr
y.display">
1305         <path value="Composition.section.section.entry.display" />
1306         <max value="0" />

```

```

1307     </element>
1308     <element id="Composition.section:geburtsanamnese.section:kindslage.emptyReason">
1309         <path value="Composition.section.section.emptyReason" />
1310         <max value="0" />
1311     </element>
1312     <element id="Composition.section:geburtsanamnese.section:kindslage.section">
1313         <path value="Composition.section.section.section" />
1314         <max value="0" />
1315     </element>
1316     <element id="Composition.section:geburtsanamnese.section:geburtsmodus">
1317         <path value="Composition.section.section" />
1318         <sliceName value="geburtsmodus" />
1319         <max value="1" />
1320         <mustSupport value="true" />
1321     </element>
1322     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.title">
1323         <path value="Composition.section.section.title" />
1324         <min value="1" />
1325         <fixedString value="Geburtsmodus" />
1326         <mustSupport value="true" />
1327     </element>
1328     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.code">
1329         <path value="Composition.section.section.code" />
1330         <min value="1" />
1331         <mustSupport value="true" />
1332     </element>
1333     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.code.coding">
1334         <path value="Composition.section.section.code.coding" />
1335         <min value="1" />
1336         <max value="1" />
1337         <mustSupport value="true" />
1338     </element>
1339     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.code.coding.system">
1340         <path value="Composition.section.section.code.coding.system" />
1341         <min value="1" />
1342         <fixedUri value="http://snomed.info/sct" />
1343     </element>
1344     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.code.coding.version">
1345         <path value="Composition.section.section.code.coding.version" />
1346         <min value="1" />
1347         <fixedString value="http://snomed.info/sct/900000000000207008/version/20210131" />
1348     </element>
1349     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.code.coding.code">
1350         <path value="Composition.section.section.code.coding.code" />
1351         <min value="1" />
1352         <fixedCode value="394698008" />
1353     </element>
1354     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.code.coding.display">
1355         <path value="Composition.section.section.code.coding.display" />
1356         <min value="1" />

```

```

1357     <fixedString value="Birth history (situation)" />
1358 </element>
1359 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.coding.userSelected">
1360     <path value="Composition.section.section.code.coding.userSelected" />
1361     <max value="0" />
1362 </element>
1363 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.c
ode.text">
1364     <path value="Composition.section.section.code.text" />
1365     <max value="0" />
1366 </element>
1367 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.a
uthor">
1368     <path value="Composition.section.section.author" />
1369     <max value="0" />
1370 </element>
1371 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.f
ocus">
1372     <path value="Composition.section.section.focus" />
1373     <max value="0" />
1374 </element>
1375 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.t
ext">
1376     <path value="Composition.section.section.text" />
1377     <max value="0" />
1378 </element>
1379 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.m
ode">
1380     <path value="Composition.section.section.mode" />
1381     <max value="0" />
1382 </element>
1383 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.o
rderedBy">
1384     <path value="Composition.section.section.orderedBy" />
1385     <max value="0" />
1386 </element>
1387 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry">
1388     <path value="Composition.section.section.entry" />
1389     <min value="1" />
1390     <max value="1" />
1391     <type>
1392         <code value="Reference" />
1393         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Birthmode|1.0.1" />
1394     </type>
1395     <mustSupport value="true" />
1396 </element>
1397 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.reference">
1398     <path value="Composition.section.section.entry.reference" />
1399     <min value="1" />
1400     <mustSupport value="true" />
1401 </element>
1402 <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.type">
1403     <path value="Composition.section.section.entry.type" />
1404     <max value="0" />
1405 </element>

```

```

1406     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.identified" />
1407     <path value="Composition.section.section.entry.identified" />
1408     <max value="0" />
1409 </element>
1410     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
ntry.display" />
1411     <path value="Composition.section.section.entry.display" />
1412     <max value="0" />
1413 </element>
1414     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.e
mptyReason" />
1415     <path value="Composition.section.section.emptyReason" />
1416     <max value="0" />
1417 </element>
1418     <element id="Composition.section:geburtsanamnese.section:geburtsmodus.s
ection" />
1419     <path value="Composition.section.section.section" />
1420     <max value="0" />
1421 </element>
1422     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit" />
1423     <path value="Composition.section.section" />
1424     <sliceName value="geburtsdatumUhrzeit" />
1425     <max value="1" />
1426     <mustSupport value="true" />
1427 </element>
1428     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.title" />
1429     <path value="Composition.section.section.title" />
1430     <min value="1" />
1431     <fixedString value="Geburtsdatum" />
1432     <mustSupport value="true" />
1433 </element>
1434     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code" />
1435     <path value="Composition.section.section.code" />
1436     <min value="1" />
1437     <mustSupport value="true" />
1438 </element>
1439     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding" />
1440     <path value="Composition.section.section.code.coding" />
1441     <min value="1" />
1442     <max value="1" />
1443     <mustSupport value="true" />
1444 </element>
1445     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding.system" />
1446     <path value="Composition.section.section.code.coding.system" />
1447     <min value="1" />
1448     <fixedUri value="http://snomed.info/sct" />
1449 </element>
1450     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
rzeit.code.coding.version" />
1451     <path value="Composition.section.section.code.coding.version" />
1452     <min value="1" />
1453     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1454 </element>

```

```

1455     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1456     <path value="Composition.section.section.code.coding.code" />
1457     <min value="1" />
1458     <fixedCode value="184099003+397836004" />
1459   </element>
1460   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1461   <path value="Composition.section.section.code.coding.display" />
1462   <min value="1" />
1463   <fixedString value="Date of birth (observable entity) + Time of
1464   </element>
1465   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1466   <path value="Composition.section.section.code.coding.userSelected" />
1467   <max value="0" />
1468   </element>
1469   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1470   <path value="Composition.section.section.code.text" />
1471   <max value="0" />
1472   </element>
1473   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1474   <path value="Composition.section.section.author" />
1475   <max value="0" />
1476   </element>
1477   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1478   <path value="Composition.section.section.focus" />
1479   <max value="0" />
1480   </element>
1481   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1482   <path value="Composition.section.section.text" />
1483   <max value="0" />
1484   </element>
1485   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1486   <path value="Composition.section.section.mode" />
1487   <max value="0" />
1488   </element>
1489   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1490   <path value="Composition.section.section.orderedBy" />
1491   <max value="0" />
1492   </element>
1493   <element id="Composition.section:geburtsanamnese.section:geburtsdatumUh
1494   <path value="Composition.section.section.entry" />
1495   <min value="1" />
1496   <max value="1" />
1497   <type>
1498     <code value="Reference" />
1499     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1500     </type>
1501     <mustSupport value="true" />
1502   </element>

```

```

1503     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.reference">
1504         <path value="Composition.section.section.entry.reference" />
1505         <min value="1" />
1506         <mustSupport value="true" />
1507     </element>
1508     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.type">
1509         <path value="Composition.section.section.entry.type" />
1510         <max value="0" />
1511     </element>
1512     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.identifizier">
1513         <path value="Composition.section.section.entry.identifizier" />
1514         <max value="0" />
1515     </element>
1516     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.entry.display">
1517         <path value="Composition.section.section.entry.display" />
1518         <max value="0" />
1519     </element>
1520     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.emptyReason">
1521         <path value="Composition.section.section.emptyReason" />
1522         <max value="0" />
1523     </element>
1524     <element id="Composition.section:geburtsanamnese.section:geburtsdatumUhrzeit.section">
1525         <path value="Composition.section.section.section" />
1526         <max value="0" />
1527     </element>
1528     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage">
1529         <path value="Composition.section.section" />
1530         <sliceName value="schwangerschaftswocheTage" />
1531         <max value="1" />
1532         <mustSupport value="true" />
1533     </element>
1534     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.title">
1535         <path value="Composition.section.section.title" />
1536         <min value="1" />
1537         <fixedString value="SSW (Wochen+Tage)" />
1538         <mustSupport value="true" />
1539     </element>
1540     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code">
1541         <path value="Composition.section.section.code" />
1542         <min value="1" />
1543         <mustSupport value="true" />
1544     </element>
1545     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding">
1546         <path value="Composition.section.section.code.coding" />
1547         <min value="1" />
1548         <max value="1" />
1549         <mustSupport value="true" />
1550     </element>
1551     <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.system">

```

```

1552     <path value="Composition.section.section.code.coding.system" />
1553     <min value="1" />
1554     <fixedUri value="http://snomed.info/sct" />
1555   </element>
1556   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.version">
1557     <path value="Composition.section.section.code.coding.version" />
1558     <min value="1" />
1559     <fixedString value="http://snomed.info/sct/900000000000207008/version/20210131" />
1560   </element>
1561   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.code">
1562     <path value="Composition.section.section.code.coding.code" />
1563     <min value="1" />
1564     <fixedCode value="412726003" />
1565   </element>
1566   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.display">
1567     <path value="Composition.section.section.code.coding.display" />
1568     <min value="1" />
1569     <fixedString value="Length of gestation at birth (observable entity)" />
1570   </element>
1571   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.coding.userSelected">
1572     <path value="Composition.section.section.code.coding.userSelected" />
1573     <max value="0" />
1574   </element>
1575   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.code.text">
1576     <path value="Composition.section.section.code.text" />
1577     <max value="0" />
1578   </element>
1579   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.author">
1580     <path value="Composition.section.section.author" />
1581     <max value="0" />
1582   </element>
1583   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.focus">
1584     <path value="Composition.section.section.focus" />
1585     <max value="0" />
1586   </element>
1587   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.text">
1588     <path value="Composition.section.section.text" />
1589     <max value="0" />
1590   </element>
1591   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.mode">
1592     <path value="Composition.section.section.mode" />
1593     <max value="0" />
1594   </element>
1595   <element id="Composition.section:geburtsanamnese.section:schwangerschaftswocheTage.orderedBy">
1596     <path value="Composition.section.section.orderedBy" />
1597     <max value="0" />
1598   </element>

```

```

1599     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1600     tswochenTage.entry">
1601         <path value="Composition.section.section.entry" />
1602         <min value="1" />
1603         <max value="1" />
1604         <type>
1605             <code value="Reference" />
1606             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1607             KBV_PR_MIO_CMR_Observation_U1_U3_Length_Gestation_At_Birth|1.0.1" />
1608         </type>
1609         <mustSupport value="true" />
1610     </element>
1611     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1612     tswochenTage.entry.reference">
1613         <path value="Composition.section.section.entry.reference" />
1614         <min value="1" />
1615         <max value="1" />
1616         <mustSupport value="true" />
1617     </element>
1618     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1619     tswochenTage.entry.type">
1620         <path value="Composition.section.section.entry.type" />
1621         <min value="0" />
1622         <max value="0" />
1623     </element>
1624     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1625     tswochenTage.entry.identifier">
1626         <path value="Composition.section.section.entry.identifier" />
1627         <min value="0" />
1628         <max value="0" />
1629     </element>
1630     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1631     tswochenTage.entry.display">
1632         <path value="Composition.section.section.entry.display" />
1633         <min value="0" />
1634         <max value="0" />
1635     </element>
1636     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1637     tswochenTage.emptyReason">
1638         <path value="Composition.section.section.emptyReason" />
1639         <min value="0" />
1640         <max value="0" />
1641     </element>
1642     <element id="Composition.section:geburtsanamnese.section:schwangerschaf
1643     tswochenTage.section">
1644         <path value="Composition.section.section.section" />
1645         <min value="0" />
1646         <max value="0" />
1647     </element>
1648     <element id="Composition.section:aktuelleAnamneseDesKindes">
1649         <path value="Composition.section" />
1650         <sliceName value="aktuelleAnamneseDesKindes" />
1651         <min value="1" />
1652         <max value="1" />
1653         <mustSupport value="true" />
1654     </element>
1655     <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
1656         <path value="Composition.section.extension" />
1657         <slicing>
1658             <discriminator>
1659                 <type value="value" />
1660                 <path value="url" />
1661             </discriminator>
1662             <rules value="open" />
1663         </slicing>
1664     </element>

```



```

1651     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung">
1652       <path value="Composition.section.extension" />
1653       <sliceName value="anamneseAnweisung" />
1654       <min value="1" />
1655       <max value="1" />
1656       <type>
1657         <code value="Extension" />
1658         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
1659       </type>
1660       <mustSupport value="true" />
1661     </element>
1662     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]">
1663       <path value="Composition.section.extension.value[x]" />
1664       <mustSupport value="true" />
1665     </element>
1666     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]:valueString">
1667       <path value="Composition.section.extension.value[x]" />
1668       <sliceName value="valueString" />
1669       <fixedString value="Zutreffendes bitte ankreuzen!" />
1670       <mustSupport value="true" />
1671     </element>
1672     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:hi
nweisNachtragen">
1673       <path value="Composition.section.extension" />
1674       <sliceName value="hinweisNachtragen" />
1675       <min value="1" />
1676       <max value="1" />
1677       <type>
1678         <code value="Extension" />
1679         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
1680       </type>
1681       <mustSupport value="true" />
1682     </element>
1683     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:hi
nweisNachtragen.value[x]">
1684       <path value="Composition.section.extension.value[x]" />
1685       <mustSupport value="true" />
1686     </element>
1687     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:hi
nweisNachtragen.value[x]:valueString">
1688       <path value="Composition.section.extension.value[x]" />
1689       <sliceName value="valueString" />
1690       <fixedString value="Schwangerschafts- und Geburtsanamnese: Erhebung
und Dokumentation in der U1 prüfen und ggf. nachtragen." />
1691       <mustSupport value="true" />
1692     </element>
1693     <element id="Composition.section:aktuelleAnamneseDesKindes.title">
1694       <path value="Composition.section.title" />
1695       <min value="1" />
1696       <fixedString value="Aktuelle Anamnese des Kindes" />
1697       <mustSupport value="true" />
1698     </element>
1699     <element id="Composition.section:aktuelleAnamneseDesKindes.code">
1700       <path value="Composition.section.code" />
1701       <min value="1" />

```

```

1702     <mustSupport value="true" />
1703 </element>
1704 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
1705   <path value="Composition.section.code.coding" />
1706   <min value="1" />
1707   <max value="1" />
1708   <mustSupport value="true" />
1709 </element>
1710 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
1711   <path value="Composition.section.code.coding.system" />
1712   <min value="1" />
1713   <fixedUri value="http://snomed.info/sct" />
1714 </element>
1715 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
1716   <path value="Composition.section.code.coding.version" />
1717   <min value="1" />
1718   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1719 </element>
1720 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
1721   <path value="Composition.section.code.coding.code" />
1722   <min value="1" />
1723   <fixedCode value="423374008" />
1724 </element>
1725 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
1726   <path value="Composition.section.code.coding.display" />
1727   <min value="1" />
1728   <fixedString value="Review of systems section (record artifact)" />
1729 </element>
1730 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
1731   <path value="Composition.section.code.coding.userSelected" />
1732   <max value="0" />
1733 </element>
1734 <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
1735   <path value="Composition.section.code.text" />
1736   <max value="0" />
1737 </element>
1738 <element id="Composition.section:aktuelleAnamneseDesKindes.author">
1739   <path value="Composition.section.author" />
1740   <max value="0" />
1741 </element>
1742 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">
1743   <path value="Composition.section.focus" />
1744   <max value="0" />
1745 </element>
1746 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
1747   <path value="Composition.section.text" />
1748   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1749   <min value="1" />
1750 </element>
1751 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
1752   <path value="Composition.section.text.status" />
1753   <fixedCode value="generated" />
1754 </element>

```

```

1755 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
1756   <path value="Composition.section.mode" />
1757   <max value="0" />
1758 </element>
1759 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
1760   <path value="Composition.section.orderedBy" />
1761   <max value="0" />
1762 </element>
1763 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
1764   <path value="Composition.section.entry" />
1765   <type>
1766     <code value="Reference" />
1767     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_Current_Child_History|1.0.1" />
1768   </type>
1769   <mustSupport value="true" />
1770 </element>
1771 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
1772   <path value="Composition.section.entry.reference" />
1773   <min value="1" />
1774   <mustSupport value="true" />
1775 </element>
1776 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
1777   <path value="Composition.section.entry.type" />
1778   <max value="0" />
1779 </element>
1780 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
1781   <path value="Composition.section.entry.identifizier" />
1782   <max value="0" />
1783 </element>
1784 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
1785   <path value="Composition.section.entry.display" />
1786   <max value="0" />
1787 </element>
1788 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
1789   <path value="Composition.section.emptyReason" />
1790   <mustSupport value="true" />
1791 </element>
1792 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
1793   <path value="Composition.section.emptyReason.coding" />
1794   <min value="1" />
1795   <max value="1" />
1796   <mustSupport value="true" />
1797 </element>
1798 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
1799   <path value="Composition.section.emptyReason.coding.system" />
1800   <min value="1" />
1801   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1802 </element>
1803 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
1804   <path value="Composition.section.emptyReason.coding.version" />
1805   <min value="1" />
1806   <fixedString value="4.0.1" />

```

```

1807     </element>
1808     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
1809         <path value="Composition.section.emptyReason.coding.code" />
1810         <min value="1" />
1811         <fixedCode value="closed" />
1812     </element>
1813     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
1814         <path value="Composition.section.emptyReason.coding.display" />
1815         <min value="1" />
1816         <fixedString value="Closed" />
1817     </element>
1818     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
1819         <path value="Composition.section.emptyReason.coding.userSelected" />
1820         <max value="0" />
1821     </element>
1822     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
1823         <path value="Composition.section.emptyReason.text" />
1824         <max value="0" />
1825     </element>
1826     <element id="Composition.section:aktuelleAnamneseDesKindes.section">
1827         <path value="Composition.section.section" />
1828         <max value="0" />
1829     </element>
1830     <element id="Composition.section:familienanamnese">
1831         <path value="Composition.section" />
1832         <sliceName value="familienanamnese" />
1833         <min value="1" />
1834         <max value="1" />
1835         <mustSupport value="true" />
1836     </element>
1837     <element id="Composition.section:familienanamnese.extension">
1838         <path value="Composition.section.extension" />
1839         <slicing>
1840             <discriminator>
1841                 <type value="value" />
1842                 <path value="url" />
1843             </discriminator>
1844             <rules value="open" />
1845         </slicing>
1846     </element>
1847     <element id="Composition.section:familienanamnese.extension:anamneseAnw
eistung">
1848         <path value="Composition.section.extension" />
1849         <sliceName value="anamneseAnweisung" />
1850         <min value="1" />
1851         <max value="1" />
1852         <type>
1853             <code value="Extension" />
1854             <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMRI_instruction" />
1855         </type>
1856         <mustSupport value="true" />
1857     </element>
1858     <element id="Composition.section:familienanamnese.extension:anamneseAnw
eistung.value[x]">
1859         <path value="Composition.section.extension.value[x]" />

```

```

1860     <mustSupport value="true" />
1861   </element>
1862   <element id="Composition.section:familienanamnese.extension:anamneseAnw
eistung.value[x]:valueString">
1863     <path value="Composition.section.extension.value[x]" />
1864     <sliceName value="valueString" />
1865     <fixedString value="Zutreffendes bitte ankreuzen!" />
1866     <mustSupport value="true" />
1867   </element>
1868   <element id="Composition.section:familienanamnese.extension:hinweisNach
tragen">
1869     <path value="Composition.section.extension" />
1870     <sliceName value="hinweisNachtragen" />
1871     <min value="1" />
1872     <max value="1" />
1873     <type>
1874       <code value="Extension" />
1875       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
1876     </type>
1877     <mustSupport value="true" />
1878   </element>
1879   <element id="Composition.section:familienanamnese.extension:hinweisNach
tragen.value[x]">
1880     <path value="Composition.section.extension.value[x]" />
1881     <mustSupport value="true" />
1882   </element>
1883   <element id="Composition.section:familienanamnese.extension:hinweisNach
tragen.value[x]:valueString">
1884     <path value="Composition.section.extension.value[x]" />
1885     <sliceName value="valueString" />
1886     <fixedString value="Schwangerschafts- und Geburtsanamnese: Erhebung
und Dokumentation in der U1 prüfen und ggf. nachtragen." />
1887     <mustSupport value="true" />
1888   </element>
1889   <element id="Composition.section:familienanamnese.title">
1890     <path value="Composition.section.title" />
1891     <min value="1" />
1892     <fixedString value="Familienanamnese" />
1893     <mustSupport value="true" />
1894   </element>
1895   <element id="Composition.section:familienanamnese.code">
1896     <path value="Composition.section.code" />
1897     <min value="1" />
1898     <mustSupport value="true" />
1899   </element>
1900   <element id="Composition.section:familienanamnese.code.coding">
1901     <path value="Composition.section.code.coding" />
1902     <min value="1" />
1903     <max value="1" />
1904     <mustSupport value="true" />
1905   </element>
1906   <element id="Composition.section:familienanamnese.code.coding.system">
1907     <path value="Composition.section.code.coding.system" />
1908     <min value="1" />
1909     <fixedUri value="http://snomed.info/sct" />
1910   </element>
1911   <element id="Composition.section:familienanamnese.code.coding.version">
1912     <path value="Composition.section.code.coding.version" />
1913     <min value="1" />

```

```

1914     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1915 </element>
1916 <element id="Composition.section:familienanamnese.code.coding.code">
1917   <path value="Composition.section.code.coding.code" />
1918   <min value="1" />
1919   <fixedCode value="422432008" />
1920 </element>
1921 <element id="Composition.section:familienanamnese.code.coding.display">
1922   <path value="Composition.section.code.coding.display" />
1923   <min value="1" />
1924   <fixedString value="Family history section (record artifact)" />
1925 </element>
1926 <element id="Composition.section:familienanamnese.code.coding.userSelected">
1927   <path value="Composition.section.code.coding.userSelected" />
1928   <max value="0" />
1929 </element>
1930 <element id="Composition.section:familienanamnese.code.text">
1931   <path value="Composition.section.code.text" />
1932   <max value="0" />
1933 </element>
1934 <element id="Composition.section:familienanamnese.author">
1935   <path value="Composition.section.author" />
1936   <max value="0" />
1937 </element>
1938 <element id="Composition.section:familienanamnese.focus">
1939   <path value="Composition.section.focus" />
1940   <max value="0" />
1941 </element>
1942 <element id="Composition.section:familienanamnese.text">
1943   <path value="Composition.section.text" />
1944   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1945   <min value="1" />
1946 </element>
1947 <element id="Composition.section:familienanamnese.text.status">
1948   <path value="Composition.section.text.status" />
1949   <fixedCode value="generated" />
1950 </element>
1951 <element id="Composition.section:familienanamnese.mode">
1952   <path value="Composition.section.mode" />
1953   <max value="0" />
1954 </element>
1955 <element id="Composition.section:familienanamnese.orderedBy">
1956   <path value="Composition.section.orderedBy" />
1957   <max value="0" />
1958 </element>
1959 <element id="Composition.section:familienanamnese.entry">
1960   <path value="Composition.section.entry" />
1961   <max value="1" />
1962   <type>
1963     <code value="Reference" />
1964     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_Family_History|1.0.1" />
1965   </type>
1966   <mustSupport value="true" />
1967 </element>
1968 <element id="Composition.section:familienanamnese.entry.reference">
1969   <path value="Composition.section.entry.reference" />

```

```

1970     <min value="1" />
1971     <mustSupport value="true" />
1972 </element>
1973 <element id="Composition.section:familienanamnese.entry.type">
1974     <path value="Composition.section.entry.type" />
1975     <max value="0" />
1976 </element>
1977 <element id="Composition.section:familienanamnese.entry.identifrier">
1978     <path value="Composition.section.entry.identifrier" />
1979     <max value="0" />
1980 </element>
1981 <element id="Composition.section:familienanamnese.entry.display">
1982     <path value="Composition.section.entry.display" />
1983     <max value="0" />
1984 </element>
1985 <element id="Composition.section:familienanamnese.emptyReason">
1986     <path value="Composition.section.emptyReason" />
1987     <mustSupport value="true" />
1988 </element>
1989 <element id="Composition.section:familienanamnese.emptyReason.coding">
1990     <path value="Composition.section.emptyReason.coding" />
1991     <min value="1" />
1992     <max value="1" />
1993     <mustSupport value="true" />
1994 </element>
1995 <element id="Composition.section:familienanamnese.emptyReason.coding.system">
1996     <path value="Composition.section.emptyReason.coding.system" />
1997     <min value="1" />
1998     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1999 </element>
2000 <element id="Composition.section:familienanamnese.emptyReason.coding.ve
rsion">
2001     <path value="Composition.section.emptyReason.coding.version" />
2002     <min value="1" />
2003     <fixedString value="4.0.1" />
2004 </element>
2005 <element id="Composition.section:familienanamnese.emptyReason.coding.co
de">
2006     <path value="Composition.section.emptyReason.coding.code" />
2007     <min value="1" />
2008     <fixedCode value="closed" />
2009 </element>
2010 <element id="Composition.section:familienanamnese.emptyReason.coding.di
splay">
2011     <path value="Composition.section.emptyReason.coding.display" />
2012     <min value="1" />
2013     <fixedString value="Closed" />
2014 </element>
2015 <element id="Composition.section:familienanamnese.emptyReason.coding.us
erSelected">
2016     <path value="Composition.section.emptyReason.coding.userSelected" />
2017     <max value="0" />
2018 </element>
2019 <element id="Composition.section:familienanamnese.emptyReason.text">
2020     <path value="Composition.section.emptyReason.text" />
2021     <max value="0" />
2022 </element>
2023 <element id="Composition.section:familienanamnese.section">

```

```

2024     <path value="Composition.section.section" />
2025     <max value="0" />
2026 </element>
2027 <element id="Composition.section:sozialanamnese">
2028     <path value="Composition.section" />
2029     <sliceName value="sozialanamnese" />
2030     <min value="1" />
2031     <max value="1" />
2032     <mustSupport value="true" />
2033 </element>
2034 <element id="Composition.section:sozialanamnese.extension">
2035     <path value="Composition.section.extension" />
2036     <slicing>
2037         <discriminator>
2038             <type value="value" />
2039             <path value="url" />
2040         </discriminator>
2041         <rules value="open" />
2042     </slicing>
2043 </element>
2044 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
2045     <path value="Composition.section.extension" />
2046     <sliceName value="anamneseAnweisung" />
2047     <min value="1" />
2048     <max value="1" />
2049     <type>
2050         <code value="Extension" />
2051         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
2052     </type>
2053     <mustSupport value="true" />
2054 </element>
2055 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
2056     <path value="Composition.section.extension.value[x]" />
2057     <mustSupport value="true" />
2058 </element>
2059 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
2060     <path value="Composition.section.extension.value[x]" />
2061     <sliceName value="valueString" />
2062     <fixedString value="Zutreffendes bitte ankreuzen!" />
2063     <mustSupport value="true" />
2064 </element>
2065 <element id="Composition.section:sozialanamnese.extension:hinweisNachtr
agen">
2066     <path value="Composition.section.extension" />
2067     <sliceName value="hinweisNachtragen" />
2068     <min value="1" />
2069     <max value="1" />
2070     <type>
2071         <code value="Extension" />
2072         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
2073     </type>
2074     <mustSupport value="true" />
2075 </element>
2076 <element id="Composition.section:sozialanamnese.extension:hinweisNachtr
agen.value[x]">

```



```

2077     <path value="Composition.section.extension.value[x]" />
2078     <mustSupport value="true" />
2079 </element>
2080 <element id="Composition.section:sozialanamnese.extension:hinweisNachtr
2081 agen.value[x]:valueString">
2082     <path value="Composition.section.extension.value[x]" />
2083     <sliceName value="valueString" />
2084     <fixedString value="Schwangerschafts- und Geburtsanamnese: Erhebung
2085 und Dokumentation in der UI prüfen und ggf. nachtragen." />
2086     <mustSupport value="true" />
2087 </element>
2088 <element id="Composition.section:sozialanamnese.title">
2089     <path value="Composition.section.title" />
2090     <min value="1" />
2091     <fixedString value="Sozialanamnese" />
2092     <mustSupport value="true" />
2093 </element>
2094 <element id="Composition.section:sozialanamnese.code">
2095     <path value="Composition.section.code" />
2096     <min value="1" />
2097     <mustSupport value="true" />
2098 </element>
2099 <element id="Composition.section:sozialanamnese.code.coding">
2100     <path value="Composition.section.code.coding" />
2101     <min value="1" />
2102     <max value="1" />
2103     <mustSupport value="true" />
2104 </element>
2105 <element id="Composition.section:sozialanamnese.code.coding.system">
2106     <path value="Composition.section.code.coding.system" />
2107     <min value="1" />
2108     <fixedUri value="http://snomed.info/sct" />
2109 </element>
2110 <element id="Composition.section:sozialanamnese.code.coding.version">
2111     <path value="Composition.section.code.coding.version" />
2112     <min value="1" />
2113     <fixedString value="http://snomed.info/sct/900000000000207008/
2114 version/20210131" />
2115 </element>
2116 <element id="Composition.section:sozialanamnese.code.coding.code">
2117     <path value="Composition.section.code.coding.code" />
2118     <min value="1" />
2119     <fixedCode value="281575007" />
2120 </element>
2121 <element id="Composition.section:sozialanamnese.code.coding.display">
2122     <path value="Composition.section.code.coding.display" />
2123     <min value="1" />
2124     <fixedString value="Family social history (situation)" />
2125 </element>
2126 <element id="Composition.section:sozialanamnese.code.coding.userSelecte
2127 d">
2128     <path value="Composition.section.code.coding.userSelected" />
2129     <max value="0" />
2130 </element>
2131 <element id="Composition.section:sozialanamnese.code.text">
2132     <path value="Composition.section.code.text" />
2133     <max value="0" />
2134 </element>
2135 <element id="Composition.section:sozialanamnese.author">
2136     <path value="Composition.section.author" />

```

```

2133     <max value="0" />
2134 </element>
2135 <element id="Composition.section:sozialanamnese.focus">
2136   <path value="Composition.section.focus" />
2137   <max value="0" />
2138 </element>
2139 <element id="Composition.section:sozialanamnese.text">
2140   <path value="Composition.section.text" />
2141   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2142   <min value="1" />
2143 </element>
2144 <element id="Composition.section:sozialanamnese.text.status">
2145   <path value="Composition.section.text.status" />
2146   <fixedCode value="generated" />
2147 </element>
2148 <element id="Composition.section:sozialanamnese.mode">
2149   <path value="Composition.section.mode" />
2150   <max value="0" />
2151 </element>
2152 <element id="Composition.section:sozialanamnese.orderedBy">
2153   <path value="Composition.section.orderedBy" />
2154   <max value="0" />
2155 </element>
2156 <element id="Composition.section:sozialanamnese.entry">
2157   <path value="Composition.section.entry" />
2158   <type>
2159     <code value="Reference" />
2160     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Social_History|1.0.1" />
2161   </type>
2162   <mustSupport value="true" />
2163 </element>
2164 <element id="Composition.section:sozialanamnese.entry.reference">
2165   <path value="Composition.section.entry.reference" />
2166   <min value="1" />
2167 </element>
2168 <element id="Composition.section:sozialanamnese.entry.type">
2169   <path value="Composition.section.entry.type" />
2170   <max value="0" />
2171 </element>
2172 <element id="Composition.section:sozialanamnese.entry.identifier">
2173   <path value="Composition.section.entry.identifier" />
2174   <max value="0" />
2175 </element>
2176 <element id="Composition.section:sozialanamnese.entry.display">
2177   <path value="Composition.section.entry.display" />
2178   <max value="0" />
2179 </element>
2180 <element id="Composition.section:sozialanamnese.emptyReason">
2181   <path value="Composition.section.emptyReason" />
2182   <mustSupport value="true" />
2183 </element>
2184 <element id="Composition.section:sozialanamnese.emptyReason.coding">
2185   <path value="Composition.section.emptyReason.coding" />
2186   <min value="1" />
2187   <max value="1" />
2188   <mustSupport value="true" />
2189 </element>

```

```

2190     <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
2191         <path value="Composition.section.emptyReason.coding.system" />
2192         <min value="1" />
2193         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2194     </element>
2195     <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
2196         <path value="Composition.section.emptyReason.coding.version" />
2197         <min value="1" />
2198         <fixedString value="4.0.1" />
2199     </element>
2200     <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
2201         <path value="Composition.section.emptyReason.coding.code" />
2202         <min value="1" />
2203         <fixedCode value="closed" />
2204     </element>
2205     <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
2206         <path value="Composition.section.emptyReason.coding.display" />
2207         <min value="1" />
2208         <fixedString value="Closed" />
2209     </element>
2210     <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
2211         <path value="Composition.section.emptyReason.coding.userSelected" />
2212         <max value="0" />
2213     </element>
2214     <element id="Composition.section:sozialanamnese.emptyReason.text">
2215         <path value="Composition.section.emptyReason.text" />
2216         <max value="0" />
2217     </element>
2218     <element id="Composition.section:sozialanamnese.section">
2219         <path value="Composition.section.section" />
2220         <max value="0" />
2221     </element>
2222     <element id="Composition.section:untersuchung">
2223         <path value="Composition.section" />
2224         <sliceName value="untersuchung" />
2225         <min value="1" />
2226         <max value="1" />
2227         <mustSupport value="true" />
2228     </element>
2229     <element id="Composition.section:untersuchung.extension">
2230         <path value="Composition.section.extension" />
2231         <slicing>
2232             <discriminator>
2233                 <type value="value" />
2234                 <path value="url" />
2235             </discriminator>
2236             <rules value="open" />
2237         </slicing>
2238     </element>
2239     <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisung">
2240         <path value="Composition.section.extension" />
2241         <sliceName value="untersuchungAnweisung" />
2242         <min value="1" />

```

```

2243     <max value="1" />
2244     <type>
2245         <code value="Extension" />
2246         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
2247     </type>
2248     <mustSupport value="true" />
2249 </element>
2250 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eistung.value[x]">
2251     <path value="Composition.section.extension.value[x]" />
2252     <mustSupport value="true" />
2253 </element>
2254 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eistung.value[x]:valueString">
2255     <path value="Composition.section.extension.value[x]" />
2256     <sliceName value="valueString" />
2257     <fixedString value="Nur Auffälligkeiten ankreuzen!" />
2258     <mustSupport value="true" />
2259 </element>
2260 <element id="Composition.section:untersuchung.title">
2261     <path value="Composition.section.title" />
2262     <min value="1" />
2263     <fixedString value="Körperliche Untersuchung" />
2264     <mustSupport value="true" />
2265 </element>
2266 <element id="Composition.section:untersuchung.code">
2267     <path value="Composition.section.code" />
2268     <min value="1" />
2269     <mustSupport value="true" />
2270 </element>
2271 <element id="Composition.section:untersuchung.code.coding">
2272     <path value="Composition.section.code.coding" />
2273     <min value="1" />
2274     <max value="1" />
2275     <mustSupport value="true" />
2276 </element>
2277 <element id="Composition.section:untersuchung.code.coding.system">
2278     <path value="Composition.section.code.coding.system" />
2279     <min value="1" />
2280     <fixedUri value="http://snomed.info/sct" />
2281 </element>
2282 <element id="Composition.section:untersuchung.code.coding.version">
2283     <path value="Composition.section.code.coding.version" />
2284     <min value="1" />
2285     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2286 </element>
2287 <element id="Composition.section:untersuchung.code.coding.code">
2288     <path value="Composition.section.code.coding.code" />
2289     <min value="1" />
2290     <fixedCode value="425044008" />
2291 </element>
2292 <element id="Composition.section:untersuchung.code.coding.display">
2293     <path value="Composition.section.code.coding.display" />
2294     <min value="1" />
2295     <fixedString value="Physical exam section (record artifact)" />
2296 </element>
2297 <element id="Composition.section:untersuchung.code.coding.userSelected">
2298     <path value="Composition.section.code.coding.userSelected" />

```

```

2299     <max value="0" />
2300 </element>
2301 <element id="Composition.section:untersuchung.code.text">
2302   <path value="Composition.section.code.text" />
2303   <max value="0" />
2304 </element>
2305 <element id="Composition.section:untersuchung.author">
2306   <path value="Composition.section.author" />
2307   <max value="0" />
2308 </element>
2309 <element id="Composition.section:untersuchung.focus">
2310   <path value="Composition.section.focus" />
2311   <max value="0" />
2312 </element>
2313 <element id="Composition.section:untersuchung.text">
2314   <path value="Composition.section.text" />
2315   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2316   <min value="1" />
2317 </element>
2318 <element id="Composition.section:untersuchung.text.status">
2319   <path value="Composition.section.text.status" />
2320   <fixedCode value="generated" />
2321 </element>
2322 <element id="Composition.section:untersuchung.mode">
2323   <path value="Composition.section.mode" />
2324   <max value="0" />
2325 </element>
2326 <element id="Composition.section:untersuchung.orderedBy">
2327   <path value="Composition.section.orderedBy" />
2328   <max value="0" />
2329 </element>
2330 <element id="Composition.section:untersuchung.entry">
2331   <path value="Composition.section.entry" />
2332   <type>
2333     <code value="Reference" />
2334     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_U4_Physical_Exam_Skin|1.0.1" />
2335     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U4_Physical_Exam_Chest_Lung_Respiratory
_Tract|1.0.1" />
2336     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U3_Physical_Exam_Abdomen_Genitals|
1.0.1" />
2337     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />
2338     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U3_Physical_Exam_Ears|1.0.1" />
2339     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_Physical_Exam_Musculoskeletal_System|
1.0.1" />
2340     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_Physical_Exam_Head|1.0.1" />
2341     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_U4_Physical_Exam_Mouth_Nose|1.0.1" />
2342     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U3_Physical_Exam_Eyes|1.0.1" />
2343     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_Physical_Exam_Parental_Assessment|1.0.1" />

```

```

2344     </type>
2345     <mustSupport value="true" />
2346 </element>
2347 <element id="Composition.section:untersuchung.entry.reference">
2348     <path value="Composition.section.entry.reference" />
2349     <min value="1" />
2350     <mustSupport value="true" />
2351 </element>
2352 <element id="Composition.section:untersuchung.entry.type">
2353     <path value="Composition.section.entry.type" />
2354     <max value="0" />
2355 </element>
2356 <element id="Composition.section:untersuchung.entry.identifizier">
2357     <path value="Composition.section.entry.identifizier" />
2358     <max value="0" />
2359 </element>
2360 <element id="Composition.section:untersuchung.entry.display">
2361     <path value="Composition.section.entry.display" />
2362     <max value="0" />
2363 </element>
2364 <element id="Composition.section:untersuchung.emptyReason">
2365     <path value="Composition.section.emptyReason" />
2366     <mustSupport value="true" />
2367 </element>
2368 <element id="Composition.section:untersuchung.emptyReason.coding">
2369     <path value="Composition.section.emptyReason.coding" />
2370     <min value="1" />
2371     <max value="1" />
2372     <mustSupport value="true" />
2373 </element>
2374 <element id="Composition.section:untersuchung.emptyReason.coding.system
">
2375     <path value="Composition.section.emptyReason.coding.system" />
2376     <min value="1" />
2377     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2378 </element>
2379 <element id="Composition.section:untersuchung.emptyReason.coding.versio
n">
2380     <path value="Composition.section.emptyReason.coding.version" />
2381     <min value="1" />
2382     <fixedString value="4.0.1" />
2383 </element>
2384 <element id="Composition.section:untersuchung.emptyReason.coding.code">
2385     <path value="Composition.section.emptyReason.coding.code" />
2386     <min value="1" />
2387     <fixedCode value="closed" />
2388 </element>
2389 <element id="Composition.section:untersuchung.emptyReason.coding.displa
y">
2390     <path value="Composition.section.emptyReason.coding.display" />
2391     <min value="1" />
2392     <fixedString value="Closed" />
2393 </element>
2394 <element id="Composition.section:untersuchung.emptyReason.coding.userSe
lected">
2395     <path value="Composition.section.emptyReason.coding.userSelected" />
2396     <max value="0" />
2397 </element>
2398 <element id="Composition.section:untersuchung.emptyReason.text">

```

```

2399     <path value="Composition.section.emptyReason.text" />
2400     <max value="0" />
2401 </element>
2402 <element id="Composition.section:untersuchung.section">
2403     <path value="Composition.section.section" />
2404     <max value="0" />
2405 </element>
2406 <element id="Composition.section:beratung">
2407     <path value="Composition.section" />
2408     <sliceName value="beratung" />
2409     <min value="1" />
2410     <max value="1" />
2411     <mustSupport value="true" />
2412 </element>
2413 <element id="Composition.section:beratung.extension">
2414     <path value="Composition.section.extension" />
2415     <licing>
2416         <discriminator>
2417             <type value="value" />
2418             <path value="url" />
2419         </discriminator>
2420         <rules value="open" />
2421     </licing>
2422 </element>
2423 <element id="Composition.section:beratung.extension:beratungAnweisung">
2424     <path value="Composition.section.extension" />
2425     <sliceName value="beratungAnweisung" />
2426     <min value="1" />
2427     <max value="1" />
2428     <type>
2429         <code value="Extension" />
2430         <profile value="https://fhir.kbv.de/StructureDefinition/
2431 KBV_EX_MIO_CMR_Instruction" />
2432     </type>
2433     <mustSupport value="true" />
2434 </element>
2435 <element id="Composition.section:beratung.extension:beratungAnweisung.v
2436 alue[x]">
2437     <path value="Composition.section.extension.value[x]" />
2438     <mustSupport value="true" />
2439 </element>
2440 <element id="Composition.section:beratung.extension:beratungAnweisung.v
2441 alue[x]:valueString">
2442     <path value="Composition.section.extension.value[x]" />
2443     <sliceName value="valueString" />
2444     <fixedString value="Bei erweitertem Beratungsbedarf bitte
2445 ankreuzen!" />
2446     <mustSupport value="true" />
2447 </element>
2448 <element id="Composition.section:beratung.extension:beratungHinweis">
2449     <path value="Composition.section.extension" />
2450     <sliceName value="beratungHinweis" />
2451     <min value="1" />
2452     <max value="1" />
2453     <type>
2454         <code value="Extension" />
2455         <profile value="https://fhir.kbv.de/StructureDefinition/
2456 KBV_EX_MIO_CMR_Note" />
2457     </type>
2458     <mustSupport value="true" />

```

```

2454     </element>
2455     <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]">
2456         <path value="Composition.section.extension.value[x]" />
2457         <mustSupport value="true" />
2458     </element>
2459     <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]:valueString">
2460         <path value="Composition.section.extension.value[x]" />
2461         <sliceName value="valueString" />
2462         <fixedString value="Beratung vor allem zu folgenden Themen:" />
2463         <mustSupport value="true" />
2464     </element>
2465     <element id="Composition.section:beratung.title">
2466         <path value="Composition.section.title" />
2467         <min value="1" />
2468         <fixedString value="Beratung" />
2469         <mustSupport value="true" />
2470     </element>
2471     <element id="Composition.section:beratung.code">
2472         <path value="Composition.section.code" />
2473         <min value="1" />
2474         <mustSupport value="true" />
2475     </element>
2476     <element id="Composition.section:beratung.code.coding">
2477         <path value="Composition.section.code.coding" />
2478         <min value="1" />
2479         <max value="1" />
2480         <mustSupport value="true" />
2481     </element>
2482     <element id="Composition.section:beratung.code.coding.system">
2483         <path value="Composition.section.code.coding.system" />
2484         <min value="1" />
2485         <fixedUri value="http://snomed.info/sct" />
2486     </element>
2487     <element id="Composition.section:beratung.code.coding.version">
2488         <path value="Composition.section.code.coding.version" />
2489         <min value="1" />
2490         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2491     </element>
2492     <element id="Composition.section:beratung.code.coding.code">
2493         <path value="Composition.section.code.coding.code" />
2494         <min value="1" />
2495         <fixedCode value="409066002" />
2496     </element>
2497     <element id="Composition.section:beratung.code.coding.display">
2498         <path value="Composition.section.code.coding.display" />
2499         <min value="1" />
2500         <fixedString value="Education, guidance and counseling (procedure)" /
>
2501     </element>
2502     <element id="Composition.section:beratung.code.coding.userSelected">
2503         <path value="Composition.section.code.coding.userSelected" />
2504         <max value="0" />
2505     </element>
2506     <element id="Composition.section:beratung.code.text">
2507         <path value="Composition.section.code.text" />
2508         <max value="0" />
2509     </element>

```



```

2510 <element id="Composition.section:beratung.author">
2511   <path value="Composition.section.author" />
2512   <max value="0" />
2513 </element>
2514 <element id="Composition.section:beratung.focus">
2515   <path value="Composition.section.focus" />
2516   <max value="0" />
2517 </element>
2518 <element id="Composition.section:beratung.text">
2519   <path value="Composition.section.text" />
2520   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2521   <min value="1" />
2522 </element>
2523 <element id="Composition.section:beratung.text.status">
2524   <path value="Composition.section.text.status" />
2525   <fixedCode value="generated" />
2526 </element>
2527 <element id="Composition.section:beratung.mode">
2528   <path value="Composition.section.mode" />
2529   <max value="0" />
2530 </element>
2531 <element id="Composition.section:beratung.orderedBy">
2532   <path value="Composition.section.orderedBy" />
2533   <max value="0" />
2534 </element>
2535 <element id="Composition.section:beratung.entry">
2536   <path value="Composition.section.entry" />
2537   <type>
2538     <code value="Reference" />
2539     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U3_Consultation|1.0.1" />
2540     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
2541   </type>
2542   <mustSupport value="true" />
2543 </element>
2544 <element id="Composition.section:beratung.entry.reference">
2545   <path value="Composition.section.entry.reference" />
2546   <min value="1" />
2547 </element>
2548 <element id="Composition.section:beratung.entry.type">
2549   <path value="Composition.section.entry.type" />
2550   <max value="0" />
2551 </element>
2552 <element id="Composition.section:beratung.entry.identifrier">
2553   <path value="Composition.section.entry.identifrier" />
2554   <max value="0" />
2555 </element>
2556 <element id="Composition.section:beratung.entry.display">
2557   <path value="Composition.section.entry.display" />
2558   <max value="0" />
2559 </element>
2560 <element id="Composition.section:beratung.emptyReason">
2561   <path value="Composition.section.emptyReason" />
2562   <mustSupport value="true" />
2563 </element>
2564 <element id="Composition.section:beratung.emptyReason.coding">
2565   <path value="Composition.section.emptyReason.coding" />
2566   <min value="1" />

```

```

2567     <max value="1" />
2568     <mustSupport value="true" />
2569 </element>
2570 <element id="Composition.section:beratung.emptyReason.coding.system">
2571   <path value="Composition.section.emptyReason.coding.system" />
2572   <min value="1" />
2573   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2574 </element>
2575 <element id="Composition.section:beratung.emptyReason.coding.version">
2576   <path value="Composition.section.emptyReason.coding.version" />
2577   <min value="1" />
2578   <fixedString value="4.0.1" />
2579 </element>
2580 <element id="Composition.section:beratung.emptyReason.coding.code">
2581   <path value="Composition.section.emptyReason.coding.code" />
2582   <min value="1" />
2583   <fixedCode value="closed" />
2584 </element>
2585 <element id="Composition.section:beratung.emptyReason.coding.display">
2586   <path value="Composition.section.emptyReason.coding.display" />
2587   <min value="1" />
2588   <fixedString value="Closed" />
2589 </element>
2590 <element id="Composition.section:beratung.emptyReason.coding.userSelect
ed">
2591   <path value="Composition.section.emptyReason.coding.userSelected" />
2592   <max value="0" />
2593 </element>
2594 <element id="Composition.section:beratung.emptyReason.text">
2595   <path value="Composition.section.emptyReason.text" />
2596   <max value="0" />
2597 </element>
2598 <element id="Composition.section:beratung.section">
2599   <path value="Composition.section.section" />
2600   <max value="0" />
2601 </element>
2602 <element id="Composition.section:ergebnisse">
2603   <path value="Composition.section" />
2604   <sliceName value="ergebnisse" />
2605   <min value="1" />
2606   <max value="1" />
2607   <mustSupport value="true" />
2608 </element>
2609
2610 <element id="Composition.section:ergebnisse.title">
2611   <path value="Composition.section.title" />
2612   <min value="1" />
2613   <fixedString value="Ergebnisse" />
2614   <mustSupport value="true" />
2615 </element>
2616 <element id="Composition.section:ergebnisse.code">
2617   <path value="Composition.section.code" />
2618   <min value="1" />
2619   <mustSupport value="true" />
2620 </element>
2621 <element id="Composition.section:ergebnisse.code.coding">
2622   <path value="Composition.section.code.coding" />
2623   <min value="1" />
2624   <max value="1" />

```

```

2625     <mustSupport value="true" />
2626 </element>
2627 <element id="Composition.section:ergebnisse.code.coding.system">
2628   <path value="Composition.section.code.coding.system" />
2629   <min value="1" />
2630   <fixedUri value="http://snomed.info/sct" />
2631 </element>
2632 <element id="Composition.section:ergebnisse.code.coding.version">
2633   <path value="Composition.section.code.coding.version" />
2634   <min value="1" />
2635   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2636 </element>
2637 <element id="Composition.section:ergebnisse.code.coding.code">
2638   <path value="Composition.section.code.coding.code" />
2639   <min value="1" />
2640   <fixedCode value="423100009" />
2641 </element>
2642 <element id="Composition.section:ergebnisse.code.coding.display">
2643   <path value="Composition.section.code.coding.display" />
2644   <min value="1" />
2645   <fixedString value="Results section (record artifact)" />
2646 </element>
2647 <element id="Composition.section:ergebnisse.code.coding.userSelected">
2648   <path value="Composition.section.code.coding.userSelected" />
2649   <max value="0" />
2650 </element>
2651 <element id="Composition.section:ergebnisse.code.text">
2652   <path value="Composition.section.code.text" />
2653   <max value="0" />
2654 </element>
2655 <element id="Composition.section:ergebnisse.author">
2656   <path value="Composition.section.author" />
2657   <max value="0" />
2658 </element>
2659 <element id="Composition.section:ergebnisse.focus">
2660   <path value="Composition.section.focus" />
2661   <max value="0" />
2662 </element>
2663 <element id="Composition.section:ergebnisse.text">
2664   <path value="Composition.section.text" />
2665   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2666   <min value="1" />
2667 </element>
2668 <element id="Composition.section:ergebnisse.text.status">
2669   <path value="Composition.section.text.status" />
2670   <fixedCode value="generated" />
2671 </element>
2672 <element id="Composition.section:ergebnisse.mode">
2673   <path value="Composition.section.mode" />
2674   <max value="0" />
2675 </element>
2676 <element id="Composition.section:ergebnisse.orderedBy">
2677   <path value="Composition.section.orderedBy" />
2678   <max value="0" />
2679 </element>
2680 <element id="Composition.section:ergebnisse.entry">
2681   <path value="Composition.section.entry" />
2682   <type>

```

```

2683     <code value="Reference" />
2684     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
2685     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
2686     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Body_Measures|1.0.1" />
2687     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
2688     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
2689     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment|1.0.1" />
2690     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment|1.0.1" />
2691     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
2692   </type>
2693   <mustSupport value="true" />
2694 </element>
2695 <element id="Composition.section:ergebnisse.entry.reference">
2696   <path value="Composition.section.entry.reference" />
2697   <min value="1" />
2698   <mustSupport value="true" />
2699 </element>
2700 <element id="Composition.section:ergebnisse.entry.type">
2701   <path value="Composition.section.entry.type" />
2702   <max value="0" />
2703 </element>
2704 <element id="Composition.section:ergebnisse.entry.identifrier">
2705   <path value="Composition.section.entry.identifrier" />
2706   <max value="0" />
2707 </element>
2708 <element id="Composition.section:ergebnisse.entry.display">
2709   <path value="Composition.section.entry.display" />
2710   <max value="0" />
2711 </element>
2712 <element id="Composition.section:ergebnisse.emptyReason">
2713   <path value="Composition.section.emptyReason" />
2714   <mustSupport value="true" />
2715 </element>
2716 <element id="Composition.section:ergebnisse.emptyReason.coding">
2717   <path value="Composition.section.emptyReason.coding" />
2718   <min value="1" />
2719   <max value="1" />
2720   <mustSupport value="true" />
2721 </element>
2722 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
2723   <path value="Composition.section.emptyReason.coding.system" />
2724   <min value="1" />
2725   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
2726 </element>
2727 <element id="Composition.section:ergebnisse.emptyReason.coding.version">
2728   <path value="Composition.section.emptyReason.coding.version" />
2729   <min value="1" />
2730   <fixedString value="4.0.1" />
2731 </element>
2732 <element id="Composition.section:ergebnisse.emptyReason.coding.code">
2733   <path value="Composition.section.emptyReason.coding.code" />

```

```

2734     <min value="1" />
2735     <fixedCode value="closed" />
2736   </element>
2737   <element id="Composition.section:ergebnisse.emptyReason.coding.display">
2738     <path value="Composition.section.emptyReason.coding.display" />
2739     <min value="1" />
2740     <fixedString value="Closed" />
2741   </element>
2742   <element id="Composition.section:ergebnisse.emptyReason.coding.userSelected">
2743     <path value="Composition.section.emptyReason.coding.userSelected" />
2744     <max value="0" />
2745   </element>
2746   <element id="Composition.section:ergebnisse.emptyReason.text">
2747     <path value="Composition.section.emptyReason.text" />
2748     <max value="0" />
2749   </element>
2750   <element id="Composition.section:ergebnisse.section">
2751     <path value="Composition.section.section" />
2752     <min value="1" />
2753     <max value="1" />
2754     <mustSupport value="true" />
2755   </element>
2756
2757   <element id="Composition.section:ergebnisse.section.extension">
2758     <path value="Composition.section.section.extension" />
2759     <slicing>
2760       <discriminator>
2761         <type value="value" />
2762         <path value="url" />
2763       </discriminator>
2764       <rules value="open" />
2765     </slicing>
2766   </element>
2767   <element id="Composition.section:ergebnisse.section.extension:pruefungAufklaerungHinweis">
2768     <path value="Composition.section.section.extension" />
2769     <sliceName value="pruefungAufklaerungHinweis" />
2770     <min value="1" />
2771     <max value="1" />
2772     <type>
2773       <code value="Extension" />
2774       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMNote" />
2775     </type>
2776     <mustSupport value="true" />
2777   </element>
2778   <element id="Composition.section:ergebnisse.section.extension:pruefungAufklaerungHinweis.value[x]">
2779     <path value="Composition.section.section.extension.value[x]" />
2780     <mustSupport value="true" />
2781   </element>
2782   <element id="Composition.section:ergebnisse.section.extension:pruefungAufklaerungHinweis.value[x]:valueString">
2783     <path value="Composition.section.section.extension.value[x]" />
2784     <sliceName value="valueString" />
2785     <fixedString value="- Erweitertes Neugeborenen-Screening - Screening
auf Mukoviszidose - Screening auf Hüftgelenksdysplasie und -luxation -
Neugeborenen-Hörscreening" />
2786     <mustSupport value="true" />

```

```

2787 </element>
2788
2789 <element id="Composition.section:ergebnisse.section.title">
2790 <path value="Composition.section.section.title" />
2791 <min value="1" />
2792 <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
2793 <mustSupport value="true" />
2794 </element>
2795 <element id="Composition.section:ergebnisse.section.code">
2796 <path value="Composition.section.section.code" />
2797 <max value="0" />
2798 </element>
2799 <element id="Composition.section:ergebnisse.section.author">
2800 <path value="Composition.section.section.author" />
2801 <max value="0" />
2802 </element>
2803 <element id="Composition.section:ergebnisse.section.focus">
2804 <path value="Composition.section.section.focus" />
2805 <max value="0" />
2806 </element>
2807 <element id="Composition.section:ergebnisse.section.text">
2808 <path value="Composition.section.section.text" />
2809 <max value="0" />
2810 </element>
2811 <element id="Composition.section:ergebnisse.section.mode">
2812 <path value="Composition.section.section.mode" />
2813 <max value="0" />
2814 </element>
2815 <element id="Composition.section:ergebnisse.section.orderedBy">
2816 <path value="Composition.section.section.orderedBy" />
2817 <max value="0" />
2818 </element>
2819 <element id="Composition.section:ergebnisse.section.entry">
2820 <path value="Composition.section.section.entry" />
2821 <max value="1" />
2822 <type>
2823 <code value="Reference" />
2824 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Medication_Statement_Vitamine_K_Prophylaxis|1.0.1" />
2825 </type>
2826 <mustSupport value="true" />
2827 </element>
2828 <element id="Composition.section:ergebnisse.section.entry.reference">
2829 <path value="Composition.section.section.entry.reference" />
2830 <min value="1" />
2831 <mustSupport value="true" />
2832 </element>
2833 <element id="Composition.section:ergebnisse.section.entry.type">
2834 <path value="Composition.section.section.entry.type" />
2835 <max value="0" />
2836 </element>
2837 <element id="Composition.section:ergebnisse.section.entry.identifizier">
2838 <path value="Composition.section.section.entry.identifizier" />
2839 <max value="0" />
2840 </element>
2841 <element id="Composition.section:ergebnisse.section.entry.display">
2842 <path value="Composition.section.section.entry.display" />
2843 <max value="0" />
2844 </element>

```

```

2845 <element id="Composition.section:ergebnisse.section.emptyReason">
2846   <path value="Composition.section.section.emptyReason" />
2847   <max value="0" />
2848 </element>
2849 <element id="Composition.section:ergebnisse.section.section">
2850   <path value="Composition.section.section.section" />
2851   <max value="0" />
2852 </element>
2853 <element id="Composition.section:hoerscreening">
2854   <path value="Composition.section" />
2855   <sliceName value="hoerscreening" />
2856   <max value="1" />
2857   <mustSupport value="true" />
2858 </element>
2859 <element id="Composition.section:hoerscreening.title">
2860   <path value="Composition.section.title" />
2861   <min value="1" />
2862   <fixedString value="Neugeborenen-Hörscreening" />
2863   <mustSupport value="true" />
2864 </element>
2865 <element id="Composition.section:hoerscreening.code">
2866   <path value="Composition.section.code" />
2867   <min value="1" />
2868   <mustSupport value="true" />
2869 </element>
2870 <element id="Composition.section:hoerscreening.code.coding">
2871   <path value="Composition.section.code.coding" />
2872   <licing>
2873     <discriminator>
2874       <type value="value" />
2875       <path value="system" />
2876     </discriminator>
2877     <rules value="closed" />
2878   </licing>
2879   <min value="2" />
2880   <max value="2" />
2881   <mustSupport value="true" />
2882 </element>
2883 <element id="Composition.section:hoerscreening.code.coding:codeSnomed">
2884   <path value="Composition.section.code.coding" />
2885   <sliceName value="codeSnomed" />
2886   <min value="1" />
2887   <max value="1" />
2888   <mustSupport value="true" />
2889 </element>
2890 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.s
system">
2891   <path value="Composition.section.code.coding.system" />
2892   <min value="1" />
2893   <fixedUri value="http://snomed.info/sct" />
2894 </element>
2895 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.v
ersion">
2896   <path value="Composition.section.code.coding.version" />
2897   <min value="1" />
2898   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
2899 </element>
2900 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.c
ode">

```

```

2901     <path value="Composition.section.code.coding.code" />
2902     <min value="1" />
2903     <fixedCode value="252957005" />
2904   </element>
2905   <element id="Composition.section:hoerscreening.code.coding:codeSnomed.d
isplay">
2906     <path value="Composition.section.code.coding.display" />
2907     <min value="1" />
2908     <fixedString value="Children's hearing test (procedure)" />
2909   </element>
2910   <element id="Composition.section:hoerscreening.code.coding:codeSnomed.u
serSelected">
2911     <path value="Composition.section.code.coding.userSelected" />
2912     <max value="0" />
2913   </element>
2914   <element id="Composition.section:hoerscreening.code.coding:codeLoinc">
2915     <path value="Composition.section.code.coding" />
2916     <sliceName value="codeLoinc" />
2917     <min value="1" />
2918     <max value="1" />
2919     <mustSupport value="true" />
2920   </element>
2921   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.sy
stem">
2922     <path value="Composition.section.code.coding.system" />
2923     <min value="1" />
2924     <fixedUri value="http://loinc.org" />
2925   </element>
2926   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.ve
rsion">
2927     <path value="Composition.section.code.coding.version" />
2928     <min value="1" />
2929     <fixedString value="2.69" />
2930   </element>
2931   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.co
de">
2932     <path value="Composition.section.code.coding.code" />
2933     <min value="1" />
2934     <fixedCode value="54111-0" />
2935   </element>
2936   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.di
splay">
2937     <path value="Composition.section.code.coding.display" />
2938     <min value="1" />
2939     <fixedString value="Newborn hearing screening panel" />
2940   </element>
2941   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.us
erSelected">
2942     <path value="Composition.section.code.coding.userSelected" />
2943     <max value="0" />
2944   </element>
2945   <element id="Composition.section:hoerscreening.code.text">
2946     <path value="Composition.section.code.text" />
2947     <max value="0" />
2948   </element>
2949   <element id="Composition.section:hoerscreening.author">
2950     <path value="Composition.section.author" />
2951     <max value="0" />
2952   </element>
2953   <element id="Composition.section:hoerscreening.focus">

```



```

2954     <path value="Composition.section.focus" />
2955     <max value="0" />
2956   </element>
2957   <element id="Composition.section:hoerscreening.text">
2958     <path value="Composition.section.text" />
2959     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
2960     <min value="1" />
2961   </element>
2962   <element id="Composition.section:hoerscreening.text.status">
2963     <path value="Composition.section.text.status" />
2964     <fixedCode value="generated" />
2965   </element>
2966   <element id="Composition.section:hoerscreening.mode">
2967     <path value="Composition.section.mode" />
2968     <max value="0" />
2969   </element>
2970   <element id="Composition.section:hoerscreening.orderedBy">
2971     <path value="Composition.section.orderedBy" />
2972     <max value="0" />
2973   </element>
2974   <element id="Composition.section:hoerscreening.entry">
2975     <path value="Composition.section.entry" />
2976     <type>
2977       <code value="Reference" />
2978       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Neonatal_Hearscreening|1.0.1" />
2979       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service|
1.0.1" />
2980       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce|1.0.1" />
2981     </type>
2982     <mustSupport value="true" />
2983   </element>
2984   <element id="Composition.section:hoerscreening.entry.reference">
2985     <path value="Composition.section.entry.reference" />
2986     <min value="1" />
2987     <mustSupport value="true" />
2988   </element>
2989   <element id="Composition.section:hoerscreening.entry.type">
2990     <path value="Composition.section.entry.type" />
2991     <max value="0" />
2992   </element>
2993   <element id="Composition.section:hoerscreening.entry.identifler">
2994     <path value="Composition.section.entry.identifler" />
2995     <max value="0" />
2996   </element>
2997   <element id="Composition.section:hoerscreening.entry.display">
2998     <path value="Composition.section.entry.display" />
2999     <max value="0" />
3000   </element>
3001   <element id="Composition.section:hoerscreening.emptyReason">
3002     <path value="Composition.section.emptyReason" />
3003     <mustSupport value="true" />
3004   </element>
3005   <element id="Composition.section:hoerscreening.emptyReason.coding">
3006     <path value="Composition.section.emptyReason.coding" />
3007     <min value="1" />

```

```

3008     <max value="1" />
3009     <mustSupport value="true" />
3010 </element>
3011 <element id="Composition.section:hoerscreening.emptyReason.coding.system"
3012     <path value="Composition.section.emptyReason.coding.system" />
3013     <min value="1" />
3014     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
3015     </element>
3016     <element id="Composition.section:hoerscreening.emptyReason.coding.version"
3017     <path value="Composition.section.emptyReason.coding.version" />
3018     <min value="1" />
3019     <fixedString value="4.0.1" />
3020 </element>
3021 <element id="Composition.section:hoerscreening.emptyReason.coding.code"
3022     <path value="Composition.section.emptyReason.coding.code" />
3023     <min value="1" />
3024     <fixedCode value="closed" />
3025 </element>
3026 <element id="Composition.section:hoerscreening.emptyReason.coding.display"
3027     <path value="Composition.section.emptyReason.coding.display" />
3028     <min value="1" />
3029     <fixedString value="Closed" />
3030 </element>
3031 <element id="Composition.section:hoerscreening.emptyReason.coding.userSelected"
3032     <path value="Composition.section.emptyReason.coding.userSelected" />
3033     <max value="0" />
3034 </element>
3035 <element id="Composition.section:hoerscreening.emptyReason.text"
3036     <path value="Composition.section.emptyReason.text" />
3037     <max value="0" />
3038 </element>
3039 <element id="Composition.section:hoerscreening.section"
3040     <path value="Composition.section.section" />
3041     <max value="0" />
3042 </element>
3043 <element id="Composition.section:erweitertesNeugeborenenScreening"
3044     <path value="Composition.section" />
3045     <sliceName value="erweitertesNeugeborenenScreening" />
3046     <max value="1" />
3047     <mustSupport value="true" />
3048 </element>
3049 <element id="Composition.section:erweitertesNeugeborenenScreening.title"
3050     <path value="Composition.section.title" />
3051     <min value="1" />
3052     <fixedString value="Erweitertes Neugeborenen-Screening" />
3053     <mustSupport value="true" />
3054 </element>
3055 <element id="Composition.section:erweitertesNeugeborenenScreening.code"
3056     <path value="Composition.section.code" />
3057     <min value="1" />
3058     <mustSupport value="true" />
3059 </element>
3060 <element id="Composition.section:erweitertesNeugeborenenScreening.code.
coding">

```

```

3061     <path value="Composition.section.code.coding" />
3062     <min value="1" />
3063     <max value="1" />
3064     <mustSupport value="true" />
3065   </element>
3066   <element id="Composition.section:erweitertesNeugeborenenenscreening.code.
coding.system">
3067     <path value="Composition.section.code.coding.system" />
3068     <min value="1" />
3069     <fixedUri value="http://snomed.info/sct" />
3070   </element>
3071   <element id="Composition.section:erweitertesNeugeborenenenscreening.code.
coding.version">
3072     <path value="Composition.section.code.coding.version" />
3073     <min value="1" />
3074     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3075   </element>
3076   <element id="Composition.section:erweitertesNeugeborenenenscreening.code.
coding.code">
3077     <path value="Composition.section.code.coding.code" />
3078     <min value="1" />
3079     <fixedCode value="738796001:363702006=428447008" />
3080   </element>
3081   <element id="Composition.section:erweitertesNeugeborenenenscreening.code.
coding.display">
3082     <path value="Composition.section.code.coding.display" />
3083     <min value="1" />
3084     <fixedString value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Newborn blood spot screening
(procedure)" />
3085   </element>
3086   <element id="Composition.section:erweitertesNeugeborenenenscreening.code.
coding.userSelected">
3087     <path value="Composition.section.code.coding.userSelected" />
3088     <max value="0" />
3089   </element>
3090   <element id="Composition.section:erweitertesNeugeborenenenscreening.code.
text">
3091     <path value="Composition.section.code.text" />
3092     <max value="0" />
3093   </element>
3094   <element id="Composition.section:erweitertesNeugeborenenenscreening.autho
r">
3095     <path value="Composition.section.author" />
3096     <max value="0" />
3097   </element>
3098   <element id="Composition.section:erweitertesNeugeborenenenscreening.focus
">
3099     <path value="Composition.section.focus" />
3100     <max value="0" />
3101   </element>
3102   <element id="Composition.section:erweitertesNeugeborenenenscreening.text">
3103     <path value="Composition.section.text" />
3104     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
3105     <min value="1" />
3106   </element>
3107   <element id="Composition.section:erweitertesNeugeborenenenscreening.text.
status">

```

```

3108     <path value="Composition.section.text.status" />
3109     <fixedCode value="generated" />
3110 </element>
3111 <element id="Composition.section:erweitertesNeugeborenenScreening.mode">
3112     <path value="Composition.section.mode" />
3113     <max value="0" />
3114 </element>
3115 <element id="Composition.section:erweitertesNeugeborenenScreening.order
edBy">
3116     <path value="Composition.section.orderedBy" />
3117     <max value="0" />
3118 </element>
3119 <element id="Composition.section:erweitertesNeugeborenenScreening.entry
">
3120     <path value="Composition.section.entry" />
3121     <max value="1" />
3122     <type>
3123         <code value="Reference" />
3124         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U1_U3_Newborn_Blood_Spot_Screening|1.0.1" />
3125     </type>
3126     <mustSupport value="true" />
3127 </element>
3128 <element id="Composition.section:erweitertesNeugeborenenScreening.entry
.reference">
3129     <path value="Composition.section.entry.reference" />
3130     <min value="1" />
3131     <mustSupport value="true" />
3132 </element>
3133 <element id="Composition.section:erweitertesNeugeborenenScreening.entry
.type">
3134     <path value="Composition.section.entry.type" />
3135     <max value="0" />
3136 </element>
3137 <element id="Composition.section:erweitertesNeugeborenenScreening.entry
.identifizier">
3138     <path value="Composition.section.entry.identifizier" />
3139     <max value="0" />
3140 </element>
3141 <element id="Composition.section:erweitertesNeugeborenenScreening.entry
.display">
3142     <path value="Composition.section.entry.display" />
3143     <max value="0" />
3144 </element>
3145 <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason">
3146     <path value="Composition.section.emptyReason" />
3147     <mustSupport value="true" />
3148 </element>
3149 <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding">
3150     <path value="Composition.section.emptyReason.coding" />
3151     <min value="1" />
3152     <max value="1" />
3153     <mustSupport value="true" />
3154 </element>
3155 <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.system">
3156     <path value="Composition.section.emptyReason.coding.system" />
3157     <min value="1" />

```

```

3158     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
3159   </element>
3160   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.version">
3161     <path value="Composition.section.emptyReason.coding.version" />
3162     <min value="1" />
3163     <fixedString value="4.0.1" />
3164   </element>
3165   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.code">
3166     <path value="Composition.section.emptyReason.coding.code" />
3167     <min value="1" />
3168     <fixedCode value="closed" />
3169   </element>
3170   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.display">
3171     <path value="Composition.section.emptyReason.coding.display" />
3172     <min value="1" />
3173     <fixedString value="Closed" />
3174   </element>
3175   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.coding.userSelected">
3176     <path value="Composition.section.emptyReason.coding.userSelected" />
3177     <max value="0" />
3178   </element>
3179   <element id="Composition.section:erweitertesNeugeborenenScreening.empty
Reason.text">
3180     <path value="Composition.section.emptyReason.text" />
3181     <max value="0" />
3182   </element>
3183   <element id="Composition.section:erweitertesNeugeborenenScreening.secti
on">
3184     <path value="Composition.section.section" />
3185     <max value="0" />
3186   </element>
3187   <element id="Composition.section:mukoviszidoseScreening">
3188     <path value="Composition.section" />
3189     <sliceName value="mukoviszidoseScreening" />
3190     <max value="1" />
3191     <mustSupport value="true" />
3192   </element>
3193   <element id="Composition.section:mukoviszidoseScreening.title">
3194     <path value="Composition.section.title" />
3195     <min value="1" />
3196     <fixedString value="Screening auf Mukoviszidose" />
3197     <mustSupport value="true" />
3198   </element>
3199   <element id="Composition.section:mukoviszidoseScreening.code">
3200     <path value="Composition.section.code" />
3201     <min value="1" />
3202     <mustSupport value="true" />
3203   </element>
3204   <element id="Composition.section:mukoviszidoseScreening.code.coding">
3205     <path value="Composition.section.code.coding" />
3206     <min value="1" />
3207     <max value="1" />
3208     <mustSupport value="true" />
3209   </element>

```

```

3210     <element id="Composition.section:mukoviszidoseScreening.code.coding.system">
3211         <path value="Composition.section.code.coding.system" />
3212         <min value="1" />
3213         <fixedUri value="http://snomed.info/sct" />
3214     </element>
3215     <element id="Composition.section:mukoviszidoseScreening.code.coding.version">
3216         <path value="Composition.section.code.coding.version" />
3217         <min value="1" />
3218         <fixedString value="http://snomed.info/sct/900000000000207008/
3219 version/20210131" />
3220     </element>
3221     <element id="Composition.section:mukoviszidoseScreening.code.coding.code">
3222         <path value="Composition.section.code.coding.code" />
3223         <min value="1" />
3224         <fixedCode value="738796001:363702006=171191008" />
3225     </element>
3226     <element id="Composition.section:mukoviszidoseScreening.code.coding.display">
3227         <path value="Composition.section.code.coding.display" />
3228         <min value="1" />
3229         <fixedString value="Collection of dried blood spot specimen
3230 (procedure) : Has focus (attribute) = Cystic fibrosis screening
3231 (procedure)" />
3232     </element>
3233     <element id="Composition.section:mukoviszidoseScreening.code.coding.userSelected">
3234         <path value="Composition.section.code.coding.userSelected" />
3235         <max value="0" />
3236     </element>
3237     <element id="Composition.section:mukoviszidoseScreening.code.text">
3238         <path value="Composition.section.code.text" />
3239         <max value="0" />
3240     </element>
3241     <element id="Composition.section:mukoviszidoseScreening.author">
3242         <path value="Composition.section.author" />
3243         <max value="0" />
3244     </element>
3245     <element id="Composition.section:mukoviszidoseScreening.focus">
3246         <path value="Composition.section.focus" />
3247         <max value="0" />
3248     </element>
3249     <element id="Composition.section:mukoviszidoseScreening.text">
3250         <path value="Composition.section.text" />
3251         <definition value="In diesem Element ist mindestens der Titel der
3252 Section anzugeben. Zusätzliche Informationen können angegeben werden." />
3253         <min value="1" />
3254     </element>
3255     <element id="Composition.section:mukoviszidoseScreening.text.status">
3256         <path value="Composition.section.text.status" />
3257         <fixedCode value="generated" />
3258     </element>
3259     <element id="Composition.section:mukoviszidoseScreening.mode">
3260         <path value="Composition.section.mode" />
3261         <max value="0" />
3262     </element>
3263     <element id="Composition.section:mukoviszidoseScreening.orderedBy">
3264         <path value="Composition.section.orderedBy" />

```

```

3261     <max value="0" />
3262 </element>
3263 <element id="Composition.section:mukoviszidoseScreening.entry">
3264   <path value="Composition.section.entry" />
3265   <type>
3266     <code value="Reference" />
3267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Cystic_Fibrosis_Screening|1.0.1" />
3268   </type>
3269   <mustSupport value="true" />
3270 </element>
3271 <element id="Composition.section:mukoviszidoseScreening.entry.reference
">
3272   <path value="Composition.section.entry.reference" />
3273   <min value="1" />
3274   <mustSupport value="true" />
3275 </element>
3276 <element id="Composition.section:mukoviszidoseScreening.entry.type">
3277   <path value="Composition.section.entry.type" />
3278   <max value="0" />
3279 </element>
3280 <element id="Composition.section:mukoviszidoseScreening.entry.identifie
r">
3281   <path value="Composition.section.entry.identifier" />
3282   <max value="0" />
3283 </element>
3284 <element id="Composition.section:mukoviszidoseScreening.entry.display">
3285   <path value="Composition.section.entry.display" />
3286   <max value="0" />
3287 </element>
3288 <element id="Composition.section:mukoviszidoseScreening.emptyReason">
3289   <path value="Composition.section.emptyReason" />
3290   <mustSupport value="true" />
3291 </element>
3292 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing">
3293   <path value="Composition.section.emptyReason.coding" />
3294   <min value="1" />
3295   <max value="1" />
3296   <mustSupport value="true" />
3297 </element>
3298 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.system">
3299   <path value="Composition.section.emptyReason.coding.system" />
3300   <min value="1" />
3301   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
3302 </element>
3303 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.version">
3304   <path value="Composition.section.emptyReason.coding.version" />
3305   <min value="1" />
3306   <fixedString value="4.0.1" />
3307 </element>
3308 <element id="Composition.section:mukoviszidoseScreening.emptyReason.cod
ing.code">
3309   <path value="Composition.section.emptyReason.coding.code" />
3310   <min value="1" />
3311   <fixedCode value="closed" />
3312 </element>

```

```

3313     <element id="Composition.section:mukoviszidoseScreening.emptyReason.coding.display">
3314         <path value="Composition.section.emptyReason.coding.display" />
3315         <min value="1" />
3316         <fixedString value="Closed" />
3317     </element>
3318     <element id="Composition.section:mukoviszidoseScreening.emptyReason.coding.userSelected">
3319         <path value="Composition.section.emptyReason.coding.userSelected" />
3320         <max value="0" />
3321     </element>
3322     <element id="Composition.section:mukoviszidoseScreening.emptyReason.text">
3323         <path value="Composition.section.emptyReason.text" />
3324         <max value="0" />
3325     </element>
3326     <element id="Composition.section:mukoviszidoseScreening.section">
3327         <path value="Composition.section.section" />
3328         <max value="0" />
3329     </element>
3330     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung">
3331         <path value="Composition.section" />
3332         <sliceName value="orientierendeBeurteilungDerEntwicklung" />
3333         <min value="1" />
3334         <max value="1" />
3335         <mustSupport value="true" />
3336     </element>
3337     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung.extension">
3338         <path value="Composition.section.extension" />
3339         <licing>
3340             <discriminator>
3341                 <type value="value" />
3342                 <path value="url" />
3343             </discriminator>
3344             <rules value="open" />
3345         </licing>
3346     </element>
3347     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung.extension:beurteilungAnweisung">
3348         <path value="Composition.section.extension" />
3349         <sliceName value="beurteilungAnweisung" />
3350         <min value="1" />
3351         <max value="1" />
3352         <type>
3353             <code value="Extension" />
3354             <profile value="https://fhir.kbv.de/StructureDefinition/KBV_EX_MIO_CM_Instruction" />
3355         </type>
3356         <mustSupport value="true" />
3357     </element>
3358     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung.extension:beurteilungAnweisung.value[x]">
3359         <path value="Composition.section.extension.value[x]" />
3360         <mustSupport value="true" />
3361     </element>
3362     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung.extension:beurteilungAnweisung.value[x]:valueString">
3363         <path value="Composition.section.extension.value[x]" />

```



```

3364     <sliceName value="valueString" />
3365     <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
werden!" />
3366     <mustSupport value="true" />
3367   </element>
3368   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:interaktionHinweis">
3369     <path value="Composition.section.extension" />
3370     <sliceName value="interaktionHinweis" />
3371     <min value="1" />
3372     <max value="1" />
3373     <type>
3374       <code value="Extension" />
3375       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
3376     </type>
3377     <mustSupport value="true" />
3378   </element>
3379   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:interaktionHinweis.value[x]">
3380     <path value="Composition.section.extension.value[x]" />
3381     <mustSupport value="true" />
3382   </element>
3383   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:interaktionHinweis.value[x]:valueString">
3384     <path value="Composition.section.extension.value[x]" />
3385     <sliceName value="valueString" />
3386     <fixedString value="Beobachtung der Interaktion Insbesondere die
folgenden Reaktionen des Kindes können der Ärztin oder dem Arzt als
Hinweise zur Einschätzung von Stimmung, Kommunikations- und
Regulationsmöglichkeiten des Kindes im Kontakt mit seiner primären
Bezugsperson und als weitere Grundlage für das Ärztin- oder Arzt-
Elterngespräch dienen:" />
3387     <mustSupport value="true" />
3388   </element>
3389   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.title">
3390     <path value="Composition.section.title" />
3391     <min value="1" />
3392     <fixedString value="Orientierende Beurteilung der Entwicklung" />
3393     <mustSupport value="true" />
3394   </element>
3395   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code">
3396     <path value="Composition.section.code" />
3397     <min value="1" />
3398     <mustSupport value="true" />
3399   </element>
3400   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding">
3401     <path value="Composition.section.code.coding" />
3402     <min value="1" />
3403     <max value="1" />
3404     <mustSupport value="true" />
3405   </element>
3406   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.system">
3407     <path value="Composition.section.code.coding.system" />
3408     <min value="1" />
3409     <fixedUri value="http://snomed.info/sct" />

```

```

3410     </element>
3411     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.version">
3412         <path value="Composition.section.code.coding.version" />
3413         <min value="1" />
3414         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3415     </element>
3416     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.code">
3417         <path value="Composition.section.code.coding.code" />
3418         <min value="1" />
3419         <fixedCode value="406207000" />
3420     </element>
3421     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.display">
3422         <path value="Composition.section.code.coding.display" />
3423         <min value="1" />
3424         <fixedString value="Child development by age (observable entity)" />
3425     </element>
3426     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.userSelected">
3427         <path value="Composition.section.code.coding.userSelected" />
3428         <max value="0" />
3429     </element>
3430     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.text">
3431         <path value="Composition.section.code.text" />
3432         <max value="0" />
3433     </element>
3434     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.author">
3435         <path value="Composition.section.author" />
3436         <max value="0" />
3437     </element>
3438     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.focus">
3439         <path value="Composition.section.focus" />
3440         <max value="0" />
3441     </element>
3442     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.text">
3443         <path value="Composition.section.text" />
3444         <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
3445         <min value="1" />
3446     </element>
3447     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.text.status">
3448         <path value="Composition.section.text.status" />
3449         <fixedCode value="generated" />
3450     </element>
3451     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.mode">
3452         <path value="Composition.section.mode" />
3453         <max value="0" />
3454     </element>
3455     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.orderedBy">
3456         <path value="Composition.section.orderedBy" />

```

```

3457     <max value="0" />
3458   </element>
3459   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3460     .entry">
3461     <path value="Composition.section.entry" />
3462     <type>
3463       <code value="Reference" />
3464       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
3465         KBV_PR_MIO_CMR_Observation_U3_Development_Assessment|1.0.1" />
3466       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
3467         KBV_PR_MIO_CMR_Observation_U3_U6_Indication_for_Abnormality|1.0.1" />
3468     </type>
3469     <mustSupport value="true" />
3470   </element>
3471   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3472     .entry.reference">
3473     <path value="Composition.section.entry.reference" />
3474     <min value="1" />
3475     <mustSupport value="true" />
3476   </element>
3477   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3478     .entry.type">
3479     <path value="Composition.section.entry.type" />
3480     <max value="0" />
3481   </element>
3482   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3483     .entry.identifizier">
3484     <path value="Composition.section.entry.identifizier" />
3485     <max value="0" />
3486   </element>
3487   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3488     .entry.display">
3489     <path value="Composition.section.entry.display" />
3490     <max value="0" />
3491   </element>
3492   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3493     .emptyReason">
3494     <path value="Composition.section.emptyReason" />
3495     <mustSupport value="true" />
3496   </element>
3497   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3498     .emptyReason.coding">
3499     <path value="Composition.section.emptyReason.coding" />
3500     <min value="1" />
3501     <max value="1" />
3502     <mustSupport value="true" />
3503   </element>
3504   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3505     .emptyReason.coding.system">
3506     <path value="Composition.section.emptyReason.coding.system" />
3507     <min value="1" />
3508     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
3509       reason" />
3510   </element>
3511   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
3512     .emptyReason.coding.version">
3513     <path value="Composition.section.emptyReason.coding.version" />
3514     <min value="1" />
3515     <fixedString value="4.0.1" />
3516   </element>

```

```

3505     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.code">
3506         <path value="Composition.section.emptyReason.coding.code" />
3507         <min value="1" />
3508         <fixedCode value="closed" />
3509     </element>
3510     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.display">
3511         <path value="Composition.section.emptyReason.coding.display" />
3512         <min value="1" />
3513         <fixedString value="Closed" />
3514     </element>
3515     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.userSelected">
3516         <path value="Composition.section.emptyReason.coding.userSelected" />
3517         <max value="0" />
3518     </element>
3519     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.text">
3520         <path value="Composition.section.emptyReason.text" />
3521         <max value="0" />
3522     </element>
3523     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.section">
3524         <path value="Composition.section.section" />
3525         <max value="0" />
3526     </element>
3527     <element id="Composition.section:screeningHueftgelenksdysplasie">
3528         <path value="Composition.section" />
3529         <sliceName value="screeningHueftgelenksdysplasie" />
3530         <min value="1" />
3531         <max value="1" />
3532         <mustSupport value="true" />
3533     </element>
3534     <element id="Composition.section:screeningHueftgelenksdysplasie.title">
3535         <path value="Composition.section.title" />
3536         <min value="1" />
3537         <fixedString value="Screening auf Hüftgelenksdysplasie und
-luxation" />
3538         <mustSupport value="true" />
3539     </element>
3540     <element id="Composition.section:screeningHueftgelenksdysplasie.code">
3541         <path value="Composition.section.code" />
3542         <min value="1" />
3543         <mustSupport value="true" />
3544     </element>
3545     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding">
3546         <path value="Composition.section.code.coding" />
3547         <slicing>
3548             <discriminator>
3549                 <type value="value" />
3550                 <path value="system" />
3551             </discriminator>
3552             <rules value="closed" />
3553         </slicing>
3554         <min value="2" />
3555         <max value="2" />
3556         <mustSupport value="true" />
3557     </element>

```

```

3558     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed">
3559         <path value="Composition.section.code.coding" />
3560         <sliceName value="codeSnomed" />
3561         <min value="1" />
3562         <max value="1" />
3563         <mustSupport value="true" />
3564     </element>
3565     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.system">
3566         <path value="Composition.section.code.coding.system" />
3567         <min value="1" />
3568         <fixedUri value="http://snomed.info/sct" />
3569     </element>
3570     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.version">
3571         <path value="Composition.section.code.coding.version" />
3572         <min value="1" />
3573         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3574     </element>
3575     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.code">
3576         <path value="Composition.section.code.coding.code" />
3577         <min value="1" />
3578         <fixedCode value="171241003" />
3579     </element>
3580     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.display">
3581         <path value="Composition.section.code.coding.display" />
3582         <min value="1" />
3583         <fixedString value="Congenital dislocation of the hip screening
(procedure)" />
3584     </element>
3585     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.userSelected">
3586         <path value="Composition.section.code.coding.userSelected" />
3587         <max value="0" />
3588     </element>
3589     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc">
3590         <path value="Composition.section.code.coding" />
3591         <sliceName value="codeLoinc" />
3592         <min value="1" />
3593         <max value="1" />
3594         <mustSupport value="true" />
3595     </element>
3596     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.system">
3597         <path value="Composition.section.code.coding.system" />
3598         <min value="1" />
3599         <fixedUri value="http://loinc.org" />
3600     </element>
3601     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.version">
3602         <path value="Composition.section.code.coding.version" />
3603         <min value="1" />
3604         <fixedString value="2.69" />
3605     </element>

```

```

3606     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.code">
3607         <path value="Composition.section.code.coding.code" />
3608         <min value="1" />
3609         <fixedCode value="30711-6" />
3610     </element>
3611     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.display">
3612         <path value="Composition.section.code.coding.display" />
3613         <min value="1" />
3614         <fixedString value="US Hip developmental joint assessment" />
3615     </element>
3616     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.userSelected">
3617         <path value="Composition.section.code.coding.userSelected" />
3618         <max value="0" />
3619     </element>
3620     <element id="Composition.section:screeningHueftgelenksdysplasie.code.te
xt">
3621         <path value="Composition.section.code.text" />
3622         <max value="0" />
3623     </element>
3624     <element id="Composition.section:screeningHueftgelenksdysplasie.author">
3625         <path value="Composition.section.author" />
3626         <max value="0" />
3627     </element>
3628     <element id="Composition.section:screeningHueftgelenksdysplasie.focus">
3629         <path value="Composition.section.focus" />
3630         <max value="0" />
3631     </element>
3632     <element id="Composition.section:screeningHueftgelenksdysplasie.text">
3633         <path value="Composition.section.text" />
3634         <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
3635         <min value="1" />
3636     </element>
3637     <element id="Composition.section:screeningHueftgelenksdysplasie.mode">
3638         <path value="Composition.section.mode" />
3639         <max value="0" />
3640     </element>
3641     <element id="Composition.section:screeningHueftgelenksdysplasie.ordered
By">
3642         <path value="Composition.section.orderedBy" />
3643         <max value="0" />
3644     </element>
3645     <element id="Composition.section:screeningHueftgelenksdysplasie.entry">
3646         <path value="Composition.section.entry" />
3647         <type>
3648             <code value="Reference" />
3649             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U4_Hip_Screening_History|1.0.1" />
3650             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRCare_Plan_U3_U4_Hip_Screening_Plan|1.0.1" />
3651             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRDagnostic_Report_U3_U4_Hip_Screening|1.0.1" />
3652         </type>
3653         <mustSupport value="true" />
3654     </element>
3655     <element id="Composition.section:screeningHueftgelenksdysplasie.entry.r
eference">

```

```

3656     <path value="Composition.section.entry.reference" />
3657     <min value="1" />
3658     <mustSupport value="true" />
3659 </element>
3660 <element id="Composition.section:screeningHueftgelenksdysplasie.entry.type">
3661     <path value="Composition.section.entry.type" />
3662     <max value="0" />
3663 </element>
3664 <element id="Composition.section:screeningHueftgelenksdysplasie.entry.identifier">
3665     <path value="Composition.section.entry.identifier" />
3666     <max value="0" />
3667 </element>
3668 <element id="Composition.section:screeningHueftgelenksdysplasie.entry.display">
3669     <path value="Composition.section.entry.display" />
3670     <max value="0" />
3671 </element>
3672 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason">
3673     <path value="Composition.section.emptyReason" />
3674     <mustSupport value="true" />
3675 </element>
3676 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding">
3677     <path value="Composition.section.emptyReason.coding" />
3678     <min value="1" />
3679     <max value="1" />
3680     <mustSupport value="true" />
3681 </element>
3682 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding.system">
3683     <path value="Composition.section.emptyReason.coding.system" />
3684     <min value="1" />
3685     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-reason" />
3686 </element>
3687 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding.version">
3688     <path value="Composition.section.emptyReason.coding.version" />
3689     <min value="1" />
3690     <fixedString value="4.0.1" />
3691 </element>
3692 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding.code">
3693     <path value="Composition.section.emptyReason.coding.code" />
3694     <min value="1" />
3695     <fixedCode value="closed" />
3696 </element>
3697 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding.display">
3698     <path value="Composition.section.emptyReason.coding.display" />
3699     <min value="1" />
3700     <fixedString value="Closed" />
3701 </element>
3702 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding.userSelected">
3703     <path value="Composition.section.emptyReason.coding.userSelected" />
3704     <max value="0" />

```

```

3705     </element>
3706     <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.text">
3707         <path value="Composition.section.emptyReason.text" />
3708         <max value="0" />
3709     </element>
3710     <element id="Composition.section:screeningHueftgelenksdysplasie.section">
3711         <path value="Composition.section.section" />
3712         <max value="0" />
3713     </element>
3714     <element id="Composition.section:perzentilkurven">
3715         <path value="Composition.section" />
3716         <sliceName value="perzentilkurven" />
3717         <max value="1" />
3718         <mustSupport value="true" />
3719     </element>
3720     <element id="Composition.section:perzentilkurven.title">
3721         <path value="Composition.section.title" />
3722         <min value="1" />
3723         <fixedString value="Perzentilkurven" />
3724         <mustSupport value="true" />
3725     </element>
3726     <element id="Composition.section:perzentilkurven.code">
3727         <path value="Composition.section.code" />
3728         <min value="1" />
3729         <mustSupport value="true" />
3730     </element>
3731     <element id="Composition.section:perzentilkurven.code.coding">
3732         <path value="Composition.section.code.coding" />
3733         <min value="1" />
3734         <max value="1" />
3735         <mustSupport value="true" />
3736     </element>
3737     <element id="Composition.section:perzentilkurven.code.coding.system">
3738         <path value="Composition.section.code.coding.system" />
3739         <min value="1" />
3740         <fixedUri value="http://snomed.info/sct" />
3741     </element>
3742     <element id="Composition.section:perzentilkurven.code.coding.version">
3743         <path value="Composition.section.code.coding.version" />
3744         <min value="1" />
3745         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
3746     </element>
3747     <element id="Composition.section:perzentilkurven.code.coding.code">
3748         <path value="Composition.section.code.coding.code" />
3749         <min value="1" />
3750         <fixedCode value="129822005" />
3751     </element>
3752     <element id="Composition.section:perzentilkurven.code.coding.display">
3753         <path value="Composition.section.code.coding.display" />
3754         <min value="1" />
3755         <fixedString value="Childhood growth AND/OR development finding
(finding)" />
3756     </element>
3757     <element id="Composition.section:perzentilkurven.code.coding.userSelected">
3758         <path value="Composition.section.code.coding.userSelected" />
3759         <max value="0" />

```



```

3760 </element>
3761 <element id="Composition.section.perzentilkurven.code.text">
3762   <path value="Composition.section.code.text" />
3763   <max value="0" />
3764 </element>
3765 <element id="Composition.section.perzentilkurven.author">
3766   <path value="Composition.section.author" />
3767   <max value="0" />
3768 </element>
3769 <element id="Composition.section.perzentilkurven.focus">
3770   <path value="Composition.section.focus" />
3771   <max value="0" />
3772 </element>
3773 <element id="Composition.section.perzentilkurven.text">
3774   <path value="Composition.section.text" />
3775   <min value="1" />
3776 </element>
3777 <element id="Composition.section.perzentilkurven.text.status">
3778   <path value="Composition.section.text.status" />
3779   <fixedCode value="generated" />
3780 </element>
3781 <element id="Composition.section.perzentilkurven.mode">
3782   <path value="Composition.section.mode" />
3783   <max value="0" />
3784 </element>
3785 <element id="Composition.section.perzentilkurven.orderedBy">
3786   <path value="Composition.section.orderedBy" />
3787   <max value="0" />
3788 </element>
3789 <element id="Composition.section.perzentilkurven.entry">
3790   <path value="Composition.section.entry" />
3791   <max value="1" />
3792   <type>
3793     <code value="Reference" />
3794     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values|1.0.1" />
3795   </type>
3796   <mustSupport value="true" />
3797 </element>
3798 <element id="Composition.section.perzentilkurven.entry.reference">
3799   <path value="Composition.section.entry.reference" />
3800   <min value="1" />
3801   <mustSupport value="true" />
3802 </element>
3803 <element id="Composition.section.perzentilkurven.entry.type">
3804   <path value="Composition.section.entry.type" />
3805   <max value="0" />
3806 </element>
3807 <element id="Composition.section.perzentilkurven.entry.identifizier">
3808   <path value="Composition.section.entry.identifizier" />
3809   <max value="0" />
3810 </element>
3811 <element id="Composition.section.perzentilkurven.entry.display">
3812   <path value="Composition.section.entry.display" />
3813   <max value="0" />
3814 </element>
3815 <element id="Composition.section.perzentilkurven.emptyReason">
3816   <path value="Composition.section.emptyReason" />
3817   <mustSupport value="true" />
3818 </element>

```

```

3819     <element id="Composition.section:perzentilkurven.emptyReason.coding">
3820       <path value="Composition.section.emptyReason.coding" />
3821       <min value="1" />
3822       <max value="1" />
3823       <mustSupport value="true" />
3824     </element>
3825     <element id="Composition.section:perzentilkurven.emptyReason.coding.system">
3826       <path value="Composition.section.emptyReason.coding.system" />
3827       <min value="1" />
3828       <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
3829     </element>
3830     <element id="Composition.section:perzentilkurven.emptyReason.coding.ver
sion">
3831       <path value="Composition.section.emptyReason.coding.version" />
3832       <min value="1" />
3833       <fixedString value="4.0.1" />
3834     </element>
3835     <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
e">
3836       <path value="Composition.section.emptyReason.coding.code" />
3837       <min value="1" />
3838       <fixedCode value="closed" />
3839     </element>
3840     <element id="Composition.section:perzentilkurven.emptyReason.coding.dis
play">
3841       <path value="Composition.section.emptyReason.coding.display" />
3842       <min value="1" />
3843       <fixedString value="Closed" />
3844     </element>
3845     <element id="Composition.section:perzentilkurven.emptyReason.coding.use
rSelected">
3846       <path value="Composition.section.emptyReason.coding.userSelected" />
3847       <max value="0" />
3848     </element>
3849     <element id="Composition.section:perzentilkurven.emptyReason.text">
3850       <path value="Composition.section.emptyReason.text" />
3851       <max value="0" />
3852     </element>
3853     <element id="Composition.section:perzentilkurven.section">
3854       <path value="Composition.section.section" />
3855       <max value="0" />
3856     </element>
3857   </differential>
3858 </StructureDefinition>

```

## 211. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U4

### KBV\_PR\_MIO\_CMR\_Composition\_U4

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U4" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_U4" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil stellt die gesamte vierte U-Untersuchung
dar." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U4|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87     <element id="Composition.extension">
88     <path value="Composition.extension" />
89     <slicing>
90     <discriminator>
91     <type value="value" />
92     <path value="url" />
93     </discriminator>
94     <rules value="open" />
95     </slicing>
96 </element>
97 <element id="Composition.extension:u4Einleitung">
98     <path value="Composition.extension" />
99     <sliceName value="u4Einleitung" />
100    <min value="1" />
101    <max value="1" />
102    <type>
103        <code value="Extension" />
104        <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
105    </type>
106    <mustSupport value="true" />
107 </element>
108 <element id="Composition.extension:u4Einleitung.value[x]">
109     <path value="Composition.extension.value[x]" />
110     <mustSupport value="true" />
111 </element>
112 <element id="Composition.extension:u4Einleitung.value[x]:valueString">
113     <path value="Composition.extension.value[x]" />
114     <sliceName value="valueString" />
115     <fixedString value="U4 Elterninformation zur Untersuchung vom 3. bis
zum 4. Lebensmonat Die meisten Babys werden in diesem Alter immer mobiler
und aktiver. Sie beginnen, nach Dingen zu greifen und zu lächeln. Sie
reagieren auf ihre Bezugsperson. Außerdem machen sie sich durch bestimmte
Laute bemerkbar. Die Ärztin oder der Arzt achtet vor allem darauf, ob sich
Ihr Baby körperlich und geistig altersgerecht entwickelt. Unter anderem
wird auch beobachtet, wie sich Ihr Baby bewegt. Die Ärztin oder der Arzt
prüft, ob Ihr Baby hören und sehen kann. Außerdem interessiert es Ihre
Ärztin oder Ihren Arzt, wie Sie und Ihr Baby miteinander im Kontakt sind.
Es wird wieder eine körperliche Untersuchung durchgeführt und dabei wird
auch kontrolliert, ob die Knochenlücke am Kopf (Fontanelle) ausreichend
groß ist, damit der Schädel weiterhin problemlos wachsen kann. Zur U4
werden Wiederholungsimpfungen angeboten. Spätestens jetzt erfolgen die
ersten Impfungen. Außerdem spricht die Ärztin oder der Arzt mit Ihnen über
Themen wie die Ernährung und Verdauung Ihres Babys, Maßnahmen zur
Vermeidung des plötzlichen Kindstodes, Unfallverhütung und wie Sie
reagieren sollten, wenn Ihr Baby besonders viel schreit und nicht schlafen
kann. Weitere Themen sind die Förderung der Sprachentwicklung durch
häufiges Sprechen und Singen mit dem Baby sowie die Rachitisprophylaxe
mittels Vitamin D und die Kariesprophylaxe mittels Fluorid. Sie erhalten
Informationen zu regionalen Unterstützungsangeboten (z. B. Eltern-Kind-
Hilfen, Frühe Hilfen). Falls der Neugeborenen-Hörtest noch nicht
stattgefunden hat, sollte er umgehend erfolgen." />
116     <mustSupport value="true" />
117 </element>
118 <element id="Composition.identifizier">
119     <path value="Composition.identifizier" />
120     <max value="0" />
121 </element>
122
123 <element id="Composition.status">

```

```

124     <path value="Composition.status" />
125     <fixedCode value="final" />
126 </element>
127 <element id="Composition.type">
128     <path value="Composition.type" />
129     <mustSupport value="true" />
130 </element>
131 <element id="Composition.type.coding">
132     <path value="Composition.type.coding" />
133     <min value="1" />
134     <max value="1" />
135     <mustSupport value="true" />
136 </element>
137 <element id="Composition.type.coding.system">
138     <path value="Composition.type.coding.system" />
139     <min value="1" />
140     <fixedUri value="http://snomed.info/sct" />
141 </element>
142 <element id="Composition.type.coding.version">
143     <path value="Composition.type.coding.version" />
144     <min value="1" />
145     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
146 </element>
147 <element id="Composition.type.coding.code">
148     <path value="Composition.type.coding.code" />
149     <min value="1" />
150     <fixedCode value="170250008" />
151 </element>
152 <element id="Composition.type.coding.display">
153     <path value="Composition.type.coding.display" />
154     <min value="1" />
155     <fixedString value="Child 3 month examination (procedure)" />
156 </element>
157 <element id="Composition.type.coding.userSelected">
158     <path value="Composition.type.coding.userSelected" />
159     <max value="0" />
160 </element>
161 <element id="Composition.type.text">
162     <path value="Composition.type.text" />
163     <max value="0" />
164 </element>
165 <element id="Composition.category">
166     <path value="Composition.category" />
167     <min value="1" />
168     <max value="1" />
169     <mustSupport value="true" />
170 </element>
171 <element id="Composition.category.coding">
172     <path value="Composition.category.coding" />
173     <min value="1" />
174     <max value="1" />
175     <mustSupport value="true" />
176 </element>
177 <element id="Composition.category.coding.system">
178     <path value="Composition.category.coding.system" />
179     <min value="1" />
180     <fixedUri value="http://snomed.info/sct" />
181 </element>
182 <element id="Composition.category.coding.version">

```

```

183     <path value="Composition.category.coding.version" />
184     <min value="1" />
185     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
186   </element>
187   <element id="Composition.category.coding.code">
188     <path value="Composition.category.coding.code" />
189     <min value="1" />
190     <fixedCode value="243788004" />
191   </element>
192   <element id="Composition.category.coding.display">
193     <path value="Composition.category.coding.display" />
194     <min value="1" />
195     <fixedString value="Child examination (procedure)" />
196   </element>
197   <element id="Composition.category.coding.userSelected">
198     <path value="Composition.category.coding.userSelected" />
199     <max value="0" />
200   </element>
201   <element id="Composition.category.text">
202     <path value="Composition.category.text" />
203     <max value="0" />
204   </element>
205   <element id="Composition.subject">
206     <path value="Composition.subject" />
207     <min value="1" />
208     <type>
209       <code value="Reference" />
210       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
211     </type>
212     <mustSupport value="true" />
213   </element>
214   <element id="Composition.subject.reference">
215     <path value="Composition.subject.reference" />
216     <min value="1" />
217     <mustSupport value="true" />
218   </element>
219   <element id="Composition.subject.type">
220     <path value="Composition.subject.type" />
221     <max value="0" />
222   </element>
223   <element id="Composition.subject.identifier">
224     <path value="Composition.subject.identifier" />
225     <max value="0" />
226   </element>
227   <element id="Composition.subject.display">
228     <path value="Composition.subject.display" />
229     <max value="0" />
230   </element>
231   <element id="Composition.encounter">
232     <path value="Composition.encounter" />
233     <min value="1" />
234     <type>
235       <code value="Reference" />
236       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
237     </type>
238     <mustSupport value="true" />
239   </element>

```

```

240 <element id="Composition.encounter.reference">
241   <path value="Composition.encounter.reference" />
242   <min value="1" />
243   <mustSupport value="true" />
244 </element>
245 <element id="Composition.encounter.type">
246   <path value="Composition.encounter.type" />
247   <max value="0" />
248 </element>
249 <element id="Composition.encounter.identifier">
250   <path value="Composition.encounter.identifier" />
251   <max value="0" />
252 </element>
253 <element id="Composition.encounter.display">
254   <path value="Composition.encounter.display" />
255   <max value="0" />
256 </element>
257 <element id="Composition.author">
258   <path value="Composition.author" />
259   <max value="2" />
260   <type>
261     <code value="Reference" />
262     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
263     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
264   </type>
265   <mustSupport value="true" />
266 </element>
267 <element id="Composition.author.reference">
268   <path value="Composition.author.reference" />
269   <min value="1" />
270   <mustSupport value="true" />
271 </element>
272 <element id="Composition.author.type">
273   <path value="Composition.author.type" />
274   <max value="0" />
275 </element>
276 <element id="Composition.author.identifier">
277   <path value="Composition.author.identifier" />
278   <max value="0" />
279 </element>
280 <element id="Composition.author.display">
281   <path value="Composition.author.display" />
282   <max value="0" />
283 </element>
284 <element id="Composition.title">
285   <path value="Composition.title" />
286   <fixedString value="U4" />
287   <mustSupport value="true" />
288 </element>
289 <element id="Composition.confidentiality">
290   <path value="Composition.confidentiality" />
291   <max value="0" />
292 </element>
293 <element id="Composition.attester">
294   <path value="Composition.attester" />
295   <max value="0" />
296 </element>
297 <element id="Composition.custodian">

```



```

298     <path value="Composition.custodian" />
299     <max value="0" />
300 </element>
301 <element id="Composition.relatesTo">
302     <path value="Composition.relatesTo" />
303     <max value="0" />
304 </element>
305 <element id="Composition.event">
306     <path value="Composition.event" />
307     <max value="0" />
308 </element>
309 <element id="Composition.section">
310     <path value="Composition.section" />
311     <licing>
312         <discriminator>
313             <type value="value" />
314             <path value="title" />
315         </discriminator>
316         <rules value="closed" />
317     </licing>
318     <mustSupport value="true" />
319 </element>
320 <element id="Composition.section:aktuelleAnamneseDesKindes">
321     <path value="Composition.section" />
322     <sliceName value="aktuelleAnamneseDesKindes" />
323     <min value="1" />
324     <max value="1" />
325     <mustSupport value="true" />
326 </element>
327 <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
328     <path value="Composition.section.extension" />
329     <licing>
330         <discriminator>
331             <type value="value" />
332             <path value="url" />
333         </discriminator>
334         <rules value="open" />
335     </licing>
336 </element>
337 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
338     <path value="Composition.section.extension" />
339     <sliceName value="anamneseAnweisung" />
340     <min value="1" />
341     <max value="1" />
342     <type>
343         <code value="Extension" />
344         <profile value="https://fhir.kbv.de/StructureDefinition/
345     KBV_EX_MIO_CMV_Instruction" />
346     </type>
347     <mustSupport value="true" />
348 </element>
349 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
350     <path value="Composition.section.extension.value[x]" />
351     <mustSupport value="true" />
352 </element>
353 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
354     <path value="Composition.section.extension.value[x]" />

```

```

354     <sliceName value="valueString" />
355     <fixedString value="Zutreffendes bitte ankreuzen!" />
356     <mustSupport value="true" />
357 </element>
358 <element id="Composition.section:aktuelleAnamneseDesKindes.title">
359     <path value="Composition.section.title" />
360     <min value="1" />
361     <fixedString value="Aktuelle Anamnese des Kindes" />
362     <mustSupport value="true" />
363 </element>
364 <element id="Composition.section:aktuelleAnamneseDesKindes.code">
365     <path value="Composition.section.code" />
366     <min value="1" />
367     <mustSupport value="true" />
368 </element>
369 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
370     <path value="Composition.section.code.coding" />
371     <min value="1" />
372     <max value="1" />
373     <mustSupport value="true" />
374 </element>
375 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
376     <path value="Composition.section.code.coding.system" />
377     <min value="1" />
378     <fixedUri value="http://snomed.info/sct" />
379 </element>
380 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
381     <path value="Composition.section.code.coding.version" />
382     <min value="1" />
383     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
384 </element>
385 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
386     <path value="Composition.section.code.coding.code" />
387     <min value="1" />
388     <fixedCode value="423374008" />
389 </element>
390 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
391     <path value="Composition.section.code.coding.display" />
392     <min value="1" />
393     <fixedString value="Review of systems section (record artifact)" />
394 </element>
395 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
396     <path value="Composition.section.code.coding.userSelected" />
397     <max value="0" />
398 </element>
399 <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
400     <path value="Composition.section.code.text" />
401     <max value="0" />
402 </element>
403 <element id="Composition.section:aktuelleAnamneseDesKindes.author">
404     <path value="Composition.section.author" />
405     <max value="0" />
406 </element>
407 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">

```

```

408     <path value="Composition.section.focus" />
409     <max value="0" />
410 </element>
411 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
412     <path value="Composition.section.text" />
413     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
414     <min value="1" />
415 </element>
416 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
417     <path value="Composition.section.text.status" />
418     <fixedCode value="generated" />
419 </element>
420 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
421     <path value="Composition.section.mode" />
422     <max value="0" />
423 </element>
424 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
425     <path value="Composition.section.orderedBy" />
426     <max value="0" />
427 </element>
428 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
429     <path value="Composition.section.entry" />
430     <type>
431         <code value="Reference" />
432         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_Current_Child_History|1.0.1" />
433     </type>
434     <mustSupport value="true" />
435 </element>
436 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
437     <path value="Composition.section.entry.reference" />
438     <min value="1" />
439     <mustSupport value="true" />
440 </element>
441 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
442     <path value="Composition.section.entry.type" />
443     <max value="0" />
444 </element>
445 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
446     <path value="Composition.section.entry.identifizier" />
447     <max value="0" />
448 </element>
449 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
450     <path value="Composition.section.entry.display" />
451     <max value="0" />
452 </element>
453 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
454     <path value="Composition.section.emptyReason" />
455     <mustSupport value="true" />
456 </element>
457 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
458     <path value="Composition.section.emptyReason.coding" />
459     <min value="1" />
460     <max value="1" />
461     <mustSupport value="true" />

```

```

462     </element>
463     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
464         <path value="Composition.section.emptyReason.coding.system" />
465         <min value="1" />
466         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
467     </element>
468     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
469         <path value="Composition.section.emptyReason.coding.version" />
470         <min value="1" />
471         <fixedString value="4.0.1" />
472     </element>
473     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
474         <path value="Composition.section.emptyReason.coding.code" />
475         <min value="1" />
476         <fixedCode value="closed" />
477     </element>
478     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
479         <path value="Composition.section.emptyReason.coding.display" />
480         <min value="1" />
481         <fixedString value="Closed" />
482     </element>
483     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
484         <path value="Composition.section.emptyReason.coding.userSelected" />
485         <max value="0" />
486     </element>
487     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
488         <path value="Composition.section.emptyReason.text" />
489         <max value="0" />
490     </element>
491     <element id="Composition.section:aktuelleAnamneseDesKindes.section">
492         <path value="Composition.section.section" />
493         <max value="0" />
494     </element>
495     <element id="Composition.section:sozialanamnese">
496         <path value="Composition.section" />
497         <sliceName value="sozialanamnese" />
498         <min value="1" />
499         <max value="1" />
500         <mustSupport value="true" />
501     </element>
502     <element id="Composition.section:sozialanamnese.extension">
503         <path value="Composition.section.extension" />
504         <licing>
505             <discriminator>
506                 <type value="value" />
507                 <path value="url" />
508             </discriminator>
509             <rules value="open" />
510         </licing>
511     </element>
512     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
513         <path value="Composition.section.extension" />

```

```

514     <sliceName value="anamneseAnweisung" />
515     <min value="1" />
516     <max value="1" />
517     <type>
518         <code value="Extension" />
519         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
520     </type>
521     <mustSupport value="true" />
522 </element>
523 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
524     <path value="Composition.section.extension.value[x]" />
525     <mustSupport value="true" />
526 </element>
527 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
528     <path value="Composition.section.extension.value[x]" />
529     <sliceName value="valueString" />
530     <fixedString value="Zutreffendes bitte ankreuzen!" />
531     <mustSupport value="true" />
532 </element>
533 <element id="Composition.section:sozialanamnese.title">
534     <path value="Composition.section.title" />
535     <min value="1" />
536     <fixedString value="Sozialanamnese" />
537     <mustSupport value="true" />
538 </element>
539 <element id="Composition.section:sozialanamnese.code">
540     <path value="Composition.section.code" />
541     <min value="1" />
542     <mustSupport value="true" />
543 </element>
544 <element id="Composition.section:sozialanamnese.code.coding">
545     <path value="Composition.section.code.coding" />
546     <min value="1" />
547     <max value="1" />
548     <mustSupport value="true" />
549 </element>
550 <element id="Composition.section:sozialanamnese.code.coding.system">
551     <path value="Composition.section.code.coding.system" />
552     <min value="1" />
553     <fixedUri value="http://snomed.info/sct" />
554 </element>
555 <element id="Composition.section:sozialanamnese.code.coding.version">
556     <path value="Composition.section.code.coding.version" />
557     <min value="1" />
558     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
559 </element>
560 <element id="Composition.section:sozialanamnese.code.coding.code">
561     <path value="Composition.section.code.coding.code" />
562     <min value="1" />
563     <fixedCode value="281575007" />
564 </element>
565 <element id="Composition.section:sozialanamnese.code.coding.display">
566     <path value="Composition.section.code.coding.display" />
567     <min value="1" />
568     <fixedString value="Family social history (situation)" />
569 </element>

```

```

570 <element id="Composition.section:sozialanamnese.code.coding.userSelecte
d">
571   <path value="Composition.section.code.coding.userSelected" />
572   <max value="0" />
573 </element>
574 <element id="Composition.section:sozialanamnese.code.text">
575   <path value="Composition.section.code.text" />
576   <max value="0" />
577 </element>
578 <element id="Composition.section:sozialanamnese.author">
579   <path value="Composition.section.author" />
580   <max value="0" />
581 </element>
582 <element id="Composition.section:sozialanamnese.focus">
583   <path value="Composition.section.focus" />
584   <max value="0" />
585 </element>
586 <element id="Composition.section:sozialanamnese.text">
587   <path value="Composition.section.text" />
588   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
589   <min value="1" />
590 </element>
591 <element id="Composition.section:sozialanamnese.text.status">
592   <path value="Composition.section.text.status" />
593   <fixedCode value="generated" />
594 </element>
595 <element id="Composition.section:sozialanamnese.mode">
596   <path value="Composition.section.mode" />
597   <max value="0" />
598 </element>
599 <element id="Composition.section:sozialanamnese.orderedBy">
600   <path value="Composition.section.orderedBy" />
601   <max value="0" />
602 </element>
603 <element id="Composition.section:sozialanamnese.entry">
604   <path value="Composition.section.entry" />
605   <type>
606     <code value="Reference" />
607     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Social_History|1.0.1" />
608   </type>
609   <mustSupport value="true" />
610 </element>
611 <element id="Composition.section:sozialanamnese.entry.reference">
612   <path value="Composition.section.entry.reference" />
613   <min value="1" />
614   <mustSupport value="true" />
615 </element>
616 <element id="Composition.section:sozialanamnese.entry.type">
617   <path value="Composition.section.entry.type" />
618   <max value="0" />
619 </element>
620 <element id="Composition.section:sozialanamnese.entry.identifler">
621   <path value="Composition.section.entry.identifler" />
622   <max value="0" />
623 </element>
624 <element id="Composition.section:sozialanamnese.entry.display">
625   <path value="Composition.section.entry.display" />
626   <max value="0" />

```

```

627 </element>
628 <element id="Composition.section:sozialanamnese.emptyReason">
629   <path value="Composition.section.emptyReason" />
630   <mustSupport value="true" />
631 </element>
632 <element id="Composition.section:sozialanamnese.emptyReason.coding">
633   <path value="Composition.section.emptyReason.coding" />
634   <min value="1" />
635   <max value="1" />
636   <mustSupport value="true" />
637 </element>
638 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
639   <path value="Composition.section.emptyReason.coding.system" />
640   <min value="1" />
641   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
642 </element>
643 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
644   <path value="Composition.section.emptyReason.coding.version" />
645   <min value="1" />
646   <fixedString value="4.0.1" />
647 </element>
648 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
649   <path value="Composition.section.emptyReason.coding.code" />
650   <min value="1" />
651   <fixedCode value="closed" />
652 </element>
653 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
654   <path value="Composition.section.emptyReason.coding.display" />
655   <min value="1" />
656   <fixedString value="Closed" />
657 </element>
658 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
659   <path value="Composition.section.emptyReason.coding.userSelected" />
660   <max value="0" />
661 </element>
662 <element id="Composition.section:sozialanamnese.emptyReason.text">
663   <path value="Composition.section.emptyReason.text" />
664   <max value="0" />
665 </element>
666 <element id="Composition.section:sozialanamnese.section">
667   <path value="Composition.section.section" />
668   <max value="0" />
669 </element>
670 <element id="Composition.section:untersuchung">
671   <path value="Composition.section" />
672   <sliceName value="untersuchung" />
673   <min value="1" />
674   <max value="1" />
675   <mustSupport value="true" />
676 </element>
677 <element id="Composition.section:untersuchung.extension">
678   <path value="Composition.section.extension" />
679   <licing>
680     <discriminator>

```

```

681     <type value="value" />
682     <path value="url" />
683     </discriminator>
684     <rules value="open" />
685   </slicing>
686 </element>
687 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung">
688   <path value="Composition.section.extension" />
689   <sliceName value="untersuchungAnweisung" />
690   <min value="1" />
691   <max value="1" />
692   <type>
693     <code value="Extension" />
694     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CM_R_Instruction" />
695   </type>
696   <mustSupport value="true" />
697 </element>
698 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]">
699   <path value="Composition.section.extension.value[x]" />
700   <mustSupport value="true" />
701 </element>
702 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]:valueString">
703   <path value="Composition.section.extension.value[x]" />
704   <sliceName value="valueString" />
705   <fixedString value="Nur Auffälligkeiten ankreuzen!" />
706   <mustSupport value="true" />
707 </element>
708 <element id="Composition.section:untersuchung.title">
709   <path value="Composition.section.title" />
710   <min value="1" />
711   <fixedString value="Körperliche Untersuchung" />
712   <mustSupport value="true" />
713 </element>
714 <element id="Composition.section:untersuchung.code">
715   <path value="Composition.section.code" />
716   <min value="1" />
717   <mustSupport value="true" />
718 </element>
719 <element id="Composition.section:untersuchung.code.coding">
720   <path value="Composition.section.code.coding" />
721   <min value="1" />
722   <max value="1" />
723   <mustSupport value="true" />
724 </element>
725 <element id="Composition.section:untersuchung.code.coding.system">
726   <path value="Composition.section.code.coding.system" />
727   <min value="1" />
728   <fixedUri value="http://snomed.info/sct" />
729 </element>
730 <element id="Composition.section:untersuchung.code.coding.version">
731   <path value="Composition.section.code.coding.version" />
732   <min value="1" />
733   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
734 </element>
735 <element id="Composition.section:untersuchung.code.coding.code">

```



```

736     <path value="Composition.section.code.coding.code" />
737     <min value="1" />
738     <fixedCode value="425044008" />
739 </element>
740 <element id="Composition.section:untersuchung.code.coding.display">
741     <path value="Composition.section.code.coding.display" />
742     <min value="1" />
743     <fixedString value="Physical exam section (record artifact)" />
744 </element>
745 <element id="Composition.section:untersuchung.code.coding.userSelected">
746     <path value="Composition.section.code.coding.userSelected" />
747     <max value="0" />
748 </element>
749 <element id="Composition.section:untersuchung.code.text">
750     <path value="Composition.section.code.text" />
751     <max value="0" />
752 </element>
753 <element id="Composition.section:untersuchung.author">
754     <path value="Composition.section.author" />
755     <max value="0" />
756 </element>
757 <element id="Composition.section:untersuchung.focus">
758     <path value="Composition.section.focus" />
759     <max value="0" />
760 </element>
761 <element id="Composition.section:untersuchung.text">
762     <path value="Composition.section.text" />
763     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
764     <min value="1" />
765 </element>
766 <element id="Composition.section:untersuchung.text.status">
767     <path value="Composition.section.text.status" />
768     <fixedCode value="generated" />
769 </element>
770 <element id="Composition.section:untersuchung.mode">
771     <path value="Composition.section.mode" />
772     <max value="0" />
773 </element>
774 <element id="Composition.section:untersuchung.orderedBy">
775     <path value="Composition.section.orderedBy" />
776     <max value="0" />
777 </element>
778 <element id="Composition.section:untersuchung.entry">
779     <path value="Composition.section.entry" />
780     <type>
781         <code value="Reference" />
782         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_U4_Physical_Exam_Skin|1.0.1" />
783         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U4_Physical_Exam_Chest_Lung_Respiratory
_Tract|1.0.1" />
784         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U4_Physical_Exam_Abdomen_Genitals|1.0.1" /
>
785         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />

```

```

786     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U4_Physical_Exam_Musculoskeletal_System|
1.0.1" />
787     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U4_Physical_Exam_Head|1.0.1" />
788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U3_U4_Physical_Exam_Mouth_Nose|1.0.1" />
789     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U4_U5_Physical_Exam_Eyes|1.0.1" />
790     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
791   </type>
792   <mustSupport value="true" />
793 </element>
794 <element id="Composition.section.untersuchung.entry.reference">
795   <path value="Composition.section.entry.reference" />
796   <min value="1" />
797   <mustSupport value="true" />
798 </element>
799 <element id="Composition.section.untersuchung.entry.type">
800   <path value="Composition.section.entry.type" />
801   <max value="0" />
802 </element>
803 <element id="Composition.section.untersuchung.entry.identifizier">
804   <path value="Composition.section.entry.identifizier" />
805   <max value="0" />
806 </element>
807 <element id="Composition.section.untersuchung.entry.display">
808   <path value="Composition.section.entry.display" />
809   <max value="0" />
810 </element>
811 <element id="Composition.section.untersuchung.emptyReason">
812   <path value="Composition.section.emptyReason" />
813   <mustSupport value="true" />
814 </element>
815 <element id="Composition.section.untersuchung.emptyReason.coding">
816   <path value="Composition.section.emptyReason.coding" />
817   <min value="1" />
818   <max value="1" />
819   <mustSupport value="true" />
820 </element>
821 <element id="Composition.section.untersuchung.emptyReason.coding.system
">
822   <path value="Composition.section.emptyReason.coding.system" />
823   <min value="1" />
824   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
825 </element>
826 <element id="Composition.section.untersuchung.emptyReason.coding.version">
827   <path value="Composition.section.emptyReason.coding.version" />
828   <min value="1" />
829   <fixedString value="4.0.1" />
830 </element>
831 <element id="Composition.section.untersuchung.emptyReason.coding.code">
832   <path value="Composition.section.emptyReason.coding.code" />
833   <min value="1" />
834   <fixedCode value="closed" />
835 </element>

```

```

836 <element id="Composition.section:untersuchung.emptyReason.coding.display"
837 <path value="Composition.section.emptyReason.coding.display" />
838 <min value="1" />
839 <fixedString value="Closed" />
840 </element>
841 <element id="Composition.section:untersuchung.emptyReason.coding.userSelected"
842 <path value="Composition.section.emptyReason.coding.userSelected" />
843 <max value="0" />
844 </element>
845 <element id="Composition.section:untersuchung.emptyReason.text">
846 <path value="Composition.section.emptyReason.text" />
847 <max value="0" />
848 </element>
849 <element id="Composition.section:untersuchung.section">
850 <path value="Composition.section.section" />
851 <max value="0" />
852 </element>
853 <element id="Composition.section:beratung">
854 <path value="Composition.section" />
855 <sliceName value="beratung" />
856 <min value="1" />
857 <max value="1" />
858 <mustSupport value="true" />
859 </element>
860 <element id="Composition.section:beratung.extension">
861 <path value="Composition.section.extension" />
862 <licing>
863 <discriminator>
864 <type value="value" />
865 <path value="url" />
866 </discriminator>
867 <rules value="open" />
868 </licing>
869 </element>
870 <element id="Composition.section:beratung.extension:beratungAnweisung">
871 <path value="Composition.section.extension" />
872 <sliceName value="beratungAnweisung" />
873 <min value="1" />
874 <max value="1" />
875 <type>
876 <code value="Extension" />
877 <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
878 </type>
879 <mustSupport value="true" />
880 </element>
881 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]"
882 <path value="Composition.section.extension.value[x]" />
883 <mustSupport value="true" />
884 </element>
885 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]:valueString">
886 <path value="Composition.section.extension.value[x]" />
887 <sliceName value="valueString" />
888 <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
889 <mustSupport value="true" />

```

```

890 </element>
891 <element id="Composition.section.beratung.extension.beratungHinweis">
892   <path value="Composition.section.extension" />
893   <sliceName value="beratungHinweis" />
894   <min value="1" />
895   <max value="1" />
896   <type>
897     <code value="Extension" />
898     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
899   </type>
900   <mustSupport value="true" />
901 </element>
902 <element id="Composition.section.beratung.extension.beratungHinweis.val
ue[x]">
903   <path value="Composition.section.extension.value[x]" />
904   <mustSupport value="true" />
905 </element>
906 <element id="Composition.section.beratung.extension.beratungHinweis.val
ue[x]:valueString">
907   <path value="Composition.section.extension.value[x]" />
908   <sliceName value="valueString" />
909   <fixedString value="Beratung vor allem zu folgenden Themen:" />
910   <mustSupport value="true" />
911 </element>
912 <element id="Composition.section.beratung.title">
913   <path value="Composition.section.title" />
914   <min value="1" />
915   <fixedString value="Beratung" />
916   <mustSupport value="true" />
917 </element>
918 <element id="Composition.section.beratung.code">
919   <path value="Composition.section.code" />
920   <min value="1" />
921   <mustSupport value="true" />
922 </element>
923 <element id="Composition.section.beratung.code.coding">
924   <path value="Composition.section.code.coding" />
925   <min value="1" />
926   <max value="1" />
927   <mustSupport value="true" />
928 </element>
929 <element id="Composition.section.beratung.code.coding.system">
930   <path value="Composition.section.code.coding.system" />
931   <min value="1" />
932   <fixedUri value="http://snomed.info/sct" />
933 </element>
934 <element id="Composition.section.beratung.code.coding.version">
935   <path value="Composition.section.code.coding.version" />
936   <min value="1" />
937   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
938 </element>
939 <element id="Composition.section.beratung.code.coding.code">
940   <path value="Composition.section.code.coding.code" />
941   <min value="1" />
942   <fixedCode value="409066002" />
943 </element>
944 <element id="Composition.section.beratung.code.coding.display">
945   <path value="Composition.section.code.coding.display" />

```

```

946     <min value="1" />
947     <fixedString value="Education, guidance and counseling (procedure)" /
>
948 </element>
949 <element id="Composition.section:beratung.code.coding.userSelected">
950   <path value="Composition.section.code.coding.userSelected" />
951   <max value="0" />
952 </element>
953 <element id="Composition.section:beratung.code.text">
954   <path value="Composition.section.code.text" />
955   <max value="0" />
956 </element>
957 <element id="Composition.section:beratung.author">
958   <path value="Composition.section.author" />
959   <max value="0" />
960 </element>
961 <element id="Composition.section:beratung.focus">
962   <path value="Composition.section.focus" />
963   <max value="0" />
964 </element>
965 <element id="Composition.section:beratung.text">
966   <path value="Composition.section.text" />
967   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
968   <min value="1" />
969 </element>
970 <element id="Composition.section:beratung.text.status">
971   <path value="Composition.section.text.status" />
972   <fixedCode value="generated" />
973 </element>
974 <element id="Composition.section:beratung.mode">
975   <path value="Composition.section.mode" />
976   <max value="0" />
977 </element>
978 <element id="Composition.section:beratung.orderedBy">
979   <path value="Composition.section.orderedBy" />
980   <max value="0" />
981 </element>
982 <element id="Composition.section:beratung.entry">
983   <path value="Composition.section.entry" />
984   <type>
985     <code value="Reference" />
986     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U4_Consultation|1.0.1" />
987     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
988   </type>
989   <mustSupport value="true" />
990 </element>
991 <element id="Composition.section:beratung.entry.reference">
992   <path value="Composition.section.entry.reference" />
993   <min value="1" />
994   <mustSupport value="true" />
995 </element>
996 <element id="Composition.section:beratung.entry.type">
997   <path value="Composition.section.entry.type" />
998   <max value="0" />
999 </element>
1000 <element id="Composition.section:beratung.entry.identifrier">
1001   <path value="Composition.section.entry.identifrier" />

```

```

1002     <max value="0" />
1003 </element>
1004 <element id="Composition.section:beratung.entry.display">
1005     <path value="Composition.section.entry.display" />
1006     <max value="0" />
1007 </element>
1008 <element id="Composition.section:beratung.emptyReason">
1009     <path value="Composition.section.emptyReason" />
1010     <mustSupport value="true" />
1011 </element>
1012 <element id="Composition.section:beratung.emptyReason.coding">
1013     <path value="Composition.section.emptyReason.coding" />
1014     <min value="1" />
1015     <max value="1" />
1016     <mustSupport value="true" />
1017 </element>
1018 <element id="Composition.section:beratung.emptyReason.coding.system">
1019     <path value="Composition.section.emptyReason.coding.system" />
1020     <min value="1" />
1021     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1022 </element>
1023 <element id="Composition.section:beratung.emptyReason.coding.version">
1024     <path value="Composition.section.emptyReason.coding.version" />
1025     <min value="1" />
1026     <fixedString value="4.0.1" />
1027 </element>
1028 <element id="Composition.section:beratung.emptyReason.coding.code">
1029     <path value="Composition.section.emptyReason.coding.code" />
1030     <min value="1" />
1031     <fixedCode value="closed" />
1032 </element>
1033 <element id="Composition.section:beratung.emptyReason.coding.display">
1034     <path value="Composition.section.emptyReason.coding.display" />
1035     <min value="1" />
1036     <fixedString value="Closed" />
1037 </element>
1038 <element id="Composition.section:beratung.emptyReason.coding.userSelect
ed">
1039     <path value="Composition.section.emptyReason.coding.userSelected" />
1040     <max value="0" />
1041 </element>
1042 <element id="Composition.section:beratung.emptyReason.text">
1043     <path value="Composition.section.emptyReason.text" />
1044     <max value="0" />
1045 </element>
1046 <element id="Composition.section:beratung.section">
1047     <path value="Composition.section.section" />
1048     <max value="0" />
1049 </element>
1050 <element id="Composition.section:ergebnisse">
1051     <path value="Composition.section" />
1052     <sliceName value="ergebnisse" />
1053     <min value="1" />
1054     <max value="1" />
1055     <mustSupport value="true" />
1056 </element>
1057
1058 <element id="Composition.section:ergebnisse.title">
1059     <path value="Composition.section.title" />

```

```

1060     <min value="1" />
1061     <fixedString value="Ergebnisse" />
1062     <mustSupport value="true" />
1063 </element>
1064 <element id="Composition.section:ergebnisse.code">
1065     <path value="Composition.section.code" />
1066     <min value="1" />
1067     <mustSupport value="true" />
1068 </element>
1069 <element id="Composition.section:ergebnisse.code.coding">
1070     <path value="Composition.section.code.coding" />
1071     <min value="1" />
1072     <max value="1" />
1073     <mustSupport value="true" />
1074 </element>
1075 <element id="Composition.section:ergebnisse.code.coding.system">
1076     <path value="Composition.section.code.coding.system" />
1077     <min value="1" />
1078     <fixedUri value="http://snomed.info/sct" />
1079 </element>
1080 <element id="Composition.section:ergebnisse.code.coding.version">
1081     <path value="Composition.section.code.coding.version" />
1082     <min value="1" />
1083     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1084 </element>
1085 <element id="Composition.section:ergebnisse.code.coding.code">
1086     <path value="Composition.section.code.coding.code" />
1087     <min value="1" />
1088     <fixedCode value="423100009" />
1089 </element>
1090 <element id="Composition.section:ergebnisse.code.coding.display">
1091     <path value="Composition.section.code.coding.display" />
1092     <min value="1" />
1093     <fixedString value="Results section (record artifact)" />
1094 </element>
1095 <element id="Composition.section:ergebnisse.code.coding.userSelected">
1096     <path value="Composition.section.code.coding.userSelected" />
1097     <max value="0" />
1098 </element>
1099 <element id="Composition.section:ergebnisse.code.text">
1100     <path value="Composition.section.code.text" />
1101     <max value="0" />
1102 </element>
1103 <element id="Composition.section:ergebnisse.author">
1104     <path value="Composition.section.author" />
1105     <max value="0" />
1106 </element>
1107 <element id="Composition.section:ergebnisse.focus">
1108     <path value="Composition.section.focus" />
1109     <max value="0" />
1110 </element>
1111 <element id="Composition.section:ergebnisse.text">
1112     <path value="Composition.section.text" />
1113     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1114     <min value="1" />
1115 </element>
1116 <element id="Composition.section:ergebnisse.text.status">
1117     <path value="Composition.section.text.status" />

```

```

1118     <fixedCode value="generated" />
1119 </element>
1120 <element id="Composition.section:ergebnisse.mode">
1121   <path value="Composition.section.mode" />
1122   <max value="0" />
1123 </element>
1124 <element id="Composition.section:ergebnisse.orderedBy">
1125   <path value="Composition.section.orderedBy" />
1126   <max value="0" />
1127 </element>
1128 <element id="Composition.section:ergebnisse.entry">
1129   <path value="Composition.section.entry" />
1130   <type>
1131     <code value="Reference" />
1132     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
1133     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
1134     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Body_Measures|1.0.1" />
1135     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
1136     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
1137     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment|1.0.1" />
1138     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment|1.0.1" />
1139     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
1140   </type>
1141   <mustSupport value="true" />
1142 </element>
1143 <element id="Composition.section:ergebnisse.entry.reference">
1144   <path value="Composition.section.entry.reference" />
1145   <min value="1" />
1146   <mustSupport value="true" />
1147 </element>
1148 <element id="Composition.section:ergebnisse.entry.type">
1149   <path value="Composition.section.entry.type" />
1150   <max value="0" />
1151 </element>
1152 <element id="Composition.section:ergebnisse.entry.identifrier">
1153   <path value="Composition.section.entry.identifrier" />
1154   <max value="0" />
1155 </element>
1156 <element id="Composition.section:ergebnisse.entry.display">
1157   <path value="Composition.section.entry.display" />
1158   <max value="0" />
1159 </element>
1160 <element id="Composition.section:ergebnisse.emptyReason">
1161   <path value="Composition.section.emptyReason" />
1162   <mustSupport value="true" />
1163 </element>
1164 <element id="Composition.section:ergebnisse.emptyReason.coding">
1165   <path value="Composition.section.emptyReason.coding" />
1166   <min value="1" />
1167   <max value="1" />
1168   <mustSupport value="true" />
1169 </element>

```



```

1170     <element id="Composition.section:ergebnisse.emptyReason.coding.system">
1171       <path value="Composition.section.emptyReason.coding.system" />
1172       <min value="1" />
1173       <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1174     </element>
1175     <element id="Composition.section:ergebnisse.emptyReason.coding.version">
1176       <path value="Composition.section.emptyReason.coding.version" />
1177       <min value="1" />
1178       <fixedString value="4.0.1" />
1179     </element>
1180     <element id="Composition.section:ergebnisse.emptyReason.coding.code">
1181       <path value="Composition.section.emptyReason.coding.code" />
1182       <min value="1" />
1183       <fixedCode value="closed" />
1184     </element>
1185     <element id="Composition.section:ergebnisse.emptyReason.coding.display">
1186       <path value="Composition.section.emptyReason.coding.display" />
1187       <min value="1" />
1188       <fixedString value="Closed" />
1189     </element>
1190     <element id="Composition.section:ergebnisse.emptyReason.coding.userSele
cted">
1191       <path value="Composition.section.emptyReason.coding.userSelected" />
1192       <max value="0" />
1193     </element>
1194     <element id="Composition.section:ergebnisse.emptyReason.text">
1195       <path value="Composition.section.emptyReason.text" />
1196       <max value="0" />
1197     </element>
1198     <element id="Composition.section:ergebnisse.section">
1199       <path value="Composition.section.section" />
1200       <min value="1" />
1201       <max value="1" />
1202       <mustSupport value="true" />
1203     </element>
1204
1205     <element id="Composition.section:ergebnisse.section.extension">
1206       <path value="Composition.section.section.extension" />
1207       <slicing>
1208         <discriminator>
1209           <type value="value" />
1210           <path value="url" />
1211         </discriminator>
1212         <rules value="open" />
1213       </slicing>
1214     </element>
1215     <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis">
1216       <path value="Composition.section.section.extension" />
1217       <sliceName value="pruefungAufklaerungHinweis" />
1218       <min value="1" />
1219       <max value="1" />
1220       <type>
1221         <code value="Extension" />
1222         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMNote" />
1223       </type>
1224       <mustSupport value="true" />
1225     </element>

```

```

1226     <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis.value[x]">
1227         <path value="Composition.section.section.extension.value[x]" />
1228         <mustSupport value="true" />
1229     </element>
1230     <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis.value[x]:valueString">
1231         <path value="Composition.section.section.extension.value[x]" />
1232         <sliceName value="valueString" />
1233         <fixedString value="- Neugeborenen-Hörscreening - Screening auf
Hüftgelenksdysplasie und -luxation" />
1234         <mustSupport value="true" />
1235     </element>
1236
1237     <element id="Composition.section:ergebnisse.section.title">
1238         <path value="Composition.section.section.title" />
1239         <min value="1" />
1240         <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
1241         <mustSupport value="true" />
1242     </element>
1243     <element id="Composition.section:ergebnisse.section.code">
1244         <path value="Composition.section.section.code" />
1245         <min value="1" />
1246         <mustSupport value="true" />
1247     </element>
1248     <element id="Composition.section:ergebnisse.section.code.coding">
1249         <path value="Composition.section.section.code.coding" />
1250         <min value="1" />
1251         <max value="1" />
1252         <mustSupport value="true" />
1253     </element>
1254     <element id="Composition.section:ergebnisse.section.code.coding.system">
1255         <path value="Composition.section.section.code.coding.system" />
1256         <min value="1" />
1257         <fixedUri value="http://snomed.info/sct" />
1258     </element>
1259     <element id="Composition.section:ergebnisse.section.code.coding.version
">
1260         <path value="Composition.section.section.code.coding.version" />
1261         <min value="1" />
1262         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1263     </element>
1264     <element id="Composition.section:ergebnisse.section.code.coding.code">
1265         <path value="Composition.section.section.code.coding.code" />
1266         <min value="1" />
1267         <fixedCode value="722448004" />
1268     </element>
1269     <element id="Composition.section:ergebnisse.section.code.coding.display
">
1270         <path value="Composition.section.section.code.coding.display" />
1271         <min value="1" />
1272         <fixedString value="Treatment plan report (record artifact)" />
1273     </element>
1274     <element id="Composition.section:ergebnisse.section.code.coding.userSel
ected">
1275         <path value="Composition.section.section.code.coding.userSelected" />
1276         <max value="0" />
1277     </element>

```

```

1278 <element id="Composition.section:ergebnisse.section.code.text">
1279   <path value="Composition.section.section.code.text" />
1280   <max value="0" />
1281 </element>
1282 <element id="Composition.section:ergebnisse.section.author">
1283   <path value="Composition.section.section.author" />
1284   <max value="0" />
1285 </element>
1286 <element id="Composition.section:ergebnisse.section.focus">
1287   <path value="Composition.section.section.focus" />
1288   <max value="0" />
1289 </element>
1290 <element id="Composition.section:ergebnisse.section.text">
1291   <path value="Composition.section.section.text" />
1292   <max value="0" />
1293 </element>
1294 <element id="Composition.section:ergebnisse.section.mode">
1295   <path value="Composition.section.section.mode" />
1296   <max value="0" />
1297 </element>
1298 <element id="Composition.section:ergebnisse.section.orderedBy">
1299   <path value="Composition.section.section.orderedBy" />
1300   <max value="0" />
1301 </element>
1302 <element id="Composition.section:ergebnisse.section.entry">
1303   <path value="Composition.section.section.entry" />
1304   <max value="1" />
1305   <type>
1306     <code value="Reference" />
1307     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_U9_Status_Of_Immunization|1.0.1" />
1308   </type>
1309   <mustSupport value="true" />
1310 </element>
1311 <element id="Composition.section:ergebnisse.section.entry.reference">
1312   <path value="Composition.section.section.entry.reference" />
1313   <min value="1" />
1314   <mustSupport value="true" />
1315 </element>
1316 <element id="Composition.section:ergebnisse.section.entry.type">
1317   <path value="Composition.section.section.entry.type" />
1318   <max value="0" />
1319 </element>
1320 <element id="Composition.section:ergebnisse.section.entry.identifler">
1321   <path value="Composition.section.section.entry.identifler" />
1322   <max value="0" />
1323 </element>
1324 <element id="Composition.section:ergebnisse.section.entry.display">
1325   <path value="Composition.section.section.entry.display" />
1326   <max value="0" />
1327 </element>
1328 <element id="Composition.section:ergebnisse.section.emptyReason">
1329   <path value="Composition.section.section.emptyReason" />
1330   <max value="0" />
1331 </element>
1332 <element id="Composition.section:ergebnisse.section.section">
1333   <path value="Composition.section.section.section" />
1334   <max value="0" />
1335 </element>
1336 <element id="Composition.section:hoerscreening">

```

```

1337     <path value="Composition.section" />
1338     <sliceName value="hoerscreening" />
1339     <max value="1" />
1340     <mustSupport value="true" />
1341 </element>
1342 <element id="Composition.section:hoerscreening.title">
1343     <path value="Composition.section.title" />
1344     <min value="1" />
1345     <fixedString value="Neugeborenen-Hörscreening" />
1346     <mustSupport value="true" />
1347 </element>
1348 <element id="Composition.section:hoerscreening.code">
1349     <path value="Composition.section.code" />
1350     <min value="1" />
1351     <mustSupport value="true" />
1352 </element>
1353 <element id="Composition.section:hoerscreening.code.coding">
1354     <path value="Composition.section.code.coding" />
1355     <licing>
1356         <discriminator>
1357             <type value="value" />
1358             <path value="system" />
1359         </discriminator>
1360         <rules value="closed" />
1361     </licing>
1362     <min value="2" />
1363     <max value="2" />
1364     <mustSupport value="true" />
1365 </element>
1366 <element id="Composition.section:hoerscreening.code.coding:codeSnomed">
1367     <path value="Composition.section.code.coding" />
1368     <sliceName value="codeSnomed" />
1369     <min value="1" />
1370     <max value="1" />
1371     <mustSupport value="true" />
1372 </element>
1373 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.s
system">
1374     <path value="Composition.section.code.coding.system" />
1375     <min value="1" />
1376     <fixedUri value="http://snomed.info/sct" />
1377 </element>
1378 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.v
ersion">
1379     <path value="Composition.section.code.coding.version" />
1380     <min value="1" />
1381     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1382 </element>
1383 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.c
ode">
1384     <path value="Composition.section.code.coding.code" />
1385     <min value="1" />
1386     <fixedCode value="252957005" />
1387 </element>
1388 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.d
isplay">
1389     <path value="Composition.section.code.coding.display" />
1390     <min value="1" />
1391     <fixedString value="Children's hearing test (procedure)" />

```

```

1392     </element>
1393     <element id="Composition.section:hoerscreening.code.coding:codeSnomed.us
1394         <path value="Composition.section.code.coding.userSelected" />
1395         <max value="0" />
1396     </element>
1397     <element id="Composition.section:hoerscreening.code.coding:codeLoinc">
1398         <path value="Composition.section.code.coding" />
1399         <sliceName value="codeLoinc" />
1400         <min value="1" />
1401         <max value="1" />
1402         <mustSupport value="true" />
1403     </element>
1404     <element id="Composition.section:hoerscreening.code.coding:codeLoinc.system">
1405         <path value="Composition.section.code.coding.system" />
1406         <min value="1" />
1407         <fixedUri value="http://loinc.org" />
1408     </element>
1409     <element id="Composition.section:hoerscreening.code.coding:codeLoinc.ve
1410         <path value="Composition.section.code.coding.version" />
1411         <min value="1" />
1412         <fixedString value="2.69" />
1413     </element>
1414     <element id="Composition.section:hoerscreening.code.coding:codeLoinc.co
1415         <path value="Composition.section.code.coding.code" />
1416         <min value="1" />
1417         <fixedCode value="54111-0" />
1418     </element>
1419     <element id="Composition.section:hoerscreening.code.coding:codeLoinc.di
1420         <path value="Composition.section.code.coding.display" />
1421         <min value="1" />
1422         <fixedString value="Newborn hearing screening panel" />
1423     </element>
1424     <element id="Composition.section:hoerscreening.code.coding:codeLoinc.us
1425         <path value="Composition.section.code.coding.userSelected" />
1426         <max value="0" />
1427     </element>
1428     <element id="Composition.section:hoerscreening.author">
1429         <path value="Composition.section.author" />
1430         <max value="0" />
1431     </element>
1432     <element id="Composition.section:hoerscreening.focus">
1433         <path value="Composition.section.focus" />
1434         <max value="0" />
1435     </element>
1436     <element id="Composition.section:hoerscreening.text">
1437         <path value="Composition.section.text" />
1438         <definition value="In diesem Element ist mindestens der Titel der
1439             <min value="1" />
1440     </element>
1441     <element id="Composition.section:hoerscreening.text.status">
1442         <path value="Composition.section.text.status" />
1443         <fixedCode value="generated" />
1444     </element>

```

```

1445 <element id="Composition.section:hoerscreening.mode">
1446   <path value="Composition.section.mode" />
1447   <max value="0" />
1448 </element>
1449 <element id="Composition.section:hoerscreening.orderedBy">
1450   <path value="Composition.section.orderedBy" />
1451   <max value="0" />
1452 </element>
1453 <element id="Composition.section:hoerscreening.entry">
1454   <path value="Composition.section.entry" />
1455   <type>
1456     <code value="Reference" />
1457     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Neonatal_Hearscreening|1.0.1" />
1458     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service|
1.0.1" />
1459     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce|1.0.1" />
1460   </type>
1461   <mustSupport value="true" />
1462 </element>
1463 <element id="Composition.section:hoerscreening.entry.reference">
1464   <path value="Composition.section.entry.reference" />
1465   <min value="1" />
1466   <mustSupport value="true" />
1467 </element>
1468 <element id="Composition.section:hoerscreening.entry.type">
1469   <path value="Composition.section.entry.type" />
1470   <max value="0" />
1471 </element>
1472 <element id="Composition.section:hoerscreening.entry.identifier">
1473   <path value="Composition.section.entry.identifier" />
1474   <max value="0" />
1475 </element>
1476 <element id="Composition.section:hoerscreening.entry.display">
1477   <path value="Composition.section.entry.display" />
1478   <max value="0" />
1479 </element>
1480 <element id="Composition.section:hoerscreening.emptyReason">
1481   <path value="Composition.section.emptyReason" />
1482   <mustSupport value="true" />
1483 </element>
1484 <element id="Composition.section:hoerscreening.emptyReason.coding">
1485   <path value="Composition.section.emptyReason.coding" />
1486   <min value="1" />
1487   <max value="1" />
1488   <mustSupport value="true" />
1489 </element>
1490 <element id="Composition.section:hoerscreening.emptyReason.coding syste
m">
1491   <path value="Composition.section.emptyReason.coding.system" />
1492   <min value="1" />
1493   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1494 </element>
1495 <element id="Composition.section:hoerscreening.emptyReason.coding.versi
on">
1496   <path value="Composition.section.emptyReason.coding.version" />

```

```

1497     <min value="1" />
1498     <fixedString value="4.0.1" />
1499   </element>
1500   <element id="Composition.section:hoerscreening.emptyReason.coding.code">
1501     <path value="Composition.section.emptyReason.coding.code" />
1502     <min value="1" />
1503     <fixedCode value="closed" />
1504   </element>
1505   <element id="Composition.section:hoerscreening.emptyReason.coding.display">
1506     <path value="Composition.section.emptyReason.coding.display" />
1507     <min value="1" />
1508     <fixedString value="Closed" />
1509   </element>
1510   <element id="Composition.section:hoerscreening.emptyReason.coding.userSelected">
1511     <path value="Composition.section.emptyReason.coding.userSelected" />
1512     <max value="0" />
1513   </element>
1514   <element id="Composition.section:hoerscreening.emptyReason.text">
1515     <path value="Composition.section.emptyReason.text" />
1516     <max value="0" />
1517   </element>
1518   <element id="Composition.section:hoerscreening.section">
1519     <path value="Composition.section.section" />
1520     <max value="0" />
1521   </element>
1522   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung">
1523     <path value="Composition.section" />
1524     <sliceName value="orientierendeBeurteilungDerEntwicklung" />
1525     <min value="1" />
1526     <max value="1" />
1527     <mustSupport value="true" />
1528   </element>
1529   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung.extension">
1530     <path value="Composition.section.extension" />
1531     <slicing>
1532       <discriminator>
1533         <type value="value" />
1534         <path value="url" />
1535       </discriminator>
1536       <rules value="open" />
1537     </slicing>
1538   </element>
1539   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung.extension:beurteilungAnweisung">
1540     <path value="Composition.section.extension" />
1541     <sliceName value="beurteilungAnweisung" />
1542     <min value="1" />
1543     <max value="1" />
1544     <type>
1545       <code value="Extension" />
1546       <profile value="https://fhir.kbv.de/StructureDefinition/KBV_EX_MIO_CMRI_instruction" />
1547     </type>
1548     <mustSupport value="true" />
1549   </element>

```

```

1550     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]">
1551       <path value="Composition.section.extension.value[x]" />
1552       <mustSupport value="true" />
1553     </element>
1554     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]:valueString">
1555       <path value="Composition.section.extension.value[x]" />
1556       <sliceName value="valueString" />
1557       <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
werden!" />
1558       <mustSupport value="true" />
1559     </element>
1560     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungHinweis">
1561       <path value="Composition.section.extension" />
1562       <sliceName value="beurteilungHinweis" />
1563       <min value="1" />
1564       <max value="1" />
1565       <type>
1566         <code value="Extension" />
1567         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
1568       </type>
1569       <mustSupport value="true" />
1570     </element>
1571     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungHinweis.value[x]">
1572       <path value="Composition.section.extension.value[x]" />
1573       <mustSupport value="true" />
1574     </element>
1575     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungHinweis.value[x]:valueString">
1576       <path value="Composition.section.extension.value[x]" />
1577       <sliceName value="valueString" />
1578       <fixedString value="Beobachtung der Interaktion: Insbesondere die
folgenden Reaktionen des Kindes können der Ärztin oder dem Arzt als Hinweis
zur Einschätzung von Stimmung, Kommunikations- und Regulationsmöglichkeiten
des Kindes im Kontakt mit seiner primären Bezugsperson und als weitere
Grundlage für das Ärztin- oder Arzt-Elterngespräch dienen:" />
1579       <mustSupport value="true" />
1580     </element>
1581     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.title">
1582       <path value="Composition.section.title" />
1583       <min value="1" />
1584       <fixedString value="Orientierende Beurteilung der Entwicklung" />
1585       <mustSupport value="true" />
1586     </element>
1587     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code">
1588       <path value="Composition.section.code" />
1589       <min value="1" />
1590       <mustSupport value="true" />
1591     </element>
1592     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding">
1593       <path value="Composition.section.code.coding" />
1594       <min value="1" />
1595       <max value="1" />

```



```

1596     <mustSupport value="true" />
1597   </element>
1598   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1599     .code.coding.system">
1600     <path value="Composition.section.code.coding.system" />
1601     <min value="1" />
1602     <fixedUri value="http://snomed.info/sct" />
1603   </element>
1604   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1605     .code.coding.version">
1606     <path value="Composition.section.code.coding.version" />
1607     <min value="1" />
1608     <fixedString value="http://snomed.info/sct/900000000000207008/
1609     version/20210131" />
1610   </element>
1611   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1612     .code.coding.code">
1613     <path value="Composition.section.code.coding.code" />
1614     <min value="1" />
1615     <fixedCode value="406207000" />
1616   </element>
1617   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1618     .code.coding.display">
1619     <path value="Composition.section.code.coding.display" />
1620     <min value="1" />
1621     <fixedString value="Child development by age (observable entity)" />
1622   </element>
1623   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1624     .code.coding.userSelected">
1625     <path value="Composition.section.code.coding.userSelected" />
1626     <max value="0" />
1627   </element>
1628   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1629     .code.text">
1630     <path value="Composition.section.code.text" />
1631     <max value="0" />
1632   </element>
1633   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1634     .author">
1635     <path value="Composition.section.author" />
1636     <max value="0" />
1637   </element>
1638   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1639     .focus">
1640     <path value="Composition.section.focus" />
1641     <max value="0" />
1642   </element>
1643   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1644     .text">
1645     <path value="Composition.section.text" />
1646     <definition value="In diesem Element ist mindestens der Titel der
1647     Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1648     <min value="1" />
1649   </element>
1650   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1651     .text.status">
1652     <path value="Composition.section.text.status" />
1653     <fixedCode value="generated" />
1654   </element>

```

```

1643     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.mode">
1644       <path value="Composition.section.mode" />
1645       <max value="0" />
1646     </element>
1647     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.orderedBy">
1648       <path value="Composition.section.orderedBy" />
1649       <max value="0" />
1650     </element>
1651     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.entry">
1652       <path value="Composition.section.entry" />
1653       <type>
1654         <code value="Reference" />
1655         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Development_Assessment|1.0.1" />
1656         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U6_Indication_for_Abnormality|1.0.1" />
1657       </type>
1658       <mustSupport value="true" />
1659     </element>
1660     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.entry.reference">
1661       <path value="Composition.section.entry.reference" />
1662       <min value="1" />
1663       <mustSupport value="true" />
1664     </element>
1665     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.entry.type">
1666       <path value="Composition.section.entry.type" />
1667       <max value="0" />
1668     </element>
1669     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.entry.identifizier">
1670       <path value="Composition.section.entry.identifizier" />
1671       <max value="0" />
1672     </element>
1673     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.entry.display">
1674       <path value="Composition.section.entry.display" />
1675       <max value="0" />
1676     </element>
1677     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason">
1678       <path value="Composition.section.emptyReason" />
1679       <mustSupport value="true" />
1680     </element>
1681     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding">
1682       <path value="Composition.section.emptyReason.coding" />
1683       <min value="1" />
1684       <max value="1" />
1685       <mustSupport value="true" />
1686     </element>
1687     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.system">
1688       <path value="Composition.section.emptyReason.coding.system" />
1689       <min value="1" />

```

```

1690     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1691   </element>
1692   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.version">
1693     <path value="Composition.section.emptyReason.coding.version" />
1694     <min value="1" />
1695     <fixedString value="4.0.1" />
1696   </element>
1697   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.code">
1698     <path value="Composition.section.emptyReason.coding.code" />
1699     <min value="1" />
1700     <fixedCode value="closed" />
1701   </element>
1702   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.display">
1703     <path value="Composition.section.emptyReason.coding.display" />
1704     <min value="1" />
1705     <fixedString value="Closed" />
1706   </element>
1707   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.userSelected">
1708     <path value="Composition.section.emptyReason.coding.userSelected" />
1709     <max value="0" />
1710   </element>
1711   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.text">
1712     <path value="Composition.section.emptyReason.text" />
1713     <max value="0" />
1714   </element>
1715   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.section">
1716     <path value="Composition.section.section" />
1717     <max value="0" />
1718   </element>
1719   <element id="Composition.section:screeningHueftgelenksdysplasie">
1720     <path value="Composition.section" />
1721     <sliceName value="screeningHueftgelenksdysplasie" />
1722     <max value="1" />
1723     <mustSupport value="true" />
1724   </element>
1725   <element id="Composition.section:screeningHueftgelenksdysplasie.title">
1726     <path value="Composition.section.title" />
1727     <min value="1" />
1728     <fixedString value="Screening auf Hüftgelenksdysplasie und
-luxation" />
1729     <mustSupport value="true" />
1730   </element>
1731   <element id="Composition.section:screeningHueftgelenksdysplasie.code">
1732     <path value="Composition.section.code" />
1733     <min value="1" />
1734     <mustSupport value="true" />
1735   </element>
1736   <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding">
1737     <path value="Composition.section.code.coding" />
1738     <slicing>
1739       <discriminator>
1740         <type value="value" />

```

```

1741     <path value="system" />
1742   </discriminator>
1743   <rules value="closed" />
1744 </slicing>
1745 <min value="2" />
1746 <max value="2" />
1747 <mustSupport value="true" />
1748 </element>
1749 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed">
1750   <path value="Composition.section.code.coding" />
1751   <sliceName value="codeSnomed" />
1752   <min value="1" />
1753   <max value="1" />
1754   <mustSupport value="true" />
1755 </element>
1756 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.system">
1757   <path value="Composition.section.code.coding.system" />
1758   <min value="1" />
1759   <fixedUri value="http://snomed.info/sct" />
1760 </element>
1761 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.version">
1762   <path value="Composition.section.code.coding.version" />
1763   <min value="1" />
1764   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1765 </element>
1766 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.code">
1767   <path value="Composition.section.code.coding.code" />
1768   <min value="1" />
1769   <fixedCode value="171241003" />
1770 </element>
1771 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.display">
1772   <path value="Composition.section.code.coding.display" />
1773   <min value="1" />
1774   <fixedString value="Congenital dislocation of the hip screening
(procedure)" />
1775 </element>
1776 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeSnomed.userSelected">
1777   <path value="Composition.section.code.coding.userSelected" />
1778   <max value="0" />
1779 </element>
1780 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc">
1781   <path value="Composition.section.code.coding" />
1782   <sliceName value="codeLoinc" />
1783   <min value="1" />
1784   <max value="1" />
1785   <mustSupport value="true" />
1786 </element>
1787 <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.system">
1788   <path value="Composition.section.code.coding.system" />
1789   <min value="1" />
1790   <fixedUri value="http://loinc.org" />

```

```

1791     </element>
1792     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.version">
1793         <path value="Composition.section.code.coding.version" />
1794         <min value="1" />
1795         <fixedString value="2.69" />
1796     </element>
1797     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.code">
1798         <path value="Composition.section.code.coding.code" />
1799         <min value="1" />
1800         <fixedCode value="30711-6" />
1801     </element>
1802     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.display">
1803         <path value="Composition.section.code.coding.display" />
1804         <min value="1" />
1805         <fixedString value="US Hip developmental joint assessment" />
1806     </element>
1807     <element id="Composition.section:screeningHueftgelenksdysplasie.code.co
ding:codeLoinc.userSelected">
1808         <path value="Composition.section.code.coding.userSelected" />
1809         <max value="0" />
1810     </element>
1811     <element id="Composition.section:screeningHueftgelenksdysplasie.code.te
xt">
1812         <path value="Composition.section.code.text" />
1813         <max value="0" />
1814     </element>
1815     <element id="Composition.section:screeningHueftgelenksdysplasie.author">
1816         <path value="Composition.section.author" />
1817         <max value="0" />
1818     </element>
1819     <element id="Composition.section:screeningHueftgelenksdysplasie.focus">
1820         <path value="Composition.section.focus" />
1821         <max value="0" />
1822     </element>
1823     <element id="Composition.section:screeningHueftgelenksdysplasie.text">
1824         <path value="Composition.section.text" />
1825         <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1826         <min value="1" />
1827     </element>
1828     <element id="Composition.section:screeningHueftgelenksdysplasie.text.st
atus">
1829         <path value="Composition.section.text.status" />
1830         <fixedCode value="generated" />
1831     </element>
1832     <element id="Composition.section:screeningHueftgelenksdysplasie.mode">
1833         <path value="Composition.section.mode" />
1834         <max value="0" />
1835     </element>
1836     <element id="Composition.section:screeningHueftgelenksdysplasie.ordered
By">
1837         <path value="Composition.section.orderedBy" />
1838         <max value="0" />
1839     </element>
1840     <element id="Composition.section:screeningHueftgelenksdysplasie.entry">
1841         <path value="Composition.section.entry" />
1842         <type>

```

```

1843     <code value="Reference" />
1844     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U4_Hip_Screening_History|1.0.1" />
1845     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRCare_Plan_U3_U4_Hip_Screening_Plan|1.0.1" />
1846     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRDagnostic_Report_U3_U4_Hip_Screening|1.0.1" />
1847     </type>
1848     <mustSupport value="true" />
1849   </element>
1850   <element id="Composition.section:screeningHueftgelenksdysplasie.entry.r
eference">
1851     <path value="Composition.section.entry.reference" />
1852     <min value="1" />
1853     <mustSupport value="true" />
1854   </element>
1855   <element id="Composition.section:screeningHueftgelenksdysplasie.entry.t
ype">
1856     <path value="Composition.section.entry.type" />
1857     <max value="0" />
1858   </element>
1859   <element id="Composition.section:screeningHueftgelenksdysplasie.entry.i
dentifizier">
1860     <path value="Composition.section.entry.identifizier" />
1861     <max value="0" />
1862   </element>
1863   <element id="Composition.section:screeningHueftgelenksdysplasie.entry.d
isplay">
1864     <path value="Composition.section.entry.display" />
1865     <max value="0" />
1866   </element>
1867   <element id="Composition.section:screeningHueftgelenksdysplasie.emptyRe
ason">
1868     <path value="Composition.section.emptyReason" />
1869     <mustSupport value="true" />
1870   </element>
1871   <element id="Composition.section:screeningHueftgelenksdysplasie.emptyRe
ason.coding">
1872     <path value="Composition.section.emptyReason.coding" />
1873     <min value="1" />
1874     <max value="1" />
1875     <mustSupport value="true" />
1876   </element>
1877   <element id="Composition.section:screeningHueftgelenksdysplasie.emptyRe
ason.coding.system">
1878     <path value="Composition.section.emptyReason.coding.system" />
1879     <min value="1" />
1880     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1881   </element>
1882   <element id="Composition.section:screeningHueftgelenksdysplasie.emptyRe
ason.coding.version">
1883     <path value="Composition.section.emptyReason.coding.version" />
1884     <min value="1" />
1885     <fixedString value="4.0.1" />
1886   </element>
1887   <element id="Composition.section:screeningHueftgelenksdysplasie.emptyRe
ason.coding.code">
1888     <path value="Composition.section.emptyReason.coding.code" />
1889     <min value="1" />

```

```

1890     <fixedCode value="closed" />
1891 </element>
1892 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding.display">
1893     <path value="Composition.section.emptyReason.coding.display" />
1894     <min value="1" />
1895     <fixedString value="Closed" />
1896 </element>
1897 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.coding.userSelected">
1898     <path value="Composition.section.emptyReason.coding.userSelected" />
1899     <max value="0" />
1900 </element>
1901 <element id="Composition.section:screeningHueftgelenksdysplasie.emptyReason.text">
1902     <path value="Composition.section.emptyReason.text" />
1903     <max value="0" />
1904 </element>
1905 <element id="Composition.section:screeningHueftgelenksdysplasie.section">
1906     <path value="Composition.section.section" />
1907     <max value="0" />
1908 </element>
1909 <element id="Composition.section:perzentilkurven">
1910     <path value="Composition.section" />
1911     <sliceName value="perzentilkurven" />
1912     <max value="1" />
1913 </element>
1914 <element id="Composition.section:perzentilkurven.title">
1915     <path value="Composition.section.title" />
1916     <min value="1" />
1917     <fixedString value="Perzentilkurven" />
1918     <mustSupport value="true" />
1919 </element>
1920 <element id="Composition.section:perzentilkurven.code">
1921     <path value="Composition.section.code" />
1922     <min value="1" />
1923     <mustSupport value="true" />
1924 </element>
1925 <element id="Composition.section:perzentilkurven.code.coding">
1926     <path value="Composition.section.code.coding" />
1927     <min value="1" />
1928     <max value="1" />
1929     <mustSupport value="true" />
1930 </element>
1931 <element id="Composition.section:perzentilkurven.code.coding.system">
1932     <path value="Composition.section.code.coding.system" />
1933     <min value="1" />
1934     <fixedUri value="http://snomed.info/sct" />
1935 </element>
1936 <element id="Composition.section:perzentilkurven.code.coding.version">
1937     <path value="Composition.section.code.coding.version" />
1938     <min value="1" />
1939     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1940 </element>
1941 <element id="Composition.section:perzentilkurven.code.coding.code">
1942     <path value="Composition.section.code.coding.code" />
1943     <min value="1" />
1944     <fixedCode value="129822005" />

```

```

1945 </element>
1946 <element id="Composition.section:perzentilkurven.code.coding.display">
1947 <path value="Composition.section.code.coding.display" />
1948 <min value="1" />
1949 <fixedString value="Childhood growth AND/OR development finding
(finding)" />
1950 </element>
1951 <element id="Composition.section:perzentilkurven.code.coding.userSelected">
1952 <path value="Composition.section.code.coding.userSelected" />
1953 <max value="0" />
1954 </element>
1955 <element id="Composition.section:perzentilkurven.code.text">
1956 <path value="Composition.section.code.text" />
1957 <max value="0" />
1958 </element>
1959 <element id="Composition.section:perzentilkurven.author">
1960 <path value="Composition.section.author" />
1961 <max value="0" />
1962 </element>
1963 <element id="Composition.section:perzentilkurven.focus">
1964 <path value="Composition.section.focus" />
1965 <max value="0" />
1966 </element>
1967 <element id="Composition.section:perzentilkurven.text">
1968 <path value="Composition.section.text" />
1969 <min value="1" />
1970 </element>
1971 <element id="Composition.section:perzentilkurven.text.status">
1972 <path value="Composition.section.text.status" />
1973 <fixedCode value="generated" />
1974 </element>
1975 <element id="Composition.section:perzentilkurven.mode">
1976 <path value="Composition.section.mode" />
1977 <max value="0" />
1978 </element>
1979 <element id="Composition.section:perzentilkurven.orderedBy">
1980 <path value="Composition.section.orderedBy" />
1981 <max value="0" />
1982 </element>
1983 <element id="Composition.section:perzentilkurven.entry">
1984 <path value="Composition.section.entry" />
1985 <max value="1" />
1986 <type>
1987 <code value="Reference" />
1988 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_Percentile_Values|1.0.1" />
1989 </type>
1990 <mustSupport value="true" />
1991 </element>
1992 <element id="Composition.section:perzentilkurven.entry.reference">
1993 <path value="Composition.section.entry.reference" />
1994 <min value="1" />
1995 <mustSupport value="true" />
1996 </element>
1997 <element id="Composition.section:perzentilkurven.entry.type">
1998 <path value="Composition.section.entry.type" />
1999 <max value="0" />
2000 </element>
2001 <element id="Composition.section:perzentilkurven.entry.identifizier">

```



```

2002     <path value="Composition.section.entry.identifier" />
2003     <max value="0" />
2004 </element>
2005 <element id="Composition.section:perzentilkurven.entry.display">
2006     <path value="Composition.section.entry.display" />
2007     <max value="0" />
2008 </element>
2009 <element id="Composition.section:perzentilkurven.emptyReason">
2010     <path value="Composition.section.emptyReason" />
2011     <mustSupport value="true" />
2012 </element>
2013 <element id="Composition.section:perzentilkurven.emptyReason.coding">
2014     <path value="Composition.section.emptyReason.coding" />
2015     <min value="1" />
2016     <max value="1" />
2017     <mustSupport value="true" />
2018 </element>
2019 <element id="Composition.section:perzentilkurven.emptyReason.coding.system">
2020     <path value="Composition.section.emptyReason.coding.system" />
2021     <min value="1" />
2022     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
2023     reason" />
2024 </element>
2025 <element id="Composition.section:perzentilkurven.emptyReason.coding.ver
2026     sion">
2027     <path value="Composition.section.emptyReason.coding.version" />
2028     <min value="1" />
2029     <fixedString value="http://snomed.info/sct/900000000000207008/
2030     version/20210131" />
2031 </element>
2032 <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
2033     e">
2034     <path value="Composition.section.emptyReason.coding.code" />
2035     <min value="1" />
2036     <fixedCode value="closed" />
2037 </element>
2038 <element id="Composition.section:perzentilkurven.emptyReason.coding.dis
2039     play">
2040     <path value="Composition.section.emptyReason.coding.display" />
2041     <min value="1" />
2042     <fixedString value="Closed" />
2043 </element>
2044 <element id="Composition.section:perzentilkurven.emptyReason.coding.use
2045     rSelected">
2046     <path value="Composition.section.emptyReason.coding.userSelected" />
2047     <max value="0" />
2048 </element>
2049 <element id="Composition.section:perzentilkurven.emptyReason.text">
2050     <path value="Composition.section.emptyReason.text" />
2051     <max value="0" />
2052 </element>
</differential>
</StructureDefinition>

```

## 212. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U5

KBV_PR_MIO_CMR_Composition_U5	
1	<StructureDefinition xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/StructureDefinition/
3	KBV_PR_MIO_CMR_Composition_U5" />
4	<version value="1.0.1" />
5	<name value="KBV_PR_MIO_CMR_Composition_U5" />
6	<status value="draft" />
7	<publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc (http:// loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (Loinc) Committee and is available at no cost under the license at http://loinc.org/license. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />
9	<fhirVersion value="4.0.1" />
10	<mapping>
11	<identity value="workflow" />
12	<uri value="http://hl7.org/fhir/workflow" />
13	<name value="Workflow Pattern" />
14	</mapping>
15	<mapping>
16	<identity value="rim" />
17	<uri value="http://hl7.org/v3" />
18	<name value="RIM Mapping" />
19	</mapping>
20	<mapping>
21	<identity value="cda" />
22	<uri value="http://hl7.org/v3/cda" />
23	<name value="CDA (R2)" />
24	</mapping>
25	<mapping>
26	<identity value="fhirdocumentreference" />
27	<uri value="http://hl7.org/fhir/documentreference" />
28	<name value="FHIR DocumentReference" />
29	</mapping>

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil stellt die gesamte fünfte U-Untersuchung
dar." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U5|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87
88     <element id="Composition.extension">
89 <path value="Composition.extension" />
90 <slicing>
91     <discriminator>
92         <type value="value" />
93         <path value="url" />
94     </discriminator>
95     <rules value="open" />
96 </slicing>
97 </element>
98 <element id="Composition.extension:u5Einleitung">
99 <path value="Composition.extension" />
100 <sliceName value="u5Einleitung" />
101 <short value="U5 Einleitung" />
102 <min value="1" />
103 <max value="1" />
104 <type>
105     <code value="Extension" />
106     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
107 </type>
108 <mustSupport value="true" />
109 </element>
110 <element id="Composition.extension:u5Einleitung.value[x]">
111 <path value="Composition.extension.value[x]" />
112 <mustSupport value="true" />
113 </element>
114 <element id="Composition.extension:u5Einleitung.value[x]:valueString">
115 <path value="Composition.extension.value[x]" />
116 <sliceName value="valueString" />
117 <fixedString value="U5 Elterninformation zur Untersuchung vom 6. bis
zum 7. Lebensmonat Ihr Baby entwickelt sich weiter. Die meisten Babys
können ihren Oberkörper auf den gestützten Armen anheben. Sie lachen, wenn
sie geneckt werden und sie versuchen vielleicht schon, sich mit
mehrsilbigen Lautketten wie „dei-dei-dei“ mitzuteilen. Bei einigen Babys
setzt jetzt das „Fremdeln“ ein, Ihr Baby unterscheidet also in seinem
Verhalten zwischen bekannten und unbekanntem Personen. Typisch für dieses
Alter ist auch, dass Gegenstände in die Hand genommen und in den Mund
gesteckt werden. Die Ärztin oder der Arzt achtet bei der U5 insbesondere
darauf, ob es bei Ihrem Baby Hinweise auf Entwicklungsverzögerungen oder
-risiken gibt. Ihr Baby wird körperlich untersucht. Um Hinweise auf
Sehstörungen zu bekommen, werden zur Untersuchung der Augen bestimmte Tests
durchgeführt. Die Ärztin oder der Arzt beobachtet, wie beweglich Ihr Baby
ist und wie es seinen Körper beherrscht. Außerdem interessiert sich Ihre
Ärztin oder Ihr Arzt für den Kontakt zwischen Ihnen und Ihrem Baby. Ihre
Ärztin oder Ihr Arzt berät Sie zu den laut Impfkalender empfohlenen
Schutzimpfungen. Außerdem spricht die Ärztin oder der Arzt mit Ihnen über
Themen wie die Ernährung und Verdauung Ihres Babys sowie über Maßnahmen zur
Vermeidung des plötzlichen Kindstodes. Sehr wichtig ist das Gespräch über
Unfallverhütung, Ihr Verhalten, wenn das Baby schreit und die Vermeidung
von Schlafstörungen. Die Förderung der Sprachentwicklung ist ein weiteres
Thema. Weiterhin werden die Rachitisprophylaxe mittels Vitamin D und die
Kariesprophylaxe mittels Fluorid besprochen. Sie erhalten von der Ärztin
oder dem Arzt Rat zur kindlichen Mundhygiene. Zur Abklärung von
Auffälligkeiten an den Zähnen oder der Mundschleimhaut bei Ihrem Baby
werden Sie zur Zahnärztin oder zum Zahnarzt verwiesen. Sie erhalten
Informationen zu regionalen Unterstützungsangeboten (z. B. Eltern-Kind-
Hilfen, Frühen Hilfen)." />
118 <mustSupport value="true" />

```

```

119 </element>
120
121 <element id="Composition.identifier">
122   <path value="Composition.identifier" />
123   <max value="0" />
124 </element>
125
126 <element id="Composition.status">
127   <path value="Composition.status" />
128   <fixedCode value="final" />
129 </element>
130 <element id="Composition.type">
131   <path value="Composition.type" />
132   <mustSupport value="true" />
133 </element>
134 <element id="Composition.type.coding">
135   <path value="Composition.type.coding" />
136   <min value="1" />
137   <max value="1" />
138   <mustSupport value="true" />
139 </element>
140 <element id="Composition.type.coding.system">
141   <path value="Composition.type.coding.system" />
142   <min value="1" />
143   <fixedUri value="http://snomed.info/sct" />
144 </element>
145 <element id="Composition.type.coding.version">
146   <path value="Composition.type.coding.version" />
147   <min value="1" />
148   <fixedString value="http://snomed.info/sct/900000000000207008/
149   version/20210131" />
150 </element>
151 <element id="Composition.type.coding.code">
152   <path value="Composition.type.coding.code" />
153   <min value="1" />
154   <fixedCode value="170263002" />
155 </element>
156 <element id="Composition.type.coding.display">
157   <path value="Composition.type.coding.display" />
158   <min value="1" />
159   <fixedString value="Child 6 month examination (procedure)" />
160 </element>
161 <element id="Composition.type.coding.userSelected">
162   <path value="Composition.type.coding.userSelected" />
163   <max value="0" />
164 </element>
165 <element id="Composition.type.text">
166   <path value="Composition.type.text" />
167   <max value="0" />
168 </element>
169 <element id="Composition.category">
170   <path value="Composition.category" />
171   <min value="1" />
172   <max value="1" />
173   <mustSupport value="true" />
174 </element>
175 <element id="Composition.category.coding">
176   <path value="Composition.category.coding" />
177   <min value="1" />
178   <max value="1" />

```

```

178     <mustSupport value="true" />
179 </element>
180 <element id="Composition.category.coding.system">
181     <path value="Composition.category.coding.system" />
182     <min value="1" />
183     <fixedUri value="http://snomed.info/sct" />
184 </element>
185 <element id="Composition.category.coding.version">
186     <path value="Composition.category.coding.version" />
187     <min value="1" />
188     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
189 </element>
190 <element id="Composition.category.coding.code">
191     <path value="Composition.category.coding.code" />
192     <min value="1" />
193     <fixedCode value="243788004" />
194 </element>
195 <element id="Composition.category.coding.display">
196     <path value="Composition.category.coding.display" />
197     <min value="1" />
198     <fixedString value="Child examination (procedure)" />
199 </element>
200 <element id="Composition.category.coding.userSelected">
201     <path value="Composition.category.coding.userSelected" />
202     <max value="0" />
203 </element>
204 <element id="Composition.category.text">
205     <path value="Composition.category.text" />
206     <max value="0" />
207 </element>
208 <element id="Composition.subject">
209     <path value="Composition.subject" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="Composition.subject.reference">
218     <path value="Composition.subject.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="Composition.subject.type">
223     <path value="Composition.subject.type" />
224     <max value="0" />
225 </element>
226 <element id="Composition.subject.identifier">
227     <path value="Composition.subject.identifier" />
228     <max value="0" />
229 </element>
230 <element id="Composition.subject.display">
231     <path value="Composition.subject.display" />
232     <max value="0" />
233 </element>
234 <element id="Composition.encounter">
235     <path value="Composition.encounter" />

```

```

236     <min value="1" />
237     <type>
238         <code value="Reference" />
239         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
240     </type>
241     <mustSupport value="true" />
242 </element>
243 <element id="Composition.encounter.reference">
244     <path value="Composition.encounter.reference" />
245     <min value="1" />
246     <mustSupport value="true" />
247 </element>
248 <element id="Composition.encounter.type">
249     <path value="Composition.encounter.type" />
250     <max value="0" />
251 </element>
252 <element id="Composition.encounter.identifier">
253     <path value="Composition.encounter.identifier" />
254     <max value="0" />
255 </element>
256 <element id="Composition.encounter.display">
257     <path value="Composition.encounter.display" />
258     <max value="0" />
259 </element>
260 <element id="Composition.author">
261     <path value="Composition.author" />
262     <max value="2" />
263     <type>
264         <code value="Reference" />
265         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
266         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
267     </type>
268     <mustSupport value="true" />
269 </element>
270 <element id="Composition.author.reference">
271     <path value="Composition.author.reference" />
272     <min value="1" />
273     <mustSupport value="true" />
274 </element>
275 <element id="Composition.author.type">
276     <path value="Composition.author.type" />
277     <max value="0" />
278 </element>
279 <element id="Composition.author.identifier">
280     <path value="Composition.author.identifier" />
281     <max value="0" />
282 </element>
283 <element id="Composition.author.display">
284     <path value="Composition.author.display" />
285     <max value="0" />
286 </element>
287 <element id="Composition.title">
288     <path value="Composition.title" />
289     <fixedString value="U5" />
290     <mustSupport value="true" />
291 </element>
292 <element id="Composition.confidentiality">

```

```

293     <path value="Composition.confidentiality" />
294     <max value="0" />
295 </element>
296 <element id="Composition.attester">
297     <path value="Composition.attester" />
298     <max value="0" />
299 </element>
300 <element id="Composition.custodian">
301     <path value="Composition.custodian" />
302     <max value="0" />
303 </element>
304 <element id="Composition.relatesTo">
305     <path value="Composition.relatesTo" />
306     <max value="0" />
307 </element>
308 <element id="Composition.event">
309     <path value="Composition.event" />
310     <max value="0" />
311 </element>
312 <element id="Composition.section">
313     <path value="Composition.section" />
314     <slicing>
315         <discriminator>
316             <type value="value" />
317             <path value="title" />
318         </discriminator>
319         <rules value="closed" />
320     </slicing>
321     <mustSupport value="true" />
322 </element>
323 <element id="Composition.section:aktuelleAnamneseDesKindes">
324     <path value="Composition.section" />
325     <sliceName value="aktuelleAnamneseDesKindes" />
326     <min value="1" />
327     <max value="1" />
328     <mustSupport value="true" />
329 </element>
330 <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
331     <path value="Composition.section.extension" />
332     <slicing>
333         <discriminator>
334             <type value="value" />
335             <path value="url" />
336         </discriminator>
337         <rules value="open" />
338     </slicing>
339 </element>
340 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
341 amneseAnweisung">
342     <path value="Composition.section.extension" />
343     <sliceName value="anamneseAnweisung" />
344     <min value="1" />
345     <max value="1" />
346     <type>
347         <code value="Extension" />
348         <profile value="https://fhir.kbv.de/StructureDefinition/
349 KBV_EX_MIO_CMRI_Instruction" />
350     </type>
351     <mustSupport value="true" />
352 </element>

```



```

351     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]">
352       <path value="Composition.section.extension.value[x]" />
353       <mustSupport value="true" />
354     </element>
355     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]:valueString">
356       <path value="Composition.section.extension.value[x]" />
357       <sliceName value="valueString" />
358       <fixedString value="Zutreffendes bitte ankreuzen!" />
359       <mustSupport value="true" />
360     </element>
361     <element id="Composition.section:aktuelleAnamneseDesKindes.title">
362       <path value="Composition.section.title" />
363       <min value="1" />
364       <fixedString value="Aktuelle Anamnese des Kindes" />
365       <mustSupport value="true" />
366     </element>
367     <element id="Composition.section:aktuelleAnamneseDesKindes.code">
368       <path value="Composition.section.code" />
369       <min value="1" />
370       <mustSupport value="true" />
371     </element>
372     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
373       <path value="Composition.section.code.coding" />
374       <min value="1" />
375       <max value="1" />
376       <mustSupport value="true" />
377     </element>
378     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
379       <path value="Composition.section.code.coding.system" />
380       <min value="1" />
381       <fixedUri value="http://snomed.info/sct" />
382     </element>
383     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
384       <path value="Composition.section.code.coding.version" />
385       <min value="1" />
386       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
387     </element>
388     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
389       <path value="Composition.section.code.coding.code" />
390       <min value="1" />
391       <fixedCode value="423374008" />
392     </element>
393     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
394       <path value="Composition.section.code.coding.display" />
395       <min value="1" />
396       <fixedString value="Review of systems section (record artifact)" />
397     </element>
398     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
399       <path value="Composition.section.code.coding.userSelected" />
400       <max value="0" />
401     </element>
402     <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">

```

```

403     <path value="Composition.section.code.text" />
404     <max value="0" />
405 </element>
406 <element id="Composition.section:aktuelleAnamneseDesKindes.author">
407     <path value="Composition.section.author" />
408     <max value="0" />
409 </element>
410 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">
411     <path value="Composition.section.focus" />
412     <max value="0" />
413 </element>
414 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
415     <path value="Composition.section.text" />
416     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
417     <min value="1" />
418 </element>
419 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
420     <path value="Composition.section.text.status" />
421     <fixedCode value="generated" />
422 </element>
423 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
424     <path value="Composition.section.mode" />
425     <max value="0" />
426 </element>
427 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
428     <path value="Composition.section.orderedBy" />
429     <max value="0" />
430 </element>
431 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
432     <path value="Composition.section.entry" />
433     <type>
434         <code value="Reference" />
435         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U5_Current_Child_History|1.0.1" />
436     </type>
437     <mustSupport value="true" />
438 </element>
439 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
440     <path value="Composition.section.entry.reference" />
441     <min value="1" />
442     <mustSupport value="true" />
443 </element>
444 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
445     <path value="Composition.section.entry.type" />
446     <max value="0" />
447 </element>
448 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
449     <path value="Composition.section.entry.identifizier" />
450     <max value="0" />
451 </element>
452 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
453     <path value="Composition.section.entry.display" />
454     <max value="0" />
455 </element>
456 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
457     <path value="Composition.section.emptyReason" />

```

```

458     <mustSupport value="true" />
459 </element>
460 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
461     <path value="Composition.section.emptyReason.coding" />
462     <min value="1" />
463     <max value="1" />
464     <mustSupport value="true" />
465 </element>
466 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
467     <path value="Composition.section.emptyReason.coding.system" />
468     <min value="1" />
469     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
470 </element>
471 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
472     <path value="Composition.section.emptyReason.coding.version" />
473     <min value="1" />
474     <fixedString value="4.0.1" />
475 </element>
476 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
477     <path value="Composition.section.emptyReason.coding.code" />
478     <min value="1" />
479     <fixedCode value="closed" />
480 </element>
481 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
482     <path value="Composition.section.emptyReason.coding.display" />
483     <min value="1" />
484     <fixedString value="Closed" />
485 </element>
486 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
487     <path value="Composition.section.emptyReason.coding.userSelected" />
488     <max value="0" />
489 </element>
490 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
491     <path value="Composition.section.emptyReason.text" />
492     <max value="0" />
493 </element>
494 <element id="Composition.section:aktuelleAnamneseDesKindes.section">
495     <path value="Composition.section.section" />
496     <max value="0" />
497 </element>
498 <element id="Composition.section:sozialanamnese">
499     <path value="Composition.section" />
500     <sliceName value="sozialanamnese" />
501     <min value="1" />
502     <max value="1" />
503     <mustSupport value="true" />
504 </element>
505 <element id="Composition.section:sozialanamnese.extension">
506     <path value="Composition.section.extension" />
507     <licing>
508         <discriminator>
509             <type value="value" />

```

```

510         <path value="url" />
511     </discriminator>
512     <rules value="open" />
513 </slicing>
514 </element>
515 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
516     <path value="Composition.section.extension" />
517     <sliceName value="anamneseAnweisung" />
518     <min value="1" />
519     <max value="1" />
520     <type>
521         <code value="Extension" />
522         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
523     </type>
524     <mustSupport value="true" />
525 </element>
526 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
527     <path value="Composition.section.extension.value[x]" />
528     <mustSupport value="true" />
529 </element>
530 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
531     <path value="Composition.section.extension.value[x]" />
532     <sliceName value="valueString" />
533     <fixedString value="Zutreffendes bitte ankreuzen!" />
534     <mustSupport value="true" />
535 </element>
536 <element id="Composition.section:sozialanamnese.title">
537     <path value="Composition.section.title" />
538     <min value="1" />
539     <fixedString value="Sozialanamnese" />
540     <mustSupport value="true" />
541 </element>
542 <element id="Composition.section:sozialanamnese.code">
543     <path value="Composition.section.code" />
544     <min value="1" />
545     <mustSupport value="true" />
546 </element>
547 <element id="Composition.section:sozialanamnese.code.coding">
548     <path value="Composition.section.code.coding" />
549     <min value="1" />
550     <max value="1" />
551     <mustSupport value="true" />
552 </element>
553 <element id="Composition.section:sozialanamnese.code.coding.system">
554     <path value="Composition.section.code.coding.system" />
555     <min value="1" />
556     <fixedUri value="http://snomed.info/sct" />
557 </element>
558 <element id="Composition.section:sozialanamnese.code.coding.version">
559     <path value="Composition.section.code.coding.version" />
560     <min value="1" />
561     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
562 </element>
563 <element id="Composition.section:sozialanamnese.code.coding.code">
564     <path value="Composition.section.code.coding.code" />

```

```

565     <min value="1" />
566     <fixedCode value="281575007" />
567 </element>
568 <element id="Composition.section:sozialanamnese.code.coding.display">
569   <path value="Composition.section.code.coding.display" />
570   <min value="1" />
571   <fixedString value="Family social history (situation)" />
572 </element>
573 <element id="Composition.section:sozialanamnese.code.coding.userSelecte
d">
574   <path value="Composition.section.code.coding.userSelected" />
575   <max value="0" />
576 </element>
577 <element id="Composition.section:sozialanamnese.code.text">
578   <path value="Composition.section.code.text" />
579   <max value="0" />
580 </element>
581 <element id="Composition.section:sozialanamnese.author">
582   <path value="Composition.section.author" />
583   <max value="0" />
584 </element>
585 <element id="Composition.section:sozialanamnese.focus">
586   <path value="Composition.section.focus" />
587   <max value="0" />
588 </element>
589 <element id="Composition.section:sozialanamnese.text">
590   <path value="Composition.section.text" />
591   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
592   <min value="1" />
593 </element>
594 <element id="Composition.section:sozialanamnese.text.status">
595   <path value="Composition.section.text.status" />
596   <fixedCode value="generated" />
597 </element>
598 <element id="Composition.section:sozialanamnese.mode">
599   <path value="Composition.section.mode" />
600   <max value="0" />
601 </element>
602 <element id="Composition.section:sozialanamnese.orderedBy">
603   <path value="Composition.section.orderedBy" />
604   <max value="0" />
605 </element>
606 <element id="Composition.section:sozialanamnese.entry">
607   <path value="Composition.section.entry" />
608   <type>
609     <code value="Reference" />
610     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U9_Social_History|1.0.1" />
611   </type>
612   <mustSupport value="true" />
613 </element>
614 <element id="Composition.section:sozialanamnese.entry.reference">
615   <path value="Composition.section.entry.reference" />
616   <min value="1" />
617   <mustSupport value="true" />
618 </element>
619 <element id="Composition.section:sozialanamnese.entry.type">
620   <path value="Composition.section.entry.type" />
621   <max value="0" />

```

```

622 </element>
623 <element id="Composition.section:sozialanamnese.entry.identifizier">
624   <path value="Composition.section.entry.identifizier" />
625   <max value="0" />
626 </element>
627 <element id="Composition.section:sozialanamnese.entry.display">
628   <path value="Composition.section.entry.display" />
629   <max value="0" />
630 </element>
631 <element id="Composition.section:sozialanamnese.emptyReason">
632   <path value="Composition.section.emptyReason" />
633   <mustSupport value="true" />
634 </element>
635 <element id="Composition.section:sozialanamnese.emptyReason.coding">
636   <path value="Composition.section.emptyReason.coding" />
637   <min value="1" />
638   <max value="1" />
639   <mustSupport value="true" />
640 </element>
641 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
642   <path value="Composition.section.emptyReason.coding.system" />
643   <min value="1" />
644   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
645 </element>
646 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
647   <path value="Composition.section.emptyReason.coding.version" />
648   <min value="1" />
649   <fixedString value="4.0.1" />
650 </element>
651 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
652   <path value="Composition.section.emptyReason.coding.code" />
653   <min value="1" />
654   <fixedCode value="closed" />
655 </element>
656 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
657   <path value="Composition.section.emptyReason.coding.display" />
658   <min value="1" />
659   <fixedString value="Closed" />
660 </element>
661 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
662   <path value="Composition.section.emptyReason.coding.userSelected" />
663   <max value="0" />
664 </element>
665 <element id="Composition.section:sozialanamnese.emptyReason.text">
666   <path value="Composition.section.emptyReason.text" />
667   <max value="0" />
668 </element>
669 <element id="Composition.section:sozialanamnese.section">
670   <path value="Composition.section.section" />
671   <max value="0" />
672 </element>
673 <element id="Composition.section:untersuchung">
674   <path value="Composition.section" />
675   <sliceName value="untersuchung" />

```

```

676     <min value="1" />
677     <max value="1" />
678     <mustSupport value="true" />
679 </element>
680 <element id="Composition.section:untersuchung.extension">
681   <path value="Composition.section.extension" />
682   <slicing>
683     <discriminator>
684       <type value="value" />
685       <path value="url" />
686     </discriminator>
687     <rules value="open" />
688   </slicing>
689 </element>
690 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung">
691   <path value="Composition.section.extension" />
692   <sliceName value="untersuchungAnweisung" />
693   <min value="1" />
694   <max value="1" />
695   <type>
696     <code value="Extension" />
697     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMV_Instruction" />
698   </type>
699   <mustSupport value="true" />
700 </element>
701 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]">
702   <path value="Composition.section.extension.value[x]" />
703   <mustSupport value="true" />
704 </element>
705 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]:valueString">
706   <path value="Composition.section.extension.value[x]" />
707   <sliceName value="valueString" />
708   <fixedString value="Nur Auffälligkeiten ankreuzen!" />
709   <mustSupport value="true" />
710 </element>
711 <element id="Composition.section:untersuchung.title">
712   <path value="Composition.section.title" />
713   <min value="1" />
714   <fixedString value="Körperliche Untersuchung" />
715   <mustSupport value="true" />
716 </element>
717 <element id="Composition.section:untersuchung.code">
718   <path value="Composition.section.code" />
719   <min value="1" />
720   <mustSupport value="true" />
721 </element>
722 <element id="Composition.section:untersuchung.code.coding">
723   <path value="Composition.section.code.coding" />
724   <min value="1" />
725   <max value="1" />
726   <mustSupport value="true" />
727 </element>
728 <element id="Composition.section:untersuchung.code.coding.system">
729   <path value="Composition.section.code.coding.system" />
730   <min value="1" />
731   <fixedUri value="http://snomed.info/sct" />

```

```

732 </element>
733 <element id="Composition.section:untersuchung.code.coding.version">
734 <path value="Composition.section.code.coding.version" />
735 <min value="1" />
736 <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
737 </element>
738 <element id="Composition.section:untersuchung.code.coding.code">
739 <path value="Composition.section.code.coding.code" />
740 <min value="1" />
741 <fixedCode value="425044008" />
742 </element>
743 <element id="Composition.section:untersuchung.code.coding.display">
744 <path value="Composition.section.code.coding.display" />
745 <min value="1" />
746 <fixedString value="Physical exam section (record artifact)" />
747 </element>
748 <element id="Composition.section:untersuchung.code.coding.userSelected">
749 <path value="Composition.section.code.coding.userSelected" />
750 <max value="0" />
751 </element>
752 <element id="Composition.section:untersuchung.code.text">
753 <path value="Composition.section.code.text" />
754 <max value="0" />
755 </element>
756 <element id="Composition.section:untersuchung.author">
757 <path value="Composition.section.author" />
758 <max value="0" />
759 </element>
760 <element id="Composition.section:untersuchung.focus">
761 <path value="Composition.section.focus" />
762 <max value="0" />
763 </element>
764 <element id="Composition.section:untersuchung.text">
765 <path value="Composition.section.text" />
766 <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
767 <min value="1" />
768 </element>
769 <element id="Composition.section:untersuchung.text.status">
770 <path value="Composition.section.text.status" />
771 <fixedCode value="generated" />
772 </element>
773 <element id="Composition.section:untersuchung.mode">
774 <path value="Composition.section.mode" />
775 <max value="0" />
776 </element>
777 <element id="Composition.section:untersuchung.orderedBy">
778 <path value="Composition.section.orderedBy" />
779 <max value="0" />
780 </element>
781 <element id="Composition.section:untersuchung.entry">
782 <path value="Composition.section.entry" />
783 <type>
784 <code value="Reference" />
785 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U9_Physical_Exam_Skin|1.0.1" />
786 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_Physical_Exam_Chest_Lung_Respiratory_Tr
act|1.0.1" />

```



```

787     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U5_U6_Physical_Exam_Abdomen_Genitals|
1.0.1" />
788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulation|1.0.1" />
789     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U5_Physical_Exam_Musculoskeletal_System|
1.0.1" />
790     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U5_U6_Physical_Exam_Head|1.0.1" />
791     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U5_Physical_Exam_Mouth_Nose|1.0.1" />
792     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U4_U5_Physical_Exam_Eyes|1.0.1" />
793     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
794   </type>
795   <mustSupport value="true" />
796 </element>
797 <element id="Composition.section.untersuchung.entry.reference">
798   <path value="Composition.section.entry.reference" />
799   <min value="1" />
800   <mustSupport value="true" />
801 </element>
802 <element id="Composition.section.untersuchung.entry.type">
803   <path value="Composition.section.entry.type" />
804   <max value="0" />
805 </element>
806 <element id="Composition.section.untersuchung.entry.identifizier">
807   <path value="Composition.section.entry.identifizier" />
808   <max value="0" />
809 </element>
810 <element id="Composition.section.untersuchung.entry.display">
811   <path value="Composition.section.entry.display" />
812   <max value="0" />
813 </element>
814 <element id="Composition.section.untersuchung.emptyReason">
815   <path value="Composition.section.emptyReason" />
816   <mustSupport value="true" />
817 </element>
818 <element id="Composition.section.untersuchung.emptyReason.coding">
819   <path value="Composition.section.emptyReason.coding" />
820   <min value="1" />
821   <max value="1" />
822   <mustSupport value="true" />
823 </element>
824 <element id="Composition.section.untersuchung.emptyReason.coding.system
">
825   <path value="Composition.section.emptyReason.coding.system" />
826   <min value="1" />
827   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
828 </element>
829 <element id="Composition.section.untersuchung.emptyReason.coding.version">
830   <path value="Composition.section.emptyReason.coding.version" />
831   <min value="1" />
832   <fixedString value="4.0.1" />
833 </element>

```

```

834 <element id="Composition.section:untersuchung.emptyReason.coding.code">
835   <path value="Composition.section.emptyReason.coding.code" />
836   <min value="1" />
837   <fixedCode value="closed" />
838 </element>
839 <element id="Composition.section:untersuchung.emptyReason.coding.display">
840   <path value="Composition.section.emptyReason.coding.display" />
841   <min value="1" />
842   <fixedString value="Closed" />
843 </element>
844 <element id="Composition.section:untersuchung.emptyReason.coding.userSelected">
845   <path value="Composition.section.emptyReason.coding.userSelected" />
846   <max value="0" />
847 </element>
848 <element id="Composition.section:untersuchung.emptyReason.text">
849   <path value="Composition.section.emptyReason.text" />
850   <max value="0" />
851 </element>
852 <element id="Composition.section:untersuchung.section">
853   <path value="Composition.section.section" />
854   <max value="0" />
855 </element>
856 <element id="Composition.section:beratung">
857   <path value="Composition.section" />
858   <sliceName value="beratung" />
859   <min value="1" />
860   <max value="1" />
861   <mustSupport value="true" />
862 </element>
863 <element id="Composition.section:beratung.extension">
864   <path value="Composition.section.extension" />
865   <licing>
866     <discriminator>
867       <type value="value" />
868       <path value="url" />
869     </discriminator>
870     <rules value="open" />
871   </licing>
872 </element>
873 <element id="Composition.section:beratung.extension:beratungAnweisung">
874   <path value="Composition.section.extension" />
875   <sliceName value="beratungAnweisung" />
876   <min value="1" />
877   <max value="1" />
878   <type>
879     <code value="Extension" />
880     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
881   </type>
882   <mustSupport value="true" />
883 </element>
884 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]">
885   <path value="Composition.section.extension.value[x]" />
886   <mustSupport value="true" />
887 </element>
888 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]:valueString">

```

```

889     <path value="Composition.section.extension.value[x]" />
890     <sliceName value="valueString" />
891     <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
892     <mustSupport value="true" />
893 </element>
894 <element id="Composition.section:beratung.extension:beratungHinweis">
895     <path value="Composition.section.extension" />
896     <sliceName value="beratungHinweis" />
897     <min value="1" />
898     <max value="1" />
899     <type>
900         <code value="Extension" />
901         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
902     </type>
903     <mustSupport value="true" />
904 </element>
905 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]">
906     <path value="Composition.section.extension.value[x]" />
907     <mustSupport value="true" />
908 </element>
909 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]:valueString">
910     <path value="Composition.section.extension.value[x]" />
911     <sliceName value="valueString" />
912     <fixedString value="Beratung vor allem zu folgenden Themen:" />
913     <mustSupport value="true" />
914 </element>
915 <element id="Composition.section:beratung.title">
916     <path value="Composition.section.title" />
917     <min value="1" />
918     <fixedString value="Beratung" />
919     <mustSupport value="true" />
920 </element>
921 <element id="Composition.section:beratung.code">
922     <path value="Composition.section.code" />
923     <min value="1" />
924     <mustSupport value="true" />
925 </element>
926 <element id="Composition.section:beratung.code.coding">
927     <path value="Composition.section.code.coding" />
928     <min value="1" />
929     <max value="1" />
930     <mustSupport value="true" />
931 </element>
932 <element id="Composition.section:beratung.code.coding.system">
933     <path value="Composition.section.code.coding.system" />
934     <min value="1" />
935     <fixedUri value="http://snomed.info/sct" />
936 </element>
937 <element id="Composition.section:beratung.code.coding.version">
938     <path value="Composition.section.code.coding.version" />
939     <min value="1" />
940     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
941 </element>
942 <element id="Composition.section:beratung.code.coding.code">
943     <path value="Composition.section.code.coding.code" />

```

```

944     <min value="1" />
945     <fixedCode value="409066002" />
946   </element>
947   <element id="Composition.section:beratung.code.coding.display">
948     <path value="Composition.section.code.coding.display" />
949     <min value="1" />
950     <fixedString value="Education, guidance and counseling (procedure)" /
>
951   </element>
952   <element id="Composition.section:beratung.code.coding.userSelected">
953     <path value="Composition.section.code.coding.userSelected" />
954     <max value="0" />
955   </element>
956   <element id="Composition.section:beratung.code.text">
957     <path value="Composition.section.code.text" />
958     <max value="0" />
959   </element>
960   <element id="Composition.section:beratung.author">
961     <path value="Composition.section.author" />
962     <max value="0" />
963   </element>
964   <element id="Composition.section:beratung.focus">
965     <path value="Composition.section.focus" />
966     <max value="0" />
967   </element>
968   <element id="Composition.section:beratung.text">
969     <path value="Composition.section.text" />
970     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
971     <min value="1" />
972   </element>
973   <element id="Composition.section:beratung.text.status">
974     <path value="Composition.section.text.status" />
975     <fixedCode value="generated" />
976   </element>
977   <element id="Composition.section:beratung.mode">
978     <path value="Composition.section.mode" />
979     <max value="0" />
980   </element>
981   <element id="Composition.section:beratung.orderedBy">
982     <path value="Composition.section.orderedBy" />
983     <max value="0" />
984   </element>
985   <element id="Composition.section:beratung.entry">
986     <path value="Composition.section.entry" />
987     <type>
988       <code value="Reference" />
989       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U5_Consultation|1.0.1" />
990       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
991     </type>
992     <mustSupport value="true" />
993   </element>
994   <element id="Composition.section:beratung.entry.reference">
995     <path value="Composition.section.entry.reference" />
996     <min value="1" />
997     <mustSupport value="true" />
998   </element>
999   <element id="Composition.section:beratung.entry.type">

```

```

1000     <path value="Composition.section.entry.type" />
1001     <max value="0" />
1002 </element>
1003 <element id="Composition.section:beratung.entry.identifrier">
1004     <path value="Composition.section.entry.identifrier" />
1005     <max value="0" />
1006 </element>
1007 <element id="Composition.section:beratung.entry.display">
1008     <path value="Composition.section.entry.display" />
1009     <max value="0" />
1010 </element>
1011 <element id="Composition.section:beratung.emptyReason">
1012     <path value="Composition.section.emptyReason" />
1013     <mustSupport value="true" />
1014 </element>
1015 <element id="Composition.section:beratung.emptyReason.coding">
1016     <path value="Composition.section.emptyReason.coding" />
1017     <min value="1" />
1018     <max value="1" />
1019     <mustSupport value="true" />
1020 </element>
1021 <element id="Composition.section:beratung.emptyReason.coding.system">
1022     <path value="Composition.section.emptyReason.coding.system" />
1023     <min value="1" />
1024     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1025 </element>
1026 <element id="Composition.section:beratung.emptyReason.coding.version">
1027     <path value="Composition.section.emptyReason.coding.version" />
1028     <min value="1" />
1029     <fixedString value="4.0.1" />
1030 </element>
1031 <element id="Composition.section:beratung.emptyReason.coding.code">
1032     <path value="Composition.section.emptyReason.coding.code" />
1033     <min value="1" />
1034     <fixedCode value="closed" />
1035 </element>
1036 <element id="Composition.section:beratung.emptyReason.coding.display">
1037     <path value="Composition.section.emptyReason.coding.display" />
1038     <min value="1" />
1039     <fixedString value="Closed" />
1040 </element>
1041 <element id="Composition.section:beratung.emptyReason.coding.userSelect
ed">
1042     <path value="Composition.section.emptyReason.coding.userSelected" />
1043     <max value="0" />
1044 </element>
1045 <element id="Composition.section:beratung.emptyReason.text">
1046     <path value="Composition.section.emptyReason.text" />
1047     <max value="0" />
1048 </element>
1049 <element id="Composition.section:beratung.section">
1050     <path value="Composition.section.section" />
1051     <max value="0" />
1052 </element>
1053 <element id="Composition.section:ergebnisse">
1054     <path value="Composition.section" />
1055     <sliceName value="ergebnisse" />
1056     <min value="1" />
1057     <max value="1" />

```

```

1058     <mustSupport value="true" />
1059 </element>
1060
1061
1062 <element id="Composition.section:ergebnisse.title">
1063   <path value="Composition.section.title" />
1064   <min value="1" />
1065   <fixedString value="Ergebnisse" />
1066   <mustSupport value="true" />
1067 </element>
1068 <element id="Composition.section:ergebnisse.code">
1069   <path value="Composition.section.code" />
1070   <min value="1" />
1071   <mustSupport value="true" />
1072 </element>
1073 <element id="Composition.section:ergebnisse.code.coding">
1074   <path value="Composition.section.code.coding" />
1075   <min value="1" />
1076   <max value="1" />
1077   <mustSupport value="true" />
1078 </element>
1079 <element id="Composition.section:ergebnisse.code.coding.system">
1080   <path value="Composition.section.code.coding.system" />
1081   <min value="1" />
1082   <fixedUri value="http://snomed.info/sct" />
1083 </element>
1084 <element id="Composition.section:ergebnisse.code.coding.version">
1085   <path value="Composition.section.code.coding.version" />
1086   <min value="1" />
1087   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1088 </element>
1089 <element id="Composition.section:ergebnisse.code.coding.code">
1090   <path value="Composition.section.code.coding.code" />
1091   <min value="1" />
1092   <fixedCode value="423100009" />
1093 </element>
1094 <element id="Composition.section:ergebnisse.code.coding.display">
1095   <path value="Composition.section.code.coding.display" />
1096   <min value="1" />
1097   <fixedString value="Results section (record artifact)" />
1098 </element>
1099 <element id="Composition.section:ergebnisse.code.coding.userSelected">
1100   <path value="Composition.section.code.coding.userSelected" />
1101   <max value="0" />
1102 </element>
1103 <element id="Composition.section:ergebnisse.code.text">
1104   <path value="Composition.section.code.text" />
1105   <max value="0" />
1106 </element>
1107 <element id="Composition.section:ergebnisse.author">
1108   <path value="Composition.section.author" />
1109   <max value="0" />
1110 </element>
1111 <element id="Composition.section:ergebnisse.focus">
1112   <path value="Composition.section.focus" />
1113   <max value="0" />
1114 </element>
1115 <element id="Composition.section:ergebnisse.text">
1116   <path value="Composition.section.text" />

```

```

1117     <definition value="In diesem Element ist mindestens der Titel der
1118     Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1119     <min value="1" />
1120 </element>
1121 <element id="Composition.section:ergebnisse.text.status">
1122     <path value="Composition.section.text.status" />
1123     <fixedCode value="generated" />
1124 </element>
1125 <element id="Composition.section:ergebnisse.mode">
1126     <path value="Composition.section.mode" />
1127     <max value="0" />
1128 </element>
1129 <element id="Composition.section:ergebnisse.orderedBy">
1130     <path value="Composition.section.orderedBy" />
1131     <max value="0" />
1132 </element>
1133 <element id="Composition.section:ergebnisse.entry">
1134     <path value="Composition.section.entry" />
1135     <type>
1136         <code value="Reference" />
1137         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1138         KBV_PR_MIO_CMRObservation_U2_U9_Relevant_History_Results|1.0.1" />
1139         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1140         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1141         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1142         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1143         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1144         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1145         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1146         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1147         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1148         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1149         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1150         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1151         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1152         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1153         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1154         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1155         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1156         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1157         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1158         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1159         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1160         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1161         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1162         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1163         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1164         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1165         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1166         KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
1167     </type>
1168     <mustSupport value="true" />
1169 </element>
1170 <element id="Composition.section:ergebnisse.entry.reference">
1171     <path value="Composition.section.entry.reference" />
1172     <min value="1" />
1173     <mustSupport value="true" />
1174 </element>
1175 <element id="Composition.section:ergebnisse.entry.type">
1176     <path value="Composition.section.entry.type" />
1177     <max value="0" />
1178 </element>
1179 <element id="Composition.section:ergebnisse.entry.identifler">
1180     <path value="Composition.section.entry.identifler" />
1181     <max value="0" />
1182 </element>
1183 <element id="Composition.section:ergebnisse.entry.display">
1184     <path value="Composition.section.entry.display" />
1185     <max value="0" />
1186 </element>
1187 <element id="Composition.section:ergebnisse.emptyReason">
1188     <path value="Composition.section.emptyReason" />

```

```

1167     <mustSupport value="true" />
1168 </element>
1169 <element id="Composition.section:ergebnisse.emptyReason.coding">
1170   <path value="Composition.section.emptyReason.coding" />
1171   <min value="1" />
1172   <max value="1" />
1173   <mustSupport value="true" />
1174 </element>
1175 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
1176   <path value="Composition.section.emptyReason.coding.system" />
1177   <min value="1" />
1178   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1179 </element>
1180 <element id="Composition.section:ergebnisse.emptyReason.coding.version">
1181   <path value="Composition.section.emptyReason.coding.version" />
1182   <min value="1" />
1183   <fixedString value="4.0.1" />
1184 </element>
1185 <element id="Composition.section:ergebnisse.emptyReason.coding.code">
1186   <path value="Composition.section.emptyReason.coding.code" />
1187   <min value="1" />
1188   <fixedCode value="closed" />
1189 </element>
1190 <element id="Composition.section:ergebnisse.emptyReason.coding.display">
1191   <path value="Composition.section.emptyReason.coding.display" />
1192   <min value="1" />
1193   <fixedString value="Closed" />
1194 </element>
1195 <element id="Composition.section:ergebnisse.emptyReason.coding.userSele
cted">
1196   <path value="Composition.section.emptyReason.coding.userSelected" />
1197   <max value="0" />
1198 </element>
1199 <element id="Composition.section:ergebnisse.emptyReason.text">
1200   <path value="Composition.section.emptyReason.text" />
1201   <max value="0" />
1202 </element>
1203 <element id="Composition.section:ergebnisse.section">
1204   <path value="Composition.section.section" />
1205   <min value="1" />
1206   <max value="1" />
1207   <mustSupport value="true" />
1208 </element>
1209 <element id="Composition.section:ergebnisse.section.extension">
1210   <path value="Composition.section.section.extension" />
1211   <licing>
1212     <discriminator>
1213       <type value="value" />
1214       <path value="url" />
1215     </discriminator>
1216     <rules value="open" />
1217   </licing>
1218 </element>
1219 <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis">
1220   <path value="Composition.section.section.extension" />
1221   <sliceName value="pruefungAufklaerungHinweis" />
1222   <min value="1" />
1223   <max value="1" />

```



```

1224     <type>
1225         <code value="Extension" />
1226         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
1227     </type>
1228     <mustSupport value="true" />
1229 </element>
1230 <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis.value[x]">
1231     <path value="Composition.section.section.extension.value[x]" />
1232     <mustSupport value="true" />
1233 </element>
1234 <element id="Composition.section:ergebnisse.section.extension:pruefungA
ufklaerungHinweis.value[x]:valueString">
1235     <path value="Composition.section.section.extension.value[x]" />
1236     <sliceName value="valueString" />
1237     <fixedString value="- Neugeborenen-Hörscreening" />
1238     <mustSupport value="true" />
1239 </element>
1240 <element id="Composition.section:ergebnisse.section.title">
1241     <path value="Composition.section.section.title" />
1242     <min value="1" />
1243     <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
1244     <mustSupport value="true" />
1245 </element>
1246 <element id="Composition.section:ergebnisse.section.code">
1247     <path value="Composition.section.section.code" />
1248     <min value="1" />
1249     <mustSupport value="true" />
1250 </element>
1251 <element id="Composition.section:ergebnisse.section.code.coding">
1252     <path value="Composition.section.section.code.coding" />
1253     <min value="1" />
1254     <max value="1" />
1255     <mustSupport value="true" />
1256 </element>
1257 <element id="Composition.section:ergebnisse.section.code.coding.system">
1258     <path value="Composition.section.section.code.coding.system" />
1259     <min value="1" />
1260     <fixedUri value="http://snomed.info/sct" />
1261     <mustSupport value="true" />
1262 </element>
1263 <element id="Composition.section:ergebnisse.section.code.coding.version
">
1264     <path value="Composition.section.section.code.coding.version" />
1265     <min value="1" />
1266     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1267     <mustSupport value="true" />
1268 </element>
1269 <element id="Composition.section:ergebnisse.section.code.coding.code">
1270     <path value="Composition.section.section.code.coding.code" />
1271     <min value="1" />
1272     <fixedCode value="722448004" />
1273     <mustSupport value="true" />
1274 </element>
1275 <element id="Composition.section:ergebnisse.section.code.coding.display
">
1276     <path value="Composition.section.section.code.coding.display" />

```

```

1277     <min value="1" />
1278     <fixedString value="Treatment plan report (record artifact)" />
1279     <mustSupport value="true" />
1280   </element>
1281   <element id="Composition.section:ergebnisse.section.code.coding.userSelected">
1282     <path value="Composition.section.section.code.coding.userSelected" />
1283     <max value="0" />
1284   </element>
1285   <element id="Composition.section:ergebnisse.section.code.text">
1286     <path value="Composition.section.section.code.text" />
1287     <max value="0" />
1288   </element>
1289   <element id="Composition.section:ergebnisse.section.author">
1290     <path value="Composition.section.section.author" />
1291     <max value="0" />
1292   </element>
1293   <element id="Composition.section:ergebnisse.section.focus">
1294     <path value="Composition.section.section.focus" />
1295     <max value="0" />
1296   </element>
1297   <element id="Composition.section:ergebnisse.section.text">
1298     <path value="Composition.section.section.text" />
1299     <max value="0" />
1300   </element>
1301   <element id="Composition.section:ergebnisse.section.mode">
1302     <path value="Composition.section.section.mode" />
1303     <max value="0" />
1304   </element>
1305   <element id="Composition.section:ergebnisse.section.orderedBy">
1306     <path value="Composition.section.section.orderedBy" />
1307     <max value="0" />
1308   </element>
1309   <element id="Composition.section:ergebnisse.section.entry">
1310     <path value="Composition.section.section.entry" />
1311     <max value="1" />
1312     <type>
1313       <code value="Reference" />
1314       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_U9_Status_Of_Immunization|1.0.1" />
1315     </type>
1316     <mustSupport value="true" />
1317   </element>
1318   <element id="Composition.section:ergebnisse.section.entry.reference">
1319     <path value="Composition.section.section.entry.reference" />
1320     <min value="1" />
1321     <mustSupport value="true" />
1322   </element>
1323   <element id="Composition.section:ergebnisse.section.entry.type">
1324     <path value="Composition.section.section.entry.type" />
1325     <max value="0" />
1326   </element>
1327   <element id="Composition.section:ergebnisse.section.entry.identifrier">
1328     <path value="Composition.section.section.entry.identifrier" />
1329     <max value="0" />
1330   </element>
1331   <element id="Composition.section:ergebnisse.section.entry.display">
1332     <path value="Composition.section.section.entry.display" />
1333     <max value="0" />
1334   </element>

```

```

1335 <element id="Composition.section:ergebnisse.section.emptyReason">
1336   <path value="Composition.section.section.emptyReason" />
1337   <max value="0" />
1338 </element>
1339 <element id="Composition.section:ergebnisse.section.section">
1340   <path value="Composition.section.section.section" />
1341   <max value="0" />
1342 </element>
1343 <element id="Composition.section:hoerscreening">
1344   <path value="Composition.section" />
1345   <sliceName value="hoerscreening" />
1346   <max value="1" />
1347   <mustSupport value="true" />
1348 </element>
1349 <element id="Composition.section:hoerscreening.title">
1350   <path value="Composition.section.title" />
1351   <min value="1" />
1352   <fixedString value="Neugeborenen-Hörscreening" />
1353   <mustSupport value="true" />
1354 </element>
1355 <element id="Composition.section:hoerscreening.code">
1356   <path value="Composition.section.code" />
1357   <min value="1" />
1358   <mustSupport value="true" />
1359 </element>
1360 <element id="Composition.section:hoerscreening.code.coding">
1361   <path value="Composition.section.code.coding" />
1362   <licing>
1363     <discriminator>
1364       <type value="value" />
1365       <path value="system" />
1366     </discriminator>
1367     <rules value="closed" />
1368   </licing>
1369   <min value="2" />
1370   <max value="2" />
1371   <mustSupport value="true" />
1372 </element>
1373 <element id="Composition.section:hoerscreening.code.coding:codeSnomed">
1374   <path value="Composition.section.code.coding" />
1375   <sliceName value="codeSnomed" />
1376   <min value="1" />
1377   <max value="1" />
1378   <mustSupport value="true" />
1379 </element>
1380 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.s
system">
1381   <path value="Composition.section.code.coding.system" />
1382   <min value="1" />
1383   <fixedUri value="http://snomed.info/sct" />
1384 </element>
1385 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.v
ersion">
1386   <path value="Composition.section.code.coding.version" />
1387   <min value="1" />
1388   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1389 </element>
1390 <element id="Composition.section:hoerscreening.code.coding:codeSnomed.c
ode">

```

```

1391     <path value="Composition.section.code.coding.code" />
1392     <min value="1" />
1393     <fixedCode value="252957005" />
1394   </element>
1395   <element id="Composition.section:hoerscreening.code.coding:codeSnomed.d
isplay">
1396     <path value="Composition.section.code.coding.display" />
1397     <min value="1" />
1398     <fixedString value="Children's hearing test (procedure)" />
1399   </element>
1400   <element id="Composition.section:hoerscreening.code.coding:codeSnomed.u
serSelected">
1401     <path value="Composition.section.code.coding.userSelected" />
1402     <max value="0" />
1403   </element>
1404   <element id="Composition.section:hoerscreening.code.coding:codeLoinc">
1405     <path value="Composition.section.code.coding" />
1406     <sliceName value="codeLoinc" />
1407     <min value="1" />
1408     <max value="1" />
1409     <mustSupport value="true" />
1410   </element>
1411   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.sy
stem">
1412     <path value="Composition.section.code.coding.system" />
1413     <min value="1" />
1414     <fixedUri value="http://loinc.org" />
1415   </element>
1416   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.ve
rsion">
1417     <path value="Composition.section.code.coding.version" />
1418     <min value="1" />
1419     <fixedString value="2.69" />
1420   </element>
1421   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.co
de">
1422     <path value="Composition.section.code.coding.code" />
1423     <min value="1" />
1424     <fixedCode value="54111-0" />
1425   </element>
1426   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.di
splay">
1427     <path value="Composition.section.code.coding.display" />
1428     <min value="1" />
1429     <fixedString value="Newborn hearing screening panel" />
1430   </element>
1431   <element id="Composition.section:hoerscreening.code.coding:codeLoinc.us
erSelected">
1432     <path value="Composition.section.code.coding.userSelected" />
1433     <max value="0" />
1434   </element>
1435   <element id="Composition.section:hoerscreening.code.text">
1436     <path value="Composition.section.code.text" />
1437     <max value="0" />
1438   </element>
1439   <element id="Composition.section:hoerscreening.author">
1440     <path value="Composition.section.author" />
1441     <max value="0" />
1442   </element>
1443   <element id="Composition.section:hoerscreening.focus">

```

```

1444     <path value="Composition.section.focus" />
1445     <max value="0" />
1446 </element>
1447 <element id="Composition.section:hoerscreening.text">
1448     <path value="Composition.section.text" />
1449     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1450     <min value="1" />
1451 </element>
1452 <element id="Composition.section:hoerscreening.text.status">
1453     <path value="Composition.section.text.status" />
1454     <fixedCode value="generated" />
1455 </element>
1456 <element id="Composition.section:hoerscreening.mode">
1457     <path value="Composition.section.mode" />
1458     <max value="0" />
1459 </element>
1460 <element id="Composition.section:hoerscreening.orderedBy">
1461     <path value="Composition.section.orderedBy" />
1462     <max value="0" />
1463 </element>
1464 <element id="Composition.section:hoerscreening.entry">
1465     <path value="Composition.section.entry" />
1466     <type>
1467         <code value="Reference" />
1468         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Neonatal_Hearscreening|1.0.1" />
1469         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service|
1.0.1" />
1470         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce|1.0.1" />
1471     </type>
1472     <mustSupport value="true" />
1473 </element>
1474 <element id="Composition.section:hoerscreening.entry.reference">
1475     <path value="Composition.section.entry.reference" />
1476     <min value="1" />
1477     <mustSupport value="true" />
1478 </element>
1479 <element id="Composition.section:hoerscreening.entry.type">
1480     <path value="Composition.section.entry.type" />
1481     <max value="0" />
1482 </element>
1483 <element id="Composition.section:hoerscreening.entry.identifler">
1484     <path value="Composition.section.entry.identifler" />
1485     <max value="0" />
1486 </element>
1487 <element id="Composition.section:hoerscreening.entry.display">
1488     <path value="Composition.section.entry.display" />
1489     <max value="0" />
1490 </element>
1491 <element id="Composition.section:hoerscreening.emptyReason">
1492     <path value="Composition.section.emptyReason" />
1493     <mustSupport value="true" />
1494 </element>
1495 <element id="Composition.section:hoerscreening.emptyReason.coding">
1496     <path value="Composition.section.emptyReason.coding" />
1497     <min value="1" />

```

```

1498     <max value="1" />
1499     <mustSupport value="true" />
1500 </element>
1501 <element id="Composition.section:hoerscreening.emptyReason.coding.system"
1502     <path value="Composition.section.emptyReason.coding.system" />
1503     <min value="1" />
1504     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
1505     </element>
1506     <element id="Composition.section:hoerscreening.emptyReason.coding.version"
1507     <path value="Composition.section.emptyReason.coding.version" />
1508     <min value="1" />
1509     <fixedString value="4.0.1" />
1510 </element>
1511 <element id="Composition.section:hoerscreening.emptyReason.coding.code"
1512     <path value="Composition.section.emptyReason.coding.code" />
1513     <min value="1" />
1514     <fixedCode value="closed" />
1515 </element>
1516 <element id="Composition.section:hoerscreening.emptyReason.coding.display"
1517     <path value="Composition.section.emptyReason.coding.display" />
1518     <min value="1" />
1519     <fixedString value="Closed" />
1520 </element>
1521 <element id="Composition.section:hoerscreening.emptyReason.coding.userSelected"
1522     <path value="Composition.section.emptyReason.coding.userSelected" />
1523     <max value="0" />
1524 </element>
1525 <element id="Composition.section:hoerscreening.emptyReason.text"
1526     <path value="Composition.section.emptyReason.text" />
1527     <max value="0" />
1528 </element>
1529 <element id="Composition.section:hoerscreening.section"
1530     <path value="Composition.section.section" />
1531     <max value="0" />
1532 </element>
1533 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung"
1534     <path value="Composition.section" />
1535     <sliceName value="orientierendeBeurteilungDerEntwicklung" />
1536     <min value="1" />
1537     <max value="1" />
1538     <mustSupport value="true" />
1539 </element>
1540 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung.extension"
1541     <path value="Composition.section.extension" />
1542     <slicing>
1543         <discriminator>
1544             <type value="value" />
1545             <path value="url" />
1546         </discriminator>
1547         <rules value="open" />
1548     </slicing>
1549 </element>

```

```

1550     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1551     .extension:beurteilungAnweisung">
1552         <path value="Composition.section.extension" />
1553         <sliceName value="beurteilungAnweisung" />
1554         <min value="1" />
1555         <max value="1" />
1556         <type>
1557             <code value="Extension" />
1558             <profile value="https://fhir.kbv.de/StructureDefinition/
1559             KBV_EX_MIO_CMR_Instruction" />
1560         </type>
1561         <mustSupport value="true" />
1562     </element>
1563     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1564     .extension:beurteilungAnweisung.value[x]">
1565         <path value="Composition.section.extension.value[x]" />
1566         <mustSupport value="true" />
1567     </element>
1568     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1569     .extension:beurteilungAnweisung.value[x]:valueString">
1570         <path value="Composition.section.extension.value[x]" />
1571         <sliceName value="valueString" />
1572         <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
1573         werden!" />
1574         <mustSupport value="true" />
1575     </element>
1576     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1577     .extension:beurteilungHinweis">
1578         <path value="Composition.section.extension" />
1579         <sliceName value="beurteilungHinweis" />
1580         <min value="1" />
1581         <max value="1" />
1582         <type>
1583             <code value="Extension" />
1584             <profile value="https://fhir.kbv.de/StructureDefinition/
1585             KBV_EX_MIO_CMR_Note" />
1586         </type>
1587         <mustSupport value="true" />
1588     </element>
1589     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1590     .extension:beurteilungHinweis.value[x]">
1591         <path value="Composition.section.extension.value[x]" />
1592         <mustSupport value="true" />
1593     </element>
1594     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1595     .extension:beurteilungHinweis.value[x]:valueString">
1596         <path value="Composition.section.extension.value[x]" />
1597         <sliceName value="valueString" />
1598         <fixedString value="Beobachtung der Interaktion: Insbesondere die
1599         folgenden Reaktionen des Kindes können der Ärztin oder dem Arzt als Hinweis
1600         zur Einschätzung von Stimmung, Kommunikations- und Regulationsmöglichkeiten
1601         des Kindes im Kontakt mit seiner primären Bezugsperson und als weitere
1602         Grundlage für das Ärztin- oder Arzt-Elterngespräch dienen:" />
1603         <mustSupport value="true" />
1604     </element>
1605     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1606     .title">
1607         <path value="Composition.section.title" />
1608         <min value="1" />
1609         <fixedString value="Orientierende Beurteilung der Entwicklung" />

```

```

1596     <mustSupport value="true" />
1597   </element>
1598   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1599     .code">
1600     <path value="Composition.section.code" />
1601     <min value="1" />
1602     <mustSupport value="true" />
1603   </element>
1604   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1605     .code.coding">
1606     <path value="Composition.section.code.coding" />
1607     <min value="1" />
1608     <max value="1" />
1609     <mustSupport value="true" />
1610   </element>
1611   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1612     .code.coding.system">
1613     <path value="Composition.section.code.coding.system" />
1614     <min value="1" />
1615     <fixedUri value="http://snomed.info/sct" />
1616   </element>
1617   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1618     .code.coding.version">
1619     <path value="Composition.section.code.coding.version" />
1620     <min value="1" />
1621     <fixedString value="http://snomed.info/sct/900000000000207008/
1622     version/20210131" />
1623   </element>
1624   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1625     .code.coding.code">
1626     <path value="Composition.section.code.coding.code" />
1627     <min value="1" />
1628     <fixedCode value="406207000" />
1629   </element>
1630   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1631     .code.coding.display">
1632     <path value="Composition.section.code.coding.display" />
1633     <min value="1" />
1634     <fixedString value="Child development by age (observable entity)" />
1635     <mustSupport value="false" />
1636   </element>
1637   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1638     .code.coding.userSelected">
1639     <path value="Composition.section.code.coding.userSelected" />
1640     <max value="0" />
1641   </element>
1642   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1643     .code.text">
1644     <path value="Composition.section.code.text" />
1645     <max value="0" />
1646   </element>
1647   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1648     .author">
1649     <path value="Composition.section.author" />
1650     <max value="0" />
1651   </element>
1652   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1653     .focus">
1654     <path value="Composition.section.focus" />
1655     <max value="0" />

```



```

1645     </element>
1646     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1647     .text">
1648         <path value="Composition.section.text" />
1649         <definition value="In diesem Element ist mindestens der Titel der
1650         Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1651         <min value="1" />
1652     </element>
1653     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1654     .text.status">
1655         <path value="Composition.section.text.status" />
1656         <fixedCode value="generated" />
1657     </element>
1658     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1659     .mode">
1660         <path value="Composition.section.mode" />
1661         <max value="0" />
1662     </element>
1663     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1664     .orderedBy">
1665         <path value="Composition.section.orderedBy" />
1666         <max value="0" />
1667     </element>
1668     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1669     .entry">
1670         <path value="Composition.section.entry" />
1671         <type>
1672             <code value="Reference" />
1673             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1674             KBV_PR_MIO_CMRObservation_U5_Development_Assessment|1.0.1" />
1675             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1676             KBV_PR_MIO_CMRObservation_U3_U6_Indication_for_Abnormality|1.0.1" />
1677         </type>
1678         <mustSupport value="true" />
1679     </element>
1680     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1681     .entry.reference">
1682         <path value="Composition.section.entry.reference" />
1683         <min value="1" />
1684         <mustSupport value="true" />
1685     </element>
1686     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1687     .entry.type">
1688         <path value="Composition.section.entry.type" />
1689         <max value="0" />
1690     </element>
1691     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1692     .entry.identifier">
1693         <path value="Composition.section.entry.identifier" />
1694         <max value="0" />
1695     </element>
1696     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1697     .entry.display">
1698         <path value="Composition.section.entry.display" />
1699         <max value="0" />
1700     </element>
1701     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1702     .emptyReason">
1703         <path value="Composition.section.emptyReason" />
1704         <mustSupport value="true" />

```

```

1692     </element>
1693     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding">
1694         <path value="Composition.section.emptyReason.coding" />
1695         <min value="1" />
1696         <max value="1" />
1697         <mustSupport value="true" />
1698     </element>
1699     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.system">
1700         <path value="Composition.section.emptyReason.coding.system" />
1701         <min value="1" />
1702         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1703     </element>
1704     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.version">
1705         <path value="Composition.section.emptyReason.coding.version" />
1706         <min value="1" />
1707         <fixedString value="4.0.1" />
1708     </element>
1709     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.code">
1710         <path value="Composition.section.emptyReason.coding.code" />
1711         <min value="1" />
1712         <fixedCode value="closed" />
1713     </element>
1714     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.display">
1715         <path value="Composition.section.emptyReason.coding.display" />
1716         <min value="1" />
1717         <fixedString value="Closed" />
1718     </element>
1719     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.userSelected">
1720         <path value="Composition.section.emptyReason.coding.userSelected" />
1721         <max value="0" />
1722     </element>
1723     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.text">
1724         <path value="Composition.section.emptyReason.text" />
1725         <max value="0" />
1726     </element>
1727     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.section">
1728         <path value="Composition.section.section" />
1729         <max value="0" />
1730     </element>
1731     <element id="Composition.section:perzentilkurven">
1732         <path value="Composition.section" />
1733         <sliceName value="perzentilkurven" />
1734         <max value="1" />
1735         <mustSupport value="true" />
1736     </element>
1737     <element id="Composition.section:perzentilkurven.title">
1738         <path value="Composition.section.title" />
1739         <min value="1" />
1740         <fixedString value="Perzentilkurven" />
1741         <mustSupport value="true" />
1742     </element>

```

```

1743 <element id="Composition.section:perzentilkurven.code">
1744   <path value="Composition.section.code" />
1745   <min value="1" />
1746   <mustSupport value="true" />
1747 </element>
1748 <element id="Composition.section:perzentilkurven.code.coding">
1749   <path value="Composition.section.code.coding" />
1750   <min value="1" />
1751   <max value="1" />
1752   <mustSupport value="true" />
1753 </element>
1754 <element id="Composition.section:perzentilkurven.code.coding.system">
1755   <path value="Composition.section.code.coding.system" />
1756   <min value="1" />
1757   <fixedUri value="http://snomed.info/sct" />
1758 </element>
1759 <element id="Composition.section:perzentilkurven.code.coding.version">
1760   <path value="Composition.section.code.coding.version" />
1761   <min value="1" />
1762   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1763 </element>
1764 <element id="Composition.section:perzentilkurven.code.coding.code">
1765   <path value="Composition.section.code.coding.code" />
1766   <min value="1" />
1767   <fixedCode value="129822005" />
1768 </element>
1769 <element id="Composition.section:perzentilkurven.code.coding.display">
1770   <path value="Composition.section.code.coding.display" />
1771   <min value="1" />
1772   <fixedString value="Childhood growth AND/OR development finding
(finding)" />
1773 </element>
1774 <element id="Composition.section:perzentilkurven.code.coding.userSelect
ed">
1775   <path value="Composition.section.code.coding.userSelected" />
1776   <max value="0" />
1777 </element>
1778 <element id="Composition.section:perzentilkurven.code.text">
1779   <path value="Composition.section.code.text" />
1780   <max value="0" />
1781 </element>
1782 <element id="Composition.section:perzentilkurven.author">
1783   <path value="Composition.section.author" />
1784   <max value="0" />
1785 </element>
1786 <element id="Composition.section:perzentilkurven.focus">
1787   <path value="Composition.section.focus" />
1788   <max value="0" />
1789 </element>
1790 <element id="Composition.section:perzentilkurven.text">
1791   <path value="Composition.section.text" />
1792   <min value="1" />
1793 </element>
1794 <element id="Composition.section:perzentilkurven.text.status">
1795   <path value="Composition.section.text.status" />
1796   <fixedCode value="generated" />
1797 </element>
1798 <element id="Composition.section:perzentilkurven.mode">
1799   <path value="Composition.section.mode" />

```

```

1800     <max value="0" />
1801 </element>
1802 <element id="Composition.section.perzentilkurven.orderedBy">
1803   <path value="Composition.section.orderedBy" />
1804   <max value="0" />
1805 </element>
1806 <element id="Composition.section.perzentilkurven.entry">
1807   <path value="Composition.section.entry" />
1808   <max value="1" />
1809   <type>
1810     <code value="Reference" />
1811     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values|1.0.1" />
1812   </type>
1813   <mustSupport value="true" />
1814 </element>
1815 <element id="Composition.section.perzentilkurven.entry.reference">
1816   <path value="Composition.section.entry.reference" />
1817   <min value="1" />
1818   <mustSupport value="true" />
1819 </element>
1820 <element id="Composition.section.perzentilkurven.entry.type">
1821   <path value="Composition.section.entry.type" />
1822   <max value="0" />
1823 </element>
1824 <element id="Composition.section.perzentilkurven.entry.identifier">
1825   <path value="Composition.section.entry.identifier" />
1826   <max value="0" />
1827 </element>
1828 <element id="Composition.section.perzentilkurven.entry.display">
1829   <path value="Composition.section.entry.display" />
1830   <max value="0" />
1831 </element>
1832 <element id="Composition.section.perzentilkurven.emptyReason">
1833   <path value="Composition.section.emptyReason" />
1834   <mustSupport value="true" />
1835 </element>
1836 <element id="Composition.section.perzentilkurven.emptyReason.coding">
1837   <path value="Composition.section.emptyReason.coding" />
1838   <min value="1" />
1839   <max value="1" />
1840   <mustSupport value="true" />
1841 </element>
1842 <element id="Composition.section.perzentilkurven.emptyReason.coding.sys
tem">
1843   <path value="Composition.section.emptyReason.coding.system" />
1844   <min value="1" />
1845   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1846 </element>
1847 <element id="Composition.section.perzentilkurven.emptyReason.coding.ver
sion">
1848   <path value="Composition.section.emptyReason.coding.version" />
1849   <min value="1" />
1850   <fixedString value="4.0.1" />
1851 </element>
1852 <element id="Composition.section.perzentilkurven.emptyReason.coding.cod
e">
1853   <path value="Composition.section.emptyReason.coding.code" />
1854   <min value="1" />

```

```
1855     <fixedCode value="closed" />
1856   </element>
1857   <element id="Composition.section:perzentilkurven.emptyReason.coding.display">
1858     <path value="Composition.section.emptyReason.coding.display" />
1859     <min value="1" />
1860     <fixedString value="Closed" />
1861   </element>
1862   <element id="Composition.section:perzentilkurven.emptyReason.coding.userSelected">
1863     <path value="Composition.section.emptyReason.coding.userSelected" />
1864     <max value="0" />
1865   </element>
1866   <element id="Composition.section:perzentilkurven.emptyReason.text">
1867     <path value="Composition.section.emptyReason.text" />
1868     <max value="0" />
1869   </element>
1870   <element id="Composition.section:perzentilkurven.section">
1871     <path value="Composition.section.section" />
1872     <max value="0" />
1873   </element>
1874 </differential>
1875 </StructureDefinition>
```

## 213. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U6

### KBV\_PR\_MIO\_CMR\_Composition\_U6

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U6" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Composition_U6" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="cda" />
22     <uri value="http://hl7.org/v3/cda" />
23     <name value="CDA (R2)" />
24   </mapping>
25   <mapping>
26     <identity value="fhirdocumentreference" />
27     <uri value="http://hl7.org/fhir/documentreference" />
28     <name value="FHIR DocumentReference" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil stellt die gesamte sechste U-Untersuchung
dar." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U6|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87
88     <element id="Composition.extension">
89 <path value="Composition.extension" />
90 <slicing>
91     <discriminator>
92         <type value="value" />
93         <path value="url" />
94     </discriminator>
95     <rules value="open" />
96 </slicing>
97 </element>
98 <element id="Composition.extension:u6Einleitung">
99 <path value="Composition.extension" />
100 <sliceName value="u6Einleitung" />
101 <min value="1" />
102 <max value="1" />
103 <type>
104     <code value="Extension" />
105     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
106 </type>
107 <mustSupport value="true" />
108 </element>
109 <element id="Composition.extension:u6Einleitung.value[x]">
110 <path value="Composition.extension.value[x]" />
111 <mustSupport value="true" />
112 </element>
113 <element id="Composition.extension:u6Einleitung.value[x]:valueString">
114 <path value="Composition.extension.value[x]" />
115 <sliceName value="valueString" />
116 <fixedString value="U6 Elterninformation zur Untersuchung vom 10. bis
zum 12. Lebensmonat Ihr Kind ist jetzt fast ein Jahr alt. Es kann
wahrscheinlich schon robben oder krabbeln und sich an Möbeln in den Stand
hochziehen. Mit Unterstützung geht es möglicherweise sogar schon ein paar
Schritte. Ihr Kind wird fingerfertiger, so dass es mit etwas Hilfe auch
schon aus einem Becher trinken kann. Die meisten Kinder ahmen in diesem
Alter Laute nach und können Doppelsilben wie „da-da“ bilden. Wenn Sie Ihr
Kind dazu auffordern, reicht es Ihnen vielleicht schon einen Gegenstand.
Die Ärztin oder der Arzt achtet bei der U6 wieder besonders auf
Entwicklungsauffälligkeiten. Ihr Kind wird körperlich untersucht. Zum
Erkennen von Sehstörungen werden Untersuchungen der Augen durchgeführt. Die
Ärztin oder der Arzt schaut, wie beweglich Ihr Kind ist und wie es seinen
Körper beherrscht. Außerdem interessiert sich Ihre Ärztin oder Ihr Arzt für
den Kontakt zwischen Ihnen und Ihrem Kind. Ihre Ärztin oder Ihr Arzt berät
Sie zu den laut Impfkalender empfohlenen Schutzimpfungen. Die Ärztin oder
der Arzt bespricht mit Ihnen Themen wie die Ernährung Ihres Kindes und
Maßnahmen zur Unfallverhütung. Die Förderung der Sprachentwicklung sind
weitere Themen, ebenso die Rachitisprophylaxe mittels Vitamin D und
Kariesprophylaxe mittels Fluorid. Sie erhalten von der Ärztin oder dem Arzt
Hinweise zur kindlichen Mundhygiene. Zur Abklärung von Auffälligkeiten an
den Zähnen oder der Mundschleimhaut bei Ihrem Kind werden Sie zur
Zahnärztin oder zum Zahnarzt verwiesen. Sie erhalten Informationen zu
regionalen Unterstützungsangeboten (z. B. Eltern-Kind-Hilfen, Frühe
Hilfen)." />
117 <mustSupport value="true" />
118 </element>
119
120 <element id="Composition.identifizier">
121 <path value="Composition.identifizier" />
122 <max value="0" />

```



```

123 </element>
124
125 <element id="Composition.status">
126   <path value="Composition.status" />
127   <fixedCode value="final" />
128 </element>
129 <element id="Composition.type">
130   <path value="Composition.type" />
131   <mustSupport value="true" />
132 </element>
133 <element id="Composition.type.coding">
134   <path value="Composition.type.coding" />
135   <min value="1" />
136   <max value="1" />
137   <mustSupport value="true" />
138 </element>
139 <element id="Composition.type.coding.system">
140   <path value="Composition.type.coding.system" />
141   <min value="1" />
142   <fixedUri value="http://snomed.info/sct" />
143 </element>
144 <element id="Composition.type.coding.version">
145   <path value="Composition.type.coding.version" />
146   <min value="1" />
147   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
148 </element>
149 <element id="Composition.type.coding.code">
150   <path value="Composition.type.coding.code" />
151   <min value="1" />
152   <fixedCode value="170254004" />
153 </element>
154 <element id="Composition.type.coding.display">
155   <path value="Composition.type.coding.display" />
156   <min value="1" />
157   <fixedString value="Child 1 year examination (procedure)" />
158 </element>
159 <element id="Composition.type.coding.userSelected">
160   <path value="Composition.type.coding.userSelected" />
161   <max value="0" />
162 </element>
163 <element id="Composition.type.text">
164   <path value="Composition.type.text" />
165   <max value="0" />
166 </element>
167 <element id="Composition.category">
168   <path value="Composition.category" />
169   <min value="1" />
170   <max value="1" />
171   <mustSupport value="true" />
172 </element>
173 <element id="Composition.category.coding">
174   <path value="Composition.category.coding" />
175   <min value="1" />
176   <max value="1" />
177   <mustSupport value="true" />
178 </element>
179 <element id="Composition.category.coding.system">
180   <path value="Composition.category.coding.system" />
181   <min value="1" />

```

```

182     <fixedUri value="http://snomed.info/sct" />
183 </element>
184 <element id="Composition.category.coding.version">
185   <path value="Composition.category.coding.version" />
186   <min value="1" />
187   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
188 </element>
189 <element id="Composition.category.coding.code">
190   <path value="Composition.category.coding.code" />
191   <min value="1" />
192   <fixedCode value="243788004" />
193 </element>
194 <element id="Composition.category.coding.display">
195   <path value="Composition.category.coding.display" />
196   <min value="1" />
197   <fixedString value="Child examination (procedure)" />
198 </element>
199 <element id="Composition.category.coding.userSelected">
200   <path value="Composition.category.coding.userSelected" />
201   <max value="0" />
202 </element>
203 <element id="Composition.category.text">
204   <path value="Composition.category.text" />
205   <max value="0" />
206 </element>
207 <element id="Composition.subject">
208   <path value="Composition.subject" />
209   <min value="1" />
210   <type>
211     <code value="Reference" />
212     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
213   </type>
214   <mustSupport value="true" />
215 </element>
216 <element id="Composition.subject.reference">
217   <path value="Composition.subject.reference" />
218   <min value="1" />
219   <mustSupport value="true" />
220 </element>
221 <element id="Composition.subject.type">
222   <path value="Composition.subject.type" />
223   <max value="0" />
224 </element>
225 <element id="Composition.subject.identifier">
226   <path value="Composition.subject.identifier" />
227   <max value="0" />
228 </element>
229 <element id="Composition.subject.display">
230   <path value="Composition.subject.display" />
231   <max value="0" />
232 </element>
233 <element id="Composition.encounter">
234   <path value="Composition.encounter" />
235   <min value="1" />
236   <type>
237     <code value="Reference" />
238     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />

```

```

239     </type>
240     <mustSupport value="true" />
241 </element>
242 <element id="Composition.encounter.reference">
243     <path value="Composition.encounter.reference" />
244     <min value="1" />
245     <mustSupport value="true" />
246 </element>
247 <element id="Composition.encounter.type">
248     <path value="Composition.encounter.type" />
249     <max value="0" />
250 </element>
251 <element id="Composition.encounter.identifier">
252     <path value="Composition.encounter.identifier" />
253     <max value="0" />
254 </element>
255 <element id="Composition.encounter.display">
256     <path value="Composition.encounter.display" />
257     <max value="0" />
258 </element>
259 <element id="Composition.author">
260     <path value="Composition.author" />
261     <max value="2" />
262     <type>
263         <code value="Reference" />
264         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
265         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Composition.author.reference">
270     <path value="Composition.author.reference" />
271     <min value="1" />
272     <mustSupport value="true" />
273 </element>
274 <element id="Composition.author.type">
275     <path value="Composition.author.type" />
276     <max value="0" />
277 </element>
278 <element id="Composition.author.identifier">
279     <path value="Composition.author.identifier" />
280     <max value="0" />
281 </element>
282 <element id="Composition.author.display">
283     <path value="Composition.author.display" />
284     <max value="0" />
285 </element>
286 <element id="Composition.title">
287     <path value="Composition.title" />
288     <fixedString value="U6" />
289     <mustSupport value="true" />
290 </element>
291 <element id="Composition.confidentiality">
292     <path value="Composition.confidentiality" />
293     <max value="0" />
294 </element>
295 <element id="Composition.attester">
296     <path value="Composition.attester" />

```

```

297     <max value="0" />
298 </element>
299 <element id="Composition.custodian">
300   <path value="Composition.custodian" />
301   <max value="0" />
302 </element>
303 <element id="Composition.relatesTo">
304   <path value="Composition.relatesTo" />
305   <max value="0" />
306 </element>
307 <element id="Composition.event">
308   <path value="Composition.event" />
309   <max value="0" />
310 </element>
311 <element id="Composition.section">
312   <path value="Composition.section" />
313   <licing>
314     <discriminator>
315       <type value="value" />
316       <path value="title" />
317     </discriminator>
318     <rules value="closed" />
319   </licing>
320   <mustSupport value="true" />
321 </element>
322 <element id="Composition.section:aktuelleAnamneseDesKindes">
323   <path value="Composition.section" />
324   <sliceName value="aktuelleAnamneseDesKindes" />
325   <min value="1" />
326   <max value="1" />
327   <mustSupport value="true" />
328 </element>
329 <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
330   <path value="Composition.section.extension" />
331   <licing>
332     <discriminator>
333       <type value="value" />
334       <path value="url" />
335     </discriminator>
336     <rules value="open" />
337   </licing>
338 </element>
339 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung">
340   <path value="Composition.section.extension" />
341   <sliceName value="anamneseAnweisung" />
342   <min value="1" />
343   <max value="1" />
344   <type>
345     <code value="Extension" />
346     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
347   </type>
348   <mustSupport value="true" />
349 </element>
350 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]">
351   <path value="Composition.section.extension.value[x]" />
352   <mustSupport value="true" />
353 </element>

```

```

354     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]:valueString">
355       <path value="Composition.section.extension.value[x]" />
356       <sliceName value="valueString" />
357       <fixedString value="Zutreffendes bitte ankreuzen!" />
358       <mustSupport value="true" />
359     </element>
360     <element id="Composition.section:aktuelleAnamneseDesKindes.title">
361       <path value="Composition.section.title" />
362       <min value="1" />
363       <fixedString value="Aktuelle Anamnese des Kindes" />
364       <mustSupport value="true" />
365     </element>
366     <element id="Composition.section:aktuelleAnamneseDesKindes.code">
367       <path value="Composition.section.code" />
368       <min value="1" />
369       <mustSupport value="true" />
370     </element>
371     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
372       <path value="Composition.section.code.coding" />
373       <min value="1" />
374       <max value="1" />
375       <mustSupport value="true" />
376     </element>
377     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
378       <path value="Composition.section.code.coding.system" />
379       <min value="1" />
380       <fixedUri value="http://snomed.info/sct" />
381     </element>
382     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
383       <path value="Composition.section.code.coding.version" />
384       <min value="1" />
385       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
386     </element>
387     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
388       <path value="Composition.section.code.coding.code" />
389       <min value="1" />
390       <fixedCode value="423374008" />
391     </element>
392     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
393       <path value="Composition.section.code.coding.display" />
394       <min value="1" />
395       <fixedString value="Review of systems section (record artifact)" />
396     </element>
397     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
398       <path value="Composition.section.code.coding.userSelected" />
399       <max value="0" />
400     </element>
401     <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
402       <path value="Composition.section.code.text" />
403       <max value="0" />
404     </element>
405     <element id="Composition.section:aktuelleAnamneseDesKindes.author">
406       <path value="Composition.section.author" />

```

```

407     <max value="0" />
408 </element>
409 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">
410   <path value="Composition.section.focus" />
411   <max value="0" />
412 </element>
413 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
414   <path value="Composition.section.text" />
415   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
416   <min value="1" />
417 </element>
418 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
419   <path value="Composition.section.text.status" />
420   <fixedCode value="generated" />
421 </element>
422 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
423   <path value="Composition.section.mode" />
424   <max value="0" />
425 </element>
426 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
427   <path value="Composition.section.orderedBy" />
428   <max value="0" />
429 </element>
430 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
431   <path value="Composition.section.entry" />
432   <type>
433     <code value="Reference" />
434     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U6_Current_Child_History|1.0.1" />
435   </type>
436   <mustSupport value="true" />
437 </element>
438 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
439   <path value="Composition.section.entry.reference" />
440   <min value="1" />
441   <mustSupport value="true" />
442 </element>
443 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
444   <path value="Composition.section.entry.type" />
445   <max value="0" />
446 </element>
447 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
448   <path value="Composition.section.entry.identifizier" />
449   <max value="0" />
450 </element>
451 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
452   <path value="Composition.section.entry.display" />
453   <max value="0" />
454 </element>
455 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
456   <path value="Composition.section.emptyReason" />
457   <mustSupport value="true" />
458 </element>
459 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
460   <path value="Composition.section.emptyReason.coding" />

```

```

461     <min value="1" />
462     <max value="1" />
463     <mustSupport value="true" />
464   </element>
465   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
466     <path value="Composition.section.emptyReason.coding.system" />
467     <min value="1" />
468     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
469   </element>
470   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
471     <path value="Composition.section.emptyReason.coding.version" />
472     <min value="1" />
473     <fixedString value="4.0.1" />
474   </element>
475   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
476     <path value="Composition.section.emptyReason.coding.code" />
477     <min value="1" />
478     <fixedCode value="closed" />
479   </element>
480   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
481     <path value="Composition.section.emptyReason.coding.display" />
482     <min value="1" />
483     <fixedString value="Closed" />
484   </element>
485   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
486     <path value="Composition.section.emptyReason.coding.userSelected" />
487     <max value="0" />
488   </element>
489   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
490     <path value="Composition.section.emptyReason.text" />
491     <max value="0" />
492   </element>
493   <element id="Composition.section:aktuelleAnamneseDesKindes.section">
494     <path value="Composition.section.section" />
495     <max value="0" />
496   </element>
497   <element id="Composition.section:sozialanamnese">
498     <path value="Composition.section" />
499     <sliceName value="sozialanamnese" />
500     <min value="1" />
501     <max value="1" />
502     <mustSupport value="true" />
503   </element>
504   <element id="Composition.section:sozialanamnese.extension">
505     <path value="Composition.section.extension" />
506     <licing>
507       <discriminator>
508         <type value="value" />
509         <path value="url" />
510       </discriminator>
511       <rules value="open" />
512     </licing>
513   </element>

```

```

514     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
515       <path value="Composition.section.extension" />
516       <sliceName value="anamneseAnweisung" />
517       <min value="1" />
518       <max value="1" />
519       <type>
520         <code value="Extension" />
521         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
522       </type>
523       <mustSupport value="true" />
524     </element>
525     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
526       <path value="Composition.section.extension.value[x]" />
527       <mustSupport value="true" />
528     </element>
529     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
530       <path value="Composition.section.extension.value[x]" />
531       <sliceName value="valueString" />
532       <fixedString value="Zutreffendes bitte ankreuzen!" />
533       <mustSupport value="true" />
534     </element>
535     <element id="Composition.section:sozialanamnese.title">
536       <path value="Composition.section.title" />
537       <min value="1" />
538       <fixedString value="Sozialanamnese" />
539       <mustSupport value="true" />
540     </element>
541     <element id="Composition.section:sozialanamnese.code">
542       <path value="Composition.section.code" />
543       <min value="1" />
544       <mustSupport value="true" />
545     </element>
546     <element id="Composition.section:sozialanamnese.code.coding">
547       <path value="Composition.section.code.coding" />
548       <min value="1" />
549       <max value="1" />
550       <mustSupport value="true" />
551     </element>
552     <element id="Composition.section:sozialanamnese.code.coding.system">
553       <path value="Composition.section.code.coding.system" />
554       <min value="1" />
555       <fixedUri value="http://snomed.info/sct" />
556     </element>
557     <element id="Composition.section:sozialanamnese.code.coding.version">
558       <path value="Composition.section.code.coding.version" />
559       <min value="1" />
560       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
561     </element>
562     <element id="Composition.section:sozialanamnese.code.coding.code">
563       <path value="Composition.section.code.coding.code" />
564       <min value="1" />
565       <fixedCode value="281575007" />
566     </element>
567     <element id="Composition.section:sozialanamnese.code.coding.display">
568       <path value="Composition.section.code.coding.display" />

```



```

569     <min value="1" />
570     <fixedString value="Family social history (situation)" />
571 </element>
572 <element id="Composition.section:sozialanamnese.code.coding.userSelected"
d">
573     <path value="Composition.section.code.coding.userSelected" />
574     <max value="0" />
575 </element>
576 <element id="Composition.section:sozialanamnese.code.text">
577     <path value="Composition.section.code.text" />
578     <max value="0" />
579 </element>
580 <element id="Composition.section:sozialanamnese.author">
581     <path value="Composition.section.author" />
582     <max value="0" />
583 </element>
584 <element id="Composition.section:sozialanamnese.focus">
585     <path value="Composition.section.focus" />
586     <max value="0" />
587 </element>
588 <element id="Composition.section:sozialanamnese.text">
589     <path value="Composition.section.text" />
590     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
591     <min value="1" />
592 </element>
593 <element id="Composition.section:sozialanamnese.text.status">
594     <path value="Composition.section.text.status" />
595     <fixedCode value="generated" />
596 </element>
597 <element id="Composition.section:sozialanamnese.mode">
598     <path value="Composition.section.mode" />
599     <max value="0" />
600 </element>
601 <element id="Composition.section:sozialanamnese.orderedBy">
602     <path value="Composition.section.orderedBy" />
603     <max value="0" />
604 </element>
605 <element id="Composition.section:sozialanamnese.entry">
606     <path value="Composition.section.entry" />
607
608     <type>
609         <code value="Reference" />
610         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U9_Social_History|1.0.1" />
611     </type>
612     <mustSupport value="true" />
613 </element>
614 <element id="Composition.section:sozialanamnese.entry.reference">
615     <path value="Composition.section.entry.reference" />
616     <min value="1" />
617     <mustSupport value="true" />
618 </element>
619 <element id="Composition.section:sozialanamnese.entry.type">
620     <path value="Composition.section.entry.type" />
621     <max value="0" />
622 </element>
623 <element id="Composition.section:sozialanamnese.entry.identifier">
624     <path value="Composition.section.entry.identifier" />
625     <max value="0" />

```

```

626 </element>
627 <element id="Composition.section:sozialanamnese.entry.display">
628   <path value="Composition.section.entry.display" />
629   <max value="0" />
630 </element>
631 <element id="Composition.section:sozialanamnese.emptyReason">
632   <path value="Composition.section.emptyReason" />
633   <mustSupport value="true" />
634 </element>
635 <element id="Composition.section:sozialanamnese.emptyReason.coding">
636   <path value="Composition.section.emptyReason.coding" />
637   <min value="1" />
638   <max value="1" />
639   <mustSupport value="true" />
640 </element>
641 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
642   <path value="Composition.section.emptyReason.coding.system" />
643   <min value="1" />
644   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
645 </element>
646 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
647   <path value="Composition.section.emptyReason.coding.version" />
648   <min value="1" />
649   <fixedString value="4.0.1" />
650 </element>
651 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
652   <path value="Composition.section.emptyReason.coding.code" />
653   <min value="1" />
654   <fixedCode value="closed" />
655 </element>
656 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
657   <path value="Composition.section.emptyReason.coding.display" />
658   <min value="1" />
659   <fixedString value="Closed" />
660 </element>
661 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
662   <path value="Composition.section.emptyReason.coding.userSelected" />
663   <max value="0" />
664 </element>
665 <element id="Composition.section:sozialanamnese.emptyReason.text">
666   <path value="Composition.section.emptyReason.text" />
667   <max value="0" />
668 </element>
669 <element id="Composition.section:sozialanamnese.section">
670   <path value="Composition.section.section" />
671   <max value="0" />
672 </element>
673 <element id="Composition.section:untersuchung">
674   <path value="Composition.section" />
675   <sliceName value="untersuchung" />
676   <min value="1" />
677   <max value="1" />
678   <mustSupport value="true" />
679 </element>

```

```

680 <element id="Composition.section:untersuchung.extension">
681 <path value="Composition.section.extension" />
682 <slicing>
683 <discriminator>
684 <type value="value" />
685 <path value="url" />
686 </discriminator>
687 <rules value="open" />
688 </slicing>
689 </element>
690 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung">
691 <path value="Composition.section.extension" />
692 <sliceName value="untersuchungAnweisung" />
693 <min value="1" />
694 <max value="1" />
695 <type>
696 <code value="Extension" />
697 <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
698 </type>
699 <mustSupport value="true" />
700 </element>
701 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]">
702 <path value="Composition.section.extension.value[x]" />
703 <mustSupport value="true" />
704 </element>
705 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]:valueString">
706 <path value="Composition.section.extension.value[x]" />
707 <sliceName value="valueString" />
708 <fixedString value="Nur Auffälligkeiten ankreuzen!" />
709 <mustSupport value="true" />
710 </element>
711 <element id="Composition.section:untersuchung.title">
712 <path value="Composition.section.title" />
713 <min value="1" />
714 <fixedString value="Körperliche Untersuchung" />
715 <mustSupport value="true" />
716 </element>
717 <element id="Composition.section:untersuchung.code">
718 <path value="Composition.section.code" />
719 <min value="1" />
720 <mustSupport value="true" />
721 </element>
722 <element id="Composition.section:untersuchung.code.coding">
723 <path value="Composition.section.code.coding" />
724 <min value="1" />
725 <max value="1" />
726 <mustSupport value="true" />
727 </element>
728 <element id="Composition.section:untersuchung.code.coding.system">
729 <path value="Composition.section.code.coding.system" />
730 <min value="1" />
731 <fixedUri value="http://snomed.info/sct" />
732 </element>
733 <element id="Composition.section:untersuchung.code.coding.version">
734 <path value="Composition.section.code.coding.version" />
735 <min value="1" />

```

```

736     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
737   </element>
738   <element id="Composition.section:untersuchung.code.coding.code">
739     <path value="Composition.section.code.coding.code" />
740     <min value="1" />
741     <fixedCode value="425044008" />
742   </element>
743   <element id="Composition.section:untersuchung.code.coding.display">
744     <path value="Composition.section.code.coding.display" />
745     <min value="1" />
746     <fixedString value="Physical exam section (record artifact)" />
747   </element>
748   <element id="Composition.section:untersuchung.code.coding.userSelected">
749     <path value="Composition.section.code.coding.userSelected" />
750     <max value="0" />
751   </element>
752   <element id="Composition.section:untersuchung.code.text">
753     <path value="Composition.section.code.text" />
754     <max value="0" />
755   </element>
756   <element id="Composition.section:untersuchung.author">
757     <path value="Composition.section.author" />
758     <max value="0" />
759   </element>
760   <element id="Composition.section:untersuchung.focus">
761     <path value="Composition.section.focus" />
762     <max value="0" />
763   </element>
764   <element id="Composition.section:untersuchung.text">
765     <path value="Composition.section.text" />
766     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
767     <min value="1" />
768   </element>
769   <element id="Composition.section:untersuchung.text.status">
770     <path value="Composition.section.text.status" />
771     <fixedCode value="generated" />
772   </element>
773   <element id="Composition.section:untersuchung.mode">
774     <path value="Composition.section.mode" />
775     <max value="0" />
776   </element>
777   <element id="Composition.section:untersuchung.orderedBy">
778     <path value="Composition.section.orderedBy" />
779     <max value="0" />
780   </element>
781   <element id="Composition.section:untersuchung.entry">
782     <path value="Composition.section.entry" />
783     <type>
784       <code value="Reference" />
785       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U9_Physical_Exam_Skin|1.0.1" />
786       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U6_U7_Physical_Exam_Chest_Lung_Respiratory
_Tract|1.0.1" />
787       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U6_Physical_Exam_Abdomen_Genitals|
1.0.1" />

```

```

788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulation|1.0.1" />
789     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U6_Physical_Exam_Musculoskeletal_System|
1.0.1" />
790     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U5_U6_Physical_Exam_Head|1.0.1" />
791     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U6_Physical_Exam_Mouth_Nose|1.0.1" />
792     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U6_Physical_Exam_Eyes|1.0.1" />
793     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
794   </type>
795   <mustSupport value="true" />
796 </element>
797 <element id="Composition.section:untersuchung.entry.reference">
798   <path value="Composition.section.entry.reference" />
799   <min value="1" />
800   <mustSupport value="true" />
801 </element>
802 <element id="Composition.section:untersuchung.entry.type">
803   <path value="Composition.section.entry.type" />
804   <max value="0" />
805 </element>
806 <element id="Composition.section:untersuchung.entry.identifizier">
807   <path value="Composition.section.entry.identifizier" />
808   <max value="0" />
809 </element>
810 <element id="Composition.section:untersuchung.entry.display">
811   <path value="Composition.section.entry.display" />
812   <max value="0" />
813 </element>
814 <element id="Composition.section:untersuchung.emptyReason">
815   <path value="Composition.section.emptyReason" />
816   <mustSupport value="true" />
817 </element>
818 <element id="Composition.section:untersuchung.emptyReason.coding">
819   <path value="Composition.section.emptyReason.coding" />
820   <min value="1" />
821   <max value="1" />
822   <mustSupport value="true" />
823 </element>
824 <element id="Composition.section:untersuchung.emptyReason.coding.system
">
825   <path value="Composition.section.emptyReason.coding.system" />
826   <min value="1" />
827   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
828 </element>
829 <element id="Composition.section:untersuchung.emptyReason.coding.version">
830   <path value="Composition.section.emptyReason.coding.version" />
831   <min value="1" />
832   <fixedString value="4.0.1" />
833 </element>
834 <element id="Composition.section:untersuchung.emptyReason.coding.code">
835   <path value="Composition.section.emptyReason.coding.code" />
836   <min value="1" />

```

```

837     <fixedCode value="closed" />
838 </element>
839 <element id="Composition.section:untersuchung.emptyReason.coding.display"
840 >
841     <path value="Composition.section.emptyReason.coding.display" />
842     <min value="1" />
843     <fixedString value="Closed" />
844 </element>
845 <element id="Composition.section:untersuchung.emptyReason.coding.userSelected"
846 >
847     <path value="Composition.section.emptyReason.coding.userSelected" />
848     <max value="0" />
849 </element>
850 <element id="Composition.section:untersuchung.emptyReason.text"
851 >
852     <path value="Composition.section.emptyReason.text" />
853     <max value="0" />
854 </element>
855 <element id="Composition.section:untersuchung.section"
856 >
857     <path value="Composition.section.section" />
858     <max value="0" />
859 </element>
860 <element id="Composition.section:beratung"
861 >
862     <path value="Composition.section" />
863     <sliceName value="beratung" />
864     <min value="1" />
865     <max value="1" />
866     <mustSupport value="true" />
867 </element>
868 <element id="Composition.section:beratung.extension"
869 >
870     <path value="Composition.section.extension" />
871     <slicing>
872         <discriminator>
873             <type value="value" />
874             <path value="url" />
875         </discriminator>
876         <rules value="open" />
877     </slicing>
878 </element>
879 <element id="Composition.section:beratung.extension:beratungAnweisung"
880 >
881     <path value="Composition.section.extension" />
882     <sliceName value="beratungAnweisung" />
883     <min value="1" />
884     <max value="1" />
885     <type>
886         <code value="Extension" />
887         <profile value="https://fhir.kbv.de/StructureDefinition/
888 KBV_EX_MIO_CMR_Instruction" />
889     </type>
890     <mustSupport value="true" />
891 </element>
892 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]"
893 >
894     <path value="Composition.section.extension.value[x]" />
895     <mustSupport value="true" />
896 </element>
897 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]:valueString"
898 >
899     <path value="Composition.section.extension.value[x]" />
900     <sliceName value="valueString" />

```

```

891     <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
892     <mustSupport value="true" />
893 </element>
894 <element id="Composition.section:beratung.extension:beratungHinweis">
895     <path value="Composition.section.extension" />
896     <sliceName value="beratungHinweis" />
897     <min value="1" />
898     <max value="1" />
899     <type>
900         <code value="Extension" />
901         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
902     </type>
903     <mustSupport value="true" />
904 </element>
905 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]">
906     <path value="Composition.section.extension.value[x]" />
907     <mustSupport value="true" />
908 </element>
909 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]:valueString">
910     <path value="Composition.section.extension.value[x]" />
911     <sliceName value="valueString" />
912     <fixedString value="Beratung vor allem zu folgenden Themen:" />
913     <mustSupport value="true" />
914 </element>
915 <element id="Composition.section:beratung.title">
916     <path value="Composition.section.title" />
917     <min value="1" />
918     <fixedString value="Beratung" />
919     <mustSupport value="true" />
920 </element>
921 <element id="Composition.section:beratung.code">
922     <path value="Composition.section.code" />
923     <min value="1" />
924     <mustSupport value="true" />
925 </element>
926 <element id="Composition.section:beratung.code.coding">
927     <path value="Composition.section.code.coding" />
928     <min value="1" />
929     <max value="1" />
930     <mustSupport value="true" />
931 </element>
932 <element id="Composition.section:beratung.code.coding.system">
933     <path value="Composition.section.code.coding.system" />
934     <min value="1" />
935     <fixedUri value="http://snomed.info/sct" />
936 </element>
937 <element id="Composition.section:beratung.code.coding.version">
938     <path value="Composition.section.code.coding.version" />
939     <min value="1" />
940     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
941 </element>
942 <element id="Composition.section:beratung.code.coding.code">
943     <path value="Composition.section.code.coding.code" />
944     <min value="1" />
945     <fixedCode value="409066002" />

```

```

946 </element>
947 <element id="Composition.section:beratung.code.coding.display">
948   <path value="Composition.section.code.coding.display" />
949   <min value="1" />
950   <fixedString value="Education, guidance and counseling (procedure)" /
>
951 </element>
952 <element id="Composition.section:beratung.code.coding.userSelected">
953   <path value="Composition.section.code.coding.userSelected" />
954   <max value="0" />
955 </element>
956 <element id="Composition.section:beratung.code.text">
957   <path value="Composition.section.code.text" />
958   <max value="0" />
959 </element>
960 <element id="Composition.section:beratung.author">
961   <path value="Composition.section.author" />
962   <max value="0" />
963 </element>
964 <element id="Composition.section:beratung.focus">
965   <path value="Composition.section.focus" />
966   <max value="0" />
967 </element>
968 <element id="Composition.section:beratung.text">
969   <path value="Composition.section.text" />
970   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
971   <min value="1" />
972 </element>
973 <element id="Composition.section:beratung.text.status">
974   <path value="Composition.section.text.status" />
975   <fixedCode value="generated" />
976 </element>
977 <element id="Composition.section:beratung.mode">
978   <path value="Composition.section.mode" />
979   <max value="0" />
980 </element>
981 <element id="Composition.section:beratung.orderedBy">
982   <path value="Composition.section.orderedBy" />
983   <max value="0" />
984 </element>
985 <element id="Composition.section:beratung.entry">
986   <path value="Composition.section.entry" />
987   <type>
988     <code value="Reference" />
989     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U6_Consultation|1.0.1" />
990     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
991   </type>
992   <mustSupport value="true" />
993 </element>
994 <element id="Composition.section:beratung.entry.reference">
995   <path value="Composition.section.entry.reference" />
996   <min value="1" />
997   <mustSupport value="true" />
998 </element>
999 <element id="Composition.section:beratung.entry.type">
1000 <path value="Composition.section.entry.type" />
1001 <max value="0" />

```



```

1002 </element>
1003 <element id="Composition.section:beratung.entry.identifler">
1004   <path value="Composition.section.entry.identifler" />
1005   <max value="0" />
1006 </element>
1007 <element id="Composition.section:beratung.entry.display">
1008   <path value="Composition.section.entry.display" />
1009   <max value="0" />
1010 </element>
1011 <element id="Composition.section:beratung.emptyReason">
1012   <path value="Composition.section.emptyReason" />
1013   <mustSupport value="true" />
1014 </element>
1015 <element id="Composition.section:beratung.emptyReason.coding">
1016   <path value="Composition.section.emptyReason.coding" />
1017   <min value="1" />
1018   <max value="1" />
1019   <mustSupport value="true" />
1020 </element>
1021 <element id="Composition.section:beratung.emptyReason.coding.system">
1022   <path value="Composition.section.emptyReason.coding.system" />
1023   <min value="1" />
1024   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1025 </element>
1026 <element id="Composition.section:beratung.emptyReason.coding.version">
1027   <path value="Composition.section.emptyReason.coding.version" />
1028   <min value="1" />
1029   <fixedString value="4.0.1" />
1030 </element>
1031 <element id="Composition.section:beratung.emptyReason.coding.code">
1032   <path value="Composition.section.emptyReason.coding.code" />
1033   <min value="1" />
1034   <fixedCode value="closed" />
1035 </element>
1036 <element id="Composition.section:beratung.emptyReason.coding.display">
1037   <path value="Composition.section.emptyReason.coding.display" />
1038   <min value="1" />
1039   <fixedString value="Closed" />
1040 </element>
1041 <element id="Composition.section:beratung.emptyReason.coding.userSelect
ed">
1042   <path value="Composition.section.emptyReason.coding.userSelected" />
1043   <max value="0" />
1044 </element>
1045 <element id="Composition.section:beratung.emptyReason.text">
1046   <path value="Composition.section.emptyReason.text" />
1047   <max value="0" />
1048 </element>
1049 <element id="Composition.section:beratung.section">
1050   <path value="Composition.section.section" />
1051   <max value="0" />
1052 </element>
1053 <element id="Composition.section:ergebnisse">
1054   <path value="Composition.section" />
1055   <sliceName value="ergebnisse" />
1056   <min value="1" />
1057   <max value="1" />
1058   <mustSupport value="true" />
1059 </element>

```

```

1060 <element id="Composition.section:ergebnisse.title">
1061   <path value="Composition.section.title" />
1062   <min value="1" />
1063   <fixedString value="Ergebnisse" />
1064   <mustSupport value="true" />
1065 </element>
1066 <element id="Composition.section:ergebnisse.code">
1067   <path value="Composition.section.code" />
1068   <min value="1" />
1069   <mustSupport value="true" />
1070 </element>
1071 <element id="Composition.section:ergebnisse.code.coding">
1072   <path value="Composition.section.code.coding" />
1073   <min value="1" />
1074   <max value="1" />
1075   <mustSupport value="true" />
1076 </element>
1077 <element id="Composition.section:ergebnisse.code.coding.system">
1078   <path value="Composition.section.code.coding.system" />
1079   <min value="1" />
1080   <fixedUri value="http://snomed.info/sct" />
1081 </element>
1082 <element id="Composition.section:ergebnisse.code.coding.version">
1083   <path value="Composition.section.code.coding.version" />
1084   <min value="1" />
1085   <fixedString value="http://snomed.info/sct/900000000000207008/
1086   version/20210131" />
1087 </element>
1088 <element id="Composition.section:ergebnisse.code.coding.code">
1089   <path value="Composition.section.code.coding.code" />
1090   <min value="1" />
1091   <fixedCode value="423100009" />
1092 </element>
1093 <element id="Composition.section:ergebnisse.code.coding.display">
1094   <path value="Composition.section.code.coding.display" />
1095   <min value="1" />
1096   <fixedString value="Results section (record artifact)" />
1097 </element>
1098 <element id="Composition.section:ergebnisse.code.coding.userSelected">
1099   <path value="Composition.section.code.coding.userSelected" />
1100   <max value="0" />
1101 </element>
1102 <element id="Composition.section:ergebnisse.code.text">
1103   <path value="Composition.section.code.text" />
1104   <max value="0" />
1105 </element>
1106 <element id="Composition.section:ergebnisse.author">
1107   <path value="Composition.section.author" />
1108   <max value="0" />
1109 </element>
1110 <element id="Composition.section:ergebnisse.focus">
1111   <path value="Composition.section.focus" />
1112   <max value="0" />
1113 </element>
1114 <element id="Composition.section:ergebnisse.text">
1115   <path value="Composition.section.text" />
1116   <definition value="In diesem Element ist mindestens der Titel der
1117   Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1118   <min value="1" />
1119 </element>

```

```

1118 <element id="Composition.section:ergebnisse.text.status">
1119   <path value="Composition.section.text.status" />
1120   <fixedCode value="generated" />
1121 </element>
1122 <element id="Composition.section:ergebnisse.mode">
1123   <path value="Composition.section.mode" />
1124   <max value="0" />
1125 </element>
1126 <element id="Composition.section:ergebnisse.orderedBy">
1127   <path value="Composition.section.orderedBy" />
1128   <max value="0" />
1129 </element>
1130 <element id="Composition.section:ergebnisse.entry">
1131   <path value="Composition.section.entry" />
1132   <type>
1133     <code value="Reference" />
1134     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
1135     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
1136     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Body_Measures|1.0.1" />
1137     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
1138     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
1139     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment|1.0.1" />
1140     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment|1.0.1" />
1141     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
1142     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_Dental_Referral|1.0.1" />
1143   </type>
1144   <mustSupport value="true" />
1145 </element>
1146 <element id="Composition.section:ergebnisse.entry.reference">
1147   <path value="Composition.section.entry.reference" />
1148   <min value="1" />
1149   <mustSupport value="true" />
1150 </element>
1151 <element id="Composition.section:ergebnisse.entry.type">
1152   <path value="Composition.section.entry.type" />
1153   <max value="0" />
1154 </element>
1155 <element id="Composition.section:ergebnisse.entry.identifrier">
1156   <path value="Composition.section.entry.identifrier" />
1157   <max value="0" />
1158 </element>
1159 <element id="Composition.section:ergebnisse.entry.display">
1160   <path value="Composition.section.entry.display" />
1161   <max value="0" />
1162 </element>
1163 <element id="Composition.section:ergebnisse.emptyReason">
1164   <path value="Composition.section.emptyReason" />
1165   <mustSupport value="true" />
1166 </element>
1167 <element id="Composition.section:ergebnisse.emptyReason.coding">
1168   <path value="Composition.section.emptyReason.coding" />

```

```

1169     <min value="1" />
1170     <max value="1" />
1171     <mustSupport value="true" />
1172 </element>
1173 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
1174   <path value="Composition.section.emptyReason.coding.system" />
1175   <min value="1" />
1176   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1177 </element>
1178 <element id="Composition.section:ergebnisse.emptyReason.coding.version">
1179   <path value="Composition.section.emptyReason.coding.version" />
1180   <min value="1" />
1181   <fixedString value="4.0.1" />
1182 </element>
1183 <element id="Composition.section:ergebnisse.emptyReason.coding.code">
1184   <path value="Composition.section.emptyReason.coding.code" />
1185   <min value="1" />
1186   <fixedCode value="closed" />
1187 </element>
1188 <element id="Composition.section:ergebnisse.emptyReason.coding.display">
1189   <path value="Composition.section.emptyReason.coding.display" />
1190   <min value="1" />
1191   <fixedString value="Closed" />
1192 </element>
1193 <element id="Composition.section:ergebnisse.emptyReason.coding.userSele
cted">
1194   <path value="Composition.section.emptyReason.coding.userSelected" />
1195   <max value="0" />
1196 </element>
1197 <element id="Composition.section:ergebnisse.emptyReason.text">
1198   <path value="Composition.section.emptyReason.text" />
1199   <max value="0" />
1200 </element>
1201 <element id="Composition.section:ergebnisse.section">
1202   <path value="Composition.section.section" />
1203   <min value="1" />
1204   <max value="1" />
1205 </element>
1206 <element id="Composition.section:ergebnisse.section.title">
1207   <path value="Composition.section.section.title" />
1208   <min value="1" />
1209   <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
1210   <mustSupport value="true" />
1211 </element>
1212 <element id="Composition.section:ergebnisse.section.code">
1213   <path value="Composition.section.section.code" />
1214   <min value="1" />
1215   <mustSupport value="true" />
1216 </element>
1217 <element id="Composition.section:ergebnisse.section.code.coding">
1218   <path value="Composition.section.section.code.coding" />
1219   <min value="1" />
1220   <max value="1" />
1221   <mustSupport value="true" />
1222 </element>
1223 <element id="Composition.section:ergebnisse.section.code.coding.system">
1224   <path value="Composition.section.section.code.coding.system" />
1225   <min value="1" />

```

```

1226     <fixedUri value="http://snomed.info/sct" />
1227 </element>
1228 <element id="Composition.section:ergebnisse.section.code.coding.version
">
1229     <path value="Composition.section.section.code.coding.version" />
1230     <min value="1" />
1231     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1232 </element>
1233 <element id="Composition.section:ergebnisse.section.code.coding.code">
1234     <path value="Composition.section.section.code.coding.code" />
1235     <min value="1" />
1236     <fixedCode value="722448004" />
1237 </element>
1238 <element id="Composition.section:ergebnisse.section.code.coding.display
">
1239     <path value="Composition.section.section.code.coding.display" />
1240     <min value="1" />
1241     <fixedString value="Treatment plan report (record artifact)" />
1242 </element>
1243 <element id="Composition.section:ergebnisse.section.code.coding.userSel
ected">
1244     <path value="Composition.section.section.code.coding.userSelected" />
1245     <max value="0" />
1246 </element>
1247 <element id="Composition.section:ergebnisse.section.code.text">
1248     <path value="Composition.section.section.code.text" />
1249     <max value="0" />
1250 </element>
1251 <element id="Composition.section:ergebnisse.section.author">
1252     <path value="Composition.section.section.author" />
1253     <max value="0" />
1254 </element>
1255 <element id="Composition.section:ergebnisse.section.focus">
1256     <path value="Composition.section.section.focus" />
1257     <max value="0" />
1258 </element>
1259 <element id="Composition.section:ergebnisse.section.mode">
1260     <path value="Composition.section.section.mode" />
1261     <max value="0" />
1262 </element>
1263 <element id="Composition.section:ergebnisse.section.orderedBy">
1264     <path value="Composition.section.section.orderedBy" />
1265     <max value="0" />
1266 </element>
1267 <element id="Composition.section:ergebnisse.section.entry">
1268     <path value="Composition.section.section.entry" />
1269     <max value="1" />
1270     <type>
1271         <code value="Reference" />
1272         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_U9_Status_Of_Immunization|1.0.1" />
1273     </type>
1274     <mustSupport value="true" />
1275 </element>
1276 <element id="Composition.section:ergebnisse.section.entry.reference">
1277     <path value="Composition.section.section.entry.reference" />
1278     <min value="1" />
1279     <mustSupport value="true" />
1280 </element>

```

```

1281 <element id="Composition.section:ergebnisse.section.entry.type">
1282   <path value="Composition.section.section.entry.type" />
1283   <max value="0" />
1284 </element>
1285 <element id="Composition.section:ergebnisse.section.entry.identifizier">
1286   <path value="Composition.section.section.entry.identifizier" />
1287   <max value="0" />
1288 </element>
1289 <element id="Composition.section:ergebnisse.section.entry.display">
1290   <path value="Composition.section.section.entry.display" />
1291   <max value="0" />
1292 </element>
1293 <element id="Composition.section:ergebnisse.section.emptyReason">
1294   <path value="Composition.section.section.emptyReason" />
1295   <max value="0" />
1296 </element>
1297 <element id="Composition.section:ergebnisse.section.section">
1298   <path value="Composition.section.section.section" />
1299   <max value="0" />
1300 </element>
1301 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
">
1302   <path value="Composition.section" />
1303   <sliceName value="orientierendeBeurteilungDerEntwicklung" />
1304   <min value="1" />
1305   <max value="1" />
1306   <mustSupport value="true" />
1307 </element>
1308 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension">
1309   <path value="Composition.section.extension" />
1310   <slicing>
1311     <discriminator>
1312       <type value="value" />
1313       <path value="url" />
1314     </discriminator>
1315     <rules value="open" />
1316   </slicing>
1317 </element>
1318 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung">
1319   <path value="Composition.section.extension" />
1320   <sliceName value="beurteilungAnweisung" />
1321   <min value="1" />
1322   <max value="1" />
1323   <type>
1324     <code value="Extension" />
1325     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
1326   </type>
1327   <mustSupport value="true" />
1328 </element>
1329 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]">
1330   <path value="Composition.section.extension.value[x]" />
1331   <mustSupport value="true" />
1332 </element>
1333 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]:valueString">
1334   <path value="Composition.section.extension.value[x]" />

```

```

1335     <sliceName value="valueString" />
1336     <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
werden!" />
1337     <mustSupport value="true" />
1338   </element>
1339   <element id="Composition.section.orientierendeBeurteilungDerEntwicklung
.extension:beurteilungHinweis">
1340     <path value="Composition.section.extension" />
1341     <sliceName value="beurteilungHinweis" />
1342     <min value="1" />
1343     <max value="1" />
1344     <type>
1345       <code value="Extension" />
1346       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
1347     </type>
1348     <mustSupport value="true" />
1349   </element>
1350   <element id="Composition.section.orientierendeBeurteilungDerEntwicklung
.extension:beurteilungHinweis.value[x]">
1351     <path value="Composition.section.extension.value[x]" />
1352     <mustSupport value="true" />
1353   </element>
1354   <element id="Composition.section.orientierendeBeurteilungDerEntwicklung
.extension:beurteilungHinweis.value[x]:valueString">
1355     <path value="Composition.section.extension.value[x]" />
1356     <sliceName value="valueString" />
1357     <fixedString value="Beobachtung der Interaktion: Insbesondere die
folgenden Reaktionen des Kindes können der Ärztin oder dem Arzt als Hinweis
zur Einschätzung von Stimmung, Kommunikations- und Regulationsmöglichkeiten
des Kindes im Kontakt mit seiner primären Bezugsperson und als weitere
Grundlage für das Ärztin- oder Arzt-Elterngespräch dienen:" />
1358     <mustSupport value="true" />
1359   </element>
1360   <element id="Composition.section.orientierendeBeurteilungDerEntwicklung
.title">
1361     <path value="Composition.section.title" />
1362     <min value="1" />
1363     <fixedString value="Orientierende Beurteilung der Entwicklung" />
1364     <mustSupport value="true" />
1365   </element>
1366   <element id="Composition.section.orientierendeBeurteilungDerEntwicklung
.code">
1367     <path value="Composition.section.code" />
1368     <min value="1" />
1369     <mustSupport value="true" />
1370   </element>
1371   <element id="Composition.section.orientierendeBeurteilungDerEntwicklung
.code.coding">
1372     <path value="Composition.section.code.coding" />
1373     <min value="1" />
1374     <max value="1" />
1375     <mustSupport value="true" />
1376   </element>
1377   <element id="Composition.section.orientierendeBeurteilungDerEntwicklung
.code.coding.system">
1378     <path value="Composition.section.code.coding.system" />
1379     <min value="1" />
1380     <fixedUri value="http://snomed.info/sct" />
1381   </element>

```

```

1382     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.version">
1383       <path value="Composition.section.code.coding.version" />
1384       <min value="1" />
1385       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1386     </element>
1387     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.code">
1388       <path value="Composition.section.code.coding.code" />
1389       <min value="1" />
1390       <fixedCode value="406207000" />
1391     </element>
1392     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.display">
1393       <path value="Composition.section.code.coding.display" />
1394       <min value="1" />
1395       <fixedString value="Child development by age (observable entity)" />
1396     </element>
1397     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.userSelected">
1398       <path value="Composition.section.code.coding.userSelected" />
1399       <max value="0" />
1400     </element>
1401     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.text">
1402       <path value="Composition.section.code.text" />
1403       <max value="0" />
1404     </element>
1405     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.author">
1406       <path value="Composition.section.author" />
1407       <max value="0" />
1408     </element>
1409     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.focus">
1410       <path value="Composition.section.focus" />
1411       <max value="0" />
1412     </element>
1413     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.text">
1414       <path value="Composition.section.text" />
1415       <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1416       <min value="1" />
1417     </element>
1418     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.text.status">
1419       <path value="Composition.section.text.status" />
1420       <fixedCode value="generated" />
1421     </element>
1422     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.mode">
1423       <path value="Composition.section.mode" />
1424       <max value="0" />
1425     </element>
1426     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.orderedBy">
1427       <path value="Composition.section.orderedBy" />
1428       <max value="0" />

```



```

1429     </element>
1430     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1431     .entry">
1432         <path value="Composition.section.entry" />
1433         <type>
1434             <code value="Reference" />
1435             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Development_Assessment|1.0.1" />
1436             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U6_Indication_for_Abnormality|1.0.1" />
1437         </type>
1438         <mustSupport value="true" />
1439     </element>
1440     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1441     .entry.reference">
1442         <path value="Composition.section.entry.reference" />
1443         <min value="1" />
1444         <mustSupport value="true" />
1445     </element>
1446     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1447     .entry.type">
1448         <path value="Composition.section.entry.type" />
1449         <max value="0" />
1450     </element>
1451     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1452     .entry.identifizier">
1453         <path value="Composition.section.entry.identifizier" />
1454         <max value="0" />
1455     </element>
1456     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1457     .entry.display">
1458         <path value="Composition.section.entry.display" />
1459         <max value="0" />
1460     </element>
1461     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1462     .emptyReason">
1463         <path value="Composition.section.emptyReason" />
1464         <mustSupport value="true" />
1465     </element>
1466     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1467     .emptyReason.coding">
1468         <path value="Composition.section.emptyReason.coding" />
1469         <min value="1" />
1470         <max value="1" />
1471         <mustSupport value="true" />
1472     </element>
1473     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1474     .emptyReason.coding.system">
1475         <path value="Composition.section.emptyReason.coding.system" />
1476         <min value="1" />
1477         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1478     </element>
1479     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1480     .emptyReason.coding.version">
1481         <path value="Composition.section.emptyReason.coding.version" />
1482         <min value="1" />
1483         <fixedString value="4.0.1" />
1484     </element>

```

```

1476     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.code">
1477       <path value="Composition.section.emptyReason.coding.code" />
1478       <min value="1" />
1479       <fixedCode value="closed" />
1480     </element>
1481     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.display">
1482       <path value="Composition.section.emptyReason.coding.display" />
1483       <min value="1" />
1484       <fixedString value="Closed" />
1485     </element>
1486     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.userSelected">
1487       <path value="Composition.section.emptyReason.coding.userSelected" />
1488       <max value="0" />
1489     </element>
1490     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.text">
1491       <path value="Composition.section.emptyReason.text" />
1492       <max value="0" />
1493     </element>
1494     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.section">
1495       <path value="Composition.section.section" />
1496       <max value="0" />
1497     </element>
1498     <element id="Composition.section:perzentilkurven">
1499       <path value="Composition.section" />
1500       <sliceName value="perzentilkurven" />
1501       <max value="1" />
1502       <mustSupport value="true" />
1503     </element>
1504     <element id="Composition.section:perzentilkurven.title">
1505       <path value="Composition.section.title" />
1506       <min value="1" />
1507       <fixedString value="Perzentilkurven" />
1508       <mustSupport value="true" />
1509     </element>
1510     <element id="Composition.section:perzentilkurven.code">
1511       <path value="Composition.section.code" />
1512       <min value="1" />
1513       <mustSupport value="true" />
1514     </element>
1515     <element id="Composition.section:perzentilkurven.code.coding">
1516       <path value="Composition.section.code.coding" />
1517       <min value="1" />
1518       <max value="1" />
1519       <mustSupport value="true" />
1520     </element>
1521     <element id="Composition.section:perzentilkurven.code.coding.system">
1522       <path value="Composition.section.code.coding.system" />
1523       <min value="1" />
1524       <fixedUri value="http://snomed.info/sct" />
1525     </element>
1526     <element id="Composition.section:perzentilkurven.code.coding.version">
1527       <path value="Composition.section.code.coding.version" />
1528       <min value="1" />
1529       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />

```

```

1530 </element>
1531 <element id="Composition.section:perzentilkurven.code.coding.code">
1532   <path value="Composition.section.code.coding.code" />
1533   <min value="1" />
1534   <fixedCode value="129822005" />
1535 </element>
1536 <element id="Composition.section:perzentilkurven.code.coding.display">
1537   <path value="Composition.section.code.coding.display" />
1538   <min value="1" />
1539   <fixedString value="Childhood growth AND/OR development finding
(finding)" />
1540 </element>
1541 <element id="Composition.section:perzentilkurven.code.coding.userSelect
ed">
1542   <path value="Composition.section.code.coding.userSelected" />
1543   <max value="0" />
1544 </element>
1545 <element id="Composition.section:perzentilkurven.code.text">
1546   <path value="Composition.section.code.text" />
1547   <max value="0" />
1548 </element>
1549 <element id="Composition.section:perzentilkurven.author">
1550   <path value="Composition.section.author" />
1551   <max value="0" />
1552 </element>
1553 <element id="Composition.section:perzentilkurven.focus">
1554   <path value="Composition.section.focus" />
1555   <max value="0" />
1556 </element>
1557 <element id="Composition.section:perzentilkurven.text">
1558   <path value="Composition.section.text" />
1559   <min value="1" />
1560 </element>
1561 <element id="Composition.section:perzentilkurven.text.status">
1562   <path value="Composition.section.text.status" />
1563   <fixedCode value="generated" />
1564 </element>
1565 <element id="Composition.section:perzentilkurven.mode">
1566   <path value="Composition.section.mode" />
1567   <max value="0" />
1568 </element>
1569 <element id="Composition.section:perzentilkurven.orderedBy">
1570   <path value="Composition.section.orderedBy" />
1571   <max value="0" />
1572 </element>
1573 <element id="Composition.section:perzentilkurven.entry">
1574   <path value="Composition.section.entry" />
1575   <max value="1" />
1576   <type>
1577     <code value="Reference" />
1578     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_Percentile_Values|1.0.1" />
1579   </type>
1580   <mustSupport value="true" />
1581 </element>
1582 <element id="Composition.section:perzentilkurven.entry.reference">
1583   <path value="Composition.section.entry.reference" />
1584   <min value="1" />
1585   <mustSupport value="true" />
1586 </element>

```

```

1587 <element id="Composition.section:perzentilkurven.entry.type">
1588   <path value="Composition.section.entry.type" />
1589   <max value="0" />
1590 </element>
1591 <element id="Composition.section:perzentilkurven.entry.identifizier">
1592   <path value="Composition.section.entry.identifizier" />
1593   <max value="0" />
1594 </element>
1595 <element id="Composition.section:perzentilkurven.entry.display">
1596   <path value="Composition.section.entry.display" />
1597   <max value="0" />
1598 </element>
1599 <element id="Composition.section:perzentilkurven.emptyReason">
1600   <path value="Composition.section.emptyReason" />
1601   <mustSupport value="true" />
1602 </element>
1603 <element id="Composition.section:perzentilkurven.emptyReason.coding">
1604   <path value="Composition.section.emptyReason.coding" />
1605   <min value="1" />
1606   <max value="1" />
1607   <mustSupport value="true" />
1608 </element>
1609 <element id="Composition.section:perzentilkurven.emptyReason.coding.system">
1610   <path value="Composition.section.emptyReason.coding.system" />
1611   <min value="1" />
1612   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1613 </element>
1614 <element id="Composition.section:perzentilkurven.emptyReason.coding.version">
1615   <path value="Composition.section.emptyReason.coding.version" />
1616   <min value="1" />
1617   <fixedString value="4.0.1" />
1618 </element>
1619 <element id="Composition.section:perzentilkurven.emptyReason.coding.code">
1620   <path value="Composition.section.emptyReason.coding.code" />
1621   <min value="1" />
1622   <fixedCode value="closed" />
1623 </element>
1624 <element id="Composition.section:perzentilkurven.emptyReason.coding.display">
1625   <path value="Composition.section.emptyReason.coding.display" />
1626   <min value="1" />
1627   <fixedString value="Closed" />
1628 </element>
1629 <element id="Composition.section:perzentilkurven.emptyReason.coding.userSelected">
1630   <path value="Composition.section.emptyReason.coding.userSelected" />
1631   <max value="0" />
1632 </element>
1633 <element id="Composition.section:perzentilkurven.emptyReason.text">
1634   <path value="Composition.section.emptyReason.text" />
1635   <max value="0" />
1636 </element>
1637 <element id="Composition.section:perzentilkurven.section">
1638   <path value="Composition.section.section" />
1639   <max value="0" />
1640 </element>

```

1641	</ <b>differential</b> >
1642	</ <b>StructureDefinition</b> >

## 214. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U7

## KBV\_PR\_MIO\_CMR\_Composition\_U7

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U7" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_U7" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil stellt die gesamte siebente U-
Untersuchung dar." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U7|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87         <element id="Composition.extension">
88         <path value="Composition.extension" />
89         <slicing>
90         <discriminator>
91         <type value="value" />
92         <path value="url" />
93         </discriminator>
94         <rules value="open" />
95         </slicing>
96     </element>
97     <element id="Composition.extension:u7Einleitung">
98     <path value="Composition.extension" />
99     <sliceName value="u7Einleitung" />
100    <min value="1" />
101    <max value="1" />
102    <type>
103    <code value="Extension" />
104    <profile value="https://fhir.kbv.de/StructureDefinition/
105    KBV_EX_MIO_CMR_Note" />
106    </type>
107    <mustSupport value="true" />
108 </element>
109 <element id="Composition.extension:u7Einleitung.value[x]">
110 <path value="Composition.extension.value[x]" />
111 <mustSupport value="true" />
112 </element>
113 <element id="Composition.extension:u7Einleitung.value[x]:valueString">
114 <path value="Composition.extension.value[x]" />
115 <sliceName value="valueString" />
116 <fixedString value="U7 Elterninformation zur Untersuchung vom 21. bis
zum 24. Lebensmonat Ihr Kind ist jetzt fast zwei Jahre alt. Es kann nun
wahrscheinlich schon über längere Zeit frei und sicher laufen und auch
schon Treppenstufen hinuntergehen. Bei den meisten Kindern wächst der
Wortschatz schnell. Sie sagen gerne „Nein“ und probieren aus, was sie mit
ihrem Verhalten bewirken. Die letzte Untersuchung liegt etwa ein Jahr
zurück. Die Ärztin oder der Arzt achtet bei der U7 wieder besonders auf
Entwicklungsauffälligkeiten. Ihr Kind wird körperlich untersucht. Zum
Erkennen von Sehstörungen werden Untersuchungen der Augen durchgeführt. Die
Ärztin oder der Arzt prüft, ob Ihr Kind einfache Wörter und Sätze versteht.
Sie werden gefragt, wie sich Ihr Kind zum Beispiel beim Spielen, in der
Familie oder in einer Gruppe von Kindern verhält. Außerdem interessiert
sich Ihre Ärztin oder Ihr Arzt für den Kontakt zwischen Ihnen und Ihrem
Kind. Ihre Ärztin oder Ihr Arzt berät Sie zu den laut Impfkalender
empfohlenen Schutzimpfungen. Außerdem spricht die Ärztin oder der Arzt mit
Ihnen über Themen wie die Ernährung Ihres Kindes, Maßnahmen zur
Unfallverhütung, die Förderung der Sprachentwicklung und die
Kariesprophylaxe mittels Fluorid. Sie erhalten von der Ärztin oder dem Arzt
Hinweise zur kindlichen Mundhygiene. Zur Abklärung von Auffälligkeiten beim
Kieferwachstum, an den Zähnen oder der Mundschleimhaut bei Ihrem Kind
werden Sie zur Zahnärztin oder zum Zahnarzt verwiesen." />
117 <mustSupport value="true" />
118 </element>
119
120 <element id="Composition.identifizier">
121 <path value="Composition.identifizier" />
122 <max value="0" />
123 </element>
124
125 <element id="Composition.status">

```



```

126     <path value="Composition.status" />
127     <fixedCode value="final" />
128 </element>
129 <element id="Composition.type">
130     <path value="Composition.type" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Composition.type.coding">
134     <path value="Composition.type.coding" />
135     <min value="1" />
136     <max value="1" />
137     <mustSupport value="true" />
138 </element>
139 <element id="Composition.type.coding.system">
140     <path value="Composition.type.coding.system" />
141     <min value="1" />
142     <fixedUri value="http://snomed.info/sct" />
143 </element>
144 <element id="Composition.type.coding.version">
145     <path value="Composition.type.coding.version" />
146     <min value="1" />
147     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
148 </element>
149 <element id="Composition.type.coding.code">
150     <path value="Composition.type.coding.code" />
151     <min value="1" />
152     <fixedCode value="401140000" />
153 </element>
154 <element id="Composition.type.coding.display">
155     <path value="Composition.type.coding.display" />
156     <min value="1" />
157     <fixedString value="Child 2 year examination (procedure)" />
158 </element>
159 <element id="Composition.type.coding.userSelected">
160     <path value="Composition.type.coding.userSelected" />
161     <max value="0" />
162 </element>
163 <element id="Composition.type.text">
164     <path value="Composition.type.text" />
165     <max value="0" />
166 </element>
167 <element id="Composition.category">
168     <path value="Composition.category" />
169     <min value="1" />
170     <max value="1" />
171     <mustSupport value="true" />
172 </element>
173 <element id="Composition.category.coding">
174     <path value="Composition.category.coding" />
175     <min value="1" />
176     <max value="1" />
177     <mustSupport value="true" />
178 </element>
179 <element id="Composition.category.coding.system">
180     <path value="Composition.category.coding.system" />
181     <min value="1" />
182     <fixedUri value="http://snomed.info/sct" />
183 </element>
184 <element id="Composition.category.coding.version">

```

```

185     <path value="Composition.category.coding.version" />
186     <min value="1" />
187     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
188   </element>
189   <element id="Composition.category.coding.code">
190     <path value="Composition.category.coding.code" />
191     <min value="1" />
192     <fixedCode value="243788004" />
193   </element>
194   <element id="Composition.category.coding.display">
195     <path value="Composition.category.coding.display" />
196     <min value="1" />
197     <fixedString value="Child examination (procedure)" />
198   </element>
199   <element id="Composition.category.coding.userSelected">
200     <path value="Composition.category.coding.userSelected" />
201     <max value="0" />
202   </element>
203   <element id="Composition.category.text">
204     <path value="Composition.category.text" />
205     <max value="0" />
206   </element>
207   <element id="Composition.subject">
208     <path value="Composition.subject" />
209     <min value="1" />
210     <type>
211       <code value="Reference" />
212       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
213     </type>
214     <mustSupport value="true" />
215   </element>
216   <element id="Composition.subject.reference">
217     <path value="Composition.subject.reference" />
218     <min value="1" />
219     <mustSupport value="true" />
220   </element>
221   <element id="Composition.subject.type">
222     <path value="Composition.subject.type" />
223     <max value="0" />
224   </element>
225   <element id="Composition.subject.identifier">
226     <path value="Composition.subject.identifier" />
227     <max value="0" />
228   </element>
229   <element id="Composition.subject.display">
230     <path value="Composition.subject.display" />
231     <max value="0" />
232   </element>
233   <element id="Composition.encounter">
234     <path value="Composition.encounter" />
235     <min value="1" />
236     <type>
237       <code value="Reference" />
238       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
239     </type>
240     <mustSupport value="true" />
241   </element>

```

```

242 <element id="Composition.encounter.reference">
243   <path value="Composition.encounter.reference" />
244   <min value="1" />
245   <mustSupport value="true" />
246 </element>
247 <element id="Composition.encounter.type">
248   <path value="Composition.encounter.type" />
249   <max value="0" />
250 </element>
251 <element id="Composition.encounter.identifier">
252   <path value="Composition.encounter.identifier" />
253   <max value="0" />
254 </element>
255 <element id="Composition.encounter.display">
256   <path value="Composition.encounter.display" />
257   <max value="0" />
258 </element>
259 <element id="Composition.author">
260   <path value="Composition.author" />
261   <max value="2" />
262   <type>
263     <code value="Reference" />
264     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
265     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Composition.author.reference">
270   <path value="Composition.author.reference" />
271   <min value="1" />
272   <mustSupport value="true" />
273 </element>
274 <element id="Composition.author.type">
275   <path value="Composition.author.type" />
276   <max value="0" />
277 </element>
278 <element id="Composition.author.identifier">
279   <path value="Composition.author.identifier" />
280   <max value="0" />
281 </element>
282 <element id="Composition.author.display">
283   <path value="Composition.author.display" />
284   <max value="0" />
285 </element>
286 <element id="Composition.title">
287   <path value="Composition.title" />
288   <fixedString value="U7" />
289   <mustSupport value="true" />
290 </element>
291 <element id="Composition.confidentiality">
292   <path value="Composition.confidentiality" />
293   <max value="0" />
294 </element>
295 <element id="Composition.attester">
296   <path value="Composition.attester" />
297   <max value="0" />
298 </element>
299 <element id="Composition.custodian">

```

```

300     <path value="Composition.custodian" />
301     <max value="0" />
302 </element>
303 <element id="Composition.relatesTo">
304     <path value="Composition.relatesTo" />
305     <max value="0" />
306 </element>
307 <element id="Composition.event">
308     <path value="Composition.event" />
309     <max value="0" />
310 </element>
311 <element id="Composition.section">
312     <path value="Composition.section" />
313     <licing>
314         <discriminator>
315             <type value="value" />
316             <path value="title" />
317         </discriminator>
318         <rules value="closed" />
319     </licing>
320     <mustSupport value="true" />
321 </element>
322 <element id="Composition.section:aktuelleAnamneseDesKindes">
323     <path value="Composition.section" />
324     <sliceName value="aktuelleAnamneseDesKindes" />
325     <min value="1" />
326     <max value="1" />
327     <mustSupport value="true" />
328 </element>
329 <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
330     <path value="Composition.section.extension" />
331     <licing>
332         <discriminator>
333             <type value="value" />
334             <path value="url" />
335         </discriminator>
336         <rules value="open" />
337     </licing>
338 </element>
339 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
340 amneseAnweisung">
341     <path value="Composition.section.extension" />
342     <sliceName value="anamneseAnweisung" />
343     <min value="1" />
344     <max value="1" />
345     <type>
346         <code value="Extension" />
347         <profile value="https://fhir.kbv.de/StructureDefinition/
348 KBV_EX_MIO_CMR_Instruction" />
349     </type>
350     <mustSupport value="true" />
351 </element>
352 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
353 amneseAnweisung.value[x]">
354     <path value="Composition.section.extension.value[x]" />
355     <mustSupport value="true" />
356 </element>
357 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
358 amneseAnweisung.value[x]:valueString">
359     <path value="Composition.section.extension.value[x]" />

```

```

356     <sliceName value="valueString" />
357     <fixedString value="Zutreffendes bitte ankreuzen!" />
358     <mustSupport value="true" />
359 </element>
360 <element id="Composition.section:aktuelleAnamneseDesKindes.title">
361     <path value="Composition.section.title" />
362     <min value="1" />
363     <fixedString value="Aktuelle Anamnese des Kindes" />
364     <mustSupport value="true" />
365 </element>
366 <element id="Composition.section:aktuelleAnamneseDesKindes.code">
367     <path value="Composition.section.code" />
368     <min value="1" />
369     <mustSupport value="true" />
370 </element>
371 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
372     <path value="Composition.section.code.coding" />
373     <min value="1" />
374     <max value="1" />
375     <mustSupport value="true" />
376 </element>
377 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
378     <path value="Composition.section.code.coding.system" />
379     <min value="1" />
380     <fixedUri value="http://snomed.info/sct" />
381 </element>
382 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
383     <path value="Composition.section.code.coding.version" />
384     <min value="1" />
385     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
386 </element>
387 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
388     <path value="Composition.section.code.coding.code" />
389     <min value="1" />
390     <fixedCode value="423374008" />
391 </element>
392 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
393     <path value="Composition.section.code.coding.display" />
394     <min value="1" />
395     <fixedString value="Review of systems section (record artifact)" />
396 </element>
397 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
398     <path value="Composition.section.code.coding.userSelected" />
399     <max value="0" />
400 </element>
401 <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
402     <path value="Composition.section.code.text" />
403     <max value="0" />
404 </element>
405 <element id="Composition.section:aktuelleAnamneseDesKindes.author">
406     <path value="Composition.section.author" />
407     <max value="0" />
408 </element>
409 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">

```

```

410     <path value="Composition.section.focus" />
411     <max value="0" />
412 </element>
413 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
414     <path value="Composition.section.text" />
415     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
416     <min value="1" />
417 </element>
418 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
419     <path value="Composition.section.text.status" />
420     <fixedCode value="generated" />
421 </element>
422 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
423     <path value="Composition.section.mode" />
424     <max value="0" />
425 </element>
426 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
427     <path value="Composition.section.orderedBy" />
428     <max value="0" />
429 </element>
430 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
431     <path value="Composition.section.entry" />
432     <type>
433         <code value="Reference" />
434         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_Current_Child_History|1.0.1" />
435     </type>
436     <mustSupport value="true" />
437 </element>
438 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
439     <path value="Composition.section.entry.reference" />
440     <min value="1" />
441     <mustSupport value="true" />
442 </element>
443 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
444     <path value="Composition.section.entry.type" />
445     <max value="0" />
446 </element>
447 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
448     <path value="Composition.section.entry.identifizier" />
449     <max value="0" />
450 </element>
451 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
452     <path value="Composition.section.entry.display" />
453     <max value="0" />
454 </element>
455 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
456     <path value="Composition.section.emptyReason" />
457     <mustSupport value="true" />
458 </element>
459 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
460     <path value="Composition.section.emptyReason.coding" />
461     <min value="1" />
462     <max value="1" />
463     <mustSupport value="true" />

```

```

464     </element>
465     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
466         <path value="Composition.section.emptyReason.coding.system" />
467         <min value="1" />
468         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
469     </element>
470     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
471         <path value="Composition.section.emptyReason.coding.version" />
472         <min value="1" />
473         <fixedString value="4.0.1" />
474     </element>
475     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
476         <path value="Composition.section.emptyReason.coding.code" />
477         <min value="1" />
478         <fixedCode value="closed" />
479     </element>
480     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
481         <path value="Composition.section.emptyReason.coding.display" />
482         <min value="1" />
483         <fixedString value="Closed" />
484     </element>
485     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
486         <path value="Composition.section.emptyReason.coding.userSelected" />
487         <max value="0" />
488     </element>
489     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
490         <path value="Composition.section.emptyReason.text" />
491         <max value="0" />
492     </element>
493     <element id="Composition.section:aktuelleAnamneseDesKindes.section">
494         <path value="Composition.section.section" />
495         <max value="0" />
496     </element>
497     <element id="Composition.section:sozialanamnese">
498         <path value="Composition.section" />
499         <sliceName value="sozialanamnese" />
500         <min value="1" />
501         <max value="1" />
502         <mustSupport value="true" />
503     </element>
504     <element id="Composition.section:sozialanamnese.extension">
505         <path value="Composition.section.extension" />
506         <licing>
507             <discriminator>
508                 <type value="value" />
509                 <path value="url" />
510             </discriminator>
511             <rules value="open" />
512         </licing>
513     </element>
514     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
515         <path value="Composition.section.extension" />

```

```

516     <sliceName value="anamneseAnweisung" />
517     <min value="1" />
518     <max value="1" />
519     <type>
520         <code value="Extension" />
521         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
522     </type>
523     <mustSupport value="true" />
524 </element>
525     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
526         <path value="Composition.section.extension.value[x]" />
527         <mustSupport value="true" />
528     </element>
529     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
530         <path value="Composition.section.extension.value[x]" />
531         <sliceName value="valueString" />
532         <fixedString value="Zutreffendes bitte ankreuzen!" />
533         <mustSupport value="true" />
534     </element>
535     <element id="Composition.section:sozialanamnese.title">
536         <path value="Composition.section.title" />
537         <min value="1" />
538         <fixedString value="Sozialanamnese" />
539         <mustSupport value="true" />
540     </element>
541     <element id="Composition.section:sozialanamnese.code">
542         <path value="Composition.section.code" />
543         <min value="1" />
544         <mustSupport value="true" />
545     </element>
546     <element id="Composition.section:sozialanamnese.code.coding">
547         <path value="Composition.section.code.coding" />
548         <min value="1" />
549         <max value="1" />
550         <mustSupport value="true" />
551     </element>
552     <element id="Composition.section:sozialanamnese.code.coding.system">
553         <path value="Composition.section.code.coding.system" />
554         <min value="1" />
555         <fixedUri value="http://snomed.info/sct" />
556     </element>
557     <element id="Composition.section:sozialanamnese.code.coding.version">
558         <path value="Composition.section.code.coding.version" />
559         <min value="1" />
560         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
561     </element>
562     <element id="Composition.section:sozialanamnese.code.coding.code">
563         <path value="Composition.section.code.coding.code" />
564         <min value="1" />
565         <fixedCode value="281575007" />
566     </element>
567     <element id="Composition.section:sozialanamnese.code.coding.display">
568         <path value="Composition.section.code.coding.display" />
569         <min value="1" />
570         <fixedString value="Family social history (situation)" />
571     </element>

```



```

572 <element id="Composition.section:sozialanamnese.code.coding.userSelecte
d">
573   <path value="Composition.section.code.coding.userSelected" />
574   <max value="0" />
575 </element>
576 <element id="Composition.section:sozialanamnese.code.text">
577   <path value="Composition.section.code.text" />
578   <max value="0" />
579 </element>
580 <element id="Composition.section:sozialanamnese.author">
581   <path value="Composition.section.author" />
582   <max value="0" />
583 </element>
584 <element id="Composition.section:sozialanamnese.focus">
585   <path value="Composition.section.focus" />
586   <max value="0" />
587 </element>
588 <element id="Composition.section:sozialanamnese.text">
589   <path value="Composition.section.text" />
590   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
591   <min value="1" />
592 </element>
593 <element id="Composition.section:sozialanamnese.text.status">
594   <path value="Composition.section.text.status" />
595   <fixedCode value="generated" />
596 </element>
597 <element id="Composition.section:sozialanamnese.mode">
598   <path value="Composition.section.mode" />
599   <max value="0" />
600 </element>
601 <element id="Composition.section:sozialanamnese.orderedBy">
602   <path value="Composition.section.orderedBy" />
603   <max value="0" />
604 </element>
605 <element id="Composition.section:sozialanamnese.entry">
606   <path value="Composition.section.entry" />
607
608   <type>
609     <code value="Reference" />
610     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Social_History|1.0.1" />
611   </type>
612   <mustSupport value="true" />
613 </element>
614 <element id="Composition.section:sozialanamnese.entry.reference">
615   <path value="Composition.section.entry.reference" />
616   <min value="1" />
617   <mustSupport value="true" />
618 </element>
619 <element id="Composition.section:sozialanamnese.entry.type">
620   <path value="Composition.section.entry.type" />
621   <max value="0" />
622 </element>
623 <element id="Composition.section:sozialanamnese.entry.identifler">
624   <path value="Composition.section.entry.identifler" />
625   <max value="0" />
626 </element>
627 <element id="Composition.section:sozialanamnese.entry.display">
628   <path value="Composition.section.entry.display" />

```

```

629     <max value="0" />
630 </element>
631 <element id="Composition.section:sozialanamnese.emptyReason">
632   <path value="Composition.section.emptyReason" />
633   <mustSupport value="true" />
634 </element>
635 <element id="Composition.section:sozialanamnese.emptyReason.coding">
636   <path value="Composition.section.emptyReason.coding" />
637   <min value="1" />
638   <max value="1" />
639   <mustSupport value="true" />
640 </element>
641 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
642   <path value="Composition.section.emptyReason.coding.system" />
643   <min value="1" />
644   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
645 </element>
646 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
647   <path value="Composition.section.emptyReason.coding.version" />
648   <min value="1" />
649   <fixedString value="4.0.1" />
650 </element>
651 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
652   <path value="Composition.section.emptyReason.coding.code" />
653   <min value="1" />
654   <fixedCode value="closed" />
655 </element>
656 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
657   <path value="Composition.section.emptyReason.coding.display" />
658   <min value="1" />
659   <fixedString value="Closed" />
660 </element>
661 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
662   <path value="Composition.section.emptyReason.coding.userSelected" />
663   <max value="0" />
664 </element>
665 <element id="Composition.section:sozialanamnese.emptyReason.text">
666   <path value="Composition.section.emptyReason.text" />
667   <max value="0" />
668 </element>
669 <element id="Composition.section:sozialanamnese.section">
670   <path value="Composition.section.section" />
671   <max value="0" />
672 </element>
673 <element id="Composition.section:untersuchung">
674   <path value="Composition.section" />
675   <sliceName value="untersuchung" />
676   <min value="1" />
677   <max value="1" />
678   <mustSupport value="true" />
679 </element>
680 <element id="Composition.section:untersuchung.extension">
681   <path value="Composition.section.extension" />
682   <slicing>

```

```

683     <discriminator>
684       <type value="value" />
685       <path value="url" />
686     </discriminator>
687     <rules value="open" />
688   </slicing>
689 </element>
690 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eistung">
691   <path value="Composition.section.extension" />
692   <sliceName value="untersuchungAnweisung" />
693   <min value="1" />
694   <max value="1" />
695   <type>
696     <code value="Extension" />
697     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CM_R_Instruction" />
698   </type>
699   <mustSupport value="true" />
700 </element>
701 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eistung.value[x]">
702   <path value="Composition.section.extension.value[x]" />
703   <mustSupport value="true" />
704 </element>
705 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eistung.value[x]:valueString">
706   <path value="Composition.section.extension.value[x]" />
707   <sliceName value="valueString" />
708   <fixedString value="Nur Auffälligkeiten ankreuzen!" />
709   <mustSupport value="true" />
710 </element>
711 <element id="Composition.section:untersuchung.title">
712   <path value="Composition.section.title" />
713   <min value="1" />
714   <fixedString value="Körperliche Untersuchung" />
715   <mustSupport value="true" />
716 </element>
717 <element id="Composition.section:untersuchung.code">
718   <path value="Composition.section.code" />
719   <min value="1" />
720   <mustSupport value="true" />
721 </element>
722 <element id="Composition.section:untersuchung.code.coding">
723   <path value="Composition.section.code.coding" />
724   <min value="1" />
725   <max value="1" />
726   <mustSupport value="true" />
727 </element>
728 <element id="Composition.section:untersuchung.code.coding.system">
729   <path value="Composition.section.code.coding.system" />
730   <min value="1" />
731   <fixedUri value="http://snomed.info/sct" />
732 </element>
733 <element id="Composition.section:untersuchung.code.coding.version">
734   <path value="Composition.section.code.coding.version" />
735   <min value="1" />
736   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
737 </element>

```

```

738 <element id="Composition.section:untersuchung.code.coding.code">
739   <path value="Composition.section.code.coding.code" />
740   <min value="1" />
741   <fixedCode value="425044008" />
742 </element>
743 <element id="Composition.section:untersuchung.code.coding.display">
744   <path value="Composition.section.code.coding.display" />
745   <min value="1" />
746   <fixedString value="Physical exam section (record artifact)" />
747 </element>
748 <element id="Composition.section:untersuchung.code.coding.userSelected">
749   <path value="Composition.section.code.coding.userSelected" />
750   <max value="0" />
751 </element>
752 <element id="Composition.section:untersuchung.code.text">
753   <path value="Composition.section.code.text" />
754   <max value="0" />
755 </element>
756 <element id="Composition.section:untersuchung.author">
757   <path value="Composition.section.author" />
758   <max value="0" />
759 </element>
760 <element id="Composition.section:untersuchung.focus">
761   <path value="Composition.section.focus" />
762   <max value="0" />
763 </element>
764 <element id="Composition.section:untersuchung.text">
765   <path value="Composition.section.text" />
766   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
767   <min value="1" />
768 </element>
769 <element id="Composition.section:untersuchung.text.status">
770   <path value="Composition.section.text.status" />
771   <fixedCode value="generated" />
772 </element>
773 <element id="Composition.section:untersuchung.mode">
774   <path value="Composition.section.mode" />
775   <max value="0" />
776 </element>
777 <element id="Composition.section:untersuchung.orderedBy">
778   <path value="Composition.section.orderedBy" />
779   <max value="0" />
780 </element>
781 <element id="Composition.section:untersuchung.entry">
782   <path value="Composition.section.entry" />
783   <type>
784     <code value="Reference" />
785     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U9_Physical_Exam_Skin|1.0.1" />
786     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U6_U7_Physical_Exam_Chest_Lung_Respiratory
_Tract|1.0.1" />
787     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7_U7a_Physical_Exam_Abdomen_Genitals|
1.0.1" />
788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7_U9_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />

```

```

789     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_Physical_Exam_Musculoskeletal_System|
1.0.1" />
790     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_Physical_Exam_Mouth_Nose|1.0.1" />
791     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_Physical_Exam_Eyes|1.0.1" />
792     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
793   </type>
794   <mustSupport value="true" />
795 </element>
796 <element id="Composition.section.untersuchung.entry.reference">
797   <path value="Composition.section.entry.reference" />
798   <min value="1" />
799   <mustSupport value="true" />
800 </element>
801 <element id="Composition.section.untersuchung.entry.type">
802   <path value="Composition.section.entry.type" />
803   <max value="0" />
804 </element>
805 <element id="Composition.section.untersuchung.entry.identifizier">
806   <path value="Composition.section.entry.identifizier" />
807   <max value="0" />
808 </element>
809 <element id="Composition.section.untersuchung.entry.display">
810   <path value="Composition.section.entry.display" />
811   <max value="0" />
812 </element>
813 <element id="Composition.section.untersuchung.emptyReason">
814   <path value="Composition.section.emptyReason" />
815   <mustSupport value="true" />
816 </element>
817 <element id="Composition.section.untersuchung.emptyReason.coding">
818   <path value="Composition.section.emptyReason.coding" />
819   <min value="1" />
820   <max value="1" />
821   <mustSupport value="true" />
822 </element>
823 <element id="Composition.section.untersuchung.emptyReason.coding.system
">
824   <path value="Composition.section.emptyReason.coding.system" />
825   <min value="1" />
826   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
827 </element>
828 <element id="Composition.section.untersuchung.emptyReason.coding.version"
">
829   <path value="Composition.section.emptyReason.coding.version" />
830   <min value="1" />
831   <fixedString value="4.0.1" />
832 </element>
833 <element id="Composition.section.untersuchung.emptyReason.coding.code">
834   <path value="Composition.section.emptyReason.coding.code" />
835   <min value="1" />
836   <fixedCode value="closed" />
837 </element>
838 <element id="Composition.section.untersuchung.emptyReason.coding.display"
">
839   <path value="Composition.section.emptyReason.coding.display" />

```

```

840     <min value="1" />
841     <fixedString value="Closed" />
842   </element>
843   <element id="Composition.section:untersuchung.emptyReason.coding.userSe
lected">
844     <path value="Composition.section.emptyReason.coding.userSelected" />
845     <max value="0" />
846   </element>
847   <element id="Composition.section:untersuchung.emptyReason.text">
848     <path value="Composition.section.emptyReason.text" />
849     <max value="0" />
850   </element>
851   <element id="Composition.section:untersuchung.section">
852     <path value="Composition.section.section" />
853     <max value="0" />
854   </element>
855   <element id="Composition.section:beratung">
856     <path value="Composition.section" />
857     <sliceName value="beratung" />
858     <min value="1" />
859     <max value="1" />
860     <mustSupport value="true" />
861   </element>
862   <element id="Composition.section:beratung.extension">
863     <path value="Composition.section.extension" />
864     <slicing>
865       <discriminator>
866         <type value="value" />
867         <path value="url" />
868       </discriminator>
869       <rules value="open" />
870     </slicing>
871   </element>
872   <element id="Composition.section:beratung.extension:beratungAnweisung">
873     <path value="Composition.section.extension" />
874     <sliceName value="beratungAnweisung" />
875     <min value="1" />
876     <max value="1" />
877     <type>
878       <code value="Extension" />
879       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
880     </type>
881     <mustSupport value="true" />
882   </element>
883   <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]">
884     <path value="Composition.section.extension.value[x]" />
885     <mustSupport value="true" />
886   </element>
887   <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]:valueString">
888     <path value="Composition.section.extension.value[x]" />
889     <sliceName value="valueString" />
890     <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
891     <mustSupport value="true" />
892   </element>
893   <element id="Composition.section:beratung.extension:beratungHinweis">
894     <path value="Composition.section.extension" />

```

```

895     <sliceName value="beratungHinweis" />
896     <min value="1" />
897     <max value="1" />
898     <type>
899         <code value="Extension" />
900         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
901     </type>
902     <mustSupport value="true" />
903 </element>
904 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]">
905     <path value="Composition.section.extension.value[x]" />
906     <mustSupport value="true" />
907 </element>
908 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]:valueString">
909     <path value="Composition.section.extension.value[x]" />
910     <sliceName value="valueString" />
911     <fixedString value="Beratung vor allem zu folgenden Themen:" />
912     <mustSupport value="true" />
913 </element>
914 <element id="Composition.section:beratung.title">
915     <path value="Composition.section.title" />
916     <min value="1" />
917     <fixedString value="Beratung" />
918     <mustSupport value="true" />
919 </element>
920 <element id="Composition.section:beratung.code">
921     <path value="Composition.section.code" />
922     <min value="1" />
923     <mustSupport value="true" />
924 </element>
925 <element id="Composition.section:beratung.code.coding">
926     <path value="Composition.section.code.coding" />
927     <min value="1" />
928     <max value="1" />
929     <mustSupport value="true" />
930 </element>
931 <element id="Composition.section:beratung.code.coding.system">
932     <path value="Composition.section.code.coding.system" />
933     <min value="1" />
934     <fixedUri value="http://snomed.info/sct" />
935 </element>
936 <element id="Composition.section:beratung.code.coding.version">
937     <path value="Composition.section.code.coding.version" />
938     <min value="1" />
939     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
940 </element>
941 <element id="Composition.section:beratung.code.coding.code">
942     <path value="Composition.section.code.coding.code" />
943     <min value="1" />
944     <fixedCode value="409066002" />
945 </element>
946 <element id="Composition.section:beratung.code.coding.display">
947     <path value="Composition.section.code.coding.display" />
948     <min value="1" />
949     <fixedString value="Education, guidance and counseling (procedure)" /
>

```

```

950 </element>
951 <element id="Composition.section:beratung.code.coding.userSelected">
952   <path value="Composition.section.code.coding.userSelected" />
953   <max value="0" />
954 </element>
955 <element id="Composition.section:beratung.code.text">
956   <path value="Composition.section.code.text" />
957   <max value="0" />
958 </element>
959 <element id="Composition.section:beratung.author">
960   <path value="Composition.section.author" />
961   <max value="0" />
962 </element>
963 <element id="Composition.section:beratung.focus">
964   <path value="Composition.section.focus" />
965   <max value="0" />
966 </element>
967 <element id="Composition.section:beratung.text">
968   <path value="Composition.section.text" />
969   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
970   <min value="1" />
971 </element>
972 <element id="Composition.section:beratung.text.status">
973   <path value="Composition.section.text.status" />
974   <fixedCode value="generated" />
975 </element>
976 <element id="Composition.section:beratung.mode">
977   <path value="Composition.section.mode" />
978   <max value="0" />
979 </element>
980 <element id="Composition.section:beratung.orderedBy">
981   <path value="Composition.section.orderedBy" />
982   <max value="0" />
983 </element>
984 <element id="Composition.section:beratung.entry">
985   <path value="Composition.section.entry" />
986   <type>
987     <code value="Reference" />
988     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U7_Consultation|1.0.1" />
989     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
990   </type>
991   <mustSupport value="true" />
992 </element>
993 <element id="Composition.section:beratung.entry.reference">
994   <path value="Composition.section.entry.reference" />
995   <min value="1" />
996   <mustSupport value="true" />
997 </element>
998 <element id="Composition.section:beratung.entry.type">
999   <path value="Composition.section.entry.type" />
1000   <max value="0" />
1001 </element>
1002 <element id="Composition.section:beratung.entry.identifrier">
1003   <path value="Composition.section.entry.identifrier" />
1004   <max value="0" />
1005 </element>
1006 <element id="Composition.section:beratung.entry.display">

```



```

1007     <path value="Composition.section.entry.display" />
1008     <max value="0" />
1009 </element>
1010 <element id="Composition.section:beratung.emptyReason">
1011     <path value="Composition.section.emptyReason" />
1012     <mustSupport value="true" />
1013 </element>
1014 <element id="Composition.section:beratung.emptyReason.coding">
1015     <path value="Composition.section.emptyReason.coding" />
1016     <min value="1" />
1017     <max value="1" />
1018     <mustSupport value="true" />
1019 </element>
1020 <element id="Composition.section:beratung.emptyReason.coding.system">
1021     <path value="Composition.section.emptyReason.coding.system" />
1022     <min value="1" />
1023     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
1024 reason" />
1025 </element>
1026 <element id="Composition.section:beratung.emptyReason.coding.version">
1027     <path value="Composition.section.emptyReason.coding.version" />
1028     <min value="1" />
1029     <fixedString value="4.0.1" />
1030 </element>
1031 <element id="Composition.section:beratung.emptyReason.coding.code">
1032     <path value="Composition.section.emptyReason.coding.code" />
1033     <min value="1" />
1034     <fixedCode value="closed" />
1035 </element>
1036 <element id="Composition.section:beratung.emptyReason.coding.display">
1037     <path value="Composition.section.emptyReason.coding.display" />
1038     <min value="1" />
1039     <fixedString value="Closed" />
1040 </element>
1041 <element id="Composition.section:beratung.emptyReason.coding.userSelect
1042 ed">
1043     <path value="Composition.section.emptyReason.coding.userSelected" />
1044     <max value="0" />
1045 </element>
1046 <element id="Composition.section:beratung.emptyReason.text">
1047     <path value="Composition.section.emptyReason.text" />
1048     <max value="0" />
1049 </element>
1050 <element id="Composition.section:beratung.section">
1051     <path value="Composition.section.section" />
1052     <max value="0" />
1053 </element>
1054 <element id="Composition.section:ergebnisse">
1055     <path value="Composition.section" />
1056     <sliceName value="ergebnisse" />
1057     <min value="1" />
1058     <max value="1" />
1059     <mustSupport value="true" />
1060 </element>
1061 <element id="Composition.section:ergebnisse.title">
1062     <path value="Composition.section.title" />
1063     <min value="1" />
1064     <fixedString value="Ergebnisse" />
1065     <mustSupport value="true" />
1066 </element>

```

```

1065 <element id="Composition.section:ergebnisse.code">
1066   <path value="Composition.section.code" />
1067   <min value="1" />
1068   <mustSupport value="true" />
1069 </element>
1070 <element id="Composition.section:ergebnisse.code.coding">
1071   <path value="Composition.section.code.coding" />
1072   <min value="1" />
1073   <max value="1" />
1074   <mustSupport value="true" />
1075 </element>
1076 <element id="Composition.section:ergebnisse.code.coding.system">
1077   <path value="Composition.section.code.coding.system" />
1078   <min value="1" />
1079   <fixedUri value="http://snomed.info/sct" />
1080 </element>
1081 <element id="Composition.section:ergebnisse.code.coding.version">
1082   <path value="Composition.section.code.coding.version" />
1083   <min value="1" />
1084   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1085 </element>
1086 <element id="Composition.section:ergebnisse.code.coding.code">
1087   <path value="Composition.section.code.coding.code" />
1088   <min value="1" />
1089   <fixedCode value="423100009" />
1090 </element>
1091 <element id="Composition.section:ergebnisse.code.coding.display">
1092   <path value="Composition.section.code.coding.display" />
1093   <min value="1" />
1094   <fixedString value="Results section (record artifact)" />
1095 </element>
1096 <element id="Composition.section:ergebnisse.code.coding.userSelected">
1097   <path value="Composition.section.code.coding.userSelected" />
1098   <max value="0" />
1099 </element>
1100 <element id="Composition.section:ergebnisse.code.text">
1101   <path value="Composition.section.code.text" />
1102   <max value="0" />
1103 </element>
1104 <element id="Composition.section:ergebnisse.author">
1105   <path value="Composition.section.author" />
1106   <max value="0" />
1107 </element>
1108 <element id="Composition.section:ergebnisse.focus">
1109   <path value="Composition.section.focus" />
1110   <max value="0" />
1111 </element>
1112 <element id="Composition.section:ergebnisse.text">
1113   <path value="Composition.section.text" />
1114   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1115   <min value="1" />
1116 </element>
1117 <element id="Composition.section:ergebnisse.text.status">
1118   <path value="Composition.section.text.status" />
1119   <fixedCode value="generated" />
1120 </element>
1121 <element id="Composition.section:ergebnisse.mode">
1122   <path value="Composition.section.mode" />

```

```

1123     <max value="0" />
1124 </element>
1125 <element id="Composition.section:ergebnisse.orderedBy">
1126   <path value="Composition.section.orderedBy" />
1127   <max value="0" />
1128 </element>
1129 <element id="Composition.section:ergebnisse.entry">
1130   <path value="Composition.section.entry" />
1131   <type>
1132     <code value="Reference" />
1133     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
1134     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
1135     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Body_Measures|1.0.1" />
1136     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
1137     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
1138     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment|1.0.1" />
1139     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment|1.0.1" />
1140     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
1141     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_Dental_Referral|1.0.1" />
1142   </type>
1143   <mustSupport value="true" />
1144 </element>
1145 <element id="Composition.section:ergebnisse.entry.reference">
1146   <path value="Composition.section.entry.reference" />
1147   <min value="1" />
1148   <mustSupport value="true" />
1149 </element>
1150 <element id="Composition.section:ergebnisse.entry.type">
1151   <path value="Composition.section.entry.type" />
1152   <max value="0" />
1153 </element>
1154 <element id="Composition.section:ergebnisse.entry.identifrier">
1155   <path value="Composition.section.entry.identifrier" />
1156   <max value="0" />
1157 </element>
1158 <element id="Composition.section:ergebnisse.entry.display">
1159   <path value="Composition.section.entry.display" />
1160   <max value="0" />
1161 </element>
1162 <element id="Composition.section:ergebnisse.emptyReason">
1163   <path value="Composition.section.emptyReason" />
1164   <mustSupport value="true" />
1165 </element>
1166 <element id="Composition.section:ergebnisse.emptyReason.coding">
1167   <path value="Composition.section.emptyReason.coding" />
1168   <min value="1" />
1169   <max value="1" />
1170   <mustSupport value="true" />
1171 </element>
1172 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
1173   <path value="Composition.section.emptyReason.coding.system" />

```

```

1174     <min value="1" />
1175     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1176   </element>
1177   <element id="Composition.section:ergebnisse.emptyReason.coding.version">
1178     <path value="Composition.section.emptyReason.coding.version" />
1179     <min value="1" />
1180     <fixedString value="4.0.1" />
1181   </element>
1182   <element id="Composition.section:ergebnisse.emptyReason.coding.code">
1183     <path value="Composition.section.emptyReason.coding.code" />
1184     <min value="1" />
1185     <fixedCode value="closed" />
1186   </element>
1187   <element id="Composition.section:ergebnisse.emptyReason.coding.display">
1188     <path value="Composition.section.emptyReason.coding.display" />
1189     <min value="1" />
1190     <fixedString value="Closed" />
1191   </element>
1192   <element id="Composition.section:ergebnisse.emptyReason.coding.userSele
cted">
1193     <path value="Composition.section.emptyReason.coding.userSelected" />
1194     <max value="0" />
1195   </element>
1196   <element id="Composition.section:ergebnisse.emptyReason.text">
1197     <path value="Composition.section.emptyReason.text" />
1198     <max value="0" />
1199   </element>
1200   <element id="Composition.section:ergebnisse.section">
1201     <path value="Composition.section.section" />
1202     <min value="1" />
1203     <max value="1" />
1204     <mustSupport value="true" />
1205   </element>
1206   <element id="Composition.section:ergebnisse.section.title">
1207     <path value="Composition.section.section.title" />
1208     <min value="1" />
1209     <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
1210     <mustSupport value="true" />
1211   </element>
1212   <element id="Composition.section:ergebnisse.section.code">
1213     <path value="Composition.section.section.code" />
1214     <min value="1" />
1215     <mustSupport value="true" />
1216   </element>
1217   <element id="Composition.section:ergebnisse.section.code.coding">
1218     <path value="Composition.section.section.code.coding" />
1219     <min value="1" />
1220     <max value="1" />
1221     <mustSupport value="true" />
1222   </element>
1223   <element id="Composition.section:ergebnisse.section.code.coding.system">
1224     <path value="Composition.section.section.code.coding.system" />
1225     <min value="1" />
1226     <fixedUri value="http://snomed.info/sct" />
1227   </element>
1228   <element id="Composition.section:ergebnisse.section.code.coding.version
">
1229     <path value="Composition.section.section.code.coding.version" />

```

```

1230     <min value="1" />
1231     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1232   </element>
1233   <element id="Composition.section:ergebnisse.section.code.coding.code">
1234     <path value="Composition.section.section.code.coding.code" />
1235     <min value="1" />
1236     <fixedCode value="722448004" />
1237   </element>
1238   <element id="Composition.section:ergebnisse.section.code.coding.display
">
1239     <path value="Composition.section.section.code.coding.display" />
1240     <min value="1" />
1241     <fixedString value="Treatment plan report (record artifact)" />
1242   </element>
1243   <element id="Composition.section:ergebnisse.section.code.coding.userSel
ected">
1244     <path value="Composition.section.section.code.coding.userSelected" />
1245     <max value="0" />
1246   </element>
1247   <element id="Composition.section:ergebnisse.section.code.text">
1248     <path value="Composition.section.section.code.text" />
1249     <max value="0" />
1250   </element>
1251   <element id="Composition.section:ergebnisse.section.author">
1252     <path value="Composition.section.section.author" />
1253     <max value="0" />
1254   </element>
1255   <element id="Composition.section:ergebnisse.section.focus">
1256     <path value="Composition.section.section.focus" />
1257     <max value="0" />
1258   </element>
1259   <element id="Composition.section:ergebnisse.section.text">
1260     <path value="Composition.section.section.text" />
1261     <max value="0" />
1262   </element>
1263   <element id="Composition.section:ergebnisse.section.mode">
1264     <path value="Composition.section.section.mode" />
1265     <max value="0" />
1266   </element>
1267   <element id="Composition.section:ergebnisse.section.orderedBy">
1268     <path value="Composition.section.section.orderedBy" />
1269     <max value="0" />
1270   </element>
1271   <element id="Composition.section:ergebnisse.section.entry">
1272     <path value="Composition.section.section.entry" />
1273     <max value="1" />
1274     <type>
1275       <code value="Reference" />
1276       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_U9_Status_Of_Immunization|1.0.1" />
1277     </type>
1278     <mustSupport value="true" />
1279   </element>
1280   <element id="Composition.section:ergebnisse.section.entry.reference">
1281     <path value="Composition.section.section.entry.reference" />
1282     <min value="1" />
1283     <mustSupport value="true" />
1284   </element>
1285   <element id="Composition.section:ergebnisse.section.entry.type">

```

```

1286     <path value="Composition.section.section.entry.type" />
1287     <max value="0" />
1288 </element>
1289 <element id="Composition.section:ergebnisse.section.entry.identifrier">
1290     <path value="Composition.section.section.entry.identifrier" />
1291     <max value="0" />
1292 </element>
1293 <element id="Composition.section:ergebnisse.section.entry.display">
1294     <path value="Composition.section.section.entry.display" />
1295     <max value="0" />
1296 </element>
1297 <element id="Composition.section:ergebnisse.section.emptyReason">
1298     <path value="Composition.section.section.emptyReason" />
1299     <max value="0" />
1300 </element>
1301 <element id="Composition.section:ergebnisse.section.section">
1302     <path value="Composition.section.section.section" />
1303     <max value="0" />
1304 </element>
1305 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
">
1306     <path value="Composition.section" />
1307     <sliceName value="orientierendeBeurteilungDerEntwicklung" />
1308     <min value="1" />
1309     <max value="1" />
1310     <mustSupport value="true" />
1311 </element>
1312 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension">
1313     <path value="Composition.section.extension" />
1314     <slicing>
1315         <discriminator>
1316             <type value="value" />
1317             <path value="url" />
1318         </discriminator>
1319         <rules value="open" />
1320     </slicing>
1321 </element>
1322 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung">
1323     <path value="Composition.section.extension" />
1324     <sliceName value="beurteilungAnweisung" />
1325     <min value="1" />
1326     <max value="1" />
1327     <type>
1328         <code value="Extension" />
1329         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
1330     </type>
1331     <mustSupport value="true" />
1332 </element>
1333 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]">
1334     <path value="Composition.section.extension.value[x]" />
1335     <mustSupport value="true" />
1336 </element>
1337 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]:valueString">
1338     <path value="Composition.section.extension.value[x]" />
1339     <sliceName value="valueString" />

```

```

1340     <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
werden!" />
1341     <mustSupport value="true" />
1342   </element>
1343   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.title">
1344     <path value="Composition.section.title" />
1345     <min value="1" />
1346     <fixedString value="Orientierende Beurteilung der Entwicklung" />
1347     <mustSupport value="true" />
1348   </element>
1349   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code">
1350     <path value="Composition.section.code" />
1351     <min value="1" />
1352     <mustSupport value="true" />
1353   </element>
1354   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding">
1355     <path value="Composition.section.code.coding" />
1356     <min value="1" />
1357     <max value="1" />
1358     <mustSupport value="true" />
1359   </element>
1360   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.system">
1361     <path value="Composition.section.code.coding.system" />
1362     <min value="1" />
1363     <fixedUri value="http://snomed.info/sct" />
1364   </element>
1365   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.version">
1366     <path value="Composition.section.code.coding.version" />
1367     <min value="1" />
1368     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1369   </element>
1370   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.code">
1371     <path value="Composition.section.code.coding.code" />
1372     <min value="1" />
1373     <fixedCode value="406207000" />
1374   </element>
1375   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.display">
1376     <path value="Composition.section.code.coding.display" />
1377     <min value="1" />
1378     <fixedString value="Child development by age (observable entity)" />
1379   </element>
1380   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.userSelected">
1381     <path value="Composition.section.code.coding.userSelected" />
1382     <max value="0" />
1383   </element>
1384   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.text">
1385     <path value="Composition.section.code.text" />
1386     <max value="0" />
1387   </element>

```

```

1388     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1389     .author">
1390         <path value="Composition.section.author" />
1391         <max value="0" />
1392     </element>
1393     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1394     .focus">
1395         <path value="Composition.section.focus" />
1396         <max value="0" />
1397     </element>
1398     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1399     .text">
1400         <path value="Composition.section.text" />
1401         <definition value="In diesem Element ist mindestens der Titel der
1402         Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1403         <min value="1" />
1404     </element>
1405     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1406     .text.status">
1407         <path value="Composition.section.text.status" />
1408         <fixedCode value="generated" />
1409     </element>
1410     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1411     .mode">
1412         <path value="Composition.section.mode" />
1413         <max value="0" />
1414     </element>
1415     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1416     .orderedBy">
1417         <path value="Composition.section.orderedBy" />
1418         <max value="0" />
1419     </element>
1420     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1421     .entry">
1422         <path value="Composition.section.entry" />
1423         <type>
1424             <code value="Reference" />
1425             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1426             KBV_PR_MIO_CMRObservation_U7_Development_Assessment|1.0.1" />
1427         </type>
1428         <mustSupport value="true" />
1429     </element>
1430     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1431     .entry.reference">
1432         <path value="Composition.section.entry.reference" />
1433         <min value="1" />
1434         <mustSupport value="true" />
1435     </element>
1436     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1437     .entry.type">
1438         <path value="Composition.section.entry.type" />
1439         <max value="0" />
1440     </element>
1441     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1442     .entry.identifier">
1443         <path value="Composition.section.entry.identifier" />
1444         <max value="0" />
1445     </element>
1446     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1447     .entry.display">

```



```

1435     <path value="Composition.section.entry.display" />
1436     <max value="0" />
1437   </element>
1438   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1439     .emptyReason">
1440     <path value="Composition.section.emptyReason" />
1441     <mustSupport value="true" />
1442   </element>
1443   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1444     .emptyReason.coding">
1445     <path value="Composition.section.emptyReason.coding" />
1446     <min value="1" />
1447     <max value="1" />
1448     <mustSupport value="true" />
1449   </element>
1450   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1451     .emptyReason.coding.system">
1452     <path value="Composition.section.emptyReason.coding.system" />
1453     <min value="1" />
1454     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
1455     reason" />
1456   </element>
1457   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1458     .emptyReason.coding.version">
1459     <path value="Composition.section.emptyReason.coding.version" />
1460     <min value="1" />
1461     <fixedString value="4.0.1" />
1462   </element>
1463   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1464     .emptyReason.coding.code">
1465     <path value="Composition.section.emptyReason.coding.code" />
1466     <min value="1" />
1467     <fixedCode value="closed" />
1468   </element>
1469   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1470     .emptyReason.coding.display">
1471     <path value="Composition.section.emptyReason.coding.display" />
1472     <min value="1" />
1473     <fixedString value="Closed" />
1474   </element>
1475   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1476     .emptyReason.coding.userSelected">
1477     <path value="Composition.section.emptyReason.coding.userSelected" />
1478     <max value="0" />
1479   </element>
1480   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1481     .emptyReason.text">
1482     <path value="Composition.section.emptyReason.text" />
1483     <max value="0" />
1484   </element>
1485   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1486     .section">
1487     <path value="Composition.section.section" />
1488     <max value="0" />
1489   </element>
1490   <element id="Composition.section:perzentilkurven">
1491     <path value="Composition.section" />
1492     <sliceName value="perzentilkurven" />
1493     <max value="1" />
1494     <mustSupport value="true" />

```

```

1485 </element>
1486 <element id="Composition.section.perzentilkurven.title">
1487   <path value="Composition.section.title" />
1488   <min value="1" />
1489   <fixedString value="Perzentilkurven" />
1490   <mustSupport value="true" />
1491 </element>
1492 <element id="Composition.section.perzentilkurven.code">
1493   <path value="Composition.section.code" />
1494   <min value="1" />
1495   <mustSupport value="true" />
1496 </element>
1497 <element id="Composition.section.perzentilkurven.code.coding">
1498   <path value="Composition.section.code.coding" />
1499   <min value="1" />
1500   <max value="1" />
1501   <mustSupport value="true" />
1502 </element>
1503 <element id="Composition.section.perzentilkurven.code.coding.system">
1504   <path value="Composition.section.code.coding.system" />
1505   <min value="1" />
1506   <fixedUri value="http://snomed.info/sct" />
1507 </element>
1508 <element id="Composition.section.perzentilkurven.code.coding.version">
1509   <path value="Composition.section.code.coding.version" />
1510   <min value="1" />
1511   <fixedString value="http://snomed.info/sct/900000000000207008/
1512 version/20210131" />
1513 </element>
1514 <element id="Composition.section.perzentilkurven.code.coding.code">
1515   <path value="Composition.section.code.coding.code" />
1516   <min value="1" />
1517   <fixedCode value="129822005" />
1518 </element>
1519 <element id="Composition.section.perzentilkurven.code.coding.display">
1520   <path value="Composition.section.code.coding.display" />
1521   <min value="1" />
1522   <fixedString value="Childhood growth AND/OR development finding
1523 (finding)" />
1524 </element>
1525 <element id="Composition.section.perzentilkurven.code.coding.userSelect
1526 ed">
1527   <path value="Composition.section.code.coding.userSelected" />
1528   <max value="0" />
1529 </element>
1530 <element id="Composition.section.perzentilkurven.code.text">
1531   <path value="Composition.section.code.text" />
1532   <max value="0" />
1533 </element>
1534 <element id="Composition.section.perzentilkurven.author">
1535   <path value="Composition.section.author" />
1536   <max value="0" />
1537 </element>
1538 <element id="Composition.section.perzentilkurven.focus">
1539   <path value="Composition.section.focus" />
1540   <max value="0" />
1541 </element>
1542 <element id="Composition.section.perzentilkurven.text">
1543   <path value="Composition.section.text" />
1544   <min value="1" />

```

```

1542 </element>
1543 <element id="Composition.section.perzentilkurven.text.status">
1544   <path value="Composition.section.text.status" />
1545   <fixedCode value="generated" />
1546 </element>
1547 <element id="Composition.section.perzentilkurven.mode">
1548   <path value="Composition.section.mode" />
1549   <max value="0" />
1550 </element>
1551 <element id="Composition.section.perzentilkurven.orderedBy">
1552   <path value="Composition.section.orderedBy" />
1553   <max value="0" />
1554 </element>
1555 <element id="Composition.section.perzentilkurven.entry">
1556   <path value="Composition.section.entry" />
1557   <max value="1" />
1558   <type>
1559     <code value="Reference" />
1560     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_Percentile_Values|1.0.1" />
1561   </type>
1562   <mustSupport value="true" />
1563 </element>
1564 <element id="Composition.section.perzentilkurven.entry.reference">
1565   <path value="Composition.section.entry.reference" />
1566   <min value="1" />
1567   <mustSupport value="true" />
1568 </element>
1569 <element id="Composition.section.perzentilkurven.entry.type">
1570   <path value="Composition.section.entry.type" />
1571   <max value="0" />
1572 </element>
1573 <element id="Composition.section.perzentilkurven.entry.identifler">
1574   <path value="Composition.section.entry.identifler" />
1575   <max value="0" />
1576 </element>
1577 <element id="Composition.section.perzentilkurven.entry.display">
1578   <path value="Composition.section.entry.display" />
1579   <max value="0" />
1580 </element>
1581 <element id="Composition.section.perzentilkurven.emptyReason">
1582   <path value="Composition.section.emptyReason" />
1583   <mustSupport value="true" />
1584 </element>
1585 <element id="Composition.section.perzentilkurven.emptyReason.coding">
1586   <path value="Composition.section.emptyReason.coding" />
1587   <min value="1" />
1588   <max value="1" />
1589   <mustSupport value="true" />
1590 </element>
1591 <element id="Composition.section.perzentilkurven.emptyReason.coding.sys
tem">
1592   <path value="Composition.section.emptyReason.coding.system" />
1593   <min value="1" />
1594   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1595 </element>
1596 <element id="Composition.section.perzentilkurven.emptyReason.coding.ver
sion">
1597   <path value="Composition.section.emptyReason.coding.version" />

```

```

1598     <min value="1" />
1599     <fixedString value="4.0.1" />
1600 </element>
1601 <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
1602 e">
1602     <path value="Composition.section.emptyReason.coding.code" />
1603     <min value="1" />
1604     <fixedCode value="closed" />
1605 </element>
1606 <element id="Composition.section:perzentilkurven.emptyReason.coding.dis
1607 play">
1607     <path value="Composition.section.emptyReason.coding.display" />
1608     <min value="1" />
1609     <fixedString value="Closed" />
1610 </element>
1611 <element id="Composition.section:perzentilkurven.emptyReason.coding.use
1612 rSelected">
1612     <path value="Composition.section.emptyReason.coding.userSelected" />
1613     <max value="0" />
1614 </element>
1615 <element id="Composition.section:perzentilkurven.emptyReason.text">
1616     <path value="Composition.section.emptyReason.text" />
1617     <max value="0" />
1618 </element>
1619 <element id="Composition.section:perzentilkurven.section">
1620     <path value="Composition.section.section" />
1621     <max value="0" />
1622 </element>
1623 </differential>
1624 </StructureDefinition>

```

## 215. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U7A

## KBV\_PR\_MIO\_CMR\_Composition\_U7a

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U7a" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_U7a" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Ressource umfasst alle Inhalte, die im Rahmen der
Kindervorsorgeuntersuchung U7a erfasst werden." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Composition_U7a|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87         <element id="Composition.extension">
88         <path value="Composition.extension" />
89         <slicing>
90         <discriminator>
91         <type value="value" />
92         <path value="url" />
93         </discriminator>
94         <rules value="open" />
95         </slicing>
96     </element>
97     <element id="Composition.extension:u7aEinleitung">
98     <path value="Composition.extension" />
99     <sliceName value="u7aEinleitung" />
100    <min value="1" />
101    <max value="1" />
102    <type>
103    <code value="Extension" />
104    <profile value="https://fhir.kbv.de/StructureDefinition/
105    KBV_EX_MIO_CMR_Note" />
106    </type>
107    <mustSupport value="true" />
108 </element>
109 <element id="Composition.extension:u7aEinleitung.value[x]">
110 <path value="Composition.extension.value[x]" />
111 <mustSupport value="true" />
112 </element>
113 <element id="Composition.extension:u7aEinleitung.value[x]:valueString">
114 <path value="Composition.extension.value[x]" />
115 <sliceName value="valueString" />
116 <fixedString value="U7a Elterninformation zur Untersuchung vom 34.
bis zum 36. Lebensmonat Ihr Kind ist jetzt etwa drei Jahre alt. Die meisten
Kinder sprechen von sich in der Ich-Form und möchten mit kleinen
Handreichungen im Haushalt helfen. Sie haben Freude daran, mit anderen
Kindern zu spielen und dabei in andere Rollen zu schlüpfen. Ihr Kind hat
vielleicht einen großen Bewegungsdrang, kann schon Stufen im
„Erwachsenenschritt“ steigen und von unteren Treppenstufen herabspringen.
Die Ärztin oder der Arzt achtet bei der U7a wieder besonders auf
Entwicklungsauffälligkeiten. Ihr Kind wird körperlich untersucht. Zum
Erkennen von Sehstörungen werden Sehtests durchgeführt. Außerdem sieht sich
die Ärztin oder der Arzt bei der U7a die Beschaffenheit der Zähne und die
Entwicklung des Kiefers an. Eine besondere Aufmerksamkeit gilt der
sprachlichen Entwicklung Ihres Kindes. Außerdem interessiert sich Ihre
Ärztin oder Ihr Arzt für den Kontakt zwischen Ihnen und Ihrem Kind. Ihre
Ärztin oder Ihr Arzt berät Sie zu den laut Impfkalender empfohlenen
Schutzimpfungen. Die Ärztin oder der Arzt bespricht mit Ihnen Themen wie
die Ernährung und Bewegung Ihres Kindes sowie Maßnahmen zur
Unfallverhütung. Die Förderung der Sprachentwicklung sowie die Rolle von
Medien (z. B. TV, Spielekonsolen, Internet und Ähnlichem) im Alltag des
Kindes sind weitere Themen. Ihre Ärztin oder Ihr Arzt verweist Sie zur
zahnärztlichen Früherkennungsuntersuchung." />
117 <mustSupport value="true" />
118 </element>
119
120 <element id="Composition.identifizier">
121 <path value="Composition.identifizier" />
122 <max value="0" />
123 </element>
124
125 <element id="Composition.status">

```

```

126     <path value="Composition.status" />
127     <fixedCode value="final" />
128 </element>
129 <element id="Composition.type">
130     <path value="Composition.type" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Composition.type.coding">
134     <path value="Composition.type.coding" />
135     <min value="1" />
136     <max value="1" />
137     <mustSupport value="true" />
138 </element>
139 <element id="Composition.type.coding.system">
140     <path value="Composition.type.coding.system" />
141     <min value="1" />
142     <fixedUri value="http://snomed.info/sct" />
143 </element>
144 <element id="Composition.type.coding.version">
145     <path value="Composition.type.coding.version" />
146     <min value="1" />
147     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
148 </element>
149 <element id="Composition.type.coding.code">
150     <path value="Composition.type.coding.code" />
151     <min value="1" />
152     <fixedCode value="170281004" />
153 </element>
154 <element id="Composition.type.coding.display">
155     <path value="Composition.type.coding.display" />
156     <min value="1" />
157     <fixedString value="Child 3 year examination (procedure)" />
158 </element>
159 <element id="Composition.type.coding.userSelected">
160     <path value="Composition.type.coding.userSelected" />
161     <max value="0" />
162 </element>
163 <element id="Composition.type.text">
164     <path value="Composition.type.text" />
165     <max value="0" />
166 </element>
167 <element id="Composition.category">
168     <path value="Composition.category" />
169     <min value="1" />
170     <max value="1" />
171     <mustSupport value="true" />
172 </element>
173 <element id="Composition.category.coding">
174     <path value="Composition.category.coding" />
175     <min value="1" />
176     <max value="1" />
177     <mustSupport value="true" />
178 </element>
179 <element id="Composition.category.coding.system">
180     <path value="Composition.category.coding.system" />
181     <min value="1" />
182     <fixedUri value="http://snomed.info/sct" />
183 </element>
184 <element id="Composition.category.coding.version">

```



```

185     <path value="Composition.category.coding.version" />
186     <min value="1" />
187     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
188   </element>
189   <element id="Composition.category.coding.code">
190     <path value="Composition.category.coding.code" />
191     <min value="1" />
192     <fixedCode value="243788004" />
193   </element>
194   <element id="Composition.category.coding.display">
195     <path value="Composition.category.coding.display" />
196     <min value="1" />
197     <fixedString value="Child examination (procedure)" />
198   </element>
199   <element id="Composition.category.coding.userSelected">
200     <path value="Composition.category.coding.userSelected" />
201     <max value="0" />
202   </element>
203   <element id="Composition.category.text">
204     <path value="Composition.category.text" />
205     <max value="0" />
206   </element>
207   <element id="Composition.subject">
208     <path value="Composition.subject" />
209     <min value="1" />
210     <type>
211       <code value="Reference" />
212       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
213     </type>
214     <mustSupport value="true" />
215   </element>
216   <element id="Composition.subject.reference">
217     <path value="Composition.subject.reference" />
218     <min value="1" />
219     <mustSupport value="true" />
220   </element>
221   <element id="Composition.subject.type">
222     <path value="Composition.subject.type" />
223     <max value="0" />
224   </element>
225   <element id="Composition.subject.identifier">
226     <path value="Composition.subject.identifier" />
227     <max value="0" />
228   </element>
229   <element id="Composition.subject.display">
230     <path value="Composition.subject.display" />
231     <max value="0" />
232   </element>
233   <element id="Composition.encounter">
234     <path value="Composition.encounter" />
235     <min value="1" />
236     <type>
237       <code value="Reference" />
238       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
239     </type>
240     <mustSupport value="true" />
241   </element>

```

```

242 <element id="Composition.encounter.reference">
243   <path value="Composition.encounter.reference" />
244   <min value="1" />
245   <mustSupport value="true" />
246 </element>
247 <element id="Composition.encounter.type">
248   <path value="Composition.encounter.type" />
249   <max value="0" />
250 </element>
251 <element id="Composition.encounter.identifier">
252   <path value="Composition.encounter.identifier" />
253   <max value="0" />
254 </element>
255 <element id="Composition.encounter.display">
256   <path value="Composition.encounter.display" />
257   <max value="0" />
258 </element>
259 <element id="Composition.author">
260   <path value="Composition.author" />
261   <max value="2" />
262   <type>
263     <code value="Reference" />
264     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
265     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Composition.author.reference">
270   <path value="Composition.author.reference" />
271   <min value="1" />
272   <mustSupport value="true" />
273 </element>
274 <element id="Composition.author.type">
275   <path value="Composition.author.type" />
276   <max value="0" />
277 </element>
278 <element id="Composition.author.identifier">
279   <path value="Composition.author.identifier" />
280   <max value="0" />
281 </element>
282 <element id="Composition.author.display">
283   <path value="Composition.author.display" />
284   <max value="0" />
285 </element>
286 <element id="Composition.title">
287   <path value="Composition.title" />
288   <fixedString value="U7a" />
289   <mustSupport value="true" />
290 </element>
291 <element id="Composition.confidentiality">
292   <path value="Composition.confidentiality" />
293   <max value="0" />
294 </element>
295 <element id="Composition.attester">
296   <path value="Composition.attester" />
297   <max value="0" />
298 </element>
299 <element id="Composition.custodian">

```

```

300     <path value="Composition.custodian" />
301     <max value="0" />
302 </element>
303 <element id="Composition.relatesTo">
304     <path value="Composition.relatesTo" />
305     <max value="0" />
306 </element>
307 <element id="Composition.event">
308     <path value="Composition.event" />
309     <max value="0" />
310 </element>
311 <element id="Composition.section">
312     <path value="Composition.section" />
313     <licing>
314         <discriminator>
315             <type value="value" />
316             <path value="title" />
317         </discriminator>
318         <rules value="closed" />
319     </licing>
320     <mustSupport value="true" />
321 </element>
322 <element id="Composition.section:aktuelleAnamneseDesKindes">
323     <path value="Composition.section" />
324     <sliceName value="aktuelleAnamneseDesKindes" />
325     <min value="1" />
326     <max value="1" />
327     <mustSupport value="true" />
328 </element>
329 <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
330     <path value="Composition.section.extension" />
331     <licing>
332         <discriminator>
333             <type value="value" />
334             <path value="url" />
335         </discriminator>
336         <rules value="open" />
337     </licing>
338 </element>
339 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
340     <path value="Composition.section.extension" />
341     <sliceName value="anamneseAnweisung" />
342     <min value="1" />
343     <max value="1" />
344     <type>
345         <code value="Extension" />
346         <profile value="https://fhir.kbv.de/StructureDefinition/
347         KBV_EX_MIO_CMV_Instruction" />
348     </type>
349     <mustSupport value="true" />
350 </element>
351 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
352     <path value="Composition.section.extension.value[x]" />
353     <mustSupport value="true" />
354 </element>
355 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
356     <path value="Composition.section.extension.value[x]" />

```

```

356     <sliceName value="valueString" />
357     <fixedString value="Zutreffendes bitte ankreuzen!" />
358     <mustSupport value="true" />
359 </element>
360 <element id="Composition.section:aktuelleAnamneseDesKindes.title">
361     <path value="Composition.section.title" />
362     <min value="1" />
363     <fixedString value="Aktuelle Anamnese des Kindes" />
364     <mustSupport value="true" />
365 </element>
366 <element id="Composition.section:aktuelleAnamneseDesKindes.code">
367     <path value="Composition.section.code" />
368     <min value="1" />
369     <mustSupport value="true" />
370 </element>
371 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
372     <path value="Composition.section.code.coding" />
373     <min value="1" />
374     <max value="1" />
375     <mustSupport value="true" />
376 </element>
377 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
378     <path value="Composition.section.code.coding.system" />
379     <min value="1" />
380     <fixedUri value="http://snomed.info/sct" />
381 </element>
382 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
383     <path value="Composition.section.code.coding.version" />
384     <min value="1" />
385     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
386 </element>
387 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
388     <path value="Composition.section.code.coding.code" />
389     <min value="1" />
390     <fixedCode value="423374008" />
391 </element>
392 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
393     <path value="Composition.section.code.coding.display" />
394     <min value="1" />
395     <fixedString value="Review of systems section (record artifact)" />
396 </element>
397 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
398     <path value="Composition.section.code.coding.userSelected" />
399     <max value="0" />
400 </element>
401 <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
402     <path value="Composition.section.code.text" />
403     <max value="0" />
404 </element>
405 <element id="Composition.section:aktuelleAnamneseDesKindes.author">
406     <path value="Composition.section.author" />
407     <max value="0" />
408 </element>
409 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">

```

```

410     <path value="Composition.section.focus" />
411     <max value="0" />
412 </element>
413 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
414     <path value="Composition.section.text" />
415     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
416     <min value="1" />
417 </element>
418 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
419     <path value="Composition.section.text.status" />
420     <fixedCode value="generated" />
421 </element>
422 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
423     <path value="Composition.section.mode" />
424     <max value="0" />
425 </element>
426 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
427     <path value="Composition.section.orderedBy" />
428     <max value="0" />
429 </element>
430 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
431     <path value="Composition.section.entry" />
432     <type>
433         <code value="Reference" />
434         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7a_Current_Child_History|1.0.1" />
435     </type>
436     <mustSupport value="true" />
437 </element>
438 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
439     <path value="Composition.section.entry.reference" />
440     <min value="1" />
441     <mustSupport value="true" />
442 </element>
443 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
444     <path value="Composition.section.entry.type" />
445     <max value="0" />
446 </element>
447 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
448     <path value="Composition.section.entry.identifizier" />
449     <max value="0" />
450 </element>
451 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
452     <path value="Composition.section.entry.display" />
453     <max value="0" />
454 </element>
455 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
456     <path value="Composition.section.emptyReason" />
457     <mustSupport value="true" />
458 </element>
459 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
460     <path value="Composition.section.emptyReason.coding" />
461     <min value="1" />
462     <max value="1" />
463     <mustSupport value="true" />

```

```

464     </element>
465     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
466         <path value="Composition.section.emptyReason.coding.system" />
467         <min value="1" />
468         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
469     </element>
470     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
471         <path value="Composition.section.emptyReason.coding.version" />
472         <min value="1" />
473         <fixedString value="4.0.1" />
474     </element>
475     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
476         <path value="Composition.section.emptyReason.coding.code" />
477         <min value="1" />
478         <fixedCode value="closed" />
479     </element>
480     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
481         <path value="Composition.section.emptyReason.coding.display" />
482         <min value="1" />
483         <fixedString value="Closed" />
484     </element>
485     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
486         <path value="Composition.section.emptyReason.coding.userSelected" />
487         <max value="0" />
488     </element>
489     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
490         <path value="Composition.section.emptyReason.text" />
491         <max value="0" />
492     </element>
493     <element id="Composition.section:aktuelleAnamneseDesKindes.section">
494         <path value="Composition.section.section" />
495         <max value="0" />
496     </element>
497     <element id="Composition.section:sozialanamnese">
498         <path value="Composition.section" />
499         <sliceName value="sozialanamnese" />
500         <min value="1" />
501         <max value="1" />
502         <mustSupport value="true" />
503     </element>
504     <element id="Composition.section:sozialanamnese.extension">
505         <path value="Composition.section.extension" />
506         <licing>
507             <discriminator>
508                 <type value="value" />
509                 <path value="url" />
510             </discriminator>
511             <rules value="open" />
512         </licing>
513     </element>
514     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
515         <path value="Composition.section.extension" />

```

```

516     <sliceName value="anamneseAnweisung" />
517     <min value="1" />
518     <max value="1" />
519     <type>
520         <code value="Extension" />
521         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
522     </type>
523     <mustSupport value="true" />
524 </element>
525     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
526         <path value="Composition.section.extension.value[x]" />
527         <mustSupport value="true" />
528     </element>
529     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
530         <path value="Composition.section.extension.value[x]" />
531         <sliceName value="valueString" />
532         <fixedString value="Zutreffendes bitte ankreuzen!" />
533         <mustSupport value="true" />
534     </element>
535     <element id="Composition.section:sozialanamnese.title">
536         <path value="Composition.section.title" />
537         <min value="1" />
538         <fixedString value="Sozialanamnese" />
539         <mustSupport value="true" />
540     </element>
541     <element id="Composition.section:sozialanamnese.code">
542         <path value="Composition.section.code" />
543         <min value="1" />
544         <mustSupport value="true" />
545     </element>
546     <element id="Composition.section:sozialanamnese.code.coding">
547         <path value="Composition.section.code.coding" />
548         <min value="1" />
549         <max value="1" />
550         <mustSupport value="true" />
551     </element>
552     <element id="Composition.section:sozialanamnese.code.coding.system">
553         <path value="Composition.section.code.coding.system" />
554         <min value="1" />
555         <fixedUri value="http://snomed.info/sct" />
556     </element>
557     <element id="Composition.section:sozialanamnese.code.coding.version">
558         <path value="Composition.section.code.coding.version" />
559         <min value="1" />
560         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
561     </element>
562     <element id="Composition.section:sozialanamnese.code.coding.code">
563         <path value="Composition.section.code.coding.code" />
564         <min value="1" />
565         <fixedCode value="281575007" />
566     </element>
567     <element id="Composition.section:sozialanamnese.code.coding.display">
568         <path value="Composition.section.code.coding.display" />
569         <min value="1" />
570         <fixedString value="Family social history (situation)" />
571     </element>

```

```

572 <element id="Composition.section:sozialanamnese.code.coding.userSelecte
d">
573   <path value="Composition.section.code.coding.userSelected" />
574   <max value="0" />
575 </element>
576 <element id="Composition.section:sozialanamnese.code.text">
577   <path value="Composition.section.code.text" />
578   <max value="0" />
579 </element>
580 <element id="Composition.section:sozialanamnese.author">
581   <path value="Composition.section.author" />
582   <max value="0" />
583 </element>
584 <element id="Composition.section:sozialanamnese.focus">
585   <path value="Composition.section.focus" />
586   <max value="0" />
587 </element>
588 <element id="Composition.section:sozialanamnese.text">
589   <path value="Composition.section.text" />
590   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
591   <min value="1" />
592 </element>
593 <element id="Composition.section:sozialanamnese.text.status">
594   <path value="Composition.section.text.status" />
595   <fixedCode value="generated" />
596 </element>
597 <element id="Composition.section:sozialanamnese.mode">
598   <path value="Composition.section.mode" />
599   <max value="0" />
600 </element>
601 <element id="Composition.section:sozialanamnese.orderedBy">
602   <path value="Composition.section.orderedBy" />
603   <max value="0" />
604 </element>
605 <element id="Composition.section:sozialanamnese.entry">
606   <path value="Composition.section.entry" />
607
608   <type>
609     <code value="Reference" />
610     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Social_History|1.0.1" />
611   </type>
612   <mustSupport value="true" />
613 </element>
614 <element id="Composition.section:sozialanamnese.entry.reference">
615   <path value="Composition.section.entry.reference" />
616   <min value="1" />
617   <mustSupport value="true" />
618 </element>
619 <element id="Composition.section:sozialanamnese.entry.type">
620   <path value="Composition.section.entry.type" />
621   <max value="0" />
622 </element>
623 <element id="Composition.section:sozialanamnese.entry.identifler">
624   <path value="Composition.section.entry.identifler" />
625   <max value="0" />
626 </element>
627 <element id="Composition.section:sozialanamnese.entry.display">
628   <path value="Composition.section.entry.display" />

```



```

629     <max value="0" />
630 </element>
631 <element id="Composition.section:sozialanamnese.emptyReason">
632   <path value="Composition.section.emptyReason" />
633   <mustSupport value="true" />
634 </element>
635 <element id="Composition.section:sozialanamnese.emptyReason.coding">
636   <path value="Composition.section.emptyReason.coding" />
637   <min value="1" />
638   <max value="1" />
639   <mustSupport value="true" />
640 </element>
641 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
642   <path value="Composition.section.emptyReason.coding.system" />
643   <min value="1" />
644   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
645 </element>
646 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
647   <path value="Composition.section.emptyReason.coding.version" />
648   <min value="1" />
649   <fixedString value="4.0.1" />
650 </element>
651 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
652   <path value="Composition.section.emptyReason.coding.code" />
653   <min value="1" />
654   <fixedCode value="closed" />
655 </element>
656 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
657   <path value="Composition.section.emptyReason.coding.display" />
658   <min value="1" />
659   <fixedString value="Closed" />
660 </element>
661 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
662   <path value="Composition.section.emptyReason.coding.userSelected" />
663   <max value="0" />
664 </element>
665 <element id="Composition.section:sozialanamnese.emptyReason.text">
666   <path value="Composition.section.emptyReason.text" />
667   <max value="0" />
668 </element>
669 <element id="Composition.section:sozialanamnese.section">
670   <path value="Composition.section.section" />
671   <max value="0" />
672 </element>
673 <element id="Composition.section:untersuchung">
674   <path value="Composition.section" />
675   <sliceName value="untersuchung" />
676   <min value="1" />
677   <max value="1" />
678   <mustSupport value="true" />
679 </element>
680 <element id="Composition.section:untersuchung.extension">
681   <path value="Composition.section.extension" />
682   <slicing>

```

```

683     <discriminator>
684       <type value="value" />
685       <path value="url" />
686     </discriminator>
687     <rules value="open" />
688   </slicing>
689 </element>
690 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung">
691   <path value="Composition.section.extension" />
692   <sliceName value="untersuchungAnweisung" />
693   <min value="1" />
694   <max value="1" />
695   <type>
696     <code value="Extension" />
697     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CM_R_Instruction" />
698   </type>
699   <mustSupport value="true" />
700 </element>
701 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]">
702   <path value="Composition.section.extension.value[x]" />
703   <mustSupport value="true" />
704 </element>
705 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]:valueString">
706   <path value="Composition.section.extension.value[x]" />
707   <sliceName value="valueString" />
708   <fixedString value="Nur Auffälligkeiten ankreuzen!" />
709   <mustSupport value="true" />
710 </element>
711 <element id="Composition.section:untersuchung.title">
712   <path value="Composition.section.title" />
713   <min value="1" />
714   <fixedString value="Körperliche Untersuchung" />
715   <mustSupport value="true" />
716 </element>
717 <element id="Composition.section:untersuchung.code">
718   <path value="Composition.section.code" />
719   <min value="1" />
720   <mustSupport value="true" />
721 </element>
722 <element id="Composition.section:untersuchung.code.coding">
723   <path value="Composition.section.code.coding" />
724   <min value="1" />
725   <max value="1" />
726   <mustSupport value="true" />
727 </element>
728 <element id="Composition.section:untersuchung.code.coding.system">
729   <path value="Composition.section.code.coding.system" />
730   <min value="1" />
731   <fixedUri value="http://snomed.info/sct" />
732 </element>
733 <element id="Composition.section:untersuchung.code.coding.version">
734   <path value="Composition.section.code.coding.version" />
735   <min value="1" />
736   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
737 </element>

```

```

738 <element id="Composition.section:untersuchung.code.coding.code">
739   <path value="Composition.section.code.coding.code" />
740   <min value="1" />
741   <fixedCode value="425044008" />
742 </element>
743 <element id="Composition.section:untersuchung.code.coding.display">
744   <path value="Composition.section.code.coding.display" />
745   <min value="1" />
746   <fixedString value="Physical exam section (record artifact)" />
747 </element>
748 <element id="Composition.section:untersuchung.code.coding.userSelected">
749   <path value="Composition.section.code.coding.userSelected" />
750   <max value="0" />
751 </element>
752 <element id="Composition.section:untersuchung.code.text">
753   <path value="Composition.section.code.text" />
754   <max value="0" />
755 </element>
756 <element id="Composition.section:untersuchung.author">
757   <path value="Composition.section.author" />
758   <max value="0" />
759 </element>
760 <element id="Composition.section:untersuchung.focus">
761   <path value="Composition.section.focus" />
762   <max value="0" />
763 </element>
764 <element id="Composition.section:untersuchung.text">
765   <path value="Composition.section.text" />
766   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
767   <min value="1" />
768 </element>
769 <element id="Composition.section:untersuchung.text.status">
770   <path value="Composition.section.text.status" />
771   <fixedCode value="generated" />
772 </element>
773 <element id="Composition.section:untersuchung.mode">
774   <path value="Composition.section.mode" />
775   <max value="0" />
776 </element>
777 <element id="Composition.section:untersuchung.orderedBy">
778   <path value="Composition.section.orderedBy" />
779   <max value="0" />
780 </element>
781 <element id="Composition.section:untersuchung.entry">
782   <path value="Composition.section.entry" />
783   <type>
784     <code value="Reference" />
785     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U9_Physical_Exam_Skin|1.0.1" />
786     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7a_and_U9_Physical_Exam_Chest_Lung_Respir
atory_Tract|1.0.1" />
787     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7_U7a_Physical_Exam_Abdomen_Genitals|
1.0.1" />
788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7_U9_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />

```

```

789     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7a_and_U9_Physical_Exam_Musculoskeletal_S
790     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7a_Physical_Exam_Mouth_Nose|1.0.1" />
791     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7a_U9_Physical_Exam_Eyes|1.0.1" />
792     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
793     </type>
794     <mustSupport value="true" />
795 </element>
796 <element id="Composition.section:untersuchung.entry.reference">
797     <path value="Composition.section.entry.reference" />
798     <min value="1" />
799     <mustSupport value="true" />
800 </element>
801 <element id="Composition.section:untersuchung.entry.type">
802     <path value="Composition.section.entry.type" />
803     <max value="0" />
804 </element>
805 <element id="Composition.section:untersuchung.entry.identifizier">
806     <path value="Composition.section.entry.identifizier" />
807     <max value="0" />
808 </element>
809 <element id="Composition.section:untersuchung.entry.display">
810     <path value="Composition.section.entry.display" />
811     <max value="0" />
812 </element>
813 <element id="Composition.section:untersuchung.emptyReason">
814     <path value="Composition.section.emptyReason" />
815     <mustSupport value="true" />
816 </element>
817 <element id="Composition.section:untersuchung.emptyReason.coding">
818     <path value="Composition.section.emptyReason.coding" />
819     <min value="1" />
820     <max value="1" />
821     <mustSupport value="true" />
822 </element>
823 <element id="Composition.section:untersuchung.emptyReason.coding.system
">
824     <path value="Composition.section.emptyReason.coding.system" />
825     <min value="1" />
826     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
827 </element>
828 <element id="Composition.section:untersuchung.emptyReason.coding.versio
n">
829     <path value="Composition.section.emptyReason.coding.version" />
830     <min value="1" />
831     <fixedString value="4.0.1" />
832 </element>
833 <element id="Composition.section:untersuchung.emptyReason.coding.code">
834     <path value="Composition.section.emptyReason.coding.code" />
835     <min value="1" />
836     <fixedCode value="closed" />
837 </element>
838 <element id="Composition.section:untersuchung.emptyReason.coding.displa
y">
839     <path value="Composition.section.emptyReason.coding.display" />

```

```

840     <min value="1" />
841     <fixedString value="Closed" />
842   </element>
843   <element id="Composition.section:untersuchung.emptyReason.coding.userSe
lected">
844     <path value="Composition.section.emptyReason.coding.userSelected" />
845     <max value="0" />
846   </element>
847   <element id="Composition.section:untersuchung.emptyReason.text">
848     <path value="Composition.section.emptyReason.text" />
849     <max value="0" />
850   </element>
851   <element id="Composition.section:untersuchung.section">
852     <path value="Composition.section.section" />
853     <max value="0" />
854   </element>
855   <element id="Composition.section:beratung">
856     <path value="Composition.section" />
857     <sliceName value="beratung" />
858     <min value="1" />
859     <max value="1" />
860     <mustSupport value="true" />
861   </element>
862   <element id="Composition.section:beratung.extension">
863     <path value="Composition.section.extension" />
864     <licing>
865       <discriminator>
866         <type value="value" />
867         <path value="url" />
868       </discriminator>
869       <rules value="open" />
870     </licing>
871   </element>
872   <element id="Composition.section:beratung.extension:beratungAnweisung">
873     <path value="Composition.section.extension" />
874     <sliceName value="beratungAnweisung" />
875     <min value="1" />
876     <max value="1" />
877     <type>
878       <code value="Extension" />
879       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMV_Instruction" />
880     </type>
881     <mustSupport value="true" />
882   </element>
883   <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]">
884     <path value="Composition.section.extension.value[x]" />
885     <mustSupport value="true" />
886   </element>
887   <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]:valueString">
888     <path value="Composition.section.extension.value[x]" />
889     <sliceName value="valueString" />
890     <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
891     <mustSupport value="true" />
892   </element>
893   <element id="Composition.section:beratung.extension:beratungHinweis">
894     <path value="Composition.section.extension" />

```

```

895     <sliceName value="beratungHinweis" />
896     <min value="1" />
897     <max value="1" />
898     <type>
899         <code value="Extension" />
900         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
901     </type>
902     <mustSupport value="true" />
903 </element>
904 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]">
905     <path value="Composition.section.extension.value[x]" />
906     <mustSupport value="true" />
907 </element>
908 <element id="Composition.section:beratung.extension:beratungHinweis.val
ue[x]:valueString">
909     <path value="Composition.section.extension.value[x]" />
910     <sliceName value="valueString" />
911     <fixedString value="Beratung vor allem zu folgenden Themen:" />
912     <mustSupport value="true" />
913 </element>
914 <element id="Composition.section:beratung.title">
915     <path value="Composition.section.title" />
916     <min value="1" />
917     <fixedString value="Beratung" />
918     <mustSupport value="true" />
919 </element>
920 <element id="Composition.section:beratung.code">
921     <path value="Composition.section.code" />
922     <min value="1" />
923     <mustSupport value="true" />
924 </element>
925 <element id="Composition.section:beratung.code.coding">
926     <path value="Composition.section.code.coding" />
927     <min value="1" />
928     <max value="1" />
929     <mustSupport value="true" />
930 </element>
931 <element id="Composition.section:beratung.code.coding.system">
932     <path value="Composition.section.code.coding.system" />
933     <min value="1" />
934     <fixedUri value="http://snomed.info/sct" />
935 </element>
936 <element id="Composition.section:beratung.code.coding.version">
937     <path value="Composition.section.code.coding.version" />
938     <min value="1" />
939     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
940 </element>
941 <element id="Composition.section:beratung.code.coding.code">
942     <path value="Composition.section.code.coding.code" />
943     <min value="1" />
944     <fixedCode value="409066002" />
945 </element>
946 <element id="Composition.section:beratung.code.coding.display">
947     <path value="Composition.section.code.coding.display" />
948     <min value="1" />
949     <fixedString value="Education, guidance and counseling (procedure)" /
>

```

```

950 </element>
951 <element id="Composition.section:beratung.code.coding.userSelected">
952   <path value="Composition.section.code.coding.userSelected" />
953   <max value="0" />
954 </element>
955 <element id="Composition.section:beratung.code.text">
956   <path value="Composition.section.code.text" />
957   <max value="0" />
958 </element>
959 <element id="Composition.section:beratung.author">
960   <path value="Composition.section.author" />
961   <max value="0" />
962 </element>
963 <element id="Composition.section:beratung.focus">
964   <path value="Composition.section.focus" />
965   <max value="0" />
966 </element>
967 <element id="Composition.section:beratung.text">
968   <path value="Composition.section.text" />
969   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
970   <min value="1" />
971 </element>
972 <element id="Composition.section:beratung.text.status">
973   <path value="Composition.section.text.status" />
974   <fixedCode value="generated" />
975 </element>
976 <element id="Composition.section:beratung.mode">
977   <path value="Composition.section.mode" />
978   <max value="0" />
979 </element>
980 <element id="Composition.section:beratung.orderedBy">
981   <path value="Composition.section.orderedBy" />
982   <max value="0" />
983 </element>
984 <element id="Composition.section:beratung.entry">
985   <path value="Composition.section.entry" />
986   <type>
987     <code value="Reference" />
988     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U7a_Consultation|1.0.1" />
989     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
990   </type>
991   <mustSupport value="true" />
992 </element>
993 <element id="Composition.section:beratung.entry.reference">
994   <path value="Composition.section.entry.reference" />
995   <min value="1" />
996   <mustSupport value="true" />
997 </element>
998 <element id="Composition.section:beratung.entry.type">
999   <path value="Composition.section.entry.type" />
1000   <max value="0" />
1001 </element>
1002 <element id="Composition.section:beratung.entry.identifrier">
1003   <path value="Composition.section.entry.identifrier" />
1004   <max value="0" />
1005 </element>
1006 <element id="Composition.section:beratung.entry.display">

```

```

1007     <path value="Composition.section.entry.display" />
1008     <max value="0" />
1009 </element>
1010 <element id="Composition.section:beratung.emptyReason">
1011     <path value="Composition.section.emptyReason" />
1012     <mustSupport value="true" />
1013 </element>
1014 <element id="Composition.section:beratung.emptyReason.coding">
1015     <path value="Composition.section.emptyReason.coding" />
1016     <min value="1" />
1017     <max value="1" />
1018     <mustSupport value="true" />
1019 </element>
1020 <element id="Composition.section:beratung.emptyReason.coding.system">
1021     <path value="Composition.section.emptyReason.coding.system" />
1022     <min value="1" />
1023     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1024 </element>
1025 <element id="Composition.section:beratung.emptyReason.coding.version">
1026     <path value="Composition.section.emptyReason.coding.version" />
1027     <min value="1" />
1028     <fixedString value="4.0.1" />
1029 </element>
1030 <element id="Composition.section:beratung.emptyReason.coding.code">
1031     <path value="Composition.section.emptyReason.coding.code" />
1032     <min value="1" />
1033     <fixedCode value="closed" />
1034 </element>
1035 <element id="Composition.section:beratung.emptyReason.coding.display">
1036     <path value="Composition.section.emptyReason.coding.display" />
1037     <min value="1" />
1038     <fixedString value="Closed" />
1039 </element>
1040 <element id="Composition.section:beratung.emptyReason.coding.userSelect
ed">
1041     <path value="Composition.section.emptyReason.coding.userSelected" />
1042     <max value="0" />
1043 </element>
1044 <element id="Composition.section:beratung.emptyReason.text">
1045     <path value="Composition.section.emptyReason.text" />
1046     <max value="0" />
1047 </element>
1048 <element id="Composition.section:beratung.section">
1049     <path value="Composition.section.section" />
1050     <max value="0" />
1051 </element>
1052 <element id="Composition.section:ergebnisse">
1053     <path value="Composition.section" />
1054     <sliceName value="ergebnisse" />
1055     <min value="1" />
1056     <max value="1" />
1057     <mustSupport value="true" />
1058 </element>
1059 <element id="Composition.section:ergebnisse.title">
1060     <path value="Composition.section.title" />
1061     <min value="1" />
1062     <fixedString value="Ergebnisse" />
1063     <mustSupport value="true" />
1064 </element>

```



```

1065 <element id="Composition.section:ergebnisse.code">
1066   <path value="Composition.section.code" />
1067   <min value="1" />
1068   <mustSupport value="true" />
1069 </element>
1070 <element id="Composition.section:ergebnisse.code.coding">
1071   <path value="Composition.section.code.coding" />
1072   <min value="1" />
1073   <max value="1" />
1074   <mustSupport value="true" />
1075 </element>
1076 <element id="Composition.section:ergebnisse.code.coding.system">
1077   <path value="Composition.section.code.coding.system" />
1078   <min value="1" />
1079   <fixedUri value="http://snomed.info/sct" />
1080 </element>
1081 <element id="Composition.section:ergebnisse.code.coding.version">
1082   <path value="Composition.section.code.coding.version" />
1083   <min value="1" />
1084   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1085 </element>
1086 <element id="Composition.section:ergebnisse.code.coding.code">
1087   <path value="Composition.section.code.coding.code" />
1088   <min value="1" />
1089   <fixedCode value="423100009" />
1090 </element>
1091 <element id="Composition.section:ergebnisse.code.coding.display">
1092   <path value="Composition.section.code.coding.display" />
1093   <min value="1" />
1094   <fixedString value="Results section (record artifact)" />
1095 </element>
1096 <element id="Composition.section:ergebnisse.code.coding.userSelected">
1097   <path value="Composition.section.code.coding.userSelected" />
1098   <max value="0" />
1099 </element>
1100 <element id="Composition.section:ergebnisse.code.text">
1101   <path value="Composition.section.code.text" />
1102   <max value="0" />
1103 </element>
1104 <element id="Composition.section:ergebnisse.author">
1105   <path value="Composition.section.author" />
1106   <max value="0" />
1107 </element>
1108 <element id="Composition.section:ergebnisse.focus">
1109   <path value="Composition.section.focus" />
1110   <max value="0" />
1111 </element>
1112 <element id="Composition.section:ergebnisse.text">
1113   <path value="Composition.section.text" />
1114   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1115   <min value="1" />
1116 </element>
1117 <element id="Composition.section:ergebnisse.text.status">
1118   <path value="Composition.section.text.status" />
1119   <fixedCode value="generated" />
1120 </element>
1121 <element id="Composition.section:ergebnisse.mode">
1122   <path value="Composition.section.mode" />

```

```

1123     <max value="0" />
1124 </element>
1125 <element id="Composition.section:ergebnisse.orderedBy">
1126   <path value="Composition.section.orderedBy" />
1127   <max value="0" />
1128 </element>
1129 <element id="Composition.section:ergebnisse.entry">
1130   <path value="Composition.section.entry" />
1131   <type>
1132     <code value="Reference" />
1133     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
1134     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
1135     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Body_Measures|1.0.1" />
1136     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
1137     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
1138     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment|1.0.1" />
1139     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment|1.0.1" />
1140     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
1141     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_Dental_Referral|1.0.1" />
1142   </type>
1143   <mustSupport value="true" />
1144 </element>
1145 <element id="Composition.section:ergebnisse.entry.reference">
1146   <path value="Composition.section.entry.reference" />
1147   <min value="1" />
1148   <mustSupport value="true" />
1149 </element>
1150 <element id="Composition.section:ergebnisse.entry.type">
1151   <path value="Composition.section.entry.type" />
1152   <max value="0" />
1153 </element>
1154 <element id="Composition.section:ergebnisse.entry.identifrier">
1155   <path value="Composition.section.entry.identifrier" />
1156   <max value="0" />
1157 </element>
1158 <element id="Composition.section:ergebnisse.entry.display">
1159   <path value="Composition.section.entry.display" />
1160   <max value="0" />
1161 </element>
1162 <element id="Composition.section:ergebnisse.emptyReason">
1163   <path value="Composition.section.emptyReason" />
1164   <mustSupport value="true" />
1165 </element>
1166 <element id="Composition.section:ergebnisse.emptyReason.coding">
1167   <path value="Composition.section.emptyReason.coding" />
1168   <min value="1" />
1169   <max value="1" />
1170   <mustSupport value="true" />
1171 </element>
1172 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
1173   <path value="Composition.section.emptyReason.coding.system" />

```

```

1174     <min value="1" />
1175     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1176   </element>
1177   <element id="Composition.section.ergebnisse.emptyReason.coding.version">
1178     <path value="Composition.section.emptyReason.coding.version" />
1179     <min value="1" />
1180     <fixedString value="4.0.1" />
1181   </element>
1182   <element id="Composition.section.ergebnisse.emptyReason.coding.code">
1183     <path value="Composition.section.emptyReason.coding.code" />
1184     <min value="1" />
1185     <fixedCode value="closed" />
1186   </element>
1187   <element id="Composition.section.ergebnisse.emptyReason.coding.display">
1188     <path value="Composition.section.emptyReason.coding.display" />
1189     <min value="1" />
1190     <fixedString value="Closed" />
1191   </element>
1192   <element id="Composition.section.ergebnisse.emptyReason.coding.userSele
cted">
1193     <path value="Composition.section.emptyReason.coding.userSelected" />
1194     <max value="0" />
1195   </element>
1196   <element id="Composition.section.ergebnisse.emptyReason.text">
1197     <path value="Composition.section.emptyReason.text" />
1198     <max value="0" />
1199   </element>
1200   <element id="Composition.section.ergebnisse.section">
1201     <path value="Composition.section.section" />
1202     <min value="1" />
1203     <max value="1" />
1204     <mustSupport value="true" />
1205   </element>
1206   <element id="Composition.section.ergebnisse.section.title">
1207     <path value="Composition.section.section.title" />
1208     <min value="1" />
1209     <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
1210     <mustSupport value="true" />
1211   </element>
1212   <element id="Composition.section.ergebnisse.section.code">
1213     <path value="Composition.section.section.code" />
1214     <min value="1" />
1215     <mustSupport value="true" />
1216   </element>
1217   <element id="Composition.section.ergebnisse.section.code.coding">
1218     <path value="Composition.section.section.code.coding" />
1219     <min value="1" />
1220     <max value="1" />
1221     <mustSupport value="true" />
1222   </element>
1223   <element id="Composition.section.ergebnisse.section.code.coding.system">
1224     <path value="Composition.section.section.code.coding.system" />
1225     <min value="1" />
1226     <fixedUri value="http://snomed.info/sct" />
1227   </element>
1228   <element id="Composition.section.ergebnisse.section.code.coding.version
">
1229     <path value="Composition.section.section.code.coding.version" />

```

```

1230     <min value="1" />
1231     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1232   </element>
1233   <element id="Composition.section:ergebnisse.section.code.coding.code">
1234     <path value="Composition.section.section.code.coding.code" />
1235     <min value="1" />
1236     <fixedCode value="722448004" />
1237   </element>
1238   <element id="Composition.section:ergebnisse.section.code.coding.display
">
1239     <path value="Composition.section.section.code.coding.display" />
1240     <min value="1" />
1241     <fixedString value="Treatment plan report (record artifact)" />
1242   </element>
1243   <element id="Composition.section:ergebnisse.section.code.coding.userSel
ected">
1244     <path value="Composition.section.section.code.coding.userSelected" />
1245     <max value="0" />
1246   </element>
1247   <element id="Composition.section:ergebnisse.section.code.text">
1248     <path value="Composition.section.section.code.text" />
1249     <max value="0" />
1250   </element>
1251   <element id="Composition.section:ergebnisse.section.author">
1252     <path value="Composition.section.section.author" />
1253     <max value="0" />
1254   </element>
1255   <element id="Composition.section:ergebnisse.section.focus">
1256     <path value="Composition.section.section.focus" />
1257     <max value="0" />
1258   </element>
1259   <element id="Composition.section:ergebnisse.section.text">
1260     <path value="Composition.section.section.text" />
1261     <max value="0" />
1262   </element>
1263   <element id="Composition.section:ergebnisse.section.mode">
1264     <path value="Composition.section.section.mode" />
1265     <max value="0" />
1266   </element>
1267   <element id="Composition.section:ergebnisse.section.orderedBy">
1268     <path value="Composition.section.section.orderedBy" />
1269     <max value="0" />
1270   </element>
1271   <element id="Composition.section:ergebnisse.section.entry">
1272     <path value="Composition.section.section.entry" />
1273     <max value="1" />
1274     <type>
1275       <code value="Reference" />
1276       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_U9_Status_Of_Immunization|1.0.1" />
1277     </type>
1278     <mustSupport value="true" />
1279   </element>
1280   <element id="Composition.section:ergebnisse.section.entry.reference">
1281     <path value="Composition.section.section.entry.reference" />
1282     <min value="1" />
1283     <mustSupport value="true" />
1284   </element>
1285   <element id="Composition.section:ergebnisse.section.entry.type">

```

```

1286     <path value="Composition.section.section.entry.type" />
1287     <max value="0" />
1288 </element>
1289 <element id="Composition.section:ergebnisse.section.entry.identifrier">
1290     <path value="Composition.section.section.entry.identifrier" />
1291     <max value="0" />
1292 </element>
1293 <element id="Composition.section:ergebnisse.section.entry.display">
1294     <path value="Composition.section.section.entry.display" />
1295     <max value="0" />
1296 </element>
1297 <element id="Composition.section:ergebnisse.section.emptyReason">
1298     <path value="Composition.section.section.emptyReason" />
1299     <max value="0" />
1300 </element>
1301 <element id="Composition.section:ergebnisse.section.section">
1302     <path value="Composition.section.section.section" />
1303     <max value="0" />
1304 </element>
1305 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
">
1306     <path value="Composition.section" />
1307     <sliceName value="orientierendeBeurteilungDerEntwicklung" />
1308     <min value="1" />
1309     <max value="1" />
1310     <mustSupport value="true" />
1311 </element>
1312 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension">
1313     <path value="Composition.section.extension" />
1314     <slicing>
1315         <discriminator>
1316             <type value="value" />
1317             <path value="url" />
1318         </discriminator>
1319         <rules value="open" />
1320     </slicing>
1321 </element>
1322 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung">
1323     <path value="Composition.section.extension" />
1324     <sliceName value="beurteilungAnweisung" />
1325     <min value="1" />
1326     <max value="1" />
1327     <type>
1328         <code value="Extension" />
1329         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
1330     </type>
1331     <mustSupport value="true" />
1332 </element>
1333 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]">
1334     <path value="Composition.section.extension.value[x]" />
1335     <mustSupport value="true" />
1336 </element>
1337 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]:valueString">
1338     <path value="Composition.section.extension.value[x]" />
1339     <sliceName value="valueString" />

```

```

1340     <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
werden!" />
1341     <mustSupport value="true" />
1342   </element>
1343   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.title">
1344     <path value="Composition.section.title" />
1345     <min value="1" />
1346     <fixedString value="Orientierende Beurteilung der Entwicklung" />
1347     <mustSupport value="true" />
1348   </element>
1349   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code">
1350     <path value="Composition.section.code" />
1351     <min value="1" />
1352     <mustSupport value="true" />
1353   </element>
1354   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding">
1355     <path value="Composition.section.code.coding" />
1356     <min value="1" />
1357     <max value="1" />
1358     <mustSupport value="true" />
1359   </element>
1360   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.system">
1361     <path value="Composition.section.code.coding.system" />
1362     <min value="1" />
1363     <fixedUri value="http://snomed.info/sct" />
1364   </element>
1365   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.version">
1366     <path value="Composition.section.code.coding.version" />
1367     <min value="1" />
1368     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1369   </element>
1370   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.code">
1371     <path value="Composition.section.code.coding.code" />
1372     <min value="1" />
1373     <fixedCode value="406207000" />
1374   </element>
1375   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.display">
1376     <path value="Composition.section.code.coding.display" />
1377     <min value="1" />
1378     <fixedString value="Child development by age (observable entity)" />
1379   </element>
1380   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.userSelected">
1381     <path value="Composition.section.code.coding.userSelected" />
1382     <max value="0" />
1383   </element>
1384   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.text">
1385     <path value="Composition.section.code.text" />
1386     <max value="0" />
1387   </element>

```

```

1388     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1389     .author">
1390         <path value="Composition.section.author" />
1391         <max value="0" />
1392     </element>
1393     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1394     .focus">
1395         <path value="Composition.section.focus" />
1396         <max value="0" />
1397     </element>
1398     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1399     .text">
1400         <path value="Composition.section.text" />
1401         <definition value="In diesem Element ist mindestens der Titel der
1402         Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1403         <min value="1" />
1404     </element>
1405     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1406     .text.status">
1407         <path value="Composition.section.text.status" />
1408         <fixedCode value="generated" />
1409     </element>
1410     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1411     .mode">
1412         <path value="Composition.section.mode" />
1413         <max value="0" />
1414     </element>
1415     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1416     .orderedBy">
1417         <path value="Composition.section.orderedBy" />
1418         <max value="0" />
1419     </element>
1420     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1421     .entry">
1422         <path value="Composition.section.entry" />
1423         <type>
1424             <code value="Reference" />
1425             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1426             KBV_PR_MIO_CMRObservation_U7a_Development_Assessment|1.0.1" />
1427         </type>
1428         <mustSupport value="true" />
1429     </element>
1430     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1431     .entry.reference">
1432         <path value="Composition.section.entry.reference" />
1433         <min value="1" />
1434         <mustSupport value="true" />
1435     </element>
1436     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1437     .entry.type">
1438         <path value="Composition.section.entry.type" />
1439         <max value="0" />
1440     </element>
1441     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1442     .entry.identifier">
1443         <path value="Composition.section.entry.identifier" />
1444         <max value="0" />
1445     </element>
1446     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1447     .entry.display">

```

```

1435     <path value="Composition.section.entry.display" />
1436     <max value="0" />
1437   </element>
1438   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1439     .emptyReason">
1440     <path value="Composition.section.emptyReason" />
1441     <mustSupport value="true" />
1442   </element>
1443   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1444     .emptyReason.coding">
1445     <path value="Composition.section.emptyReason.coding" />
1446     <min value="1" />
1447     <max value="1" />
1448     <mustSupport value="true" />
1449   </element>
1450   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1451     .emptyReason.coding.system">
1452     <path value="Composition.section.emptyReason.coding.system" />
1453     <min value="1" />
1454     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
1455     reason" />
1456   </element>
1457   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1458     .emptyReason.coding.version">
1459     <path value="Composition.section.emptyReason.coding.version" />
1460     <min value="1" />
1461     <fixedString value="4.0.1" />
1462   </element>
1463   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1464     .emptyReason.coding.code">
1465     <path value="Composition.section.emptyReason.coding.code" />
1466     <min value="1" />
1467     <fixedCode value="closed" />
1468   </element>
1469   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1470     .emptyReason.coding.display">
1471     <path value="Composition.section.emptyReason.coding.display" />
1472     <min value="1" />
1473     <fixedString value="Closed" />
1474   </element>
1475   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1476     .emptyReason.coding.userSelected">
1477     <path value="Composition.section.emptyReason.coding.userSelected" />
1478     <max value="0" />
1479   </element>
1480   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1481     .emptyReason.text">
1482     <path value="Composition.section.emptyReason.text" />
1483     <max value="0" />
1484   </element>
1485   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1486     .section">
1487     <path value="Composition.section.section" />
1488     <max value="0" />
1489   </element>
1490   <element id="Composition.section:perzentilkurven">
1491     <path value="Composition.section" />
1492     <sliceName value="perzentilkurven" />
1493     <max value="1" />
1494     <mustSupport value="true" />

```



```

1485 </element>
1486 <element id="Composition.section.perzentilkurven.title">
1487   <path value="Composition.section.title" />
1488   <min value="1" />
1489   <fixedString value="Perzentilkurven" />
1490   <mustSupport value="true" />
1491 </element>
1492 <element id="Composition.section.perzentilkurven.code">
1493   <path value="Composition.section.code" />
1494   <min value="1" />
1495   <mustSupport value="true" />
1496 </element>
1497 <element id="Composition.section.perzentilkurven.code.coding">
1498   <path value="Composition.section.code.coding" />
1499   <min value="1" />
1500   <max value="1" />
1501   <mustSupport value="true" />
1502 </element>
1503 <element id="Composition.section.perzentilkurven.code.coding.system">
1504   <path value="Composition.section.code.coding.system" />
1505   <min value="1" />
1506   <fixedUri value="http://snomed.info/sct" />
1507 </element>
1508 <element id="Composition.section.perzentilkurven.code.coding.version">
1509   <path value="Composition.section.code.coding.version" />
1510   <min value="1" />
1511   <fixedString value="http://snomed.info/sct/900000000000207008/
1512 version/20210131" />
1513 </element>
1514 <element id="Composition.section.perzentilkurven.code.coding.code">
1515   <path value="Composition.section.code.coding.code" />
1516   <min value="1" />
1517   <fixedCode value="129822005" />
1518 </element>
1519 <element id="Composition.section.perzentilkurven.code.coding.display">
1520   <path value="Composition.section.code.coding.display" />
1521   <min value="1" />
1522   <fixedString value="Childhood growth AND/OR development finding
1523 (finding)" />
1524 </element>
1525 <element id="Composition.section.perzentilkurven.code.coding.userSelect
1526 ed">
1527   <path value="Composition.section.code.coding.userSelected" />
1528   <max value="0" />
1529 </element>
1530 <element id="Composition.section.perzentilkurven.code.text">
1531   <path value="Composition.section.code.text" />
1532   <max value="0" />
1533 </element>
1534 <element id="Composition.section.perzentilkurven.author">
1535   <path value="Composition.section.author" />
1536   <max value="0" />
1537 </element>
1538 <element id="Composition.section.perzentilkurven.focus">
1539   <path value="Composition.section.focus" />
1540   <max value="0" />
1541 </element>
1542 <element id="Composition.section.perzentilkurven.text">
1543   <path value="Composition.section.text" />
1544   <min value="1" />

```

```

1542 </element>
1543 <element id="Composition.section.perzentilkurven.text.status">
1544   <path value="Composition.section.text.status" />
1545   <fixedCode value="generated" />
1546 </element>
1547 <element id="Composition.section.perzentilkurven.mode">
1548   <path value="Composition.section.mode" />
1549   <max value="0" />
1550 </element>
1551 <element id="Composition.section.perzentilkurven.orderedBy">
1552   <path value="Composition.section.orderedBy" />
1553   <max value="0" />
1554 </element>
1555 <element id="Composition.section.perzentilkurven.entry">
1556   <path value="Composition.section.entry" />
1557   <max value="1" />
1558   <type>
1559     <code value="Reference" />
1560     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values|1.0.1" />
1561   </type>
1562   <mustSupport value="true" />
1563 </element>
1564 <element id="Composition.section.perzentilkurven.entry.reference">
1565   <path value="Composition.section.entry.reference" />
1566   <min value="1" />
1567   <mustSupport value="true" />
1568 </element>
1569 <element id="Composition.section.perzentilkurven.entry.type">
1570   <path value="Composition.section.entry.type" />
1571   <max value="0" />
1572 </element>
1573 <element id="Composition.section.perzentilkurven.entry.identifler">
1574   <path value="Composition.section.entry.identifler" />
1575   <max value="0" />
1576 </element>
1577 <element id="Composition.section.perzentilkurven.entry.display">
1578   <path value="Composition.section.entry.display" />
1579   <max value="0" />
1580 </element>
1581 <element id="Composition.section.perzentilkurven.emptyReason">
1582   <path value="Composition.section.emptyReason" />
1583   <mustSupport value="true" />
1584 </element>
1585 <element id="Composition.section.perzentilkurven.emptyReason.coding">
1586   <path value="Composition.section.emptyReason.coding" />
1587   <min value="1" />
1588   <max value="1" />
1589   <mustSupport value="true" />
1590 </element>
1591 <element id="Composition.section.perzentilkurven.emptyReason.coding.sys
tem">
1592   <path value="Composition.section.emptyReason.coding.system" />
1593   <min value="1" />
1594   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1595 </element>
1596 <element id="Composition.section.perzentilkurven.emptyReason.coding.ver
sion">
1597   <path value="Composition.section.emptyReason.coding.version" />

```

```

1598     <min value="1" />
1599     <fixedString value="4.0.1" />
1600 </element>
1601 <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
e">
1602     <path value="Composition.section.emptyReason.coding.code" />
1603     <min value="1" />
1604     <fixedCode value="closed" />
1605 </element>
1606 <element id="Composition.section:perzentilkurven.emptyReason.coding.dis
play">
1607     <path value="Composition.section.emptyReason.coding.display" />
1608     <min value="1" />
1609     <fixedString value="Closed" />
1610 </element>
1611 <element id="Composition.section:perzentilkurven.emptyReason.coding.use
rSelected">
1612     <path value="Composition.section.emptyReason.coding.userSelected" />
1613     <max value="0" />
1614 </element>
1615 <element id="Composition.section:perzentilkurven.emptyReason.text">
1616     <path value="Composition.section.emptyReason.text" />
1617     <max value="0" />
1618 </element>
1619 <element id="Composition.section:perzentilkurven.section">
1620     <path value="Composition.section.section" />
1621     <max value="0" />
1622 </element>
1623 </differential>
1624 </StructureDefinition>

```

## 216. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U8

## KBV\_PR\_MIO\_CMR\_Composition\_U8

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U8" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_U8" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil stellt die gesamte achte U-Untersuchung
dar." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U8|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87     <element id="Composition.extension">
88     <path value="Composition.extension" />
89     <slicing>
90     <discriminator>
91     <type value="value" />
92     <path value="url" />
93     </discriminator>
94     <rules value="open" />
95     </slicing>
96 </element>
97 <element id="Composition.extension:u8Einleitung">
98     <path value="Composition.extension" />
99     <sliceName value="u8Einleitung" />
100    <min value="1" />
101    <max value="1" />
102    <type>
103        <code value="Extension" />
104        <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
105    </type>
106    <mustSupport value="true" />
107 </element>
108 <element id="Composition.extension:u8Einleitung.value[x]">
109     <path value="Composition.extension.value[x]" />
110     <mustSupport value="true" />
111 </element>
112 <element id="Composition.extension:u8Einleitung.value[x]:valueString">
113     <path value="Composition.extension.value[x]" />
114     <sliceName value="valueString" />
115     <fixedString value="U8 Elterninformation zur Untersuchung vom 46. bis
zum 48. Lebensmonat Ihr Kind ist jetzt fast vier Jahre alt. Die meisten
Kinder können sich in diesem Alter schon selbst an- und ausziehen. Ihre
Sprache ist schon so weit entwickelt, dass sie vielleicht kleine
Geschichten erzählen können und viele Fragen nach dem Warum, Wie, Wo oder
Wann stellen. Die Ärztin oder der Arzt achtet bei der U8 wieder besonders
auf Entwicklungsauffälligkeiten. Ihr Kind wird körperlich untersucht. Zum
Erkennen von Sehstörungen werden Sehtests durchgeführt. Das Hörvermögen
Ihres Kindes wird ebenfalls geprüft. Die Ärztin oder der Arzt untersucht
die Beschaffenheit der Zähne und die Entwicklung des Kiefers. Während der
Untersuchung testet die Ärztin oder der Arzt, wie beweglich und geschickt
Ihr Kind ist, ob es sich alleine beschäftigen kann und wie gut es spricht.
Sie werden gefragt, wie sich Ihr Kind beim Spielen, in der Familie oder in
einer Gruppe von Kindern verhält. Außerdem interessiert sich Ihre Ärztin
oder Ihr Arzt für den Kontakt zwischen Ihnen und Ihrem Kind. Ihre Ärztin
oder Ihr Arzt berät Sie zu den laut Impfkalender empfohlenen
Schutzimpfungen. Außerdem spricht die Ärztin oder der Arzt mit Ihnen über
Themen wie die Ernährung und Bewegung Ihres Kindes, Maßnahmen zur
Unfallverhütung, die Förderung der Sprachentwicklung und den
verantwortungsbewussten Gebrauch von Medien (z. B. TV, Spielekonsolen,
Internet und Ähnlichem) im Alltag Ihres Kindes. Ihre Ärztin oder Ihr Arzt
verweist Sie zur zahnärztlichen Früherkennungsuntersuchung." />
116     <mustSupport value="true" />
117 </element>
118 <element id="Composition.identifier">
119     <path value="Composition.identifier" />
120     <max value="0" />
121 </element>
122
123 <element id="Composition.status">
124     <path value="Composition.status" />

```

```

125     <fixedCode value="final" />
126 </element>
127 <element id="Composition.type">
128     <path value="Composition.type" />
129     <mustSupport value="true" />
130 </element>
131 <element id="Composition.type.coding">
132     <path value="Composition.type.coding" />
133     <min value="1" />
134     <max value="1" />
135     <mustSupport value="true" />
136 </element>
137 <element id="Composition.type.coding.system">
138     <path value="Composition.type.coding.system" />
139     <min value="1" />
140     <fixedUri value="http://snomed.info/sct" />
141 </element>
142 <element id="Composition.type.coding.version">
143     <path value="Composition.type.coding.version" />
144     <min value="1" />
145     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
146 </element>
147 <element id="Composition.type.coding.code">
148     <path value="Composition.type.coding.code" />
149     <min value="1" />
150     <fixedCode value="410635005" />
151 </element>
152 <element id="Composition.type.coding.display">
153     <path value="Composition.type.coding.display" />
154     <min value="1" />
155     <fixedString value="Child 4 year examination (procedure)" />
156 </element>
157 <element id="Composition.type.coding.userSelected">
158     <path value="Composition.type.coding.userSelected" />
159     <max value="0" />
160 </element>
161 <element id="Composition.type.text">
162     <path value="Composition.type.text" />
163     <max value="0" />
164 </element>
165 <element id="Composition.category">
166     <path value="Composition.category" />
167     <min value="1" />
168     <max value="1" />
169     <mustSupport value="true" />
170 </element>
171 <element id="Composition.category.coding">
172     <path value="Composition.category.coding" />
173     <min value="1" />
174     <max value="1" />
175     <mustSupport value="true" />
176 </element>
177 <element id="Composition.category.coding.system">
178     <path value="Composition.category.coding.system" />
179     <min value="1" />
180     <fixedUri value="http://snomed.info/sct" />
181 </element>
182 <element id="Composition.category.coding.version">
183     <path value="Composition.category.coding.version" />

```

```

184     <min value="1" />
185     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
186   </element>
187   <element id="Composition.category.coding.code">
188     <path value="Composition.category.coding.code" />
189     <min value="1" />
190     <fixedCode value="243788004" />
191   </element>
192   <element id="Composition.category.coding.display">
193     <path value="Composition.category.coding.display" />
194     <min value="1" />
195     <fixedString value="Child examination (procedure)" />
196   </element>
197   <element id="Composition.category.coding.userSelected">
198     <path value="Composition.category.coding.userSelected" />
199     <max value="0" />
200   </element>
201   <element id="Composition.category.text">
202     <path value="Composition.category.text" />
203     <max value="0" />
204   </element>
205   <element id="Composition.subject">
206     <path value="Composition.subject" />
207     <min value="1" />
208     <type>
209       <code value="Reference" />
210       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
211     </type>
212     <mustSupport value="true" />
213   </element>
214   <element id="Composition.subject.reference">
215     <path value="Composition.subject.reference" />
216     <min value="1" />
217     <mustSupport value="true" />
218   </element>
219   <element id="Composition.subject.type">
220     <path value="Composition.subject.type" />
221     <max value="0" />
222   </element>
223   <element id="Composition.subject.identifier">
224     <path value="Composition.subject.identifier" />
225     <max value="0" />
226   </element>
227   <element id="Composition.subject.display">
228     <path value="Composition.subject.display" />
229     <max value="0" />
230   </element>
231   <element id="Composition.encounter">
232     <path value="Composition.encounter" />
233     <min value="1" />
234     <type>
235       <code value="Reference" />
236       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
237     </type>
238     <mustSupport value="true" />
239   </element>
240   <element id="Composition.encounter.reference">

```



```

241     <path value="Composition.encounter.reference" />
242     <min value="1" />
243     <mustSupport value="true" />
244 </element>
245 <element id="Composition.encounter.type">
246     <path value="Composition.encounter.type" />
247     <max value="0" />
248 </element>
249 <element id="Composition.encounter.identifier">
250     <path value="Composition.encounter.identifier" />
251     <max value="0" />
252 </element>
253 <element id="Composition.encounter.display">
254     <path value="Composition.encounter.display" />
255     <max value="0" />
256 </element>
257 <element id="Composition.author">
258     <path value="Composition.author" />
259     <max value="2" />
260     <type>
261         <code value="Reference" />
262         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMPractitioner|1.0.1" />
263         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMROrganization|1.0.1" />
264     </type>
265     <mustSupport value="true" />
266 </element>
267 <element id="Composition.author.reference">
268     <path value="Composition.author.reference" />
269     <min value="1" />
270     <mustSupport value="true" />
271 </element>
272 <element id="Composition.author.type">
273     <path value="Composition.author.type" />
274     <max value="0" />
275 </element>
276 <element id="Composition.author.identifier">
277     <path value="Composition.author.identifier" />
278     <max value="0" />
279 </element>
280 <element id="Composition.author.display">
281     <path value="Composition.author.display" />
282     <max value="0" />
283 </element>
284 <element id="Composition.title">
285     <path value="Composition.title" />
286     <fixedString value="U8" />
287     <mustSupport value="true" />
288 </element>
289 <element id="Composition.confidentiality">
290     <path value="Composition.confidentiality" />
291     <max value="0" />
292 </element>
293 <element id="Composition.attester">
294     <path value="Composition.attester" />
295     <max value="0" />
296 </element>
297 <element id="Composition.custodian">
298     <path value="Composition.custodian" />

```

```

299     <max value="0" />
300 </element>
301 <element id="Composition.relatesTo">
302     <path value="Composition.relatesTo" />
303     <max value="0" />
304 </element>
305 <element id="Composition.event">
306     <path value="Composition.event" />
307     <max value="0" />
308 </element>
309 <element id="Composition.section">
310     <path value="Composition.section" />
311     <slicing>
312         <discriminator>
313             <type value="value" />
314             <path value="title" />
315         </discriminator>
316         <rules value="closed" />
317     </slicing>
318     <mustSupport value="true" />
319 </element>
320 <element id="Composition.section:aktuelleAnamneseDesKindes">
321     <path value="Composition.section" />
322     <sliceName value="aktuelleAnamneseDesKindes" />
323     <min value="1" />
324     <max value="1" />
325     <mustSupport value="true" />
326 </element>
327 <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
328     <path value="Composition.section.extension" />
329     <slicing>
330         <discriminator>
331             <type value="value" />
332             <path value="url" />
333         </discriminator>
334         <rules value="open" />
335     </slicing>
336 </element>
337 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung">
338     <path value="Composition.section.extension" />
339     <sliceName value="anamneseAnweisung" />
340     <min value="1" />
341     <max value="1" />
342     <type>
343         <code value="Extension" />
344         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMV_Instruction" />
345     </type>
346     <mustSupport value="true" />
347 </element>
348 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]">
349     <path value="Composition.section.extension.value[x]" />
350     <mustSupport value="true" />
351 </element>
352 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]:valueString">
353     <path value="Composition.section.extension.value[x]" />
354     <sliceName value="valueString" />

```

```

355     <fixedString value="Zutreffendes bitte ankreuzen!" />
356     <mustSupport value="true" />
357 </element>
358 <element id="Composition.section:aktuelleAnamneseDesKindes.title">
359     <path value="Composition.section.title" />
360     <min value="1" />
361     <fixedString value="Aktuelle Anamnese des Kindes" />
362     <mustSupport value="true" />
363 </element>
364 <element id="Composition.section:aktuelleAnamneseDesKindes.code">
365     <path value="Composition.section.code" />
366     <min value="1" />
367     <mustSupport value="true" />
368 </element>
369 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
370     <path value="Composition.section.code.coding" />
371     <min value="1" />
372     <max value="1" />
373     <mustSupport value="true" />
374 </element>
375 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
376     <path value="Composition.section.code.coding.system" />
377     <min value="1" />
378     <fixedUri value="http://snomed.info/sct" />
379 </element>
380 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
381     <path value="Composition.section.code.coding.version" />
382     <min value="1" />
383     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
384 </element>
385 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
386     <path value="Composition.section.code.coding.code" />
387     <min value="1" />
388     <fixedCode value="423374008" />
389 </element>
390 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
391     <path value="Composition.section.code.coding.display" />
392     <min value="1" />
393     <fixedString value="Review of systems section (record artifact)" />
394 </element>
395 <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
396     <path value="Composition.section.code.coding.userSelected" />
397     <max value="0" />
398 </element>
399 <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
400     <path value="Composition.section.code.text" />
401     <max value="0" />
402 </element>
403 <element id="Composition.section:aktuelleAnamneseDesKindes.author">
404     <path value="Composition.section.author" />
405     <max value="0" />
406 </element>
407 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">
408     <path value="Composition.section.focus" />

```

```

409     <max value="0" />
410 </element>
411 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
412   <path value="Composition.section.text" />
413   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
414   <min value="1" />
415 </element>
416 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
417   <path value="Composition.section.text.status" />
418   <fixedCode value="generated" />
419 </element>
420 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
421   <path value="Composition.section.mode" />
422   <max value="0" />
423 </element>
424 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
425   <path value="Composition.section.orderedBy" />
426   <max value="0" />
427 </element>
428 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
429   <path value="Composition.section.entry" />
430   <type>
431     <code value="Reference" />
432     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U8_Current_Child_History|1.0.1" />
433   </type>
434   <mustSupport value="true" />
435 </element>
436 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
437   <path value="Composition.section.entry.reference" />
438   <min value="1" />
439   <mustSupport value="true" />
440 </element>
441 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
442   <path value="Composition.section.entry.type" />
443   <max value="0" />
444 </element>
445 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
446   <path value="Composition.section.entry.identifizier" />
447   <max value="0" />
448 </element>
449 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
450   <path value="Composition.section.entry.display" />
451   <max value="0" />
452 </element>
453 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
454   <path value="Composition.section.emptyReason" />
455   <mustSupport value="true" />
456 </element>
457 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
458   <path value="Composition.section.emptyReason.coding" />
459   <min value="1" />
460   <max value="1" />
461   <mustSupport value="true" />
462 </element>

```

```

463     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
464       <path value="Composition.section.emptyReason.coding.system" />
465       <min value="1" />
466       <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
467     </element>
468     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
469       <path value="Composition.section.emptyReason.coding.version" />
470       <min value="1" />
471       <fixedString value="4.0.1" />
472     </element>
473     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
474       <path value="Composition.section.emptyReason.coding.code" />
475       <min value="1" />
476       <fixedCode value="closed" />
477     </element>
478     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
479       <path value="Composition.section.emptyReason.coding.display" />
480       <min value="1" />
481       <fixedString value="Closed" />
482     </element>
483     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
484       <path value="Composition.section.emptyReason.coding.userSelected" />
485       <max value="0" />
486     </element>
487     <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
488       <path value="Composition.section.emptyReason.text" />
489       <max value="0" />
490     </element>
491     <element id="Composition.section:aktuelleAnamneseDesKindes.section">
492       <path value="Composition.section.section" />
493       <max value="0" />
494     </element>
495     <element id="Composition.section:sozialanamnese">
496       <path value="Composition.section" />
497       <sliceName value="sozialanamnese" />
498       <min value="1" />
499       <max value="1" />
500       <mustSupport value="true" />
501     </element>
502     <element id="Composition.section:sozialanamnese.extension">
503       <path value="Composition.section.extension" />
504       <slicing>
505         <discriminator>
506           <type value="value" />
507           <path value="url" />
508         </discriminator>
509         <rules value="open" />
510       </slicing>
511     </element>
512     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
513       <path value="Composition.section.extension" />
514       <sliceName value="anamneseAnweisung" />

```

```

515     <min value="1" />
516     <max value="1" />
517     <type>
518         <code value="Extension" />
519         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
520     </type>
521     <mustSupport value="true" />
522 </element>
523 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
524     <path value="Composition.section.extension.value[x]" />
525     <mustSupport value="true" />
526 </element>
527 <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
528     <path value="Composition.section.extension.value[x]" />
529     <sliceName value="valueString" />
530     <fixedString value="Zutreffendes bitte ankreuzen!" />
531     <mustSupport value="true" />
532 </element>
533 <element id="Composition.section:sozialanamnese.title">
534     <path value="Composition.section.title" />
535     <min value="1" />
536     <fixedString value="Sozialanamnese" />
537     <mustSupport value="true" />
538 </element>
539 <element id="Composition.section:sozialanamnese.code">
540     <path value="Composition.section.code" />
541     <min value="1" />
542     <mustSupport value="true" />
543 </element>
544 <element id="Composition.section:sozialanamnese.code.coding">
545     <path value="Composition.section.code.coding" />
546     <min value="1" />
547     <max value="1" />
548     <mustSupport value="true" />
549 </element>
550 <element id="Composition.section:sozialanamnese.code.coding.system">
551     <path value="Composition.section.code.coding.system" />
552     <min value="1" />
553     <fixedUri value="http://snomed.info/sct" />
554 </element>
555 <element id="Composition.section:sozialanamnese.code.coding.version">
556     <path value="Composition.section.code.coding.version" />
557     <min value="1" />
558     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
559 </element>
560 <element id="Composition.section:sozialanamnese.code.coding.code">
561     <path value="Composition.section.code.coding.code" />
562     <min value="1" />
563     <fixedCode value="281575007" />
564 </element>
565 <element id="Composition.section:sozialanamnese.code.coding.display">
566     <path value="Composition.section.code.coding.display" />
567     <min value="1" />
568     <fixedString value="Family social history (situation)" />
569 </element>

```

```

570 <element id="Composition.section:sozialanamnese.code.coding.userSelecte
d">
571   <path value="Composition.section.code.coding.userSelected" />
572   <max value="0" />
573 </element>
574 <element id="Composition.section:sozialanamnese.code.text">
575   <path value="Composition.section.code.text" />
576   <max value="0" />
577 </element>
578 <element id="Composition.section:sozialanamnese.author">
579   <path value="Composition.section.author" />
580   <max value="0" />
581 </element>
582 <element id="Composition.section:sozialanamnese.focus">
583   <path value="Composition.section.focus" />
584   <max value="0" />
585 </element>
586 <element id="Composition.section:sozialanamnese.text">
587   <path value="Composition.section.text" />
588   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
589   <min value="1" />
590 </element>
591 <element id="Composition.section:sozialanamnese.text.status">
592   <path value="Composition.section.text.status" />
593   <fixedCode value="generated" />
594 </element>
595 <element id="Composition.section:sozialanamnese.mode">
596   <path value="Composition.section.mode" />
597   <max value="0" />
598 </element>
599 <element id="Composition.section:sozialanamnese.orderedBy">
600   <path value="Composition.section.orderedBy" />
601   <max value="0" />
602 </element>
603 <element id="Composition.section:sozialanamnese.entry">
604   <path value="Composition.section.entry" />
605
606   <type>
607     <code value="Reference" />
608     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U9_Social_History|1.0.1" />
609   </type>
610   <mustSupport value="true" />
611 </element>
612 <element id="Composition.section:sozialanamnese.entry.reference">
613   <path value="Composition.section.entry.reference" />
614   <min value="1" />
615   <mustSupport value="true" />
616 </element>
617 <element id="Composition.section:sozialanamnese.entry.type">
618   <path value="Composition.section.entry.type" />
619   <max value="0" />
620 </element>
621 <element id="Composition.section:sozialanamnese.entry.identifier">
622   <path value="Composition.section.entry.identifier" />
623   <max value="0" />
624 </element>
625 <element id="Composition.section:sozialanamnese.entry.display">
626   <path value="Composition.section.entry.display" />

```

```

627     <max value="0" />
628 </element>
629 <element id="Composition.section:sozialanamnese.emptyReason">
630   <path value="Composition.section.emptyReason" />
631   <mustSupport value="true" />
632 </element>
633 <element id="Composition.section:sozialanamnese.emptyReason.coding">
634   <path value="Composition.section.emptyReason.coding" />
635   <min value="1" />
636   <max value="1" />
637   <mustSupport value="true" />
638 </element>
639 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
640   <path value="Composition.section.emptyReason.coding.system" />
641   <min value="1" />
642   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
643 </element>
644 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
645   <path value="Composition.section.emptyReason.coding.version" />
646   <min value="1" />
647   <fixedString value="4.0.1" />
648 </element>
649 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
650   <path value="Composition.section.emptyReason.coding.code" />
651   <min value="1" />
652   <fixedCode value="closed" />
653 </element>
654 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
655   <path value="Composition.section.emptyReason.coding.display" />
656   <min value="1" />
657   <fixedString value="Closed" />
658 </element>
659 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
660   <path value="Composition.section.emptyReason.coding.userSelected" />
661   <max value="0" />
662 </element>
663 <element id="Composition.section:sozialanamnese.emptyReason.text">
664   <path value="Composition.section.emptyReason.text" />
665   <max value="0" />
666 </element>
667 <element id="Composition.section:sozialanamnese.section">
668   <path value="Composition.section.section" />
669   <max value="0" />
670 </element>
671 <element id="Composition.section:untersuchung">
672   <path value="Composition.section" />
673   <sliceName value="untersuchung" />
674   <min value="1" />
675   <max value="1" />
676   <mustSupport value="true" />
677 </element>
678 <element id="Composition.section:untersuchung.extension">
679   <path value="Composition.section.extension" />
680   <slicing>

```



```

681     <discriminator>
682       <type value="value" />
683       <path value="url" />
684     </discriminator>
685     <rules value="open" />
686   </slicing>
687 </element>
688 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung">
689   <path value="Composition.section.extension" />
690   <sliceName value="untersuchungAnweisung" />
691   <min value="1" />
692   <max value="1" />
693   <type>
694     <code value="Extension" />
695     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CM_R_Instruction" />
696   </type>
697   <mustSupport value="true" />
698 </element>
699 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]">
700   <path value="Composition.section.extension.value[x]" />
701   <mustSupport value="true" />
702 </element>
703 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]:valueString">
704   <path value="Composition.section.extension.value[x]" />
705   <sliceName value="valueString" />
706   <fixedString value="Nur Auffälligkeiten ankreuzen!" />
707 </element>
708 <element id="Composition.section:untersuchung.title">
709   <path value="Composition.section.title" />
710   <min value="1" />
711   <fixedString value="Körperliche Untersuchung" />
712   <mustSupport value="true" />
713 </element>
714 <element id="Composition.section:untersuchung.code">
715   <path value="Composition.section.code" />
716   <min value="1" />
717   <mustSupport value="true" />
718 </element>
719 <element id="Composition.section:untersuchung.code.coding">
720   <path value="Composition.section.code.coding" />
721   <min value="1" />
722   <max value="1" />
723   <mustSupport value="true" />
724 </element>
725 <element id="Composition.section:untersuchung.code.coding.system">
726   <path value="Composition.section.code.coding.system" />
727   <min value="1" />
728   <fixedUri value="http://snomed.info/sct" />
729 </element>
730 <element id="Composition.section:untersuchung.code.coding.version">
731   <path value="Composition.section.code.coding.version" />
732   <min value="1" />
733   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
734 </element>
735 <element id="Composition.section:untersuchung.code.coding.code">

```

```

736     <path value="Composition.section.code.coding.code" />
737     <min value="1" />
738     <fixedCode value="425044008" />
739 </element>
740 <element id="Composition.section:untersuchung.code.coding.display">
741     <path value="Composition.section.code.coding.display" />
742     <min value="1" />
743     <fixedString value="Physical exam section (record artifact)" />
744 </element>
745 <element id="Composition.section:untersuchung.code.coding.userSelected">
746     <path value="Composition.section.code.coding.userSelected" />
747     <max value="0" />
748 </element>
749 <element id="Composition.section:untersuchung.code.text">
750     <path value="Composition.section.code.text" />
751     <max value="0" />
752 </element>
753 <element id="Composition.section:untersuchung.author">
754     <path value="Composition.section.author" />
755     <max value="0" />
756 </element>
757 <element id="Composition.section:untersuchung.focus">
758     <path value="Composition.section.focus" />
759     <max value="0" />
760 </element>
761 <element id="Composition.section:untersuchung.text">
762     <path value="Composition.section.text" />
763     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
764     <min value="1" />
765 </element>
766 <element id="Composition.section:untersuchung.text.status">
767     <path value="Composition.section.text.status" />
768     <fixedCode value="generated" />
769 </element>
770 <element id="Composition.section:untersuchung.mode">
771     <path value="Composition.section.mode" />
772     <max value="0" />
773 </element>
774 <element id="Composition.section:untersuchung.orderedBy">
775     <path value="Composition.section.orderedBy" />
776     <max value="0" />
777 </element>
778 <element id="Composition.section:untersuchung.entry">
779     <path value="Composition.section.entry" />
780     <type>
781         <code value="Reference" />
782         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U9_Physical_Exam_Skin|1.0.1" />
783         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_Physical_Exam_Chest_Lung_Respiratory_Tr
act|1.0.1" />
784         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_Physical_Exam_Abdomen_Genitals|1.0.1" /
>
785         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_Physical_Exam_Ears|1.0.1" />
786         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7_U9_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />

```

```

787     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U8_Physical_Exam_Musculoskeletal_System|
1.0.1" />
788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U8_U9_Physical_Exam_Mouth_Nose|1.0.1" />
789     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7a_U9_Physical_Exam_Eyes|1.0.1" />
790     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
791   </type>
792   <mustSupport value="true" />
793 </element>
794 <element id="Composition.section.untersuchung.entry.reference">
795   <path value="Composition.section.entry.reference" />
796   <min value="1" />
797   <mustSupport value="true" />
798 </element>
799 <element id="Composition.section.untersuchung.entry.type">
800   <path value="Composition.section.entry.type" />
801   <max value="0" />
802 </element>
803 <element id="Composition.section.untersuchung.entry.identifizier">
804   <path value="Composition.section.entry.identifizier" />
805   <max value="0" />
806 </element>
807 <element id="Composition.section.untersuchung.entry.display">
808   <path value="Composition.section.entry.display" />
809   <max value="0" />
810 </element>
811 <element id="Composition.section.untersuchung.emptyReason">
812   <path value="Composition.section.emptyReason" />
813   <mustSupport value="true" />
814 </element>
815 <element id="Composition.section.untersuchung.emptyReason.coding">
816   <path value="Composition.section.emptyReason.coding" />
817   <min value="1" />
818   <max value="1" />
819   <mustSupport value="true" />
820 </element>
821 <element id="Composition.section.untersuchung.emptyReason.coding.system
">
822   <path value="Composition.section.emptyReason.coding.system" />
823   <min value="1" />
824   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
825 </element>
826 <element id="Composition.section.untersuchung.emptyReason.coding.versio
n">
827   <path value="Composition.section.emptyReason.coding.version" />
828   <min value="1" />
829   <fixedString value="4.0.1" />
830 </element>
831 <element id="Composition.section.untersuchung.emptyReason.coding.code">
832   <path value="Composition.section.emptyReason.coding.code" />
833   <min value="1" />
834   <fixedCode value="closed" />
835 </element>
836 <element id="Composition.section.untersuchung.emptyReason.coding.displa
y">
837   <path value="Composition.section.emptyReason.coding.display" />

```

```

838     <min value="1" />
839     <fixedString value="Closed" />
840 </element>
841 <element id="Composition.section:untersuchung.emptyReason.coding.userSe
lected">
842     <path value="Composition.section.emptyReason.coding.userSelected" />
843     <max value="0" />
844 </element>
845 <element id="Composition.section:untersuchung.emptyReason.text">
846     <path value="Composition.section.emptyReason.text" />
847     <max value="0" />
848 </element>
849 <element id="Composition.section:untersuchung.section">
850     <path value="Composition.section.section" />
851     <max value="0" />
852 </element>
853 <element id="Composition.section:beratung">
854     <path value="Composition.section" />
855     <sliceName value="beratung" />
856     <min value="1" />
857     <max value="1" />
858     <mustSupport value="true" />
859 </element>
860 <element id="Composition.section:beratung.extension">
861     <path value="Composition.section.extension" />
862     <slicing>
863         <discriminator>
864             <type value="value" />
865             <path value="url" />
866         </discriminator>
867         <rules value="open" />
868     </slicing>
869 </element>
870 <element id="Composition.section:beratung.extension:beratungAnweisung">
871     <path value="Composition.section.extension" />
872     <sliceName value="beratungAnweisung" />
873     <min value="1" />
874     <max value="1" />
875     <type>
876         <code value="Extension" />
877         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
878     </type>
879     <mustSupport value="true" />
880 </element>
881 <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]">
882     <path value="Composition.section.extension.value[x]" />
883     <mustSupport value="true" />
884 </element>
885 <element id="Composition.section:beratung.extension:beratungAnweisung.v
alue[x]:valueString">
886     <path value="Composition.section.extension.value[x]" />
887     <sliceName value="valueString" />
888     <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
889     <mustSupport value="true" />
890 </element>
891 <element id="Composition.section:beratung.extension:beratungHinweis">
892     <path value="Composition.section.extension" />

```

```

893     <sliceName value="beratungHinweis" />
894     <min value="1" />
895     <max value="1" />
896     <type>
897         <code value="Extension" />
898         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
899     </type>
900     <mustSupport value="true" />
901 </element>
902 <element id="Composition.section:beratung.extension:beratungHinweis.value[x]">
903     <path value="Composition.section.extension.value[x]" />
904     <mustSupport value="true" />
905 </element>
906 <element id="Composition.section:beratung.extension:beratungHinweis.value[x]:valueString">
907     <path value="Composition.section.extension.value[x]" />
908     <sliceName value="valueString" />
909     <fixedString value="Beratung vor allem zu folgenden Themen:" />
910     <mustSupport value="true" />
911 </element>
912 <element id="Composition.section:beratung.title">
913     <path value="Composition.section.title" />
914     <min value="1" />
915     <fixedString value="Beratung" />
916     <mustSupport value="true" />
917 </element>
918 <element id="Composition.section:beratung.code">
919     <path value="Composition.section.code" />
920     <min value="1" />
921     <mustSupport value="true" />
922 </element>
923 <element id="Composition.section:beratung.code.coding">
924     <path value="Composition.section.code.coding" />
925     <min value="1" />
926     <max value="1" />
927     <mustSupport value="true" />
928 </element>
929 <element id="Composition.section:beratung.code.coding.system">
930     <path value="Composition.section.code.coding.system" />
931     <min value="1" />
932     <fixedUri value="http://snomed.info/sct" />
933 </element>
934 <element id="Composition.section:beratung.code.coding.version">
935     <path value="Composition.section.code.coding.version" />
936     <min value="1" />
937     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
938 </element>
939 <element id="Composition.section:beratung.code.coding.code">
940     <path value="Composition.section.code.coding.code" />
941     <min value="1" />
942     <fixedCode value="409066002" />
943 </element>
944 <element id="Composition.section:beratung.code.coding.display">
945     <path value="Composition.section.code.coding.display" />
946     <min value="1" />
947     <fixedString value="Education, guidance and counseling (procedure)" /
>

```

```

948 </element>
949 <element id="Composition.section:beratung.code.coding.userSelected">
950   <path value="Composition.section.code.coding.userSelected" />
951   <max value="0" />
952 </element>
953 <element id="Composition.section:beratung.code.text">
954   <path value="Composition.section.code.text" />
955   <max value="0" />
956 </element>
957 <element id="Composition.section:beratung.author">
958   <path value="Composition.section.author" />
959   <max value="0" />
960 </element>
961 <element id="Composition.section:beratung.focus">
962   <path value="Composition.section.focus" />
963   <max value="0" />
964 </element>
965 <element id="Composition.section:beratung.text">
966   <path value="Composition.section.text" />
967   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
968   <min value="1" />
969 </element>
970 <element id="Composition.section:beratung.text.status">
971   <path value="Composition.section.text.status" />
972   <fixedCode value="generated" />
973 </element>
974 <element id="Composition.section:beratung.mode">
975   <path value="Composition.section.mode" />
976   <max value="0" />
977 </element>
978 <element id="Composition.section:beratung.orderedBy">
979   <path value="Composition.section.orderedBy" />
980   <max value="0" />
981 </element>
982 <element id="Composition.section:beratung.entry">
983   <path value="Composition.section.entry" />
984   <type>
985     <code value="Reference" />
986     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U8_Consultation|1.0.1" />
987     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
988   </type>
989   <mustSupport value="true" />
990 </element>
991 <element id="Composition.section:beratung.entry.reference">
992   <path value="Composition.section.entry.reference" />
993   <min value="1" />
994   <mustSupport value="true" />
995 </element>
996 <element id="Composition.section:beratung.entry.type">
997   <path value="Composition.section.entry.type" />
998   <max value="0" />
999 </element>
1000 <element id="Composition.section:beratung.entry.identifrier">
1001   <path value="Composition.section.entry.identifrier" />
1002   <max value="0" />
1003 </element>
1004 <element id="Composition.section:beratung.entry.display">

```

```

1005     <path value="Composition.section.entry.display" />
1006     <max value="0" />
1007 </element>
1008 <element id="Composition.section:beratung.emptyReason">
1009     <path value="Composition.section.emptyReason" />
1010     <mustSupport value="true" />
1011 </element>
1012 <element id="Composition.section:beratung.emptyReason.coding">
1013     <path value="Composition.section.emptyReason.coding" />
1014     <min value="1" />
1015     <max value="1" />
1016     <mustSupport value="true" />
1017 </element>
1018 <element id="Composition.section:beratung.emptyReason.coding.system">
1019     <path value="Composition.section.emptyReason.coding.system" />
1020     <min value="1" />
1021     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
1022 reason" />
1023 </element>
1024 <element id="Composition.section:beratung.emptyReason.coding.version">
1025     <path value="Composition.section.emptyReason.coding.version" />
1026     <min value="1" />
1027     <fixedString value="4.0.1" />
1028 </element>
1029 <element id="Composition.section:beratung.emptyReason.coding.code">
1030     <path value="Composition.section.emptyReason.coding.code" />
1031     <min value="1" />
1032     <fixedCode value="closed" />
1033 </element>
1034 <element id="Composition.section:beratung.emptyReason.coding.display">
1035     <path value="Composition.section.emptyReason.coding.display" />
1036     <min value="1" />
1037     <fixedString value="Closed" />
1038 </element>
1039 <element id="Composition.section:beratung.emptyReason.coding.userSelect
1040 ed">
1041     <path value="Composition.section.emptyReason.coding.userSelected" />
1042     <max value="0" />
1043 </element>
1044 <element id="Composition.section:beratung.emptyReason.text">
1045     <path value="Composition.section.emptyReason.text" />
1046     <max value="0" />
1047 </element>
1048 <element id="Composition.section:beratung.section">
1049     <path value="Composition.section.section" />
1050     <max value="0" />
1051 </element>
1052 <element id="Composition.section:ergebnisse">
1053     <path value="Composition.section" />
1054     <sliceName value="ergebnisse" />
1055     <min value="1" />
1056     <max value="1" />
1057     <mustSupport value="true" />
1058 </element>
1059 <element id="Composition.section:ergebnisse.title">
1060     <path value="Composition.section.title" />
1061     <min value="1" />
1062     <fixedString value="Ergebnisse" />
1063     <mustSupport value="true" />
1064 </element>

```

```

1063 <element id="Composition.section:ergebnisse.code">
1064   <path value="Composition.section.code" />
1065   <min value="1" />
1066   <mustSupport value="true" />
1067 </element>
1068 <element id="Composition.section:ergebnisse.code.coding">
1069   <path value="Composition.section.code.coding" />
1070   <min value="1" />
1071   <max value="1" />
1072   <mustSupport value="true" />
1073 </element>
1074 <element id="Composition.section:ergebnisse.code.coding.system">
1075   <path value="Composition.section.code.coding.system" />
1076   <min value="1" />
1077   <fixedUri value="http://snomed.info/sct" />
1078 </element>
1079 <element id="Composition.section:ergebnisse.code.coding.version">
1080   <path value="Composition.section.code.coding.version" />
1081   <min value="1" />
1082   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1083 </element>
1084 <element id="Composition.section:ergebnisse.code.coding.code">
1085   <path value="Composition.section.code.coding.code" />
1086   <min value="1" />
1087   <fixedCode value="423100009" />
1088 </element>
1089 <element id="Composition.section:ergebnisse.code.coding.display">
1090   <path value="Composition.section.code.coding.display" />
1091   <min value="1" />
1092   <fixedString value="Results section (record artifact)" />
1093 </element>
1094 <element id="Composition.section:ergebnisse.code.coding.userSelected">
1095   <path value="Composition.section.code.coding.userSelected" />
1096   <max value="0" />
1097 </element>
1098 <element id="Composition.section:ergebnisse.code.text">
1099   <path value="Composition.section.code.text" />
1100   <max value="0" />
1101 </element>
1102 <element id="Composition.section:ergebnisse.author">
1103   <path value="Composition.section.author" />
1104   <max value="0" />
1105 </element>
1106 <element id="Composition.section:ergebnisse.focus">
1107   <path value="Composition.section.focus" />
1108   <max value="0" />
1109 </element>
1110 <element id="Composition.section:ergebnisse.text">
1111   <path value="Composition.section.text" />
1112   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1113   <min value="1" />
1114 </element>
1115 <element id="Composition.section:ergebnisse.text.status">
1116   <path value="Composition.section.text.status" />
1117   <fixedCode value="generated" />
1118 </element>
1119 <element id="Composition.section:ergebnisse.mode">
1120   <path value="Composition.section.mode" />

```



```

1121     <max value="0" />
1122 </element>
1123 <element id="Composition.section:ergebnisse.orderedBy">
1124   <path value="Composition.section.orderedBy" />
1125   <max value="0" />
1126 </element>
1127 <element id="Composition.section:ergebnisse.entry">
1128   <path value="Composition.section.entry" />
1129   <type>
1130     <code value="Reference" />
1131     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
1132     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
1133     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Body_Measures|1.0.1" />
1134     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
1135     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
1136     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment|1.0.1" />
1137     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment|1.0.1" />
1138     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
1139     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_Dental_Referral|1.0.1" />
1140   </type>
1141   <mustSupport value="true" />
1142 </element>
1143 <element id="Composition.section:ergebnisse.entry.reference">
1144   <path value="Composition.section.entry.reference" />
1145   <min value="1" />
1146   <mustSupport value="true" />
1147 </element>
1148 <element id="Composition.section:ergebnisse.entry.type">
1149   <path value="Composition.section.entry.type" />
1150   <max value="0" />
1151 </element>
1152 <element id="Composition.section:ergebnisse.entry.identifrier">
1153   <path value="Composition.section.entry.identifrier" />
1154   <max value="0" />
1155 </element>
1156 <element id="Composition.section:ergebnisse.entry.display">
1157   <path value="Composition.section.entry.display" />
1158   <max value="0" />
1159 </element>
1160 <element id="Composition.section:ergebnisse.emptyReason">
1161   <path value="Composition.section.emptyReason" />
1162   <mustSupport value="true" />
1163 </element>
1164 <element id="Composition.section:ergebnisse.emptyReason.coding">
1165   <path value="Composition.section.emptyReason.coding" />
1166   <min value="1" />
1167   <max value="1" />
1168   <mustSupport value="true" />
1169 </element>
1170 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
1171   <path value="Composition.section.emptyReason.coding.system" />

```

```

1172     <min value="1" />
1173     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1174   </element>
1175   <element id="Composition.section.ergebnisse.emptyReason.coding.version">
1176     <path value="Composition.section.emptyReason.coding.version" />
1177     <min value="1" />
1178     <fixedString value="4.0.1" />
1179   </element>
1180   <element id="Composition.section.ergebnisse.emptyReason.coding.code">
1181     <path value="Composition.section.emptyReason.coding.code" />
1182     <min value="1" />
1183     <fixedCode value="closed" />
1184   </element>
1185   <element id="Composition.section.ergebnisse.emptyReason.coding.display">
1186     <path value="Composition.section.emptyReason.coding.display" />
1187     <min value="1" />
1188     <fixedString value="Closed" />
1189   </element>
1190   <element id="Composition.section.ergebnisse.emptyReason.coding.userSele
cted">
1191     <path value="Composition.section.emptyReason.coding.userSelected" />
1192     <max value="0" />
1193   </element>
1194   <element id="Composition.section.ergebnisse.emptyReason.text">
1195     <path value="Composition.section.emptyReason.text" />
1196     <max value="0" />
1197   </element>
1198   <element id="Composition.section.ergebnisse.section">
1199     <path value="Composition.section.section" />
1200     <min value="1" />
1201     <max value="1" />
1202     <mustSupport value="true" />
1203   </element>
1204   <element id="Composition.section.ergebnisse.section.title">
1205     <path value="Composition.section.section.title" />
1206     <min value="1" />
1207     <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
1208     <mustSupport value="true" />
1209   </element>
1210   <element id="Composition.section.ergebnisse.section.code">
1211     <path value="Composition.section.section.code" />
1212     <min value="1" />
1213     <mustSupport value="true" />
1214   </element>
1215   <element id="Composition.section.ergebnisse.section.code.coding">
1216     <path value="Composition.section.section.code.coding" />
1217     <min value="1" />
1218     <max value="1" />
1219     <mustSupport value="true" />
1220   </element>
1221   <element id="Composition.section.ergebnisse.section.code.coding.system">
1222     <path value="Composition.section.section.code.coding.system" />
1223     <min value="1" />
1224     <fixedUri value="http://snomed.info/sct" />
1225   </element>
1226   <element id="Composition.section.ergebnisse.section.code.coding.version
">
1227     <path value="Composition.section.section.code.coding.version" />

```

```

1228     <min value="1" />
1229     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1230   </element>
1231   <element id="Composition.section:ergebnisse.section.code.coding.code">
1232     <path value="Composition.section.section.code.coding.code" />
1233     <min value="1" />
1234     <fixedCode value="722448004" />
1235   </element>
1236   <element id="Composition.section:ergebnisse.section.code.coding.display
">
1237     <path value="Composition.section.section.code.coding.display" />
1238     <min value="1" />
1239     <fixedString value="Treatment plan report (record artifact)" />
1240   </element>
1241   <element id="Composition.section:ergebnisse.section.code.coding.userSel
ected">
1242     <path value="Composition.section.section.code.coding.userSelected" />
1243     <max value="0" />
1244   </element>
1245   <element id="Composition.section:ergebnisse.section.code.text">
1246     <path value="Composition.section.section.code.text" />
1247     <max value="0" />
1248   </element>
1249   <element id="Composition.section:ergebnisse.section.author">
1250     <path value="Composition.section.section.author" />
1251     <max value="0" />
1252   </element>
1253   <element id="Composition.section:ergebnisse.section.focus">
1254     <path value="Composition.section.section.focus" />
1255     <max value="0" />
1256   </element>
1257   <element id="Composition.section:ergebnisse.section.text">
1258     <path value="Composition.section.section.text" />
1259     <max value="0" />
1260   </element>
1261   <element id="Composition.section:ergebnisse.section.mode">
1262     <path value="Composition.section.section.mode" />
1263     <max value="0" />
1264   </element>
1265   <element id="Composition.section:ergebnisse.section.orderedBy">
1266     <path value="Composition.section.section.orderedBy" />
1267     <max value="0" />
1268   </element>
1269   <element id="Composition.section:ergebnisse.section.entry">
1270     <path value="Composition.section.section.entry" />
1271     <max value="1" />
1272     <type>
1273       <code value="Reference" />
1274       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_U9_Status_Of_Immunization|1.0.1" />
1275     </type>
1276     <mustSupport value="true" />
1277   </element>
1278   <element id="Composition.section:ergebnisse.section.entry.reference">
1279     <path value="Composition.section.section.entry.reference" />
1280     <min value="1" />
1281     <mustSupport value="true" />
1282   </element>
1283   <element id="Composition.section:ergebnisse.section.entry.type">

```

```

1284     <path value="Composition.section.section.entry.type" />
1285     <max value="0" />
1286   </element>
1287   <element id="Composition.section:ergebnisse.section.entry.identifrier">
1288     <path value="Composition.section.section.entry.identifrier" />
1289     <max value="0" />
1290   </element>
1291   <element id="Composition.section:ergebnisse.section.entry.display">
1292     <path value="Composition.section.section.entry.display" />
1293     <max value="0" />
1294   </element>
1295   <element id="Composition.section:ergebnisse.section.emptyReason">
1296     <path value="Composition.section.section.emptyReason" />
1297     <max value="0" />
1298   </element>
1299   <element id="Composition.section:ergebnisse.section.section">
1300     <path value="Composition.section.section.section" />
1301     <max value="0" />
1302   </element>
1303   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
">
1304     <path value="Composition.section" />
1305     <sliceName value="orientierendeBeurteilungDerEntwicklung" />
1306     <min value="1" />
1307     <max value="1" />
1308     <mustSupport value="true" />
1309   </element>
1310   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension">
1311     <path value="Composition.section.extension" />
1312     <slicing>
1313       <discriminator>
1314         <type value="value" />
1315         <path value="url" />
1316       </discriminator>
1317       <rules value="open" />
1318     </slicing>
1319   </element>
1320   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung">
1321     <path value="Composition.section.extension" />
1322     <sliceName value="beurteilungAnweisung" />
1323     <min value="1" />
1324     <max value="1" />
1325     <type>
1326       <code value="Extension" />
1327       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMV_Instruction" />
1328     </type>
1329     <mustSupport value="true" />
1330   </element>
1331   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]">
1332     <path value="Composition.section.extension.value[x]" />
1333     <mustSupport value="true" />
1334   </element>
1335   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]:valueString">
1336     <path value="Composition.section.extension.value[x]" />
1337     <sliceName value="valueString" />

```

```

1338     <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
werden!" />
1339     <mustSupport value="true" />
1340   </element>
1341   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.title">
1342     <path value="Composition.section.title" />
1343     <min value="1" />
1344     <fixedString value="Orientierende Beurteilung der Entwicklung" />
1345     <mustSupport value="true" />
1346   </element>
1347   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code">
1348     <path value="Composition.section.code" />
1349     <min value="1" />
1350     <mustSupport value="true" />
1351   </element>
1352   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding">
1353     <path value="Composition.section.code.coding" />
1354     <min value="1" />
1355     <max value="1" />
1356     <mustSupport value="true" />
1357   </element>
1358   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.system">
1359     <path value="Composition.section.code.coding.system" />
1360     <min value="1" />
1361     <fixedUri value="http://snomed.info/sct" />
1362   </element>
1363   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.version">
1364     <path value="Composition.section.code.coding.version" />
1365     <min value="1" />
1366     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1367   </element>
1368   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.code">
1369     <path value="Composition.section.code.coding.code" />
1370     <min value="1" />
1371     <fixedCode value="406207000" />
1372   </element>
1373   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.display">
1374     <path value="Composition.section.code.coding.display" />
1375     <min value="1" />
1376     <fixedString value="Child development by age (observable entity)" />
1377   </element>
1378   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.coding.userSelected">
1379     <path value="Composition.section.code.coding.userSelected" />
1380     <max value="0" />
1381   </element>
1382   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.code.text">
1383     <path value="Composition.section.code.text" />
1384     <max value="0" />
1385   </element>

```

```

1386     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1387     .author">
1388         <path value="Composition.section.author" />
1389         <max value="0" />
1390     </element>
1391     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1392     .focus">
1393         <path value="Composition.section.focus" />
1394         <max value="0" />
1395     </element>
1396     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1397     .text">
1398         <path value="Composition.section.text" />
1399         <definition value="In diesem Element ist mindestens der Titel der
1400         Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1401         <min value="1" />
1402     </element>
1403     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1404     .text.status">
1405         <path value="Composition.section.text.status" />
1406         <fixedCode value="generated" />
1407     </element>
1408     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1409     .mode">
1410         <path value="Composition.section.mode" />
1411         <max value="0" />
1412     </element>
1413     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1414     .orderedBy">
1415         <path value="Composition.section.orderedBy" />
1416         <max value="0" />
1417     </element>
1418     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1419     .entry">
1420         <path value="Composition.section.entry" />
1421         <type>
1422             <code value="Reference" />
1423             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1424             KBV_PR_MIO_CMRObservation_U8_Development_Assessment|1.0.1" />
1425         </type>
1426         <mustSupport value="true" />
1427     </element>
1428     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1429     .entry.reference">
1430         <path value="Composition.section.entry.reference" />
1431         <min value="1" />
1432         <mustSupport value="true" />
1433     </element>
1434     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1435     .entry.type">
1436         <path value="Composition.section.entry.type" />
1437         <max value="0" />
1438     </element>
1439     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1440     .entry.identifizier">
1441         <path value="Composition.section.entry.identifizier" />
1442         <max value="0" />
1443     </element>
1444     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1445     .entry.display">

```

```

1433     <path value="Composition.section.entry.display" />
1434     <max value="0" />
1435   </element>
1436   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason">
1437     <path value="Composition.section.emptyReason" />
1438     <mustSupport value="true" />
1439   </element>
1440   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding">
1441     <path value="Composition.section.emptyReason.coding" />
1442     <min value="1" />
1443     <max value="1" />
1444     <mustSupport value="true" />
1445   </element>
1446   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.system">
1447     <path value="Composition.section.emptyReason.coding.system" />
1448     <min value="1" />
1449     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1450   </element>
1451   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.version">
1452     <path value="Composition.section.emptyReason.coding.version" />
1453     <min value="1" />
1454     <fixedString value="4.0.1" />
1455   </element>
1456   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.code">
1457     <path value="Composition.section.emptyReason.coding.code" />
1458     <min value="1" />
1459     <fixedCode value="closed" />
1460   </element>
1461   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.display">
1462     <path value="Composition.section.emptyReason.coding.display" />
1463     <min value="1" />
1464     <fixedString value="Closed" />
1465   </element>
1466   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.userSelected">
1467     <path value="Composition.section.emptyReason.coding.userSelected" />
1468     <max value="0" />
1469   </element>
1470   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.text">
1471     <path value="Composition.section.emptyReason.text" />
1472     <max value="0" />
1473   </element>
1474   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.section">
1475     <path value="Composition.section.section" />
1476     <max value="0" />
1477   </element>
1478     <element id="Composition.section:perzentilkurven">
1479       <path value="Composition.section" />
1480       <sliceName value="perzentilkurven" />
1481       <max value="1" />
1482       <mustSupport value="true" />

```

```

1483 </element>
1484 <element id="Composition.section.perzentilkurven.title">
1485   <path value="Composition.section.title" />
1486   <min value="1" />
1487   <fixedString value="Perzentilkurven" />
1488   <mustSupport value="true" />
1489 </element>
1490 <element id="Composition.section.perzentilkurven.code">
1491   <path value="Composition.section.code" />
1492   <min value="1" />
1493   <mustSupport value="true" />
1494 </element>
1495 <element id="Composition.section.perzentilkurven.code.coding">
1496   <path value="Composition.section.code.coding" />
1497   <min value="1" />
1498   <max value="1" />
1499   <mustSupport value="true" />
1500 </element>
1501 <element id="Composition.section.perzentilkurven.code.coding.system">
1502   <path value="Composition.section.code.coding.system" />
1503   <min value="1" />
1504   <fixedUri value="http://snomed.info/sct" />
1505 </element>
1506 <element id="Composition.section.perzentilkurven.code.coding.version">
1507   <path value="Composition.section.code.coding.version" />
1508   <min value="1" />
1509   <fixedString value="http://snomed.info/sct/900000000000207008/
1510 version/20210131" />
1511 </element>
1512 <element id="Composition.section.perzentilkurven.code.coding.code">
1513   <path value="Composition.section.code.coding.code" />
1514   <min value="1" />
1515   <fixedCode value="129822005" />
1516 </element>
1517 <element id="Composition.section.perzentilkurven.code.coding.display">
1518   <path value="Composition.section.code.coding.display" />
1519   <min value="1" />
1520   <fixedString value="Childhood growth AND/OR development finding
(finding)" />
1521 </element>
1522 <element id="Composition.section.perzentilkurven.code.coding.userSelect
ed">
1523   <path value="Composition.section.code.coding.userSelected" />
1524   <max value="0" />
1525 </element>
1526 <element id="Composition.section.perzentilkurven.code.text">
1527   <path value="Composition.section.code.text" />
1528   <max value="0" />
1529 </element>
1530 <element id="Composition.section.perzentilkurven.author">
1531   <path value="Composition.section.author" />
1532   <max value="0" />
1533 </element>
1534 <element id="Composition.section.perzentilkurven.focus">
1535   <path value="Composition.section.focus" />
1536   <max value="0" />
1537 </element>
1538 <element id="Composition.section.perzentilkurven.text">
1539   <path value="Composition.section.text" />
1540   <min value="1" />

```



```

1540 </element>
1541 <element id="Composition.section.perzentilkurven.text.status">
1542   <path value="Composition.section.text.status" />
1543   <fixedCode value="generated" />
1544 </element>
1545 <element id="Composition.section.perzentilkurven.mode">
1546   <path value="Composition.section.mode" />
1547   <max value="0" />
1548 </element>
1549 <element id="Composition.section.perzentilkurven.orderedBy">
1550   <path value="Composition.section.orderedBy" />
1551   <max value="0" />
1552 </element>
1553 <element id="Composition.section.perzentilkurven.entry">
1554   <path value="Composition.section.entry" />
1555   <max value="1" />
1556   <type>
1557     <code value="Reference" />
1558     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values|1.0.1" />
1559   </type>
1560   <mustSupport value="true" />
1561 </element>
1562 <element id="Composition.section.perzentilkurven.entry.reference">
1563   <path value="Composition.section.entry.reference" />
1564   <min value="1" />
1565   <mustSupport value="true" />
1566 </element>
1567 <element id="Composition.section.perzentilkurven.entry.type">
1568   <path value="Composition.section.entry.type" />
1569   <max value="0" />
1570 </element>
1571 <element id="Composition.section.perzentilkurven.entry.identifizier">
1572   <path value="Composition.section.entry.identifizier" />
1573   <max value="0" />
1574 </element>
1575 <element id="Composition.section.perzentilkurven.entry.display">
1576   <path value="Composition.section.entry.display" />
1577   <max value="0" />
1578 </element>
1579 <element id="Composition.section.perzentilkurven.emptyReason">
1580   <path value="Composition.section.emptyReason" />
1581   <mustSupport value="true" />
1582 </element>
1583 <element id="Composition.section.perzentilkurven.emptyReason.coding">
1584   <path value="Composition.section.emptyReason.coding" />
1585   <min value="1" />
1586   <max value="1" />
1587   <mustSupport value="true" />
1588 </element>
1589 <element id="Composition.section.perzentilkurven.emptyReason.coding.sys
tem">
1590   <path value="Composition.section.emptyReason.coding.system" />
1591   <min value="1" />
1592   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1593 </element>
1594 <element id="Composition.section.perzentilkurven.emptyReason.coding.ver
sion">
1595   <path value="Composition.section.emptyReason.coding.version" />

```

```

1596     <min value="1" />
1597     <fixedString value="4.0.1" />
1598 </element>
1599 <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
1600 e">
1601     <path value="Composition.section.emptyReason.coding.code" />
1602     <min value="1" />
1603     <fixedCode value="closed" />
1604 </element>
1605 <element id="Composition.section:perzentilkurven.emptyReason.coding.dis
1606 play">
1607     <path value="Composition.section.emptyReason.coding.display" />
1608     <min value="1" />
1609     <fixedString value="Closed" />
1610 </element>
1611 <element id="Composition.section:perzentilkurven.emptyReason.coding.use
1612 rSelected">
1613     <path value="Composition.section.emptyReason.coding.userSelected" />
1614     <max value="0" />
1615 </element>
1616 <element id="Composition.section:perzentilkurven.emptyReason.text">
1617     <path value="Composition.section.emptyReason.text" />
1618     <max value="0" />
1619 </element>
1620 <element id="Composition.section:perzentilkurven.section">
1621     <path value="Composition.section.section" />
1622     <max value="0" />
1623 </element>
1624 </differential>
1625 </StructureDefinition>

```

## 217. KBV\_PR\_MIO\_CMR\_COMPOSITION\_U9

## KBV\_PR\_MIO\_CMR\_Composition\_U9

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U9" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Composition_U9" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil stellt die gesamte neunte U-Untersuchung
dar." />
44   </element><element id="Composition.meta">
45     <path value="Composition.meta" />
46     <min value="1" />
47   </element>
48   <element id="Composition.meta.versionId">
49     <path value="Composition.meta.versionId" />
50     <max value="0" />
51   </element>
52   <element id="Composition.meta.lastUpdated">
53     <path value="Composition.meta.lastUpdated" />
54     <max value="0" />
55   </element>
56   <element id="Composition.meta.source">
57     <path value="Composition.meta.source" />
58     <max value="0" />
59   </element>
60   <element id="Composition.meta.profile">
61     <path value="Composition.meta.profile" />
62     <min value="1" />
63     <max value="1" />
64     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Composition_U9|1.0.1" />
65   </element>
66   <element id="Composition.meta.security">
67     <path value="Composition.meta.security" />
68     <max value="0" />
69   </element>
70   <element id="Composition.meta.tag">
71     <path value="Composition.meta.tag" />
72     <max value="0" />
73   </element>
74   <element id="Composition.implicitRules">
75     <path value="Composition.implicitRules" />
76     <max value="0" />
77   </element>
78   <element id="Composition.language">
79     <path value="Composition.language" />
80     <max value="0" />
81   </element>
82   <element id="Composition.contained">
83     <path value="Composition.contained" />
84     <max value="0" />
85   </element>
86   <element id="Composition.extension">

```

```

87     <path value="Composition.extension" />
88     <slicing>
89         <discriminator>
90             <type value="value" />
91             <path value="url" />
92         </discriminator>
93         <rules value="open" />
94     </slicing>
95 </element>
96 <element id="Composition.extension:u9Einleitung">
97     <path value="Composition.extension" />
98     <sliceName value="u9Einleitung" />
99     <min value="1" />
100    <max value="1" />
101    <type>
102        <code value="Extension" />
103        <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
104    </type>
105    <mustSupport value="true" />
106 </element>
107 <element id="Composition.extension:u9Einleitung.value[x]">
108     <path value="Composition.extension.value[x]" />
109     <mustSupport value="true" />
110 </element>
111 <element id="Composition.extension:u9Einleitung.value[x]:valueString">
112     <path value="Composition.extension.value[x]" />
113     <sliceName value="valueString" />
114     <fixedString value="U9 Elterninformation zur Untersuchung vom 60. bis
zum 64. Lebensmonat Ihr Kind ist jetzt etwa fünf Jahre alt. Viele Kinder
haben in diesem Alter einen großen Bewegungsdrang, klettern gern und
stellen viele Fragen. In der Regel entwickeln die Kinder in Rollenspielen
mit anderen viel Fantasie und haben Freude am Malen mit Buntstiften oder am
Schneiden mit einer Schere. Sollte Ihr Kind noch nicht alle Laute
fehlerfrei aussprechen, bitten Sie Ihre Ärztin oder Ihren Arzt, darauf
besonders zu achten und Sie dazu zu beraten. Die Ärztin oder der Arzt
achtet bei der U9 wieder besonders auf Entwicklungsauffälligkeiten. Ihr
Kind wird körperlich untersucht. Zum Erkennen von Sehstörungen werden
wieder Sehtests durchgeführt. Die Ärztin oder der Arzt testet, wie
beweglich und wie geschickt Ihr Kind ist und wie gut es spricht. Außerdem
möchte die Ärztin oder der Arzt wissen, woran Ihr Kind Interesse und Freude
hat oder wovor es sich möglicherweise ängstigt. Ihr Kind kommt bald in die
Schule. Damit die Ärztin oder der Arzt Sie gegebenenfalls rechtzeitig
unterstützen kann, sind diese Informationen wichtig. Außerdem interessiert
sich Ihre Ärztin oder Ihr Arzt für den Kontakt zwischen Ihnen und Ihrem
Kind. Ihre Ärztin oder Ihr Arzt berät Sie zu den laut Impfkalender
empfohlenen Schutzimpfungen. Zudem spricht die Ärztin oder der Arzt mit
Ihnen über Themen wie die Ernährung und Bewegung Ihres Kindes, Maßnahmen
zur Unfallverhütung, die Förderung der Sprachentwicklung und den
verantwortungsbewussten Gebrauch von Medien (z. B. TV, Spielekonsolen,
Internet und Ähnlichem) im Alltag Ihres Kindes. Sie werden nochmals auf
eine Kariesprophylaxe mittels Fluorid aufmerksam gemacht. Ihre Ärztin oder
Ihr Arzt verweist Sie zur zahnärztlichen Früherkennungsuntersuchung." />
115     <mustSupport value="true" />
116 </element>
117 <element id="Composition.identifier">
118     <path value="Composition.identifier" />
119     <max value="0" />
120 </element>
121

```

```

122 <element id="Composition.status">
123   <path value="Composition.status" />
124   <fixedCode value="final" />
125 </element>
126 <element id="Composition.type">
127   <path value="Composition.type" />
128   <mustSupport value="true" />
129 </element>
130 <element id="Composition.type.coding">
131   <path value="Composition.type.coding" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Composition.type.coding.system">
137   <path value="Composition.type.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Composition.type.coding.version">
142   <path value="Composition.type.coding.version" />
143   <min value="1" />
144   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
145 </element>
146 <element id="Composition.type.coding.code">
147   <path value="Composition.type.coding.code" />
148   <min value="1" />
149   <fixedCode value="243788004:370131001=410602000" />
150 </element>
151 <element id="Composition.type.coding.display">
152   <path value="Composition.type.coding.display" />
153   <min value="1" />
154   <fixedString value="Child examination (procedure) : Recipient
category (attribute) = Preschool child (person)" />
155 </element>
156 <element id="Composition.type.coding.userSelected">
157   <path value="Composition.type.coding.userSelected" />
158   <max value="0" />
159 </element>
160 <element id="Composition.type.text">
161   <path value="Composition.type.text" />
162   <max value="0" />
163 </element>
164 <element id="Composition.category">
165   <path value="Composition.category" />
166   <min value="1" />
167   <max value="1" />
168   <mustSupport value="true" />
169 </element>
170 <element id="Composition.category.coding">
171   <path value="Composition.category.coding" />
172   <min value="1" />
173   <max value="1" />
174   <mustSupport value="true" />
175 </element>
176 <element id="Composition.category.coding.system">
177   <path value="Composition.category.coding.system" />
178   <min value="1" />
179   <fixedUri value="http://snomed.info/sct" />

```

```

180 </element>
181 <element id="Composition.category.coding.version">
182   <path value="Composition.category.coding.version" />
183   <min value="1" />
184   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
185 </element>
186 <element id="Composition.category.coding.code">
187   <path value="Composition.category.coding.code" />
188   <min value="1" />
189   <fixedCode value="243788004" />
190 </element>
191 <element id="Composition.category.coding.display">
192   <path value="Composition.category.coding.display" />
193   <min value="1" />
194   <fixedString value="Child examination (procedure)" />
195 </element>
196 <element id="Composition.category.coding.userSelected">
197   <path value="Composition.category.coding.userSelected" />
198   <max value="0" />
199 </element>
200 <element id="Composition.category.text">
201   <path value="Composition.category.text" />
202   <max value="0" />
203 </element>
204 <element id="Composition.subject">
205   <path value="Composition.subject" />
206   <min value="1" />
207   <type>
208     <code value="Reference" />
209     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
210   </type>
211   <mustSupport value="true" />
212 </element>
213 <element id="Composition.subject.reference">
214   <path value="Composition.subject.reference" />
215   <min value="1" />
216   <mustSupport value="true" />
217 </element>
218 <element id="Composition.subject.type">
219   <path value="Composition.subject.type" />
220   <max value="0" />
221 </element>
222 <element id="Composition.subject.identifier">
223   <path value="Composition.subject.identifier" />
224   <max value="0" />
225 </element>
226 <element id="Composition.subject.display">
227   <path value="Composition.subject.display" />
228   <max value="0" />
229 </element>
230 <element id="Composition.encounter">
231   <path value="Composition.encounter" />
232   <min value="1" />
233   <type>
234     <code value="Reference" />
235     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
236   </type>

```

```

237     <mustSupport value="true" />
238 </element>
239 <element id="Composition.encounter.reference">
240   <path value="Composition.encounter.reference" />
241   <min value="1" />
242   <mustSupport value="true" />
243 </element>
244 <element id="Composition.encounter.type">
245   <path value="Composition.encounter.type" />
246   <max value="0" />
247 </element>
248 <element id="Composition.encounter.identifier">
249   <path value="Composition.encounter.identifier" />
250   <max value="0" />
251 </element>
252 <element id="Composition.encounter.display">
253   <path value="Composition.encounter.display" />
254   <max value="0" />
255 </element>
256 <element id="Composition.author">
257   <path value="Composition.author" />
258   <max value="2" />
259   <type>
260     <code value="Reference" />
261     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
262     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
263   </type>
264   <mustSupport value="true" />
265 </element>
266 <element id="Composition.author.reference">
267   <path value="Composition.author.reference" />
268   <min value="1" />
269   <mustSupport value="true" />
270 </element>
271 <element id="Composition.author.type">
272   <path value="Composition.author.type" />
273   <max value="0" />
274 </element>
275 <element id="Composition.author.identifier">
276   <path value="Composition.author.identifier" />
277   <max value="0" />
278 </element>
279 <element id="Composition.author.display">
280   <path value="Composition.author.display" />
281   <max value="0" />
282 </element>
283 <element id="Composition.title">
284   <path value="Composition.title" />
285   <fixedString value="U9" />
286   <mustSupport value="true" />
287 </element>
288 <element id="Composition.confidentiality">
289   <path value="Composition.confidentiality" />
290   <max value="0" />
291 </element>
292 <element id="Composition.attester">
293   <path value="Composition.attester" />
294   <max value="0" />

```



```

295 </element>
296 <element id="Composition.custodian">
297   <path value="Composition.custodian" />
298   <max value="0" />
299 </element>
300 <element id="Composition.relatesTo">
301   <path value="Composition.relatesTo" />
302   <max value="0" />
303 </element>
304 <element id="Composition.event">
305   <path value="Composition.event" />
306   <max value="0" />
307 </element>
308 <element id="Composition.section">
309   <path value="Composition.section" />
310   <slicing>
311     <discriminator>
312       <type value="value" />
313       <path value="title" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <mustSupport value="true" />
318 </element>
319 <element id="Composition.section:aktuelleAnamneseDesKindes">
320   <path value="Composition.section" />
321   <sliceName value="aktuelleAnamneseDesKindes" />
322   <min value="1" />
323   <max value="1" />
324   <mustSupport value="true" />
325 </element>
326 <element id="Composition.section:aktuelleAnamneseDesKindes.extension">
327   <path value="Composition.section.extension" />
328   <slicing>
329     <discriminator>
330       <type value="value" />
331       <path value="url" />
332     </discriminator>
333     <rules value="open" />
334   </slicing>
335 </element>
336 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
337 amneseAnweisung">
338   <path value="Composition.section.extension" />
339   <sliceName value="anamneseAnweisung" />
340   <min value="1" />
341   <max value="1" />
342   <type>
343     <code value="Extension" />
344     <profile value="https://fhir.kbv.de/StructureDefinition/
345 KBV_EX_MIO_CM_Instruction" />
346   </type>
347   <mustSupport value="true" />
348 </element>
349 <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
350 amneseAnweisung.value[x]">
351   <path value="Composition.section.extension.value[x]" />
352   <mustSupport value="true" />
353 </element>

```

```

351     <element id="Composition.section:aktuelleAnamneseDesKindes.extension:an
amneseAnweisung.value[x]:valueString">
352       <path value="Composition.section.extension.value[x]" />
353       <sliceName value="valueString" />
354       <fixedString value="Zutreffendes bitte ankreuzen!" />
355       <mustSupport value="true" />
356     </element>
357     <element id="Composition.section:aktuelleAnamneseDesKindes.title">
358       <path value="Composition.section.title" />
359       <min value="1" />
360       <fixedString value="Aktuelle Anamnese des Kindes" />
361       <mustSupport value="true" />
362     </element>
363     <element id="Composition.section:aktuelleAnamneseDesKindes.code">
364       <path value="Composition.section.code" />
365       <min value="1" />
366       <mustSupport value="true" />
367     </element>
368     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding">
369       <path value="Composition.section.code.coding" />
370       <min value="1" />
371       <max value="1" />
372       <mustSupport value="true" />
373     </element>
374     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
system">
375       <path value="Composition.section.code.coding.system" />
376       <min value="1" />
377       <fixedUri value="http://snomed.info/sct" />
378     </element>
379     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
version">
380       <path value="Composition.section.code.coding.version" />
381       <min value="1" />
382       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
383     </element>
384     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
code">
385       <path value="Composition.section.code.coding.code" />
386       <min value="1" />
387       <fixedCode value="423374008" />
388     </element>
389     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
display">
390       <path value="Composition.section.code.coding.display" />
391       <min value="1" />
392       <fixedString value="Review of systems section (record artifact)" />
393     </element>
394     <element id="Composition.section:aktuelleAnamneseDesKindes.code.coding.
userSelected">
395       <path value="Composition.section.code.coding.userSelected" />
396       <max value="0" />
397     </element>
398     <element id="Composition.section:aktuelleAnamneseDesKindes.code.text">
399       <path value="Composition.section.code.text" />
400       <max value="0" />
401     </element>
402     <element id="Composition.section:aktuelleAnamneseDesKindes.author">
403       <path value="Composition.section.author" />

```

```

404     <max value="0" />
405 </element>
406 <element id="Composition.section:aktuelleAnamneseDesKindes.focus">
407   <path value="Composition.section.focus" />
408   <max value="0" />
409 </element>
410 <element id="Composition.section:aktuelleAnamneseDesKindes.text">
411   <path value="Composition.section.text" />
412   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
413   <min value="1" />
414 </element>
415 <element id="Composition.section:aktuelleAnamneseDesKindes.text.status">
416   <path value="Composition.section.text.status" />
417   <fixedCode value="generated" />
418 </element>
419 <element id="Composition.section:aktuelleAnamneseDesKindes.mode">
420   <path value="Composition.section.mode" />
421   <max value="0" />
422 </element>
423 <element id="Composition.section:aktuelleAnamneseDesKindes.orderedBy">
424   <path value="Composition.section.orderedBy" />
425   <max value="0" />
426 </element>
427 <element id="Composition.section:aktuelleAnamneseDesKindes.entry">
428   <path value="Composition.section.entry" />
429   <type>
430     <code value="Reference" />
431     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U9_Current_Child_History|1.0.1" />
432   </type>
433   <mustSupport value="true" />
434 </element>
435 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.refere
nce">
436   <path value="Composition.section.entry.reference" />
437   <min value="1" />
438   <mustSupport value="true" />
439 </element>
440 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.type">
441   <path value="Composition.section.entry.type" />
442   <max value="0" />
443 </element>
444 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.identi
fier">
445   <path value="Composition.section.entry.identifizier" />
446   <max value="0" />
447 </element>
448 <element id="Composition.section:aktuelleAnamneseDesKindes.entry.displa
y">
449   <path value="Composition.section.entry.display" />
450   <max value="0" />
451 </element>
452 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason">
453   <path value="Composition.section.emptyReason" />
454   <mustSupport value="true" />
455 </element>
456 <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding">
457   <path value="Composition.section.emptyReason.coding" />

```

```

458     <min value="1" />
459     <max value="1" />
460     <mustSupport value="true" />
461   </element>
462   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.system">
463     <path value="Composition.section.emptyReason.coding.system" />
464     <min value="1" />
465     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
466   </element>
467   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.version">
468     <path value="Composition.section.emptyReason.coding.version" />
469     <min value="1" />
470     <fixedString value="4.0.1" />
471   </element>
472   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.code">
473     <path value="Composition.section.emptyReason.coding.code" />
474     <min value="1" />
475     <fixedCode value="closed" />
476   </element>
477   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.display">
478     <path value="Composition.section.emptyReason.coding.display" />
479     <min value="1" />
480     <fixedString value="Closed" />
481   </element>
482   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
coding.userSelected">
483     <path value="Composition.section.emptyReason.coding.userSelected" />
484     <max value="0" />
485   </element>
486   <element id="Composition.section:aktuelleAnamneseDesKindes.emptyReason.
text">
487     <path value="Composition.section.emptyReason.text" />
488     <max value="0" />
489   </element>
490   <element id="Composition.section:aktuelleAnamneseDesKindes.section">
491     <path value="Composition.section.section" />
492     <max value="0" />
493   </element>
494   <element id="Composition.section:sozialanamnese">
495     <path value="Composition.section" />
496     <sliceName value="sozialanamnese" />
497     <min value="1" />
498     <max value="1" />
499     <mustSupport value="true" />
500   </element>
501   <element id="Composition.section:sozialanamnese.extension">
502     <path value="Composition.section.extension" />
503     <licing>
504       <discriminator>
505         <type value="value" />
506         <path value="url" />
507       </discriminator>
508       <rules value="open" />
509     </licing>
510   </element>

```

```

511     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung">
512       <path value="Composition.section.extension" />
513       <sliceName value="anamneseAnweisung" />
514       <min value="1" />
515       <max value="1" />
516       <type>
517         <code value="Extension" />
518         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
519       </type>
520       <mustSupport value="true" />
521     </element>
522     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]">
523       <path value="Composition.section.extension.value[x]" />
524       <mustSupport value="true" />
525     </element>
526     <element id="Composition.section:sozialanamnese.extension:anamneseAnwei
sung.value[x]:valueString">
527       <path value="Composition.section.extension.value[x]" />
528       <sliceName value="valueString" />
529       <fixedString value="Zutreffendes bitte ankreuzen!" />
530       <mustSupport value="true" />
531     </element>
532     <element id="Composition.section:sozialanamnese.title">
533       <path value="Composition.section.title" />
534       <min value="1" />
535       <fixedString value="Sozialanamnese" />
536       <mustSupport value="true" />
537     </element>
538     <element id="Composition.section:sozialanamnese.code">
539       <path value="Composition.section.code" />
540       <min value="1" />
541       <mustSupport value="true" />
542     </element>
543     <element id="Composition.section:sozialanamnese.code.coding">
544       <path value="Composition.section.code.coding" />
545       <min value="1" />
546       <max value="1" />
547       <mustSupport value="true" />
548     </element>
549     <element id="Composition.section:sozialanamnese.code.coding.system">
550       <path value="Composition.section.code.coding.system" />
551       <min value="1" />
552       <fixedUri value="http://snomed.info/sct" />
553     </element>
554     <element id="Composition.section:sozialanamnese.code.coding.version">
555       <path value="Composition.section.code.coding.version" />
556       <min value="1" />
557       <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
558     </element>
559     <element id="Composition.section:sozialanamnese.code.coding.code">
560       <path value="Composition.section.code.coding.code" />
561       <min value="1" />
562       <fixedCode value="281575007" />
563     </element>
564     <element id="Composition.section:sozialanamnese.code.coding.display">
565       <path value="Composition.section.code.coding.display" />

```

```

566     <min value="1" />
567     <fixedString value="Family social history (situation)" />
568 </element>
569 <element id="Composition.section:sozialanamnese.code.coding.userSelected"
570 d">
571     <path value="Composition.section.code.coding.userSelected" />
572     <max value="0" />
573 </element>
574 <element id="Composition.section:sozialanamnese.code.text">
575     <path value="Composition.section.code.text" />
576     <max value="0" />
577 </element>
578 <element id="Composition.section:sozialanamnese.author">
579     <path value="Composition.section.author" />
580     <max value="0" />
581 </element>
582 <element id="Composition.section:sozialanamnese.focus">
583     <path value="Composition.section.focus" />
584     <max value="0" />
585 </element>
586 <element id="Composition.section:sozialanamnese.text">
587     <path value="Composition.section.text" />
588     <definition value="In diesem Element ist mindestens der Titel der
589 Section anzugeben. Zusätzliche Informationen können angegeben werden." />
590     <min value="1" />
591 </element>
592 <element id="Composition.section:sozialanamnese.text.status">
593     <path value="Composition.section.text.status" />
594     <fixedCode value="generated" />
595 </element>
596 <element id="Composition.section:sozialanamnese.mode">
597     <path value="Composition.section.mode" />
598     <max value="0" />
599 </element>
600 <element id="Composition.section:sozialanamnese.orderedBy">
601     <path value="Composition.section.orderedBy" />
602     <max value="0" />
603 </element>
604 <element id="Composition.section:sozialanamnese.entry">
605     <path value="Composition.section.entry" />
606     <type>
607         <code value="Reference" />
608         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
609 KBV_PR_MIO_CMR_Observation_U3_U9_Social_History|1.0.1" />
610     </type>
611     <mustSupport value="true" />
612 </element>
613 <element id="Composition.section:sozialanamnese.entry.reference">
614     <path value="Composition.section.entry.reference" />
615     <min value="1" />
616     <mustSupport value="true" />
617 </element>
618 <element id="Composition.section:sozialanamnese.entry.type">
619     <path value="Composition.section.entry.type" />
620     <max value="0" />
621 </element>
622 <element id="Composition.section:sozialanamnese.entry.identifier">
623     <path value="Composition.section.entry.identifier" />
624     <max value="0" />

```

```

623 </element>
624 <element id="Composition.section:sozialanamnese.entry.display">
625   <path value="Composition.section.entry.display" />
626   <max value="0" />
627 </element>
628 <element id="Composition.section:sozialanamnese.emptyReason">
629   <path value="Composition.section.emptyReason" />
630   <mustSupport value="true" />
631 </element>
632 <element id="Composition.section:sozialanamnese.emptyReason.coding">
633   <path value="Composition.section.emptyReason.coding" />
634   <min value="1" />
635   <max value="1" />
636   <mustSupport value="true" />
637 </element>
638 <element id="Composition.section:sozialanamnese.emptyReason.coding.system">
639   <path value="Composition.section.emptyReason.coding.system" />
640   <min value="1" />
641   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
642 </element>
643 <element id="Composition.section:sozialanamnese.emptyReason.coding.vers
ion">
644   <path value="Composition.section.emptyReason.coding.version" />
645   <min value="1" />
646   <fixedString value="4.0.1" />
647 </element>
648 <element id="Composition.section:sozialanamnese.emptyReason.coding.code
">
649   <path value="Composition.section.emptyReason.coding.code" />
650   <min value="1" />
651   <fixedCode value="closed" />
652 </element>
653 <element id="Composition.section:sozialanamnese.emptyReason.coding.disp
lay">
654   <path value="Composition.section.emptyReason.coding.display" />
655   <min value="1" />
656   <fixedString value="Closed" />
657 </element>
658 <element id="Composition.section:sozialanamnese.emptyReason.coding.user
Selected">
659   <path value="Composition.section.emptyReason.coding.userSelected" />
660   <max value="0" />
661 </element>
662 <element id="Composition.section:sozialanamnese.emptyReason.text">
663   <path value="Composition.section.emptyReason.text" />
664   <max value="0" />
665 </element>
666 <element id="Composition.section:sozialanamnese.section">
667   <path value="Composition.section.section" />
668   <max value="0" />
669 </element>
670 <element id="Composition.section:untersuchung">
671   <path value="Composition.section" />
672   <sliceName value="untersuchung" />
673   <min value="1" />
674   <max value="1" />
675   <mustSupport value="true" />
676 </element>

```

```

677 <element id="Composition.section:untersuchung.extension">
678   <path value="Composition.section.extension" />
679   < slicing>
680     < discriminator>
681       < type value="value" />
682       < path value="url" />
683     </ discriminator>
684     < rules value="open" />
685   </ slicing>
686 </ element>
687 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung">
688   < path value="Composition.section.extension" />
689   < sliceName value="untersuchungAnweisung" />
690   < min value="1" />
691   < max value="1" />
692   < type>
693     < code value="Extension" />
694     < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
695   </ type>
696   < mustSupport value="true" />
697 </ element>
698 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]">
699   < path value="Composition.section.extension.value[x]" />
700   < mustSupport value="true" />
701 </ element>
702 <element id="Composition.section:untersuchung.extension:untersuchungAnw
eisierung.value[x]:valueString">
703   < path value="Composition.section.extension.value[x]" />
704   < sliceName value="valueString" />
705   < fixedString value="Nur Auffälligkeiten ankreuzen!" />
706   < mustSupport value="true" />
707 </ element>
708 <element id="Composition.section:untersuchung.title">
709   < path value="Composition.section.title" />
710   < min value="1" />
711   < fixedString value="Körperliche Untersuchung" />
712   < mustSupport value="true" />
713 </ element>
714 <element id="Composition.section:untersuchung.code">
715   < path value="Composition.section.code" />
716   < min value="1" />
717   < mustSupport value="true" />
718 </ element>
719 <element id="Composition.section:untersuchung.code.coding">
720   < path value="Composition.section.code.coding" />
721   < min value="1" />
722   < max value="1" />
723   < mustSupport value="true" />
724 </ element>
725 <element id="Composition.section:untersuchung.code.coding.system">
726   < path value="Composition.section.code.coding.system" />
727   < min value="1" />
728   < fixedUri value="http://snomed.info/sct" />
729 </ element>
730 <element id="Composition.section:untersuchung.code.coding.version">
731   < path value="Composition.section.code.coding.version" />
732   < min value="1" />

```



```

733     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
734   </element>
735   <element id="Composition.section:untersuchung.code.coding.code">
736     <path value="Composition.section.code.coding.code" />
737     <min value="1" />
738     <fixedCode value="425044008" />
739   </element>
740   <element id="Composition.section:untersuchung.code.coding.display">
741     <path value="Composition.section.code.coding.display" />
742     <min value="1" />
743     <fixedString value="Physical exam section (record artifact)" />
744   </element>
745   <element id="Composition.section:untersuchung.code.coding.userSelected">
746     <path value="Composition.section.code.coding.userSelected" />
747     <max value="0" />
748   </element>
749   <element id="Composition.section:untersuchung.code.text">
750     <path value="Composition.section.code.text" />
751     <max value="0" />
752   </element>
753   <element id="Composition.section:untersuchung.author">
754     <path value="Composition.section.author" />
755     <max value="0" />
756   </element>
757   <element id="Composition.section:untersuchung.focus">
758     <path value="Composition.section.focus" />
759     <max value="0" />
760   </element>
761   <element id="Composition.section:untersuchung.text">
762     <path value="Composition.section.text" />
763     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
764     <min value="1" />
765   </element>
766   <element id="Composition.section:untersuchung.text.status">
767     <path value="Composition.section.text.status" />
768     <fixedCode value="generated" />
769   </element>
770   <element id="Composition.section:untersuchung.mode">
771     <path value="Composition.section.mode" />
772     <max value="0" />
773   </element>
774   <element id="Composition.section:untersuchung.orderedBy">
775     <path value="Composition.section.orderedBy" />
776     <max value="0" />
777   </element>
778   <element id="Composition.section:untersuchung.entry">
779     <path value="Composition.section.entry" />
780     <type>
781       <code value="Reference" />
782       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U9_Physical_Exam_Skin|1.0.1" />
783       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7a_and_U9_Physical_Exam_Chest_Lung_Respir
atory_Tract|1.0.1" />
784       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U9_Physical_Exam_Abdomen_Genitals|1.0.1" /
>

```

```

785     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Physical_Exam_Heart_Blood_Circulation|1.0.1" />
786     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7a_and_U9_Physical_Exam_Musculoskeletal_System|1.0.1" />
787     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U8_U9_Physical_Exam_Mouth_Nose|1.0.1" />
788     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7a_U9_Physical_Exam_Eyes|1.0.1" />
789     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Physical_Exam_Parental_Assessment|1.0.1" />
790   </type>
791   <mustSupport value="true" />
792 </element>
793 <element id="Composition.section.untersuchung.entry.reference">
794   <path value="Composition.section.entry.reference" />
795   <min value="1" />
796   <mustSupport value="true" />
797 </element>
798 <element id="Composition.section.untersuchung.entry.type">
799   <path value="Composition.section.entry.type" />
800   <max value="0" />
801 </element>
802 <element id="Composition.section.untersuchung.entry.identifizier">
803   <path value="Composition.section.entry.identifizier" />
804   <max value="0" />
805 </element>
806 <element id="Composition.section.untersuchung.entry.display">
807   <path value="Composition.section.entry.display" />
808   <max value="0" />
809 </element>
810 <element id="Composition.section.untersuchung.emptyReason">
811   <path value="Composition.section.emptyReason" />
812   <mustSupport value="true" />
813 </element>
814 <element id="Composition.section.untersuchung.emptyReason.coding">
815   <path value="Composition.section.emptyReason.coding" />
816   <min value="1" />
817   <max value="1" />
818   <mustSupport value="true" />
819 </element>
820 <element id="Composition.section.untersuchung.emptyReason.coding.system
">
821   <path value="Composition.section.emptyReason.coding.system" />
822   <min value="1" />
823   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
824 </element>
825 <element id="Composition.section.untersuchung.emptyReason.coding.version">
826   <path value="Composition.section.emptyReason.coding.version" />
827   <min value="1" />
828   <fixedString value="4.0.1" />
829 </element>
830 <element id="Composition.section.untersuchung.emptyReason.coding.code">
831   <path value="Composition.section.emptyReason.coding.code" />
832   <min value="1" />
833   <fixedCode value="closed" />
834 </element>

```

```

835 <element id="Composition.section:untersuchung.emptyReason.coding.display"
836 <path value="Composition.section.emptyReason.coding.display" />
837 <min value="1" />
838 <fixedString value="Closed" />
839 </element>
840 <element id="Composition.section:untersuchung.emptyReason.coding.userSelected"
841 <path value="Composition.section.emptyReason.coding.userSelected" />
842 <max value="0" />
843 </element>
844 <element id="Composition.section:untersuchung.emptyReason.text">
845 <path value="Composition.section.emptyReason.text" />
846 <max value="0" />
847 </element>
848 <element id="Composition.section:untersuchung.section">
849 <path value="Composition.section.section" />
850 <max value="0" />
851 </element>
852 <element id="Composition.section:beratung">
853 <path value="Composition.section" />
854 <sliceName value="beratung" />
855 <min value="1" />
856 <max value="1" />
857 <mustSupport value="true" />
858 </element>
859 <element id="Composition.section:beratung.extension">
860 <path value="Composition.section.extension" />
861 <licing>
862 <discriminator>
863 <type value="value" />
864 <path value="url" />
865 </discriminator>
866 <rules value="open" />
867 </licing>
868 </element>
869 <element id="Composition.section:beratung.extension:beratungAnweisung">
870 <path value="Composition.section.extension" />
871 <sliceName value="beratungAnweisung" />
872 <min value="1" />
873 <max value="1" />
874 <type>
875 <code value="Extension" />
876 <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
877 </type>
878 <mustSupport value="true" />
879 </element>
880 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]"
881 <path value="Composition.section.extension.value[x]" />
882 <mustSupport value="true" />
883 </element>
884 <element id="Composition.section:beratung.extension:beratungAnweisung.value[x]:valueString">
885 <path value="Composition.section.extension.value[x]" />
886 <sliceName value="valueString" />
887 <fixedString value="Bei erweitertem Beratungsbedarf bitte
ankreuzen!" />
888 <mustSupport value="true" />

```

```

889 </element>
890 <element id="Composition.section.beratung.extension.beratungHinweis">
891   <path value="Composition.section.extension" />
892   <sliceName value="beratungHinweis" />
893   <min value="1" />
894   <max value="1" />
895   <type>
896     <code value="Extension" />
897     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
898   </type>
899   <mustSupport value="true" />
900 </element>
901 <element id="Composition.section.beratung.extension.beratungHinweis.val
ue[x]">
902   <path value="Composition.section.extension.value[x]" />
903   <mustSupport value="true" />
904 </element>
905 <element id="Composition.section.beratung.extension.beratungHinweis.val
ue[x]:valueString">
906   <path value="Composition.section.extension.value[x]" />
907   <sliceName value="valueString" />
908   <fixedString value="Beratung vor allem zu folgenden Themen:" />
909   <mustSupport value="true" />
910 </element>
911 <element id="Composition.section.beratung.title">
912   <path value="Composition.section.title" />
913   <min value="1" />
914   <fixedString value="Beratung" />
915   <mustSupport value="true" />
916 </element>
917 <element id="Composition.section.beratung.code">
918   <path value="Composition.section.code" />
919   <min value="1" />
920   <mustSupport value="true" />
921 </element>
922 <element id="Composition.section.beratung.code.coding">
923   <path value="Composition.section.code.coding" />
924   <min value="1" />
925   <max value="1" />
926   <mustSupport value="true" />
927 </element>
928 <element id="Composition.section.beratung.code.coding.system">
929   <path value="Composition.section.code.coding.system" />
930   <min value="1" />
931   <fixedUri value="http://snomed.info/sct" />
932 </element>
933 <element id="Composition.section.beratung.code.coding.version">
934   <path value="Composition.section.code.coding.version" />
935   <min value="1" />
936   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
937 </element>
938 <element id="Composition.section.beratung.code.coding.code">
939   <path value="Composition.section.code.coding.code" />
940   <min value="1" />
941   <fixedCode value="409066002" />
942 </element>
943 <element id="Composition.section.beratung.code.coding.display">
944   <path value="Composition.section.code.coding.display" />

```

```

945     <min value="1" />
946     <fixedString value="Education, guidance and counseling (procedure)" /
>
947 </element>
948 <element id="Composition.section:beratung.code.coding.userSelected">
949   <path value="Composition.section.code.coding.userSelected" />
950   <max value="0" />
951 </element>
952 <element id="Composition.section:beratung.code.text">
953   <path value="Composition.section.code.text" />
954   <max value="0" />
955 </element>
956 <element id="Composition.section:beratung.author">
957   <path value="Composition.section.author" />
958   <max value="0" />
959 </element>
960 <element id="Composition.section:beratung.focus">
961   <path value="Composition.section.focus" />
962   <max value="0" />
963 </element>
964 <element id="Composition.section:beratung.text">
965   <path value="Composition.section.text" />
966   <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
967   <min value="1" />
968 </element>
969 <element id="Composition.section:beratung.text.status">
970   <path value="Composition.section.text.status" />
971   <fixedCode value="generated" />
972 </element>
973 <element id="Composition.section:beratung.mode">
974   <path value="Composition.section.mode" />
975   <max value="0" />
976 </element>
977 <element id="Composition.section:beratung.orderedBy">
978   <path value="Composition.section.orderedBy" />
979   <max value="0" />
980 </element>
981 <element id="Composition.section:beratung.entry">
982   <path value="Composition.section.entry" />
983   <type>
984     <code value="Reference" />
985     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U9_Consultation|1.0.1" />
986     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_Consultation_Annotation|1.0.1" />
987   </type>
988   <mustSupport value="true" />
989 </element>
990 <element id="Composition.section:beratung.entry.reference">
991   <path value="Composition.section.entry.reference" />
992   <min value="1" />
993   <mustSupport value="true" />
994 </element>
995 <element id="Composition.section:beratung.entry.type">
996   <path value="Composition.section.entry.type" />
997   <max value="0" />
998 </element>
999 <element id="Composition.section:beratung.entry.identifrier">
1000  <path value="Composition.section.entry.identifrier" />

```

```

1001     <max value="0" />
1002 </element>
1003 <element id="Composition.section:beratung.entry.display">
1004     <path value="Composition.section.entry.display" />
1005     <max value="0" />
1006 </element>
1007 <element id="Composition.section:beratung.emptyReason">
1008     <path value="Composition.section.emptyReason" />
1009     <mustSupport value="true" />
1010 </element>
1011 <element id="Composition.section:beratung.emptyReason.coding">
1012     <path value="Composition.section.emptyReason.coding" />
1013     <min value="1" />
1014     <max value="1" />
1015     <mustSupport value="true" />
1016 </element>
1017 <element id="Composition.section:beratung.emptyReason.coding.system">
1018     <path value="Composition.section.emptyReason.coding.system" />
1019     <min value="1" />
1020     <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
1021 reason" />
1022 </element>
1023 <element id="Composition.section:beratung.emptyReason.coding.version">
1024     <path value="Composition.section.emptyReason.coding.version" />
1025     <min value="1" />
1026     <fixedString value="4.0.1" />
1027 </element>
1028 <element id="Composition.section:beratung.emptyReason.coding.code">
1029     <path value="Composition.section.emptyReason.coding.code" />
1030     <min value="1" />
1031     <fixedCode value="closed" />
1032 </element>
1033 <element id="Composition.section:beratung.emptyReason.coding.display">
1034     <path value="Composition.section.emptyReason.coding.display" />
1035     <min value="1" />
1036     <fixedString value="Closed" />
1037 </element>
1038 <element id="Composition.section:beratung.emptyReason.coding.userSelect
1039 ed">
1040     <path value="Composition.section.emptyReason.coding.userSelected" />
1041     <max value="0" />
1042 </element>
1043 <element id="Composition.section:beratung.emptyReason.text">
1044     <path value="Composition.section.emptyReason.text" />
1045     <max value="0" />
1046 </element>
1047 <element id="Composition.section:beratung.section">
1048     <path value="Composition.section.section" />
1049     <max value="0" />
1050 </element>
1051 <element id="Composition.section:ergebnisse">
1052     <path value="Composition.section" />
1053     <sliceName value="ergebnisse" />
1054     <min value="1" />
1055     <max value="1" />
1056     <mustSupport value="true" />
1057 </element>
1058 <element id="Composition.section:ergebnisse.title">
1059     <path value="Composition.section.title" />
1060     <min value="1" />

```

```

1059     <fixedString value="Ergebnisse" />
1060     <mustSupport value="true" />
1061 </element>
1062 <element id="Composition.section:ergebnisse.code">
1063     <path value="Composition.section.code" />
1064     <min value="1" />
1065     <mustSupport value="true" />
1066 </element>
1067 <element id="Composition.section:ergebnisse.code.coding">
1068     <path value="Composition.section.code.coding" />
1069     <min value="1" />
1070     <max value="1" />
1071     <mustSupport value="true" />
1072 </element>
1073 <element id="Composition.section:ergebnisse.code.coding.system">
1074     <path value="Composition.section.code.coding.system" />
1075     <min value="1" />
1076     <fixedUri value="http://snomed.info/sct" />
1077 </element>
1078 <element id="Composition.section:ergebnisse.code.coding.version">
1079     <path value="Composition.section.code.coding.version" />
1080     <min value="1" />
1081     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1082 </element>
1083 <element id="Composition.section:ergebnisse.code.coding.code">
1084     <path value="Composition.section.code.coding.code" />
1085     <min value="1" />
1086     <fixedCode value="423100009" />
1087 </element>
1088 <element id="Composition.section:ergebnisse.code.coding.display">
1089     <path value="Composition.section.code.coding.display" />
1090     <min value="1" />
1091     <fixedString value="Results section (record artifact)" />
1092 </element>
1093 <element id="Composition.section:ergebnisse.code.coding.userSelected">
1094     <path value="Composition.section.code.coding.userSelected" />
1095     <max value="0" />
1096 </element>
1097 <element id="Composition.section:ergebnisse.code.text">
1098     <path value="Composition.section.code.text" />
1099     <max value="0" />
1100 </element>
1101 <element id="Composition.section:ergebnisse.author">
1102     <path value="Composition.section.author" />
1103     <max value="0" />
1104 </element>
1105 <element id="Composition.section:ergebnisse.focus">
1106     <path value="Composition.section.focus" />
1107     <max value="0" />
1108 </element>
1109 <element id="Composition.section:ergebnisse.text">
1110     <path value="Composition.section.text" />
1111     <definition value="In diesem Element ist mindestens der Titel der
Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1112     <min value="1" />
1113 </element>
1114 <element id="Composition.section:ergebnisse.text.status">
1115     <path value="Composition.section.text.status" />
1116     <fixedCode value="generated" />

```

```

1117 </element>
1118 <element id="Composition.section:ergebnisse.mode">
1119   <path value="Composition.section.mode" />
1120   <max value="0" />
1121 </element>
1122 <element id="Composition.section:ergebnisse.orderedBy">
1123   <path value="Composition.section.orderedBy" />
1124   <max value="0" />
1125 </element>
1126 <element id="Composition.section:ergebnisse.entry">
1127   <path value="Composition.section.entry" />
1128   <type>
1129     <code value="Reference" />
1130     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results|1.0.1" />
1131     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected|1.0.1" />
1132     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Body_Measures|1.0.1" />
1133     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
1134     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
1135     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Appointment|1.0.1" />
1136     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Appointment_Next_Immunization_Appointment|1.0.1" />
1137     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Care_Plan_U2_U9_Result|1.0.1" />
1138     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_Dental_Referral|1.0.1" />
1139   </type>
1140   <mustSupport value="true" />
1141 </element>
1142 <element id="Composition.section:ergebnisse.entry.reference">
1143   <path value="Composition.section.entry.reference" />
1144   <min value="1" />
1145   <mustSupport value="true" />
1146 </element>
1147 <element id="Composition.section:ergebnisse.entry.type">
1148   <path value="Composition.section.entry.type" />
1149   <max value="0" />
1150 </element>
1151 <element id="Composition.section:ergebnisse.entry.identifler">
1152   <path value="Composition.section.entry.identifler" />
1153   <max value="0" />
1154 </element>
1155 <element id="Composition.section:ergebnisse.entry.display">
1156   <path value="Composition.section.entry.display" />
1157   <max value="0" />
1158 </element>
1159 <element id="Composition.section:ergebnisse.emptyReason">
1160   <path value="Composition.section.emptyReason" />
1161   <mustSupport value="true" />
1162 </element>
1163 <element id="Composition.section:ergebnisse.emptyReason.coding">
1164   <path value="Composition.section.emptyReason.coding" />
1165   <min value="1" />
1166   <max value="1" />
1167   <mustSupport value="true" />

```



```

1168 </element>
1169 <element id="Composition.section:ergebnisse.emptyReason.coding.system">
1170 <path value="Composition.section.emptyReason.coding.system" />
1171 <min value="1" />
1172 <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1173 </element>
1174 <element id="Composition.section:ergebnisse.emptyReason.coding.version">
1175 <path value="Composition.section.emptyReason.coding.version" />
1176 <min value="1" />
1177 <fixedString value="4.0.1" />
1178 </element>
1179 <element id="Composition.section:ergebnisse.emptyReason.coding.code">
1180 <path value="Composition.section.emptyReason.coding.code" />
1181 <min value="1" />
1182 <fixedCode value="closed" />
1183 </element>
1184 <element id="Composition.section:ergebnisse.emptyReason.coding.display">
1185 <path value="Composition.section.emptyReason.coding.display" />
1186 <min value="1" />
1187 <fixedString value="Closed" />
1188 </element>
1189 <element id="Composition.section:ergebnisse.emptyReason.coding.userSele
cted">
1190 <path value="Composition.section.emptyReason.coding.userSelected" />
1191 <max value="0" />
1192 </element>
1193 <element id="Composition.section:ergebnisse.emptyReason.text">
1194 <path value="Composition.section.emptyReason.text" />
1195 <max value="0" />
1196 </element>
1197 <element id="Composition.section:ergebnisse.section">
1198 <path value="Composition.section.section" />
1199 <min value="1" />
1200 <max value="1" />
1201 <mustSupport value="true" />
1202 </element>
1203 <element id="Composition.section:ergebnisse.section.title">
1204 <path value="Composition.section.section.title" />
1205 <min value="1" />
1206 <fixedString value="Prüfung, Aufklärung und ggf. Veranlassung der
Durchführung von:" />
1207 <mustSupport value="true" />
1208 </element>
1209 <element id="Composition.section:ergebnisse.section.code">
1210 <path value="Composition.section.section.code" />
1211 <min value="1" />
1212 <mustSupport value="true" />
1213 </element>
1214 <element id="Composition.section:ergebnisse.section.code.coding">
1215 <path value="Composition.section.section.code.coding" />
1216 <min value="1" />
1217 <max value="1" />
1218 <mustSupport value="true" />
1219 </element>
1220 <element id="Composition.section:ergebnisse.section.code.coding.system">
1221 <path value="Composition.section.section.code.coding.system" />
1222 <min value="1" />
1223 <fixedUri value="http://snomed.info/sct" />
1224 </element>

```

```

1225     <element id="Composition.section:ergebnisse.section.code.coding.version
">
1226         <path value="Composition.section.section.code.coding.version" />
1227         <min value="1" />
1228         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
1229     </element>
1230     <element id="Composition.section:ergebnisse.section.code.coding.code">
1231         <path value="Composition.section.section.code.coding.code" />
1232         <min value="1" />
1233         <fixedCode value="722448004" />
1234     </element>
1235     <element id="Composition.section:ergebnisse.section.code.coding.display
">
1236         <path value="Composition.section.section.code.coding.display" />
1237         <min value="1" />
1238         <fixedString value="Treatment plan report (record artifact)" />
1239     </element>
1240     <element id="Composition.section:ergebnisse.section.code.coding.userSel
ected">
1241         <path value="Composition.section.section.code.coding.userSelected" />
1242         <max value="0" />
1243     </element>
1244     <element id="Composition.section:ergebnisse.section.code.text">
1245         <path value="Composition.section.section.code.text" />
1246         <max value="0" />
1247     </element>
1248     <element id="Composition.section:ergebnisse.section.author">
1249         <path value="Composition.section.section.author" />
1250         <max value="0" />
1251     </element>
1252     <element id="Composition.section:ergebnisse.section.focus">
1253         <path value="Composition.section.section.focus" />
1254         <max value="0" />
1255     </element>
1256     <element id="Composition.section:ergebnisse.section.text">
1257         <path value="Composition.section.section.text" />
1258         <max value="0" />
1259     </element>
1260     <element id="Composition.section:ergebnisse.section.mode">
1261         <path value="Composition.section.section.mode" />
1262         <max value="0" />
1263     </element>
1264     <element id="Composition.section:ergebnisse.section.orderedBy">
1265         <path value="Composition.section.section.orderedBy" />
1266         <max value="0" />
1267     </element>
1268     <element id="Composition.section:ergebnisse.section.entry">
1269         <path value="Composition.section.section.entry" />
1270         <max value="1" />
1271         <type>
1272             <code value="Reference" />
1273             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_U9_Status_Of_Immunization|1.0.1" />
1274         </type>
1275         <mustSupport value="true" />
1276     </element>
1277     <element id="Composition.section:ergebnisse.section.entry.reference">
1278         <path value="Composition.section.section.entry.reference" />
1279         <min value="1" />

```

```

1280     <mustSupport value="true" />
1281 </element>
1282 <element id="Composition.section:ergebnisse.section.entry.type">
1283   <path value="Composition.section.section.entry.type" />
1284   <max value="0" />
1285 </element>
1286 <element id="Composition.section:ergebnisse.section.entry.identifrier">
1287   <path value="Composition.section.section.entry.identifrier" />
1288   <max value="0" />
1289 </element>
1290 <element id="Composition.section:ergebnisse.section.entry.display">
1291   <path value="Composition.section.section.entry.display" />
1292   <max value="0" />
1293 </element>
1294 <element id="Composition.section:ergebnisse.section.emptyReason">
1295   <path value="Composition.section.section.emptyReason" />
1296   <max value="0" />
1297 </element>
1298 <element id="Composition.section:ergebnisse.section.section">
1299   <path value="Composition.section.section.section" />
1300   <max value="0" />
1301 </element>
1302 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
">
1303   <path value="Composition.section" />
1304   <sliceName value="orientierendeBeurteilungDerEntwicklung" />
1305   <min value="1" />
1306   <max value="1" />
1307   <mustSupport value="true" />
1308 </element>
1309 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension">
1310   <path value="Composition.section.extension" />
1311   <slicing>
1312     <discriminator>
1313       <type value="value" />
1314       <path value="url" />
1315     </discriminator>
1316     <rules value="open" />
1317   </slicing>
1318 </element>
1319 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung">
1320   <path value="Composition.section.extension" />
1321   <sliceName value="beurteilungAnweisung" />
1322   <min value="1" />
1323   <max value="1" />
1324   <type>
1325     <code value="Extension" />
1326     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMIR_Instruction" />
1327   </type>
1328   <mustSupport value="true" />
1329 </element>
1330 <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.extension:beurteilungAnweisung.value[x]">
1331   <path value="Composition.section.extension.value[x]" />
1332   <mustSupport value="true" />
1333 </element>

```

```

1334     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1335     .extension:beurteilungAnweisung.value[x]:valueString">
1336       <path value="Composition.section.extension.value[x]" />
1337       <sliceName value="valueString" />
1338       <fixedString value="Nur ankreuzen, wenn die Items NICHT erfüllt
1339       werden!" />
1340       <mustSupport value="true" />
1341     </element>
1342     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1343     .title">
1344       <path value="Composition.section.title" />
1345       <min value="1" />
1346       <fixedString value="Orientierende Beurteilung der Entwicklung" />
1347       <mustSupport value="true" />
1348     </element>
1349     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1350     .code">
1351       <path value="Composition.section.code" />
1352       <min value="1" />
1353       <mustSupport value="true" />
1354     </element>
1355     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1356     .code.coding">
1357       <path value="Composition.section.code.coding" />
1358       <min value="1" />
1359       <max value="1" />
1360       <mustSupport value="true" />
1361     </element>
1362     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1363     .code.coding.system">
1364       <path value="Composition.section.code.coding.system" />
1365       <min value="1" />
1366       <fixedUri value="http://snomed.info/sct" />
1367     </element>
1368     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1369     .code.coding.version">
1370       <path value="Composition.section.code.coding.version" />
1371       <min value="1" />
1372       <fixedString value="http://snomed.info/sct/900000000000207008/
1373       version/20210131" />
1374     </element>
1375     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1376     .code.coding.code">
1377       <path value="Composition.section.code.coding.code" />
1378       <min value="1" />
1379       <fixedCode value="406207000" />
1380     </element>
1381     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1382     .code.coding.display">
1383       <path value="Composition.section.code.coding.display" />
1384       <min value="1" />
1385       <fixedString value="Child development by age (observable entity)" />
1386     </element>
1387     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1388     .code.coding.userSelected">
1389       <path value="Composition.section.code.coding.userSelected" />
1390       <max value="0" />
1391     </element>
1392     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1393     .code.text">

```

```

1382     <path value="Composition.section.code.text" />
1383     <max value="0" />
1384   </element>
1385   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1386     .author">
1387     <path value="Composition.section.author" />
1388     <max value="0" />
1389   </element>
1390   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1391     .focus">
1392     <path value="Composition.section.focus" />
1393     <max value="0" />
1394   </element>
1395   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1396     .text">
1397     <path value="Composition.section.text" />
1398     <definition value="In diesem Element ist mindestens der Titel der
1399     Section anzugeben. Zusätzliche Informationen können angegeben werden." />
1400     <min value="1" />
1401   </element>
1402   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1403     .text.status">
1404     <path value="Composition.section.text.status" />
1405     <fixedCode value="generated" />
1406   </element>
1407   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1408     .mode">
1409     <path value="Composition.section.mode" />
1410     <max value="0" />
1411   </element>
1412   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1413     .orderedBy">
1414     <path value="Composition.section.orderedBy" />
1415     <max value="0" />
1416   </element>
1417   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1418     .entry">
1419     <path value="Composition.section.entry" />
1420     <type>
1421       <code value="Reference" />
1422       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1423       KBV_PR_MIO_CMRObservation_U9_Development_Assessment|1.0.1" />
1424     </type>
1425     <mustSupport value="true" />
1426   </element>
1427   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1428     .entry.reference">
1429     <path value="Composition.section.entry.reference" />
1430     <min value="1" />
1431     <mustSupport value="true" />
1432   </element>
1433   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1434     .entry.type">
1435     <path value="Composition.section.entry.type" />
1436     <max value="0" />
1437   </element>
1438   <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
1439     .entry.identifizier">
1440     <path value="Composition.section.entry.identifizier" />
1441     <max value="0" />

```

```

1430     </element>
1431     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.entry.display">
1432         <path value="Composition.section.entry.display" />
1433         <max value="0" />
1434     </element>
1435     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason">
1436         <path value="Composition.section.emptyReason" />
1437         <mustSupport value="true" />
1438     </element>
1439     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding">
1440         <path value="Composition.section.emptyReason.coding" />
1441         <min value="1" />
1442         <max value="1" />
1443         <mustSupport value="true" />
1444     </element>
1445     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.system">
1446         <path value="Composition.section.emptyReason.coding.system" />
1447         <min value="1" />
1448         <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1449     </element>
1450     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.version">
1451         <path value="Composition.section.emptyReason.coding.version" />
1452         <min value="1" />
1453         <fixedString value="4.0.1" />
1454     </element>
1455     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.code">
1456         <path value="Composition.section.emptyReason.coding.code" />
1457         <min value="1" />
1458         <fixedCode value="closed" />
1459     </element>
1460     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.display">
1461         <path value="Composition.section.emptyReason.coding.display" />
1462         <min value="1" />
1463         <fixedString value="Closed" />
1464     </element>
1465     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.coding.userSelected">
1466         <path value="Composition.section.emptyReason.coding.userSelected" />
1467         <max value="0" />
1468     </element>
1469     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.emptyReason.text">
1470         <path value="Composition.section.emptyReason.text" />
1471         <max value="0" />
1472     </element>
1473     <element id="Composition.section:orientierendeBeurteilungDerEntwicklung
.section">
1474         <path value="Composition.section.section" />
1475         <max value="0" />
1476     </element>
1477         <element id="Composition.section:perzentilkurven">
1478             <path value="Composition.section" />

```

```

1479     <sliceName value="perzentilkurven" />
1480     <max value="1" />
1481     <mustSupport value="true" />
1482 </element>
1483 <element id="Composition.section.perzentilkurven.title">
1484     <path value="Composition.section.title" />
1485     <min value="1" />
1486         <fixedString value="Perzentilkurven" />
1487     <mustSupport value="true" />
1488 </element>
1489 <element id="Composition.section.perzentilkurven.code">
1490     <path value="Composition.section.code" />
1491     <min value="1" />
1492     <mustSupport value="true" />
1493 </element>
1494 <element id="Composition.section.perzentilkurven.code.coding">
1495     <path value="Composition.section.code.coding" />
1496     <min value="1" />
1497     <max value="1" />
1498     <mustSupport value="true" />
1499 </element>
1500 <element id="Composition.section.perzentilkurven.code.coding.system">
1501     <path value="Composition.section.code.coding.system" />
1502     <min value="1" />
1503     <fixedUri value="http://snomed.info/sct" />
1504 </element>
1505 <element id="Composition.section.perzentilkurven.code.coding.version">
1506     <path value="Composition.section.code.coding.version" />
1507     <min value="1" />
1508     <fixedString value="http://snomed.info/sct/900000000000207008/
1509 version/20210131" />
1510 </element>
1511 <element id="Composition.section.perzentilkurven.code.coding.code">
1512     <path value="Composition.section.code.coding.code" />
1513     <min value="1" />
1514     <fixedCode value="129822005" />
1515 </element>
1516 <element id="Composition.section.perzentilkurven.code.coding.display">
1517     <path value="Composition.section.code.coding.display" />
1518     <min value="1" />
1519     <fixedString value="Childhood growth AND/OR development finding
1520 (finding)" />
1521 </element>
1522 <element id="Composition.section.perzentilkurven.code.coding.userSelect
1523 ed">
1524     <path value="Composition.section.code.coding.userSelected" />
1525     <max value="0" />
1526 </element>
1527 <element id="Composition.section.perzentilkurven.code.text">
1528     <path value="Composition.section.code.text" />
1529     <max value="0" />
1530 </element>
1531 <element id="Composition.section.perzentilkurven.author">
1532     <path value="Composition.section.author" />
1533     <max value="0" />
1534 </element>
1535 </element>

```

```

1536 <element id="Composition.section.perzentilkurven.text">
1537   <path value="Composition.section.text" />
1538   <min value="1" />
1539 </element>
1540 <element id="Composition.section.perzentilkurven.text.status">
1541   <path value="Composition.section.text.status" />
1542   <fixedCode value="generated" />
1543 </element>
1544 <element id="Composition.section.perzentilkurven.mode">
1545   <path value="Composition.section.mode" />
1546   <max value="0" />
1547 </element>
1548 <element id="Composition.section.perzentilkurven.orderedBy">
1549   <path value="Composition.section.orderedBy" />
1550   <max value="0" />
1551 </element>
1552 <element id="Composition.section.perzentilkurven.entry">
1553   <path value="Composition.section.entry" />
1554   <max value="1" />
1555   <type>
1556     <code value="Reference" />
1557     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_Percentile_Values|1.0.1" />
1558   </type>
1559   <mustSupport value="true" />
1560 </element>
1561 <element id="Composition.section.perzentilkurven.entry.reference">
1562   <path value="Composition.section.entry.reference" />
1563   <min value="1" />
1564   <mustSupport value="true" />
1565 </element>
1566 <element id="Composition.section.perzentilkurven.entry.type">
1567   <path value="Composition.section.entry.type" />
1568   <max value="0" />
1569 </element>
1570 <element id="Composition.section.perzentilkurven.entry.identifler">
1571   <path value="Composition.section.entry.identifler" />
1572   <max value="0" />
1573 </element>
1574 <element id="Composition.section.perzentilkurven.entry.display">
1575   <path value="Composition.section.entry.display" />
1576   <max value="0" />
1577 </element>
1578 <element id="Composition.section.perzentilkurven.emptyReason">
1579   <path value="Composition.section.emptyReason" />
1580   <mustSupport value="true" />
1581 </element>
1582 <element id="Composition.section.perzentilkurven.emptyReason.coding">
1583   <path value="Composition.section.emptyReason.coding" />
1584   <min value="1" />
1585   <max value="1" />
1586   <mustSupport value="true" />
1587 </element>
1588 <element id="Composition.section.perzentilkurven.emptyReason.coding.sys
tem">
1589   <path value="Composition.section.emptyReason.coding.system" />
1590   <min value="1" />
1591   <fixedUri value="http://terminology.hl7.org/CodeSystem/list-empty-
reason" />
1592 </element>

```



```

1593     <element id="Composition.section:perzentilkurven.emptyReason.coding.ver
1594     <path value="Composition.section.emptyReason.coding.version" />
1595     <min value="1" />
1596     <fixedString value="4.0.1" />
1597   </element>
1598   <element id="Composition.section:perzentilkurven.emptyReason.coding.cod
1599   <path value="Composition.section.emptyReason.coding.code" />
1600   <min value="1" />
1601   <fixedCode value="closed" />
1602 </element>
1603   <element id="Composition.section:perzentilkurven.emptyReason.coding.dis
1604   <path value="Composition.section.emptyReason.coding.display" />
1605   <min value="1" />
1606   <fixedString value="Closed" />
1607 </element>
1608   <element id="Composition.section:perzentilkurven.emptyReason.coding.use
1609   <path value="Composition.section.emptyReason.coding.userSelected" />
1610   <max value="0" />
1611 </element>
1612   <element id="Composition.section:perzentilkurven.emptyReason.text">
1613     <path value="Composition.section.emptyReason.text" />
1614     <max value="0" />
1615   </element>
1616   <element id="Composition.section:perzentilkurven.section">
1617     <path value="Composition.section.section" />
1618     <max value="0" />
1619   </element>
1620 </differential>
1621 </StructureDefinition>

```

## 218. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_PERCENTILE\_BODY\_MEASURES

### KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_Percentile\_Body\_Measures

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_Percentile_Body_Measures" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Diagnostic_Report_Percentile_Body_Measures" /
>
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bildet die Körpermaße ab, die zur
Verwendung in den Perzentilkurven vorgesehen sind." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_Percentile_Body_Measures|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <slicing>
105     <discriminator>
106       <type value="value" />
107       <path value="system" />
108     </discriminator>
109     <rules value="closed" />
110   </slicing>
111   <min value="2" />
112   <max value="2" />
113   <mustSupport value="true" />
114 </element>
115 <element id="DiagnosticReport.code.coding:codeSnomed">
116   <path value="DiagnosticReport.code.coding" />
117   <sliceName value="codeSnomed" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="DiagnosticReport.code.coding:codeSnomed.system">
123   <path value="DiagnosticReport.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="DiagnosticReport.code.coding:codeSnomed.version">
128   <path value="DiagnosticReport.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
131   version/20210131" />
132 </element>
133 <element id="DiagnosticReport.code.coding:codeSnomed.code">
134   <path value="DiagnosticReport.code.coding.code" />
135   <min value="1" />
136   <fixedCode value="248326004" />
137 </element>
138 <element id="DiagnosticReport.code.coding:codeSnomed.display">
139   <path value="DiagnosticReport.code.coding.display" />
140   <min value="1" />
141 </element>
142 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension">
143   <path value="DiagnosticReport.code.coding.display.extension" />
144   <slicing>
     <discriminator>

```

```

145     <type value="value" />
146     <path value="url" />
147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed">
152     <path value="DiagnosticReport.code.coding.display.extension" />
153     <sliceName value="anzeigenameCodeSnomed" />
154     <min value="1" />
155     <max value="1" />
156     <type>
157       <code value="Extension" />
158       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159     </type>
160     <mustSupport value="true" />
161   </element>
162   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
164     <slicing>
165       <discriminator>
166         <type value="value" />
167         <path value="url" />
168       </discriminator>
169       <rules value="open" />
170     </slicing>
171   </element>
172   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content">
173     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
174     <sliceName value="content" />
175   </element>
176   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]">
177     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
178     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
179     <mustSupport value="true" />
180   </element>
181   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]:valueString">
182     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
183     <sliceName value="valueString" />
184     <min value="1" />
185     <fixedString value="Körpermaße" />
186     <mustSupport value="true" />
187   </element>
188   <element id="DiagnosticReport.code.coding:codeSnomed.userSelected">
189     <path value="DiagnosticReport.code.coding.userSelected" />
190     <max value="0" />
191   </element>
192   <element id="DiagnosticReport.code.coding:codeLoinc">
193     <path value="DiagnosticReport.code.coding" />

```

```

194     <sliceName value="codeLoinc" />
195     <min value="1" />
196     <max value="1" />
197     <mustSupport value="true" />
198 </element>
199 <element id="DiagnosticReport.code.coding:codeLoinc.system">
200   <path value="DiagnosticReport.code.coding.system" />
201   <min value="1" />
202   <fixedUri value="http://loinc.org" />
203 </element>
204 <element id="DiagnosticReport.code.coding:codeLoinc.version">
205   <path value="DiagnosticReport.code.coding.version" />
206   <min value="1" />
207   <fixedString value="2.69" />
208 </element>
209 <element id="DiagnosticReport.code.coding:codeLoinc.code">
210   <path value="DiagnosticReport.code.coding.code" />
211   <min value="1" />
212   <fixedCode value="29275-5" />
213 </element>
214 <element id="DiagnosticReport.code.coding:codeLoinc.display">
215   <path value="DiagnosticReport.code.coding.display" />
216   <min value="1" />
217 </element>
218 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension">
219   <path value="DiagnosticReport.code.coding.display.extension" />
220   <licing>
221     <discriminator>
222       <type value="value" />
223       <path value="url" />
224     </discriminator>
225     <rules value="open" />
226   </licing>
227 </element>
228 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc">
229   <path value="DiagnosticReport.code.coding.display.extension" />
230   <sliceName value="anzeigennameCodeLoinc" />
231   <min value="1" />
232   <max value="1" />
233   <type>
234     <code value="Extension" />
235     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension">
240   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
241   <licing>
242     <discriminator>
243       <type value="value" />
244       <path value="url" />
245     </discriminator>
246     <rules value="open" />
247   </licing>
248 </element>

```

```

249     <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content">
250       <path value="DiagnosticReport.code.coding.display.extension
" />
251       <sliceName value="content" />
252     </element>
253     <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]">
254       <path value="DiagnosticReport.code.coding.display.extension
.value[x]" />
255       <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
256       <mustSupport value="true" />
257     </element>
258     <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]:valueString">
259       <path value="DiagnosticReport.code.coding.display.extension
.value[x]" />
260       <sliceName value="valueString" />
261       <min value="1" />
262       <fixedString value="Körpermaße" />
263       <mustSupport value="true" />
264     </element>
265     <element id="DiagnosticReport.code.coding:codeLoinc.userSelected">
266       <path value="DiagnosticReport.code.coding.userSelected" />
267       <max value="0" />
268     </element>
269     <element id="DiagnosticReport.code.text">
270       <path value="DiagnosticReport.code.text" />
271       <max value="0" />
272     </element>
273     <element id="DiagnosticReport.subject">
274       <path value="DiagnosticReport.subject" />
275       <min value="1" />
276       <type>
277         <code value="Reference" />
278         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
279       </type>
280       <mustSupport value="true" />
281     </element>
282     <element id="DiagnosticReport.subject.reference">
283       <path value="DiagnosticReport.subject.reference" />
284       <min value="1" />
285       <mustSupport value="true" />
286     </element>
287     <element id="DiagnosticReport.subject.type">
288       <path value="DiagnosticReport.subject.type" />
289       <max value="0" />
290     </element>
291     <element id="DiagnosticReport.subject.identifier">
292       <path value="DiagnosticReport.subject.identifier" />
293       <max value="0" />
294     </element>
295     <element id="DiagnosticReport.subject.display">
296       <path value="DiagnosticReport.subject.display" />
297       <max value="0" />
298     </element>
299     <element id="DiagnosticReport.encounter">
300       <path value="DiagnosticReport.encounter" />

```

```

301     <min value="1" />
302     <type>
303       <code value="Reference" />
304       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
305     </type>
306     <mustSupport value="true" />
307   </element>
308   <element id="DiagnosticReport.encounter.reference">
309     <path value="DiagnosticReport.encounter.reference" />
310     <min value="1" />
311     <mustSupport value="true" />
312   </element>
313   <element id="DiagnosticReport.encounter.type">
314     <path value="DiagnosticReport.encounter.type" />
315     <max value="0" />
316   </element>
317   <element id="DiagnosticReport.encounter.identifier">
318     <path value="DiagnosticReport.encounter.identifier" />
319     <max value="0" />
320   </element>
321   <element id="DiagnosticReport.encounter.display">
322     <path value="DiagnosticReport.encounter.display" />
323     <max value="0" />
324   </element>
325   <element id="DiagnosticReport.effective[x]">
326     <path value="DiagnosticReport.effective[x]" />
327     <licing>
328       <discriminator>
329         <type value="type" />
330         <path value="$this" />
331       </discriminator>
332       <rules value="closed" />
333     </licing>
334     <min value="1" />
335     <type>
336       <code value="dateTime" />
337     </type>
338     <mustSupport value="true" />
339   </element>
340   <element id="DiagnosticReport.effective[x]:effectiveDateTime">
341     <path value="DiagnosticReport.effective[x]" />
342     <sliceName value="effectiveDateTime" />
343     <min value="1" />
344     <type>
345       <code value="dateTime" />
346     </type>
347     <mustSupport value="true" />
348   </element>
349   <element id="DiagnosticReport.issued">
350     <path value="DiagnosticReport.issued" />
351     <max value="0" />
352   </element>
353   <element id="DiagnosticReport.performer">
354     <path value="DiagnosticReport.performer" />
355     <max value="1" />
356     <type>
357       <code value="Reference" />
358       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Practitioner|1.0.1" />

```



```

359     </type>
360     <mustSupport value="true" />
361 </element>
362 <element id="DiagnosticReport.performer.reference">
363   <path value="DiagnosticReport.performer.reference" />
364   <min value="1" />
365   <mustSupport value="true" />
366 </element>
367 <element id="DiagnosticReport.performer.type">
368   <path value="DiagnosticReport.performer.type" />
369   <max value="0" />
370 </element>
371 <element id="DiagnosticReport.performer.identifier">
372   <path value="DiagnosticReport.performer.identifier" />
373   <max value="0" />
374 </element>
375 <element id="DiagnosticReport.performer.display">
376   <path value="DiagnosticReport.performer.display" />
377   <max value="0" />
378 </element>
379 <element id="DiagnosticReport.resultsInterpreter">
380   <path value="DiagnosticReport.resultsInterpreter" />
381   <max value="0" />
382 </element>
383 <element id="DiagnosticReport.specimen">
384   <path value="DiagnosticReport.specimen" />
385   <max value="0" />
386 </element>
387 <element id="DiagnosticReport.result">
388   <path value="DiagnosticReport.result" />
389   <type>
390     <code value="Reference" />
391     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U9_Body_Height_Measure|1.0.1" />
392     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_Head_Circumference|1.0.1" />
393     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U6_Body_Weight|1.0.1" />
394     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_Body_Weight|1.0.1" />
395     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_BMI|1.0.1" />
396   </type>
397   <mustSupport value="true" />
398 </element>
399 <element id="DiagnosticReport.result.reference">
400   <path value="DiagnosticReport.result.reference" />
401   <min value="1" />
402   <mustSupport value="true" />
403 </element>
404 <element id="DiagnosticReport.result.type">
405   <path value="DiagnosticReport.result.type" />
406   <max value="0" />
407 </element>
408 <element id="DiagnosticReport.result.identifier">
409   <path value="DiagnosticReport.result.identifier" />
410   <max value="0" />
411 </element>
412 <element id="DiagnosticReport.result.display">
413   <path value="DiagnosticReport.result.display" />

```

```
414     <max value="0" />
415 </element>
416 <element id="DiagnosticReport.imagingStudy">
417     <path value="DiagnosticReport.imagingStudy" />
418     <max value="0" />
419 </element>
420 <element id="DiagnosticReport.media">
421     <path value="DiagnosticReport.media" />
422     <max value="0" />
423 </element>
424 <element id="DiagnosticReport.conclusion">
425     <path value="DiagnosticReport.conclusion" />
426     <max value="0" />
427 </element>
428 <element id="DiagnosticReport.conclusionCode">
429     <path value="DiagnosticReport.conclusionCode" />
430     <max value="0" />
431 </element>
432 <element id="DiagnosticReport.presentedForm">
433     <path value="DiagnosticReport.presentedForm" />
434     <max value="0" />
435 </element>
436 </differential>
437 </StructureDefinition>
```

## 219. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_PERCENTILE\_VALUES

### KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_Percentile\_Values

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_Percentile_Values" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bündelt die erfassten Perzentilwerte." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_Percentile_Values|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66
67 <element id="DiagnosticReport.meta.tag">
68 <path value="DiagnosticReport.meta.tag" />
69 <max value="0" />
70 </element>
71 <element id="DiagnosticReport.implicitRules">
72 <path value="DiagnosticReport.implicitRules" />
73 <max value="0" />
74 </element>
75 <element id="DiagnosticReport.language">
76 <path value="DiagnosticReport.language" />
77 <max value="0" />
78 </element>
79 <element id="DiagnosticReport.contained">
80 <path value="DiagnosticReport.contained" />
81 <max value="0" />
82 </element>
83 <element id="DiagnosticReport.identifier">
84 <path value="DiagnosticReport.identifier" />
85 <max value="0" />
86 </element>
87 <element id="DiagnosticReport.basedOn">

```

```

88     <path value="DiagnosticReport.basedOn" />
89     <max value="0" />
90 </element>
91 <element id="DiagnosticReport.status">
92     <path value="DiagnosticReport.status" />
93     <fixedCode value="final" />
94 </element>
95 <element id="DiagnosticReport.category">
96     <path value="DiagnosticReport.category" />
97     <max value="0" />
98 </element>
99 <element id="DiagnosticReport.code">
100     <path value="DiagnosticReport.code" />
101     <mustSupport value="true" />
102 </element>
103 <element id="DiagnosticReport.code.coding">
104     <path value="DiagnosticReport.code.coding" />
105     <min value="1" />
106     <max value="1" />
107     <mustSupport value="true" />
108 </element>
109 <element id="DiagnosticReport.code.coding.system">
110     <path value="DiagnosticReport.code.coding.system" />
111     <min value="1" />
112     <fixedUri value="http://snomed.info/sct" />
113 </element>
114 <element id="DiagnosticReport.code.coding.version">
115     <path value="DiagnosticReport.code.coding.version" />
116     <min value="1" />
117     <fixedString value="http://snomed.info/sct/900000000000207008/
118     version/20210131" />
119 </element>
120 <element id="DiagnosticReport.code.coding.code">
121     <path value="DiagnosticReport.code.coding.code" />
122     <min value="1" />
123     <fixedCode value="129822005" />
124 </element>
125 <element id="DiagnosticReport.code.coding.display">
126     <path value="DiagnosticReport.code.coding.display" />
127     <min value="1" />
128 </element>
129 <element id="DiagnosticReport.code.coding.display.extension">
130     <path value="DiagnosticReport.code.coding.display.extension" />
131     <slicing>
132         <discriminator>
133             <type value="value" />
134             <path value="url" />
135         </discriminator>
136         <rules value="open" />
137     </slicing>
138 </element>
139 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
140 CodeSnomed">
141     <path value="DiagnosticReport.code.coding.display.extension" />
142     <sliceName value="anzeigenameCodeSnomed" />
143     <min value="1" />
144     <max value="1" />
145     <type>
146         <code value="Extension" />

```

```

145     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
146   </type>
147   <mustSupport value="true" />
148 </element>
149   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
150     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
151     <slicing>
152       <discriminator>
153         <type value="value" />
154         <path value="url" />
155       </discriminator>
156       <rules value="open" />
157     </slicing>
158   </element>
159   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
160     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
161     <sliceName value="content" />
162   </element>
163   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
164     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
165     <slicing>
166       <discriminator>
167         <type value="type" />
168         <path value="$this" />
169       </discriminator>
170       <rules value="closed" />
171     </slicing>
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
175     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
176     <sliceName value="valueString" />
177     <fixedString value="Perzentilkurven" />
178     <mustSupport value="true" />
179   </element>
180   <element id="DiagnosticReport.code.coding.userSelected">
181     <path value="DiagnosticReport.code.coding.userSelected" />
182     <max value="0" />
183   </element>
184   <element id="DiagnosticReport.code.text">
185     <path value="DiagnosticReport.code.text" />
186     <max value="0" />
187   </element>
188   <element id="DiagnosticReport.subject">
189     <path value="DiagnosticReport.subject" />
190     <min value="1" />
191     <type>
192       <code value="Reference" />
193       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
194     </type>

```

```

195     <mustSupport value="true" />
196 </element>
197 <element id="DiagnosticReport.subject.reference">
198   <path value="DiagnosticReport.subject.reference" />
199   <min value="1" />
200   <mustSupport value="true" />
201 </element>
202 <element id="DiagnosticReport.subject.type">
203   <path value="DiagnosticReport.subject.type" />
204   <max value="0" />
205 </element>
206 <element id="DiagnosticReport.subject.identifier">
207   <path value="DiagnosticReport.subject.identifier" />
208   <max value="0" />
209 </element>
210 <element id="DiagnosticReport.subject.display">
211   <path value="DiagnosticReport.subject.display" />
212   <max value="0" />
213 </element>
214 <element id="DiagnosticReport.encounter">
215   <path value="DiagnosticReport.encounter" />
216   <min value="1" />
217   <type>
218     <code value="Reference" />
219     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
220   </type>
221   <mustSupport value="true" />
222 </element>
223 <element id="DiagnosticReport.encounter.reference">
224   <path value="DiagnosticReport.encounter.reference" />
225   <min value="1" />
226   <mustSupport value="true" />
227 </element>
228 <element id="DiagnosticReport.encounter.type">
229   <path value="DiagnosticReport.encounter.type" />
230   <max value="0" />
231 </element>
232 <element id="DiagnosticReport.encounter.identifier">
233   <path value="DiagnosticReport.encounter.identifier" />
234   <max value="0" />
235 </element>
236 <element id="DiagnosticReport.encounter.display">
237   <path value="DiagnosticReport.encounter.display" />
238   <max value="0" />
239 </element>
240 <element id="DiagnosticReport.effective[x]">
241   <path value="DiagnosticReport.effective[x]" />
242   <slicing>
243     <discriminator>
244       <type value="type" />
245       <path value="$this" />
246     </discriminator>
247     <rules value="closed" />
248   </slicing>
249   <min value="1" />
250   <type>
251     <code value="dateTime" />
252   </type>
253   <mustSupport value="true" />

```

```

254 </element>
255 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
256   <path value="DiagnosticReport.effective[x]" />
257   <sliceName value="effectiveDateTime" />
258   <min value="1" />
259   <type>
260     <code value="dateTime" />
261   </type>
262   <mustSupport value="true" />
263 </element>
264 <element id="DiagnosticReport.issued">
265   <path value="DiagnosticReport.issued" />
266   <max value="0" />
267 </element>
268 <element id="DiagnosticReport.performer">
269   <path value="DiagnosticReport.performer" />
270   <max value="1" />
271   <type>
272     <code value="Reference" />
273     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="DiagnosticReport.performer.reference">
278   <path value="DiagnosticReport.performer.reference" />
279   <min value="1" />
280   <mustSupport value="true" />
281 </element>
282 <element id="DiagnosticReport.performer.type">
283   <path value="DiagnosticReport.performer.type" />
284   <max value="0" />
285 </element>
286 <element id="DiagnosticReport.performer.identifier">
287   <path value="DiagnosticReport.performer.identifier" />
288   <max value="0" />
289 </element>
290 <element id="DiagnosticReport.performer.display">
291   <path value="DiagnosticReport.performer.display" />
292   <max value="0" />
293 </element>
294 <element id="DiagnosticReport.resultsInterpreter">
295   <path value="DiagnosticReport.resultsInterpreter" />
296   <max value="0" />
297 </element>
298 <element id="DiagnosticReport.specimen">
299   <path value="DiagnosticReport.specimen" />
300   <max value="0" />
301 </element>
302 <element id="DiagnosticReport.result">
303   <path value="DiagnosticReport.result" />
304   <type>
305     <code value="Reference" />
306     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Percentile_Values|1.0.1" />
307   </type>
308   <mustSupport value="true" />
309 </element>
310 <element id="DiagnosticReport.result.reference">
311   <path value="DiagnosticReport.result.reference" />

```



```

312     <min value="1" />
313     <mustSupport value="true" />
314 </element>
315 <element id="DiagnosticReport.result.type">
316     <path value="DiagnosticReport.result.type" />
317     <max value="0" />
318 </element>
319 <element id="DiagnosticReport.result.identifier">
320     <path value="DiagnosticReport.result.identifier" />
321     <max value="0" />
322 </element>
323 <element id="DiagnosticReport.result.display">
324     <path value="DiagnosticReport.result.display" />
325     <max value="0" />
326 </element>
327 <element id="DiagnosticReport.imagingStudy">
328     <path value="DiagnosticReport.imagingStudy" />
329     <max value="0" />
330 </element>
331 <element id="DiagnosticReport.media">
332     <path value="DiagnosticReport.media" />
333     <max value="0" />
334 </element>
335 <element id="DiagnosticReport.conclusion">
336     <path value="DiagnosticReport.conclusion" />
337     <max value="0" />
338 </element>
339 <element id="DiagnosticReport.conclusionCode">
340     <path value="DiagnosticReport.conclusionCode" />
341     <max value="0" />
342 </element>
343 <element id="DiagnosticReport.presentedForm">
344     <path value="DiagnosticReport.presentedForm" />
345     <max value="0" />
346 </element>
347 </differential>
348 </StructureDefinition>

```

## 220. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U1\_APGAR\_SCORE

### KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U1\_Apgar\_Score

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_Apgar_Score" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U1_Apgar_Score" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29   </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bildet Informationen rund um den Apgar-
Score ab." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMAR_Diagnostic_Report_U1_Apgar_Score|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="249228009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Apgar-Wert" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252         <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <max value="2" />
299     <type>
300         <code value="Reference" />
301         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_Apgar_Score|1.0.1" />
302     </type>
303     <mustSupport value="true" />
304 </element>
305 <element id="DiagnosticReport.result.reference">
306     <path value="DiagnosticReport.result.reference" />
307     <min value="1" />
308     <mustSupport value="true" />
309 </element>

```

```

310 <element id="DiagnosticReport.result.type">
311   <path value="DiagnosticReport.result.type" />
312   <max value="0" />
313 </element>
314 <element id="DiagnosticReport.result.identifier">
315   <path value="DiagnosticReport.result.identifier" />
316   <max value="0" />
317 </element>
318 <element id="DiagnosticReport.result.display">
319   <path value="DiagnosticReport.result.display" />
320   <max value="0" />
321 </element>
322 <element id="DiagnosticReport.imagingStudy">
323   <path value="DiagnosticReport.imagingStudy" />
324   <max value="0" />
325 </element>
326 <element id="DiagnosticReport.media">
327   <path value="DiagnosticReport.media" />
328   <max value="0" />
329 </element>
330 <element id="DiagnosticReport.conclusion">
331   <path value="DiagnosticReport.conclusion" />
332   <max value="0" />
333 </element>
334 <element id="DiagnosticReport.conclusionCode">
335   <path value="DiagnosticReport.conclusionCode" />
336   <max value="0" />
337 </element>
338 <element id="DiagnosticReport.presentedForm">
339   <path value="DiagnosticReport.presentedForm" />
340   <max value="0" />
341 </element>
342 </differential>
343 </StructureDefinition>

```



## 221. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U1\_BIRTH\_LENGTH

### KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U1\_Birth\_Length

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_Birth_Length" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U1_Birth_Length" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29   </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bildet die Geburtskörperlänge des Kindes
ab." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Birth_Length|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <slicing>
105         <discriminator>
106             <type value="value" />
107             <path value="system" />
108         </discriminator>
109         <rules value="closed" />
110     </slicing>
111     <min value="2" />
112     <max value="2" />
113     <mustSupport value="true" />
114 </element>
115 <element id="DiagnosticReport.code.coding:codeSnomed">
116     <path value="DiagnosticReport.code.coding" />
117     <sliceName value="codeSnomed" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="DiagnosticReport.code.coding:codeSnomed.system">
123     <path value="DiagnosticReport.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="DiagnosticReport.code.coding:codeSnomed.version">
128     <path value="DiagnosticReport.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
131     version/20210131" />
132 </element>
133 <element id="DiagnosticReport.code.coding:codeSnomed.code">
134     <path value="DiagnosticReport.code.coding.code" />
135     <min value="1" />
136     <fixedCode value="169886007" />
137 </element>
138 <element id="DiagnosticReport.code.coding:codeSnomed.display">
139     <path value="DiagnosticReport.code.coding.display" />
140     <min value="1" />
141 </element>
142 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension">
143     <path value="DiagnosticReport.code.coding.display.extension" />
144     <slicing>
145         <discriminator>

```

```

146         <path value="url" />
147     </discriminator>
148     <rules value="open" />
149 </slicing>
150 </element>
151 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed">
152     <path value="DiagnosticReport.code.coding.display.extension" />
153     <sliceName value="anzeigenameCodeSnomed" />
154     <min value="1" />
155     <max value="1" />
156     <type>
157         <code value="Extension" />
158         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159     </type>
160     <mustSupport value="true" />
161 </element>
162 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
164     <slicing>
165         <discriminator>
166             <type value="value" />
167             <path value="url" />
168         </discriminator>
169         <rules value="open" />
170     </slicing>
171 </element>
172 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content">
173     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
174     <sliceName value="content" />
175 </element>
176 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]">
177     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
178     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
179     <mustSupport value="true" />
180 </element>
181 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]:valueString">
182     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
183     <sliceName value="valueString" />
184     <min value="1" />
185     <fixedString value="Körperlänge in cm" />
186     <mustSupport value="true" />
187 </element>
188 <element id="DiagnosticReport.code.coding:codeSnomed.userSelected">
189     <path value="DiagnosticReport.code.coding.userSelected" />
190     <max value="0" />
191 </element>
192 <element id="DiagnosticReport.code.coding:codeLoinc">
193     <path value="DiagnosticReport.code.coding" />
194     <sliceName value="codeLoinc" />

```

```

195     <min value="1" />
196     <max value="1" />
197     <mustSupport value="true" />
198 </element>
199 <element id="DiagnosticReport.code.coding:codeLoinc.system">
200   <path value="DiagnosticReport.code.coding.system" />
201   <min value="1" />
202   <fixedUri value="http://loinc.org" />
203 </element>
204 <element id="DiagnosticReport.code.coding:codeLoinc.version">
205   <path value="DiagnosticReport.code.coding.version" />
206   <min value="1" />
207   <fixedString value="2.69" />
208 </element>
209 <element id="DiagnosticReport.code.coding:codeLoinc.code">
210   <path value="DiagnosticReport.code.coding.code" />
211   <min value="1" />
212   <fixedCode value="89269-5" />
213 </element>
214 <element id="DiagnosticReport.code.coding:codeLoinc.display">
215   <path value="DiagnosticReport.code.coding.display" />
216   <min value="1" />
217 </element>
218 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension">
219   <path value="DiagnosticReport.code.coding.display.extension" />
220   <licing>
221     <discriminator>
222       <type value="value" />
223       <path value="url" />
224     </discriminator>
225     <rules value="open" />
226   </licing>
227 </element>
228 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc">
229   <path value="DiagnosticReport.code.coding.display.extension" />
230   <sliceName value="anzeigennameCodeLoinc" />
231   <min value="1" />
232   <max value="1" />
233   <type>
234     <code value="Extension" />
235     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension">
240   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
241   <licing>
242     <discriminator>
243       <type value="value" />
244       <path value="url" />
245     </discriminator>
246     <rules value="open" />
247   </licing>
248 </element>
249 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension:content">

```

```

250     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
251     <sliceName value="content" />
252   </element>
253   <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]">
254     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
255     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]:valueString">
259     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
260     <sliceName value="valueString" />
261     <fixedString value="Körperlänge in cm" />
262     <mustSupport value="true" />
263   </element>
264   <element id="DiagnosticReport.code.coding:codeLoinc.userSelected">
265     <path value="DiagnosticReport.code.coding.userSelected" />
266     <max value="0" />
267   </element>
268   <element id="DiagnosticReport.code.text">
269     <path value="DiagnosticReport.code.text" />
270     <max value="0" />
271   </element>
272   <element id="DiagnosticReport.subject">
273     <path value="DiagnosticReport.subject" />
274     <min value="1" />
275     <type>
276       <code value="Reference" />
277       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
278     </type>
279     <mustSupport value="true" />
280   </element>
281   <element id="DiagnosticReport.subject.reference">
282     <path value="DiagnosticReport.subject.reference" />
283     <min value="1" />
284     <mustSupport value="true" />
285   </element>
286   <element id="DiagnosticReport.subject.type">
287     <path value="DiagnosticReport.subject.type" />
288     <max value="0" />
289   </element>
290   <element id="DiagnosticReport.subject.identifier">
291     <path value="DiagnosticReport.subject.identifier" />
292     <max value="0" />
293   </element>
294   <element id="DiagnosticReport.subject.display">
295     <path value="DiagnosticReport.subject.display" />
296     <max value="0" />
297   </element>
298   <element id="DiagnosticReport.encounter">
299     <path value="DiagnosticReport.encounter" />
300     <min value="1" />
301     <type>
302       <code value="Reference" />

```

```

303     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
304   </type>
305   <mustSupport value="true" />
306 </element>
307 <element id="DiagnosticReport.encounter.reference">
308   <path value="DiagnosticReport.encounter.reference" />
309   <min value="1" />
310   <mustSupport value="true" />
311 </element>
312 <element id="DiagnosticReport.encounter.type">
313   <path value="DiagnosticReport.encounter.type" />
314   <max value="0" />
315 </element>
316 <element id="DiagnosticReport.encounter.identifier">
317   <path value="DiagnosticReport.encounter.identifier" />
318   <max value="0" />
319 </element>
320 <element id="DiagnosticReport.encounter.display">
321   <path value="DiagnosticReport.encounter.display" />
322   <max value="0" />
323 </element>
324 <element id="DiagnosticReport.effective[x]">
325   <path value="DiagnosticReport.effective[x]" />
326   <licing>
327     <discriminator>
328       <type value="type" />
329       <path value="$this" />
330     </discriminator>
331     <rules value="closed" />
332   </licing>
333   <min value="1" />
334   <type>
335     <code value="dateTime" />
336   </type>
337   <mustSupport value="true" />
338 </element>
339 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
340   <path value="DiagnosticReport.effective[x]" />
341   <sliceName value="effectiveDateTime" />
342   <min value="1" />
343   <type>
344     <code value="dateTime" />
345   </type>
346   <mustSupport value="true" />
347 </element>
348 <element id="DiagnosticReport.issued">
349   <path value="DiagnosticReport.issued" />
350   <max value="0" />
351 </element>
352 <element id="DiagnosticReport.performer">
353   <path value="DiagnosticReport.performer" />
354   <max value="1" />
355   <type>
356     <code value="Reference" />
357     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
358   </type>
359   <mustSupport value="true" />
360 </element>

```

```

361 <element id="DiagnosticReport.performer.reference">
362   <path value="DiagnosticReport.performer.reference" />
363   <min value="1" />
364   <mustSupport value="true" />
365 </element>
366 <element id="DiagnosticReport.performer.type">
367   <path value="DiagnosticReport.performer.type" />
368   <max value="0" />
369 </element>
370 <element id="DiagnosticReport.performer.identifier">
371   <path value="DiagnosticReport.performer.identifier" />
372   <max value="0" />
373 </element>
374 <element id="DiagnosticReport.performer.display">
375   <path value="DiagnosticReport.performer.display" />
376   <max value="0" />
377 </element>
378 <element id="DiagnosticReport.resultsInterpreter">
379   <path value="DiagnosticReport.resultsInterpreter" />
380   <max value="0" />
381 </element>
382 <element id="DiagnosticReport.specimen">
383   <path value="DiagnosticReport.specimen" />
384   <max value="0" />
385 </element>
386 <element id="DiagnosticReport.result">
387   <path value="DiagnosticReport.result" />
388   <type>
389     <code value="Reference" />
390     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Birth_Length|1.0.1" />
391   </type>
392   <mustSupport value="true" />
393 </element>
394 <element id="DiagnosticReport.result.reference">
395   <path value="DiagnosticReport.result.reference" />
396   <min value="1" />
397   <mustSupport value="true" />
398 </element>
399 <element id="DiagnosticReport.result.type">
400   <path value="DiagnosticReport.result.type" />
401   <max value="0" />
402 </element>
403 <element id="DiagnosticReport.result.identifier">
404   <path value="DiagnosticReport.result.identifier" />
405   <max value="0" />
406 </element>
407 <element id="DiagnosticReport.result.display">
408   <path value="DiagnosticReport.result.display" />
409   <max value="0" />
410 </element>
411 <element id="DiagnosticReport.imagingStudy">
412   <path value="DiagnosticReport.imagingStudy" />
413   <max value="0" />
414 </element>
415 <element id="DiagnosticReport.media">
416   <path value="DiagnosticReport.media" />
417   <max value="0" />
418 </element>
419 <element id="DiagnosticReport.conclusion">

```



```
420     <path value="DiagnosticReport.conclusion" />
421     <max value="0" />
422 </element>
423 <element id="DiagnosticReport.conclusionCode">
424     <path value="DiagnosticReport.conclusionCode" />
425     <max value="0" />
426 </element>
427 <element id="DiagnosticReport.presentedForm">
428     <path value="DiagnosticReport.presentedForm" />
429     <max value="0" />
430 </element>
431 </differential>
432 </StructureDefinition>
```

## 222. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U1\_BIRTH\_TRAUMA\_OF\_FETUS

### KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U1\_Birth\_Trauma\_Of\_Fetus

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U1_Birth_Trauma_Of_Fetus" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U1_Birth_Trauma_Of_Fetus" /
>
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil bildet die Informationen zu
Geburtstraumata ab." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Birth_Trauma_Of_Fetus|1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />
84             <max value="0" />
85         </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="56110009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Traumata:" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_Birth_Trauma_Of_Fetus|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```



## 223. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U1\_BIRTH\_WEIGHT

### KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U1\_Birth\_Weight

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U1_Birth_Weight" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U1_Birth_Weight" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29   </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bildet das Geburtsgewicht ab." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Birth_Weight|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87 <path value="DiagnosticReport.basedOn" />

```

```

88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <licing>
105         <discriminator>
106             <type value="value" />
107             <path value="system" />
108         </discriminator>
109         <rules value="closed" />
110     </licing>
111     <min value="2" />
112     <max value="2" />
113     <mustSupport value="true" />
114 </element>
115 <element id="DiagnosticReport.code.coding:codeSnomed">
116     <path value="DiagnosticReport.code.coding" />
117     <sliceName value="codeSnomed" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="DiagnosticReport.code.coding:codeSnomed.system">
123     <path value="DiagnosticReport.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="DiagnosticReport.code.coding:codeSnomed.version">
128     <path value="DiagnosticReport.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
131     version/20210131" />
132 </element>
133 <element id="DiagnosticReport.code.coding:codeSnomed.code">
134     <path value="DiagnosticReport.code.coding.code" />
135     <min value="1" />
136     <fixedCode value="364589006" />
137 </element>
138 <element id="DiagnosticReport.code.coding:codeSnomed.display">
139     <path value="DiagnosticReport.code.coding.display" />
140     <min value="1" />
141 </element>
142 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension">
143     <path value="DiagnosticReport.code.coding.display.extension" />
144     <licing>
145         <discriminator>
146             <type value="value" />
147             <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed">
152     <path value="DiagnosticReport.code.coding.display.extension" />
153     <sliceName value="anzeigenameCodeSnomed" />
154     <min value="1" />
155     <max value="1" />
156     <type>
157       <code value="Extension" />
158       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159     </type>
160     <mustSupport value="true" />
161   </element>
162   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
164     <slicing>
165       <discriminator>
166         <type value="value" />
167         <path value="url" />
168       </discriminator>
169       <rules value="open" />
170     </slicing>
171   </element>
172   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content">
173     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
174     <sliceName value="content" />
175   </element>
176   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]">
177     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
178     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
179     <mustSupport value="true" />
180   </element>
181   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]:valueString">
182     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
183     <sliceName value="valueString" />
184     <min value="1" />
185     <fixedString value="Körpergewicht in g" />
186     <mustSupport value="true" />
187   </element>
188   <element id="DiagnosticReport.code.coding:codeSnomed.userSelected">
189     <path value="DiagnosticReport.code.coding.userSelected" />
190     <max value="0" />
191   </element>
192   <element id="DiagnosticReport.code.coding:codeLoinc">
193     <path value="DiagnosticReport.code.coding" />
194     <sliceName value="codeLoinc" />
195     <min value="1" />

```

```

196     <max value="1" />
197     <mustSupport value="true" />
198 </element>
199 <element id="DiagnosticReport.code.coding:codeLoinc.system">
200   <path value="DiagnosticReport.code.coding.system" />
201   <min value="1" />
202   <fixedUri value="http://loinc.org" />
203 </element>
204 <element id="DiagnosticReport.code.coding:codeLoinc.version">
205   <path value="DiagnosticReport.code.coding.version" />
206   <min value="1" />
207   <fixedString value="2.69" />
208 </element>
209 <element id="DiagnosticReport.code.coding:codeLoinc.code">
210   <path value="DiagnosticReport.code.coding.code" />
211   <min value="1" />
212   <fixedCode value="8339-4" />
213 </element>
214 <element id="DiagnosticReport.code.coding:codeLoinc.display">
215   <path value="DiagnosticReport.code.coding.display" />
216   <min value="1" />
217 </element>
218 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension">
219   <path value="DiagnosticReport.code.coding.display.extension" />
220   <licing>
221     <discriminator>
222       <type value="value" />
223       <path value="url" />
224     </discriminator>
225     <rules value="open" />
226   </licing>
227 </element>
228 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc">
229   <path value="DiagnosticReport.code.coding.display.extension" />
230   <sliceName value="anzeigennameCodeLoinc" />
231   <min value="1" />
232   <max value="1" />
233   <type>
234     <code value="Extension" />
235     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension">
240   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
241   <licing>
242     <discriminator>
243       <type value="value" />
244       <path value="url" />
245     </discriminator>
246     <rules value="open" />
247   </licing>
248 </element>
249 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension:content">

```

```

250     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
251     <sliceName value="content" />
252   </element>
253   <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]">
254     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
255     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]:valueString">
259     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
260     <sliceName value="valueString" />
261     <min value="1" />
262     <fixedString value="Körpergewicht in g" />
263     <mustSupport value="true" />
264   </element>
265   <element id="DiagnosticReport.code.coding:codeLoinc.userSelected">
266     <path value="DiagnosticReport.code.coding.userSelected" />
267     <max value="0" />
268   </element>
269   <element id="DiagnosticReport.code.text">
270     <path value="DiagnosticReport.code.text" />
271     <max value="0" />
272   </element>
273   <element id="DiagnosticReport.subject">
274     <path value="DiagnosticReport.subject" />
275     <min value="1" />
276     <type>
277       <code value="Reference" />
278       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
279     </type>
280     <mustSupport value="true" />
281   </element>
282   <element id="DiagnosticReport.subject.reference">
283     <path value="DiagnosticReport.subject.reference" />
284     <min value="1" />
285     <mustSupport value="true" />
286   </element>
287   <element id="DiagnosticReport.subject.type">
288     <path value="DiagnosticReport.subject.type" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.subject.identifier">
292     <path value="DiagnosticReport.subject.identifier" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.subject.display">
296     <path value="DiagnosticReport.subject.display" />
297     <max value="0" />
298   </element>
299   <element id="DiagnosticReport.encounter">
300     <path value="DiagnosticReport.encounter" />
301     <min value="1" />
302     <type>

```

```

303     <code value="Reference" />
304     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
305   </type>
306   <mustSupport value="true" />
307 </element>
308 <element id="DiagnosticReport.encounter.reference">
309   <path value="DiagnosticReport.encounter.reference" />
310   <min value="1" />
311   <mustSupport value="true" />
312 </element>
313 <element id="DiagnosticReport.encounter.type">
314   <path value="DiagnosticReport.encounter.type" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.encounter.identifier">
318   <path value="DiagnosticReport.encounter.identifier" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.encounter.display">
322   <path value="DiagnosticReport.encounter.display" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.effective[x]">
326   <path value="DiagnosticReport.effective[x]" />
327   <slicing>
328     <discriminator>
329       <type value="type" />
330       <path value="$this" />
331     </discriminator>
332     <rules value="closed" />
333   </slicing>
334   <min value="1" />
335   <type>
336     <code value="dateTime" />
337   </type>
338   <mustSupport value="true" />
339 </element>
340 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
341   <path value="DiagnosticReport.effectiveDateTime" />
342   <sliceName value="effectiveDateTime" />
343   <min value="1" />
344   <type>
345     <code value="dateTime" />
346   </type>
347   <mustSupport value="true" />
348 </element>
349 <element id="DiagnosticReport.issued">
350   <path value="DiagnosticReport.issued" />
351   <max value="0" />
352 </element>
353 <element id="DiagnosticReport.performer">
354   <path value="DiagnosticReport.performer" />
355   <max value="1" />
356   <type>
357     <code value="Reference" />
358     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Practitioner|1.0.1" />
359   </type>
360   <mustSupport value="true" />

```

```

361 </element>
362 <element id="DiagnosticReport.performer.reference">
363   <path value="DiagnosticReport.performer.reference" />
364   <min value="1" />
365   <mustSupport value="true" />
366 </element>
367 <element id="DiagnosticReport.performer.type">
368   <path value="DiagnosticReport.performer.type" />
369   <max value="0" />
370 </element>
371 <element id="DiagnosticReport.performer.identifier">
372   <path value="DiagnosticReport.performer.identifier" />
373   <max value="0" />
374 </element>
375 <element id="DiagnosticReport.performer.display">
376   <path value="DiagnosticReport.performer.display" />
377   <max value="0" />
378 </element>
379 <element id="DiagnosticReport.resultsInterpreter">
380   <path value="DiagnosticReport.resultsInterpreter" />
381   <max value="0" />
382 </element>
383 <element id="DiagnosticReport.specimen">
384   <path value="DiagnosticReport.specimen" />
385   <max value="0" />
386 </element>
387 <element id="DiagnosticReport.result">
388   <path value="DiagnosticReport.result" />
389   <max value="1" />
390   <type>
391     <code value="Reference" />
392     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Birth_Weight|1.0.1" />
393   </type>
394   <mustSupport value="true" />
395 </element>
396 <element id="DiagnosticReport.result.reference">
397   <path value="DiagnosticReport.result.reference" />
398   <min value="1" />
399   <mustSupport value="true" />
400 </element>
401 <element id="DiagnosticReport.result.type">
402   <path value="DiagnosticReport.result.type" />
403   <max value="0" />
404 </element>
405 <element id="DiagnosticReport.result.identifier">
406   <path value="DiagnosticReport.result.identifier" />
407   <max value="0" />
408 </element>
409 <element id="DiagnosticReport.result.display">
410   <path value="DiagnosticReport.result.display" />
411   <max value="0" />
412 </element>
413 <element id="DiagnosticReport.imagingStudy">
414   <path value="DiagnosticReport.imagingStudy" />
415   <max value="0" />
416 </element>
417 <element id="DiagnosticReport.media">
418   <path value="DiagnosticReport.media" />
419   <max value="0" />

```



```
420     </element>
421     <element id="DiagnosticReport.conclusion">
422       <path value="DiagnosticReport.conclusion" />
423       <max value="0" />
424     </element>
425     <element id="DiagnosticReport.conclusionCode">
426       <path value="DiagnosticReport.conclusionCode" />
427       <max value="0" />
428     </element>
429     <element id="DiagnosticReport.presentedForm">
430       <path value="DiagnosticReport.presentedForm" />
431       <max value="0" />
432     </element>
433   </differential>
434 </StructureDefinition>
```

## 224. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U1\_CONGENITAL\_MALFORMATION

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U1\_Congenital\_Malformation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U1_Congenital_Malformation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U1_Congenital_Malformation"
/>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil bildet Informationen zu angeborenen
Fehlbildungen ab." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Congenital_Malformation|1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />
84             <max value="0" />
85         </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="276654001" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Fehlbildungen:" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_Congenital_Malformation|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```



## 225. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U1\_EDEMA\_OF\_NEWBORN

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U1\_Edema\_Of\_Newborn

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_Edema_Of_Newborn" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U1_Edema_Of_Newborn" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bildet Informationen zum Ödem bei
neugeborenen Kindern ab." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Edema_Of_Newborn|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="78913002" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <fixedString value="Ödeme" />
171     <mustSupport value="true" />
172   </element>
173   <element id="DiagnosticReport.code.coding.userSelected">
174     <path value="DiagnosticReport.code.coding.userSelected" />
175     <max value="0" />
176   </element>
177   <element id="DiagnosticReport.code.text">
178     <path value="DiagnosticReport.code.text" />
179     <max value="0" />
180   </element>
181   <element id="DiagnosticReport.subject">
182     <path value="DiagnosticReport.subject" />
183     <min value="1" />
184     <type>
185       <code value="Reference" />
186       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
187     </type>
188     <mustSupport value="true" />
189   </element>
190   <element id="DiagnosticReport.subject.reference">
191     <path value="DiagnosticReport.subject.reference" />
192     <min value="1" />

```

```

193     <mustSupport value="true" />
194 </element>
195 <element id="DiagnosticReport.subject.type">
196   <path value="DiagnosticReport.subject.type" />
197   <max value="0" />
198 </element>
199 <element id="DiagnosticReport.subject.identifier">
200   <path value="DiagnosticReport.subject.identifier" />
201   <max value="0" />
202 </element>
203 <element id="DiagnosticReport.subject.display">
204   <path value="DiagnosticReport.subject.display" />
205   <max value="0" />
206 </element>
207 <element id="DiagnosticReport.encounter">
208   <path value="DiagnosticReport.encounter" />
209   <min value="1" />
210   <type>
211     <code value="Reference" />
212     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
213   </type>
214   <mustSupport value="true" />
215 </element>
216 <element id="DiagnosticReport.encounter.reference">
217   <path value="DiagnosticReport.encounter.reference" />
218   <min value="1" />
219   <mustSupport value="true" />
220 </element>
221 <element id="DiagnosticReport.encounter.type">
222   <path value="DiagnosticReport.encounter.type" />
223   <max value="0" />
224 </element>
225 <element id="DiagnosticReport.encounter.identifier">
226   <path value="DiagnosticReport.encounter.identifier" />
227   <max value="0" />
228 </element>
229 <element id="DiagnosticReport.encounter.display">
230   <path value="DiagnosticReport.encounter.display" />
231   <max value="0" />
232 </element>
233 <element id="DiagnosticReport.effective[x]">
234   <path value="DiagnosticReport.effective[x]" />
235   <slicing>
236     <discriminator>
237       <type value="type" />
238       <path value="$this" />
239     </discriminator>
240     <rules value="closed" />
241   </slicing>
242   <min value="1" />
243   <type>
244     <code value="dateTime" />
245   </type>
246   <mustSupport value="true" />
247 </element>
248 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
249   <path value="DiagnosticReport.effective[x]" />
250   <sliceName value="effectiveDateTime" />
251   <min value="1" />

```

```

252     <type>
253       <code value="dateTime" />
254     </type>
255     <mustSupport value="true" />
256   </element>
257   <element id="DiagnosticReport.issued">
258     <path value="DiagnosticReport.issued" />
259     <max value="0" />
260   </element>
261   <element id="DiagnosticReport.performer">
262     <path value="DiagnosticReport.performer" />
263     <max value="1" />
264     <type>
265       <code value="Reference" />
266       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
267     </type>
268     <mustSupport value="true" />
269   </element>
270   <element id="DiagnosticReport.performer.reference">
271     <path value="DiagnosticReport.performer.reference" />
272     <min value="1" />
273     <mustSupport value="true" />
274   </element>
275   <element id="DiagnosticReport.performer.type">
276     <path value="DiagnosticReport.performer.type" />
277     <max value="0" />
278   </element>
279   <element id="DiagnosticReport.performer.identifier">
280     <path value="DiagnosticReport.performer.identifier" />
281     <max value="0" />
282   </element>
283   <element id="DiagnosticReport.performer.display">
284     <path value="DiagnosticReport.performer.display" />
285     <max value="0" />
286   </element>
287   <element id="DiagnosticReport.resultsInterpreter">
288     <path value="DiagnosticReport.resultsInterpreter" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.specimen">
292     <path value="DiagnosticReport.specimen" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.result">
296     <path value="DiagnosticReport.result" />
297     <type>
298       <code value="Reference" />
299       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_Edema_Of_Newborn|1.0.1" />
300     </type>
301     <mustSupport value="true" />
302   </element>
303   <element id="DiagnosticReport.result.reference">
304     <path value="DiagnosticReport.result.reference" />
305     <min value="1" />
306     <mustSupport value="true" />
307   </element>
308   <element id="DiagnosticReport.result.type">
309     <path value="DiagnosticReport.result.type" />

```

```

310     <max value="0" />
311 </element>
312 <element id="DiagnosticReport.result.identifier">
313     <path value="DiagnosticReport.result.identifier" />
314     <max value="0" />
315 </element>
316 <element id="DiagnosticReport.result.display">
317     <path value="DiagnosticReport.result.display" />
318     <max value="0" />
319 </element>
320 <element id="DiagnosticReport.imagingStudy">
321     <path value="DiagnosticReport.imagingStudy" />
322     <max value="0" />
323 </element>
324 <element id="DiagnosticReport.media">
325     <path value="DiagnosticReport.media" />
326     <max value="0" />
327 </element>
328 <element id="DiagnosticReport.conclusion">
329     <path value="DiagnosticReport.conclusion" />
330     <max value="0" />
331 </element>
332 <element id="DiagnosticReport.conclusionCode">
333     <path value="DiagnosticReport.conclusionCode" />
334     <max value="0" />
335 </element>
336 <element id="DiagnosticReport.presentedForm">
337     <path value="DiagnosticReport.presentedForm" />
338     <max value="0" />
339 </element>
340 </differential>
341 </StructureDefinition>

```

## 226. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U1\_NEONATAL\_JAUNDICE

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U1\_Neonatal\_Jaundice

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_Neonatal_Jaundice" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U1_Neonatal_Jaundice" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```



```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bildet den Neugeborenenikterus ab." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_Neonatal_Jaundice|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87 <path value="DiagnosticReport.basedOn" />

```

```

88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="387712008" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />
146         <profile value="https://fhir.kbv.de/StructureDefinition/
147         KBV_EX_Base_Terminology_German" />

```

```

145     </type>
146     <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Gelbsucht" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />

```

```

195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <type>
253     <code value="dateTime" />

```

```

254     </type>
255     <mustSupport value="true" />
256 </element>
257 <element id="DiagnosticReport.issued">
258   <path value="DiagnosticReport.issued" />
259   <max value="0" />
260 </element>
261 <element id="DiagnosticReport.performer">
262   <path value="DiagnosticReport.performer" />
263   <max value="1" />
264   <type>
265     <code value="Reference" />
266     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMPractitioner|1.0.1" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="DiagnosticReport.performer.reference">
271   <path value="DiagnosticReport.performer.reference" />
272   <min value="1" />
273   <mustSupport value="true" />
274 </element>
275 <element id="DiagnosticReport.performer.type">
276   <path value="DiagnosticReport.performer.type" />
277   <max value="0" />
278 </element>
279 <element id="DiagnosticReport.performer.identifier">
280   <path value="DiagnosticReport.performer.identifier" />
281   <max value="0" />
282 </element>
283 <element id="DiagnosticReport.performer.display">
284   <path value="DiagnosticReport.performer.display" />
285   <max value="0" />
286 </element>
287 <element id="DiagnosticReport.resultsInterpreter">
288   <path value="DiagnosticReport.resultsInterpreter" />
289   <max value="0" />
290 </element>
291 <element id="DiagnosticReport.specimen">
292   <path value="DiagnosticReport.specimen" />
293   <max value="0" />
294 </element>
295 <element id="DiagnosticReport.result">
296   <path value="DiagnosticReport.result" />
297   <type>
298     <code value="Reference" />
299     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Neonatal_Jaundice|1.0.1" />
300   </type>
301   <mustSupport value="true" />
302 </element>
303 <element id="DiagnosticReport.result.reference">
304   <path value="DiagnosticReport.result.reference" />
305   <min value="1" />
306   <mustSupport value="true" />
307 </element>
308 <element id="DiagnosticReport.result.type">
309   <path value="DiagnosticReport.result.type" />
310   <max value="0" />
311 </element>

```

```
312 <element id="DiagnosticReport.result.identifier">
313   <path value="DiagnosticReport.result.identifier" />
314   <max value="0" />
315 </element>
316 <element id="DiagnosticReport.result.display">
317   <path value="DiagnosticReport.result.display" />
318   <max value="0" />
319 </element>
320 <element id="DiagnosticReport.imagingStudy">
321   <path value="DiagnosticReport.imagingStudy" />
322   <max value="0" />
323 </element>
324 <element id="DiagnosticReport.media">
325   <path value="DiagnosticReport.media" />
326   <max value="0" />
327 </element>
328 <element id="DiagnosticReport.conclusion">
329   <path value="DiagnosticReport.conclusion" />
330   <max value="0" />
331 </element>
332 <element id="DiagnosticReport.conclusionCode">
333   <path value="DiagnosticReport.conclusionCode" />
334   <max value="0" />
335 </element>
336 <element id="DiagnosticReport.presentedForm">
337   <path value="DiagnosticReport.presentedForm" />
338   <max value="0" />
339 </element>
340 </differential>
341 </StructureDefinition>
```

## 227. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U1\_TERM\_INFANT

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U1\_Term\_Infant

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_Term_Infant" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U1_Term_Infant" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die Observation bzgl. der
kindlichen Reifezeichen." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_Term_Infant|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```



```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364739001" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Reifezeichen:" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_Term_Infant|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 228. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U1\_U3\_PULSE\_OXYMETRY

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U1\_U3\_Pulse\_Oxymetry

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U1_U3_Pulse_Oxymetry" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U1_U3_Pulse_Oxymetry" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil bildet diagnostische Ergebnisse der
Pulsoxymetrie ab." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U3_Pulse_Oxymetry|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="252465000" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />

```



```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Pulsoxymetrie-Screening (Messung am Fuß)" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_U3_Pulse_Oxymetry_Measurement|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 229. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U1\_U5\_NEONATAL\_HEARSCREENING

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U1\_U5\_Neonatal\_Hearscreening

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U1_U5_Neonatal_Hearscreening" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U1_U5_Neonatal_Hearscreenin
g" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil bildet Informationen zum
Neugeborenenh rscreening ab." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U1_U5_Neonatal_Hearscreening|1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />
84             <max value="0" />
85         </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="417491009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Neugeborenen-Hörscreening" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```



```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <type>
253       <code value="dateTime" />
254     </type>
255     <mustSupport value="true" />
256   </element>
257   <element id="DiagnosticReport.issued">
258     <path value="DiagnosticReport.issued" />
259     <max value="0" />
260   </element>
261   <element id="DiagnosticReport.performer">
262     <path value="DiagnosticReport.performer" />
263     <max value="1" />
264     <type>
265       <code value="Reference" />
266       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
267     </type>
268     <mustSupport value="true" />
269   </element>
270   <element id="DiagnosticReport.performer.reference">
271     <path value="DiagnosticReport.performer.reference" />
272     <min value="1" />
273     <mustSupport value="true" />
274   </element>
275   <element id="DiagnosticReport.performer.type">
276     <path value="DiagnosticReport.performer.type" />
277     <max value="0" />
278   </element>
279   <element id="DiagnosticReport.performer.identifier">
280     <path value="DiagnosticReport.performer.identifier" />
281     <max value="0" />
282   </element>
283   <element id="DiagnosticReport.performer.display">
284     <path value="DiagnosticReport.performer.display" />
285     <max value="0" />
286   </element>
287   <element id="DiagnosticReport.resultsInterpreter">
288     <path value="DiagnosticReport.resultsInterpreter" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.specimen">
292     <path value="DiagnosticReport.specimen" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.result">
296     <path value="DiagnosticReport.result" />
297     <type>
298       <code value="Reference" />
299       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_U5_Neonatal_Hearscreening|1.0.1" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U1_U5_Counseling_About_Hearscreening|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>

```

```

309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 230. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U1\_U5\_PEDIATRIC\_DIAGNOSTIC\_AUDIOLOGY\_SERVICE

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U1\_U5\_Pediatric\_Diagnostic\_Audiology\_Service

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_
Audiology_Service" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen des Neugeborenenh rscreening." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U1_U5_Pediatric_Diagnostic_Audiology_Servi
ce|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">
83     <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="91005004" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Päaudiologische Diagnostik" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```



```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U5_Pediatric_Diagnostic_Audiology_Service|
1.0.1" />
301         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U5_Counseling_About_Hearscreening|1.0.1" />
302     </type>
303     <mustSupport value="true" />
304 </element>
305 <element id="DiagnosticReport.result.reference">

```

```

306     <path value="DiagnosticReport.result.reference" />
307     <min value="1" />
308     <mustSupport value="true" />
309 </element>
310 <element id="DiagnosticReport.result.type">
311     <path value="DiagnosticReport.result.type" />
312     <max value="0" />
313 </element>
314 <element id="DiagnosticReport.result.identifier">
315     <path value="DiagnosticReport.result.identifier" />
316     <max value="0" />
317 </element>
318 <element id="DiagnosticReport.result.display">
319     <path value="DiagnosticReport.result.display" />
320     <max value="0" />
321 </element>
322 <element id="DiagnosticReport.imagingStudy">
323     <path value="DiagnosticReport.imagingStudy" />
324     <max value="0" />
325 </element>
326 <element id="DiagnosticReport.media">
327     <path value="DiagnosticReport.media" />
328     <max value="0" />
329 </element>
330 <element id="DiagnosticReport.conclusion">
331     <path value="DiagnosticReport.conclusion" />
332     <max value="0" />
333 </element>
334 <element id="DiagnosticReport.conclusionCode">
335     <path value="DiagnosticReport.conclusionCode" />
336     <max value="0" />
337 </element>
338 <element id="DiagnosticReport.presentedForm">
339     <path value="DiagnosticReport.presentedForm" />
340     <max value="0" />
341 </element>
342 </differential>
343 </StructureDefinition>

```

## 231. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U2\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U2\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U2_Physical_Exam_Head" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Kopfes im Rahmen der U2." /
>
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_Physical_Exam_Head|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="364404000" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Kopf" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220 </element>
221 <element id="DiagnosticReport.encounter.type">
222     <path value="DiagnosticReport.encounter.type" />
223     <max value="0" />
224 </element>
225 <element id="DiagnosticReport.encounter.identifier">
226     <path value="DiagnosticReport.encounter.identifier" />
227     <max value="0" />
228 </element>
229 <element id="DiagnosticReport.encounter.display">
230     <path value="DiagnosticReport.encounter.display" />
231     <max value="0" />
232 </element>
233 <element id="DiagnosticReport.effective[x]">
234     <path value="DiagnosticReport.effective[x]" />
235     <slicing>
236         <discriminator>
237             <type value="type" />
238             <path value="$this" />
239         </discriminator>
240         <rules value="closed" />
241     </slicing>
242     <min value="1" />
243     <type>
244         <code value="dateTime" />
245     </type>
246     <mustSupport value="true" />
247 </element>
248 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
249     <path value="DiagnosticReport.effective[x]" />
250     <sliceName value="effectiveDateTime" />
251     <min value="1" />

```

```

252     <type>
253       <code value="dateTime" />
254     </type>
255     <mustSupport value="true" />
256   </element>
257   <element id="DiagnosticReport.issued">
258     <path value="DiagnosticReport.issued" />
259     <max value="0" />
260   </element>
261   <element id="DiagnosticReport.performer">
262     <path value="DiagnosticReport.performer" />
263     <max value="1" />
264     <type>
265       <code value="Reference" />
266       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
267     </type>
268     <mustSupport value="true" />
269   </element>
270   <element id="DiagnosticReport.performer.reference">
271     <path value="DiagnosticReport.performer.reference" />
272     <min value="1" />
273     <mustSupport value="true" />
274   </element>
275   <element id="DiagnosticReport.performer.type">
276     <path value="DiagnosticReport.performer.type" />
277     <max value="0" />
278   </element>
279   <element id="DiagnosticReport.performer.identifier">
280     <path value="DiagnosticReport.performer.identifier" />
281     <max value="0" />
282   </element>
283   <element id="DiagnosticReport.performer.display">
284     <path value="DiagnosticReport.performer.display" />
285     <max value="0" />
286   </element>
287   <element id="DiagnosticReport.resultsInterpreter">
288     <path value="DiagnosticReport.resultsInterpreter" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.specimen">
292     <path value="DiagnosticReport.specimen" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.result">
296     <path value="DiagnosticReport.result" />
297     <type>
298       <code value="Reference" />
299       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Head|1.0.1" />
300     </type>
301     <mustSupport value="true" />
302   </element>
303   <element id="DiagnosticReport.result.reference">
304     <path value="DiagnosticReport.result.reference" />
305     <min value="1" />
306     <mustSupport value="true" />
307   </element>
308   <element id="DiagnosticReport.result.type">
309     <path value="DiagnosticReport.result.type" />

```



```

310     <max value="0" />
311 </element>
312 <element id="DiagnosticReport.result.identifier">
313     <path value="DiagnosticReport.result.identifier" />
314     <max value="0" />
315 </element>
316 <element id="DiagnosticReport.result.display">
317     <path value="DiagnosticReport.result.display" />
318     <max value="0" />
319 </element>
320 <element id="DiagnosticReport.imagingStudy">
321     <path value="DiagnosticReport.imagingStudy" />
322     <max value="0" />
323 </element>
324 <element id="DiagnosticReport.media">
325     <path value="DiagnosticReport.media" />
326     <max value="0" />
327 </element>
328 <element id="DiagnosticReport.conclusion">
329     <path value="DiagnosticReport.conclusion" />
330     <max value="0" />
331 </element>
332 <element id="DiagnosticReport.conclusionCode">
333     <path value="DiagnosticReport.conclusionCode" />
334     <max value="0" />
335 </element>
336 <element id="DiagnosticReport.presentedForm">
337     <path value="DiagnosticReport.presentedForm" />
338     <max value="0" />
339 </element>
340 </differential>
341 </StructureDefinition>

```

## 232. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U2\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U2\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U2_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U2_Physical_Exam_Mouth_Nose
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und Nase
im Rahmen der U2." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRO_Diagnostic_Report_U2_Physical_Exam_Mouth_Nose|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="271914002+364111005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>

```

```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Mundhöhle, Kiefer, Nase" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">

```

```

192     <path value="DiagnosticReport.subject.reference" />
193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />

```

```

251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Mouth_Nose|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>

```

```

309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```



## 233. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U2\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U2\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_Physical_Exam_Musculoskeletal_System" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U2_Physical_Exam_Musculoske
letal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats im Rahmen
der U2." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_Physical_Exam_Musculoskeletal_System|
1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```

```

83     <path value="DiagnosticReport.identifizier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119     <path value="DiagnosticReport.code.coding.code" />
120     <min value="1" />
121     <fixedCode value="106029005" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124     <path value="DiagnosticReport.code.coding.display" />
125     <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128     <path value="DiagnosticReport.code.coding.display.extension" />
129     <slicing>
130         <discriminator>
131             <type value="value" />
132             <path value="url" />
133         </discriminator>
134         <rules value="open" />
135     </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138     <path value="DiagnosticReport.code.coding.display.extension" />
139     <sliceName value="anzeigenameCodeSnomed" />
140     <min value="1" />

```

```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```

```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```

```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U2_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 234. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U2\_PHYSICAL\_EXAM\_SKIN

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U2\_Physical\_Exam\_Skin

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U2_Physical_Exam_Skin" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U2_Physical_Exam_Skin" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```



```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Haut im Rahmen der U2." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U2_Physical_Exam_Skin|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117 version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364528001" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Haut" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U2_Physical_Exam_Skin|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 235. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U2\_U3\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U2\_U3\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U3_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U2_U3_Physical_Exam_Abdomen
_U3_Physical_Exam_Abdomen_Genitals" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale
im Rahmen der U2 und U3." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U3_Physical_Exam_Abdomen_Genitals|
1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />

```



```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364446009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Abdomen, Genitale (inkl. Analregion)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U2_U3_Physical_Exam_Abdomen_Genitals|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />

```

```
308 </element>
309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>
```

## 236. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U2\_U3\_PHYSICAL\_EXAM\_EARS

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U2\_U3\_Physical\_Exam\_Ears

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U2_U3_Physical_Exam_Ears" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U2_U3_Physical_Exam_Ears" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der körperlichen Untersuchung der Ohren im Rahmen der U2 und
U3." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRO_Diagnostic_Report_U2_U3_Physical_Exam_Ears|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117  version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="363991003" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139  CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>

```



```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Ohren" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">

```

```

192     <path value="DiagnosticReport.subject.reference" />
193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />

```

```

251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U3_Physical_Exam_Ears|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>

```

```

309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 237. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U2\_U3\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U2\_U3\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U3_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U2_U3_Physical_Exam_Eyes" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen im Rahmen der U2 und
U3." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRO_Diagnostic_Report_U2_U3_Physical_Exam_Eyes|1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />
84             <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="414174009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>

```

```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146 </element>
147   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
148     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
149     <slicing>
150       <discriminator>
151         <type value="value" />
152         <path value="url" />
153       </discriminator>
154       <rules value="open" />
155     </slicing>
156   </element>
157   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
158     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
159     <sliceName value="content" />
160   </element>
161   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
162     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
163     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
164     <mustSupport value="true" />
165   </element>
166   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
167     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
168     <sliceName value="valueString" />
169     <min value="1" />
170     <fixedString value="Augen" />
171     <mustSupport value="true" />
172   </element>
173   <element id="DiagnosticReport.code.coding.userSelected">
174     <path value="DiagnosticReport.code.coding.userSelected" />
175     <max value="0" />
176   </element>
177   <element id="DiagnosticReport.code.text">
178     <path value="DiagnosticReport.code.text" />
179     <max value="0" />
180   </element>
181   <element id="DiagnosticReport.subject">
182     <path value="DiagnosticReport.subject" />
183     <min value="1" />
184     <type>
185       <code value="Reference" />
186       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
187     </type>
188     <mustSupport value="true" />
189   </element>
190   <element id="DiagnosticReport.subject.reference">
191     <path value="DiagnosticReport.subject.reference" />

```



```

192     <min value="1" />
193     <mustSupport value="true" />
194 </element>
195 <element id="DiagnosticReport.subject.type">
196     <path value="DiagnosticReport.subject.type" />
197     <max value="0" />
198 </element>
199 <element id="DiagnosticReport.subject.identifier">
200     <path value="DiagnosticReport.subject.identifier" />
201     <max value="0" />
202 </element>
203 <element id="DiagnosticReport.subject.display">
204     <path value="DiagnosticReport.subject.display" />
205     <max value="0" />
206 </element>
207 <element id="DiagnosticReport.encounter">
208     <path value="DiagnosticReport.encounter" />
209     <min value="1" />
210     <type>
211         <code value="Reference" />
212         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
213     </type>
214     <mustSupport value="true" />
215 </element>
216 <element id="DiagnosticReport.encounter.reference">
217     <path value="DiagnosticReport.encounter.reference" />
218     <min value="1" />
219     <mustSupport value="true" />
220 </element>
221 <element id="DiagnosticReport.encounter.type">
222     <path value="DiagnosticReport.encounter.type" />
223     <max value="0" />
224 </element>
225 <element id="DiagnosticReport.encounter.identifier">
226     <path value="DiagnosticReport.encounter.identifier" />
227     <max value="0" />
228 </element>
229 <element id="DiagnosticReport.encounter.display">
230     <path value="DiagnosticReport.encounter.display" />
231     <max value="0" />
232 </element>
233 <element id="DiagnosticReport.effective[x]">
234     <path value="DiagnosticReport.effective[x]" />
235     <slicing>
236         <discriminator>
237             <type value="type" />
238             <path value="$this" />
239         </discriminator>
240         <rules value="closed" />
241     </slicing>
242     <min value="1" />
243     <type>
244         <code value="dateTime" />
245     </type>
246     <mustSupport value="true" />
247 </element>
248 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
249     <path value="DiagnosticReport.effective[x]" />
250     <sliceName value="effectiveDateTime" />

```

```

251     <min value="1" />
252     <type>
253       <code value="dateTime" />
254     </type>
255     <mustSupport value="true" />
256   </element>
257   <element id="DiagnosticReport.issued">
258     <path value="DiagnosticReport.issued" />
259     <max value="0" />
260   </element>
261   <element id="DiagnosticReport.performer">
262     <path value="DiagnosticReport.performer" />
263     <max value="1" />
264     <type>
265       <code value="Reference" />
266       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
267     </type>
268     <mustSupport value="true" />
269   </element>
270   <element id="DiagnosticReport.performer.reference">
271     <path value="DiagnosticReport.performer.reference" />
272     <min value="1" />
273     <mustSupport value="true" />
274   </element>
275   <element id="DiagnosticReport.performer.type">
276     <path value="DiagnosticReport.performer.type" />
277     <max value="0" />
278   </element>
279   <element id="DiagnosticReport.performer.identifier">
280     <path value="DiagnosticReport.performer.identifier" />
281     <max value="0" />
282   </element>
283   <element id="DiagnosticReport.performer.display">
284     <path value="DiagnosticReport.performer.display" />
285     <max value="0" />
286   </element>
287   <element id="DiagnosticReport.resultsInterpreter">
288     <path value="DiagnosticReport.resultsInterpreter" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.specimen">
292     <path value="DiagnosticReport.specimen" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.result">
296     <path value="DiagnosticReport.result" />
297     <type>
298       <code value="Reference" />
299       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U2_U3_Physical_Exam_Eyes|1.0.1" />
300     </type>
301     <mustSupport value="true" />
302   </element>
303   <element id="DiagnosticReport.result.reference">
304     <path value="DiagnosticReport.result.reference" />
305     <min value="1" />
306     <mustSupport value="true" />
307   </element>
308   <element id="DiagnosticReport.result.type">

```

```

309     <path value="DiagnosticReport.result.type" />
310     <max value="0" />
311 </element>
312 <element id="DiagnosticReport.result.identifier">
313     <path value="DiagnosticReport.result.identifier" />
314     <max value="0" />
315 </element>
316 <element id="DiagnosticReport.result.display">
317     <path value="DiagnosticReport.result.display" />
318     <max value="0" />
319 </element>
320 <element id="DiagnosticReport.imagingStudy">
321     <path value="DiagnosticReport.imagingStudy" />
322     <max value="0" />
323 </element>
324 <element id="DiagnosticReport.media">
325     <path value="DiagnosticReport.media" />
326     <max value="0" />
327 </element>
328 <element id="DiagnosticReport.conclusion">
329     <path value="DiagnosticReport.conclusion" />
330     <max value="0" />
331 </element>
332 <element id="DiagnosticReport.conclusionCode">
333     <path value="DiagnosticReport.conclusionCode" />
334     <max value="0" />
335 </element>
336 <element id="DiagnosticReport.presentedForm">
337     <path value="DiagnosticReport.presentedForm" />
338     <max value="0" />
339 </element>
340 </differential>
341 </StructureDefinition>

```

238. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U2\_U4\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U2\_U4\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U4_Physical_Exam_Chest_Lung_Respiratory
_Tract" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U2_U4_Physical_Exam_Chest_L
ung_Respiratory_Tract" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />

```

```

27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Thorax und Atemwegen im
Rahmen der U2 bis U4." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U4_Physical_Exam_Chest_Lung_Respiratory
_Tract|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>

```

```

82 <element id="DiagnosticReport.identifrier">
83   <path value="DiagnosticReport.identifrier" />
84   <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119   <path value="DiagnosticReport.code.coding.code" />
120   <min value="1" />
121   <fixedCode value="364048003" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124   <path value="DiagnosticReport.code.coding.display" />
125   <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128   <path value="DiagnosticReport.code.coding.display.extension" />
129   <slicing>
130     <discriminator>
131       <type value="value" />
132       <path value="url" />
133     </discriminator>
134     <rules value="open" />
135   </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
138 CodeSnomed">
138   <path value="DiagnosticReport.code.coding.display.extension" />
139   <sliceName value="anzeigenameCodeSnomed" />

```

```

140     <min value="1" />
141     <max value="1" />
142     <type>
143         <code value="Extension" />
144         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151         <discriminator>
152             <type value="value" />
153             <path value="url" />
154         </discriminator>
155         <rules value="open" />
156     </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Thorax, Lunge, Atemwege" />
172     <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186         <code value="Reference" />
187         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>

```

```

189     <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />

```



```

248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract
|1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">

```

```

305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 239. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U2\_U6\_BODY\_MEASURES

### KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U2\_U6\_Body\_Measures

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U2_U6_Body_Measures" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U2_U6_Body_Measures" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />
27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29   </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der Körpermaße." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U6_Body_Measures|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <slicing>
105         <discriminator>
106             <type value="value" />
107             <path value="system" />
108         </discriminator>
109         <rules value="closed" />
110     </slicing>
111     <min value="2" />
112     <max value="2" />
113     <mustSupport value="true" />
114 </element>
115 <element id="DiagnosticReport.code.coding:codeSnomed">
116     <path value="DiagnosticReport.code.coding" />
117     <sliceName value="codeSnomed" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="DiagnosticReport.code.coding:codeSnomed.system">
123     <path value="DiagnosticReport.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="DiagnosticReport.code.coding:codeSnomed.version">
128     <path value="DiagnosticReport.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
131     version/20210131" />
132 </element>
133 <element id="DiagnosticReport.code.coding:codeSnomed.code">
134     <path value="DiagnosticReport.code.coding.code" />
135     <min value="1" />
136     <fixedCode value="248326004" />
137 </element>
138 <element id="DiagnosticReport.code.coding:codeSnomed.display">
139     <path value="DiagnosticReport.code.coding.display" />
140     <min value="1" />
141 </element>
142 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension">
143     <path value="DiagnosticReport.code.coding.display.extension" />
144     <slicing>
145         <discriminator>

```

```

146         <path value="url" />
147     </discriminator>
148     <rules value="open" />
149 </slicing>
150 </element>
151 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed">
152     <path value="DiagnosticReport.code.coding.display.extension" />
153     <sliceName value="anzeigenameCodeSnomed" />
154     <min value="1" />
155     <max value="1" />
156     <type>
157         <code value="Extension" />
158         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159     </type>
160     <mustSupport value="true" />
161 </element>
162 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
164     <slicing>
165         <discriminator>
166             <type value="value" />
167             <path value="url" />
168         </discriminator>
169         <rules value="open" />
170     </slicing>
171 </element>
172 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content">
173     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
174     <sliceName value="content" />
175 </element>
176 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]">
177     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
178     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
179     <mustSupport value="true" />
180 </element>
181 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]:valueString">
182     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
183     <sliceName value="valueString" />
184     <min value="1" />
185     <fixedString value="Körpermaße:" />
186     <mustSupport value="true" />
187 </element>
188 <element id="DiagnosticReport.code.coding:codeSnomed.userSelected">
189     <path value="DiagnosticReport.code.coding.userSelected" />
190     <max value="0" />
191 </element>
192 <element id="DiagnosticReport.code.coding:codeLoinc">
193     <path value="DiagnosticReport.code.coding" />
194     <sliceName value="codeLoinc" />

```

```

195     <min value="1" />
196     <max value="1" />
197     <mustSupport value="true" />
198 </element>
199 <element id="DiagnosticReport.code.coding:codeLoinc.system">
200   <path value="DiagnosticReport.code.coding.system" />
201   <min value="1" />
202   <fixedUri value="http://loinc.org" />
203 </element>
204 <element id="DiagnosticReport.code.coding:codeLoinc.version">
205   <path value="DiagnosticReport.code.coding.version" />
206   <min value="1" />
207   <fixedString value="2.69" />
208 </element>
209 <element id="DiagnosticReport.code.coding:codeLoinc.code">
210   <path value="DiagnosticReport.code.coding.code" />
211   <min value="1" />
212   <fixedCode value="29275-5" />
213 </element>
214 <element id="DiagnosticReport.code.coding:codeLoinc.display">
215   <path value="DiagnosticReport.code.coding.display" />
216   <min value="1" />
217 </element>
218 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension">
219   <path value="DiagnosticReport.code.coding.display.extension" />
220   <licing>
221     <discriminator>
222       <type value="value" />
223       <path value="url" />
224     </discriminator>
225     <rules value="open" />
226   </licing>
227 </element>
228 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
anzeigenameCodeLoinc">
229   <path value="DiagnosticReport.code.coding.display.extension" />
230   <sliceName value="anzeigenameCodeLoinc" />
231   <min value="1" />
232   <max value="1" />
233   <type>
234     <code value="Extension" />
235     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
anzeigenameCodeLoinc.extension">
240   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
241   <licing>
242     <discriminator>
243       <type value="value" />
244       <path value="url" />
245     </discriminator>
246     <rules value="open" />
247   </licing>
248 </element>
249 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
anzeigenameCodeLoinc.extension:content">

```

```

250     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
251     <sliceName value="content" />
252   </element>
253   <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension:content.value[x]">
254     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
255     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension:content.value[x]:valueString">
259     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
260     <sliceName value="valueString" />
261     <min value="1" />
262     <fixedString value="Körpermaße:" />
263     <mustSupport value="true" />
264   </element>
265   <element id="DiagnosticReport.code.coding:codeLoinc.userSelected">
266     <path value="DiagnosticReport.code.coding.userSelected" />
267     <max value="0" />
268   </element>
269   <element id="DiagnosticReport.code.text">
270     <path value="DiagnosticReport.code.text" />
271     <max value="0" />
272   </element>
273   <element id="DiagnosticReport.subject">
274     <path value="DiagnosticReport.subject" />
275     <min value="1" />
276     <type>
277       <code value="Reference" />
278       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
279     </type>
280     <mustSupport value="true" />
281   </element>
282   <element id="DiagnosticReport.subject.reference">
283     <path value="DiagnosticReport.subject.reference" />
284     <min value="1" />
285     <mustSupport value="true" />
286   </element>
287   <element id="DiagnosticReport.subject.type">
288     <path value="DiagnosticReport.subject.type" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.subject.identifier">
292     <path value="DiagnosticReport.subject.identifier" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.subject.display">
296     <path value="DiagnosticReport.subject.display" />
297     <max value="0" />
298   </element>
299   <element id="DiagnosticReport.encounter">
300     <path value="DiagnosticReport.encounter" />
301     <min value="1" />
302     <type>

```



```

303     <code value="Reference" />
304     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
305   </type>
306   <mustSupport value="true" />
307 </element>
308 <element id="DiagnosticReport.encounter.reference">
309   <path value="DiagnosticReport.encounter.reference" />
310   <min value="1" />
311   <mustSupport value="true" />
312 </element>
313 <element id="DiagnosticReport.encounter.type">
314   <path value="DiagnosticReport.encounter.type" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.encounter.identifier">
318   <path value="DiagnosticReport.encounter.identifier" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.encounter.display">
322   <path value="DiagnosticReport.encounter.display" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.effective[x]">
326   <path value="DiagnosticReport.effective[x]" />
327   <slicing>
328     <discriminator>
329       <type value="type" />
330       <path value="$this" />
331     </discriminator>
332     <rules value="closed" />
333   </slicing>
334   <min value="1" />
335   <type>
336     <code value="dateTime" />
337   </type>
338   <mustSupport value="true" />
339 </element>
340 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
341   <path value="DiagnosticReport.effective[x]" />
342   <sliceName value="effectiveDateTime" />
343   <min value="1" />
344   <type>
345     <code value="dateTime" />
346   </type>
347   <mustSupport value="true" />
348 </element>
349 <element id="DiagnosticReport.issued">
350   <path value="DiagnosticReport.issued" />
351   <max value="0" />
352 </element>
353 <element id="DiagnosticReport.performer">
354   <path value="DiagnosticReport.performer" />
355   <max value="1" />
356   <type>
357     <code value="Reference" />
358     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
359   </type>
360   <mustSupport value="true" />

```

```

361 </element>
362 <element id="DiagnosticReport.performer.reference">
363   <path value="DiagnosticReport.performer.reference" />
364   <min value="1" />
365   <mustSupport value="true" />
366 </element>
367 <element id="DiagnosticReport.performer.type">
368   <path value="DiagnosticReport.performer.type" />
369   <max value="0" />
370 </element>
371 <element id="DiagnosticReport.performer.identifier">
372   <path value="DiagnosticReport.performer.identifier" />
373   <max value="0" />
374 </element>
375 <element id="DiagnosticReport.performer.display">
376   <path value="DiagnosticReport.performer.display" />
377   <max value="0" />
378 </element>
379 <element id="DiagnosticReport.resultsInterpreter">
380   <path value="DiagnosticReport.resultsInterpreter" />
381   <max value="0" />
382 </element>
383 <element id="DiagnosticReport.specimen">
384   <path value="DiagnosticReport.specimen" />
385   <max value="0" />
386 </element>
387 <element id="DiagnosticReport.result">
388   <path value="DiagnosticReport.result" />
389   <type>
390     <code value="Reference" />
391     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U9_Body_Height_Measure|1.0.1" />
392     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_Head_Circumference|1.0.1" />
393     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U6_Body_Weight|1.0.1" />
394   </type>
395   <mustSupport value="true" />
396 </element>
397 <element id="DiagnosticReport.result.reference">
398   <path value="DiagnosticReport.result.reference" />
399   <min value="1" />
400   <mustSupport value="true" />
401 </element>
402 <element id="DiagnosticReport.result.type">
403   <path value="DiagnosticReport.result.type" />
404   <max value="0" />
405 </element>
406 <element id="DiagnosticReport.result.identifier">
407   <path value="DiagnosticReport.result.identifier" />
408   <max value="0" />
409 </element>
410 <element id="DiagnosticReport.result.display">
411   <path value="DiagnosticReport.result.display" />
412   <max value="0" />
413 </element>
414 <element id="DiagnosticReport.imagingStudy">
415   <path value="DiagnosticReport.imagingStudy" />
416   <max value="0" />
417 </element>

```

```
418 <element id="DiagnosticReport.media">
419   <path value="DiagnosticReport.media" />
420   <max value="0" />
421 </element>
422 <element id="DiagnosticReport.conclusion">
423   <path value="DiagnosticReport.conclusion" />
424   <max value="0" />
425 </element>
426 <element id="DiagnosticReport.conclusionCode">
427   <path value="DiagnosticReport.conclusionCode" />
428   <max value="0" />
429 </element>
430 <element id="DiagnosticReport.presentedForm">
431   <path value="DiagnosticReport.presentedForm" />
432   <max value="0" />
433 </element>
434 </differential>
435 </StructureDefinition>
```

## 240. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U2\_U6\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION

### KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U2\_U6\_Physical\_Exam\_Heart\_Blood\_Circulation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Herz-Kreislaufsystems im
Rahmen der U2." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U2_U6_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```

```

83     <path value="DiagnosticReport.identifier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364066008" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />

```

```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Herz, Kreislauf" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```

```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```



```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U2_U6_Physical_Exam_Heart_Blood_Circulation|
1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 241. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U3\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U3\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U3_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U3_Physical_Exam_Head" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Kopfes im Rahmen der U3." /
>
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_Physical_Exam_Head|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="364404000" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Kopf" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U3_Physical_Exam_Head|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```



```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 242. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U3\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U3\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U3_Physical_Exam_Musculoskeletal_System" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U3_Physical_Exam_Musculoske
letal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_Physical_Exam_Musculoskeletal_System|
1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">
83     <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="106029005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMР_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U3_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />

```

```

307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```



## 243. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U3\_U4\_HIP\_SCREENING

### KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U3\_U4\_Hip\_Screening

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U3_U4_Hip_Screening" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U3_U4_Hip_Screening" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der Hüftgelenksuntersuchung." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_U4_Hip_Screening1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <slicing>
105         <discriminator>
106             <type value="value" />
107             <path value="system" />
108         </discriminator>
109         <rules value="closed" />
110     </slicing>
111     <min value="2" />
112     <max value="2" />
113     <mustSupport value="true" />
114 </element>
115 <element id="DiagnosticReport.code.coding:codeLoinc">
116     <path value="DiagnosticReport.code.coding" />
117     <sliceName value="codeLoinc" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="DiagnosticReport.code.coding:codeLoinc.system">
123     <path value="DiagnosticReport.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://loinc.org" />
126 </element>
127 <element id="DiagnosticReport.code.coding:codeLoinc.version">
128     <path value="DiagnosticReport.code.coding.version" />
129     <min value="1" />
130     <fixedString value="2.69" />
131 </element>
132 <element id="DiagnosticReport.code.coding:codeLoinc.code">
133     <path value="DiagnosticReport.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="30711-6" />
136 </element>
137 <element id="DiagnosticReport.code.coding:codeLoinc.display">
138     <path value="DiagnosticReport.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension">
142     <path value="DiagnosticReport.code.coding.display.extension" />
143     <slicing>
144         <discriminator>
145             <type value="value" />
146             <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenamenCodeLoinc">
152   <path value="DiagnosticReport.code.coding.display.extension" />
153   <sliceName value="anzeigenamenCodeLoinc" />
154   <min value="1" />
155   <max value="1" />
156   <type>
157     <code value="Extension" />
158     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159   </type>
160   <mustSupport value="true" />
161 </element>
162 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenamenCodeLoinc.extension">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
164   <slicing>
165     <discriminator>
166       <type value="value" />
167       <path value="url" />
168     </discriminator>
169     <rules value="open" />
170   </slicing>
171 </element>
172 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenamenCodeLoinc.extension:content">
173   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
174   <sliceName value="content" />
175 </element>
176 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenamenCodeLoinc.extension:content.value[x]">
177   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
178   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
179   <mustSupport value="true" />
180 </element>
181 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenamenCodeLoinc.extension:content.value[x]:valueString">
182   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
183   <sliceName value="valueString" />
184   <min value="1" />
185   <fixedString value="Hüftsonographie:" />
186   <mustSupport value="true" />
187 </element>
188 <element id="DiagnosticReport.code.coding:codeLoinc.userSelected">
189   <path value="DiagnosticReport.code.coding.userSelected" />
190   <max value="0" />
191 </element>
192 <element id="DiagnosticReport.code.coding:codeSnomed">
193   <path value="DiagnosticReport.code.coding" />
194   <sliceName value="codeSnomed" />
195   <min value="1" />

```

```

196     <max value="1" />
197     <mustSupport value="true" />
198 </element>
199 <element id="DiagnosticReport.code.coding:codeSnomed.system">
200   <path value="DiagnosticReport.code.coding.system" />
201   <min value="1" />
202   <fixedUri value="http://snomed.info/sct" />
203 </element>
204 <element id="DiagnosticReport.code.coding:codeSnomed.version">
205   <path value="DiagnosticReport.code.coding.version" />
206   <min value="1" />
207   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
208 </element>
209 <element id="DiagnosticReport.code.coding:codeSnomed.code">
210   <path value="DiagnosticReport.code.coding.code" />
211   <min value="1" />
212   <fixedCode value="241503003" />
213 </element>
214 <element id="DiagnosticReport.code.coding:codeSnomed.display">
215   <path value="DiagnosticReport.code.coding.display" />
216   <min value="1" />
217 </element>
218 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension">
219   <path value="DiagnosticReport.code.coding.display.extension" />
220   <slicing>
221     <discriminator>
222       <type value="value" />
223       <path value="url" />
224     </discriminator>
225     <rules value="open" />
226   </slicing>
227 </element>
228 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigennameCodeSnomed">
229   <path value="DiagnosticReport.code.coding.display.extension" />
230   <sliceName value="anzeigennameCodeSnomed" />
231   <min value="1" />
232   <max value="1" />
233   <type>
234     <code value="Extension" />
235     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigennameCodeSnomed.extension">
240   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
241   <slicing>
242     <discriminator>
243       <type value="value" />
244       <path value="url" />
245     </discriminator>
246     <rules value="open" />
247   </slicing>
248 </element>
249 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigennameCodeSnomed.extension:content">

```

```

250     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
251     <sliceName value="content" />
252   </element>
253   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]">
254     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
255     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]:valueString">
259     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
260     <sliceName value="valueString" />
261     <min value="1" />
262     <fixedString value="Hüftsonographie:" />
263     <mustSupport value="true" />
264   </element>
265   <element id="DiagnosticReport.code.coding:codeSnomed.userSelected">
266     <path value="DiagnosticReport.code.coding.userSelected" />
267     <max value="0" />
268   </element>
269   <element id="DiagnosticReport.code.text">
270     <path value="DiagnosticReport.code.text" />
271     <max value="0" />
272   </element>
273   <element id="DiagnosticReport.subject">
274     <path value="DiagnosticReport.subject" />
275     <min value="1" />
276     <type>
277       <code value="Reference" />
278       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
279     </type>
280     <mustSupport value="true" />
281   </element>
282   <element id="DiagnosticReport.subject.reference">
283     <path value="DiagnosticReport.subject.reference" />
284     <min value="1" />
285     <mustSupport value="true" />
286   </element>
287   <element id="DiagnosticReport.subject.type">
288     <path value="DiagnosticReport.subject.type" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.subject.identifier">
292     <path value="DiagnosticReport.subject.identifier" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.subject.display">
296     <path value="DiagnosticReport.subject.display" />
297     <max value="0" />
298   </element>
299   <element id="DiagnosticReport.encounter">
300     <path value="DiagnosticReport.encounter" />
301     <min value="1" />
302     <type>

```

```

303     <code value="Reference" />
304     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
305   </type>
306   <mustSupport value="true" />
307 </element>
308 <element id="DiagnosticReport.encounter.reference">
309   <path value="DiagnosticReport.encounter.reference" />
310   <min value="1" />
311   <mustSupport value="true" />
312 </element>
313 <element id="DiagnosticReport.encounter.type">
314   <path value="DiagnosticReport.encounter.type" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.encounter.identifier">
318   <path value="DiagnosticReport.encounter.identifier" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.encounter.display">
322   <path value="DiagnosticReport.encounter.display" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.effective[x]">
326   <path value="DiagnosticReport.effective[x]" />
327   <slicing>
328     <discriminator>
329       <type value="type" />
330       <path value="$this" />
331     </discriminator>
332     <rules value="closed" />
333   </slicing>
334   <min value="1" />
335   <type>
336     <code value="dateTime" />
337   </type>
338   <mustSupport value="true" />
339 </element>
340 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
341   <path value="DiagnosticReport.effectiveDateTime" />
342   <sliceName value="effectiveDateTime" />
343   <min value="1" />
344   <type>
345     <code value="dateTime" />
346   </type>
347   <mustSupport value="true" />
348 </element>
349 <element id="DiagnosticReport.issued">
350   <path value="DiagnosticReport.issued" />
351   <max value="0" />
352 </element>
353 <element id="DiagnosticReport.performer">
354   <path value="DiagnosticReport.performer" />
355   <max value="1" />
356   <type>
357     <code value="Reference" />
358     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Practitioner|1.0.1" />
359   </type>
360   <mustSupport value="true" />

```

```

361 </element>
362 <element id="DiagnosticReport.performer.reference">
363   <path value="DiagnosticReport.performer.reference" />
364   <min value="1" />
365   <mustSupport value="true" />
366 </element>
367 <element id="DiagnosticReport.performer.type">
368   <path value="DiagnosticReport.performer.type" />
369   <max value="0" />
370 </element>
371 <element id="DiagnosticReport.performer.identifier">
372   <path value="DiagnosticReport.performer.identifier" />
373   <max value="0" />
374 </element>
375 <element id="DiagnosticReport.performer.display">
376   <path value="DiagnosticReport.performer.display" />
377   <max value="0" />
378 </element>
379 <element id="DiagnosticReport.resultsInterpreter">
380   <path value="DiagnosticReport.resultsInterpreter" />
381   <max value="0" />
382 </element>
383 <element id="DiagnosticReport.specimen">
384   <path value="DiagnosticReport.specimen" />
385   <max value="0" />
386 </element>
387 <element id="DiagnosticReport.result">
388   <path value="DiagnosticReport.result" />
389   <type>
390     <code value="Reference" />
391     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U4_Hip_Screening_Result|1.0.1" />
392   </type>
393   <mustSupport value="true" />
394 </element>
395 <element id="DiagnosticReport.result.reference">
396   <path value="DiagnosticReport.result.reference" />
397   <min value="1" />
398   <mustSupport value="true" />
399 </element>
400 <element id="DiagnosticReport.result.type">
401   <path value="DiagnosticReport.result.type" />
402   <max value="0" />
403 </element>
404 <element id="DiagnosticReport.result.identifier">
405   <path value="DiagnosticReport.result.identifier" />
406   <max value="0" />
407 </element>
408 <element id="DiagnosticReport.result.display">
409   <path value="DiagnosticReport.result.display" />
410   <max value="0" />
411 </element>
412 <element id="DiagnosticReport.imagingStudy">
413   <path value="DiagnosticReport.imagingStudy" />
414   <max value="0" />
415 </element>
416 <element id="DiagnosticReport.media">
417   <path value="DiagnosticReport.media" />
418   <max value="0" />
419 </element>

```



```
420     <element id="DiagnosticReport.conclusion">
421       <path value="DiagnosticReport.conclusion" />
422       <max value="0" />
423     </element>
424     <element id="DiagnosticReport.conclusionCode">
425       <path value="DiagnosticReport.conclusionCode" />
426       <max value="0" />
427     </element>
428     <element id="DiagnosticReport.presentedForm">
429       <path value="DiagnosticReport.presentedForm" />
430       <max value="0" />
431     </element>
432   </differential>
433 </StructureDefinition>
```

## 244. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U3\_U4\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U3\_U4\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U3_U4_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U3_U4_Physical_Exam_Mouth_N
ose" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und
Nase." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRO_Diagnostic_Report_U3_U4_Physical_Exam_Mouth_Nose|1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />
84             <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119   <path value="DiagnosticReport.code.coding.code" />
120   <min value="1" />
121   <fixedCode value="271914002+364111005" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124   <path value="DiagnosticReport.code.coding.display" />
125   <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128   <path value="DiagnosticReport.code.coding.display.extension" />
129   <slicing>
130     <discriminator>
131       <type value="value" />
132       <path value="url" />
133     </discriminator>
134     <rules value="open" />
135   </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138   <path value="DiagnosticReport.code.coding.display.extension" />
139   <sliceName value="anzeigenameCodeSnomed" />
140   <min value="1" />
141   <max value="1" />
142   <type>

```

```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Mundhöhle, Kiefer, Nase" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">

```

```

192     <path value="DiagnosticReport.subject.reference" />
193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />

```

```

251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Physical_Exam_Mouth_Nose|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>

```

```
309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>
```



## 245. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U3\_U4\_PHYSICAL\_EXAM\_SKIN

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U3\_U4\_Physical\_Exam\_Skin

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U3_U4_Physical_Exam_Skin" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U3_U4_Physical_Exam_Skin" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Haut." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U3_U4_Physical_Exam_Skin|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100   <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="364528001" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139   CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Haut" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U3_U4_Physical_Exam_Skin|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 246. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U4\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U4\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U4_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U4_Physical_Exam_Abdomen_Ge
nitals" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```



```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale
im Rahmen der U4." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U4_Physical_Exam_Abdomen_Genitals|1.0.1" /
>
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364446009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Abdomen, Genitale (inkl. Analregion)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMР_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Physical_Exam_Abdomen_Genitals|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />

```

```

308 </element>
309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 247. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U4\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U4\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U4_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U4_Physical_Exam_Head" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Kopfes im Rahmen der U4." /
>
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U4_Physical_Exam_Head|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```



```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="364404000" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Kopf" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U4_Physical_Exam_Head|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 248. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U4\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U4\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U4_Physical_Exam_Musculoskeletal_System" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U4_Physical_Exam_Musculoske
letal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats im Rahmen
der U4." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U4_Physical_Exam_Musculoskeletal_System|
1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```

```

83     <path value="DiagnosticReport.identifier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="106029005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />

```



```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```

```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```

```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMPractitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 249. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U4\_U5\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U4\_U5\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U4_U5_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U4_U5_Physical_Exam_Eyes" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U4_U5_Physical_Exam_Eyes|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117  version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="414174009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139  CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Augen" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```



```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U4_U5_Physical_Exam_Eyes|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 250. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U5\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U5\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U5_Physical_Exam_Chest_Lung_Respiratory_Tr
act" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U5_Physical_Exam_Chest_Lung
_Respiratory_Tract" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Thorax und der Atemwege im
Rahmen der U5." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_Physical_Exam_Chest_Lung_Respiratory_Tr
act|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```

```

83     <path value="DiagnosticReport.identifier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119     <path value="DiagnosticReport.code.coding.code" />
120     <min value="1" />
121     <fixedCode value="364048003" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124     <path value="DiagnosticReport.code.coding.display" />
125     <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128     <path value="DiagnosticReport.code.coding.display.extension" />
129     <licing>
130         <discriminator>
131             <type value="value" />
132             <path value="url" />
133         </discriminator>
134         <rules value="open" />
135     </licing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138     <path value="DiagnosticReport.code.coding.display.extension" />
139     <sliceName value="anzeigenameCodeSnomed" />
140     <min value="1" />

```

```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Thorax, Lunge, Atemwege" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```

```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```



```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_Physical_Exam_Chest_Lung_Respiratory_Tract|
1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 251. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U5\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U5\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U5_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U5_Physical_Exam_Mouth_Nose
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und
Nase." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRO_Diagnostic_Report_U5_Physical_Exam_Mouth_Nose|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="271914002+364111005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>

```

```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Mundhöhle, Kiefer, Nase" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">

```

```

192     <path value="DiagnosticReport.subject.reference" />
193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />

```

```

251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U5_Physical_Exam_Mouth_Nose|1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />
306   <min value="1" />
307   <mustSupport value="true" />
308 </element>

```



```
309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>
```

## 252. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U5\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U5\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U5_Physical_Exam_Musculoskeletal_System" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U5_Physical_Exam_Musculoske
letal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats im Rahmen
der U5." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U5_Physical_Exam_Musculoskeletal_System|
1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```

```

83     <path value="DiagnosticReport.identifier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119     <path value="DiagnosticReport.code.coding.code" />
120     <min value="1" />
121     <fixedCode value="106029005" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124     <path value="DiagnosticReport.code.coding.display" />
125     <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128     <path value="DiagnosticReport.code.coding.display.extension" />
129     <licing>
130         <discriminator>
131             <type value="value" />
132             <path value="url" />
133         </discriminator>
134         <rules value="open" />
135     </licing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138     <path value="DiagnosticReport.code.coding.display.extension" />
139     <sliceName value="anzeigenameCodeSnomed" />
140     <min value="1" />

```

```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```

```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```

```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U5_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```



## 253. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U5\_U6\_PHYSICAL\_EXAM ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U5\_U6\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U5_U6_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U5_U6_Physical_Exam_Abdomen
_U5_U6_Physical_Exam_Abdomen_Genitals" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale."
/>
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U6_Physical_Exam_Abdomen_Genitals|
1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364446009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Abdomen, Genitale (inkl. Analregion)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMР_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <mustSupport value="true" />
245 </element>
246 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
247   <path value="DiagnosticReport.effective[x]" />
248   <sliceName value="effectiveDateTime" />
249   <min value="1" />

```

```

250     <type>
251       <code value="dateTime" />
252     </type>
253     <mustSupport value="true" />
254   </element>
255   <element id="DiagnosticReport.issued">
256     <path value="DiagnosticReport.issued" />
257     <max value="0" />
258   </element>
259   <element id="DiagnosticReport.performer">
260     <path value="DiagnosticReport.performer" />
261     <max value="1" />
262     <type>
263       <code value="Reference" />
264       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
265     </type>
266     <mustSupport value="true" />
267   </element>
268   <element id="DiagnosticReport.performer.reference">
269     <path value="DiagnosticReport.performer.reference" />
270     <min value="1" />
271     <mustSupport value="true" />
272   </element>
273   <element id="DiagnosticReport.performer.type">
274     <path value="DiagnosticReport.performer.type" />
275     <max value="0" />
276   </element>
277   <element id="DiagnosticReport.performer.identifier">
278     <path value="DiagnosticReport.performer.identifier" />
279     <max value="0" />
280   </element>
281   <element id="DiagnosticReport.performer.display">
282     <path value="DiagnosticReport.performer.display" />
283     <max value="0" />
284   </element>
285   <element id="DiagnosticReport.resultsInterpreter">
286     <path value="DiagnosticReport.resultsInterpreter" />
287     <max value="0" />
288   </element>
289   <element id="DiagnosticReport.specimen">
290     <path value="DiagnosticReport.specimen" />
291     <max value="0" />
292   </element>
293   <element id="DiagnosticReport.result">
294     <path value="DiagnosticReport.result" />
295     <type>
296       <code value="Reference" />
297       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U5_U6_Physical_Exam_Abdomen_Genitals|1.0.1" />
298     </type>
299     <mustSupport value="true" />
300   </element>
301   <element id="DiagnosticReport.result.reference">
302     <path value="DiagnosticReport.result.reference" />
303     <min value="1" />
304     <mustSupport value="true" />
305   </element>
306   <element id="DiagnosticReport.result.type">
307     <path value="DiagnosticReport.result.type" />

```

```

308     <max value="0" />
309 </element>
310 <element id="DiagnosticReport.result.identifier">
311     <path value="DiagnosticReport.result.identifier" />
312     <max value="0" />
313 </element>
314 <element id="DiagnosticReport.result.display">
315     <path value="DiagnosticReport.result.display" />
316     <max value="0" />
317 </element>
318 <element id="DiagnosticReport.imagingStudy">
319     <path value="DiagnosticReport.imagingStudy" />
320     <max value="0" />
321 </element>
322 <element id="DiagnosticReport.media">
323     <path value="DiagnosticReport.media" />
324     <max value="0" />
325 </element>
326 <element id="DiagnosticReport.conclusion">
327     <path value="DiagnosticReport.conclusion" />
328     <max value="0" />
329 </element>
330 <element id="DiagnosticReport.conclusionCode">
331     <path value="DiagnosticReport.conclusionCode" />
332     <max value="0" />
333 </element>
334 <element id="DiagnosticReport.presentedForm">
335     <path value="DiagnosticReport.presentedForm" />
336     <max value="0" />
337 </element>
338 </differential>
339 </StructureDefinition>

```

## 254. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U5\_U6\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U5\_U6\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U5_U6_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U5_U6_Physical_Exam_Head" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```



```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Kopfes." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U6_Physical_Exam_Head|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119   <path value="DiagnosticReport.code.coding.code" />
120   <min value="1" />
121   <fixedCode value="364404000" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124   <path value="DiagnosticReport.code.coding.display" />
125   <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128   <path value="DiagnosticReport.code.coding.display.extension" />
129   <slicing>
130     <discriminator>
131       <type value="value" />
132       <path value="url" />
133     </discriminator>
134     <rules value="open" />
135   </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138   <path value="DiagnosticReport.code.coding.display.extension" />
139   <sliceName value="anzeigenameCodeSnomed" />
140   <min value="1" />
141   <max value="1" />
142   <type>
143     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Kopf" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U5_U6_Physical_Exam_Head|1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />
306   <min value="1" />
307   <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 255. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U5\_U9\_PHYSICAL\_EXAM\_SKIN

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U5\_U9\_Physical\_Exam\_Skin

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U5_U9_Physical_Exam_Skin" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U5_U9_Physical_Exam_Skin" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Haut." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U5_U9_Physical_Exam_Skin|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```



```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="364528001" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151         <discriminator>
152             <type value="value" />
153             <path value="url" />
154         </discriminator>
155         <rules value="open" />
156     </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <fixedString value="Haut" />
171     <mustSupport value="true" />
172 </element>
173 <element id="DiagnosticReport.code.coding.userSelected">
174     <path value="DiagnosticReport.code.coding.userSelected" />
175     <max value="0" />
176 </element>
177 <element id="DiagnosticReport.code.text">
178     <path value="DiagnosticReport.code.text" />
179     <max value="0" />
180 </element>
181 <element id="DiagnosticReport.subject">
182     <path value="DiagnosticReport.subject" />
183     <min value="1" />
184     <type>
185         <code value="Reference" />
186         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
187     </type>
188     <mustSupport value="true" />
189 </element>
190 <element id="DiagnosticReport.subject.reference">
191     <path value="DiagnosticReport.subject.reference" />
192     <min value="1" />

```

```

193     <mustSupport value="true" />
194 </element>
195 <element id="DiagnosticReport.subject.type">
196   <path value="DiagnosticReport.subject.type" />
197   <max value="0" />
198 </element>
199 <element id="DiagnosticReport.subject.identifier">
200   <path value="DiagnosticReport.subject.identifier" />
201   <max value="0" />
202 </element>
203 <element id="DiagnosticReport.subject.display">
204   <path value="DiagnosticReport.subject.display" />
205   <max value="0" />
206 </element>
207 <element id="DiagnosticReport.encounter">
208   <path value="DiagnosticReport.encounter" />
209   <min value="1" />
210   <type>
211     <code value="Reference" />
212     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
213   </type>
214   <mustSupport value="true" />
215 </element>
216 <element id="DiagnosticReport.encounter.reference">
217   <path value="DiagnosticReport.encounter.reference" />
218   <min value="1" />
219   <mustSupport value="true" />
220 </element>
221 <element id="DiagnosticReport.encounter.type">
222   <path value="DiagnosticReport.encounter.type" />
223   <max value="0" />
224 </element>
225 <element id="DiagnosticReport.encounter.identifier">
226   <path value="DiagnosticReport.encounter.identifier" />
227   <max value="0" />
228 </element>
229 <element id="DiagnosticReport.encounter.display">
230   <path value="DiagnosticReport.encounter.display" />
231   <max value="0" />
232 </element>
233 <element id="DiagnosticReport.effective[x]">
234   <path value="DiagnosticReport.effective[x]" />
235   <slicing>
236     <discriminator>
237       <type value="type" />
238       <path value="$this" />
239     </discriminator>
240     <rules value="closed" />
241   </slicing>
242   <min value="1" />
243   <type>
244     <code value="dateTime" />
245   </type>
246   <mustSupport value="true" />
247 </element>
248 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
249   <path value="DiagnosticReport.effective[x]" />
250   <sliceName value="effectiveDateTime" />
251   <min value="1" />

```

```

252     <type>
253       <code value="dateTime" />
254     </type>
255     <mustSupport value="true" />
256   </element>
257   <element id="DiagnosticReport.issued">
258     <path value="DiagnosticReport.issued" />
259     <max value="0" />
260   </element>
261   <element id="DiagnosticReport.performer">
262     <path value="DiagnosticReport.performer" />
263     <max value="1" />
264     <type>
265       <code value="Reference" />
266       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
267     </type>
268     <mustSupport value="true" />
269   </element>
270   <element id="DiagnosticReport.performer.reference">
271     <path value="DiagnosticReport.performer.reference" />
272     <min value="1" />
273     <mustSupport value="true" />
274   </element>
275   <element id="DiagnosticReport.performer.type">
276     <path value="DiagnosticReport.performer.type" />
277     <max value="0" />
278   </element>
279   <element id="DiagnosticReport.performer.identifier">
280     <path value="DiagnosticReport.performer.identifier" />
281     <max value="0" />
282   </element>
283   <element id="DiagnosticReport.performer.display">
284     <path value="DiagnosticReport.performer.display" />
285     <max value="0" />
286   </element>
287   <element id="DiagnosticReport.resultsInterpreter">
288     <path value="DiagnosticReport.resultsInterpreter" />
289     <max value="0" />
290   </element>
291   <element id="DiagnosticReport.specimen">
292     <path value="DiagnosticReport.specimen" />
293     <max value="0" />
294   </element>
295   <element id="DiagnosticReport.result">
296     <path value="DiagnosticReport.result" />
297     <type>
298       <code value="Reference" />
299       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U5_U9_Physical_Exam_Skin|1.0.1" />
300     </type>
301     <mustSupport value="true" />
302   </element>
303   <element id="DiagnosticReport.result.reference">
304     <path value="DiagnosticReport.result.reference" />
305     <min value="1" />
306     <mustSupport value="true" />
307   </element>
308   <element id="DiagnosticReport.result.type">
309     <path value="DiagnosticReport.result.type" />

```

```

310     <max value="0" />
311 </element>
312 <element id="DiagnosticReport.result.identifier">
313     <path value="DiagnosticReport.result.identifier" />
314     <max value="0" />
315 </element>
316 <element id="DiagnosticReport.result.display">
317     <path value="DiagnosticReport.result.display" />
318     <max value="0" />
319 </element>
320 <element id="DiagnosticReport.imagingStudy">
321     <path value="DiagnosticReport.imagingStudy" />
322     <max value="0" />
323 </element>
324 <element id="DiagnosticReport.media">
325     <path value="DiagnosticReport.media" />
326     <max value="0" />
327 </element>
328 <element id="DiagnosticReport.conclusion">
329     <path value="DiagnosticReport.conclusion" />
330     <max value="0" />
331 </element>
332 <element id="DiagnosticReport.conclusionCode">
333     <path value="DiagnosticReport.conclusionCode" />
334     <max value="0" />
335 </element>
336 <element id="DiagnosticReport.presentedForm">
337     <path value="DiagnosticReport.presentedForm" />
338     <max value="0" />
339 </element>
340 </differential>
341 </StructureDefinition>

```

## 256. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U6\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U6\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U6_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U6_Physical_Exam_Eyes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U6_Physical_Exam_Eyes|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="414174009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />

```



```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Augen" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U6_Physical_Exam_Eyes|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 257. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U6\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U6\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U6_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U6_Physical_Exam_Mouth_Nose
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und
Nase." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U6_Physical_Exam_Mouth_Nose|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="271914002+364111005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>

```

```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Mundhöhle, Kiefer, Nase" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">

```



```

192     <path value="DiagnosticReport.subject.reference" />
193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />

```

```

251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Physical_Exam_Mouth_Nose|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>

```

```

309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 258. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U6\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U6\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U6_Physical_Exam_Musculoskeletal_System" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U6_Physical_Exam_Musculoske
letal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U6_Physical_Exam_Musculoskeletal_System|
1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">
83     <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="106029005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMР_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```



```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U6_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />

```

```

307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

259. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U6\_U7\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRA  
CT

KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U6\_U7\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U6_U7_Physical_Exam_Chest_Lung_Respiratory
_Tract" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U6_U7_Physical_Exam_Chest_L
ung_Respiratory_Tract" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />

```

```

27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Thorax und der Atemwege." /
>
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U6_U7_Physical_Exam_Chest_Lung_Respiratory
_Tract|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>

```

```

82 <element id="DiagnosticReport.identifizier">
83   <path value="DiagnosticReport.identifizier" />
84   <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119   <path value="DiagnosticReport.code.coding.code" />
120   <min value="1" />
121   <fixedCode value="364048003" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124   <path value="DiagnosticReport.code.coding.display" />
125   <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128   <path value="DiagnosticReport.code.coding.display.extension" />
129   <slicing>
130     <discriminator>
131       <type value="value" />
132       <path value="url" />
133     </discriminator>
134     <rules value="open" />
135   </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
138 CodeSnomed">
138   <path value="DiagnosticReport.code.coding.display.extension" />
139   <sliceName value="anzeigenameCodeSnomed" />

```

```

140     <min value="1" />
141     <max value="1" />
142     <type>
143         <code value="Extension" />
144         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151         <discriminator>
152             <type value="value" />
153             <path value="url" />
154         </discriminator>
155         <rules value="open" />
156     </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Thorax, Lunge, Atemwege" />
172     <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186         <code value="Reference" />
187         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMAR_Patient|1.0.1" />
188     </type>

```

```

189     <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />

```

```

248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract
|1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">

```



```

305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 260. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U7\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U7\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U7_Physical_Exam_Eyes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7_Physical_Exam_Eyes|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="414174009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />
144     <type>
145         <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Augen" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U7_Physical_Exam_Eyes|1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />
306   <min value="1" />
307   <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```



## 261. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U7\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U7\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U7_Physical_Exam_Mouth_Nose
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Mundhöhle, des Kiefers und
der Nase." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7_Physical_Exam_Mouth_Nose|1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />
84             <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119   <path value="DiagnosticReport.code.coding.code" />
120   <min value="1" />
121   <fixedCode value="271914002+364111005" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124   <path value="DiagnosticReport.code.coding.display" />
125   <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128   <path value="DiagnosticReport.code.coding.display.extension" />
129   <slicing>
130     <discriminator>
131       <type value="value" />
132       <path value="url" />
133     </discriminator>
134     <rules value="open" />
135   </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138   <path value="DiagnosticReport.code.coding.display.extension" />
139   <sliceName value="anzeigenameCodeSnomed" />
140   <min value="1" />
141   <max value="1" />
142   <type>

```

```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171     <fixedString value="Mundhöhle, Kiefer, Nase" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">

```

```

192     <path value="DiagnosticReport.subject.reference" />
193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />

```

```

251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U7_Physical_Exam_Mouth_Nose|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>

```

```

309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 262. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U7\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U7\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7_Physical_Exam_Musculoskeletal_System" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U7_Physical_Exam_Musculoske
letal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```



```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7_Physical_Exam_Musculoskeletal_System|
1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">
83     <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="106029005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U7_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />

```

```

307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 263. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U7\_U7A\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U7\_U7a\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U7a_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U7_U7a_Physical_Exam_Abdome
n_Genitals" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale."
/>
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U7a_Physical_Exam_Abdomen_Genitals|
1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />

```



```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119     <path value="DiagnosticReport.code.coding.code" />
120     <min value="1" />
121     <fixedCode value="364446009" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124     <path value="DiagnosticReport.code.coding.display" />
125     <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128     <path value="DiagnosticReport.code.coding.display.extension" />
129     <slicing>
130         <discriminator>
131             <type value="value" />
132             <path value="url" />
133         </discriminator>
134         <rules value="open" />
135     </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138     <path value="DiagnosticReport.code.coding.display.extension" />
139     <sliceName value="anzeigenameCodeSnomed" />
140     <min value="1" />
141     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Abdomen, Genitale (inkl. Analregion)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMPractitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U7a_Physical_Exam_Abdomen_Genitals|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />

```

```
308 </element>
309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>
```

## 264. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U7\_U9\_BODY\_MEASURES

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U7\_U9\_Body\_Measures

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Body_Measures" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Body_Measures" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Körpermaße." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7_U9_Body_Measures|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">

```

```

87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <slicing>
105         <discriminator>
106             <type value="value" />
107             <path value="system" />
108         </discriminator>
109         <rules value="closed" />
110     </slicing>
111     <min value="2" />
112     <max value="2" />
113     <mustSupport value="true" />
114 </element>
115 <element id="DiagnosticReport.code.coding:codeSnomed">
116     <path value="DiagnosticReport.code.coding" />
117     <sliceName value="codeSnomed" />
118     <short value="codeSnomed" />
119     <min value="1" />
120     <max value="1" />
121     <mustSupport value="true" />
122 </element>
123 <element id="DiagnosticReport.code.coding:codeSnomed.system">
124     <path value="DiagnosticReport.code.coding.system" />
125     <min value="1" />
126     <fixedUri value="http://snomed.info/sct" />
127 </element>
128 <element id="DiagnosticReport.code.coding:codeSnomed.version">
129     <path value="DiagnosticReport.code.coding.version" />
130     <min value="1" />
131     <fixedString value="http://snomed.info/sct/900000000000207008/
132     version/20210131" />
133 </element>
134 <element id="DiagnosticReport.code.coding:codeSnomed.code">
135     <path value="DiagnosticReport.code.coding.code" />
136     <min value="1" />
137     <fixedCode value="248326004" />
138 </element>
139 <element id="DiagnosticReport.code.coding:codeSnomed.display">
140     <path value="DiagnosticReport.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension">
144     <path value="DiagnosticReport.code.coding.display.extension" />
145     <slicing>
146         <discriminator>

```



```

146         <type value="value" />
147         <path value="url" />
148     </discriminator>
149     <rules value="open" />
150 </slicing>
151 </element>
152 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed">
153     <path value="DiagnosticReport.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <min value="1" />
156     <max value="1" />
157     <type>
158         <code value="Extension" />
159         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
160     </type>
161     <mustSupport value="true" />
162 </element>
163 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension">
164     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
165     <slicing>
166         <discriminator>
167             <type value="value" />
168             <path value="url" />
169         </discriminator>
170         <rules value="open" />
171     </slicing>
172 </element>
173 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content">
174     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
175     <sliceName value="content" />
176 </element>
177 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]">
178     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
179     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
180     <mustSupport value="true" />
181 </element>
182 <element id="DiagnosticReport.code.coding:codeSnomed.display.extension:
anzeigenameCodeSnomed.extension:content.value[x]:valueString">
183     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
184     <sliceName value="valueString" />
185     <min value="1" />
186     <fixedString value="Körpermaße:" />
187     <mustSupport value="true" />
188 </element>
189 <element id="DiagnosticReport.code.coding:codeSnomed.userSelected">
190     <path value="DiagnosticReport.code.coding.userSelected" />
191     <max value="0" />
192 </element>
193 <element id="DiagnosticReport.code.coding:codeLoinc">
194     <path value="DiagnosticReport.code.coding" />

```

```

195     <sliceName value="codeLoinc" />
196     <min value="1" />
197     <max value="1" />
198     <mustSupport value="true" />
199 </element>
200 <element id="DiagnosticReport.code.coding:codeLoinc.system">
201     <path value="DiagnosticReport.code.coding.system" />
202     <min value="1" />
203     <fixedUri value="http://loinc.org" />
204 </element>
205 <element id="DiagnosticReport.code.coding:codeLoinc.version">
206     <path value="DiagnosticReport.code.coding.version" />
207     <min value="1" />
208     <fixedString value="2.69" />
209 </element>
210 <element id="DiagnosticReport.code.coding:codeLoinc.code">
211     <path value="DiagnosticReport.code.coding.code" />
212     <min value="1" />
213     <fixedCode value="29275-5" />
214 </element>
215 <element id="DiagnosticReport.code.coding:codeLoinc.display">
216     <path value="DiagnosticReport.code.coding.display" />
217     <min value="1" />
218 </element>
219 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension">
220     <path value="DiagnosticReport.code.coding.display.extension" />
221     <licing>
222         <discriminator>
223             <type value="value" />
224             <path value="url" />
225         </discriminator>
226         <rules value="open" />
227     </licing>
228 </element>
229 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc">
230     <path value="DiagnosticReport.code.coding.display.extension" />
231     <sliceName value="anzeigennameCodeLoinc" />
232     <min value="1" />
233     <max value="1" />
234     <type>
235         <code value="Extension" />
236         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
237     </type>
238     <mustSupport value="true" />
239 </element>
240 <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigennameCodeLoinc.extension">
241     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
242     <licing>
243         <discriminator>
244             <type value="value" />
245             <path value="url" />
246         </discriminator>
247         <rules value="open" />
248     </licing>
249 </element>

```

```

250     <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content">
251       <path value="DiagnosticReport.code.coding.display.extension
" />
252       <sliceName value="content" />
253     </element>
254     <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]">
255       <path value="DiagnosticReport.code.coding.display.extension
.value[x]" />
256       <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
257       <mustSupport value="true" />
258     </element>
259     <element id="DiagnosticReport.code.coding:codeLoinc.display.extension:a
nzeigenameCodeLoinc.extension:content.value[x]:valueString">
260       <path value="DiagnosticReport.code.coding.display.extension
.value[x]" />
261       <sliceName value="valueString" />
262       <fixedString value="Körpermaße:" />
263       <mustSupport value="true" />
264     </element>
265     <element id="DiagnosticReport.code.coding:codeLoinc.userSelected">
266       <path value="DiagnosticReport.code.coding.userSelected" />
267       <max value="0" />
268     </element>
269     <element id="DiagnosticReport.code.text">
270       <path value="DiagnosticReport.code.text" />
271       <max value="0" />
272     </element>
273     <element id="DiagnosticReport.subject">
274       <path value="DiagnosticReport.subject" />
275       <min value="1" />
276       <type>
277         <code value="Reference" />
278         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
279       </type>
280       <mustSupport value="true" />
281     </element>
282     <element id="DiagnosticReport.subject.reference">
283       <path value="DiagnosticReport.subject.reference" />
284       <min value="1" />
285       <mustSupport value="true" />
286     </element>
287     <element id="DiagnosticReport.subject.type">
288       <path value="DiagnosticReport.subject.type" />
289       <max value="0" />
290     </element>
291     <element id="DiagnosticReport.subject.identifier">
292       <path value="DiagnosticReport.subject.identifier" />
293       <max value="0" />
294     </element>
295     <element id="DiagnosticReport.subject.display">
296       <path value="DiagnosticReport.subject.display" />
297       <max value="0" />
298     </element>
299     <element id="DiagnosticReport.encounter">
300       <path value="DiagnosticReport.encounter" />
301       <min value="1" />

```

```

302     <type>
303       <code value="Reference" />
304       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
305     </type>
306     <mustSupport value="true" />
307   </element>
308   <element id="DiagnosticReport.encounter.reference">
309     <path value="DiagnosticReport.encounter.reference" />
310     <min value="1" />
311     <mustSupport value="true" />
312   </element>
313   <element id="DiagnosticReport.encounter.type">
314     <path value="DiagnosticReport.encounter.type" />
315     <max value="0" />
316   </element>
317   <element id="DiagnosticReport.encounter.identifier">
318     <path value="DiagnosticReport.encounter.identifier" />
319     <max value="0" />
320   </element>
321   <element id="DiagnosticReport.encounter.display">
322     <path value="DiagnosticReport.encounter.display" />
323     <max value="0" />
324   </element>
325   <element id="DiagnosticReport.effective[x]">
326     <path value="DiagnosticReport.effective[x]" />
327     <licing>
328       <discriminator>
329         <type value="type" />
330         <path value="$this" />
331       </discriminator>
332       <rules value="closed" />
333     </licing>
334     <min value="1" />
335     <type>
336       <code value="dateTime" />
337     </type>
338     <mustSupport value="true" />
339   </element>
340   <element id="DiagnosticReport.effective[x]:effectiveDateTime">
341     <path value="DiagnosticReport.effective[x]" />
342     <sliceName value="effectiveDateTime" />
343     <min value="1" />
344     <type>
345       <code value="dateTime" />
346     </type>
347     <mustSupport value="true" />
348   </element>
349   <element id="DiagnosticReport.issued">
350     <path value="DiagnosticReport.issued" />
351     <max value="0" />
352   </element>
353   <element id="DiagnosticReport.performer">
354     <path value="DiagnosticReport.performer" />
355     <max value="1" />
356     <type>
357       <code value="Reference" />
358       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
359     </type>

```

```

360     <mustSupport value="true" />
361 </element>
362 <element id="DiagnosticReport.performer.reference">
363   <path value="DiagnosticReport.performer.reference" />
364   <min value="1" />
365   <mustSupport value="true" />
366 </element>
367 <element id="DiagnosticReport.performer.type">
368   <path value="DiagnosticReport.performer.type" />
369   <max value="0" />
370 </element>
371 <element id="DiagnosticReport.performer.identifier">
372   <path value="DiagnosticReport.performer.identifier" />
373   <max value="0" />
374 </element>
375 <element id="DiagnosticReport.performer.display">
376   <path value="DiagnosticReport.performer.display" />
377   <max value="0" />
378 </element>
379 <element id="DiagnosticReport.resultsInterpreter">
380   <path value="DiagnosticReport.resultsInterpreter" />
381   <max value="0" />
382 </element>
383 <element id="DiagnosticReport.specimen">
384   <path value="DiagnosticReport.specimen" />
385   <max value="0" />
386 </element>
387 <element id="DiagnosticReport.result">
388   <path value="DiagnosticReport.result" />
389   <type>
390     <code value="Reference" />
391     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U9_Body_Height_Measure|1.0.1" />
392     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_BMI|1.0.1" />
393     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_Body_Weight|1.0.1" />
394   </type>
395   <mustSupport value="true" />
396 </element>
397 <element id="DiagnosticReport.result.reference">
398   <path value="DiagnosticReport.result.reference" />
399   <min value="1" />
400   <mustSupport value="true" />
401 </element>
402 <element id="DiagnosticReport.result.type">
403   <path value="DiagnosticReport.result.type" />
404   <max value="0" />
405 </element>
406 <element id="DiagnosticReport.result.identifier">
407   <path value="DiagnosticReport.result.identifier" />
408   <max value="0" />
409 </element>
410 <element id="DiagnosticReport.result.display">
411   <path value="DiagnosticReport.result.display" />
412   <max value="0" />
413 </element>
414 <element id="DiagnosticReport.imagingStudy">
415   <path value="DiagnosticReport.imagingStudy" />
416   <max value="0" />

```

```
417     </element>
418     <element id="DiagnosticReport.media">
419       <path value="DiagnosticReport.media" />
420       <max value="0" />
421     </element>
422     <element id="DiagnosticReport.conclusion">
423       <path value="DiagnosticReport.conclusion" />
424       <max value="0" />
425     </element>
426     <element id="DiagnosticReport.conclusionCode">
427       <path value="DiagnosticReport.conclusionCode" />
428       <max value="0" />
429     </element>
430     <element id="DiagnosticReport.presentedForm">
431       <path value="DiagnosticReport.presentedForm" />
432       <max value="0" />
433     </element>
434   </differential>
435 </StructureDefinition>
```

## 265. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U7\_U9\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U7\_U9\_Physical\_Exam\_Heart\_Blood\_Circulation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7_U9_Physical_Exam_Heart_Blood_Circulation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U7_U9_Physical_Exam_Heart_Blood_Circulation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS
IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der körperlichen Untersuchung des Herz-Kreislaufsystems im
Rahmen der U7 und U9." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7_U9_Physical_Exam_Heart_Blood_Circulatio
n|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```



```

83     <path value="DiagnosticReport.identifier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364066008" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />

```

```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Herz, Kreislauf" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```

```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```

```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_U9_Physical_Exam_Heart_Blood_Circulation|
1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

266. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U7a\_and\_U9\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_Tract" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U7a_and_U9_Physical_Exam_Ch
est_Lung_Respiratory_Tract" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />

```

```

27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Atemwege." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7a_and_U9_Physical_Exam_Chest_Lung_Respir
atory_Tract|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```

```

83     <path value="DiagnosticReport.identifier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119     <path value="DiagnosticReport.code.coding.code" />
120     <min value="1" />
121     <fixedCode value="364048003" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124     <path value="DiagnosticReport.code.coding.display" />
125     <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128     <path value="DiagnosticReport.code.coding.display.extension" />
129     <slicing>
130         <discriminator>
131             <type value="value" />
132             <path value="url" />
133         </discriminator>
134         <rules value="open" />
135     </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138     <path value="DiagnosticReport.code.coding.display.extension" />
139     <sliceName value="anzeigenameCodeSnomed" />
140     <min value="1" />

```



```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Thorax, Lunge, Atemwege" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```

```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```

```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_
Tract|1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

267. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U7a\_and\_U9\_Physical\_Exam\_Musculoskeletal\_System

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7a_and_U9_Physical_Exam_Musculoskeletal_S
ystem" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U7a_and_U9_Physical_Exam_Mu
sculoskeletal_System" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="v2" />
17     <uri value="http://hl7.org/v2" />
18     <name value="HL7 v2 Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="rim" />
22     <uri value="http://hl7.org/v3" />
23     <name value="RIM Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="w5" />

```

```

27     <uri value="http://hl7.org/fhir/fivews" />
28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7a_and_U9_Physical_Exam_Musculoskeletal_S
ystem|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">

```

```

83     <path value="DiagnosticReport.identifier" />
84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="106029005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />

```

```

141     <max value="1" />
142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />

```



```

190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>

```

```

249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250   <path value="DiagnosticReport.effective[x]" />
251   <sliceName value="effectiveDateTime" />
252   <min value="1" />
253   <type>
254     <code value="dateTime" />
255   </type>
256   <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259   <path value="DiagnosticReport.issued" />
260   <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263   <path value="DiagnosticReport.performer" />
264   <max value="1" />
265   <type>
266     <code value="Reference" />
267     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272   <path value="DiagnosticReport.performer.reference" />
273   <min value="1" />
274   <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277   <path value="DiagnosticReport.performer.type" />
278   <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281   <path value="DiagnosticReport.performer.identifier" />
282   <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285   <path value="DiagnosticReport.performer.display" />
286   <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289   <path value="DiagnosticReport.resultsInterpreter" />
290   <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293   <path value="DiagnosticReport.specimen" />
294   <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297   <path value="DiagnosticReport.result" />
298   <type>
299     <code value="Reference" />
300     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_and_U9_Physical_Exam_Musculoskeletal_System|
1.0.1" />
301   </type>
302   <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305   <path value="DiagnosticReport.result.reference" />

```

```

306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 268. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U7A\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U7a\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7a_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U7a_Physical_Exam_Mouth_Nos
e" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und
Nase." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7a_Physical_Exam_Mouth_Nose|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />

```

```

85 </element>
86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117  version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="271914002+364111005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139  CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>

```

```

143     <code value="Extension" />
144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Mundhöhle, Kiefer, Nase" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">

```

```

192     <path value="DiagnosticReport.subject.reference" />
193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />

```



```

251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_Physical_Exam_Mouth_Nose|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>

```

```

309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 269. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U7A\_U9\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U7a\_U9\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U7a_U9_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U7a_U9_Physical_Exam_Eyes"
/>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U7a_U9_Physical_Exam_Eyes|1.0.1" />
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />
84             <max value="0" />
85         </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="414174009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```

```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Augen" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254       <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257   </element>
258   <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261   </element>
262   <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266       <code value="Reference" />
267       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMPractitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270   </element>
271   <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275   </element>
276   <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279   </element>
280   <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283   </element>
284   <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287   </element>
288   <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291   </element>
292   <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295   </element>
296   <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299       <code value="Reference" />
300       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7a_U9_Physical_Exam_Eyes|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303   </element>
304   <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308   </element>
309   <element id="DiagnosticReport.result.type">

```



```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 270. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U8\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U8\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U8_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U8_Physical_Exam_Abdomen_Ge
nitals" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale."
/>
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43             <mustSupport value="false" />
44         </element>
45         <element id="DiagnosticReport.meta.versionId">
46             <path value="DiagnosticReport.meta.versionId" />
47             <max value="0" />
48         </element>
49         <element id="DiagnosticReport.meta.lastUpdated">
50             <path value="DiagnosticReport.meta.lastUpdated" />
51             <max value="0" />
52         </element>
53         <element id="DiagnosticReport.meta.source">
54             <path value="DiagnosticReport.meta.source" />
55             <max value="0" />
56         </element>
57         <element id="DiagnosticReport.meta.profile">
58             <path value="DiagnosticReport.meta.profile" />
59             <min value="1" />
60             <max value="1" />
61             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_Physical_Exam_Abdomen_Genitals|1.0.1" /
>
62         </element>
63         <element id="DiagnosticReport.meta.security">
64             <path value="DiagnosticReport.meta.security" />
65             <max value="0" />
66         </element>
67         <element id="DiagnosticReport.meta.tag">
68             <path value="DiagnosticReport.meta.tag" />
69             <max value="0" />
70         </element>
71         <element id="DiagnosticReport.implicitRules">
72             <path value="DiagnosticReport.implicitRules" />
73             <max value="0" />
74         </element>
75         <element id="DiagnosticReport.language">
76             <path value="DiagnosticReport.language" />
77             <max value="0" />
78         </element>
79         <element id="DiagnosticReport.contained">
80             <path value="DiagnosticReport.contained" />
81             <max value="0" />
82         </element>
83         <element id="DiagnosticReport.identifier">

```

```

84     <path value="DiagnosticReport.identifier" />
85     <max value="0" />
86 </element>
87 <element id="DiagnosticReport.basedOn">
88     <path value="DiagnosticReport.basedOn" />
89     <max value="0" />
90 </element>
91 <element id="DiagnosticReport.status">
92     <path value="DiagnosticReport.status" />
93     <fixedCode value="final" />
94 </element>
95 <element id="DiagnosticReport.category">
96     <path value="DiagnosticReport.category" />
97     <max value="0" />
98 </element>
99 <element id="DiagnosticReport.code">
100    <path value="DiagnosticReport.code" />
101    <mustSupport value="true" />
102 </element>
103 <element id="DiagnosticReport.code.coding">
104    <path value="DiagnosticReport.code.coding" />
105    <min value="1" />
106    <max value="1" />
107    <mustSupport value="true" />
108 </element>
109 <element id="DiagnosticReport.code.coding.system">
110    <path value="DiagnosticReport.code.coding.system" />
111    <min value="1" />
112    <fixedUri value="http://snomed.info/sct" />
113 </element>
114 <element id="DiagnosticReport.code.coding.version">
115    <path value="DiagnosticReport.code.coding.version" />
116    <min value="1" />
117    <fixedString value="http://snomed.info/sct/900000000000207008/
118    version/20210131" />
119 </element>
120 <element id="DiagnosticReport.code.coding.code">
121    <path value="DiagnosticReport.code.coding.code" />
122    <min value="1" />
123    <fixedCode value="364446009" />
124 </element>
125 <element id="DiagnosticReport.code.coding.display">
126    <path value="DiagnosticReport.code.coding.display" />
127    <min value="1" />
128 </element>
129 <element id="DiagnosticReport.code.coding.display.extension">
130    <path value="DiagnosticReport.code.coding.display.extension" />
131    <slicing>
132        <discriminator>
133            <type value="value" />
134            <path value="url" />
135        </discriminator>
136        <rules value="open" />
137    </slicing>
138 </element>
139 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
140 CodeSnomed">
141    <path value="DiagnosticReport.code.coding.display.extension" />
142    <sliceName value="anzeigenameCodeSnomed" />
143    <min value="1" />

```

```

142     <max value="1" />
143     <type>
144         <code value="Extension" />
145         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
146     </type>
147     <mustSupport value="true" />
148 </element>
149     <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
150         <path value="DiagnosticReport.code.coding.display.extension.extension
" />
151         <slicing>
152             <discriminator>
153                 <type value="value" />
154                 <path value="url" />
155             </discriminator>
156             <rules value="open" />
157         </slicing>
158     </element>
159     <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
160         <path value="DiagnosticReport.code.coding.display.extension.extension
" />
161         <sliceName value="content" />
162     </element>
163     <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
164         <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
165         <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
166         <mustSupport value="true" />
167     </element>
168     <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
169         <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
170         <sliceName value="valueString" />
171         <min value="1" />
172         <fixedString value="Abdomen, Genitale (inkl. Analregion)" />
173         <mustSupport value="true" />
174     </element>
175     <element id="DiagnosticReport.code.coding.userSelected">
176         <path value="DiagnosticReport.code.coding.userSelected" />
177         <max value="0" />
178     </element>
179     <element id="DiagnosticReport.code.text">
180         <path value="DiagnosticReport.code.text" />
181         <max value="0" />
182     </element>
183     <element id="DiagnosticReport.subject">
184         <path value="DiagnosticReport.subject" />
185         <min value="1" />
186         <type>
187             <code value="Reference" />
188             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
189         </type>
190         <mustSupport value="true" />

```

```

191 </element>
192 <element id="DiagnosticReport.subject.reference">
193   <path value="DiagnosticReport.subject.reference" />
194   <min value="1" />
195   <mustSupport value="true" />
196 </element>
197 <element id="DiagnosticReport.subject.type">
198   <path value="DiagnosticReport.subject.type" />
199   <max value="0" />
200 </element>
201 <element id="DiagnosticReport.subject.identifier">
202   <path value="DiagnosticReport.subject.identifier" />
203   <max value="0" />
204 </element>
205 <element id="DiagnosticReport.subject.display">
206   <path value="DiagnosticReport.subject.display" />
207   <max value="0" />
208 </element>
209 <element id="DiagnosticReport.encounter">
210   <path value="DiagnosticReport.encounter" />
211   <min value="1" />
212   <type>
213     <code value="Reference" />
214     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
215   </type>
216   <mustSupport value="true" />
217 </element>
218 <element id="DiagnosticReport.encounter.reference">
219   <path value="DiagnosticReport.encounter.reference" />
220   <min value="1" />
221   <mustSupport value="true" />
222 </element>
223 <element id="DiagnosticReport.encounter.type">
224   <path value="DiagnosticReport.encounter.type" />
225   <max value="0" />
226 </element>
227 <element id="DiagnosticReport.encounter.identifier">
228   <path value="DiagnosticReport.encounter.identifier" />
229   <max value="0" />
230 </element>
231 <element id="DiagnosticReport.encounter.display">
232   <path value="DiagnosticReport.encounter.display" />
233   <max value="0" />
234 </element>
235 <element id="DiagnosticReport.effective[x]">
236   <path value="DiagnosticReport.effective[x]" />
237   <slicing>
238     <discriminator>
239       <type value="type" />
240       <path value="$this" />
241     </discriminator>
242     <rules value="closed" />
243   </slicing>
244   <min value="1" />
245   <type>
246     <code value="dateTime" />
247   </type>
248   <mustSupport value="true" />
249 </element>

```

```

250 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
251   <path value="DiagnosticReport.effective[x]" />
252   <sliceName value="effectiveDateTime" />
253   <min value="1" />
254   <type>
255     <code value="dateTime" />
256   </type>
257   <mustSupport value="true" />
258 </element>
259 <element id="DiagnosticReport.issued">
260   <path value="DiagnosticReport.issued" />
261   <max value="0" />
262 </element>
263 <element id="DiagnosticReport.performer">
264   <path value="DiagnosticReport.performer" />
265   <max value="1" />
266   <type>
267     <code value="Reference" />
268     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
269   </type>
270   <mustSupport value="true" />
271 </element>
272 <element id="DiagnosticReport.performer.reference">
273   <path value="DiagnosticReport.performer.reference" />
274   <min value="1" />
275   <mustSupport value="true" />
276 </element>
277 <element id="DiagnosticReport.performer.type">
278   <path value="DiagnosticReport.performer.type" />
279   <max value="0" />
280 </element>
281 <element id="DiagnosticReport.performer.identifier">
282   <path value="DiagnosticReport.performer.identifier" />
283   <max value="0" />
284 </element>
285 <element id="DiagnosticReport.performer.display">
286   <path value="DiagnosticReport.performer.display" />
287   <max value="0" />
288 </element>
289 <element id="DiagnosticReport.resultsInterpreter">
290   <path value="DiagnosticReport.resultsInterpreter" />
291   <max value="0" />
292 </element>
293 <element id="DiagnosticReport.specimen">
294   <path value="DiagnosticReport.specimen" />
295   <max value="0" />
296 </element>
297 <element id="DiagnosticReport.result">
298   <path value="DiagnosticReport.result" />
299   <type>
300     <code value="Reference" />
301     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U8_Physical_Exam_Abdomen_Genitals|1.0.1" />
302   </type>
303   <mustSupport value="true" />
304 </element>
305 <element id="DiagnosticReport.result.reference">
306   <path value="DiagnosticReport.result.reference" />
307   <min value="1" />

```

```

308     <mustSupport value="true" />
309 </element>
310 <element id="DiagnosticReport.result.type">
311     <path value="DiagnosticReport.result.type" />
312     <max value="0" />
313 </element>
314 <element id="DiagnosticReport.result.identifier">
315     <path value="DiagnosticReport.result.identifier" />
316     <max value="0" />
317 </element>
318 <element id="DiagnosticReport.result.display">
319     <path value="DiagnosticReport.result.display" />
320     <max value="0" />
321 </element>
322 <element id="DiagnosticReport.imagingStudy">
323     <path value="DiagnosticReport.imagingStudy" />
324     <max value="0" />
325 </element>
326 <element id="DiagnosticReport.media">
327     <path value="DiagnosticReport.media" />
328     <max value="0" />
329 </element>
330 <element id="DiagnosticReport.conclusion">
331     <path value="DiagnosticReport.conclusion" />
332     <max value="0" />
333 </element>
334 <element id="DiagnosticReport.conclusionCode">
335     <path value="DiagnosticReport.conclusionCode" />
336     <max value="0" />
337 </element>
338 <element id="DiagnosticReport.presentedForm">
339     <path value="DiagnosticReport.presentedForm" />
340     <max value="0" />
341 </element>
342 </differential>
343 </StructureDefinition>

```



## 271. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U8\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U8\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U8_Physical_Exam_Chest_Lung_Respiratory_Tr
act" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U8_Physical_Exam_Chest_Lung
_Respiratory_Tract" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Atemwege." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_Physical_Exam_Chest_Lung_Respiratory_Tr
act|1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">
83     <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119     <path value="DiagnosticReport.code.coding.code" />
120     <min value="1" />
121     <fixedCode value="364048003" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124     <path value="DiagnosticReport.code.coding.display" />
125     <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128     <path value="DiagnosticReport.code.coding.display.extension" />
129     <slicing>
130         <discriminator>
131             <type value="value" />
132             <path value="url" />
133         </discriminator>
134         <rules value="open" />
135     </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138     <path value="DiagnosticReport.code.coding.display.extension" />
139     <sliceName value="anzeigenameCodeSnomed" />
140     <min value="1" />
141     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Thorax, Lunge, Atemwege" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U8_Physical_Exam_Chest_Lung_Respiratory_Tract|
1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />

```

```

307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 272. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U8\_PHYSICAL\_EXAM\_EARS

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U8\_Physical\_Exam\_Ears

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U8_Physical_Exam_Ears" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U8_Physical_Exam_Ears" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```



```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Ohren im Rahmen der U8." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_Physical_Exam_Ears|1.0.1" />
61 <mustSupport value="false" />
62 </element>
63 <element id="DiagnosticReport.meta.security">
64 <path value="DiagnosticReport.meta.security" />
65 <max value="0" />
66 </element>
67 <element id="DiagnosticReport.meta.tag">
68 <path value="DiagnosticReport.meta.tag" />
69 <max value="0" />
70 </element>
71 <element id="DiagnosticReport.implicitRules">
72 <path value="DiagnosticReport.implicitRules" />
73 <max value="0" />
74 </element>
75 <element id="DiagnosticReport.language">
76 <path value="DiagnosticReport.language" />
77 <max value="0" />
78 </element>
79 <element id="DiagnosticReport.contained">
80 <path value="DiagnosticReport.contained" />
81 <max value="0" />
82 </element>
83 <element id="DiagnosticReport.identifier">
84 <path value="DiagnosticReport.identifier" />
85 <max value="0" />
86 </element>

```

```

87 <element id="DiagnosticReport.basedOn">
88   <path value="DiagnosticReport.basedOn" />
89   <max value="0" />
90 </element>
91 <element id="DiagnosticReport.status">
92   <path value="DiagnosticReport.status" />
93   <fixedCode value="final" />
94 </element>
95 <element id="DiagnosticReport.category">
96   <path value="DiagnosticReport.category" />
97   <max value="0" />
98 </element>
99 <element id="DiagnosticReport.code">
100   <path value="DiagnosticReport.code" />
101   <mustSupport value="true" />
102 </element>
103 <element id="DiagnosticReport.code.coding">
104   <path value="DiagnosticReport.code.coding" />
105   <min value="1" />
106   <max value="1" />
107   <mustSupport value="true" />
108 </element>
109 <element id="DiagnosticReport.code.coding.system">
110   <path value="DiagnosticReport.code.coding.system" />
111   <min value="1" />
112   <fixedUri value="http://snomed.info/sct" />
113 </element>
114 <element id="DiagnosticReport.code.coding.version">
115   <path value="DiagnosticReport.code.coding.version" />
116   <min value="1" />
117   <fixedString value="http://snomed.info/sct/900000000000207008/
118   version/20210131" />
119 </element>
120 <element id="DiagnosticReport.code.coding.code">
121   <path value="DiagnosticReport.code.coding.code" />
122   <min value="1" />
123   <fixedCode value="47078008" />
124 </element>
125 <element id="DiagnosticReport.code.coding.display">
126   <path value="DiagnosticReport.code.coding.display" />
127   <min value="1" />
128 </element>
129 <element id="DiagnosticReport.code.coding.display.extension">
130   <path value="DiagnosticReport.code.coding.display.extension" />
131   <slicing>
132     <discriminator>
133       <type value="value" />
134       <path value="url" />
135     </discriminator>
136     <rules value="open" />
137   </slicing>
138 </element>
139 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
140 CodeSnomed">
141   <path value="DiagnosticReport.code.coding.display.extension" />
142   <sliceName value="anzeigenameCodeSnomed" />
143   <min value="1" />
144   <max value="1" />
145   <type>
146     <code value="Extension" />

```

```

145     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
146   </type>
147   <mustSupport value="true" />
148 </element>
149   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
150     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
151     <slicing>
152       <discriminator>
153         <type value="value" />
154         <path value="url" />
155       </discriminator>
156       <rules value="open" />
157     </slicing>
158   </element>
159   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
160     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
161     <sliceName value="content" />
162   </element>
163   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
164     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
165     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
166     <mustSupport value="true" />
167   </element>
168   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
169     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
170     <sliceName value="valueString" />
171     <min value="1" />
172     <fixedString value="Ohren" />
173     <mustSupport value="true" />
174   </element>
175   <element id="DiagnosticReport.code.coding.userSelected">
176     <path value="DiagnosticReport.code.coding.userSelected" />
177     <max value="0" />
178   </element>
179   <element id="DiagnosticReport.code.text">
180     <path value="DiagnosticReport.code.text" />
181     <max value="0" />
182   </element>
183   <element id="DiagnosticReport.subject">
184     <path value="DiagnosticReport.subject" />
185     <min value="1" />
186     <type>
187       <code value="Reference" />
188       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
189     </type>
190     <mustSupport value="true" />
191   </element>
192   <element id="DiagnosticReport.subject.reference">
193     <path value="DiagnosticReport.subject.reference" />

```

```

194     <min value="1" />
195     <mustSupport value="true" />
196 </element>
197 <element id="DiagnosticReport.subject.type">
198     <path value="DiagnosticReport.subject.type" />
199     <max value="0" />
200 </element>
201 <element id="DiagnosticReport.subject.identifier">
202     <path value="DiagnosticReport.subject.identifier" />
203     <max value="0" />
204 </element>
205 <element id="DiagnosticReport.subject.display">
206     <path value="DiagnosticReport.subject.display" />
207     <max value="0" />
208 </element>
209 <element id="DiagnosticReport.encounter">
210     <path value="DiagnosticReport.encounter" />
211     <min value="1" />
212     <type>
213         <code value="Reference" />
214         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
215     </type>
216     <mustSupport value="true" />
217 </element>
218 <element id="DiagnosticReport.encounter.reference">
219     <path value="DiagnosticReport.encounter.reference" />
220     <min value="1" />
221     <mustSupport value="true" />
222 </element>
223 <element id="DiagnosticReport.encounter.type">
224     <path value="DiagnosticReport.encounter.type" />
225     <max value="0" />
226 </element>
227 <element id="DiagnosticReport.encounter.identifier">
228     <path value="DiagnosticReport.encounter.identifier" />
229     <max value="0" />
230 </element>
231 <element id="DiagnosticReport.encounter.display">
232     <path value="DiagnosticReport.encounter.display" />
233     <max value="0" />
234 </element>
235 <element id="DiagnosticReport.effective[x]">
236     <path value="DiagnosticReport.effective[x]" />
237     <slicing>
238         <discriminator>
239             <type value="type" />
240             <path value="$this" />
241         </discriminator>
242         <rules value="closed" />
243     </slicing>
244     <min value="1" />
245     <type>
246         <code value="dateTime" />
247     </type>
248     <mustSupport value="true" />
249 </element>
250 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
251     <path value="DiagnosticReport.effective[x]" />
252     <sliceName value="effectiveDateTime" />

```

```

253     <min value="1" />
254     <type>
255       <code value="dateTime" />
256     </type>
257     <mustSupport value="true" />
258   </element>
259   <element id="DiagnosticReport.issued">
260     <path value="DiagnosticReport.issued" />
261     <max value="0" />
262   </element>
263   <element id="DiagnosticReport.performer">
264     <path value="DiagnosticReport.performer" />
265     <max value="1" />
266     <type>
267       <code value="Reference" />
268       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
269     </type>
270     <mustSupport value="true" />
271   </element>
272   <element id="DiagnosticReport.performer.reference">
273     <path value="DiagnosticReport.performer.reference" />
274     <min value="1" />
275     <mustSupport value="true" />
276   </element>
277   <element id="DiagnosticReport.performer.type">
278     <path value="DiagnosticReport.performer.type" />
279     <max value="0" />
280   </element>
281   <element id="DiagnosticReport.performer.identifier">
282     <path value="DiagnosticReport.performer.identifier" />
283     <max value="0" />
284   </element>
285   <element id="DiagnosticReport.performer.display">
286     <path value="DiagnosticReport.performer.display" />
287     <max value="0" />
288   </element>
289   <element id="DiagnosticReport.resultsInterpreter">
290     <path value="DiagnosticReport.resultsInterpreter" />
291     <max value="0" />
292   </element>
293   <element id="DiagnosticReport.specimen">
294     <path value="DiagnosticReport.specimen" />
295     <max value="0" />
296   </element>
297   <element id="DiagnosticReport.result">
298     <path value="DiagnosticReport.result" />
299     <type>
300       <code value="Reference" />
301       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U8_Physical_Exam_Ears|1.0.1" />
302     </type>
303     <mustSupport value="true" />
304   </element>
305   <element id="DiagnosticReport.result.reference">
306     <path value="DiagnosticReport.result.reference" />
307     <min value="1" />
308     <mustSupport value="true" />
309   </element>
310   <element id="DiagnosticReport.result.type">

```

```

311     <path value="DiagnosticReport.result.type" />
312     <max value="0" />
313 </element>
314 <element id="DiagnosticReport.result.identifier">
315     <path value="DiagnosticReport.result.identifier" />
316     <max value="0" />
317 </element>
318 <element id="DiagnosticReport.result.display">
319     <path value="DiagnosticReport.result.display" />
320     <max value="0" />
321 </element>
322 <element id="DiagnosticReport.imagingStudy">
323     <path value="DiagnosticReport.imagingStudy" />
324     <max value="0" />
325 </element>
326 <element id="DiagnosticReport.media">
327     <path value="DiagnosticReport.media" />
328     <max value="0" />
329 </element>
330 <element id="DiagnosticReport.conclusion">
331     <path value="DiagnosticReport.conclusion" />
332     <max value="0" />
333 </element>
334 <element id="DiagnosticReport.conclusionCode">
335     <path value="DiagnosticReport.conclusionCode" />
336     <max value="0" />
337 </element>
338 <element id="DiagnosticReport.presentedForm">
339     <path value="DiagnosticReport.presentedForm" />
340     <max value="0" />
341 </element>
342 </differential>
343 </StructureDefinition>

```

## 273. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U8\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U8\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U8_Physical_Exam_Musculoskeletal_System" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U8_Physical_Exam_Musculoske
letal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="DiagnosticReport">
37     <path value="DiagnosticReport" />
38     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats." />
39   </element>
40   <element id="DiagnosticReport.meta">
41     <path value="DiagnosticReport.meta" />
42     <min value="1" />
43   </element>
44   <element id="DiagnosticReport.meta.versionId">
45     <path value="DiagnosticReport.meta.versionId" />
46     <max value="0" />
47   </element>
48   <element id="DiagnosticReport.meta.lastUpdated">
49     <path value="DiagnosticReport.meta.lastUpdated" />
50     <max value="0" />
51   </element>
52   <element id="DiagnosticReport.meta.source">
53     <path value="DiagnosticReport.meta.source" />
54     <max value="0" />
55   </element>
56   <element id="DiagnosticReport.meta.profile">
57     <path value="DiagnosticReport.meta.profile" />
58     <min value="1" />
59     <max value="1" />
60     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_Physical_Exam_Musculoskeletal_System|
1.0.1" />
61   </element>
62   <element id="DiagnosticReport.meta.security">
63     <path value="DiagnosticReport.meta.security" />
64     <max value="0" />
65   </element>
66   <element id="DiagnosticReport.meta.tag">
67     <path value="DiagnosticReport.meta.tag" />
68     <max value="0" />
69   </element>
70   <element id="DiagnosticReport.implicitRules">
71     <path value="DiagnosticReport.implicitRules" />
72     <max value="0" />
73   </element>
74   <element id="DiagnosticReport.language">
75     <path value="DiagnosticReport.language" />
76     <max value="0" />
77   </element>
78   <element id="DiagnosticReport.contained">
79     <path value="DiagnosticReport.contained" />
80     <max value="0" />
81   </element>
82   <element id="DiagnosticReport.identifier">
83     <path value="DiagnosticReport.identifier" />

```



```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
117 </element>
118 <element id="DiagnosticReport.code.coding.code">
119     <path value="DiagnosticReport.code.coding.code" />
120     <min value="1" />
121     <fixedCode value="106029005" />
122 </element>
123 <element id="DiagnosticReport.code.coding.display">
124     <path value="DiagnosticReport.code.coding.display" />
125     <min value="1" />
126 </element>
127 <element id="DiagnosticReport.code.coding.display.extension">
128     <path value="DiagnosticReport.code.coding.display.extension" />
129     <slicing>
130         <discriminator>
131             <type value="value" />
132             <path value="url" />
133         </discriminator>
134         <rules value="open" />
135     </slicing>
136 </element>
137 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed">
138     <path value="DiagnosticReport.code.coding.display.extension" />
139     <sliceName value="anzeigenameCodeSnomed" />
140     <min value="1" />
141     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Bewegungsapparat (Knochen, Muskeln, Nerven)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```

```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Enounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U8_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />

```

```

307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">
310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 274. KBV\_PR\_MIO\_CMR\_DIAGNOSTIC\_REPORT\_U8\_U9\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMR\_Diagnostic\_Report\_U8\_U9\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Diagnostic_Report_U8_U9_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Diagnostic_Report_U8_U9_Physical_Exam_Mouth_N
ose" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="DiagnosticReport" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="DiagnosticReport">
37 <path value="DiagnosticReport" />
38 <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung Mundhöhle, Kiefer und Nase." />
39 </element>
40 <element id="DiagnosticReport.meta">
41 <path value="DiagnosticReport.meta" />
42 <min value="1" />
43 </element>
44 <element id="DiagnosticReport.meta.versionId">
45 <path value="DiagnosticReport.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="DiagnosticReport.meta.lastUpdated">
49 <path value="DiagnosticReport.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="DiagnosticReport.meta.source">
53 <path value="DiagnosticReport.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="DiagnosticReport.meta.profile">
57 <path value="DiagnosticReport.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U8_U9_Physical_Exam_Mouth_Nose|1.0.1" />
61 </element>
62 <element id="DiagnosticReport.meta.security">
63 <path value="DiagnosticReport.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="DiagnosticReport.meta.tag">
67 <path value="DiagnosticReport.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="DiagnosticReport.implicitRules">
71 <path value="DiagnosticReport.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="DiagnosticReport.language">
75 <path value="DiagnosticReport.language" />
76 <max value="0" />
77 </element>
78 <element id="DiagnosticReport.contained">
79 <path value="DiagnosticReport.contained" />
80 <max value="0" />
81 </element>
82 <element id="DiagnosticReport.identifier">
83 <path value="DiagnosticReport.identifier" />
84 <max value="0" />
85 </element>

```

```

86 <element id="DiagnosticReport.basedOn">
87   <path value="DiagnosticReport.basedOn" />
88   <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91   <path value="DiagnosticReport.status" />
92   <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95   <path value="DiagnosticReport.category" />
96   <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99   <path value="DiagnosticReport.code" />
100  <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103   <path value="DiagnosticReport.code.coding" />
104   <min value="1" />
105   <max value="1" />
106   <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109   <path value="DiagnosticReport.code.coding.system" />
110   <min value="1" />
111   <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114   <path value="DiagnosticReport.code.coding.version" />
115   <min value="1" />
116   <fixedString value="http://snomed.info/sct/900000000000207008/
117   version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120   <path value="DiagnosticReport.code.coding.code" />
121   <min value="1" />
122   <fixedCode value="271914002+364111005" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125   <path value="DiagnosticReport.code.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129   <path value="DiagnosticReport.code.coding.display.extension" />
130   <slicing>
131     <discriminator>
132       <type value="value" />
133       <path value="url" />
134     </discriminator>
135     <rules value="open" />
136   </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139 CodeSnomed">
140   <path value="DiagnosticReport.code.coding.display.extension" />
141   <sliceName value="anzeigenameCodeSnomed" />
142   <min value="1" />
143   <max value="1" />
144   <type>
145     <code value="Extension" />

```



```

144     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145   </type>
146   <mustSupport value="true" />
147 </element>
148 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159   <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160   <sliceName value="content" />
161 </element>
162 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163   <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165   <mustSupport value="true" />
166 </element>
167 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168   <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169   <sliceName value="valueString" />
170   <min value="1" />
171   <fixedString value="Mundhöhle, Kiefer, Nase" />
172   <mustSupport value="true" />
173 </element>
174 <element id="DiagnosticReport.code.coding.userSelected">
175   <path value="DiagnosticReport.code.coding.userSelected" />
176   <max value="0" />
177 </element>
178 <element id="DiagnosticReport.code.text">
179   <path value="DiagnosticReport.code.text" />
180   <max value="0" />
181 </element>
182 <element id="DiagnosticReport.subject">
183   <path value="DiagnosticReport.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />

```

```

193     <min value="1" />
194     <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197     <path value="DiagnosticReport.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201     <path value="DiagnosticReport.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205     <path value="DiagnosticReport.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209     <path value="DiagnosticReport.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218     <path value="DiagnosticReport.encounter.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223     <path value="DiagnosticReport.encounter.type" />
224     <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227     <path value="DiagnosticReport.encounter.identifier" />
228     <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231     <path value="DiagnosticReport.encounter.display" />
232     <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235     <path value="DiagnosticReport.effective[x]" />
236     <slicing>
237         <discriminator>
238             <type value="type" />
239             <path value="$this" />
240         </discriminator>
241         <rules value="closed" />
242     </slicing>
243     <min value="1" />
244     <type>
245         <code value="dateTime" />
246     </type>
247     <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">
250     <path value="DiagnosticReport.effective[x]" />
251     <sliceName value="effectiveDateTime" />

```

```

252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Observation_U8_U9_Physical_Exam_Mouth_Nose|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />
308 </element>
309 <element id="DiagnosticReport.result.type">

```

```

310     <path value="DiagnosticReport.result.type" />
311     <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314     <path value="DiagnosticReport.result.identifier" />
315     <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318     <path value="DiagnosticReport.result.display" />
319     <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322     <path value="DiagnosticReport.imagingStudy" />
323     <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326     <path value="DiagnosticReport.media" />
327     <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330     <path value="DiagnosticReport.conclusion" />
331     <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334     <path value="DiagnosticReport.conclusionCode" />
335     <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338     <path value="DiagnosticReport.presentedForm" />
339     <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 275. KBV\_PR\_MIO\_CMV\_DIAGNOSTIC\_REPORT\_U9\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMV\_Diagnostic\_Report\_U9\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Diagnostic_Report_U9_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Diagnostic_Report_U9_Physical_Exam_Abdomen_Ge
nitals" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="DiagnosticReport" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
DiagnosticReport" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="DiagnosticReport">
37             <path value="DiagnosticReport" />
38             <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomen und Genitals im
Rahmen der U9." />
39         </element>
40         <element id="DiagnosticReport.meta">
41             <path value="DiagnosticReport.meta" />
42             <min value="1" />
43         </element>
44         <element id="DiagnosticReport.meta.versionId">
45             <path value="DiagnosticReport.meta.versionId" />
46             <max value="0" />
47         </element>
48         <element id="DiagnosticReport.meta.lastUpdated">
49             <path value="DiagnosticReport.meta.lastUpdated" />
50             <max value="0" />
51         </element>
52         <element id="DiagnosticReport.meta.source">
53             <path value="DiagnosticReport.meta.source" />
54             <max value="0" />
55         </element>
56         <element id="DiagnosticReport.meta.profile">
57             <path value="DiagnosticReport.meta.profile" />
58             <min value="1" />
59             <max value="1" />
60             <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Diagnostic_Report_U9_Physical_Exam_Abdomen_Genitals|1.0.1" /
>
61         </element>
62         <element id="DiagnosticReport.meta.security">
63             <path value="DiagnosticReport.meta.security" />
64             <max value="0" />
65         </element>
66         <element id="DiagnosticReport.meta.tag">
67             <path value="DiagnosticReport.meta.tag" />
68             <max value="0" />
69         </element>
70         <element id="DiagnosticReport.implicitRules">
71             <path value="DiagnosticReport.implicitRules" />
72             <max value="0" />
73         </element>
74         <element id="DiagnosticReport.language">
75             <path value="DiagnosticReport.language" />
76             <max value="0" />
77         </element>
78         <element id="DiagnosticReport.contained">
79             <path value="DiagnosticReport.contained" />
80             <max value="0" />
81         </element>
82         <element id="DiagnosticReport.identifier">
83             <path value="DiagnosticReport.identifier" />

```

```

84     <max value="0" />
85 </element>
86 <element id="DiagnosticReport.basedOn">
87     <path value="DiagnosticReport.basedOn" />
88     <max value="0" />
89 </element>
90 <element id="DiagnosticReport.status">
91     <path value="DiagnosticReport.status" />
92     <fixedCode value="final" />
93 </element>
94 <element id="DiagnosticReport.category">
95     <path value="DiagnosticReport.category" />
96     <max value="0" />
97 </element>
98 <element id="DiagnosticReport.code">
99     <path value="DiagnosticReport.code" />
100    <mustSupport value="true" />
101 </element>
102 <element id="DiagnosticReport.code.coding">
103     <path value="DiagnosticReport.code.coding" />
104     <min value="1" />
105     <max value="1" />
106     <mustSupport value="true" />
107 </element>
108 <element id="DiagnosticReport.code.coding.system">
109     <path value="DiagnosticReport.code.coding.system" />
110     <min value="1" />
111     <fixedUri value="http://snomed.info/sct" />
112 </element>
113 <element id="DiagnosticReport.code.coding.version">
114     <path value="DiagnosticReport.code.coding.version" />
115     <min value="1" />
116     <fixedString value="http://snomed.info/sct/900000000000207008/
117     version/20210131" />
118 </element>
119 <element id="DiagnosticReport.code.coding.code">
120     <path value="DiagnosticReport.code.coding.code" />
121     <min value="1" />
122     <fixedCode value="364446009" />
123 </element>
124 <element id="DiagnosticReport.code.coding.display">
125     <path value="DiagnosticReport.code.coding.display" />
126     <min value="1" />
127 </element>
128 <element id="DiagnosticReport.code.coding.display.extension">
129     <path value="DiagnosticReport.code.coding.display.extension" />
130     <slicing>
131         <discriminator>
132             <type value="value" />
133             <path value="url" />
134         </discriminator>
135         <rules value="open" />
136     </slicing>
137 </element>
138 <element id="DiagnosticReport.code.coding.display.extension:anzeigename
139     CodeSnomed">
140     <path value="DiagnosticReport.code.coding.display.extension" />
141     <sliceName value="anzeigenameCodeSnomed" />
142     <min value="1" />
143     <max value="1" />

```

```

142     <type>
143       <code value="Extension" />
144       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
145     </type>
146     <mustSupport value="true" />
147   </element>
148   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension">
149     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content">
159     <path value="DiagnosticReport.code.coding.display.extension.extension
" />
160     <sliceName value="content" />
161   </element>
162   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]">
163     <path value="DiagnosticReport.code.coding.display.extension.extension
.value[x]" />
164     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
165     <mustSupport value="true" />
166   </element>
167   <element id="DiagnosticReport.code.coding.display.extension:anzeigename
CodeSnomed.extension:content.value[x]:valueString">
168     <path value="DiagnosticReport.code.coding.display.extension.extension
.valueString" />
169     <sliceName value="valueString" />
170     <min value="1" />
171     <fixedString value="Abdomen, Genitale (inkl. Analregion)" />
172     <mustSupport value="true" />
173   </element>
174   <element id="DiagnosticReport.code.coding.userSelected">
175     <path value="DiagnosticReport.code.coding.userSelected" />
176     <max value="0" />
177   </element>
178   <element id="DiagnosticReport.code.text">
179     <path value="DiagnosticReport.code.text" />
180     <max value="0" />
181   </element>
182   <element id="DiagnosticReport.subject">
183     <path value="DiagnosticReport.subject" />
184     <min value="1" />
185     <type>
186       <code value="Reference" />
187       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188     </type>
189     <mustSupport value="true" />
190   </element>

```



```

191 <element id="DiagnosticReport.subject.reference">
192   <path value="DiagnosticReport.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="DiagnosticReport.subject.type">
197   <path value="DiagnosticReport.subject.type" />
198   <max value="0" />
199 </element>
200 <element id="DiagnosticReport.subject.identifier">
201   <path value="DiagnosticReport.subject.identifier" />
202   <max value="0" />
203 </element>
204 <element id="DiagnosticReport.subject.display">
205   <path value="DiagnosticReport.subject.display" />
206   <max value="0" />
207 </element>
208 <element id="DiagnosticReport.encounter">
209   <path value="DiagnosticReport.encounter" />
210   <min value="1" />
211   <type>
212     <code value="Reference" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DiagnosticReport.encounter.reference">
218   <path value="DiagnosticReport.encounter.reference" />
219   <min value="1" />
220   <mustSupport value="true" />
221 </element>
222 <element id="DiagnosticReport.encounter.type">
223   <path value="DiagnosticReport.encounter.type" />
224   <max value="0" />
225 </element>
226 <element id="DiagnosticReport.encounter.identifier">
227   <path value="DiagnosticReport.encounter.identifier" />
228   <max value="0" />
229 </element>
230 <element id="DiagnosticReport.encounter.display">
231   <path value="DiagnosticReport.encounter.display" />
232   <max value="0" />
233 </element>
234 <element id="DiagnosticReport.effective[x]">
235   <path value="DiagnosticReport.effective[x]" />
236   <slicing>
237     <discriminator>
238       <type value="type" />
239       <path value="$this" />
240     </discriminator>
241     <rules value="closed" />
242   </slicing>
243   <min value="1" />
244   <type>
245     <code value="dateTime" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249 <element id="DiagnosticReport.effective[x]:effectiveDateTime">

```

```

250     <path value="DiagnosticReport.effectiveDateTime" />
251     <sliceName value="effectiveDateTime" />
252     <min value="1" />
253     <type>
254         <code value="dateTime" />
255     </type>
256     <mustSupport value="true" />
257 </element>
258 <element id="DiagnosticReport.issued">
259     <path value="DiagnosticReport.issued" />
260     <max value="0" />
261 </element>
262 <element id="DiagnosticReport.performer">
263     <path value="DiagnosticReport.performer" />
264     <max value="1" />
265     <type>
266         <code value="Reference" />
267         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="DiagnosticReport.performer.reference">
272     <path value="DiagnosticReport.performer.reference" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="DiagnosticReport.performer.type">
277     <path value="DiagnosticReport.performer.type" />
278     <max value="0" />
279 </element>
280 <element id="DiagnosticReport.performer.identifier">
281     <path value="DiagnosticReport.performer.identifier" />
282     <max value="0" />
283 </element>
284 <element id="DiagnosticReport.performer.display">
285     <path value="DiagnosticReport.performer.display" />
286     <max value="0" />
287 </element>
288 <element id="DiagnosticReport.resultsInterpreter">
289     <path value="DiagnosticReport.resultsInterpreter" />
290     <max value="0" />
291 </element>
292 <element id="DiagnosticReport.specimen">
293     <path value="DiagnosticReport.specimen" />
294     <max value="0" />
295 </element>
296 <element id="DiagnosticReport.result">
297     <path value="DiagnosticReport.result" />
298     <type>
299         <code value="Reference" />
300         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U9_Physical_Exam_Abdomen_Genitals|1.0.1" />
301     </type>
302     <mustSupport value="true" />
303 </element>
304 <element id="DiagnosticReport.result.reference">
305     <path value="DiagnosticReport.result.reference" />
306     <min value="1" />
307     <mustSupport value="true" />

```

```

308 </element>
309 <element id="DiagnosticReport.result.type">
310   <path value="DiagnosticReport.result.type" />
311   <max value="0" />
312 </element>
313 <element id="DiagnosticReport.result.identifier">
314   <path value="DiagnosticReport.result.identifier" />
315   <max value="0" />
316 </element>
317 <element id="DiagnosticReport.result.display">
318   <path value="DiagnosticReport.result.display" />
319   <max value="0" />
320 </element>
321 <element id="DiagnosticReport.imagingStudy">
322   <path value="DiagnosticReport.imagingStudy" />
323   <max value="0" />
324 </element>
325 <element id="DiagnosticReport.media">
326   <path value="DiagnosticReport.media" />
327   <max value="0" />
328 </element>
329 <element id="DiagnosticReport.conclusion">
330   <path value="DiagnosticReport.conclusion" />
331   <max value="0" />
332 </element>
333 <element id="DiagnosticReport.conclusionCode">
334   <path value="DiagnosticReport.conclusionCode" />
335   <max value="0" />
336 </element>
337 <element id="DiagnosticReport.presentedForm">
338   <path value="DiagnosticReport.presentedForm" />
339   <max value="0" />
340 </element>
341 </differential>
342 </StructureDefinition>

```

## 276. KBV\_PR\_MIO\_CMR\_ENCOUNTER

## KBV\_PR\_MIO\_CMR\_Encounter

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Encounter" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Encounter" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Encounter" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Encounter">
37 <path value="Encounter" />
38 <short value="Dieses Profil bildet das Untersuchungsdatum ab." />
39 </element>
40 <element id="Encounter.meta">
41 <path value="Encounter.meta" />
42 <min value="1" />
43 </element>
44 <element id="Encounter.meta.versionId">
45 <path value="Encounter.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Encounter.meta.lastUpdated">
49 <path value="Encounter.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Encounter.meta.source">
53 <path value="Encounter.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Encounter.meta.profile">
57 <path value="Encounter.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
61 </element>
62 <element id="Encounter.meta.security">
63 <path value="Encounter.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Encounter.meta.tag">
67 <path value="Encounter.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Encounter.implicitRules">
71 <path value="Encounter.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Encounter.language">
75 <path value="Encounter.language" />
76 <max value="0" />
77 </element>
78 <element id="Encounter.text">
79 <path value="Encounter.text" />
80 <max value="0" />
81 </element>
82 <element id="Encounter.contained">
83 <path value="Encounter.contained" />
84 <max value="0" />
85 </element>
86 <element id="Encounter.identifier">
87 <path value="Encounter.identifier" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Encounter.status">
91     <path value="Encounter.status" />
92     <fixedCode value="finished" />
93 </element>
94 <element id="Encounter.statusHistory">
95     <path value="Encounter.statusHistory" />
96     <max value="0" />
97 </element>
98 <element id="Encounter.class">
99     <path value="Encounter.class" />
100    <mustSupport value="true" />
101 </element>
102 <element id="Encounter.class.system">
103     <path value="Encounter.class.system" />
104     <min value="1" />
105     <fixedUri value="http://terminology.hl7.org/CodeSystem/v3-ActCode" />
106 </element>
107 <element id="Encounter.class.version">
108     <path value="Encounter.class.version" />
109     <min value="1" />
110     <fixedString value="2.0.0" />
111 </element>
112 <element id="Encounter.class.code">
113     <path value="Encounter.class.code" />
114     <min value="1" />
115     <fixedCode value="AMB" />
116 </element>
117     <element id="Encounter.class.display">
118         <path value="Encounter.class.display" />
119         <min value="1" />
120         <fixedString value="ambulatory" />
121     </element>
122 <element id="Encounter.class.userSelected">
123     <path value="Encounter.class.userSelected" />
124     <max value="0" />
125 </element>
126 <element id="Encounter.classHistory">
127     <path value="Encounter.classHistory" />
128     <max value="0" />
129 </element>
130 <element id="Encounter.type">
131     <path value="Encounter.type" />
132     <min value="1" />
133     <max value="1" />
134     <mustSupport value="true" />
135     <binding>
136         <strength value="required" />
137         <description value="Examination Number" />
138         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Examination_Number" />
139     </binding>
140 </element>
141 <element id="Encounter.type.coding">
142     <path value="Encounter.type.coding" />
143     <min value="1" />
144     <max value="1" />
145     <mustSupport value="true" />
146 </element>

```

```

147 <element id="Encounter.type.coding.system">
148   <path value="Encounter.type.coding.system" />
149   <min value="1" />
150 </element>
151 <element id="Encounter.type.coding.version">
152   <path value="Encounter.type.coding.version" />
153   <min value="1" />
154 </element>
155 <element id="Encounter.type.coding.code">
156   <path value="Encounter.type.coding.code" />
157   <min value="1" />
158 </element>
159 <element id="Encounter.type.coding.display">
160   <path value="Encounter.type.coding.display" />
161   <min value="1" />
162 </element>
163 <element id="Encounter.type.coding.display.extension">
164   <path value="Encounter.type.coding.display.extension" />
165   <licing>
166     <discriminator>
167       <type value="value" />
168       <path value="url" />
169     </discriminator>
170     <rules value="open" />
171   </licing>
172 </element>
173 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med">
174   <path value="Encounter.type.coding.display.extension" />
175   <sliceName value="anzeigenameTypeSnomed" />
176   <min value="1" />
177   <max value="1" />
178   <type>
179     <code value="Extension" />
180     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
181   </type>
182   <mustSupport value="true" />
183 </element>
184 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension">
185   <path value="Encounter.type.coding.display.extension.extension" />
186   <licing>
187     <discriminator>
188       <type value="value" />
189       <path value="url" />
190     </discriminator>
191     <rules value="open" />
192   </licing>
193 </element>
194 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content">
195   <path value="Encounter.type.coding.display.extension.extension" />
196   <sliceName value="content" />
197 </element>
198 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content.value[x]">
199   <path value="Encounter.type.coding.display.extension.extension.value[
x]" />

```

```

200     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
201     <mustSupport value="true" />
202   </element>
203   <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content.value[x]:valueString">
204     <path value="Encounter.type.coding.display.extension.extension.valueS
tring" />
205     <sliceName value="valueString" />
206     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_Examination_Number_German|1.0.1" />
207     <mustSupport value="true" />
208   </element>
209   <element id="Encounter.type.coding.userSelected">
210     <path value="Encounter.type.coding.userSelected" />
211     <max value="0" />
212   </element>
213   <element id="Encounter.type.text">
214     <path value="Encounter.type.text" />
215     <max value="0" />
216   </element>
217   <element id="Encounter.serviceType">
218     <path value="Encounter.serviceType" />
219     <max value="0" />
220   </element>
221   <element id="Encounter.priority">
222     <path value="Encounter.priority" />
223     <max value="0" />
224   </element>
225   <element id="Encounter.subject">
226     <path value="Encounter.subject" />
227     <min value="1" />
228     <type>
229       <code value="Reference" />
230       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
231     </type>
232     <mustSupport value="true" />
233   </element>
234   <element id="Encounter.subject.reference">
235     <path value="Encounter.subject.reference" />
236     <min value="1" />
237     <mustSupport value="true" />
238   </element>
239   <element id="Encounter.subject.type">
240     <path value="Encounter.subject.type" />
241     <max value="0" />
242   </element>
243   <element id="Encounter.subject.identififier">
244     <path value="Encounter.subject.identififier" />
245     <max value="0" />
246   </element>
247   <element id="Encounter.subject.display">
248     <path value="Encounter.subject.display" />
249     <max value="0" />
250   </element>
251   <element id="Encounter.episodeOfCare">

```



```

252     <path value="Encounter.episodeOfCare" />
253     <max value="0" />
254 </element>
255 <element id="Encounter.basedOn">
256     <path value="Encounter.basedOn" />
257     <max value="0" />
258 </element>
259 <element id="Encounter.participant">
260     <path value="Encounter.participant" />
261     <min value="1" />
262     <max value="1" />
263     <mustSupport value="true" />
264 </element>
265 <element id="Encounter.participant.type">
266     <path value="Encounter.participant.type" />
267     <min value="1" />
268     <max value="1" />
269     <mustSupport value="true" />
270 </element>
271 <element id="Encounter.participant.type.coding">
272     <path value="Encounter.participant.type.coding" />
273     <min value="1" />
274     <max value="1" />
275     <mustSupport value="true" />
276 </element>
277 <element id="Encounter.participant.type.coding.system">
278     <path value="Encounter.participant.type.coding.system" />
279     <min value="1" />
280     <fixedUri value="http://terminology.hl7.org/CodeSystem/v3-
ParticipationType" />
281 </element>
282 <element id="Encounter.participant.type.coding.version">
283     <path value="Encounter.participant.type.coding.version" />
284     <min value="1" />
285     <fixedString value="2.0.0" />
286 </element>
287 <element id="Encounter.participant.type.coding.code">
288     <path value="Encounter.participant.type.coding.code" />
289     <min value="1" />
290     <fixedCode value="PPRF" />
291 </element>
292 <element id="Encounter.participant.type.coding.display">
293     <path value="Encounter.participant.type.coding.display" />
294     <min value="1" />
295     <fixedString value="primary performer" />
296 </element>
297 <element id="Encounter.participant.type.coding.userSelected">
298     <path value="Encounter.participant.type.coding.userSelected" />
299     <max value="0" />
300 </element>
301 <element id="Encounter.participant.type.text">
302     <path value="Encounter.participant.type.text" />
303     <max value="0" />
304 </element>
305 <element id="Encounter.participant.period">
306     <path value="Encounter.participant.period" />
307     <max value="0" />
308 </element>
309 <element id="Encounter.participant.individual">
310     <path value="Encounter.participant.individual" />

```

```

311     <min value="1" />
312     <type>
313       <code value="Reference" />
314       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
315     </type>
316     <mustSupport value="true" />
317   </element>
318   <element id="Encounter.participant.individual.reference">
319     <path value="Encounter.participant.individual.reference" />
320     <min value="1" />
321     <mustSupport value="true" />
322   </element>
323   <element id="Encounter.participant.individual.type">
324     <path value="Encounter.participant.individual.type" />
325     <max value="0" />
326   </element>
327   <element id="Encounter.participant.individual.identifier">
328     <path value="Encounter.participant.individual.identifier" />
329     <max value="0" />
330   </element>
331   <element id="Encounter.participant.individual.display">
332     <path value="Encounter.participant.individual.display" />
333     <max value="0" />
334   </element>
335   <element id="Encounter.appointment">
336     <path value="Encounter.appointment" />
337     <max value="0" />
338   </element>
339   <element id="Encounter.period">
340     <path value="Encounter.period" />
341     <min value="1" />
342     <mustSupport value="true" />
343   </element>
344   <element id="Encounter.period.start">
345     <path value="Encounter.period.start" />
346     <min value="1" />
347     <mustSupport value="true" />
348   </element>
349   <element id="Encounter.period.end">
350     <path value="Encounter.period.end" />
351     <max value="0" />
352   </element>
353   <element id="Encounter.length">
354     <path value="Encounter.length" />
355     <max value="0" />
356   </element>
357   <element id="Encounter.reasonCode">
358     <path value="Encounter.reasonCode" />
359     <max value="0" />
360   </element>
361   <element id="Encounter.reasonReference">
362     <path value="Encounter.reasonReference" />
363     <max value="0" />
364   </element>
365   <element id="Encounter.diagnosis">
366     <path value="Encounter.diagnosis" />
367     <max value="0" />
368   </element>
369   <element id="Encounter.account">

```

```

370     <path value="Encounter.account" />
371     <max value="0" />
372 </element>
373 <element id="Encounter.hospitalization">
374     <path value="Encounter.hospitalization" />
375     <max value="0" />
376 </element>
377 <element id="Encounter.location">
378     <path value="Encounter.location" />
379     <max value="0" />
380 </element>
381 <element id="Encounter.serviceProvider">
382     <path value="Encounter.serviceProvider" />
383     <type>
384         <code value="Reference" />
385         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMROrganization|1.0.1" />
386     </type>
387     <mustSupport value="true" />
388 </element>
389 <element id="Encounter.serviceProvider.reference">
390     <path value="Encounter.serviceProvider.reference" />
391     <min value="1" />
392     <mustSupport value="true" />
393 </element>
394 <element id="Encounter.serviceProvider.type">
395     <path value="Encounter.serviceProvider.type" />
396     <max value="0" />
397 </element>
398 <element id="Encounter.serviceProvider.identifier">
399     <path value="Encounter.serviceProvider.identifier" />
400     <max value="0" />
401 </element>
402 <element id="Encounter.serviceProvider.display">
403     <path value="Encounter.serviceProvider.display" />
404     <max value="0" />
405 </element>
406 <element id="Encounter.partOf">
407     <path value="Encounter.partOf" />
408     <max value="0" />
409 </element>
410 </differential>
411 </StructureDefinition>

```

## 277. KBV\_PR\_MIO\_CMR\_MEDICATION\_STATEMENT\_VITAMINE\_K\_PROPHYLAXIS

## KBV\_PR\_MIO\_CMR\_Medication\_Statement\_Vitamine\_K\_Prophylaxis

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Medication_Statement_Vitamine_K_Prophylaxis" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Medication_Statement_Vitamine_K_Prophylaxis"
/>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />

```

```

29 </mapping>
30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="MedicationStatement" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
MedicationStatement" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="MedicationStatement">
37 <path value="MedicationStatement" />
38 <short value="Dieses Profil bildet die Vitamin K Prophylaxe ab." />
39 <constraint>
40 <key value="med-1" />
41 <severity value="error" />
42 <human value="Either free text or doseQuantity and route must
exist" />
43 <expression value="dosage.text.empty().not() xor
(dosage.route.empty().not() and dosage.doseAndRate.dose.empty().not())" />
44 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Medication_Statement_Vitamine_K_Prophylaxis" />
45 </constraint>
46 </element>
47 <element id="MedicationStatement.meta">
48 <path value="MedicationStatement.meta" />
49 <min value="1" />
50 </element>
51 <element id="MedicationStatement.meta.versionId">
52 <path value="MedicationStatement.meta.versionId" />
53 <max value="0" />
54 </element>
55 <element id="MedicationStatement.meta.lastUpdated">
56 <path value="MedicationStatement.meta.lastUpdated" />
57 <max value="0" />
58 </element>
59 <element id="MedicationStatement.meta.source">
60 <path value="MedicationStatement.meta.source" />
61 <max value="0" />
62 </element>
63 <element id="MedicationStatement.meta.profile">
64 <path value="MedicationStatement.meta.profile" />
65 <min value="1" />
66 <max value="1" />
67 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Medication_Statement_Vitamine_K_Prophylaxis|1.0.1" />
68 </element>
69 <element id="MedicationStatement.meta.security">
70 <path value="MedicationStatement.meta.security" />
71 <max value="0" />
72 </element>
73 <element id="MedicationStatement.meta.tag">
74 <path value="MedicationStatement.meta.tag" />
75 <max value="0" />
76 </element>
77
78
79
80
81 <element id="MedicationStatement.implicitRules">
82 <path value="MedicationStatement.implicitRules" />
83 <max value="0" />

```

```

84 </element>
85 <element id="MedicationStatement.language">
86   <path value="MedicationStatement.language" />
87   <max value="0" />
88 </element>
89 <element id="MedicationStatement.contained">
90   <path value="MedicationStatement.contained" />
91   <max value="0" />
92 </element>
93
94 <element id="MedicationStatement.extension:vitaminKEinleitung">
95   <path value="MedicationStatement.extension" />
96   <sliceName value="vitaminKEinleitung" />
97   <min value="1" />
98   <max value="1" />
99   <type>
100     <code value="Extension" />
101     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
102   </type>
103   <mustSupport value="true" />
104 </element>
105 <element id="MedicationStatement.extension:vitaminKEinleitung.value[x]">
106   <path value="MedicationStatement.extension.value[x]" />
107   <mustSupport value="true" />
108 </element>
109 <element id="MedicationStatement.extension:vitaminKEinleitung.value[x]:
valueString">
110   <path value="MedicationStatement.extension.value[x]" />
111   <sliceName value="valueString" />
112   <fixedString value="Vitamin-K-Prophylaxe gegeben:" />
113   <mustSupport value="true" />
114 </element>
115
116 <element id="MedicationStatement.identifier">
117   <path value="MedicationStatement.identifier" />
118   <max value="0" />
119 </element>
120 <element id="MedicationStatement.basedOn">
121   <path value="MedicationStatement.basedOn" />
122   <max value="0" />
123 </element>
124 <element id="MedicationStatement.partOf">
125   <path value="MedicationStatement.partOf" />
126   <max value="0" />
127 </element>
128 <element id="MedicationStatement.status">
129   <path value="MedicationStatement.status" />
130   <binding>
131     <strength value="required" />
132     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Medication_Statement_Status" />
133   </binding>
134 </element>
135 <element id="MedicationStatement.statusReason">
136   <path value="MedicationStatement.statusReason" />
137   <max value="0" />
138 </element>
139 <element id="MedicationStatement.category">
140   <path value="MedicationStatement.category" />

```

```

141     <max value="0" />
142 </element>
143 <element id="MedicationStatement.medication[x]">
144     <path value="MedicationStatement.medication[x]" />
145     <slicing>
146         <discriminator>
147             <type value="type" />
148             <path value="$this" />
149         </discriminator>
150         <rules value="closed" />
151     </slicing>
152     <type>
153         <code value="CodeableConcept" />
154     </type>
155     <mustSupport value="true" />
156 </element>
157 <element id="MedicationStatement.medication[x]:medicationCodeableConcep
t">
158     <path value="MedicationStatement.medication[x]" />
159     <sliceName value="medicationCodeableConcept" />
160     <min value="1" />
161         <max value="1" />
162     <type>
163         <code value="CodeableConcept" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="MedicationStatement.medication[x]:medicationCodeableConcep
t.coding">
168     <path value="MedicationStatement.medication[x].coding" />
169     <min value="1" />
170     <max value="1" />
171     <mustSupport value="true" />
172 </element>
173 <element id="MedicationStatement.medication[x]:medicationCodeableConcep
t.coding.system">
174     <path value="MedicationStatement.medication[x].coding.system" />
175     <min value="1" />
176     <fixedUri value="http://snomed.info/sct" />
177 </element>
178 <element id="MedicationStatement.medication[x]:medicationCodeableConcep
t.coding.version">
179     <path value="MedicationStatement.medication[x].coding.version" />
180     <min value="1" />
181     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
182 </element>
183 <element id="MedicationStatement.medication[x]:medicationCodeableConcep
t.coding.code">
184     <path value="MedicationStatement.medication[x].coding.code" />
185     <min value="1" />
186     <fixedCode value="66656000" />
187 </element>
188 <element id="MedicationStatement.medication[x]:medicationCodeableConcep
t.coding.display">
189     <path value="MedicationStatement.medication[x].coding.display" />
190     <min value="1" />
191 </element>
192 <element id="MedicationStatement.medication[x]:medicationCodeableConcep
t.coding.display.extension">

```

```

193     <path value="MedicationStatement.medication[x].coding.display.extension" />
194     < slicing >
195         < discriminator >
196             < type value="value" />
197             < path value="url" />
198         < / discriminator >
199         < rules value="open" />
200     < / slicing >
201 < / element >
202     < element id="MedicationStatement.medication[x]:medicationCodeableConcept.coding.display.extension:anzeigenameMedicationSnomed" >
203         < path value="MedicationStatement.medication[x].coding.display.extension" />
204         < sliceName value="anzeigenameMedicationSnomed" />
205         < min value="1" />
206         < max value="1" />
207         < type >
208             < code value="Extension" />
209             < profile value="https://fhir.kbv.de/StructureDefinition/KBV_EX_Base_Terminology_German" />
210         < / type >
211         < mustSupport value="true" />
212     < / element >
213     < element id="MedicationStatement.medication[x]:medicationCodeableConcept.coding.display.extension:anzeigenameMedicationSnomed.extension" >
214         < path value="MedicationStatement.medication[x].coding.display.extension.extension" />
215         < slicing >
216             < discriminator >
217                 < type value="value" />
218                 < path value="url" />
219             < / discriminator >
220             < rules value="open" />
221         < / slicing >
222     < / element >
223     < element id="MedicationStatement.medication[x]:medicationCodeableConcept.coding.display.extension:anzeigenameMedicationSnomed.extension:content" >
224         < path value="MedicationStatement.medication[x].coding.display.extension.extension" />
225         < sliceName value="content" />
226     < / element >
227     < element id="MedicationStatement.medication[x]:medicationCodeableConcept.coding.display.extension:anzeigenameMedicationSnomed.extension:content.value[x]" >
228         < path value="MedicationStatement.medication[x].coding.display.extension.extension.value[x]" />
229         < slicing >
230             < discriminator >
231                 < type value="type" />
232                 < path value="$this" />
233             < / discriminator >
234             < rules value="closed" />
235         < / slicing >
236         < mustSupport value="true" />
237     < / element >
238     < element id="MedicationStatement.medication[x]:medicationCodeableConcept.coding.display.extension:anzeigenameMedicationSnomed.extension:content.value[x]:valueString" >

```



```

239     <path value="MedicationStatement.medication[x].coding.display.extension.extension.valueString" />
240     <sliceName value="valueString" />
241     <min value="1" />
242     <fixedString value="Vitamin-K" />
243     <mustSupport value="true" />
244 </element>
245 <element id="MedicationStatement.medication[x]:medicationCodeableConcept.coding.userSelected">
246     <path value="MedicationStatement.medication[x].coding.userSelected" /
>
247     <max value="0" />
248 </element>
249 <element id="MedicationStatement.medication[x]:medicationCodeableConcept.text">
250     <path value="MedicationStatement.medication[x].text" />
251     <max value="0" />
252 </element>
253 <element id="MedicationStatement.subject">
254     <path value="MedicationStatement.subject" />
255     <type>
256         <code value="Reference" />
257         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
258     </type>
259     <mustSupport value="true" />
260 </element>
261 <element id="MedicationStatement.subject.reference">
262     <path value="MedicationStatement.subject.reference" />
263     <min value="1" />
264     <mustSupport value="true" />
265 </element>
266 <element id="MedicationStatement.subject.type">
267     <path value="MedicationStatement.subject.type" />
268     <max value="0" />
269 </element>
270 <element id="MedicationStatement.subject.identifier">
271     <path value="MedicationStatement.subject.identifier" />
272     <max value="0" />
273 </element>
274 <element id="MedicationStatement.subject.display">
275     <path value="MedicationStatement.subject.display" />
276     <max value="0" />
277 </element>
278 <element id="MedicationStatement.context">
279     <path value="MedicationStatement.context" />
280     <min value="1" />
281     <type>
282         <code value="Reference" />
283         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
284     </type>
285     <mustSupport value="true" />
286 </element>
287 <element id="MedicationStatement.context.reference">
288     <path value="MedicationStatement.context.reference" />
289     <min value="1" />
290     <mustSupport value="true" />
291 </element>
292 <element id="MedicationStatement.context.type">

```

```

293     <path value="MedicationStatement.context.type" />
294     <max value="0" />
295 </element>
296 <element id="MedicationStatement.context.identifier">
297     <path value="MedicationStatement.context.identifier" />
298     <max value="0" />
299 </element>
300 <element id="MedicationStatement.context.display">
301     <path value="MedicationStatement.context.display" />
302     <max value="0" />
303 </element>
304 <element id="MedicationStatement.effective[x]">
305     <path value="MedicationStatement.effective[x]" />
306     <licing>
307         <discriminator>
308             <type value="type" />
309             <path value="$this" />
310         </discriminator>
311         <rules value="closed" />
312     </licing>
313     <min value="1" />
314     <type>
315         <code value="dateTime" />
316     </type>
317     <mustSupport value="true" />
318 </element>
319 <element id="MedicationStatement.effective[x]:effectiveDateTime">
320     <path value="MedicationStatement.effective[x]" />
321     <sliceName value="effectiveDateTime" />
322     <min value="1" />
323     <type>
324         <code value="dateTime" />
325     </type>
326     <mustSupport value="true" />
327 </element>
328 <element id="MedicationStatement.dateAsserted">
329     <path value="MedicationStatement.dateAsserted" />
330     <max value="0" />
331 </element>
332 <element id="MedicationStatement.informationSource">
333     <path value="MedicationStatement.informationSource" />
334     <max value="0" />
335 </element>
336 <element id="MedicationStatement.derivedFrom">
337     <path value="MedicationStatement.derivedFrom" />
338     <max value="0" />
339 </element>
340 <element id="MedicationStatement.reasonCode">
341     <path value="MedicationStatement.reasonCode" />
342     <max value="0" />
343 </element>
344 <element id="MedicationStatement.reasonReference">
345     <path value="MedicationStatement.reasonReference" />
346     <max value="0" />
347 </element>
348 <element id="MedicationStatement.note">
349     <path value="MedicationStatement.note" />
350     <max value="0" />
351 </element>
352 <element id="MedicationStatement.dosage">

```

```

353     <path value="MedicationStatement.dosage" />
354     <min value="1" />
355     <max value="1" />
356     <mustSupport value="true" />
357 </element>
358 <element id="MedicationStatement.dosage.sequence">
359     <path value="MedicationStatement.dosage.sequence" />
360     <max value="0" />
361 </element>
362 <element id="MedicationStatement.dosage.text">
363     <path value="MedicationStatement.dosage.text" />
364     <mustSupport value="true" />
365 </element>
366 <element id="MedicationStatement.dosage.additionalInstruction">
367     <path value="MedicationStatement.dosage.additionalInstruction" />
368     <max value="0" />
369 </element>
370 <element id="MedicationStatement.dosage.patientInstruction">
371     <path value="MedicationStatement.dosage.patientInstruction" />
372     <max value="0" />
373 </element>
374 <element id="MedicationStatement.dosage.timing">
375     <path value="MedicationStatement.dosage.timing" />
376     <max value="0" />
377 </element>
378 <element id="MedicationStatement.dosage.asNeeded[x]">
379     <path value="MedicationStatement.dosage.asNeeded[x]" />
380     <max value="0" />
381 </element>
382 <element id="MedicationStatement.dosage.site">
383     <path value="MedicationStatement.dosage.site" />
384     <max value="0" />
385 </element>
386 <element id="MedicationStatement.dosage.route">
387     <path value="MedicationStatement.dosage.route" />
388     <mustSupport value="true" />
389 </element>
390 <element id="MedicationStatement.dosage.route.coding">
391     <path value="MedicationStatement.dosage.route.coding" />
392     <min value="1" />
393     <max value="1" />
394     <mustSupport value="true" />
395 </element>
396 <element id="MedicationStatement.dosage.route.coding.system">
397     <path value="MedicationStatement.dosage.route.coding.system" />
398     <min value="1" />
399     <fixedUri value="http://snomed.info/sct" />
400 </element>
401 <element id="MedicationStatement.dosage.route.coding.version">
402     <path value="MedicationStatement.dosage.route.coding.version" />
403     <min value="1" />
404     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
405 </element>
406 <element id="MedicationStatement.dosage.route.coding.code">
407     <path value="MedicationStatement.dosage.route.coding.code" />
408     <min value="1" />
409     <fixedCode value="26643006" />
410 </element>
411 <element id="MedicationStatement.dosage.route.coding.display">

```

```

412     <path value="MedicationStatement.dosage.route.coding.display" />
413     <min value="1" />
414 </element>
415 <element id="MedicationStatement.dosage.route.coding.display.extension">
416   <path value="MedicationStatement.dosage.route.coding.display.extensio
n" />
417   < slicing>
418     < discriminator>
419       < type value="value" />
420       < path value="url" />
421     </ discriminator>
422     < rules value="open" />
423   </ slicing>
424 </ element>
425 < element id="MedicationStatement.dosage.route.coding.display.extension:
anzeigenameRouteSnomed">
426   < path value="MedicationStatement.dosage.route.coding.display.extensio
n" />
427   < sliceName value="anzeigenameRouteSnomed" />
428   < min value="1" />
429   < max value="1" />
430   < type>
431     < code value="Extension" />
432     < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
433   </ type>
434   < mustSupport value="true" />
435 </ element>
436 < element id="MedicationStatement.dosage.route.coding.display.extension:
anzeigenameRouteSnomed.extension">
437   < path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension" />
438   < slicing>
439     < discriminator>
440       < type value="value" />
441       < path value="url" />
442     </ discriminator>
443     < rules value="open" />
444   </ slicing>
445 </ element>
446 < element id="MedicationStatement.dosage.route.coding.display.extension:
anzeigenameRouteSnomed.extension:content">
447   < path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension" />
448   < sliceName value="content" />
449 </ element>
450 < element id="MedicationStatement.dosage.route.coding.display.extension:
anzeigenameRouteSnomed.extension:content.value[x]">
451   < path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension.value[x]" />
452   < slicing>
453     < discriminator>
454       < type value="type" />
455       < path value="$this" />
456     </ discriminator>
457     < rules value="closed" />
458   </ slicing>
459   < mustSupport value="true" />
460 </ element>

```

```

461     <element id="MedicationStatement.dosage.route.coding.display.extension:
anzeigenameRouteSnomed.extension:content.value[x]:valueString">
462       <path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension.valueString" />
463       <sliceName value="valueString" />
464       <min value="1" />
465       <fixedString value="oral" />
466       <mustSupport value="true" />
467     </element>
468     <element id="MedicationStatement.dosage.route.coding.userSelected">
469       <path value="MedicationStatement.dosage.route.coding.userSelected" />
470       <max value="0" />
471     </element>
472     <element id="MedicationStatement.dosage.route.text">
473       <path value="MedicationStatement.dosage.route.text" />
474       <max value="0" />
475     </element>
476     <element id="MedicationStatement.dosage.method">
477       <path value="MedicationStatement.dosage.method" />
478       <max value="0" />
479     </element>
480     <element id="MedicationStatement.dosage.doseAndRate">
481       <path value="MedicationStatement.dosage.doseAndRate" />
482       <max value="1" />
483       <mustSupport value="true" />
484     </element>
485     <element id="MedicationStatement.dosage.doseAndRate.type">
486       <path value="MedicationStatement.dosage.doseAndRate.type" />
487       <max value="0" />
488     </element>
489     <element id="MedicationStatement.dosage.doseAndRate.dose[x]">
490       <path value="MedicationStatement.dosage.doseAndRate.dose[x]" />
491       <slicing>
492         <discriminator>
493           <type value="type" />
494           <path value="$this" />
495         </discriminator>
496         <rules value="closed" />
497       </slicing>
498       <min value="1" />
499       <type>
500         <code value="Quantity" />
501       </type>
502       <mustSupport value="true" />
503     </element>
504     <element id="MedicationStatement.dosage.doseAndRate.dose[x]:doseQuantit
y">
505       <path value="MedicationStatement.dosage.doseAndRate.dose[x]" />
506       <sliceName value="doseQuantity" />
507       <min value="1" />
508       <type>
509         <code value="Quantity" />
510       </type>
511       <mustSupport value="true" />
512     </element>
513     <element id="MedicationStatement.dosage.doseAndRate.dose[x]:doseQuantit
y.value">
514       <path value="MedicationStatement.dosage.doseAndRate.dose[x].value" />
515       <min value="1" />
516       <fixedDecimal value="2" />

```

```

517     </element>
518     <element id="MedicationStatement.dosage.doseAndRate.dose[x]:doseQuantit
y.unit">
519         <path value="MedicationStatement.dosage.doseAndRate.dose[x].unit" />
520         <min value="1" />
521         <fixedString value="mg" />
522     </element>
523     <element id="MedicationStatement.dosage.doseAndRate.dose[x]:doseQuantit
y.system">
524         <path value="MedicationStatement.dosage.doseAndRate.dose[x].system" /
>
525         <min value="1" />
526         <fixedUri value="http://unitsofmeasure.org" />
527     </element>
528     <element id="MedicationStatement.dosage.doseAndRate.dose[x]:doseQuantit
y.code">
529         <path value="MedicationStatement.dosage.doseAndRate.dose[x].code" />
530         <min value="1" />
531         <fixedCode value="mg" />
532     </element>
533     <element id="MedicationStatement.dosage.doseAndRate.rate[x]">
534         <path value="MedicationStatement.dosage.doseAndRate.rate[x]" />
535         <max value="0" />
536     </element>
537     <element id="MedicationStatement.dosage.maxDosePerPeriod">
538         <path value="MedicationStatement.dosage.maxDosePerPeriod" />
539         <max value="0" />
540     </element>
541     <element id="MedicationStatement.dosage.maxDosePerAdministration">
542         <path value="MedicationStatement.dosage.maxDosePerAdministration" />
543         <max value="0" />
544     </element>
545     <element id="MedicationStatement.dosage.maxDosePerLifetime">
546         <path value="MedicationStatement.dosage.maxDosePerLifetime" />
547         <max value="0" />
548     </element>
549 </differential>
550 </StructureDefinition>

```

## 278. KBV\_PR\_MIO\_CMR\_OBSERVATION\_COMMENTS

### KBV\_PR\_MIO\_CMR\_Observation\_Comments

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_Comments" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Bemerkungen, die den Bereich
Ergebnisse betreffen ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Comments|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```



```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126   <mustSupport value="false" />
127 </element>
128 <element id="Observation.code.coding.version">
129   <path value="Observation.code.coding.version" />
130   <min value="1" />
131   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
132   <mustSupport value="false" />
133 </element>
134 <element id="Observation.code.coding.code">
135   <path value="Observation.code.coding.code" />
136   <min value="1" />
137   <fixedCode value="703852005" />
138   <mustSupport value="false" />
139 </element>
140 <element id="Observation.code.coding.display">
141   <path value="Observation.code.coding.display" />
142   <min value="1" />
143 </element>
144 <element id="Observation.code.coding.display.extension">
145   <path value="Observation.code.coding.display.extension" />

```

```

146     < slicing >
147         < discriminator >
148             < type value="value" />
149             < path value="url" />
150         < / discriminator >
151         < rules value="open" />
152     < / slicing >
153 < / element >
154 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
155     < path value="Observation.code.coding.display.extension" />
156     < sliceName value="anzeigenameCodeSnomed" />
157     < short value="anzeigenameCodeSnomed" />
158     < definition value="Annotation des Snomed CT Codes mit einem deutschen
159     < min value="1" />
160     < max value="1" />
161     < type >
162         < code value="Extension" />
163         < profile value="https://fhir.kbv.de/StructureDefinition/
164     < / type >
165     < mustSupport value="true" />
166 < / element >
167 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
168     < path value="Observation.code.coding.display.extension.extension" />
169     < slicing >
170         < discriminator >
171             < type value="value" />
172             < path value="url" />
173         < / discriminator >
174         < rules value="open" />
175     < / slicing >
176 < / element >
177 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
178     < path value="Observation.code.coding.display.extension.extension" />
179     < sliceName value="content" />
180 < / element >
181 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
182     < path value="Observation.code.coding.display.extension.extension.valu
183     < slicing >
184         < discriminator >
185             < type value="type" />
186             < path value="$this" />
187         < / discriminator >
188         < rules value="closed" />
189     < / slicing >
190     < mustSupport value="true" />
191 < / element >
192 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
193     < path value="Observation.code.coding.display.extension.extension.valu
194     < sliceName value="valueString" />
195     < min value="1" />

```

```

196     <fixedString value="Bemerkungen:" />
197     <mustSupport value="true" />
198 </element>
199 <element id="Observation.code.coding.userSelected">
200     <path value="Observation.code.coding.userSelected" />
201     <max value="0" />
202 </element>
203 <element id="Observation.code.text">
204     <path value="Observation.code.text" />
205     <max value="0" />
206 </element>
207 <element id="Observation.subject">
208     <path value="Observation.subject" />
209     <min value="1" />
210     <type>
211         <code value="Reference" />
212         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
213     </type>
214     <mustSupport value="true" />
215 </element>
216 <element id="Observation.subject.reference">
217     <path value="Observation.subject.reference" />
218     <min value="1" />
219     <mustSupport value="true" />
220 </element>
221 <element id="Observation.subject.type">
222     <path value="Observation.subject.type" />
223     <max value="0" />
224 </element>
225 <element id="Observation.subject.identifier">
226     <path value="Observation.subject.identifier" />
227     <max value="0" />
228 </element>
229 <element id="Observation.subject.display">
230     <path value="Observation.subject.display" />
231     <max value="0" />
232 </element>
233 <element id="Observation.focus">
234     <path value="Observation.focus" />
235     <max value="0" />
236 </element>
237 <element id="Observation.encounter">
238     <path value="Observation.encounter" />
239     <min value="1" />
240     <type>
241         <code value="Reference" />
242         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
243     </type>
244     <mustSupport value="true" />
245 </element>
246 <element id="Observation.encounter.reference">
247     <path value="Observation.encounter.reference" />
248     <min value="1" />
249     <mustSupport value="true" />
250 </element>
251 <element id="Observation.encounter.type">
252     <path value="Observation.encounter.type" />
253     <max value="0" />

```

```

254 </element>
255 <element id="Observation.encounter.identifier">
256   <path value="Observation.encounter.identifier" />
257   <max value="0" />
258 </element>
259 <element id="Observation.encounter.display">
260   <path value="Observation.encounter.display" />
261   <max value="0" />
262 </element>
263 <element id="Observation.effective[x]">
264   <path value="Observation.effective[x]" />
265   <slicing>
266     <discriminator>
267       <type value="type" />
268       <path value="$this" />
269     </discriminator>
270     <rules value="closed" />
271   </slicing>
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.effective[x]:effectiveDateTime">
279   <path value="Observation.effective[x]" />
280   <sliceName value="effectiveDateTime" />
281   <min value="1" />
282   <type>
283     <code value="dateTime" />
284   </type>
285
286   <mustSupport value="true" />
287 </element>
288 <element id="Observation.issued">
289   <path value="Observation.issued" />
290   <max value="0" />
291 </element>
292 <element id="Observation.performer">
293   <path value="Observation.performer" />
294   <max value="1" />
295   <type>
296     <code value="Reference" />
297     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
298   </type>
299   <mustSupport value="true" />
300 </element>
301 <element id="Observation.performer.reference">
302   <path value="Observation.performer.reference" />
303   <min value="1" />
304   <mustSupport value="true" />
305 </element>
306 <element id="Observation.performer.type">
307   <path value="Observation.performer.type" />
308   <max value="0" />
309 </element>
310 <element id="Observation.performer.identifier">
311   <path value="Observation.performer.identifier" />
312   <max value="0" />

```

```

313 </element>
314 <element id="Observation.performer.display">
315   <path value="Observation.performer.display" />
316   <max value="0" />
317 </element>
318 <element id="Observation.value[x]">
319   <path value="Observation.value[x]" />
320   <slicing>
321     <discriminator>
322       <type value="type" />
323       <path value="$this" />
324     </discriminator>
325     <rules value="closed" />
326   </slicing>
327   <min value="1" />
328   <type>
329     <code value="string" />
330   </type>
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.value[x]:valueString">
334   <path value="Observation.value[x]" />
335   <sliceName value="valueString" />
336   <min value="1" />
337   <type>
338     <code value="string" />
339   </type>
340   <mustSupport value="true" />
341 </element>
342 <element id="Observation.dataAbsentReason">
343   <path value="Observation.dataAbsentReason" />
344   <max value="0" />
345 </element>
346 <element id="Observation.interpretation">
347   <path value="Observation.interpretation" />
348   <max value="0" />
349 </element>
350 <element id="Observation.note">
351   <path value="Observation.note" />
352   <max value="0" />
353 </element>
354 <element id="Observation.bodySite">
355   <path value="Observation.bodySite" />
356   <max value="0" />
357 </element>
358 <element id="Observation.method">
359   <path value="Observation.method" />
360   <max value="0" />
361 </element>
362 <element id="Observation.specimen">
363   <path value="Observation.specimen" />
364   <max value="0" />
365 </element>
366 <element id="Observation.device">
367   <path value="Observation.device" />
368   <max value="0" />
369 </element>
370 <element id="Observation.referenceRange">
371   <path value="Observation.referenceRange" />
372   <max value="0" />

```

```
373     </element>
374     <element id="Observation.hasMember">
375       <path value="Observation.hasMember" />
376       <max value="0" />
377     </element>
378     <element id="Observation.derivedFrom">
379       <path value="Observation.derivedFrom" />
380       <max value="0" />
381     </element>
382     <element id="Observation.component">
383       <path value="Observation.component" />
384       <max value="0" />
385     </element>
386   </differential>
387 </StructureDefinition>
```

## 279. KBV\_PR\_MIO\_CMR\_OBSERVATION\_HEAD\_CIRCUMFERENCE

## KBV\_PR\_MIO\_CMR\_Observation\_Head\_Circumference

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Head_Circumference" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_Head_Circumference" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Head_Circumference|1.1.3" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet den Kopfumfang des Kindes ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_Head_Circumference|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```



```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <licing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="closed" />
124   </licing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeSnomed">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeSnomed" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeSnomed.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Observation.code.coding:codeSnomed.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
145 </element>
146 <element id="Observation.code.coding:codeSnomed.code">

```

```

147     <path value="Observation.code.coding.code" />
148     <min value="1" />
149     <fixedCode value="363812007" />
150 </element>
151 <element id="Observation.code.coding:codeSnomed.display">
152     <path value="Observation.code.coding.display" />
153     <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension">
156     <path value="Observation.code.coding.display.extension" />
157     <slicing>
158         <discriminator>
159             <type value="value" />
160             <path value="url" />
161         </discriminator>
162         <rules value="open" />
163     </slicing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
166     <path value="Observation.code.coding.display.extension" />
167     <sliceName value="anzeigenameCodeSnomed" />
168     <min value="1" />
169     <max value="1" />
170     <type>
171         <code value="Extension" />
172         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173     </type>
174     <mustSupport value="true" />
175 </element>
176 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
177     <path value="Observation.code.coding.display.extension.extension" />
178     <slicing>
179         <discriminator>
180             <type value="value" />
181             <path value="url" />
182         </discriminator>
183         <rules value="open" />
184     </slicing>
185 </element>
186 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
187     <path value="Observation.code.coding.display.extension.extension" />
188     <sliceName value="content" />
189 </element>
190 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
191     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
192     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
196     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
197     <sliceName value="valueString" />

```

```

198     <min value="1" />
199     <fixedString value="Kopfumfang in cm" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Observation.code.coding:codeSnomed.userSelected">
203     <path value="Observation.code.coding.userSelected" />
204     <max value="0" />
205 </element>
206 <element id="Observation.code.coding:codeLoinc">
207     <path value="Observation.code.coding" />
208     <sliceName value="codeLoinc" />
209     <min value="1" />
210     <max value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Observation.code.coding:codeLoinc.system">
214     <path value="Observation.code.coding.system" />
215     <min value="1" />
216     <fixedUri value="http://loinc.org" />
217 </element>
218 <element id="Observation.code.coding:codeLoinc.version">
219     <path value="Observation.code.coding.version" />
220     <min value="1" />
221     <fixedString value="2.69" />
222 </element>
223 <element id="Observation.code.coding:codeLoinc.code">
224     <path value="Observation.code.coding.code" />
225     <min value="1" />
226     <fixedCode value="9843-4" />
227 </element>
228 <element id="Observation.code.coding:codeLoinc.display">
229     <path value="Observation.code.coding.display" />
230     <min value="1" />
231 </element>
232 <element id="Observation.code.coding:codeLoinc.display.extension">
233     <path value="Observation.code.coding.display.extension" />
234     <licing>
235         <discriminator>
236             <type value="value" />
237             <path value="url" />
238         </discriminator>
239         <rules value="open" />
240     </licing>
241 </element>
242 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
243     <path value="Observation.code.coding.display.extension" />
244     <sliceName value="anzeigenameCodeLoinc" />
245     <min value="1" />
246     <max value="1" />
247     <type>
248         <code value="Extension" />
249         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
250     </type>
251     <mustSupport value="true" />
252 </element>
253 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
254     <path value="Observation.code.coding.display.extension.extension" />

```

```

255     < slicing >
256         < discriminator >
257             < type value="value" />
258             < path value="url" />
259         < / discriminator >
260         < rules value="open" />
261     < / slicing >
262 < / element >
263 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
264     < path value="Observation.code.coding.display.extension.extension" />
265     < sliceName value="content" />
266 < / element >
267 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">
268     < path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
269     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
discriminator >< rules value="closed" />< / slicing >
270     < mustSupport value="true" />
271 < / element >
272 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
273     < path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
274     < sliceName value="valueString" />
275     < min value="1" />
276     < fixedString value="Kopfumfang in cm" />
277     < mustSupport value="true" />
278 < / element >
279 < element id="Observation.code.coding:codeLoinc.userSelected">
280     < path value="Observation.code.coding.userSelected" />
281     < max value="0" />
282 < / element >
283 < element id="Observation.code.text">
284     < path value="Observation.code.text" />
285     < max value="0" />
286 < / element >
287 < element id="Observation.subject">
288     < path value="Observation.subject" />
289     < min value="1" />
290     < type >
291         < code value="Reference" />
292         < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
293     < / type >
294     < mustSupport value="true" />
295 < / element >
296 < element id="Observation.subject.reference">
297     < path value="Observation.subject.reference" />
298     < min value="1" />
299     < mustSupport value="true" />
300 < / element >
301 < element id="Observation.subject.type">
302     < path value="Observation.subject.type" />
303     < max value="0" />
304 < / element >
305 < element id="Observation.subject.identifler">
306     < path value="Observation.subject.identifler" />
307     < max value="0" />

```

```

308 </element>
309 <element id="Observation.subject.display">
310   <path value="Observation.subject.display" />
311   <max value="0" />
312 </element>
313 <element id="Observation.focus">
314   <path value="Observation.focus" />
315   <max value="0" />
316 </element>
317 <element id="Observation.encounter">
318   <path value="Observation.encounter" />
319   <min value="1" />
320   <type>
321     <code value="Reference" />
322     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
323   </type>
324   <mustSupport value="true" />
325 </element>
326 <element id="Observation.encounter.reference">
327   <path value="Observation.encounter.reference" />
328   <min value="1" />
329   <mustSupport value="true" />
330 </element>
331 <element id="Observation.encounter.type">
332   <path value="Observation.encounter.type" />
333   <max value="0" />
334 </element>
335 <element id="Observation.encounter.identifier">
336   <path value="Observation.encounter.identifier" />
337   <max value="0" />
338 </element>
339 <element id="Observation.encounter.display">
340   <path value="Observation.encounter.display" />
341   <max value="0" />
342 </element>
343 <element id="Observation.effective[x]">
344   <path value="Observation.effective[x]" />
345   <slicing>
346     <discriminator>
347       <type value="type" />
348       <path value="$this" />
349     </discriminator>
350     <rules value="closed" />
351   </slicing>
352   <min value="1" />
353   <type>
354     <code value="dateTime" />
355   </type>
356   <mustSupport value="true" />
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359   <path value="Observation.effective[x]" />
360   <sliceName value="effectiveDateTime" />
361   <min value="1" />
362   <type>
363     <code value="dateTime" />
364   </type>
365   <mustSupport value="true" />
366 </element>

```

```

367 <element id="Observation.issued">
368   <path value="Observation.issued" />
369   <max value="0" />
370 </element>
371 <element id="Observation.performer">
372   <path value="Observation.performer" />
373   <max value="1" />
374   <type>
375     <code value="Reference" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
377   </type>
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.performer.reference">
381   <path value="Observation.performer.reference" />
382   <min value="1" />
383   <mustSupport value="true" />
384 </element>
385 <element id="Observation.performer.type">
386   <path value="Observation.performer.type" />
387   <max value="0" />
388 </element>
389 <element id="Observation.performer.identifier">
390   <path value="Observation.performer.identifier" />
391   <max value="0" />
392 </element>
393 <element id="Observation.performer.display">
394   <path value="Observation.performer.display" />
395   <max value="0" />
396 </element>
397 <element id="Observation.value[x]">
398   <path value="Observation.value[x]" />
399   <slicing>
400     <discriminator>
401       <type value="type" />
402       <path value="$this" />
403     </discriminator>
404     <rules value="closed" />
405   </slicing>
406   <min value="1" />
407   <type>
408     <code value="Quantity" />
409   </type>
410   <mustSupport value="true" />
411 </element>
412 <element id="Observation.value[x]:valueQuantity">
413   <path value="Observation.valueQuantity" />
414   <sliceName value="valueQuantity" />
415   <min value="1" />
416   <type>
417     <code value="Quantity" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Observation.value[x]:valueQuantity.value">
422   <path value="Observation.valueQuantity.value" />
423   <min value="1" />
424 </element>
425 <element id="Observation.value[x]:valueQuantity.comparator">

```

```

426     <path value="Observation.valueQuantity.comparator" />
427     <max value="0" />
428 </element>
429 <element id="Observation.value[x]:valueQuantity.unit">
430     <path value="Observation.valueQuantity.unit" />
431     <min value="1" />
432     <fixedString value="cm" />
433 </element>
434 <element id="Observation.value[x]:valueQuantity.system">
435     <path value="Observation.valueQuantity.system" />
436     <min value="1" />
437     <fixedUri value="http://unitsofmeasure.org" />
438 </element>
439 <element id="Observation.value[x]:valueQuantity.code">
440     <path value="Observation.valueQuantity.code" />
441     <min value="1" />
442     <fixedCode value="cm" />
443 </element>
444 <element id="Observation.dataAbsentReason">
445     <path value="Observation.dataAbsentReason" />
446     <max value="0" />
447 </element>
448 <element id="Observation.interpretation">
449     <path value="Observation.interpretation" />
450     <max value="0" />
451 </element>
452 <element id="Observation.note">
453     <path value="Observation.note" />
454     <max value="0" />
455 </element>
456 <element id="Observation.bodySite">
457     <path value="Observation.bodySite" />
458     <max value="0" />
459 </element>
460 <element id="Observation.method">
461     <path value="Observation.method" />
462     <max value="0" />
463 </element>
464 <element id="Observation.specimen">
465     <path value="Observation.specimen" />
466     <max value="0" />
467 </element>
468 <element id="Observation.device">
469     <path value="Observation.device" />
470     <max value="0" />
471 </element>
472 <element id="Observation.referenceRange">
473     <path value="Observation.referenceRange" />
474     <max value="0" />
475 </element>
476 <element id="Observation.hasMember">
477     <path value="Observation.hasMember" />
478     <max value="0" />
479 </element>
480 <element id="Observation.derivedFrom">
481     <path value="Observation.derivedFrom" />
482     <max value="0" />
483 </element>
484 <element id="Observation.component">
485     <path value="Observation.component" />

```

```
486     <max value="0" />
487   </element>
488 </differential>
489 </StructureDefinition>
```



## 280. KBV\_PR\_MIO\_CMR\_OBSERVATION\_PERCENTILE\_VALUES

## KBV\_PR\_MIO\_CMR\_Observation\_Percentile\_Values

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Percentile_Values" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_Percentile_Values" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <constraint>
49       <key value="obs-1" />
50       <severity value="error" />
51       <human value="At least year, month and day are needed" />
52       <expression value="effective.toString().length() >= 10" />
53       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Percentile_Values" />
54     </constraint>
55   </element>
56   <element id="Observation.meta">
57     <path value="Observation.meta" />
58     <min value="1" />
59   </element>
60   <element id="Observation.meta.versionId">
61     <path value="Observation.meta.versionId" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.lastUpdated">
65     <path value="Observation.meta.lastUpdated" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.source">
69     <path value="Observation.meta.source" />
70     <max value="0" />
71   </element>
72   <element id="Observation.meta.profile">
73     <path value="Observation.meta.profile" />
74     <min value="1" />
75     <max value="1" />
76     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_Percentile_Values|1.0.1" />
77   </element>
78   <element id="Observation.meta.security">
79     <path value="Observation.meta.security" />
80     <max value="0" />
81   </element>
82   <element id="Observation.meta.tag">
83     <path value="Observation.meta.tag" />
84     <max value="0" />
85   </element>
86   <element id="Observation.implicitRules">

```

```

87     <path value="Observation.implicitRules" />
88     <max value="0" />
89 </element>
90 <element id="Observation.language">
91     <path value="Observation.language" />
92     <max value="0" />
93 </element>
94 <element id="Observation.contained">
95     <path value="Observation.contained" />
96     <max value="0" />
97 </element>
98 <element id="Observation.identifier">
99     <path value="Observation.identifier" />
100    <max value="0" />
101 </element>
102 <element id="Observation.basedOn">
103     <path value="Observation.basedOn" />
104     <max value="0" />
105 </element>
106 <element id="Observation.partOf">
107     <path value="Observation.partOf" />
108     <max value="0" />
109 </element>
110 <element id="Observation.status">
111     <path value="Observation.status" />
112     <fixedCode value="final" />
113 </element>
114 <element id="Observation.category">
115     <path value="Observation.category" />
116     <max value="0" />
117 </element>
118 <element id="Observation.code">
119     <path value="Observation.code" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding">
123     <path value="Observation.code.coding" />
124     <slicing>
125         <discriminator>
126             <type value="value" />
127             <path value="system" />
128         </discriminator>
129         <rules value="closed" />
130     </slicing>
131     <min value="2" />
132     <max value="2" />
133     <mustSupport value="true" />
134 </element>
135 <element id="Observation.code.coding:codeSnomed">
136     <path value="Observation.code.coding" />
137     <sliceName value="codeSnomed" />
138     <min value="1" />
139     <max value="1" />
140     <mustSupport value="true" />
141     <binding>
142         <strength value="required" />
143         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMV_Percentile_Body_Measure_Snomed" />
144     </binding>
145 </element>

```

```

146 <element id="Observation.code.coding:codeSnomed.system">
147   <path value="Observation.code.coding.system" />
148   <min value="1" />
149   <fixedUri value="http://snomed.info/sct" />
150
151 </element>
152 <element id="Observation.code.coding:codeSnomed.version">
153   <path value="Observation.code.coding.version" />
154   <min value="1" />
155 </element>
156 <element id="Observation.code.coding:codeSnomed.code">
157   <path value="Observation.code.coding.code" />
158   <min value="1" />
159 </element>
160 <element id="Observation.code.coding:codeSnomed.display">
161   <path value="Observation.code.coding.display" />
162   <min value="1" />
163 </element>
164 <element id="Observation.code.coding:codeSnomed.display.extension">
165   <path value="Observation.code.coding.display.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
175   <path value="Observation.code.coding.display.extension" />
176   <sliceName value="anzeigennameCodeSnomed" />
177   <min value="1" />
178   <max value="1" />
179   <type>
180     <code value="Extension" />
181     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
182   </type>
183   <mustSupport value="true" />
184 </element>
185 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
186   <path value="Observation.code.coding.display.extension.extension" />
187   <slicing>
188     <discriminator>
189       <type value="value" />
190       <path value="url" />
191     </discriminator>
192     <rules value="open" />
193   </slicing>
194 </element>
195 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
196   <path value="Observation.code.coding.display.extension.extension" />
197   <sliceName value="content" />
198 </element>
199 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">

```

```

200     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
201     <slicing>
202         <discriminator>
203             <type value="type" />
204             <path value="$this" />
205         </discriminator>
206         <rules value="closed" />
207     </slicing>
208     <mustSupport value="true" />
209 </element>
210 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
gnameCodeSnomed.extension:content.value[x]:valueString">
211     <path value="Observation.code.coding.display.extension.extension.valu
eString" />
212     <sliceName value="valueString" />
213     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/KBV_CM_MIO_CMR_Percentile_Body_Measure_Snomed_German|1.0.1" />
214     <min value="1" />
215     <mustSupport value="true" />
216 </element>
217 <element id="Observation.code.coding:codeSnomed.userSelected">
218     <path value="Observation.code.coding.userSelected" />
219     <max value="0" />
220 </element>
221 <element id="Observation.code.coding:codeLoinc">
222     <path value="Observation.code.coding" />
223     <sliceName value="codeLoinc" />
224     <min value="1" />
225     <max value="1" />
226     <mustSupport value="true" />
227     <binding>
228         <strength value="required" />
229         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Percentile_Body_Measure_Loinc" />
230     </binding>
231 </element>
232 <element id="Observation.code.coding:codeLoinc.system">
233     <path value="Observation.code.coding.system" />
234     <min value="1" />
235     <fixedUri value="http://loinc.org" />
236
237 </element>
238 <element id="Observation.code.coding:codeLoinc.version">
239     <path value="Observation.code.coding.version" />
240     <min value="1" />
241 </element>
242 <element id="Observation.code.coding:codeLoinc.code">
243     <path value="Observation.code.coding.code" />
244     <min value="1" />
245 </element>
246 <element id="Observation.code.coding:codeLoinc.display">
247     <path value="Observation.code.coding.display" />
248     <min value="1" />
249 </element>
250 <element id="Observation.code.coding:codeLoinc.display.extension">
251     <path value="Observation.code.coding.display.extension" />

```

```

252     < slicing >
253         < discriminator >
254             < type value="value" />
255             < path value="url" />
256         < / discriminator >
257         < rules value="open" />
258     < / slicing >
259 < / element >
260 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
261     < path value="Observation.code.coding.display.extension" />
262     < sliceName value="anzeigenameCodeLoinc" />
263     < min value="1" />
264     < max value="1" />
265     < type >
266         < code value="Extension" />
267         < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
268     < / type >
269     < mustSupport value="true" />
270 < / element >
271 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
272     < path value="Observation.code.coding.display.extension.extension" />
273     < slicing >
274         < discriminator >
275             < type value="value" />
276             < path value="url" />
277         < / discriminator >
278         < rules value="open" />
279     < / slicing >
280 < / element >
281 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
282     < path value="Observation.code.coding.display.extension.extension" />
283     < sliceName value="content" />
284 < / element >
285 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">
286     < path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
287     < slicing >
288         < discriminator >
289             < type value="type" />
290             < path value="$this" />
291         < / discriminator >
292         < rules value="closed" />
293     < / slicing >
294     < mustSupport value="true" />
295 < / element >
296 < element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
297     < path value="Observation.code.coding.display.extension.extension.valu
eString" />
298     < sliceName value="valueString" />
299     < definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/KBV_CM_MIO_CM_Percentile_Body_Measure_Loinc_German|1.0.1" />

```

```

300     <min value="1" />
301     <mustSupport value="true" />
302 </element>
303 <element id="Observation.code.coding:codeLoinc.userSelected">
304     <path value="Observation.code.coding.userSelected" />
305     <max value="0" />
306 </element>
307 <element id="Observation.code.text">
308     <path value="Observation.code.text" />
309     <max value="0" />
310 </element>
311 <element id="Observation.subject">
312     <path value="Observation.subject" />
313     <min value="1" />
314     <type>
315         <code value="Reference" />
316         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
317     </type>
318     <mustSupport value="true" />
319 </element>
320 <element id="Observation.subject.reference">
321     <path value="Observation.subject.reference" />
322     <min value="1" />
323     <mustSupport value="true" />
324 </element>
325 <element id="Observation.subject.type">
326     <path value="Observation.subject.type" />
327     <max value="0" />
328 </element>
329 <element id="Observation.subject.identifier">
330     <path value="Observation.subject.identifier" />
331     <max value="0" />
332 </element>
333 <element id="Observation.subject.display">
334     <path value="Observation.subject.display" />
335     <max value="0" />
336 </element>
337 <element id="Observation.focus">
338     <path value="Observation.focus" />
339     <max value="0" />
340 </element>
341 <element id="Observation.encounter">
342     <path value="Observation.encounter" />
343     <min value="1" />
344     <type>
345         <code value="Reference" />
346         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
347     </type>
348     <mustSupport value="true" />
349 </element>
350 <element id="Observation.encounter.reference">
351     <path value="Observation.encounter.reference" />
352     <min value="1" />
353     <mustSupport value="true" />
354 </element>
355 <element id="Observation.encounter.type">
356     <path value="Observation.encounter.type" />
357     <max value="0" />

```

```

358 </element>
359 <element id="Observation.encounter.identifier">
360   <path value="Observation.encounter.identifier" />
361   <max value="0" />
362 </element>
363 <element id="Observation.encounter.display">
364   <path value="Observation.encounter.display" />
365   <max value="0" />
366 </element>
367 <element id="Observation.effective[x]">
368   <path value="Observation.effective[x]" />
369   <slicing>
370     <discriminator>
371       <type value="type" />
372       <path value="$this" />
373     </discriminator>
374     <rules value="closed" />
375   </slicing>
376   <min value="1" />
377   <type>
378     <code value="dateTime" />
379   </type>
380   <mustSupport value="true" />
381 </element>
382 <element id="Observation.effective[x]:effectiveDateTime">
383   <path value="Observation.effective[x]" />
384   <sliceName value="effectiveDateTime" />
385   <min value="1" />
386   <type>
387     <code value="dateTime" />
388   </type>
389   <mustSupport value="true" />
390 </element>
391 <element id="Observation.issued">
392   <path value="Observation.issued" />
393   <max value="0" />
394 </element>
395 <element id="Observation.performer">
396   <path value="Observation.performer" />
397   <max value="1" />
398   <type>
399     <code value="Reference" />
400     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
401   </type>
402   <mustSupport value="true" />
403 </element>
404 <element id="Observation.performer.reference">
405   <path value="Observation.performer.reference" />
406   <min value="1" />
407   <mustSupport value="true" />
408 </element>
409 <element id="Observation.performer.type">
410   <path value="Observation.performer.type" />
411   <max value="0" />
412 </element>
413 <element id="Observation.performer.identifier">
414   <path value="Observation.performer.identifier" />
415   <max value="0" />
416 </element>

```



```

417 <element id="Observation.performer.display">
418   <path value="Observation.performer.display" />
419   <max value="0" />
420 </element>
421 <element id="Observation.value[x]">
422   <path value="Observation.value[x]" />
423   <slicing>
424     <discriminator>
425       <type value="type" />
426       <path value="$this" />
427     </discriminator>
428     <rules value="closed" />
429   </slicing>
430   <min value="1" />
431   <type>
432     <code value="Quantity" />
433   </type>
434   <mustSupport value="true" />
435 </element>
436 <element id="Observation.value[x]:valueQuantity">
437   <path value="Observation.valueQuantity" />
438   <sliceName value="valueQuantity" />
439   <min value="1" />
440   <type>
441     <code value="Quantity" />
442   </type>
443 </element>
444 <element id="Observation.value[x]:valueQuantity.value">
445   <path value="Observation.valueQuantity.value" />
446   <min value="1" />
447 </element>
448 <element id="Observation.value[x]:valueQuantity.comparator">
449   <path value="Observation.valueQuantity.comparator" />
450   <max value="0" />
451 </element>
452 <element id="Observation.value[x]:valueQuantity.unit">
453   <path value="Observation.valueQuantity.unit" />
454   <min value="1" />
455   <fixedString value="%" />
456 </element>
457 <element id="Observation.value[x]:valueQuantity.system">
458   <path value="Observation.valueQuantity.system" />
459   <min value="1" />
460   <fixedUri value="http://unitsofmeasure.org" />
461 </element>
462 <element id="Observation.value[x]:valueQuantity.code">
463   <path value="Observation.valueQuantity.code" />
464   <min value="1" />
465   <fixedCode value="%" />
466 </element>
467 <element id="Observation.dataAbsentReason">
468   <path value="Observation.dataAbsentReason" />
469   <max value="0" />
470 </element>
471 <element id="Observation.interpretation">
472   <path value="Observation.interpretation" />
473   <max value="0" />
474 </element>
475 <element id="Observation.note">
476   <path value="Observation.note" />

```

```

477     <max value="1" />
478     <mustSupport value="true" />
479 </element>
480 <element id="Observation.bodySite">
481   <path value="Observation.bodySite" />
482   <max value="0" />
483 </element>
484 <element id="Observation.method">
485   <path value="Observation.method" />
486   <max value="0" />
487 </element>
488 <element id="Observation.specimen">
489   <path value="Observation.specimen" />
490   <max value="0" />
491 </element>
492 <element id="Observation.device">
493   <path value="Observation.device" />
494   <max value="0" />
495 </element>
496 <element id="Observation.referenceRange">
497   <path value="Observation.referenceRange" />
498   <max value="0" />
499 </element>
500 <element id="Observation.hasMember">
501   <path value="Observation.hasMember" />
502   <max value="0" />
503 </element>
504 <element id="Observation.derivedFrom">
505   <path value="Observation.derivedFrom" />
506   <max value="1" />
507   <type>
508     <code value="Reference" />
509     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Birth_Weight|1.0.1" />
510     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U6_Body_Weight|1.0.1" />
511     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_Body_Weight|1.0.1" />
512     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_Head_Circumference|1.0.1" />
513     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Birth_Length|1.0.1" />
514     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U9_Body_Height_Measure|1.0.1" />
515     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_BMI|1.0.1" />
516   </type>
517   <mustSupport value="true" />
518 </element>
519 <element id="Observation.derivedFrom.reference">
520   <path value="Observation.derivedFrom.reference" />
521   <min value="1" />
522   <mustSupport value="true" />
523 </element>
524 <element id="Observation.derivedFrom.type">
525   <path value="Observation.derivedFrom.type" />
526   <max value="0" />
527 </element>
528 <element id="Observation.derivedFrom.identifier">
529   <path value="Observation.derivedFrom.identifier" />

```

```
530     <max value="0" />
531   </element>
532   <element id="Observation.derivedFrom.display">
533     <path value="Observation.derivedFrom.display" />
534     <max value="0" />
535   </element>
536   <element id="Observation.component">
537     <path value="Observation.component" />
538     <max value="0" />
539   </element>
540 </differential>
541 </StructureDefinition>
```

## 281. KBV\_PR\_MIO\_CMV\_OBSERVATION\_PHYSICAL\_EXAM\_PARENTAL\_ASSESSMENT

## KBV\_PR\_MIO\_CMV\_Observation\_Physical\_Exam\_Parental\_Assessment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_Physical_Exam_Parental_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_Physical_Exam_Parental_Assessment
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die elterliche Beurteilung des
Kindes ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_Physical_Exam_Parental_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117     <path value="Observation.code.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123     <path value="Observation.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128     <path value="Observation.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133     <path value="Observation.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="401141001" />
136 </element>
137 <element id="Observation.code.coding.display">
138     <path value="Observation.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142     <path value="Observation.code.coding.display.extension" />
143     <slicing>
144         <discriminator>

```

```

145         <type value="value" />
146         <path value="url" />
147     </discriminator>
148     <rules value="open" />
149 </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152 nomed">
153     <path value="Observation.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <short value="anzeigenameCodeSnomed" />
156     <definition value="Annotation des Snomed CT Codes mit einem deutschen
157     Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwähnt
158     werden." />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
164 KBV_EX_Base_Terminology_German" />
165     </type>
166     <mustSupport value="true" />
167 </element>
168 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
169 nomed.extension">
170     <path value="Observation.code.coding.display.extension.extension" />
171     <slicing>
172         <discriminator>
173             <type value="value" />
174             <path value="url" />
175         </discriminator>
176         <rules value="open" />
177     </slicing>
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180 nomed.extension:content">
181     <path value="Observation.code.coding.display.extension.extension" />
182     <sliceName value="content" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185 nomed.extension:content.value[x]">
186     <path value="Observation.code.coding.display.extension.extension.valu
187 e[x]" />
188     <slicing><discriminator><type value="type" /><path value="$this" /></
189 discriminator><rules value="closed" /></slicing>
190     <mustSupport value="true" />
191 </element>
192 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
193 nomed.extension:content.value[x]:valueString">
194     <path value="Observation.code.coding.display.extension.extension.valu
195 e[x]" />
196     <sliceName value="valueString" />
197     <min value="1" />
198     <fixedString value="Eltern sind unzufrieden mit der Entwicklung und
199 dem Verhalten des Kindes, weil:" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Observation.code.coding.userSelected">
203     <path value="Observation.code.coding.userSelected" />
204     <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```



```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277
278 </element>
279 <element id="Observation.issued">
280     <path value="Observation.issued" />
281     <max value="0" />
282 </element>
283 <element id="Observation.performer">
284     <path value="Observation.performer" />
285     <max value="1" />
286     <type>
287         <code value="Reference" />
288         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
289     </type>
290     <mustSupport value="true" />
291 </element>
292 <element id="Observation.performer.reference">
293     <path value="Observation.performer.reference" />
294     <min value="1" />
295     <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.type">
298     <path value="Observation.performer.type" />
299     <max value="0" />
300 </element>
301 <element id="Observation.performer.identifier">
302     <path value="Observation.performer.identifier" />
303     <max value="0" />
304 </element>
305 <element id="Observation.performer.display">
306     <path value="Observation.performer.display" />
307     <max value="0" />
308 </element>
309 <element id="Observation.value[x]">

```

```

310     <path value="Observation.value[x]" />
311     <slicing>
312         <discriminator>
313             <type value="type" />
314             <path value="$this" />
315         </discriminator>
316         <rules value="closed" />
317     </slicing>
318     <min value="1" />
319     <type>
320         <code value="string" />
321     </type>
322     <mustSupport value="true" />
323 </element>
324 <element id="Observation.value[x]:valueString">
325     <path value="Observation.value[x]" />
326     <sliceName value="valueString" />
327     <min value="1" />
328     <type>
329         <code value="string" />
330     </type>
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 282. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_APGAR\_SCORE

### KBV\_PR\_MIO\_CMR\_Observation\_U1\_Apgar\_Score

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Apgar_Score" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U1_Apgar_Score" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Apgar_Score|1.1.3" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet den Apgar Wert ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Apgar_Score|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="open" />
124   </slicing>
125   <min value="2" />
126   <max value="2" />
127 </element>
128 <element id="Observation.code.coding:codeSnomed">
129   <path value="Observation.code.coding" />
130   <sliceName value="codeSnomed" />
131   <min value="1" />
132   <max value="1" />
133   <binding>
134     <strength value="required" />
135     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_Base_Apgar_Score_Identifier_Snomed" />
136   </binding>
137 </element>
138 <element id="Observation.code.coding:codeSnomed.system">
139   <path value="Observation.code.coding.system" />
140   <min value="1" />
141   <fixedUri value="http://snomed.info/sct" />
142 </element>
143 <element id="Observation.code.coding:codeSnomed.version">
144   <path value="Observation.code.coding.version" />
145   <min value="1" />
146 </element>

```

```

147 <element id="Observation.code.coding:codeSnomed.code">
148   <path value="Observation.code.coding.code" />
149   <min value="1" />
150 </element>
151 <element id="Observation.code.coding:codeSnomed.display">
152   <path value="Observation.code.coding.display" />
153   <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension">
156   <path value="Observation.code.coding.display.extension" />
157   <licing>
158     <discriminator>
159       <type value="value" />
160       <path value="url" />
161     </discriminator>
162     <rules value="open" />
163   </licing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:a
nzeigennameCodeSnomed">
166   <path value="Observation.code.coding.display.extension" />
167   <sliceName value="anzeigennameCodeSnomed" />
168   <min value="1" />
169   <max value="1" />
170   <type>
171     <code value="Extension" />
172     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173   </type>
174 </element>
175 <element id="Observation.code.coding:codeSnomed.display.extension:a
nzeigennameCodeSnomed.extension">
176   <path value="Observation.code.coding.display.extension.extensio
n" />
177   <licing>
178     <discriminator>
179       <type value="value" />
180       <path value="url" />
181     </discriminator>
182     <rules value="open" />
183   </licing>
184 </element>
185 <element id="Observation.code.coding:codeSnomed.display.extension:a
nzeigennameCodeSnomed.extension:content">
186   <path value="Observation.code.coding.display.extension.extensio
n" />
187   <sliceName value="content" />
188 </element>
189 <element id="Observation.code.coding:codeSnomed.display.extension:a
nzeigennameCodeSnomed.extension:content.value[x]:valueString">
190   <path value="Observation.code.coding.display.extension.extensio
n.valueString" />
191   <sliceName value="valueString" />
192   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_Base_Apgar_Score_Identifizier_German|1.1.3" />
193 </element>
194 <element id="Observation.code.coding:codeSnomed.userSelected">

```

```

195     <path value="Observation.code.coding.userSelected" />
196     <max value="0" />
197   </element>
198   <element id="Observation.code.coding:codeLoinc">
199     <path value="Observation.code.coding" />
200     <sliceName value="codeLoinc" />
201     <min value="1" />
202     <max value="1" />
203     <binding>
204       <strength value="required" />
205       <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_Base_Apgar_Score_Identifier_Loinc" />
206     </binding>
207   </element>
208   <element id="Observation.code.coding:codeLoinc.system">
209     <path value="Observation.code.coding.system" />
210     <min value="1" />
211     <fixedUri value="http://loinc.org" />
212   </element>
213   <element id="Observation.code.coding:codeLoinc.version">
214     <path value="Observation.code.coding.version" />
215     <min value="1" />
216   </element>
217   <element id="Observation.code.coding:codeLoinc.code">
218     <path value="Observation.code.coding.code" />
219     <min value="1" />
220   </element>
221   <element id="Observation.code.coding:codeLoinc.display">
222     <path value="Observation.code.coding.display" />
223     <min value="1" />
224   </element>
225   <element id="Observation.code.coding:codeLoinc.display.extension">
226     <path value="Observation.code.coding.display.extension" />
227     <licing>
228       <discriminator>
229         <type value="value" />
230         <path value="url" />
231       </discriminator>
232       <rules value="open" />
233     </licing>
234   </element>
235   <element id="Observation.code.coding:codeLoinc.display.extension:an
zeigenameCodeLoinc">
236     <path value="Observation.code.coding.display.extension" />
237     <sliceName value="anzeigenameCodeLoinc" />
238     <type>
239       <code value="Extension" />
240       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
241     </type>
242   </element>
243   <element id="Observation.code.coding:codeLoinc.display.extension:my
Extension.extension">
244     <path value="Observation.code.coding.display.extension.extensio
n" />
245     <licing>
246       <discriminator>
247         <type value="value" />
248         <path value="url" />
249       </discriminator>

```



```

250         <rules value="open" />
251     </slicing>
252 </element>
253     <element id="Observation.code.coding:codeLoinc.display.extension:an
zeigenameCodeLoinc.extension:content">
254         <path value="Observation.code.coding.display.extension.extensio
n" />
255         <sliceName value="content" />
256     </element>
257     <element id="Observation.code.coding:codeLoinc.display.extension:an
zeigenameCodeLoinc.extension:content.value[x]:valueString">
258         <path value="Observation.code.coding.display.extension.extensio
n.valueString" />
259         <sliceName value="valueString" />
260         <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_Base\_Apgar\_Score\_Identifizier\_German|1.1.3" />
261     </element>
262     <element id="Observation.code.coding:codeLoinc.userSelected">
263         <path value="Observation.code.coding.userSelected" />
264         <max value="0" />
265     </element>
266 <element id="Observation.code.text">
267     <path value="Observation.code.text" />
268     <max value="0" />
269 </element>
270 <element id="Observation.subject">
271     <path value="Observation.subject" />
272     <min value="1" />
273     <type>
274         <code value="Reference" />
275         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
276     </type>
277     <mustSupport value="true" />
278 </element>
279 <element id="Observation.subject.reference">
280     <path value="Observation.subject.reference" />
281     <min value="1" />
282     <mustSupport value="true" />
283 </element>
284 <element id="Observation.subject.type">
285     <path value="Observation.subject.type" />
286     <max value="0" />
287 </element>
288 <element id="Observation.subject.identifizier">
289     <path value="Observation.subject.identifizier" />
290     <max value="0" />
291 </element>
292 <element id="Observation.subject.display">
293     <path value="Observation.subject.display" />
294     <max value="0" />
295 </element>
296 <element id="Observation.focus">
297     <path value="Observation.focus" />
298     <max value="0" />
299 </element>
300 <element id="Observation.encounter">

```

```

301     <path value="Observation.encounter" />
302     <min value="1" />
303     <type>
304         <code value="Reference" />
305         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
306     </type>
307     <mustSupport value="true" />
308 </element>
309 <element id="Observation.encounter.reference">
310     <path value="Observation.encounter.reference" />
311     <min value="1" />
312     <mustSupport value="true" />
313 </element>
314 <element id="Observation.encounter.type">
315     <path value="Observation.encounter.type" />
316     <max value="0" />
317 </element>
318 <element id="Observation.encounter.identifier">
319     <path value="Observation.encounter.identifier" />
320     <max value="0" />
321 </element>
322 <element id="Observation.encounter.display">
323     <path value="Observation.encounter.display" />
324     <max value="0" />
325 </element>
326 <element id="Observation.effective[x]">
327     <path value="Observation.effective[x]" />
328     <slicing>
329         <discriminator>
330             <type value="type" />
331             <path value="$this" />
332         </discriminator>
333         <rules value="closed" />
334     </slicing>
335     <min value="1" />
336     <type>
337         <code value="dateTime" />
338     </type>
339     <mustSupport value="true" />
340 </element>
341 <element id="Observation.effective[x]:effectiveDateTime">
342     <path value="Observation.effective[x]" />
343     <sliceName value="effectiveDateTime" />
344     <min value="1" />
345     <type>
346         <code value="dateTime" />
347     </type>
348     <mustSupport value="true" />
349 </element>
350 <element id="Observation.issued">
351     <path value="Observation.issued" />
352     <max value="0" />
353 </element>
354 <element id="Observation.performer">
355     <path value="Observation.performer" />
356     <max value="1" />
357     <type>
358         <code value="Reference" />

```

```

359     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
360   </type>
361   <mustSupport value="true" />
362 </element>
363 <element id="Observation.performer.reference">
364   <path value="Observation.performer.reference" />
365   <min value="1" />
366   <mustSupport value="true" />
367 </element>
368 <element id="Observation.performer.type">
369   <path value="Observation.performer.type" />
370   <max value="0" />
371 </element>
372 <element id="Observation.performer.identifier">
373   <path value="Observation.performer.identifier" />
374   <max value="0" />
375 </element>
376 <element id="Observation.performer.display">
377   <path value="Observation.performer.display" />
378   <max value="0" />
379 </element>
380 <element id="Observation.value[x]">
381   <path value="Observation.value[x]" />
382   <slicing>
383     <discriminator>
384       <type value="type" />
385       <path value="$this" />
386     </discriminator>
387     <rules value="closed" />
388   </slicing>
389   <min value="1" />
390   <type>
391     <code value="CodeableConcept" />
392   </type>
393   <mustSupport value="true" />
394 </element>
395 <element id="Observation.value[x]:valueCodeableConcept">
396   <path value="Observation.valueCodeableConcept" />
397   <sliceName value="valueCodeableConcept" />
398   <min value="1" />
399   <type>
400     <code value="CodeableConcept" />
401   </type>
402   <mustSupport value="true" />
403 </element>
404 <element id="Observation.value[x]:valueCodeableConcept.coding">
405   <path value="Observation.valueCodeableConcept.coding" />
406   <min value="1" />
407   <max value="1" />
408   <mustSupport value="true" />
409   <binding>
410     <strength value="required" />
411     <description value="Apgar-Score Wert" />
412     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_Base_Apgar_Score_Value" />
413   </binding>
414 </element>
415 <element id="Observation.value[x]:valueCodeableConcept.coding.system">
416   <path value="Observation.valueCodeableConcept.coding.system" />

```

```

417     <min value="1" />
418 </element>
419 <element id="Observation.value[x]:valueCodeableConcept.coding.version">
420   <path value="Observation.valueCodeableConcept.coding.version" />
421   <min value="1" />
422 </element>
423 <element id="Observation.value[x]:valueCodeableConcept.coding.code">
424   <path value="Observation.valueCodeableConcept.coding.code" />
425   <min value="1" />
426 </element>
427 <element id="Observation.value[x]:valueCodeableConcept.coding.display">
428   <path value="Observation.valueCodeableConcept.coding.display" />
429   <min value="1" />
430 </element>
431 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
432 xtension">
433   <path value="Observation.valueCodeableConcept.coding.display.extensio
434 n" />
435   <slicing>
436     <discriminator>
437       <type value="value" />
438       <path value="url" />
439     </discriminator>
440     <rules value="open" />
441   </slicing>
442 </element>
443 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
444 xtension:anzeigenameValueSnomed">
445   <path value="Observation.valueCodeableConcept.coding.display.extensio
446 n" />
447   <sliceName value="anzeigenameValueSnomed" />
448   <short value="Terminology_German" />
449   <definition value="Annotation eines Codes mit einem deutschen
450 Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwahnt
451 werden." />
452   <min value="1" />
453   <max value="1" />
454   <type>
455     <code value="Extension" />
456     <profile value="https://fhir.kbv.de/StructureDefinition/
457 KBV_EX_Base_Terminology_German" />
458   </type>
459 </element>
460 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
461 xtension:anzeigenameValueSnomed.extension">
462   <path value="Observation.valueCodeableConcept.coding.display.extensio
463 n.extension" />
464   <slicing>
465     <discriminator>
466       <type value="value" />
467       <path value="url" />
468     </discriminator>
469     <rules value="open" />
470   </slicing>
471 </element>
472 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
473 xtension:anzeigenameValueSnomed.extension:content">
474   <path value="Observation.valueCodeableConcept.coding.display.extensio
475 n.extension" />
476   <sliceName value="content" />

```

```

466     </element>
467     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]">
468         <path value="Observation.valueCodeableConcept.coding.display.extensio
n.extension.value[x]" />
469         < slicing >< discriminator >< type value="type" />< path value="$this" /></
discriminator >< rules value="closed" /></ slicing >
470         < mustSupport value="true" />
471     </element>
472     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]:valueString">
473         <path value="Observation.valueCodeableConcept.coding.display.extensio
n.extension.valueString" />
474         < sliceName value="valueString" />
475         < definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_Base\_Apgar\_Score\_Value\_German|
1.1.3" />
476         < min value="1" />
477         < mustSupport value="true" />
478     </element>
479     <element id="Observation.value[x]:valueCodeableConcept.coding.userSelec
ted">
480         <path value="Observation.valueCodeableConcept.coding.userSelected" />
481         < max value="0" />
482     </element>
483     <element id="Observation.value[x]:valueCodeableConcept.text">
484         <path value="Observation.valueCodeableConcept.text" />
485         < max value="0" />
486     </element>
487     <element id="Observation.dataAbsentReason">
488         <path value="Observation.dataAbsentReason" />
489         < max value="0" />
490     </element>
491     <element id="Observation.interpretation">
492         <path value="Observation.interpretation" />
493         < max value="0" />
494     </element>
495     <element id="Observation.note">
496         <path value="Observation.note" />
497         < max value="0" />
498     </element>
499     <element id="Observation.bodySite">
500         <path value="Observation.bodySite" />
501         < max value="0" />
502     </element>
503     <element id="Observation.method">
504         <path value="Observation.method" />
505         < max value="0" />
506     </element>
507     <element id="Observation.specimen">
508         <path value="Observation.specimen" />
509         < max value="0" />
510     </element>
511     <element id="Observation.device">
512         <path value="Observation.device" />
513         < max value="0" />
514     </element>
515     <element id="Observation.referenceRange">

```

```
516     <path value="Observation.referenceRange" />
517     <max value="0" />
518 </element>
519 <element id="Observation.hasMember">
520     <path value="Observation.hasMember" />
521     <max value="0" />
522 </element>
523 <element id="Observation.derivedFrom">
524     <path value="Observation.derivedFrom" />
525     <max value="0" />
526 </element>
527 <element id="Observation.component">
528     <path value="Observation.component" />
529     <max value="0" />
530 </element>
531 </differential>
532 </StructureDefinition>
```

## 283. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_BIRTH\_LENGTH

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_Birth\_Length

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Birth_Length" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_Birth_Length" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Height|1.1.3" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Geburtskörperlänge des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Birth_Length|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```



```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="closed" />
124   </slicing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeSnomed">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeSnomed" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeSnomed.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Observation.code.coding:codeSnomed.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="http://snomed.info/sct/900000000000207008/
145   version/20210131" />
</element>

```

```

146 <element id="Observation.code.coding:codeSnomed.code">
147   <path value="Observation.code.coding.code" />
148   <min value="1" />
149   <fixedCode value="169886007" />
150 </element>
151 <element id="Observation.code.coding:codeSnomed.display">
152   <path value="Observation.code.coding.display" />
153   <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension">
156   <path value="Observation.code.coding.display.extension" />
157   <slicing>
158     <discriminator>
159       <type value="value" />
160       <path value="url" />
161     </discriminator>
162     <rules value="open" />
163   </slicing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
166   <path value="Observation.code.coding.display.extension" />
167   <sliceName value="anzeigenameCodeSnomed" />
168   <short value="anzeigenameCodeSnomed" />
169   <definition value="Annotation des Snomed CT Codes mit einem deutschen
Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwahnt
werden." />
170   <min value="1" />
171   <max value="1" />
172   <type>
173     <code value="Extension" />
174     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
175   </type>
176   <mustSupport value="true" />
177 </element>
178 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
179   <path value="Observation.code.coding.display.extension.extension" />
180   <slicing>
181     <discriminator>
182       <type value="value" />
183       <path value="url" />
184     </discriminator>
185     <rules value="open" />
186   </slicing>
187 </element>
188 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
189   <path value="Observation.code.coding.display.extension.extension" />
190   <sliceName value="content" />
191 </element>
192 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
193   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
194   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
195   <mustSupport value="true" />
196 </element>

```

```

197     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
198     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
199     <sliceName value="valueString" />
200     <min value="1" />
201     <fixedString value="Körperlänge in cm" />
202     <mustSupport value="true" />
203 </element>
204 <element id="Observation.code.coding:codeSnomed.userSelected">
205     <path value="Observation.code.coding.userSelected" />
206     <max value="0" />
207 </element>
208 <element id="Observation.code.coding:codeLoinc">
209     <path value="Observation.code.coding" />
210     <sliceName value="codeLoinc" />
211     <min value="1" />
212     <max value="1" />
213     <mustSupport value="true" />
214 </element>
215 <element id="Observation.code.coding:codeLoinc.system">
216     <path value="Observation.code.coding.system" />
217     <min value="1" />
218     <fixedUri value="http://loinc.org" />
219 </element>
220 <element id="Observation.code.coding:codeLoinc.version">
221     <path value="Observation.code.coding.version" />
222     <min value="1" />
223     <fixedString value="2.69" />
224 </element>
225 <element id="Observation.code.coding:codeLoinc.code">
226     <path value="Observation.code.coding.code" />
227     <min value="1" />
228     <fixedCode value="89269-5" />
229 </element>
230 <element id="Observation.code.coding:codeLoinc.display">
231     <path value="Observation.code.coding.display" />
232     <min value="1" />
233 </element>
234 <element id="Observation.code.coding:codeLoinc.display.extension">
235     <path value="Observation.code.coding.display.extension" />
236     <licing>
237         <discriminator>
238             <type value="value" />
239             <path value="url" />
240         </discriminator>
241         <rules value="open" />
242     </licing>
243 </element>
244 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
245     <path value="Observation.code.coding.display.extension" />
246     <sliceName value="anzeigenameCodeLoinc" />
247     <short value="anzeigenameCodeLoinc" />
248     <definition value="Annotation des Snomed CT Codes mit einem deutschen
Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwähnt
werden." />
249     <min value="1" />
250     <max value="1" />
251     <type>

```

```

252     <code value="Extension" />
253     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
254   </type>
255   <mustSupport value="true" />
256 </element>
257   <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
258     <path value="Observation.code.coding.display.extension.extension" />
259     <slicing>
260       <discriminator>
261         <type value="value" />
262         <path value="url" />
263       </discriminator>
264       <rules value="open" />
265     </slicing>
266   </element>
267   <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
268     <path value="Observation.code.coding.display.extension.extension" />
269     <sliceName value="content" />
270   </element>
271   <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">
272     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
273     <slicing>
274       <discriminator>
275         <type value="type" />
276         <path value="$this" />
277       </discriminator>
278       <rules value="closed" />
279     </slicing>
280     <mustSupport value="true" />
281   </element>
282   <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
283     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
284     <sliceName value="valueString" />
285     <min value="1" />
286     <fixedString value="Körperlänge in cm" />
287     <mustSupport value="true" />
288   </element>
289   <element id="Observation.code.coding:codeLoinc.userSelected">
290     <path value="Observation.code.coding.userSelected" />
291     <max value="0" />
292   </element>
293   <element id="Observation.code.text">
294     <path value="Observation.code.text" />
295     <max value="0" />
296   </element>
297   <element id="Observation.subject">
298     <path value="Observation.subject" />
299     <min value="1" />
300     <type>
301       <code value="Reference" />
302       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
303     </type>

```

```

304     <mustSupport value="true" />
305 </element>
306 <element id="Observation.subject.reference">
307   <path value="Observation.subject.reference" />
308   <min value="1" />
309   <mustSupport value="true" />
310 </element>
311 <element id="Observation.subject.type">
312   <path value="Observation.subject.type" />
313   <max value="0" />
314 </element>
315 <element id="Observation.subject.identifier">
316   <path value="Observation.subject.identifier" />
317   <max value="0" />
318 </element>
319 <element id="Observation.subject.display">
320   <path value="Observation.subject.display" />
321   <max value="0" />
322 </element>
323 <element id="Observation.focus">
324   <path value="Observation.focus" />
325   <max value="0" />
326 </element>
327 <element id="Observation.encounter">
328   <path value="Observation.encounter" />
329   <min value="1" />
330   <type>
331     <code value="Reference" />
332     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
333   </type>
334   <mustSupport value="true" />
335 </element>
336 <element id="Observation.encounter.reference">
337   <path value="Observation.encounter.reference" />
338   <min value="1" />
339   <mustSupport value="true" />
340 </element>
341 <element id="Observation.encounter.type">
342   <path value="Observation.encounter.type" />
343   <max value="0" />
344 </element>
345 <element id="Observation.encounter.identifier">
346   <path value="Observation.encounter.identifier" />
347   <max value="0" />
348 </element>
349 <element id="Observation.encounter.display">
350   <path value="Observation.encounter.display" />
351   <max value="0" />
352 </element>
353 <element id="Observation.effective[x]">
354   <path value="Observation.effective[x]" />
355   <slicing>
356     <discriminator>
357       <type value="type" />
358       <path value="$this" />
359     </discriminator>
360     <rules value="closed" />
361   </slicing>
362   <min value="1" />

```

```

363     <type>
364       <code value="dateTime" />
365     </type>
366     <mustSupport value="true" />
367   </element>
368   <element id="Observation.effective[x]:effectiveDateTime">
369     <path value="Observation.effective[x]" />
370     <sliceName value="effectiveDateTime" />
371     <min value="1" />
372     <type>
373       <code value="dateTime" />
374     </type>
375     <mustSupport value="true" />
376   </element>
377   <element id="Observation.issued">
378     <path value="Observation.issued" />
379     <max value="0" />
380   </element>
381   <element id="Observation.performer">
382     <path value="Observation.performer" />
383     <max value="1" />
384     <type>
385       <code value="Reference" />
386       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
387     </type>
388     <mustSupport value="true" />
389   </element>
390   <element id="Observation.performer.reference">
391     <path value="Observation.performer.reference" />
392     <min value="1" />
393     <mustSupport value="true" />
394   </element>
395   <element id="Observation.performer.type">
396     <path value="Observation.performer.type" />
397     <max value="0" />
398   </element>
399   <element id="Observation.performer.identifier">
400     <path value="Observation.performer.identifier" />
401     <max value="0" />
402   </element>
403   <element id="Observation.performer.display">
404     <path value="Observation.performer.display" />
405     <max value="0" />
406   </element>
407   <element id="Observation.value[x]">
408     <path value="Observation.value[x]" />
409     <licing>
410       <discriminator>
411         <type value="type" />
412         <path value="$this" />
413       </discriminator>
414       <rules value="closed" />
415     </licing>
416     <min value="1" />
417     <type>
418       <code value="Quantity" />
419     </type>
420     <mustSupport value="true" />
421   </element>

```

```

422 <element id="Observation.value[x]:valueQuantity">
423   <path value="Observation.valueQuantity" />
424   <sliceName value="valueQuantity" />
425   <min value="1" />
426   <type>
427     <code value="Quantity" />
428   </type>
429   <mustSupport value="true" />
430 </element>
431 <element id="Observation.value[x]:valueQuantity.value">
432   <path value="Observation.valueQuantity.value" />
433   <min value="1" />
434 </element>
435 <element id="Observation.value[x]:valueQuantity.comparator">
436   <path value="Observation.valueQuantity.comparator" />
437   <max value="0" />
438 </element>
439 <element id="Observation.value[x]:valueQuantity.unit">
440   <path value="Observation.valueQuantity.unit" />
441   <min value="1" />
442   <fixedString value="cm" />
443   <mustSupport value="false" />
444 </element>
445 <element id="Observation.value[x]:valueQuantity.system">
446   <path value="Observation.valueQuantity.system" />
447   <min value="1" />
448   <fixedUri value="http://unitsofmeasure.org" />
449   <mustSupport value="false" />
450 </element>
451 <element id="Observation.value[x]:valueQuantity.code">
452   <path value="Observation.valueQuantity.code" />
453   <min value="1" />
454   <fixedCode value="cm" />
455   <mustSupport value="false" />
456 </element>
457 <element id="Observation.dataAbsentReason">
458   <path value="Observation.dataAbsentReason" />
459   <max value="0" />
460 </element>
461 <element id="Observation.interpretation">
462   <path value="Observation.interpretation" />
463   <max value="0" />
464 </element>
465 <element id="Observation.note">
466   <path value="Observation.note" />
467   <max value="0" />
468 </element>
469 <element id="Observation.bodySite">
470   <path value="Observation.bodySite" />
471   <max value="0" />
472 </element>
473 <element id="Observation.method">
474   <path value="Observation.method" />
475   <max value="0" />
476 </element>
477 <element id="Observation.specimen">
478   <path value="Observation.specimen" />
479   <max value="0" />
480 </element>
481 <element id="Observation.device">

```

```
482     <path value="Observation.device" />
483     <max value="0" />
484 </element>
485 <element id="Observation.referenceRange">
486     <path value="Observation.referenceRange" />
487     <max value="0" />
488 </element>
489 <element id="Observation.hasMember">
490     <path value="Observation.hasMember" />
491     <max value="0" />
492 </element>
493 <element id="Observation.derivedFrom">
494     <path value="Observation.derivedFrom" />
495     <max value="0" />
496 </element>
497 <element id="Observation.component">
498     <path value="Observation.component" />
499     <max value="0" />
500 </element>
501 </differential>
502 </StructureDefinition>
```



## 284. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_BIRTH\_TRAUMA\_OF\_FETUS

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_Birth\_Trauma\_Of\_Fetus

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Birth_Trauma_Of_Fetus" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_Birth_Trauma_Of_Fetus" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Traumata ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Birth_Trauma_Of_Fetus|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="56110009" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />
146       <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <short value="anzeigenameCodeSnomed" />
155   <definition value="Annotation des Snomed CT Codes mit einem deutschen
156     Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwahnt
157     werden." />
158   <min value="1" />
159   <max value="1" />
160   <type>
161     <code value="Extension" />
162     <profile value="https://fhir.kbv.de/StructureDefinition/
163     KBV_EX_Base_Terminology_German" />
164   </type>
165   <mustSupport value="true" />
166 </element>
167 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
168   <path value="Observation.code.coding.display.extension.extension" />
169   <slicing>
170     <discriminator>
171       <type value="value" />
172       <path value="url" />
173     </discriminator>
174     <rules value="open" />
175   </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   <path value="Observation.code.coding.display.extension.extension" />
179   <sliceName value="content" />
180 </element>
181 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
182   <path value="Observation.code.coding.display.extension.extension:valu
183   e[x]" />
184   <slicing><discriminator><type value="type" /><path value="$this" /></
185   discriminator><rules value="closed" /></slicing>
186   <mustSupport value="true" />
187 </element>
188 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
189   <path value="Observation.code.coding.display.extension.extension:valu
190   e[x]" />
191   <sliceName value="valueString" />
192   <min value="1" />
193   <fixedString value="Traumata:" />
194   <mustSupport value="true" />
195 </element>
196 <element id="Observation.code.coding.userSelected">
197   <path value="Observation.code.coding.userSelected" />
198   <max value="0" />
199 </element>
200 <element id="Observation.code.text">
201   <path value="Observation.code.text" />

```

```

196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>

```

```

254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <licing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </licing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <licing>
311     <discriminator>
312       <type value="type" />

```

```

313     <path value="$this" />
314   </discriminator>
315   <rules value="closed" />
316 </slicing>
317 <min value="1" />
318 <type>
319   <code value="string" />
320 </type>
321 <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueString">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueString" />
326   <min value="1" />
327   <type>
328     <code value="string" />
329   </type>
330   <mustSupport value="true" />
331 </element>
332 <element id="Observation.dataAbsentReason">
333   <path value="Observation.dataAbsentReason" />
334   <max value="0" />
335 </element>
336 <element id="Observation.interpretation">
337   <path value="Observation.interpretation" />
338   <max value="0" />
339 </element>
340 <element id="Observation.note">
341   <path value="Observation.note" />
342   <max value="0" />
343 </element>
344 <element id="Observation.bodySite">
345   <path value="Observation.bodySite" />
346   <max value="0" />
347 </element>
348 <element id="Observation.method">
349   <path value="Observation.method" />
350   <max value="0" />
351 </element>
352 <element id="Observation.specimen">
353   <path value="Observation.specimen" />
354   <max value="0" />
355 </element>
356 <element id="Observation.device">
357   <path value="Observation.device" />
358   <max value="0" />
359 </element>
360 <element id="Observation.referenceRange">
361   <path value="Observation.referenceRange" />
362   <max value="0" />
363 </element>
364 <element id="Observation.hasMember">
365   <path value="Observation.hasMember" />
366   <max value="0" />
367 </element>
368 <element id="Observation.derivedFrom">
369   <path value="Observation.derivedFrom" />
370   <max value="0" />
371 </element>
372 <element id="Observation.component">

```

```
373     <path value="Observation.component" />
374     <max value="0" />
375   </element>
376 </differential>
377 </StructureDefinition>
```



## 285. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_BIRTH\_WEIGHT

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_Birth\_Weight

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Birth_Weight" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_Birth_Weight" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Weight|1.1.3" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet das Geburtsgewicht des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Birth_Weight|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="closed" />
124   </slicing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeSnomed">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeSnomed" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeSnomed.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Observation.code.coding:codeSnomed.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="http://snomed.info/sct/900000000000207008/
145   version/20210131" />
</element>

```

```

146 <element id="Observation.code.coding:codeSnomed.code">
147   <path value="Observation.code.coding.code" />
148   <min value="1" />
149   <fixedCode value="364589006" />
150 </element>
151 <element id="Observation.code.coding:codeSnomed.display">
152   <path value="Observation.code.coding.display" />
153   <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension">
156   <path value="Observation.code.coding.display.extension" />
157   <slicing>
158     <discriminator>
159       <type value="value" />
160       <path value="url" />
161     </discriminator>
162     <rules value="open" />
163   </slicing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
166   <path value="Observation.code.coding.display.extension" />
167   <sliceName value="anzeigenameCodeSnomed" />
168   <min value="1" />
169   <max value="1" />
170   <type>
171     <code value="Extension" />
172     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173   </type>
174   <mustSupport value="true" />
175 </element>
176 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
177   <path value="Observation.code.coding.display.extension.extension" />
178   <slicing>
179     <discriminator>
180       <type value="value" />
181       <path value="url" />
182     </discriminator>
183     <rules value="open" />
184   </slicing>
185 </element>
186 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
187   <path value="Observation.code.coding.display.extension.extension" />
188   <sliceName value="content" />
189 </element>
190 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
191   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
192   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
193   <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
196   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />

```

```

197     <sliceName value="valueString" />
198     <min value="1" />
199     <fixedString value="Körpergewicht in g" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Observation.code.coding:codeSnomed.userSelected">
203     <path value="Observation.code.coding.userSelected" />
204     <max value="0" />
205 </element>
206 <element id="Observation.code.coding:codeLoinc">
207     <path value="Observation.code.coding" />
208     <sliceName value="codeLoinc" />
209     <min value="1" />
210     <max value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Observation.code.coding:codeLoinc.system">
214     <path value="Observation.code.coding.system" />
215     <min value="1" />
216     <fixedUri value="http://loinc.org" />
217 </element>
218 <element id="Observation.code.coding:codeLoinc.version">
219     <path value="Observation.code.coding.version" />
220     <min value="1" />
221     <fixedString value="2.69" />
222 </element>
223 <element id="Observation.code.coding:codeLoinc.code">
224     <path value="Observation.code.coding.code" />
225     <min value="1" />
226     <fixedCode value="8339-4" />
227 </element>
228 <element id="Observation.code.coding:codeLoinc.display">
229     <path value="Observation.code.coding.display" />
230     <min value="1" />
231 </element>
232 <element id="Observation.code.coding:codeLoinc.display.extension">
233     <path value="Observation.code.coding.display.extension" />
234     <slicing>
235         <discriminator>
236             <type value="value" />
237             <path value="url" />
238         </discriminator>
239         <rules value="open" />
240     </slicing>
241 </element>
242 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
243     <path value="Observation.code.coding.display.extension" />
244     <sliceName value="anzeigenameCodeLoinc" />
245     <min value="1" />
246     <max value="1" />
247     <type>
248         <code value="Extension" />
249         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
250     </type>
251     <mustSupport value="true" />
252 </element>
253 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">

```

```

254     <path value="Observation.code.coding.display.extension.extension" />
255     <slicing>
256       <discriminator>
257         <type value="value" />
258         <path value="url" />
259       </discriminator>
260       <rules value="open" />
261     </slicing>
262   </element>
263   <element id="Observation.code.coding:codeLoinc.display.extension:zeige
enameCodeLoinc.extension:content">
264     <path value="Observation.code.coding.display.extension.extension" />
265     <sliceName value="content" />
266   </element>
267   <element id="Observation.code.coding:codeLoinc.display.extension:zeige
enameCodeLoinc.extension:content.value[x]">
268     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
269     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
270     <mustSupport value="true" />
271   </element>
272   <element id="Observation.code.coding:codeLoinc.display.extension:zeige
enameCodeLoinc.extension:content.value[x]:valueString">
273     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
274     <sliceName value="valueString" />
275     <min value="1" />
276     <fixedString value="Körpergewicht in g" />
277     <mustSupport value="true" />
278   </element>
279   <element id="Observation.code.coding:codeLoinc.userSelected">
280     <path value="Observation.code.coding.userSelected" />
281     <max value="0" />
282   </element>
283   <element id="Observation.code.text">
284     <path value="Observation.code.text" />
285     <max value="0" />
286   </element>
287   <element id="Observation.subject">
288     <path value="Observation.subject" />
289     <min value="1" />
290     <type>
291       <code value="Reference" />
292       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
293     </type>
294     <mustSupport value="true" />
295   </element>
296   <element id="Observation.subject.reference">
297     <path value="Observation.subject.reference" />
298     <min value="1" />
299     <mustSupport value="true" />
300   </element>
301   <element id="Observation.subject.type">
302     <path value="Observation.subject.type" />
303     <max value="0" />
304   </element>
305   <element id="Observation.subject.identifizier">
306     <path value="Observation.subject.identifizier" />

```

```

307     <max value="0" />
308 </element>
309 <element id="Observation.subject.display">
310     <path value="Observation.subject.display" />
311     <max value="0" />
312 </element>
313 <element id="Observation.focus">
314     <path value="Observation.focus" />
315     <max value="0" />
316 </element>
317 <element id="Observation.encounter">
318     <path value="Observation.encounter" />
319     <min value="1" />
320     <type>
321         <code value="Reference" />
322         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
323     </type>
324     <mustSupport value="true" />
325 </element>
326 <element id="Observation.encounter.reference">
327     <path value="Observation.encounter.reference" />
328     <min value="1" />
329     <mustSupport value="true" />
330 </element>
331 <element id="Observation.encounter.type">
332     <path value="Observation.encounter.type" />
333     <max value="0" />
334 </element>
335 <element id="Observation.encounter.identifier">
336     <path value="Observation.encounter.identifier" />
337     <max value="0" />
338 </element>
339 <element id="Observation.encounter.display">
340     <path value="Observation.encounter.display" />
341     <max value="0" />
342 </element>
343 <element id="Observation.effective[x]">
344     <path value="Observation.effective[x]" />
345     <slicing>
346         <discriminator>
347             <type value="type" />
348             <path value="$this" />
349         </discriminator>
350         <rules value="closed" />
351     </slicing>
352     <min value="1" />
353     <type>
354         <code value="dateTime" />
355     </type>
356     <mustSupport value="true" />
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359     <path value="Observation.effective[x]" />
360     <sliceName value="effectiveDateTime" />
361     <min value="1" />
362     <type>
363         <code value="dateTime" />
364     </type>
365     <mustSupport value="true" />

```

```

366 </element>
367 <element id="Observation.issued">
368   <path value="Observation.issued" />
369   <max value="0" />
370 </element>
371 <element id="Observation.performer">
372   <path value="Observation.performer" />
373   <max value="1" />
374   <type>
375     <code value="Reference" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
377   </type>
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.performer.reference">
381   <path value="Observation.performer.reference" />
382   <min value="1" />
383   <mustSupport value="true" />
384 </element>
385 <element id="Observation.performer.type">
386   <path value="Observation.performer.type" />
387   <max value="0" />
388 </element>
389 <element id="Observation.performer.identifier">
390   <path value="Observation.performer.identifier" />
391   <max value="0" />
392 </element>
393 <element id="Observation.performer.display">
394   <path value="Observation.performer.display" />
395   <max value="0" />
396 </element>
397 <element id="Observation.value[x]">
398   <path value="Observation.value[x]" />
399   <slicing>
400     <discriminator>
401       <type value="type" />
402       <path value="$this" />
403     </discriminator>
404     <rules value="closed" />
405   </slicing>
406   <min value="1" />
407   <type>
408     <code value="Quantity" />
409   </type>
410   <mustSupport value="true" />
411 </element>
412 <element id="Observation.value[x]:valueQuantity">
413   <path value="Observation.valueQuantity" />
414   <sliceName value="valueQuantity" />
415   <min value="1" />
416   <type>
417     <code value="Quantity" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Observation.value[x]:valueQuantity.value">
422   <path value="Observation.valueQuantity.value" />
423   <min value="1" />
424 </element>

```



```

425 <element id="Observation.value[x]:valueQuantity.comparator">
426   <path value="Observation.valueQuantity.comparator" />
427   <max value="0" />
428 </element>
429 <element id="Observation.value[x]:valueQuantity.unit">
430   <path value="Observation.valueQuantity.unit" />
431   <min value="1" />
432   <fixedString value="g" />
433 </element>
434 <element id="Observation.value[x]:valueQuantity.system">
435   <path value="Observation.valueQuantity.system" />
436   <min value="1" />
437   <fixedUri value="http://unitsofmeasure.org" />
438 </element>
439 <element id="Observation.value[x]:valueQuantity.code">
440   <path value="Observation.valueQuantity.code" />
441   <min value="1" />
442   <fixedCode value="g" />
443 </element>
444 <element id="Observation.dataAbsentReason">
445   <path value="Observation.dataAbsentReason" />
446   <max value="0" />
447 </element>
448 <element id="Observation.interpretation">
449   <path value="Observation.interpretation" />
450   <max value="0" />
451 </element>
452 <element id="Observation.note">
453   <path value="Observation.note" />
454   <max value="0" />
455 </element>
456 <element id="Observation.bodySite">
457   <path value="Observation.bodySite" />
458   <max value="0" />
459 </element>
460 <element id="Observation.method">
461   <path value="Observation.method" />
462   <max value="0" />
463 </element>
464 <element id="Observation.specimen">
465   <path value="Observation.specimen" />
466   <max value="0" />
467 </element>
468 <element id="Observation.device">
469   <path value="Observation.device" />
470   <max value="0" />
471 </element>
472 <element id="Observation.referenceRange">
473   <path value="Observation.referenceRange" />
474   <max value="0" />
475 </element>
476 <element id="Observation.hasMember">
477   <path value="Observation.hasMember" />
478   <max value="0" />
479 </element>
480 <element id="Observation.derivedFrom">
481   <path value="Observation.derivedFrom" />
482   <max value="0" />
483 </element>
484 <element id="Observation.component">

```

```
485     <path value="Observation.component" />
486     <max value="0" />
487   </element>
488 </differential>
489 </StructureDefinition>
```

## 286. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_CONGENITAL\_MALFORMATION

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_Congenital\_Malformation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Congenital_Malformation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_Congenital_Malformation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Fehlbildungen ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Congenital_Malformation|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126   <mustSupport value="false" />
127 </element>
128 <element id="Observation.code.coding.version">
129   <path value="Observation.code.coding.version" />
130   <min value="1" />
131   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
132 </element>
133 <element id="Observation.code.coding.code">
134   <path value="Observation.code.coding.code" />
135   <min value="1" />
136   <fixedCode value="276654001" />
137   <mustSupport value="false" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <short value="anzeigenameCodeSnomed" />
157   <definition value="Annotation des Snomed CT Codes mit einem deutschen
Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwähnt
werden." />
158   <min value="1" />
159   <max value="1" />
160   <type>
161     <code value="Extension" />
162     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
163   </type>
164   <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
167   <path value="Observation.code.coding.display.extension.extension" />
168   <slicing>
169     <discriminator>
170       <type value="value" />
171       <path value="url" />
172     </discriminator>
173     <rules value="open" />
174   </slicing>
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
177   <path value="Observation.code.coding.display.extension.extension" />
178   <sliceName value="content" />
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
181   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
183   <mustSupport value="true" />
184 </element>
185 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
186   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
187   <sliceName value="valueString" />
188   <min value="1" />
189   <fixedString value="Fehlbildungen:" />
190   <mustSupport value="true" />
191 </element>
192 <element id="Observation.code.coding.userSelected">
193   <path value="Observation.code.coding.userSelected" />
194   <max value="0" />
195 </element>

```

```

196 <element id="Observation.code.text">
197   <path value="Observation.code.text" />
198   <max value="0" />
199 </element>
200 <element id="Observation.subject">
201   <path value="Observation.subject" />
202   <min value="1" />
203   <type>
204     <code value="Reference" />
205     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
206   </type>
207   <mustSupport value="true" />
208 </element>
209 <element id="Observation.subject.reference">
210   <path value="Observation.subject.reference" />
211   <min value="1" />
212   <mustSupport value="true" />
213 </element>
214 <element id="Observation.subject.type">
215   <path value="Observation.subject.type" />
216   <max value="0" />
217 </element>
218 <element id="Observation.subject.identifier">
219   <path value="Observation.subject.identifier" />
220   <max value="0" />
221 </element>
222 <element id="Observation.subject.display">
223   <path value="Observation.subject.display" />
224   <max value="0" />
225 </element>
226 <element id="Observation.focus">
227   <path value="Observation.focus" />
228   <max value="0" />
229 </element>
230 <element id="Observation.encounter">
231   <path value="Observation.encounter" />
232   <min value="1" />
233   <type>
234     <code value="Reference" />
235     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="Observation.encounter.reference">
240   <path value="Observation.encounter.reference" />
241   <min value="1" />
242   <mustSupport value="true" />
243 </element>
244 <element id="Observation.encounter.type">
245   <path value="Observation.encounter.type" />
246   <max value="0" />
247 </element>
248 <element id="Observation.encounter.identifier">
249   <path value="Observation.encounter.identifier" />
250   <max value="0" />
251 </element>
252 <element id="Observation.encounter.display">
253   <path value="Observation.encounter.display" />

```

```

254     <max value="0" />
255 </element>
256 <element id="Observation.effective[x]">
257   <path value="Observation.effective[x]" />
258   <slicing>
259     <discriminator>
260       <type value="type" />
261       <path value="$this" />
262     </discriminator>
263     <rules value="closed" />
264   </slicing>
265   <min value="1" />
266   <type>
267     <code value="dateTime" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="Observation.effective[x]:effectiveDateTime">
272   <path value="Observation.effective[x]" />
273   <sliceName value="effectiveDateTime" />
274   <min value="1" />
275   <type>
276     <code value="dateTime" />
277   </type>
278   <mustSupport value="true" />
279 </element>
280 <element id="Observation.issued">
281   <path value="Observation.issued" />
282   <max value="0" />
283 </element>
284 <element id="Observation.performer">
285   <path value="Observation.performer" />
286   <max value="1" />
287   <type>
288     <code value="Reference" />
289     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
290   </type>
291   <mustSupport value="true" />
292 </element>
293 <element id="Observation.performer.reference">
294   <path value="Observation.performer.reference" />
295   <min value="1" />
296   <mustSupport value="true" />
297 </element>
298 <element id="Observation.performer.type">
299   <path value="Observation.performer.type" />
300   <max value="0" />
301 </element>
302 <element id="Observation.performer.identifier">
303   <path value="Observation.performer.identifier" />
304   <max value="0" />
305 </element>
306 <element id="Observation.performer.display">
307   <path value="Observation.performer.display" />
308   <max value="0" />
309 </element>
310 <element id="Observation.value[x]">
311   <path value="Observation.value[x]" />
312   <slicing>

```



```

313     <discriminator>
314       <type value="type" />
315       <path value="$this" />
316     </discriminator>
317     <rules value="closed" />
318   </slicing>
319   <min value="1" />
320   <type>
321     <code value="string" />
322   </type>
323   <mustSupport value="true" />
324 </element>
325 <element id="Observation.value[x]:valueString">
326   <path value="Observation.value[x]" />
327   <sliceName value="valueString" />
328   <min value="1" />
329   <type>
330     <code value="string" />
331   </type>
332   <mustSupport value="true" />
333 </element>
334 <element id="Observation.dataAbsentReason">
335   <path value="Observation.dataAbsentReason" />
336   <max value="0" />
337 </element>
338 <element id="Observation.interpretation">
339   <path value="Observation.interpretation" />
340   <max value="0" />
341 </element>
342 <element id="Observation.note">
343   <path value="Observation.note" />
344   <max value="0" />
345 </element>
346 <element id="Observation.bodySite">
347   <path value="Observation.bodySite" />
348   <max value="0" />
349 </element>
350 <element id="Observation.method">
351   <path value="Observation.method" />
352   <max value="0" />
353 </element>
354 <element id="Observation.specimen">
355   <path value="Observation.specimen" />
356   <max value="0" />
357 </element>
358 <element id="Observation.device">
359   <path value="Observation.device" />
360   <max value="0" />
361 </element>
362 <element id="Observation.referenceRange">
363   <path value="Observation.referenceRange" />
364   <max value="0" />
365 </element>
366 <element id="Observation.hasMember">
367   <path value="Observation.hasMember" />
368   <max value="0" />
369 </element>
370 <element id="Observation.derivedFrom">
371   <path value="Observation.derivedFrom" />
372   <max value="0" />

```

```
373     </element>
374     <element id="Observation.component">
375         <path value="Observation.component" />
376         <max value="0" />
377     </element>
378 </differential>
379 </StructureDefinition>
```

## 287. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_EDEMA\_OF\_NEWBORN

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_Edema\_Of\_Newborn

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Edema_Of_Newborn" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_Edema_Of_Newborn" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Ödeme ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Edema_Of_Newborn|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="78913002" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />
146       <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <short value="anzeigenameCodeSnomed" />
155   <definition value="Annotation des Snomed CT Codes mit einem deutschen
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     </type>
162     <mustSupport value="true" />
163   </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179   <path value="Observation.code.coding.display.extension.extension.valu
180   <slicing><discriminator><type value="type" /><path value="$this" /></
181   <discriminator><rules value="closed" /></slicing>
182   <mustSupport value="true" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185   <path value="Observation.code.coding.display.extension.extension.valu
186   <sliceName value="valueString" />
187   <min value="1" />
188   <fixedString value="Ödeme" />
189   <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192   <path value="Observation.code.coding.userSelected" />
193   <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196   <path value="Observation.code.text" />

```

```

196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240 </element>
241 <element id="Observation.encounter.type">
242   <path value="Observation.encounter.type" />
243   <max value="0" />
244 </element>
245 <element id="Observation.encounter.identifier">
246   <path value="Observation.encounter.identifier" />
247   <max value="0" />
248 </element>
249 <element id="Observation.encounter.display">
250   <path value="Observation.encounter.display" />
251   <max value="0" />
252 </element>
253 <element id="Observation.effective[x]">

```

```

254     <path value="Observation.effective[x]" />
255     <slicing>
256       <discriminator>
257         <type value="type" />
258         <path value="$this" />
259       </discriminator>
260       <rules value="closed" />
261     </slicing>
262     <min value="1" />
263     <type>
264       <code value="dateTime" />
265     </type>
266     <mustSupport value="true" />
267   </element>
268   <element id="Observation.effective[x]:effectiveDateTime">
269     <path value="Observation.effective[x]" />
270     <sliceName value="effectiveDateTime" />
271     <min value="1" />
272     <type>
273       <code value="dateTime" />
274     </type>
275     <mustSupport value="true" />
276   </element>
277   <element id="Observation.issued">
278     <path value="Observation.issued" />
279     <max value="0" />
280   </element>
281   <element id="Observation.performer">
282     <path value="Observation.performer" />
283     <max value="1" />
284     <type>
285       <code value="Reference" />
286       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
287     </type>
288     <mustSupport value="true" />
289   </element>
290   <element id="Observation.performer.reference">
291     <path value="Observation.performer.reference" />
292     <min value="1" />
293     <mustSupport value="true" />
294   </element>
295   <element id="Observation.performer.type">
296     <path value="Observation.performer.type" />
297     <max value="0" />
298   </element>
299   <element id="Observation.performer.identifier">
300     <path value="Observation.performer.identifier" />
301     <max value="0" />
302   </element>
303   <element id="Observation.performer.display">
304     <path value="Observation.performer.display" />
305     <max value="0" />
306   </element>
307   <element id="Observation.value[x]">
308     <path value="Observation.value[x]" />
309     <slicing>
310       <discriminator>
311         <type value="type" />
312         <path value="$this" />

```



```

313     </discriminator>
314     <rules value="closed" />
315 </slicing>
316 <min value="1" />
317 <type>
318     <code value="boolean" />
319 </type>
320 <mustSupport value="true" />
321 </element>
322 <element id="Observation.value[x]:valueBoolean">
323     <path value="Observation.value[x]" />
324     <sliceName value="valueBoolean" />
325     <min value="1" />
326     <type>
327         <code value="boolean" />
328     </type>
329     <fixedBoolean value="true" />
330     <mustSupport value="true" />
331 </element>
332 <element id="Observation.dataAbsentReason">
333     <path value="Observation.dataAbsentReason" />
334     <max value="0" />
335 </element>
336 <element id="Observation.interpretation">
337     <path value="Observation.interpretation" />
338     <max value="0" />
339 </element>
340 <element id="Observation.note">
341     <path value="Observation.note" />
342     <max value="0" />
343 </element>
344 <element id="Observation.bodySite">
345     <path value="Observation.bodySite" />
346     <max value="0" />
347 </element>
348 <element id="Observation.method">
349     <path value="Observation.method" />
350     <max value="0" />
351 </element>
352 <element id="Observation.specimen">
353     <path value="Observation.specimen" />
354     <max value="0" />
355 </element>
356 <element id="Observation.device">
357     <path value="Observation.device" />
358     <max value="0" />
359 </element>
360 <element id="Observation.referenceRange">
361     <path value="Observation.referenceRange" />
362     <max value="0" />
363 </element>
364 <element id="Observation.hasMember">
365     <path value="Observation.hasMember" />
366     <max value="0" />
367 </element>
368 <element id="Observation.derivedFrom">
369     <path value="Observation.derivedFrom" />
370     <max value="0" />
371 </element>
372 <element id="Observation.component">

```

```
373     <path value="Observation.component" />
374     <max value="0" />
375   </element>
376 </differential>
377 </StructureDefinition>
```

## 288. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_FAMILY\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_Family\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Family_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_Family_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Familienanamnese ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Family_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="422432008" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />
146       <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <min value="1" />
155   <max value="1" />
156   <type>
157     <code value="Extension" />
158     <profile value="https://fhir.kbv.de/StructureDefinition/
159     KBV_EX_Base_Terminology_German" />
160   </type>
161   <mustSupport value="true" />
162 </element>
163 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
164   <path value="Observation.code.coding.display.extension.extension" />
165   <slicing>
166     <discriminator>
167       <type value="value" />
168       <path value="url" />
169     </discriminator>
170     <rules value="open" />
171   </slicing>
172 </element>
173 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
174   <path value="Observation.code.coding.display.extension.extension" />
175   <sliceName value="content" />
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   <path value="Observation.code.coding.display.extension.extension.valu
179   e[x]" />
180   <slicing><discriminator><type value="type" /><path value="$this" /></
181   discriminator><rules value="closed" /></slicing>
182   <mustSupport value="true" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185   <path value="Observation.code.coding.display.extension.extension.valu
186   e[x]" />
187   <sliceName value="valueString" />
188   <min value="1" />
189   <fixedString value="Familienanamnese: (u. a. behandlungsbedürftige
190   Hyperbilirubinämie bei einem vorausgegangenem Kind)" />
191   <mustSupport value="true" />
192 </element>
193 <element id="Observation.code.coding.userSelected">
194   <path value="Observation.code.coding.userSelected" />
195   <max value="0" />
196 </element>
197 <element id="Observation.code.text">
198   <path value="Observation.code.text" />
199   <max value="0" />
200 </element>
201 <element id="Observation.subject">

```

```

197     <path value="Observation.subject" />
198     <min value="1" />
199     <type>
200         <code value="Reference" />
201         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
202     </type>
203     <mustSupport value="true" />
204 </element>
205 <element id="Observation.subject.reference">
206     <path value="Observation.subject.reference" />
207     <min value="1" />
208     <mustSupport value="true" />
209 </element>
210 <element id="Observation.subject.type">
211     <path value="Observation.subject.type" />
212     <max value="0" />
213 </element>
214 <element id="Observation.subject.identifier">
215     <path value="Observation.subject.identifier" />
216     <max value="0" />
217 </element>
218 <element id="Observation.subject.display">
219     <path value="Observation.subject.display" />
220     <max value="0" />
221 </element>
222 <element id="Observation.focus">
223     <path value="Observation.focus" />
224     <max value="0" />
225 </element>
226 <element id="Observation.encounter">
227     <path value="Observation.encounter" />
228     <min value="1" />
229     <type>
230         <code value="Reference" />
231         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
232     </type>
233     <mustSupport value="true" />
234 </element>
235 <element id="Observation.encounter.reference">
236     <path value="Observation.encounter.reference" />
237     <min value="1" />
238     <mustSupport value="true" />
239 </element>
240 <element id="Observation.encounter.type">
241     <path value="Observation.encounter.type" />
242     <max value="0" />
243 </element>
244 <element id="Observation.encounter.identifier">
245     <path value="Observation.encounter.identifier" />
246     <max value="0" />
247 </element>
248 <element id="Observation.encounter.display">
249     <path value="Observation.encounter.display" />
250     <max value="0" />
251 </element>
252 <element id="Observation.effective[x]">
253     <path value="Observation.effective[x]" />
254     <slicing>

```

```

255     <discriminator>
256       <type value="type" />
257       <path value="$this" />
258     </discriminator>
259     <rules value="closed" />
260   </slicing>
261   <min value="1" />
262   <type>
263     <code value="dateTime" />
264   </type>
265   <mustSupport value="true" />
266 </element>
267 <element id="Observation.effective[x]:effectiveDateTime">
268   <path value="Observation.effective[x]" />
269   <sliceName value="effectiveDateTime" />
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <mustSupport value="true" />
275 </element>
276 <element id="Observation.issued">
277   <path value="Observation.issued" />
278   <max value="0" />
279 </element>
280 <element id="Observation.performer">
281   <path value="Observation.performer" />
282   <max value="1" />
283   <type>
284     <code value="Reference" />
285     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Observation.performer.reference">
290   <path value="Observation.performer.reference" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="Observation.performer.type">
295   <path value="Observation.performer.type" />
296   <max value="0" />
297 </element>
298 <element id="Observation.performer.identifier">
299   <path value="Observation.performer.identifier" />
300   <max value="0" />
301 </element>
302 <element id="Observation.performer.display">
303   <path value="Observation.performer.display" />
304   <max value="0" />
305 </element>
306 <element id="Observation.value[x]">
307   <path value="Observation.value[x]" />
308   <slicing>
309     <discriminator>
310       <type value="type" />
311       <path value="$this" />
312     </discriminator>
313     <rules value="closed" />

```



```

314     </slicing>
315     <min value="1" />
316     <type>
317       <code value="string" />
318     </type>
319     <mustSupport value="true" />
320   </element>
321   <element id="Observation.value[x]:valueString">
322     <path value="Observation.value[x]" />
323     <sliceName value="valueString" />
324     <min value="1" />
325     <type>
326       <code value="string" />
327     </type>
328     <mustSupport value="true" />
329   </element>
330   <element id="Observation.dataAbsentReason">
331     <path value="Observation.dataAbsentReason" />
332     <max value="0" />
333   </element>
334   <element id="Observation.interpretation">
335     <path value="Observation.interpretation" />
336     <max value="0" />
337   </element>
338   <element id="Observation.note">
339     <path value="Observation.note" />
340     <max value="0" />
341   </element>
342   <element id="Observation.bodySite">
343     <path value="Observation.bodySite" />
344     <max value="0" />
345   </element>
346   <element id="Observation.method">
347     <path value="Observation.method" />
348     <max value="0" />
349   </element>
350   <element id="Observation.specimen">
351     <path value="Observation.specimen" />
352     <max value="0" />
353   </element>
354   <element id="Observation.device">
355     <path value="Observation.device" />
356     <max value="0" />
357   </element>
358   <element id="Observation.referenceRange">
359     <path value="Observation.referenceRange" />
360     <max value="0" />
361   </element>
362   <element id="Observation.hasMember">
363     <path value="Observation.hasMember" />
364     <max value="0" />
365   </element>
366   <element id="Observation.derivedFrom">
367     <path value="Observation.derivedFrom" />
368     <max value="0" />
369   </element>
370   <element id="Observation.component">
371     <path value="Observation.component" />
372     <max value="0" />
373   </element>

```

374  
375

</**differential**>  
</**StructureDefinition**>

## 289. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U1\_NEONATAL\_JAUNDICE

## KBV\_PR\_MIO\_CMV\_Observation\_U1\_Neonatal\_Jaundice

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U1_Neonatal_Jaundice" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Observation_U1_Neonatal_Jaundice" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet den Ikterus ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Neonatal_Jaundice|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="387712008" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />
146       <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <short value="anzeigenameCodeSnomed" />
155   <definition value="Annotation des Snomed CT Codes mit einem deutschen
156     Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwähnt
157     werden." />
158   <min value="1" />
159   <max value="1" />
160   <type>
161     <code value="Extension" />
162     <profile value="https://fhir.kbv.de/StructureDefinition/
163     KBV_EX_Base_Terminology_German" />
164   </type>
165   <mustSupport value="true" />
166 </element>
167 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
168   <path value="Observation.code.coding.display.extension.extension" />
169   <slicing>
170     <discriminator>
171       <type value="value" />
172       <path value="url" />
173     </discriminator>
174     <rules value="open" />
175   </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   <path value="Observation.code.coding.display.extension.extension" />
179   <sliceName value="content" />
180 </element>
181 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
182   <path value="Observation.code.coding.display.extension.extension.valu
183   e[x]" />
184   <slicing><discriminator><type value="type" /><path value="$this" /></
185   discriminator><rules value="closed" /></slicing>
186   <mustSupport value="true" />
187 </element>
188 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
189   <path value="Observation.code.coding.display.extension.extension.valu
190   e[x]" />
191   <sliceName value="valueString" />
192   <min value="1" />
193   <fixedString value="Gelbsucht" />
194   <mustSupport value="true" />
195 </element>
196 <element id="Observation.code.coding.userSelected">
197   <path value="Observation.code.coding.userSelected" />
198   <max value="0" />
199 </element>
200 <element id="Observation.code.text">
201   <path value="Observation.code.text" />

```

```

196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>

```

```

254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />

```



```

313     <path value="$this" />
314   </discriminator>
315   <rules value="closed" />
316 </slicing>
317 <min value="1" />
318 <type>
319   <code value="boolean" />
320 </type>
321 <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />
371   <max value="0" />
372 </element>

```

```
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377 </differential>
378 </StructureDefinition>
```

## 290. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_TERM\_INFANT

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_Term\_Infant

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_Term_Infant" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U1_Term_Infant" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Reifezeichen des Kindes ab." /
>
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_Term_Infant|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115    </element>
116    <element id="Observation.code.coding">
117        <path value="Observation.code.coding" />
118        <min value="1" />
119        <max value="1" />
120        <mustSupport value="true" />
121    </element>
122    <element id="Observation.code.coding.system">
123        <path value="Observation.code.coding.system" />
124        <min value="1" />
125        <fixedUri value="http://snomed.info/sct" />
126    </element>
127    <element id="Observation.code.coding.version">
128        <path value="Observation.code.coding.version" />
129        <min value="1" />
130        <fixedString value="http://snomed.info/sct/900000000000207008/
131        version/20210131" />
132    </element>
133    <element id="Observation.code.coding.code">
134        <path value="Observation.code.coding.code" />
135        <min value="1" />
136        <fixedCode value="364739001" />
137    </element>
138    <element id="Observation.code.coding.display">
139        <path value="Observation.code.coding.display" />
140        <min value="1" />
141    </element>
142    <element id="Observation.code.coding.display.extension">
143        <path value="Observation.code.coding.display.extension" />
144        <slicing>
145            <discriminator>
146                <type value="value" />

```

```

146         <path value="url" />
147     </discriminator>
148     <rules value="open" />
149 </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152 nomed">
153     <path value="Observation.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <short value="anzeigenameCodeSnomed" />
156     <definition value="Annotation des Snomed CT Codes mit einem deutschen
157     Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwähnt
158     werden." />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
164         KBV_EX_Base_Terminology_German" />
165     </type>
166     <mustSupport value="true" />
167 </element>
168 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
169 nomed.extension">
170     <path value="Observation.code.coding.display.extension.extension" />
171     <slicing>
172         <discriminator>
173             <type value="value" />
174             <path value="url" />
175         </discriminator>
176         <rules value="open" />
177     </slicing>
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180 nomed.extension:content">
181     <path value="Observation.code.coding.display.extension.extension" />
182     <sliceName value="content" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185 nomed.extension:content.value[x]">
186     <path value="Observation.code.coding.display.extension.extension.valu
187     e[x]" />
188     <slicing>
189         <discriminator>
190             <type value="type" />
191             <path value="$this" />
192         </discriminator>
193         <rules value="closed" />
194     </slicing>
195     <mustSupport value="true" />
196 </element>
197 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
198 nomed.extension:content.value[x]:valueString">
199     <path value="Observation.code.coding.display.extension.extension.valu
200     e[x]" />
201     <sliceName value="valueString" />
202     <min value="1" />
203     <fixedString value="Reifezeichen:" />
204     <mustSupport value="true" />
205 </element>

```

```

196 <element id="Observation.code.coding.userSelected">
197   <path value="Observation.code.coding.userSelected" />
198   <max value="0" />
199 </element>
200 <element id="Observation.code.text">
201   <path value="Observation.code.text" />
202   <max value="0" />
203 </element>
204 <element id="Observation.subject">
205   <path value="Observation.subject" />
206   <min value="1" />
207   <type>
208     <code value="Reference" />
209     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
210   </type>
211   <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.reference">
214   <path value="Observation.subject.reference" />
215   <min value="1" />
216   <mustSupport value="true" />
217 </element>
218 <element id="Observation.subject.type">
219   <path value="Observation.subject.type" />
220   <max value="0" />
221 </element>
222 <element id="Observation.subject.identifier">
223   <path value="Observation.subject.identifier" />
224   <max value="0" />
225 </element>
226 <element id="Observation.subject.display">
227   <path value="Observation.subject.display" />
228   <max value="0" />
229 </element>
230 <element id="Observation.focus">
231   <path value="Observation.focus" />
232   <max value="0" />
233 </element>
234 <element id="Observation.encounter">
235   <path value="Observation.encounter" />
236   <min value="1" />
237   <type>
238     <code value="Reference" />
239     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
240   </type>
241   <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.reference">
244   <path value="Observation.encounter.reference" />
245   <min value="1" />
246   <mustSupport value="true" />
247 </element>
248 <element id="Observation.encounter.type">
249   <path value="Observation.encounter.type" />
250   <max value="0" />
251 </element>
252 <element id="Observation.encounter.identifier">
253   <path value="Observation.encounter.identifier" />

```

```

254     <max value="0" />
255 </element>
256 <element id="Observation.encounter.display">
257   <path value="Observation.encounter.display" />
258   <max value="0" />
259 </element>
260 <element id="Observation.effective[x]">
261   <path value="Observation.effective[x]" />
262   <slicing>
263     <discriminator>
264       <type value="type" />
265       <path value="$this" />
266     </discriminator>
267     <rules value="closed" />
268   </slicing>
269   <min value="1" />
270   <type>
271     <code value="dateTime" />
272   </type>
273   <mustSupport value="true" />
274 </element>
275 <element id="Observation.effective[x]:effectiveDateTime">
276   <path value="Observation.effective[x]" />
277   <sliceName value="effectiveDateTime" />
278   <min value="1" />
279   <type>
280     <code value="dateTime" />
281   </type>
282   <mustSupport value="true" />
283 </element>
284 <element id="Observation.issued">
285   <path value="Observation.issued" />
286   <max value="0" />
287 </element>
288 <element id="Observation.performer">
289   <path value="Observation.performer" />
290   <max value="1" />
291   <type>
292     <code value="Reference" />
293     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
294   </type>
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.reference">
298   <path value="Observation.performer.reference" />
299   <min value="1" />
300   <mustSupport value="true" />
301 </element>
302 <element id="Observation.performer.type">
303   <path value="Observation.performer.type" />
304   <max value="0" />
305 </element>
306 <element id="Observation.performer.identifier">
307   <path value="Observation.performer.identifier" />
308   <max value="0" />
309 </element>
310 <element id="Observation.performer.display">
311   <path value="Observation.performer.display" />
312   <max value="0" />

```



```

313 </element>
314 <element id="Observation.value[x]">
315   <path value="Observation.value[x]" />
316   <slicing>
317     <discriminator>
318       <type value="type" />
319       <path value="$this" />
320     </discriminator>
321     <rules value="closed" />
322   </slicing>
323   <min value="1" />
324   <type>
325     <code value="string" />
326   </type>
327   <mustSupport value="true" />
328 </element>
329 <element id="Observation.value[x]:valueString">
330   <path value="Observation.value[x]" />
331   <sliceName value="valueString" />
332   <min value="1" />
333   <type>
334     <code value="string" />
335   </type>
336   <mustSupport value="true" />
337 </element>
338 <element id="Observation.dataAbsentReason">
339   <path value="Observation.dataAbsentReason" />
340   <max value="0" />
341 </element>
342 <element id="Observation.interpretation">
343   <path value="Observation.interpretation" />
344   <max value="0" />
345 </element>
346 <element id="Observation.note">
347   <path value="Observation.note" />
348   <max value="0" />
349 </element>
350 <element id="Observation.bodySite">
351   <path value="Observation.bodySite" />
352   <max value="0" />
353 </element>
354 <element id="Observation.method">
355   <path value="Observation.method" />
356   <max value="0" />
357 </element>
358 <element id="Observation.specimen">
359   <path value="Observation.specimen" />
360   <max value="0" />
361 </element>
362 <element id="Observation.device">
363   <path value="Observation.device" />
364   <max value="0" />
365 </element>
366 <element id="Observation.referenceRange">
367   <path value="Observation.referenceRange" />
368   <max value="0" />
369 </element>
370 <element id="Observation.hasMember">
371   <path value="Observation.hasMember" />
372   <max value="0" />

```

```
373     </element>
374     <element id="Observation.derivedFrom">
375       <path value="Observation.derivedFrom" />
376       <max value="0" />
377     </element>
378     <element id="Observation.component">
379       <path value="Observation.component" />
380       <max value="0" />
381     </element>
382   </differential>
383 </StructureDefinition>
```

## 291. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_BASE\_EXCESS

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Base\_Excess

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Base_Excess" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Base_Excess" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet den Base Excess ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Base_Excess|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="code" />
122     </discriminator>
123     <rules value="closed" />
124   </slicing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeLoinc">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeLoinc" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeLoinc.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://loinc.org" />
140 </element>
141 <element id="Observation.code.coding:codeLoinc.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="2.69" />
145 </element>
146 <element id="Observation.code.coding:codeLoinc.code">
147   <path value="Observation.code.coding.code" />

```

```

148     <min value="1" />
149     <fixedCode value="28638-5" />
150 </element>
151 <element id="Observation.code.coding:codeLoinc.display">
152   <path value="Observation.code.coding.display" />
153   <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeLoinc.display.extension">
156   <path value="Observation.code.coding.display.extension" />
157   <licing>
158     <discriminator>
159       <type value="value" />
160       <path value="url" />
161     </discriminator>
162     <rules value="open" />
163   </licing>
164 </element>
165 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeSnomed">
166   <path value="Observation.code.coding.display.extension" />
167   <sliceName value="anzeigenameCodeSnomed" />
168   <min value="1" />
169   <max value="1" />
170   <type>
171     <code value="Extension" />
172     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173   </type>
174   <mustSupport value="true" />
175 </element>
176 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeSnomed.extension">
177   <path value="Observation.code.coding.display.extension.extension" />
178   <licing>
179     <discriminator>
180       <type value="value" />
181       <path value="url" />
182     </discriminator>
183     <rules value="open" />
184   </licing>
185 </element>
186 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeSnomed.extension:content">
187   <path value="Observation.code.coding.display.extension.extension" />
188   <sliceName value="content" />
189 </element>
190 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeSnomed.extension:content.value[x]">
191   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
192   <licing>
193     <discriminator>
194       <type value="type" />
195       <path value="$this" />
196     </discriminator>
197     <rules value="closed" />
198   </licing>
199   <mustSupport value="true" />
200 </element>

```

```

201     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeSnomed.extension:content.value[x]:valueString">
202     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
203     <sliceName value="valueString" />
204     <min value="1" />
205     <fixedString value="Base excess" />
206     <mustSupport value="true" />
207 </element>
208 <element id="Observation.code.coding:codeLoinc.userSelected">
209     <path value="Observation.code.coding.userSelected" />
210     <max value="0" />
211 </element>
212 <element id="Observation.code.coding:codeSnomed">
213     <path value="Observation.code.coding" />
214     <sliceName value="codeSnomed" />
215     <min value="1" />
216     <max value="1" />
217     <mustSupport value="true" />
218 </element>
219 <element id="Observation.code.coding:codeSnomed.system">
220     <path value="Observation.code.coding.system" />
221     <min value="1" />
222     <fixedUri value="http://snomed.info/sct" />
223 </element>
224 <element id="Observation.code.coding:codeSnomed.version">
225     <path value="Observation.code.coding.version" />
226     <min value="1" />
227     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
228 </element>
229 <element id="Observation.code.coding:codeSnomed.code">
230     <path value="Observation.code.coding.code" />
231     <min value="1" />
232     <fixedCode value="363787002:370134009=123029007,704319004=12499000,11
8598001=118556004,370132008=30766002,704327008=703430008,246093002=68615006
,246501002=723208001" />
233 </element>
234 <element id="Observation.code.coding:codeSnomed.display">
235     <path value="Observation.code.coding.display" />
236     <min value="1" />
237 </element>
238 <element id="Observation.code.coding:codeSnomed.display.extension">
239     <path value="Observation.code.coding.display.extension" />
240     <licing>
241         <discriminator>
242             <type value="value" />
243             <path value="url" />
244         </discriminator>
245         <rules value="open" />
246     </licing>
247 </element>
248 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
249     <path value="Observation.code.coding.display.extension" />
250     <sliceName value="anzeigenameCodeSnomed" />
251     <min value="1" />
252     <max value="1" />
253     <type>
254         <code value="Extension" />

```

```

255     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
256   </type>
257   <mustSupport value="true" />
258 </element>
259   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension">
260     <path value="Observation.code.coding.display.extension.extension" />
261     <licing>
262       <discriminator>
263         <type value="value" />
264         <path value="url" />
265       </discriminator>
266       <rules value="open" />
267     </licing>
268   </element>
269   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content">
270     <path value="Observation.code.coding.display.extension.extension" />
271     <sliceName value="content" />
272   </element>
273   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]">
274     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
275     <licing>
276       <discriminator>
277         <type value="type" />
278         <path value="$this" />
279       </discriminator>
280       <rules value="closed" />
281     </licing>
282     <mustSupport value="true" />
283   </element>
284   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]:valueString">
285     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
286     <sliceName value="valueString" />
287     <min value="1" />
288     <fixedString value="Base excess" />
289     <mustSupport value="true" />
290   </element>
291   <element id="Observation.code.coding:codeSnomed.userSelected">
292     <path value="Observation.code.coding.userSelected" />
293     <max value="0" />
294   </element>
295   <element id="Observation.code.text">
296     <path value="Observation.code.text" />
297     <max value="0" />
298   </element>
299   <element id="Observation.subject">
300     <path value="Observation.subject" />
301     <min value="1" />
302     <type>
303       <code value="Reference" />
304       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
305     </type>
306     <mustSupport value="true" />

```



```

307 </element>
308 <element id="Observation.subject.reference">
309   <path value="Observation.subject.reference" />
310   <min value="1" />
311   <mustSupport value="true" />
312 </element>
313 <element id="Observation.subject.type">
314   <path value="Observation.subject.type" />
315   <max value="0" />
316 </element>
317 <element id="Observation.subject.identifier">
318   <path value="Observation.subject.identifier" />
319   <max value="0" />
320 </element>
321 <element id="Observation.subject.display">
322   <path value="Observation.subject.display" />
323   <max value="0" />
324 </element>
325 <element id="Observation.focus">
326   <path value="Observation.focus" />
327   <max value="0" />
328 </element>
329 <element id="Observation.encounter">
330   <path value="Observation.encounter" />
331   <min value="1" />
332   <type>
333     <code value="Reference" />
334     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
335   </type>
336   <mustSupport value="true" />
337 </element>
338 <element id="Observation.encounter.reference">
339   <path value="Observation.encounter.reference" />
340   <min value="1" />
341   <mustSupport value="true" />
342 </element>
343 <element id="Observation.encounter.type">
344   <path value="Observation.encounter.type" />
345   <max value="0" />
346 </element>
347 <element id="Observation.encounter.identifier">
348   <path value="Observation.encounter.identifier" />
349   <max value="0" />
350 </element>
351 <element id="Observation.encounter.display">
352   <path value="Observation.encounter.display" />
353   <max value="0" />
354 </element>
355 <element id="Observation.effective[x]">
356   <path value="Observation.effective[x]" />
357   <slicing>
358     <discriminator>
359       <type value="type" />
360       <path value="$this" />
361     </discriminator>
362     <rules value="closed" />
363   </slicing>
364   <min value="1" />
365   <type>

```

```

366     <code value="dateTime" />
367 </type>
368 <mustSupport value="true" />
369 </element>
370 <element id="Observation.effective[x]:effectiveDateTime">
371   <path value="Observation.effective[x]" />
372   <sliceName value="effectiveDateTime" />
373   <min value="1" />
374   <type>
375     <code value="dateTime" />
376   </type>
377   <mustSupport value="true" />
378 </element>
379 <element id="Observation.issued">
380   <path value="Observation.issued" />
381   <max value="0" />
382 </element>
383 <element id="Observation.performer">
384   <path value="Observation.performer" />
385   <max value="1" />
386   <type>
387     <code value="Reference" />
388     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
389   </type>
390   <mustSupport value="true" />
391 </element>
392 <element id="Observation.performer.reference">
393   <path value="Observation.performer.reference" />
394   <min value="1" />
395   <mustSupport value="true" />
396 </element>
397 <element id="Observation.performer.type">
398   <path value="Observation.performer.type" />
399   <max value="0" />
400 </element>
401 <element id="Observation.performer.identifier">
402   <path value="Observation.performer.identifier" />
403   <max value="0" />
404 </element>
405 <element id="Observation.performer.display">
406   <path value="Observation.performer.display" />
407   <max value="0" />
408 </element>
409 <element id="Observation.value[x]">
410   <path value="Observation.value[x]" />
411   <slicing>
412     <discriminator>
413       <type value="type" />
414       <path value="$this" />
415     </discriminator>
416     <rules value="closed" />
417   </slicing>
418   <min value="1" />
419   <type>
420     <code value="Quantity" />
421   </type>
422   <mustSupport value="true" />
423 </element>
424 <element id="Observation.value[x]:valueQuantity">

```

```

425     <path value="Observation.value[x]" />
426     <sliceName value="valueQuantity" />
427         <min value="1" />
428     <type>
429         <code value="Quantity" />
430     </type>
431 </element>
432 <element id="Observation.value[x]:valueQuantity.value">
433     <path value="Observation.value[x].value" />
434     <min value="1" />
435 </element>
436 <element id="Observation.value[x]:valueQuantity.comparator">
437     <path value="Observation.value[x].comparator" />
438     <max value="0" />
439 </element>
440 <element id="Observation.value[x]:valueQuantity.unit">
441     <path value="Observation.value[x].unit" />
442     <min value="1" />
443     <binding>
444         <strength value="required" />
445         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Base_Excess_Unit" />
446     </binding>
447 </element>
448 <element id="Observation.value[x]:valueQuantity.system">
449     <path value="Observation.value[x].system" />
450     <min value="1" />
451 </element>
452 <element id="Observation.value[x]:valueQuantity.code">
453     <path value="Observation.value[x].code" />
454     <min value="1" />
455     <binding>
456         <strength value="required" />
457         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Base_Excess_Unit" />
458     </binding>
459 </element>
460 <element id="Observation.dataAbsentReason">
461     <path value="Observation.dataAbsentReason" />
462     <max value="0" />
463 </element>
464 <element id="Observation.interpretation">
465     <path value="Observation.interpretation" />
466     <max value="0" />
467 </element>
468 <element id="Observation.note">
469     <path value="Observation.note" />
470     <max value="0" />
471 </element>
472 <element id="Observation.bodySite">
473     <path value="Observation.bodySite" />
474     <max value="0" />
475 </element>
476 <element id="Observation.method">
477     <path value="Observation.method" />
478     <max value="0" />
479 </element>
480 <element id="Observation.specimen">
481     <path value="Observation.specimen" />
482     <max value="0" />

```

```
483 </element>
484 <element id="Observation.device">
485   <path value="Observation.device" />
486   <max value="0" />
487 </element>
488 <element id="Observation.referenceRange">
489   <path value="Observation.referenceRange" />
490   <max value="0" />
491 </element>
492 <element id="Observation.hasMember">
493   <path value="Observation.hasMember" />
494   <max value="0" />
495 </element>
496 <element id="Observation.derivedFrom">
497   <path value="Observation.derivedFrom" />
498   <max value="0" />
499 </element>
500 <element id="Observation.component">
501   <path value="Observation.component" />
502   <max value="0" />
503 </element>
504 </differential>
505 </StructureDefinition>
```

## 292. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_BIRTHMODE

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Birthmode

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Birthmode" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Birthmode" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet den Geburtsmodus ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Birthmode|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Birthmode" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U1_U3_Birthmode" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149   </discriminator>
150   <rules value="open" />
151 </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161   </type>
162   <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
179   <path value="Observation.code.coding.display.extension.extension valu
e[x]" />
180   <slicing>
181     <discriminator>
182       <type value="type" />
183       <path value="$this" />
184     </discriminator>
185     <rules value="closed" />
186   </slicing>
187   <mustSupport value="true" />
188 </element>
189 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
190   <path value="Observation.code.coding.display.extension.extension valu
eString" />
191   <sliceName value="valueString" />
192   <requirements value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_VS_MIO_CMR_U1_U3_Birthmode_German|
1.0.1" />
193   <mustSupport value="true" />
194 </element>

```



```

195 <element id="Observation.code.coding.userSelected">
196   <path value="Observation.code.coding.userSelected" />
197   <max value="0" />
198 </element>
199 <element id="Observation.code.text">
200   <path value="Observation.code.text" />
201   <max value="0" />
202 </element>
203 <element id="Observation.subject">
204   <path value="Observation.subject" />
205   <min value="1" />
206   <type>
207     <code value="Reference" />
208     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
209   </type>
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.reference">
213   <path value="Observation.subject.reference" />
214   <min value="1" />
215   <mustSupport value="true" />
216 </element>
217 <element id="Observation.subject.type">
218   <path value="Observation.subject.type" />
219   <max value="0" />
220 </element>
221 <element id="Observation.subject.identifier">
222   <path value="Observation.subject.identifier" />
223   <max value="0" />
224 </element>
225 <element id="Observation.subject.display">
226   <path value="Observation.subject.display" />
227   <max value="0" />
228 </element>
229 <element id="Observation.focus">
230   <path value="Observation.focus" />
231   <max value="0" />
232 </element>
233 <element id="Observation.encounter">
234   <path value="Observation.encounter" />
235   <min value="1" />
236   <type>
237     <code value="Reference" />
238     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
239   </type>
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.reference">
243   <path value="Observation.encounter.reference" />
244   <min value="1" />
245   <mustSupport value="true" />
246 </element>
247 <element id="Observation.encounter.type">
248   <path value="Observation.encounter.type" />
249   <max value="0" />
250 </element>
251 <element id="Observation.encounter.identifier">
252   <path value="Observation.encounter.identifier" />

```

```

253     <max value="0" />
254 </element>
255 <element id="Observation.encounter.display">
256   <path value="Observation.encounter.display" />
257   <max value="0" />
258 </element>
259 <element id="Observation.effective[x]">
260   <path value="Observation.effective[x]" />
261   <slicing>
262     <discriminator>
263       <type value="type" />
264       <path value="$this" />
265     </discriminator>
266     <rules value="closed" />
267   </slicing>
268   <min value="1" />
269   <type>
270     <code value="dateTime" />
271   </type>
272   <mustSupport value="true" />
273 </element>
274 <element id="Observation.effective[x]:effectiveDateTime">
275   <path value="Observation.effective[x]" />
276   <sliceName value="effectiveDateTime" />
277   <min value="1" />
278   <type>
279     <code value="dateTime" />
280   </type>
281   <mustSupport value="true" />
282 </element>
283 <element id="Observation.issued">
284   <path value="Observation.issued" />
285   <max value="0" />
286 </element>
287 <element id="Observation.performer">
288   <path value="Observation.performer" />
289   <max value="1" />
290   <type>
291     <code value="Reference" />
292     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
293   </type>
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.reference">
297   <path value="Observation.performer.reference" />
298   <min value="1" />
299   <mustSupport value="true" />
300 </element>
301 <element id="Observation.performer.type">
302   <path value="Observation.performer.type" />
303   <max value="0" />
304 </element>
305 <element id="Observation.performer.identifier">
306   <path value="Observation.performer.identifier" />
307   <max value="0" />
308 </element>
309 <element id="Observation.performer.display">
310   <path value="Observation.performer.display" />
311   <max value="0" />

```

```

312 </element>
313 <element id="Observation.value[x]">
314   <path value="Observation.value[x]" />
315   <slicing>
316     <discriminator>
317       <type value="type" />
318       <path value="$this" />
319     </discriminator>
320     <rules value="closed" />
321   </slicing>
322   <min value="1" />
323   <type>
324     <code value="boolean" />
325   </type>
326   <mustSupport value="true" />
327 </element>
328 <element id="Observation.value[x]:valueBoolean">
329   <path value="Observation.value[x]" />
330   <sliceName value="valueBoolean" />
331   <min value="1" />
332   <type>
333     <code value="boolean" />
334   </type>
335   <fixedBoolean value="true" />
336   <mustSupport value="true" />
337 </element>
338 <element id="Observation.dataAbsentReason">
339   <path value="Observation.dataAbsentReason" />
340   <max value="0" />
341 </element>
342 <element id="Observation.interpretation">
343   <path value="Observation.interpretation" />
344   <max value="0" />
345 </element>
346 <element id="Observation.note">
347   <path value="Observation.note" />
348   <max value="0" />
349 </element>
350 <element id="Observation.bodySite">
351   <path value="Observation.bodySite" />
352   <max value="0" />
353 </element>
354 <element id="Observation.method">
355   <path value="Observation.method" />
356   <max value="0" />
357 </element>
358 <element id="Observation.specimen">
359   <path value="Observation.specimen" />
360   <max value="0" />
361 </element>
362 <element id="Observation.device">
363   <path value="Observation.device" />
364   <max value="0" />
365 </element>
366 <element id="Observation.referenceRange">
367   <path value="Observation.referenceRange" />
368   <max value="0" />
369 </element>
370 <element id="Observation.hasMember">
371   <path value="Observation.hasMember" />

```

```
372     <max value="0" />
373   </element>
374   <element id="Observation.derivedFrom">
375     <path value="Observation.derivedFrom" />
376     <max value="0" />
377   </element>
378   <element id="Observation.component">
379     <path value="Observation.component" />
380     <max value="0" />
381   </element>
382 </differential>
383 </StructureDefinition>
```

## 293. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_DATE\_TIME\_OF\_BIRTH

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Date\_Time\_of\_Birth

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Date_Time_of_Birth" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Date_Time_of_Birth" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet das Geburtsdatum und die Uhrzeit
ab." />
49     <constraint>
50       <key value="date-1" />
51       <severity value="error" />
52       <human value="Der Geburtszeitpunkt muss mindestens 16 Stellen
haben" />
53       <expression value="valueDateTime.toString().length()>=16" />
54       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Date_Time_of_Birth|1.0.1" />
55     </constraint>
56   </element>
57   <element id="Observation.meta">
58     <path value="Observation.meta" />
59     <min value="1" />
60   </element>
61   <element id="Observation.meta.versionId">
62     <path value="Observation.meta.versionId" />
63     <max value="0" />
64   </element>
65   <element id="Observation.meta.lastUpdated">
66     <path value="Observation.meta.lastUpdated" />
67     <max value="0" />
68   </element>
69   <element id="Observation.meta.source">
70     <path value="Observation.meta.source" />
71     <max value="0" />
72   </element>
73   <element id="Observation.meta.profile">
74     <path value="Observation.meta.profile" />
75     <min value="1" />
76     <max value="1" />
77     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Date_Time_of_Birth|1.0.1" />
78   </element>
79   <element id="Observation.meta.security">
80     <path value="Observation.meta.security" />
81     <max value="0" />
82   </element>
83   <element id="Observation.meta.tag">
84     <path value="Observation.meta.tag" />

```

```

85     <max value="0" />
86 </element>
87 <element id="Observation.implicitRules">
88     <path value="Observation.implicitRules" />
89     <max value="0" />
90 </element>
91 <element id="Observation.language">
92     <path value="Observation.language" />
93     <max value="0" />
94 </element>
95 <element id="Observation.contained">
96     <path value="Observation.contained" />
97     <max value="0" />
98 </element>
99 <element id="Observation.identifier">
100    <path value="Observation.identifier" />
101    <max value="0" />
102 </element>
103 <element id="Observation.base0n">
104    <path value="Observation.base0n" />
105    <max value="0" />
106 </element>
107 <element id="Observation.part0f">
108    <path value="Observation.part0f" />
109    <max value="0" />
110 </element>
111 <element id="Observation.status">
112    <path value="Observation.status" />
113    <fixedCode value="final" />
114 </element>
115 <element id="Observation.category">
116    <path value="Observation.category" />
117    <max value="0" />
118 </element>
119 <element id="Observation.code">
120    <path value="Observation.code" />
121    <mustSupport value="true" />
122 </element>
123 <element id="Observation.code.coding">
124    <path value="Observation.code.coding" />
125    <min value="1" />
126    <max value="1" />
127    <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding.system">
130    <path value="Observation.code.coding.system" />
131    <min value="1" />
132    <fixedUri value="http://snomed.info/sct" />
133 </element>
134 <element id="Observation.code.coding.version">
135    <path value="Observation.code.coding.version" />
136    <min value="1" />
137    <fixedString value="http://snomed.info/sct/900000000000207008/
138    version/20210131" />
139 </element>
140 <element id="Observation.code.coding.code">
141    <path value="Observation.code.coding.code" />
142    <min value="1" />
143    <fixedCode value="184099003+397836004" />
144 </element>

```

```

144 <element id="Observation.code.coding.display">
145   <path value="Observation.code.coding.display" />
146   <min value="1" />
147 </element>
148   <element id="Observation.code.coding.display.extension">
149     <path value="Observation.code.coding.display.extension" />
150     <slicing>
151       <discriminator>
152         <type value="value" />
153         <path value="url" />
154       </discriminator>
155       <rules value="open" />
156     </slicing>
157   </element>
158   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
159   nomed">
160     <path value="Observation.code.coding.display.extension" />
161     <sliceName value="anzeigenameCodeSnomed" />
162     <short value="anzeigenameCodeSnomed" />
163     <definition value="Annotation des Snomed CT Codes mit einem deutschen
164     Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwahnt
165     werden." />
166     <min value="1" />
167     <max value="1" />
168     <type>
169       <code value="Extension" />
170       <profile value="https://fhir.kbv.de/StructureDefinition/
171       KBV_EX_Base_Terminology_German" />
172     </type>
173     <mustSupport value="true" />
174   </element>
175   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   nomed.extension">
177     <path value="Observation.code.coding.display.extension.extension" />
178     <slicing>
179       <discriminator>
180         <type value="value" />
181         <path value="url" />
182       </discriminator>
183       <rules value="open" />
184     </slicing>
185   </element>
186   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   nomed.extension:content">
188     <path value="Observation.code.coding.display.extension.extension" />
189     <sliceName value="content" />
190   </element>
191   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
192   nomed.extension:content.value[x]">
193     <path value="Observation.code.coding.display.extension.extension.valu
194     e[x]" />
195     <slicing><discriminator><type value="type" /><path value="$this" /></
196     discriminator><rules value="closed" /></slicing>
197     <mustSupport value="true" />
198   </element>
199   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
200   nomed.extension:content.value[x]:valueString">
201     <path value="Observation.code.coding.display.extension.extension.valu
202     e[x]" />
203     <sliceName value="valueString" />

```



```

193     <min value="1" />
194     <fixedString value="Geburtsdatum und Uhrzeit" />
195     <mustSupport value="true" />
196 </element>
197 <element id="Observation.code.coding.userSelected">
198     <path value="Observation.code.coding.userSelected" />
199     <max value="0" />
200 </element>
201 <element id="Observation.code.text">
202     <path value="Observation.code.text" />
203     <max value="0" />
204 </element>
205 <element id="Observation.subject">
206     <path value="Observation.subject" />
207     <min value="1" />
208     <type>
209         <code value="Reference" />
210         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
211     </type>
212     <mustSupport value="true" />
213 </element>
214 <element id="Observation.subject.reference">
215     <path value="Observation.subject.reference" />
216     <min value="1" />
217     <mustSupport value="true" />
218 </element>
219 <element id="Observation.subject.type">
220     <path value="Observation.subject.type" />
221     <max value="0" />
222 </element>
223 <element id="Observation.subject.identifier">
224     <path value="Observation.subject.identifier" />
225     <max value="0" />
226 </element>
227 <element id="Observation.subject.display">
228     <path value="Observation.subject.display" />
229     <max value="0" />
230 </element>
231 <element id="Observation.focus">
232     <path value="Observation.focus" />
233     <max value="0" />
234 </element>
235 <element id="Observation.encounter">
236     <path value="Observation.encounter" />
237     <min value="1" />
238     <type>
239         <code value="Reference" />
240         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
241     </type>
242     <mustSupport value="true" />
243 </element>
244 <element id="Observation.encounter.reference">
245     <path value="Observation.encounter.reference" />
246     <min value="1" />
247     <mustSupport value="true" />
248 </element>
249 <element id="Observation.encounter.type">
250     <path value="Observation.encounter.type" />

```

```

251     <max value="0" />
252 </element>
253 <element id="Observation.encounter.identifier">
254     <path value="Observation.encounter.identifier" />
255     <max value="0" />
256 </element>
257 <element id="Observation.encounter.display">
258     <path value="Observation.encounter.display" />
259     <max value="0" />
260 </element>
261 <element id="Observation.effective[x]">
262     <path value="Observation.effective[x]" />
263     <slicing>
264         <discriminator>
265             <type value="type" />
266             <path value="$this" />
267         </discriminator>
268         <rules value="closed" />
269     </slicing>
270     <min value="1" />
271     <type>
272         <code value="dateTime" />
273     </type>
274     <mustSupport value="true" />
275 </element>
276 <element id="Observation.effective[x]:effectiveDateTime">
277     <path value="Observation.effective[x]" />
278     <sliceName value="effectiveDateTime" />
279     <min value="1" />
280     <type>
281         <code value="dateTime" />
282     </type>
283     <mustSupport value="true" />
284 </element>
285 <element id="Observation.issued">
286     <path value="Observation.issued" />
287     <max value="0" />
288 </element>
289 <element id="Observation.performer">
290     <path value="Observation.performer" />
291     <max value="1" />
292     <type>
293         <code value="Reference" />
294         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
295     </type>
296     <mustSupport value="true" />
297 </element>
298 <element id="Observation.performer.reference">
299     <path value="Observation.performer.reference" />
300     <min value="1" />
301     <mustSupport value="true" />
302 </element>
303 <element id="Observation.performer.type">
304     <path value="Observation.performer.type" />
305     <max value="0" />
306 </element>
307 <element id="Observation.performer.identifier">
308     <path value="Observation.performer.identifier" />
309     <max value="0" />

```

```

310 </element>
311 <element id="Observation.performer.display">
312   <path value="Observation.performer.display" />
313   <max value="0" />
314 </element>
315 <element id="Observation.value[x]">
316   <path value="Observation.value[x]" />
317   <slicing>
318     <discriminator>
319       <type value="type" />
320       <path value="$this" />
321     </discriminator>
322     <rules value="closed" />
323   </slicing>
324   <min value="1" />
325   <type>
326     <code value="dateTime" />
327   </type>
328   <mustSupport value="true" />
329 </element>
330 <element id="Observation.value[x]:valueDateTime">
331   <path value="Observation.value[x]" />
332   <sliceName value="valueDateTime" />
333   <min value="1" />
334   <type>
335     <code value="dateTime" />
336   </type>
337   <mustSupport value="true" />
338 </element>
339 <element id="Observation.dataAbsentReason">
340   <path value="Observation.dataAbsentReason" />
341   <max value="0" />
342 </element>
343 <element id="Observation.interpretation">
344   <path value="Observation.interpretation" />
345   <max value="0" />
346 </element>
347 <element id="Observation.note">
348   <path value="Observation.note" />
349   <max value="0" />
350 </element>
351 <element id="Observation.bodySite">
352   <path value="Observation.bodySite" />
353   <max value="0" />
354 </element>
355 <element id="Observation.method">
356   <path value="Observation.method" />
357   <max value="0" />
358 </element>
359 <element id="Observation.specimen">
360   <path value="Observation.specimen" />
361   <max value="0" />
362 </element>
363 <element id="Observation.device">
364   <path value="Observation.device" />
365   <max value="0" />
366 </element>
367 <element id="Observation.referenceRange">
368   <path value="Observation.referenceRange" />
369   <max value="0" />

```

```
370     </element>
371     <element id="Observation.hasMember">
372       <path value="Observation.hasMember" />
373       <max value="0" />
374     </element>
375     <element id="Observation.derivedFrom">
376       <path value="Observation.derivedFrom" />
377       <max value="0" />
378     </element>
379     <element id="Observation.component">
380       <path value="Observation.component" />
381       <max value="0" />
382     </element>
383   </differential>
384 </StructureDefinition>
```

## 294. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U1\_U3\_DIFFERENT\_FOETAL\_POSITION

## KBV\_PR\_MIO\_CMV\_Observation\_U1\_U3\_Different\_Foetal\_Position

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U1_U3_Different_Foetal_Position" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U1_U3_Different_Foetal_Position"
/>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die Freitextangabe von Kindslagen
50 ab." />
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMR_Observation_U1_U3_Different_Foetal_Position|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117     <path value="Observation.code.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123     <path value="Observation.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128     <path value="Observation.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133     <path value="Observation.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="364607000" />
136 </element>
137 <element id="Observation.code.coding.display">
138     <path value="Observation.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142     <path value="Observation.code.coding.display.extension" />
143     <slicing>
144         <discriminator>

```

```

145     <type value="value" />
146     <path value="url" />
147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <min value="1" />
155   <max value="1" />
156   <type>
157     <code value="Extension" />
158     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159   </type>
160   <mustSupport value="true" />
161 </element>
162 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
163   <path value="Observation.code.coding.display.extension.extension" />
164   <slicing>
165     <discriminator>
166       <type value="value" />
167       <path value="url" />
168     </discriminator>
169     <rules value="open" />
170   </slicing>
171 </element>
172 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
173   <path value="Observation.code.coding.display.extension.extension" />
174   <sliceName value="content" />
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
177   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
178   <slicing>
179     <discriminator>
180       <type value="type" />
181       <path value="$this" />
182     </discriminator>
183     <rules value="closed" />
184   </slicing>
185   <mustSupport value="true" />
186 </element>
187 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
188   <path value="Observation.code.coding.display.extension.extension.valu
eString" />
189   <sliceName value="valueString" />
190   <min value="1" />
191   <fixedString value="andere Kindslage" />
192   <mustSupport value="true" />
193 </element>
194 <element id="Observation.code.coding.userSelected">
195   <path value="Observation.code.coding.userSelected" />
196   <max value="0" />

```



```

197 </element>
198 <element id="Observation.code.text">
199   <path value="Observation.code.text" />
200   <max value="0" />
201 </element>
202 <element id="Observation.subject">
203   <path value="Observation.subject" />
204   <min value="1" />
205   <type>
206     <code value="Reference" />
207     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
208   </type>
209   <mustSupport value="true" />
210 </element>
211 <element id="Observation.subject.reference">
212   <path value="Observation.subject.reference" />
213   <min value="1" />
214   <mustSupport value="true" />
215 </element>
216 <element id="Observation.subject.type">
217   <path value="Observation.subject.type" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.identifier">
221   <path value="Observation.subject.identifier" />
222   <max value="0" />
223 </element>
224 <element id="Observation.subject.display">
225   <path value="Observation.subject.display" />
226   <max value="0" />
227 </element>
228 <element id="Observation.focus">
229   <path value="Observation.focus" />
230   <max value="0" />
231 </element>
232 <element id="Observation.encounter">
233   <path value="Observation.encounter" />
234   <min value="1" />
235   <type>
236     <code value="Reference" />
237     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
238   </type>
239   <mustSupport value="true" />
240 </element>
241 <element id="Observation.encounter.reference">
242   <path value="Observation.encounter.reference" />
243   <min value="1" />
244   <mustSupport value="true" />
245 </element>
246 <element id="Observation.encounter.type">
247   <path value="Observation.encounter.type" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.identifier">
251   <path value="Observation.encounter.identifier" />
252   <max value="0" />
253 </element>
254 <element id="Observation.encounter.display">

```

```

255     <path value="Observation.encounter.display" />
256     <max value="0" />
257 </element>
258 <element id="Observation.effective[x]">
259     <path value="Observation.effective[x]" />
260     <slicing>
261         <discriminator>
262             <type value="type" />
263             <path value="$this" />
264         </discriminator>
265         <rules value="closed" />
266     </slicing>
267     <min value="1" />
268     <type>
269         <code value="dateTime" />
270     </type>
271     <mustSupport value="true" />
272 </element>
273 <element id="Observation.effective[x]:effectiveDateTime">
274     <path value="Observation.effective[x]" />
275     <sliceName value="effectiveDateTime" />
276     <min value="1" />
277     <type>
278         <code value="dateTime" />
279     </type>
280     <mustSupport value="true" />
281 </element>
282 <element id="Observation.issued">
283     <path value="Observation.issued" />
284     <max value="0" />
285 </element>
286 <element id="Observation.performer">
287     <path value="Observation.performer" />
288     <max value="1" />
289     <type>
290         <code value="Reference" />
291         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
292     </type>
293     <mustSupport value="true" />
294 </element>
295 <element id="Observation.performer.reference">
296     <path value="Observation.performer.reference" />
297     <min value="1" />
298     <mustSupport value="true" />
299 </element>
300 <element id="Observation.performer.type">
301     <path value="Observation.performer.type" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.identifier">
305     <path value="Observation.performer.identifier" />
306     <max value="0" />
307 </element>
308 <element id="Observation.performer.display">
309     <path value="Observation.performer.display" />
310     <max value="0" />
311 </element>
312 <element id="Observation.value[x]">
313     <path value="Observation.value[x]" />

```

```

314     <slicing>
315       <discriminator>
316         <type value="type" />
317         <path value="$this" />
318       </discriminator>
319       <rules value="closed" />
320     </slicing>
321     <min value="1" />
322     <type>
323       <code value="string" />
324     </type>
325     <mustSupport value="true" />
326   </element>
327   <element id="Observation.value[x]:valueString">
328     <path value="Observation.value[x]" />
329     <sliceName value="valueString" />
330     <min value="1" />
331     <type>
332       <code value="string" />
333     </type>
334     <mustSupport value="true" />
335   </element>
336   <element id="Observation.dataAbsentReason">
337     <path value="Observation.dataAbsentReason" />
338     <max value="0" />
339   </element>
340   <element id="Observation.interpretation">
341     <path value="Observation.interpretation" />
342     <max value="0" />
343   </element>
344   <element id="Observation.note">
345     <path value="Observation.note" />
346     <max value="0" />
347   </element>
348   <element id="Observation.bodySite">
349     <path value="Observation.bodySite" />
350     <max value="0" />
351   </element>
352   <element id="Observation.method">
353     <path value="Observation.method" />
354     <max value="0" />
355   </element>
356   <element id="Observation.specimen">
357     <path value="Observation.specimen" />
358     <max value="0" />
359   </element>
360   <element id="Observation.device">
361     <path value="Observation.device" />
362     <max value="0" />
363   </element>
364   <element id="Observation.referenceRange">
365     <path value="Observation.referenceRange" />
366     <max value="0" />
367   </element>
368   <element id="Observation.hasMember">
369     <path value="Observation.hasMember" />
370     <max value="0" />
371   </element>
372   <element id="Observation.derivedFrom">
373     <path value="Observation.derivedFrom" />

```

```
374     <max value="0" />
375   </element>
376   <element id="Observation.component">
377     <path value="Observation.component" />
378     <max value="0" />
379   </element>
380 </differential>
381 </StructureDefinition>
```

## 295. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_FOETAL\_POSITION

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Foetal\_Position

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Foetal_Position" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Foetal_Position" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Kindslage ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Foetal_Position|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Foetal Position" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Foetal_Position" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149   </discriminator>
150   <rules value="open" />
151 </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161   </type>
162   <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
179   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
180   <slicing>
181     <discriminator>
182       <type value="type" />
183       <path value="$this" />
184     </discriminator>
185     <rules value="closed" />
186   </slicing>
187   <mustSupport value="true" />
188 </element>
189 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
190   <path value="Observation.code.coding.display.extension.extension.valu
eString" />
191   <sliceName value="valueString" />
192   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_Foetal_Position_German|
1.0.1" />
193   <min value="1" />
194   <mustSupport value="true" />

```



```

195 </element>
196 <element id="Observation.code.coding.userSelected">
197   <path value="Observation.code.coding.userSelected" />
198   <max value="0" />
199 </element>
200 <element id="Observation.code.text">
201   <path value="Observation.code.text" />
202   <max value="0" />
203 </element>
204 <element id="Observation.subject">
205   <path value="Observation.subject" />
206   <min value="1" />
207   <type>
208     <code value="Reference" />
209     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
210   </type>
211   <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.reference">
214   <path value="Observation.subject.reference" />
215   <min value="1" />
216   <mustSupport value="true" />
217 </element>
218 <element id="Observation.subject.type">
219   <path value="Observation.subject.type" />
220   <max value="0" />
221 </element>
222 <element id="Observation.subject.identifier">
223   <path value="Observation.subject.identifier" />
224   <max value="0" />
225 </element>
226 <element id="Observation.subject.display">
227   <path value="Observation.subject.display" />
228   <max value="0" />
229 </element>
230 <element id="Observation.focus">
231   <path value="Observation.focus" />
232   <max value="0" />
233 </element>
234 <element id="Observation.encounter">
235   <path value="Observation.encounter" />
236   <min value="1" />
237   <type>
238     <code value="Reference" />
239     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
240   </type>
241   <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.reference">
244   <path value="Observation.encounter.reference" />
245   <min value="1" />
246   <mustSupport value="true" />
247 </element>
248 <element id="Observation.encounter.type">
249   <path value="Observation.encounter.type" />
250   <max value="0" />
251 </element>
252 <element id="Observation.encounter.identifier">

```

```

253     <path value="Observation.encounter.identifier" />
254     <max value="0" />
255 </element>
256 <element id="Observation.encounter.display">
257     <path value="Observation.encounter.display" />
258     <max value="0" />
259 </element>
260 <element id="Observation.effective[x]">
261     <path value="Observation.effective[x]" />
262     <slicing>
263         <discriminator>
264             <type value="type" />
265             <path value="$this" />
266         </discriminator>
267         <rules value="closed" />
268     </slicing>
269     <min value="1" />
270     <type>
271         <code value="dateTime" />
272     </type>
273     <mustSupport value="true" />
274 </element>
275 <element id="Observation.effective[x]:effectiveDateTime">
276     <path value="Observation.effective[x]" />
277     <sliceName value="effectiveDateTime" />
278     <min value="1" />
279     <type>
280         <code value="dateTime" />
281     </type>
282     <mustSupport value="true" />
283 </element>
284 <element id="Observation.issued">
285     <path value="Observation.issued" />
286     <max value="0" />
287 </element>
288 <element id="Observation.performer">
289     <path value="Observation.performer" />
290     <max value="1" />
291     <type>
292         <code value="Reference" />
293         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
294     </type>
295     <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.reference">
298     <path value="Observation.performer.reference" />
299     <min value="1" />
300     <mustSupport value="true" />
301 </element>
302 <element id="Observation.performer.type">
303     <path value="Observation.performer.type" />
304     <max value="0" />
305 </element>
306 <element id="Observation.performer.identifier">
307     <path value="Observation.performer.identifier" />
308     <max value="0" />
309 </element>
310 <element id="Observation.performer.display">
311     <path value="Observation.performer.display" />

```

```

312     <max value="0" />
313 </element>
314 <element id="Observation.value[x]">
315   <path value="Observation.value[x]" />
316   <slicing>
317     <discriminator>
318       <type value="type" />
319       <path value="$this" />
320     </discriminator>
321     <rules value="closed" />
322   </slicing>
323   <min value="1" />
324   <type>
325     <code value="boolean" />
326   </type>
327   <mustSupport value="true" />
328 </element>
329 <element id="Observation.value[x]:valueBoolean">
330   <path value="Observation.value[x]" />
331   <sliceName value="valueBoolean" />
332   <min value="1" />
333   <type>
334     <code value="boolean" />
335   </type>
336   <fixedBoolean value="true" />
337   <mustSupport value="true" />
338 </element>
339 <element id="Observation.dataAbsentReason">
340   <path value="Observation.dataAbsentReason" />
341   <max value="0" />
342 </element>
343 <element id="Observation.interpretation">
344   <path value="Observation.interpretation" />
345   <max value="0" />
346 </element>
347 <element id="Observation.note">
348   <path value="Observation.note" />
349   <max value="0" />
350 </element>
351 <element id="Observation.bodySite">
352   <path value="Observation.bodySite" />
353   <max value="0" />
354 </element>
355 <element id="Observation.method">
356   <path value="Observation.method" />
357   <max value="0" />
358 </element>
359 <element id="Observation.specimen">
360   <path value="Observation.specimen" />
361   <max value="0" />
362 </element>
363 <element id="Observation.device">
364   <path value="Observation.device" />
365   <max value="0" />
366 </element>
367 <element id="Observation.referenceRange">
368   <path value="Observation.referenceRange" />
369   <max value="0" />
370 </element>
371 <element id="Observation.hasMember">

```

```
372     <path value="Observation.hasMember" />
373     <max value="0" />
374 </element>
375 <element id="Observation.derivedFrom">
376     <path value="Observation.derivedFrom" />
377     <max value="0" />
378 </element>
379 <element id="Observation.component">
380     <path value="Observation.component" />
381     <max value="0" />
382 </element>
383 </differential>
384 </StructureDefinition>
```

## 296. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_GENDER\_BIRTH\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Gender\_Birth\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Gender_Birth_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Gender_Birth_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet das Geschlecht des Kindes ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Gender_Birth_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.category.text">
113   <path value="Observation.category.text" />
114   <max value="0" />
115 </element>
116 <element id="Observation.code">
117   <path value="Observation.code" />
118   <mustSupport value="true" />
119 </element>
120 <element id="Observation.code.coding">
121   <path value="Observation.code.coding" />
122   <min value="1" />
123   <max value="1" />
124   <mustSupport value="true" />
125 </element>
126 <element id="Observation.code.coding.system">
127   <path value="Observation.code.coding.system" />
128   <min value="1" />
129   <fixedUri value="http://snomed.info/sct" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
135 </element>
136 <element id="Observation.code.coding.code">
137   <path value="Observation.code.coding.code" />
138   <min value="1" />
139   <fixedCode value="263495000" />
140 </element>
141 <element id="Observation.code.coding.display">
142   <path value="Observation.code.coding.display" />
143   <min value="1" />
144 </element>
145 <element id="Observation.code.coding.display.extension">
146   <path value="Observation.code.coding.display.extension" />

```

```

147     < slicing >
148         < discriminator >
149             < type value="value" />
150             < path value="url" />
151         < / discriminator >
152         < rules value="open" />
153     < / slicing >
154 < / element >
155 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
156     < path value="Observation.code.coding.display.extension" />
157     < sliceName value="anzeigenameCodeSnomed" />
158     < short value="anzeigenameCodeSnomed" />
159     < definition value="Annotation des Snomed CT Codes mit einem deutschen
160     Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwähnt
161     werden." />
162     < min value="1" />
163     < max value="1" />
164     < type >
165         < code value="Extension" />
166         < profile value="https://fhir.kbv.de/StructureDefinition/
167         KBV_EX_Base_Terminology_German" />
168     < / type >
169     < mustSupport value="true" />
170 < / element >
171 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
172     nomed.extension">
173     < path value="Observation.code.coding.display.extension.extension" />
174     < slicing >
175         < discriminator >
176             < type value="value" />
177             < path value="url" />
178         < / discriminator >
179         < rules value="open" />
180     < / slicing >
181 < / element >
182 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
183     nomed.extension:content">
184     < path value="Observation.code.coding.display.extension.extension" />
185     < sliceName value="content" />
186 < / element >
187 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
188     nomed.extension:content.value[x]">
189     < path value="Observation.code.coding.display.extension.extension.valu
190     e[x]" />
191     < slicing >
192         < discriminator >
193             < type value="type" />
194             < path value="$this" />
195         < / discriminator >
196         < rules value="closed" />
197     < / slicing >
198     < mustSupport value="true" />
199 < / element >
200 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
201     nomed.extension:content.value[x]:valueString">
202     < path value="Observation.code.coding.display.extension.extension.valu
203     e[x]" />
204     < sliceName value="valueString" />
205     < min value="1" />

```



```

197     <fixedString value="Geschlecht" />
198     <mustSupport value="true" />
199 </element>
200 <element id="Observation.code.coding.userSelected">
201     <path value="Observation.code.coding.userSelected" />
202     <max value="0" />
203 </element>
204 <element id="Observation.code.text">
205     <path value="Observation.code.text" />
206     <max value="0" />
207 </element>
208 <element id="Observation.subject">
209     <path value="Observation.subject" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="Observation.subject.reference">
218     <path value="Observation.subject.reference" />
219     <min value="1" />
220     <mustSupport value="true" />
221 </element>
222 <element id="Observation.subject.type">
223     <path value="Observation.subject.type" />
224     <max value="0" />
225 </element>
226 <element id="Observation.subject.identifier">
227     <path value="Observation.subject.identifier" />
228     <max value="0" />
229 </element>
230 <element id="Observation.subject.display">
231     <path value="Observation.subject.display" />
232     <max value="0" />
233 </element>
234 <element id="Observation.focus">
235     <path value="Observation.focus" />
236     <max value="0" />
237 </element>
238 <element id="Observation.encounter">
239     <path value="Observation.encounter" />
240     <min value="1" />
241     <type>
242         <code value="Reference" />
243         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
244     </type>
245     <mustSupport value="true" />
246 </element>
247 <element id="Observation.encounter.reference">
248     <path value="Observation.encounter.reference" />
249     <min value="1" />
250     <mustSupport value="true" />
251 </element>
252 <element id="Observation.encounter.type">
253     <path value="Observation.encounter.type" />
254     <max value="0" />

```

```

255 </element>
256 <element id="Observation.encounter.identifier">
257   <path value="Observation.encounter.identifier" />
258   <max value="0" />
259 </element>
260 <element id="Observation.encounter.display">
261   <path value="Observation.encounter.display" />
262   <max value="0" />
263 </element>
264 <element id="Observation.effective[x]">
265   <path value="Observation.effective[x]" />
266   <slicing>
267     <discriminator>
268       <type value="type" />
269       <path value="$this" />
270     </discriminator>
271     <rules value="closed" />
272   </slicing>
273   <min value="1" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.effective[x]:effectiveDateTime">
280   <path value="Observation.effective[x]" />
281   <sliceName value="effectiveDateTime" />
282   <min value="1" />
283   <type>
284     <code value="dateTime" />
285   </type>
286   <mustSupport value="true" />
287 </element>
288 <element id="Observation.issued">
289   <path value="Observation.issued" />
290   <max value="0" />
291 </element>
292 <element id="Observation.performer">
293   <path value="Observation.performer" />
294   <max value="1" />
295   <type>
296     <code value="Reference" />
297     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
298   </type>
299   <mustSupport value="true" />
300 </element>
301 <element id="Observation.performer.reference">
302   <path value="Observation.performer.reference" />
303   <min value="1" />
304   <mustSupport value="true" />
305 </element>
306 <element id="Observation.performer.type">
307   <path value="Observation.performer.type" />
308   <max value="0" />
309 </element>
310 <element id="Observation.performer.identifier">
311   <path value="Observation.performer.identifier" />
312   <max value="0" />
313 </element>

```

```

314 <element id="Observation.performer.display">
315   <path value="Observation.performer.display" />
316   <max value="0" />
317 </element>
318 <element id="Observation.value[x]">
319   <path value="Observation.value[x]" />
320   <slicing>
321     <discriminator>
322       <type value="type" />
323       <path value="$this" />
324     </discriminator>
325     <rules value="closed" />
326   </slicing>
327   <min value="1" />
328   <type>
329     <code value="CodeableConcept" />
330   </type>
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.value[x]:valueCodeableConcept">
334   <path value="Observation.value[x]" />
335   <sliceName value="valueCodeableConcept" />
336   <min value="1" />
337   <type>
338     <code value="CodeableConcept" />
339   </type>
340   <mustSupport value="true" />
341 </element>
342 <element id="Observation.value[x]:valueCodeableConcept.coding">
343   <path value="Observation.value[x].coding" />
344   <min value="1" />
345   <max value="1" />
346   <mustSupport value="true" />
347   <binding>
348     <strength value="required" />
349     <description value="Gender Birth" />
350     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CM_R_Gender_Birth" />
351   </binding>
352 </element>
353 <element id="Observation.value[x]:valueCodeableConcept.coding.system">
354   <path value="Observation.value[x].coding.system" />
355   <min value="1" />
356 </element>
357 <element id="Observation.value[x]:valueCodeableConcept.coding.version">
358   <path value="Observation.value[x].coding.version" />
359   <min value="1" />
360 </element>
361 <element id="Observation.value[x]:valueCodeableConcept.coding.code">
362   <path value="Observation.value[x].coding.code" />
363   <min value="1" />
364 </element>
365 <element id="Observation.value[x]:valueCodeableConcept.coding.display">
366   <path value="Observation.value[x].coding.display" />
367   <min value="1" />
368 </element>
369 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension">
370   <path value="Observation.value[x].coding.display.extension" />
371   <slicing>

```

```

372     <discriminator>
373       <type value="value" />
374       <path value="url" />
375     </discriminator>
376     <rules value="open" />
377   </slicing>
378 </element>
379   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed">
380     <path value="Observation.value[x].coding.display.extension" />
381     <sliceName value="anzeigenameValueSnomed" />
382     <min value="1" />
383     <max value="1" />
384     <type>
385       <code value="Extension" />
386       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
387     </type>
388     <mustSupport value="true" />
389   </element>
390   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension">
391     <path value="Observation.value[x].coding.display.extension.extension"
/>
392     <slicing>
393       <discriminator>
394         <type value="value" />
395         <path value="url" />
396       </discriminator>
397       <rules value="open" />
398     </slicing>
399   </element>
400   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content">
401     <path value="Observation.value[x].coding.display.extension.extension"
/>
402     <sliceName value="content" />
403   </element>
404   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]">
405     <path value="Observation.value[x].coding.display.extension.extension.
value[x]" />
406     <slicing>
407       <discriminator>
408         <type value="type" />
409         <path value="$this" />
410       </discriminator>
411       <rules value="closed" />
412     </slicing>
413     <mustSupport value="true" />
414   </element>
415   <element id="Observation.value[x]:valueCodeableConcept.coding.displ
ay.extension:anzeigenameValueSnomed.extension:content.value[x]:valueString"
>
416     <path value="Observation.value[x].coding.display.extension.extension.
value[x]" />
417     <sliceName value="valueString" />

```

```

418     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_CMR\_Gender\_Birth\_German|
1.0.1" />
419     <min value="1" />
420     <mustSupport value="true" />
421 </element>
422
423 <element id="Observation.value[x]:valueCodeableConcept.coding.userSelected">
424     <path value="Observation.value[x].coding.userSelected" />
425     <max value="0" />
426 </element>
427 <element id="Observation.value[x]:valueCodeableConcept.text">
428     <path value="Observation.value[x].text" />
429     <max value="0" />
430 </element>
431 <element id="Observation.dataAbsentReason">
432     <path value="Observation.dataAbsentReason" />
433     <max value="0" />
434 </element>
435 <element id="Observation.interpretation">
436     <path value="Observation.interpretation" />
437     <max value="0" />
438 </element>
439 <element id="Observation.note">
440     <path value="Observation.note" />
441     <max value="0" />
442 </element>
443 <element id="Observation.bodySite">
444     <path value="Observation.bodySite" />
445     <max value="0" />
446 </element>
447 <element id="Observation.method">
448     <path value="Observation.method" />
449     <max value="0" />
450 </element>
451 <element id="Observation.specimen">
452     <path value="Observation.specimen" />
453     <max value="0" />
454 </element>
455 <element id="Observation.device">
456     <path value="Observation.device" />
457     <max value="0" />
458 </element>
459 <element id="Observation.referenceRange">
460     <path value="Observation.referenceRange" />
461     <max value="0" />
462 </element>
463 <element id="Observation.hasMember">
464     <path value="Observation.hasMember" />
465     <max value="0" />
466 </element>
467 <element id="Observation.derivedFrom">
468     <path value="Observation.derivedFrom" />
469     <max value="0" />
470 </element>
471 <element id="Observation.component">
472     <path value="Observation.component" />

```

```
473     <max value="0" />
474   </element>
475 </differential>
476 </StructureDefinition>
```

## 297. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_LENGTH\_GESTATION\_AT\_BIRTH

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Length\_Gestation\_At\_Birth

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Length_Gestation_At_Birth" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Length_Gestation_At_Birth"
/>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Schwangerschaftswochen + Tage
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Length_Gestation_At_Birth|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```



```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117     <path value="Observation.code.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123     <path value="Observation.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128     <path value="Observation.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133     <path value="Observation.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="412726003" />
136 </element>
137 <element id="Observation.code.coding.display">
138     <path value="Observation.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142     <path value="Observation.code.coding.display.extension" />
143     <slicing>
144         <discriminator>

```

```

145         <type value="value" />
146         <path value="url" />
147     </discriminator>
148     <rules value="open" />
149 </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152 nomed">
153     <path value="Observation.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <min value="1" />
156     <max value="1" />
157     <type>
158         <code value="Extension" />
159         <profile value="https://fhir.kbv.de/StructureDefinition/
160 KBV_EX_Base_Terminology_German" />
161     </type>
162     <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
165 nomed.extension">
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176 nomed.extension:content">
177     <path value="Observation.code.coding.display.extension.extension" />
178     <sliceName value="content" />
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
181 nomed.extension:content.value[x]">
182     <path value="Observation.code.coding.display.extension.extension.valu
183 e[x]" />
184     <slicing><discriminator><type value="type" /><path value="$this" /></
185 discriminator><rules value="closed" /></slicing>
186     <mustSupport value="true" />
187 </element>
188 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
189 nomed.extension:content.value[x]:valueString">
190     <path value="Observation.code.coding.display.extension.extension.valu
191 e[x]" />
192     <sliceName value="valueString" />
193     <min value="1" />
194     <fixedString value="SSW (Wochen + Tage)" />
195     <mustSupport value="true" />
196 </element>
197 <element id="Observation.code.coding.userSelected">
198     <path value="Observation.code.coding.userSelected" />
199     <max value="0" />
200 </element>
201 <element id="Observation.code.text">
202     <path value="Observation.code.text" />
203     <max value="0" />
204 </element>

```

```

196 <element id="Observation.subject">
197   <path value="Observation.subject" />
198   <min value="1" />
199   <type>
200     <code value="Reference" />
201     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
202   </type>
203   <mustSupport value="true" />
204 </element>
205 <element id="Observation.subject.reference">
206   <path value="Observation.subject.reference" />
207   <min value="1" />
208   <mustSupport value="true" />
209 </element>
210 <element id="Observation.subject.type">
211   <path value="Observation.subject.type" />
212   <max value="0" />
213 </element>
214 <element id="Observation.subject.identifier">
215   <path value="Observation.subject.identifier" />
216   <max value="0" />
217 </element>
218 <element id="Observation.subject.display">
219   <path value="Observation.subject.display" />
220   <max value="0" />
221 </element>
222 <element id="Observation.focus">
223   <path value="Observation.focus" />
224   <max value="0" />
225 </element>
226 <element id="Observation.encounter">
227   <path value="Observation.encounter" />
228   <min value="1" />
229   <type>
230     <code value="Reference" />
231     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
232   </type>
233   <mustSupport value="true" />
234 </element>
235 <element id="Observation.encounter.reference">
236   <path value="Observation.encounter.reference" />
237   <min value="1" />
238   <mustSupport value="true" />
239 </element>
240 <element id="Observation.encounter.type">
241   <path value="Observation.encounter.type" />
242   <max value="0" />
243 </element>
244 <element id="Observation.encounter.identifier">
245   <path value="Observation.encounter.identifier" />
246   <max value="0" />
247 </element>
248 <element id="Observation.encounter.display">
249   <path value="Observation.encounter.display" />
250   <max value="0" />
251 </element>
252 <element id="Observation.effective[x]">
253   <path value="Observation.effective[x]" />

```

```

254     < slicing >
255         < discriminator >
256             < type value="type" />
257             < path value="$this" />
258         < / discriminator >
259         < rules value="closed" />
260     < / slicing >
261     < min value="1" />
262     < type >
263         < code value="dateTime" />
264     < / type >
265     < mustSupport value="true" />
266 < / element >
267 < element id="Observation.effective[x]:effectiveDateTime">
268     < path value="Observation.effective[x]" />
269     < sliceName value="effectiveDateTime" />
270     < min value="1" />
271     < type >
272         < code value="dateTime" />
273     < / type >
274     < mustSupport value="true" />
275 < / element >
276 < element id="Observation.issued">
277     < path value="Observation.issued" />
278     < max value="0" />
279 < / element >
280 < element id="Observation.performer">
281     < path value="Observation.performer" />
282     < max value="1" />
283     < type >
284         < code value="Reference" />
285         < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286     < / type >
287     < mustSupport value="true" />
288 < / element >
289 < element id="Observation.performer.reference">
290     < path value="Observation.performer.reference" />
291     < min value="1" />
292     < mustSupport value="true" />
293 < / element >
294 < element id="Observation.performer.type">
295     < path value="Observation.performer.type" />
296     < max value="0" />
297 < / element >
298 < element id="Observation.performer.identifier">
299     < path value="Observation.performer.identifier" />
300     < max value="0" />
301 < / element >
302 < element id="Observation.performer.display">
303     < path value="Observation.performer.display" />
304     < max value="0" />
305 < / element >
306 < element id="Observation.value[x]">
307     < path value="Observation.value[x]" />
308     < max value="0" />
309 < / element >
310 < element id="Observation.dataAbsentReason">
311     < path value="Observation.dataAbsentReason" />
312     < max value="0" />

```

```

313 </element>
314 <element id="Observation.interpretation">
315   <path value="Observation.interpretation" />
316   <max value="0" />
317 </element>
318 <element id="Observation.note">
319   <path value="Observation.note" />
320   <max value="0" />
321 </element>
322 <element id="Observation.bodySite">
323   <path value="Observation.bodySite" />
324   <max value="0" />
325 </element>
326 <element id="Observation.method">
327   <path value="Observation.method" />
328   <max value="0" />
329 </element>
330 <element id="Observation.specimen">
331   <path value="Observation.specimen" />
332   <max value="0" />
333 </element>
334 <element id="Observation.device">
335   <path value="Observation.device" />
336   <max value="0" />
337 </element>
338 <element id="Observation.referenceRange">
339   <path value="Observation.referenceRange" />
340   <max value="0" />
341 </element>
342 <element id="Observation.hasMember">
343   <path value="Observation.hasMember" />
344   <max value="0" />
345 </element>
346 <element id="Observation.derivedFrom">
347   <path value="Observation.derivedFrom" />
348   <max value="0" />
349 </element>
350 <element id="Observation.component">
351   <path value="Observation.component" />
352   <slicing>
353     <discriminator>
354       <type value="value" />
355       <path value="code.text" />
356     </discriminator>
357     <rules value="closed" />
358   </slicing>
359   <min value="1" />
360   <max value="2" />
361   <mustSupport value="true" />
362 </element>
363 <element id="Observation.component:schwangerschaftswochen">
364   <path value="Observation.component" />
365   <sliceName value="schwangerschaftswochen" />
366   <max value="1" />
367   <mustSupport value="true" />
368 </element>
369 <element id="Observation.component:schwangerschaftswochen.code">
370   <path value="Observation.component.code" />
371   <mustSupport value="true" />
372 </element>

```

```

373 <element id="Observation.component:schwangerschaftswochen.code.coding">
374   <path value="Observation.component.code.coding" />
375   <max value="0" />
376 </element>
377 <element id="Observation.component:schwangerschaftswochen.code.text">
378   <path value="Observation.component.code.text" />
379   <min value="1" />
380   <fixedString value="schwangerschaftswochen" />
381   <mustSupport value="true" />
382 </element>
383 <element id="Observation.component:schwangerschaftswochen.value[x]">
384   <path value="Observation.component.value[x]" />
385   <slicing>
386     <discriminator>
387       <type value="type" />
388       <path value="$this" />
389     </discriminator>
390     <rules value="closed" />
391   </slicing>
392   <min value="1" />
393   <type>
394     <code value="Quantity" />
395   </type>
396   <mustSupport value="true" />
397 </element>
398 <element id="Observation.component:schwangerschaftswochen.value[x]:valu
eQuantity">
399   <path value="Observation.component.value[x]" />
400   <sliceName value="valueQuantity" />
401   <min value="1" />
402   <type>
403     <code value="Quantity" />
404   </type>
405   <mustSupport value="true" />
406 </element>
407 <element id="Observation.component:schwangerschaftswochen.value[x]:valu
eQuantity.value">
408   <path value="Observation.component.value[x].value" />
409   <min value="1" />
410 </element>
411 <element id="Observation.component:schwangerschaftswochen.value[x]:valu
eQuantity.comparator">
412   <path value="Observation.component.value[x].comparator" />
413   <max value="0" />
414 </element>
415 <element id="Observation.component:schwangerschaftswochen.value[x]:valu
eQuantity.unit">
416   <path value="Observation.component.value[x].unit" />
417   <min value="1" />
418   <fixedString value="Week" />
419 </element>
420 <element id="Observation.component:schwangerschaftswochen.value[x]:valu
eQuantity.system">
421   <path value="Observation.component.value[x].system" />
422   <min value="1" />
423   <fixedUri value="http://unitsofmeasure.org" />
424 </element>
425 <element id="Observation.component:schwangerschaftswochen.value[x]:valu
eQuantity.code">
426   <path value="Observation.component.value[x].code" />

```

```

427     <min value="1" />
428     <fixedCode value="wk" />
429 </element>
430 <element id="Observation.component:schwangerschaftswochen.dataAbsentReason">
431     <path value="Observation.component.dataAbsentReason" />
432     <max value="0" />
433 </element>
434 <element id="Observation.component:schwangerschaftswochen.interpretation">
435     <path value="Observation.component.interpretation" />
436     <max value="0" />
437 </element>
438 <element id="Observation.component:schwangerschaftswochen.referenceRange">
439     <path value="Observation.component.referenceRange" />
440     <max value="0" />
441 </element>
442 <element id="Observation.component:schwangerschaftstage">
443     <path value="Observation.component" />
444     <sliceName value="schwangerschaftstage" />
445     <max value="1" />
446     <mustSupport value="true" />
447 </element>
448 <element id="Observation.component:schwangerschaftstage.code">
449     <path value="Observation.component.code" />
450     <mustSupport value="true" />
451 </element>
452 <element id="Observation.component:schwangerschaftstage.code.coding">
453     <path value="Observation.component.code.coding" />
454     <max value="0" />
455 </element>
456 <element id="Observation.component:schwangerschaftstage.code.text">
457     <path value="Observation.component.code.text" />
458     <min value="1" />
459     <fixedString value="schwangerschaftstage" />
460     <mustSupport value="true" />
461 </element>
462 <element id="Observation.component:schwangerschaftstage.value[x]">
463     <path value="Observation.component.value[x]" />
464     <licing>
465         <discriminator>
466             <type value="type" />
467             <path value="$this" />
468         </discriminator>
469         <rules value="closed" />
470     </licing>
471     <min value="1" />
472     <type>
473         <code value="Quantity" />
474     </type>
475     <mustSupport value="true" />
476 </element>
477 <element id="Observation.component:schwangerschaftstage.value[x]:valueQuantity">
478     <path value="Observation.component.value[x]" />
479     <sliceName value="valueQuantity" />
480     <min value="1" />
481     <type>
482         <code value="Quantity" />

```

```

483     </type>
484     <mustSupport value="true" />
485 </element>
486 <element id="Observation.component:schwangerschaftstage.value[x]:valueQ
quantity.value">
487     <path value="Observation.component.value[x].value" />
488     <min value="1" />
489     <minValueDecimal value="0" />
490     <maxValueDecimal value="6" />
491 </element>
492 <element id="Observation.component:schwangerschaftstage.value[x]:valueQ
quantity.comparator">
493     <path value="Observation.component.value[x].comparator" />
494     <max value="0" />
495 </element>
496 <element id="Observation.component:schwangerschaftstage.value[x]:valueQ
quantity.unit">
497     <path value="Observation.component.value[x].unit" />
498     <min value="1" />
499     <fixedString value="Day" />
500 </element>
501 <element id="Observation.component:schwangerschaftstage.value[x]:valueQ
quantity.system">
502     <path value="Observation.component.value[x].system" />
503     <min value="1" />
504     <fixedUri value="http://unitsofmeasure.org" />
505 </element>
506 <element id="Observation.component:schwangerschaftstage.value[x]:valueQ
quantity.code">
507     <path value="Observation.component.value[x].code" />
508     <min value="1" />
509     <fixedCode value="d" />
510 </element>
511 <element id="Observation.component:schwangerschaftstage.dataAbsentReason">
512     <path value="Observation.component.dataAbsentReason" />
513     <max value="0" />
514 </element>
515 <element id="Observation.component:schwangerschaftstage.interpretation">
516     <path value="Observation.component.interpretation" />
517     <max value="0" />
518 </element>
519 <element id="Observation.component:schwangerschaftstage.referenceRange">
520     <path value="Observation.component.referenceRange" />
521     <max value="0" />
522 </element>
523 </differential>
524 </StructureDefinition>

```



## 298. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_PH\_VALUE

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_pH\_Value

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_pH_Value" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_pH_Value" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet den pH-Wert im Blut der
Nabelarterie ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_pH_Value|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="closed" />
124   </slicing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeLoinc">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeLoinc" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeLoinc.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://loinc.org" />
140 </element>
141 <element id="Observation.code.coding:codeLoinc.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="2.69" />
145 </element>
146 <element id="Observation.code.coding:codeLoinc.code">

```

```

147     <path value="Observation.code.coding.code" />
148     <min value="1" />
149     <fixedCode value="28646-8" />
150 </element>
151 <element id="Observation.code.coding:codeLoinc.display">
152     <path value="Observation.code.coding.display" />
153     <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeLoinc.display.extension">
156     <path value="Observation.code.coding.display.extension" />
157     <slicing>
158         <discriminator>
159             <type value="value" />
160             <path value="url" />
161         </discriminator>
162         <rules value="open" />
163     </slicing>
164 </element>
165 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
166     <path value="Observation.code.coding.display.extension" />
167     <sliceName value="anzeigenameCodeSnomed" />
168     <min value="1" />
169     <max value="1" />
170     <type>
171         <code value="Extension" />
172         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173     </type>
174     <mustSupport value="true" />
175 </element>
176 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
177     <path value="Observation.code.coding.display.extension.extension" />
178     <slicing>
179         <discriminator>
180             <type value="value" />
181             <path value="url" />
182         </discriminator>
183         <rules value="open" />
184     </slicing>
185 </element>
186 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
187     <path value="Observation.code.coding.display.extension.extension" />
188     <sliceName value="content" />
189 </element>
190 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">
191     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
192     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
196     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
197     <sliceName value="valueString" />

```

```

198     <min value="1" />
199     <fixedString value="pH-Wert (Nabelarterie)" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Observation.code.coding:codeLoinc.userSelected">
203   <path value="Observation.code.coding.userSelected" />
204   <max value="0" />
205 </element>
206 <element id="Observation.code.coding:codeSnomed">
207   <path value="Observation.code.coding" />
208   <sliceName value="codeSnomed" />
209   <min value="1" />
210   <max value="1" />
211   <mustSupport value="true" />
212 </element>
213 <element id="Observation.code.coding:codeSnomed.system">
214   <path value="Observation.code.coding.system" />
215   <min value="1" />
216   <fixedUri value="http://snomed.info/sct" />
217 </element>
218 <element id="Observation.code.coding:codeSnomed.version">
219   <path value="Observation.code.coding.version" />
220   <min value="1" />
221   <fixedString value="http://snomed.info/sct/900000000000207008/
222 version/20210131" />
223 </element>
224 <element id="Observation.code.coding:codeSnomed.code">
225   <path value="Observation.code.coding.code" />
226   <min value="1" />
227   <fixedCode value="363787002:370134009=123029007,704319004=12499000,24
228 6093002=89177007,704318007=702700007,370132008=30766002,704327008=703430008
229 " />
230 </element>
231 <element id="Observation.code.coding:codeSnomed.display">
232   <path value="Observation.code.coding.display" />
233   <min value="1" />
234 </element>
235 <element id="Observation.code.coding:codeSnomed.display.extension">
236   <path value="Observation.code.coding.display.extension" />
237   <slicing>
238     <discriminator>
239       <type value="value" />
240       <path value="url" />
241     </discriminator>
242     <rules value="open" />
243   </slicing>
244 </element>
245 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
246 genameCodeSnomed">
247   <path value="Observation.code.coding.display.extension" />
248   <sliceName value="anzeigenameCodeSnomed" />
249   <min value="1" />
250   <max value="1" />
251   <type>
252     <code value="Extension" />
253     <profile value="https://fhir.kbv.de/StructureDefinition/
254 KBV_EX_Base_Terminology_German" />
255   </type>
256   <mustSupport value="true" />
257 </element>

```

```

253     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension">
254       <path value="Observation.code.coding.display.extension.extension" />
255       <slicing>
256         <discriminator>
257           <type value="value" />
258           <path value="url" />
259         </discriminator>
260         <rules value="open" />
261       </slicing>
262     </element>
263     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content">
264       <path value="Observation.code.coding.display.extension.extension" />
265       <sliceName value="content" />
266     </element>
267     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]">
268       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
269       <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
270       <mustSupport value="true" />
271     </element>
272     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]:valueString">
273       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
274       <sliceName value="valueString" />
275       <min value="1" />
276       <fixedString value="pH-Wert (Nabelarterie)" />
277       <mustSupport value="true" />
278     </element>
279     <element id="Observation.code.coding:codeSnomed.userSelected">
280       <path value="Observation.code.coding.userSelected" />
281       <max value="0" />
282     </element>
283     <element id="Observation.code.text">
284       <path value="Observation.code.text" />
285       <max value="0" />
286     </element>
287     <element id="Observation.subject">
288       <path value="Observation.subject" />
289       <min value="1" />
290       <type>
291         <code value="Reference" />
292         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
293       </type>
294       <mustSupport value="true" />
295     </element>
296     <element id="Observation.subject.reference">
297       <path value="Observation.subject.reference" />
298       <min value="1" />
299       <mustSupport value="true" />
300     </element>
301     <element id="Observation.subject.type">
302       <path value="Observation.subject.type" />
303       <max value="0" />
304     </element>

```

```

305 <element id="Observation.subject.identifier">
306   <path value="Observation.subject.identifier" />
307   <max value="0" />
308 </element>
309 <element id="Observation.subject.display">
310   <path value="Observation.subject.display" />
311   <max value="0" />
312 </element>
313 <element id="Observation.focus">
314   <path value="Observation.focus" />
315   <max value="0" />
316 </element>
317 <element id="Observation.encounter">
318   <path value="Observation.encounter" />
319   <min value="1" />
320   <type>
321     <code value="Reference" />
322     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
323   </type>
324   <mustSupport value="true" />
325 </element>
326 <element id="Observation.encounter.reference">
327   <path value="Observation.encounter.reference" />
328   <min value="1" />
329   <mustSupport value="true" />
330 </element>
331 <element id="Observation.encounter.type">
332   <path value="Observation.encounter.type" />
333   <max value="0" />
334 </element>
335 <element id="Observation.encounter.identifier">
336   <path value="Observation.encounter.identifier" />
337   <max value="0" />
338 </element>
339 <element id="Observation.encounter.display">
340   <path value="Observation.encounter.display" />
341   <max value="0" />
342 </element>
343 <element id="Observation.effective[x]">
344   <path value="Observation.effective[x]" />
345   <licing>
346     <discriminator>
347       <type value="type" />
348       <path value="$this" />
349     </discriminator>
350     <rules value="closed" />
351   </licing>
352   <min value="1" />
353   <type>
354     <code value="dateTime" />
355   </type>
356   <mustSupport value="true" />
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359   <path value="Observation.effective[x]" />
360   <sliceName value="effectiveDateTime" />
361   <min value="1" />
362   <type>
363     <code value="dateTime" />

```

```

364     </type>
365     <mustSupport value="true" />
366 </element>
367 <element id="Observation.issued">
368   <path value="Observation.issued" />
369   <max value="0" />
370 </element>
371 <element id="Observation.performer">
372   <path value="Observation.performer" />
373   <max value="1" />
374   <type>
375     <code value="Reference" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
377   </type>
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.performer.reference">
381   <path value="Observation.performer.reference" />
382   <min value="1" />
383   <mustSupport value="true" />
384 </element>
385 <element id="Observation.performer.type">
386   <path value="Observation.performer.type" />
387   <max value="0" />
388 </element>
389 <element id="Observation.performer.identifier">
390   <path value="Observation.performer.identifier" />
391   <max value="0" />
392 </element>
393 <element id="Observation.performer.display">
394   <path value="Observation.performer.display" />
395   <max value="0" />
396 </element>
397 <element id="Observation.value[x]">
398   <path value="Observation.value[x]" />
399   <licing>
400     <discriminator>
401       <type value="type" />
402       <path value="$this" />
403     </discriminator>
404     <rules value="closed" />
405   </licing>
406   <min value="1" />
407   <type>
408     <code value="Quantity" />
409   </type>
410   <mustSupport value="true" />
411 </element>
412 <element id="Observation.value[x]:valueQuantity">
413   <path value="Observation.valueQuantity" />
414   <sliceName value="valueQuantity" />
415   <min value="1" />
416   <type>
417     <code value="Quantity" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Observation.value[x]:valueQuantity.value">
422   <path value="Observation.valueQuantity.value" />

```



```

423     <min value="1" />
424 </element>
425 <element id="Observation.value[x]:valueQuantity.comparator">
426   <path value="Observation.valueQuantity.comparator" />
427   <max value="0" />
428 </element>
429 <element id="Observation.value[x]:valueQuantity.unit">
430   <path value="Observation.valueQuantity.unit" />
431   <min value="1" />
432   <fixedString value="(pH)" />
433 </element>
434 <element id="Observation.value[x]:valueQuantity.system">
435   <path value="Observation.valueQuantity.system" />
436   <min value="1" />
437   <fixedUri value="http://unitsofmeasure.org" />
438 </element>
439 <element id="Observation.value[x]:valueQuantity.code">
440   <path value="Observation.valueQuantity.code" />
441   <min value="1" />
442   <fixedCode value="[pH]" />
443 </element>
444 <element id="Observation.dataAbsentReason">
445   <path value="Observation.dataAbsentReason" />
446   <max value="0" />
447 </element>
448 <element id="Observation.interpretation">
449   <path value="Observation.interpretation" />
450   <max value="0" />
451 </element>
452 <element id="Observation.note">
453   <path value="Observation.note" />
454   <max value="0" />
455 </element>
456 <element id="Observation.bodySite">
457   <path value="Observation.bodySite" />
458   <max value="0" />
459 </element>
460 <element id="Observation.method">
461   <path value="Observation.method" />
462   <max value="0" />
463 </element>
464 <element id="Observation.specimen">
465   <path value="Observation.specimen" />
466   <max value="0" />
467 </element>
468 <element id="Observation.device">
469   <path value="Observation.device" />
470   <max value="0" />
471 </element>
472 <element id="Observation.referenceRange">
473   <path value="Observation.referenceRange" />
474   <max value="0" />
475 </element>
476 <element id="Observation.hasMember">
477   <path value="Observation.hasMember" />
478   <max value="0" />
479 </element>
480 <element id="Observation.derivedFrom">
481   <path value="Observation.derivedFrom" />
482   <max value="0" />

```

```
483     </element>
484     <element id="Observation.component">
485         <path value="Observation.component" />
486         <max value="0" />
487     </element>
488 </differential>
489 </StructureDefinition>
```

## 299. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_PREGNANCY\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Pregnancy\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Pregnancy_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Pregnancy_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die Schwangerschaftsanamnese
50 ab." />
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMR_Observation_U1_U3_Pregnancy_History|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />
89     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying findings that occurred during
the pregnancy." />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CM_R_Pregnancy_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130
131    </element>
132    <element id="Observation.code.coding.version">
133        <path value="Observation.code.coding.version" />
134        <min value="1" />
135
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>

```

```

145 <element id="Observation.code.coding.display.extension">
146 <path value="Observation.code.coding.display.extension" />
147 <slicing>
148 <discriminator>
149 <type value="value" />
150 <path value="url" />
151 </discriminator>
152 <rules value="open" />
153 </slicing>
154 </element>
155 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
156 <path value="Observation.code.coding.display.extension" />
157 <sliceName value="anzeigenameCodeSnomed" />
158 <min value="1" />
159 <max value="1" />
160 <type>
161 <code value="Extension" />
162 <profile value="https://fhir.kbv.de/StructureDefinition/
163 KBV_EX_Base_Terminology_German" />
164 </type>
165 <mustSupport value="true" />
166 </element>
167 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
168 <path value="Observation.code.coding.display.extension.extension" />
169 <slicing>
170 <discriminator>
171 <type value="value" />
172 <path value="url" />
173 </discriminator>
174 <rules value="open" />
175 </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178 <path value="Observation.code.coding.display.extension.extension" />
179 <sliceName value="content" />
180 </element>
181 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
182 <path value="Observation.code.coding.display.extension.extension.valu
183 <slicing>
184 <discriminator>
185 <type value="type" />
186 <path value="$this" />
187 </discriminator>
188 <rules value="closed" />
189 </slicing>
190 <mustSupport value="true" />
191 </element>
192 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
193 <path value="Observation.code.coding.display.extension.extension.valu
194 <sliceName value="valueString" />

```

```

194     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_VS_MIO_CMR_Pregnancy_History_German|1.0.1" />
195     <mustSupport value="true" />
196   </element>
197   <element id="Observation.code.coding.userSelected">
198     <path value="Observation.code.coding.userSelected" />
199     <max value="0" />
200   </element>
201   <element id="Observation.code.text">
202     <path value="Observation.code.text" />
203     <max value="0" />
204   </element>
205   <element id="Observation.subject">
206     <path value="Observation.subject" />
207     <min value="1" />
208     <type>
209       <code value="Reference" />
210       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
211     </type>
212     <mustSupport value="true" />
213   </element>
214   <element id="Observation.subject.reference">
215     <path value="Observation.subject.reference" />
216     <min value="1" />
217     <mustSupport value="true" />
218   </element>
219   <element id="Observation.subject.type">
220     <path value="Observation.subject.type" />
221     <max value="0" />
222   </element>
223   <element id="Observation.subject.identifier">
224     <path value="Observation.subject.identifier" />
225     <max value="0" />
226   </element>
227   <element id="Observation.subject.display">
228     <path value="Observation.subject.display" />
229     <max value="0" />
230   </element>
231   <element id="Observation.focus">
232     <path value="Observation.focus" />
233     <max value="0" />
234   </element>
235   <element id="Observation.encounter">
236     <path value="Observation.encounter" />
237     <min value="1" />
238     <type>
239       <code value="Reference" />
240       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
241     </type>
242     <mustSupport value="true" />
243   </element>
244   <element id="Observation.encounter.reference">
245     <path value="Observation.encounter.reference" />
246     <min value="1" />
247     <mustSupport value="true" />

```

```

248 </element>
249 <element id="Observation.encounter.type">
250   <path value="Observation.encounter.type" />
251   <max value="0" />
252 </element>
253 <element id="Observation.encounter.identifier">
254   <path value="Observation.encounter.identifier" />
255   <max value="0" />
256 </element>
257 <element id="Observation.encounter.display">
258   <path value="Observation.encounter.display" />
259   <max value="0" />
260 </element>
261 <element id="Observation.effective[x]">
262   <path value="Observation.effective[x]" />
263   <slicing>
264     <discriminator>
265       <type value="type" />
266       <path value="$this" />
267     </discriminator>
268     <rules value="closed" />
269   </slicing>
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <mustSupport value="true" />
275 </element>
276 <element id="Observation.effective[x]:effectiveDateTime">
277   <path value="Observation.effective[x]" />
278   <sliceName value="effectiveDateTime" />
279   <min value="1" />
280   <type>
281     <code value="dateTime" />
282   </type>
283   <mustSupport value="true" />
284 </element>
285 <element id="Observation.issued">
286   <path value="Observation.issued" />
287   <max value="0" />
288 </element>
289 <element id="Observation.performer">
290   <path value="Observation.performer" />
291   <max value="1" />
292   <type>
293     <code value="Reference" />
294     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
295   </type>
296   <mustSupport value="true" />
297 </element>
298 <element id="Observation.performer.reference">
299   <path value="Observation.performer.reference" />
300   <min value="1" />
301   <mustSupport value="true" />
302 </element>
303 <element id="Observation.performer.type">
304   <path value="Observation.performer.type" />
305   <max value="0" />
306 </element>

```



```

307 <element id="Observation.performer.identifier">
308   <path value="Observation.performer.identifier" />
309   <max value="0" />
310 </element>
311 <element id="Observation.performer.display">
312   <path value="Observation.performer.display" />
313   <max value="0" />
314 </element>
315 <element id="Observation.value[x]">
316   <path value="Observation.value[x]" />
317   <slicing>
318     <discriminator>
319       <type value="type" />
320       <path value="$this" />
321     </discriminator>
322     <rules value="closed" />
323   </slicing>
324   <min value="1" />
325   <type>
326     <code value="boolean" />
327   </type>
328     <fixedBoolean value="true" />
329   <mustSupport value="true" />
330 </element>
331 <element id="Observation.value[x]:valueBoolean">
332   <path value="Observation.value[x]" />
333   <sliceName value="valueBoolean" />
334   <min value="1" />
335   <type>
336     <code value="boolean" />
337   </type>
338   <mustSupport value="true" />
339 </element>
340 <element id="Observation.dataAbsentReason">
341   <path value="Observation.dataAbsentReason" />
342   <max value="0" />
343 </element>
344 <element id="Observation.interpretation">
345   <path value="Observation.interpretation" />
346   <max value="0" />
347 </element>
348 <element id="Observation.note">
349   <path value="Observation.note" />
350   <max value="0" />
351 </element>
352 <element id="Observation.bodySite">
353   <path value="Observation.bodySite" />
354   <max value="0" />
355 </element>
356 <element id="Observation.method">
357   <path value="Observation.method" />
358   <max value="0" />
359 </element>
360 <element id="Observation.specimen">
361   <path value="Observation.specimen" />
362   <max value="0" />
363 </element>
364 <element id="Observation.device">
365   <path value="Observation.device" />
366   <max value="0" />

```

```
367     </element>
368     <element id="Observation.referenceRange">
369       <path value="Observation.referenceRange" />
370       <max value="0" />
371     </element>
372     <element id="Observation.hasMember">
373       <path value="Observation.hasMember" />
374       <max value="0" />
375     </element>
376     <element id="Observation.derivedFrom">
377       <path value="Observation.derivedFrom" />
378       <max value="0" />
379     </element>
380     <element id="Observation.component">
381       <path value="Observation.component" />
382       <max value="0" />
383     </element>
384   </differential>
385 </StructureDefinition>
```

### 300. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_PRENATAL\_FINDING

#### KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Prenatal\_Finding

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Prenatal_Finding" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Prenatal_Finding" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die Befunde pränataler Diagnostik
50 ab." />
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMRObservation_U1_U3_Prenatal_Finding|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />
89     <max value="0" />

```

```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="closed" />
124   </slicing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeSnomed">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeSnomed" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeSnomed.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Observation.code.coding:codeSnomed.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="http://snomed.info/sct/900000000000207008/
145   version/20210131" />
</element>

```

```

146 <element id="Observation.code.coding:codeSnomed.code">
147   <path value="Observation.code.coding.code" />
148   <min value="1" />
149   <fixedCode value="313199003" />
150 </element>
151 <element id="Observation.code.coding:codeSnomed.display">
152   <path value="Observation.code.coding.display" />
153   <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension">
156   <path value="Observation.code.coding.display.extension" />
157   <slicing>
158     <discriminator>
159       <type value="value" />
160       <path value="url" />
161     </discriminator>
162     <rules value="open" />
163   </slicing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
166   <path value="Observation.code.coding.display.extension" />
167   <sliceName value="anzeigenameCodeSnomed" />
168   <min value="1" />
169   <max value="1" />
170   <type>
171     <code value="Extension" />
172     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173   </type>
174   <mustSupport value="true" />
175 </element>
176 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
177   <path value="Observation.code.coding.display.extension.extension" />
178   <slicing>
179     <discriminator>
180       <type value="value" />
181       <path value="url" />
182     </discriminator>
183     <rules value="open" />
184   </slicing>
185 </element>
186 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
187   <path value="Observation.code.coding.display.extension.extension" />
188   <sliceName value="content" />
189 </element>
190 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
191   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
192   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
193   <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
196   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />

```

```

197     <sliceName value="valueString" />
198     <min value="1" />
199     <fixedString value="Soweit vorhanden, Befunde einer pränatalen
Diagnostik:" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Observation.code.coding:codeSnomed.userSelected">
203   <path value="Observation.code.coding.userSelected" />
204   <max value="0" />
205 </element>
206 <element id="Observation.code.coding:codeLoinc">
207   <path value="Observation.code.coding" />
208   <sliceName value="codeLoinc" />
209   <min value="1" />
210   <max value="1" />
211   <mustSupport value="true" />
212 </element>
213 <element id="Observation.code.coding:codeLoinc.system">
214   <path value="Observation.code.coding.system" />
215   <min value="1" />
216   <fixedUri value="http://loinc.org" />
217 </element>
218 <element id="Observation.code.coding:codeLoinc.version">
219   <path value="Observation.code.coding.version" />
220   <min value="1" />
221   <fixedString value="2.69" />
222 </element>
223 <element id="Observation.code.coding:codeLoinc.code">
224   <path value="Observation.code.coding.code" />
225   <min value="1" />
226   <fixedCode value="57078-8" />
227 </element>
228 <element id="Observation.code.coding:codeLoinc.display">
229   <path value="Observation.code.coding.display" />
230   <min value="1" />
231 </element>
232 <element id="Observation.code.coding:codeLoinc.display.extension">
233   <path value="Observation.code.coding.display.extension" />
234   <licing>
235     <discriminator>
236       <type value="value" />
237       <path value="url" />
238     </discriminator>
239     <rules value="open" />
240   </licing>
241 </element>
242 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
243   <path value="Observation.code.coding.display.extension" />
244   <sliceName value="anzeigennameCodeSnomed" />
245   <min value="1" />
246   <max value="1" />
247   <type>
248     <code value="Extension" />
249     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
250   </type>
251   <mustSupport value="true" />
252 </element>

```

```

253     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
254       <path value="Observation.code.coding.display.extension.extension" />
255       <slicing>
256         <discriminator>
257           <type value="value" />
258           <path value="url" />
259         </discriminator>
260         <rules value="open" />
261       </slicing>
262     </element>
263     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
264       <path value="Observation.code.coding.display.extension.extension" />
265       <sliceName value="content" />
266     </element>
267     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">
268       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
269       <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
270       <mustSupport value="true" />
271     </element>
272     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
273       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
274       <sliceName value="valueString" />
275       <min value="1" />
276       <fixedString value="Soweit vorhanden, Befunde einer pränatalen
Diagnostik:" />
277       <mustSupport value="true" />
278     </element>
279     <element id="Observation.code.coding:codeLoinc.userSelected">
280       <path value="Observation.code.coding.userSelected" />
281       <max value="0" />
282     </element>
283     <element id="Observation.code.text">
284       <path value="Observation.code.text" />
285       <max value="0" />
286     </element>
287     <element id="Observation.subject">
288       <path value="Observation.subject" />
289       <min value="1" />
290       <type>
291         <code value="Reference" />
292         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
293       </type>
294       <mustSupport value="true" />
295     </element>
296     <element id="Observation.subject.reference">
297       <path value="Observation.subject.reference" />
298       <min value="1" />
299       <mustSupport value="true" />
300     </element>
301     <element id="Observation.subject.type">
302       <path value="Observation.subject.type" />
303       <max value="0" />

```



```

304 </element>
305 <element id="Observation.subject.identifier">
306   <path value="Observation.subject.identifier" />
307   <max value="0" />
308 </element>
309 <element id="Observation.subject.display">
310   <path value="Observation.subject.display" />
311   <max value="0" />
312 </element>
313 <element id="Observation.focus">
314   <path value="Observation.focus" />
315   <max value="0" />
316 </element>
317 <element id="Observation.encounter">
318   <path value="Observation.encounter" />
319   <min value="1" />
320   <type>
321     <code value="Reference" />
322     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
323   </type>
324   <mustSupport value="true" />
325 </element>
326 <element id="Observation.encounter.reference">
327   <path value="Observation.encounter.reference" />
328   <min value="1" />
329   <mustSupport value="true" />
330 </element>
331 <element id="Observation.encounter.type">
332   <path value="Observation.encounter.type" />
333   <max value="0" />
334 </element>
335 <element id="Observation.encounter.identifier">
336   <path value="Observation.encounter.identifier" />
337   <max value="0" />
338 </element>
339 <element id="Observation.encounter.display">
340   <path value="Observation.encounter.display" />
341   <max value="0" />
342 </element>
343 <element id="Observation.effective[x]">
344   <path value="Observation.effective[x]" />
345   <slicing>
346     <discriminator>
347       <type value="type" />
348       <path value="$this" />
349     </discriminator>
350     <rules value="closed" />
351   </slicing>
352   <min value="1" />
353   <type>
354     <code value="dateTime" />
355   </type>
356   <mustSupport value="true" />
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359   <path value="Observation.effective[x]" />
360   <sliceName value="effectiveDateTime" />
361   <min value="1" />
362   <type>

```

```

363     <code value="dateTime" />
364 </type>
365 <mustSupport value="true" />
366 </element>
367 <element id="Observation.issued">
368   <path value="Observation.issued" />
369   <max value="0" />
370 </element>
371 <element id="Observation.performer">
372   <path value="Observation.performer" />
373   <max value="1" />
374   <type>
375     <code value="Reference" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
377   </type>
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.performer.reference">
381   <path value="Observation.performer.reference" />
382   <min value="1" />
383   <mustSupport value="true" />
384 </element>
385 <element id="Observation.performer.type">
386   <path value="Observation.performer.type" />
387   <max value="0" />
388 </element>
389 <element id="Observation.performer.identifier">
390   <path value="Observation.performer.identifier" />
391   <max value="0" />
392 </element>
393 <element id="Observation.performer.display">
394   <path value="Observation.performer.display" />
395   <max value="0" />
396 </element>
397 <element id="Observation.value[x]">
398   <path value="Observation.value[x]" />
399   <slicing>
400     <discriminator>
401       <type value="type" />
402       <path value="$this" />
403     </discriminator>
404     <rules value="closed" />
405   </slicing>
406   <min value="1" />
407   <type>
408     <code value="string" />
409   </type>
410   <mustSupport value="true" />
411 </element>
412 <element id="Observation.value[x]:valueString">
413   <path value="Observation.value[x]" />
414   <sliceName value="valueString" />
415   <min value="1" />
416   <type>
417     <code value="string" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Observation.dataAbsentReason">

```

```

422     <path value="Observation.dataAbsentReason" />
423     <max value="0" />
424 </element>
425 <element id="Observation.interpretation">
426     <path value="Observation.interpretation" />
427     <max value="0" />
428 </element>
429 <element id="Observation.note">
430     <path value="Observation.note" />
431     <max value="0" />
432 </element>
433 <element id="Observation.bodySite">
434     <path value="Observation.bodySite" />
435     <max value="0" />
436 </element>
437 <element id="Observation.method">
438     <path value="Observation.method" />
439     <max value="0" />
440 </element>
441 <element id="Observation.specimen">
442     <path value="Observation.specimen" />
443     <max value="0" />
444 </element>
445 <element id="Observation.device">
446     <path value="Observation.device" />
447     <max value="0" />
448 </element>
449 <element id="Observation.referenceRange">
450     <path value="Observation.referenceRange" />
451     <max value="0" />
452 </element>
453 <element id="Observation.hasMember">
454     <path value="Observation.hasMember" />
455     <max value="0" />
456 </element>
457 <element id="Observation.derivedFrom">
458     <path value="Observation.derivedFrom" />
459     <max value="0" />
460 </element>
461 <element id="Observation.component">
462     <path value="Observation.component" />
463     <max value="0" />
464 </element>
465 </differential>
466 </StructureDefinition>

```

### 301. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U3\_PULSE\_OXYMETRY\_MEASUREMENT

#### KBV\_PR\_MIO\_CMR\_Observation\_U1\_U3\_Pulse\_Oxymetry\_Measurement

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Pulse_Oxymetry_Measurement" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U1_U3_Pulse_Oxymetry_Measurement"
/>
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Pulsoxymetrieuntersuchung
ab." />
49     <constraint>
50       <key value="int-1" />
51       <severity value="error" />
52       <human value="If the code implies, that this Observation covers a
control pulse oxymetry measurement, then the interpretation code
'kontrollbedürftig' SHALL not be used" />
53       <expression value="Observation.code.coding.code='250554003:36370300
1=262134003' implies Observation.interpretation.coding.code != '129125009:
{363589002=250554003,408730004=385643006,408732007=410604004}'" />
54       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Pulse_Oxymetry_Measurement|1.0.1" />
55     </constraint>
56     <constraint>
57       <key value="obs-1" />
58       <severity value="error" />
59       <human value="If status is cancelled, then dataAbsentReason Shall
exist" />
60       <expression value="Observation.status = 'cancelled' implies
Observation.dataAbsentReason.exists()" />
61       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U3_Pulse_Oxymetry_Measurement|1.0.1" />
62     </constraint>
63   </element>
64   <element id="Observation.meta">
65     <path value="Observation.meta" />
66     <min value="1" />
67   </element>
68   <element id="Observation.meta.versionId">
69     <path value="Observation.meta.versionId" />
70     <max value="0" />
71   </element>
72   <element id="Observation.meta.lastUpdated">
73     <path value="Observation.meta.lastUpdated" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.source">
77     <path value="Observation.meta.source" />
78     <max value="0" />

```

```

79     </element>
80     <element id="Observation.meta.profile">
81       <path value="Observation.meta.profile" />
82       <min value="1" />
83       <max value="1" />
84       <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Pulse_Oxymetry_Measurement|1.0.1" />
85     </element>
86     <element id="Observation.meta.security">
87       <path value="Observation.meta.security" />
88       <max value="0" />
89     </element>
90     <element id="Observation.meta.tag">
91       <path value="Observation.meta.tag" />
92       <max value="0" />
93     </element>
94     <element id="Observation.implicitRules">
95       <path value="Observation.implicitRules" />
96       <max value="0" />
97     </element>
98     <element id="Observation.language">
99       <path value="Observation.language" />
100      <max value="0" />
101    </element>
102    <element id="Observation.contained">
103      <path value="Observation.contained" />
104      <max value="0" />
105    </element>
106    <element id="Observation.identifier">
107      <path value="Observation.identifier" />
108      <max value="0" />
109    </element>
110    <element id="Observation.basedOn">
111      <path value="Observation.basedOn" />
112      <max value="0" />
113    </element>
114    <element id="Observation.partOf">
115      <path value="Observation.partOf" />
116      <max value="0" />
117    </element>
118    <element id="Observation.status">
119      <path value="Observation.status" />
120      <binding>
121        <strength value="required" />
122        <description value="final, cancelled" />
123        <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Observation_Status" />
124      </binding>
125    </element>
126    <element id="Observation.category">
127      <path value="Observation.category" />
128      <max value="0" />
129    </element>
130    <element id="Observation.code">
131      <path value="Observation.code" />
132      <mustSupport value="true" />
133      <binding>
134        <strength value="required" />
135        <description value="Erstuntersuchung, Kontrolluntersuchung" />

```

```

136     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Pulse_Oxymetry_Screening_Measurement_Type" />
137     </binding>
138 </element>
139 <element id="Observation.code.coding">
140     <path value="Observation.code.coding" />
141     <min value="1" />
142     <max value="1" />
143     <mustSupport value="true" />
144 </element>
145 <element id="Observation.code.coding.system">
146     <path value="Observation.code.coding.system" />
147     <min value="1" />
148 </element>
149 <element id="Observation.code.coding.version">
150     <path value="Observation.code.coding.version" />
151     <min value="1" />
152 </element>
153 <element id="Observation.code.coding.code">
154     <path value="Observation.code.coding.code" />
155     <min value="1" />
156 </element>
157 <element id="Observation.code.coding.display">
158     <path value="Observation.code.coding.display" />
159     <min value="1" />
160 </element>
161 <element id="Observation.code.coding.display.extension">
162     <path value="Observation.code.coding.display.extension" />
163     < slicing>
164         < discriminator>
165             < type value="value" />
166             < path value="url" />
167         </ discriminator>
168         < rules value="open" />
169     </ slicing>
170 </ element>
171 < element id="Observation.code.coding.display.extension:anzeigennameCodeS
nomed">
172     < path value="Observation.code.coding.display.extension" />
173     < sliceName value="anzeigennameCodeSnomed" />
174     < min value="1" />
175     < max value="1" />
176     < type>
177         < code value="Extension" />
178         < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
179     </ type>
180     < mustSupport value="true" />
181 </ element>
182 < element id="Observation.code.coding.display.extension:anzeigennameCodeS
nomed.extension">
183     < path value="Observation.code.coding.display.extension.extension" />
184     < slicing>
185         < discriminator>
186             < type value="value" />
187             < path value="url" />
188         </ discriminator>
189         < rules value="open" />
190     </ slicing>
191 </ element>

```

```

192     <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
193       <path value="Observation.code.coding.display.extension.extension" />
194       <sliceName value="content" />
195     </element>
196     <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
197       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
198       <slicing>
199         <discriminator>
200           <type value="type" />
201           <path value="$this" />
202         </discriminator>
203         <rules value="closed" />
204       </slicing>
205       <mustSupport value="true" />
206     </element>
207     <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
208       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
209       <sliceName value="valueString" />
210       <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/KBV_CM_MIO_CMR_Pulse_Oxymetry_Screening_Measurement_Type_German|
1.0.1" />
211       <min value="1" />
212       <mustSupport value="true" />
213     </element>
214     <element id="Observation.code.coding.userSelected">
215       <path value="Observation.code.coding.userSelected" />
216       <max value="0" />
217     </element>
218     <element id="Observation.code.text">
219       <path value="Observation.code.text" />
220       <max value="0" />
221     </element>
222     <element id="Observation.subject">
223       <path value="Observation.subject" />
224       <min value="1" />
225       <type>
226         <code value="Reference" />
227         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
228       </type>
229       <mustSupport value="true" />
230     </element>
231     <element id="Observation.subject.reference">
232       <path value="Observation.subject.reference" />
233       <min value="1" />
234       <mustSupport value="true" />
235     </element>
236     <element id="Observation.subject.type">
237       <path value="Observation.subject.type" />
238       <max value="0" />
239     </element>
240     <element id="Observation.subject.identifier">

```



```

241     <path value="Observation.subject.identifier" />
242     <max value="0" />
243 </element>
244 <element id="Observation.subject.display">
245     <path value="Observation.subject.display" />
246     <max value="0" />
247 </element>
248 <element id="Observation.focus">
249     <path value="Observation.focus" />
250     <max value="0" />
251 </element>
252 <element id="Observation.encounter">
253     <path value="Observation.encounter" />
254     <min value="1" />
255     <type>
256         <code value="Reference" />
257         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
258     </type>
259     <mustSupport value="true" />
260 </element>
261 <element id="Observation.encounter.reference">
262     <path value="Observation.encounter.reference" />
263     <min value="1" />
264     <mustSupport value="true" />
265 </element>
266 <element id="Observation.encounter.type">
267     <path value="Observation.encounter.type" />
268     <max value="0" />
269 </element>
270 <element id="Observation.encounter.identifier">
271     <path value="Observation.encounter.identifier" />
272     <max value="0" />
273 </element>
274 <element id="Observation.encounter.display">
275     <path value="Observation.encounter.display" />
276     <max value="0" />
277 </element>
278 <element id="Observation.effective[x]">
279     <path value="Observation.effective[x]" />
280     <slicing>
281         <discriminator>
282             <type value="type" />
283             <path value="$this" />
284         </discriminator>
285         <rules value="closed" />
286     </slicing>
287     <min value="1" />
288     <type>
289         <code value="dateTime" />
290     </type>
291     <mustSupport value="true" />
292 </element>
293 <element id="Observation.effective[x]:effectiveDateTime">
294     <path value="Observation.effective[x]" />
295     <sliceName value="effectiveDateTime" />
296     <min value="1" />
297     <type>
298         <code value="dateTime" />
299     </type>

```

```

300     <mustSupport value="true" />
301 </element>
302 <element id="Observation.issued">
303   <path value="Observation.issued" />
304   <max value="0" />
305 </element>
306 <element id="Observation.performer">
307   <path value="Observation.performer" />
308   <max value="1" />
309   <type>
310     <code value="Reference" />
311     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
312   </type>
313   <mustSupport value="true" />
314 </element>
315 <element id="Observation.performer.reference">
316   <path value="Observation.performer.reference" />
317   <min value="1" />
318   <mustSupport value="true" />
319 </element>
320 <element id="Observation.performer.type">
321   <path value="Observation.performer.type" />
322   <max value="0" />
323 </element>
324 <element id="Observation.performer.identifier">
325   <path value="Observation.performer.identifier" />
326   <max value="0" />
327 </element>
328 <element id="Observation.performer.display">
329   <path value="Observation.performer.display" />
330   <max value="0" />
331 </element>
332 <element id="Observation.value[x]">
333   <path value="Observation.value[x]" />
334   <licing>
335     <discriminator>
336       <type value="type" />
337       <path value="$this" />
338     </discriminator>
339     <rules value="closed" />
340   </licing>
341   <type>
342     <code value="Quantity" />
343   </type>
344   <mustSupport value="true" />
345 </element>
346 <element id="Observation.value[x]:valueQuantity">
347   <path value="Observation.valueQuantity" />
348   <sliceName value="valueQuantity" />
349   <min value="1" />
350   <type>
351     <code value="Quantity" />
352   </type>
353   <mustSupport value="true" />
354 </element>
355 <element id="Observation.value[x]:valueQuantity.value">
356   <path value="Observation.valueQuantity.value" />
357   <min value="1" />
358   <minValueDecimal value="0" />

```

```

359     <maxValueDecimal value="100" />
360 </element>
361 <element id="Observation.value[x]:valueQuantity.comparator">
362   <path value="Observation.valueQuantity.comparator" />
363   <max value="0" />
364 </element>
365 <element id="Observation.value[x]:valueQuantity.unit">
366   <path value="Observation.valueQuantity.unit" />
367   <min value="1" />
368   <fixedString value="%" />
369 </element>
370 <element id="Observation.value[x]:valueQuantity.system">
371   <path value="Observation.valueQuantity.system" />
372   <min value="1" />
373   <fixedUri value="http://unitsofmeasure.org" />
374 </element>
375 <element id="Observation.value[x]:valueQuantity.code">
376   <path value="Observation.valueQuantity.code" />
377   <min value="1" />
378   <fixedCode value="%" />
379 </element>
380 <element id="Observation.dataAbsentReason">
381   <path value="Observation.dataAbsentReason" />
382   <mustSupport value="true" />
383   <binding>
384     <strength value="required" />
385     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CM_R_Pulse_Oxymetry_Screening_Data_Absent_Reason" />
386   </binding>
387 </element>
388 <element id="Observation.dataAbsentReason.coding">
389   <path value="Observation.dataAbsentReason.coding" />
390   <min value="1" />
391   <max value="1" />
392   <mustSupport value="true" />
393 </element>
394 <element id="Observation.dataAbsentReason.coding.system">
395   <path value="Observation.dataAbsentReason.coding.system" />
396   <min value="1" />
397 </element>
398 <element id="Observation.dataAbsentReason.coding.version">
399   <path value="Observation.dataAbsentReason.coding.version" />
400   <min value="1" />
401 </element>
402 <element id="Observation.dataAbsentReason.coding.code">
403   <path value="Observation.dataAbsentReason.coding.code" />
404   <min value="1" />
405 </element>
406 <element id="Observation.dataAbsentReason.coding.display">
407   <path value="Observation.dataAbsentReason.coding.display" />
408   <min value="1" />
409 </element>
410 <element id="Observation.dataAbsentReason.coding.display.extension">
411   <path value="Observation.dataAbsentReason.coding.display.extension" /
>
412   <slicing>
413     <discriminator>
414       <type value="value" />
415       <path value="url" />
416     </discriminator>

```

```

417     <rules value="open" />
418   </slicing>
419 </element>
420 <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed">
421   <path value="Observation.dataAbsentReason.coding.display.extension" /
>
422   <sliceName value="anzeigennameDataAbsentReasonSnomed" />
423   <min value="1" />
424   <max value="1" />
425   <type>
426     <code value="Extension" />
427     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
428   </type>
429   <mustSupport value="true" />
430 </element>
431 <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension">
432   <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension" />
433   <slicing>
434     <discriminator>
435       <type value="value" />
436       <path value="url" />
437     </discriminator>
438     <rules value="open" />
439   </slicing>
440 </element>
441 <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content">
442   <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension" />
443   <sliceName value="content" />
444 </element>
445 <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content.value[x]">
446   <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension.value[x]" />
447   <slicing>
448     <discriminator>
449       <type value="type" />
450       <path value="$this" />
451     </discriminator>
452     <rules value="closed" />
453   </slicing>
454   <mustSupport value="true" />
455 </element>
456 <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content.value[x]:valueString">
457   <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension.value[x]" />
458   <sliceName value="valueString" />
459   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/
KBV_CM_MIO_CM_R_Pulse_Oxymetry_Screening_Data_Absent_Reason_German|1.0.1" />
460   <min value="1" />

```

```

461     <mustSupport value="true" />
462 </element>
463 <element id="Observation.dataAbsentReason.coding.userSelected">
464   <path value="Observation.dataAbsentReason.coding.userSelected" />
465   <max value="0" />
466 </element>
467 <element id="Observation.dataAbsentReason.text">
468   <path value="Observation.dataAbsentReason.text" />
469   <max value="0" />
470 </element>
471 <element id="Observation.interpretation">
472   <path value="Observation.interpretation" />
473   <min value="1" />
474   <max value="1" />
475   <mustSupport value="true" />
476   <binding>
477     <strength value="required" />
478     <description value="auffällig, unauffällig, kontrollbedürftig" />
479     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U1_U3_Pulse_Oxymetry_Measurement" />
480   </binding>
481 </element>
482 <element id="Observation.interpretation.coding">
483   <path value="Observation.interpretation.coding" />
484   <min value="1" />
485   <max value="1" />
486   <mustSupport value="true" />
487 </element>
488 <element id="Observation.interpretation.coding.system">
489   <path value="Observation.interpretation.coding.system" />
490   <min value="1" />
491 </element>
492 <element id="Observation.interpretation.coding.version">
493   <path value="Observation.interpretation.coding.version" />
494   <min value="1" />
495 </element>
496 <element id="Observation.interpretation.coding.code">
497   <path value="Observation.interpretation.coding.code" />
498   <min value="1" />
499 </element>
500 <element id="Observation.interpretation.coding.display">
501   <path value="Observation.interpretation.coding.display" />
502   <min value="1" />
503 </element>
504 <element id="Observation.interpretation.coding.display.extension">
505   <path value="Observation.interpretation.coding.display.extension" />
506   <slicing>
507     <discriminator>
508       <type value="value" />
509       <path value="url" />
510     </discriminator>
511     <rules value="open" />
512   </slicing>
513 </element>
514 <element id="Observation.interpretation.coding.display.extension:anzeigenameInterpretationSnomed">
515   <path value="Observation.interpretation.coding.display.extension" />
516   <sliceName value="anzeigenameInterpretationSnomed" />
517   <min value="1" />
518   <max value="1" />

```

```

519     <type>
520       <code value="Extension" />
521       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
522     </type>
523     <mustSupport value="true" />
524   </element>
525   <element id="Observation.interpretation.coding.display.extension:anzeig
enameInterpretationSnomed.extension">
526     <path value="Observation.interpretation.coding.display.extension.exte
nsion" />
527     <slicing>
528       <discriminator>
529         <type value="value" />
530         <path value="url" />
531       </discriminator>
532       <rules value="open" />
533     </slicing>
534   </element>
535   <element id="Observation.interpretation.coding.display.extension:anzeig
enameInterpretationSnomed.extension:content">
536     <path value="Observation.interpretation.coding.display.extension.exte
nsion" />
537     <sliceName value="content" />
538   </element>
539   <element id="Observation.interpretation.coding.display.extension:anzeig
enameInterpretationSnomed.extension:content.value[x]">
540     <path value="Observation.interpretation.coding.display.extension.exte
nsion.value[x]" />
541     <slicing>
542       <discriminator>
543         <type value="type" />
544         <path value="$this" />
545       </discriminator>
546       <rules value="closed" />
547     </slicing>
548     <mustSupport value="true" />
549   </element>
550   <element id="Observation.interpretation.coding.display.extension:anzeig
enameInterpretationSnomed.extension:content.value[x]:valueString">
551     <path value="Observation.interpretation.coding.display.extension.exte
nsion.value[x]" />
552     <sliceName value="valueString" />
553     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/KBV_CM_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement_German|1.0.1" />
554     <min value="1" />
555     <mustSupport value="true" />
556   </element>
557   <element id="Observation.interpretation.coding.userSelected">
558     <path value="Observation.interpretation.coding.userSelected" />
559     <max value="0" />
560   </element>
561   <element id="Observation.interpretation.text">
562     <path value="Observation.interpretation.text" />
563     <max value="0" />
564   </element>
565   <element id="Observation.note">

```

```

566     <path value="Observation.note" />
567     <max value="0" />
568 </element>
569 <element id="Observation.bodySite">
570     <path value="Observation.bodySite" />
571     <max value="0" />
572 </element>
573 <element id="Observation.method">
574     <path value="Observation.method" />
575     <max value="0" />
576 </element>
577 <element id="Observation.specimen">
578     <path value="Observation.specimen" />
579     <max value="0" />
580 </element>
581 <element id="Observation.device">
582     <path value="Observation.device" />
583     <max value="0" />
584 </element>
585 <element id="Observation.referenceRange">
586     <path value="Observation.referenceRange" />
587     <max value="0" />
588 </element>
589 <element id="Observation.hasMember">
590     <path value="Observation.hasMember" />
591     <max value="0" />
592 </element>
593 <element id="Observation.derivedFrom">
594     <path value="Observation.derivedFrom" />
595     <max value="0" />
596 </element>
597 <element id="Observation.component">
598     <path value="Observation.component" />
599     <max value="0" />
600 </element>
601 </differential>
602 </StructureDefinition>

```

## 302. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U1\_U5\_COUNSELING\_ABOUT\_HEARSCREENING

## KBV\_PR\_MIO\_CMV\_Observation\_U1\_U5\_Counseling\_About\_Hearscreening

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U1_U5_Counseling_About_Hearscreening" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U1_U5_Counseling_About_Hearscreen
ing" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```



```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Beratung über die Ergebnisse
des Hörscreenings ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U5_Counseling_About_Hearscreening1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117     <path value="Observation.code.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123     <path value="Observation.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128     <path value="Observation.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133     <path value="Observation.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="165355002" />
136 </element>
137 <element id="Observation.code.coding.display">
138     <path value="Observation.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142     <path value="Observation.code.coding.display.extension" />
143     <slicing>
144         <discriminator>

```

```

145         <type value="value" />
146         <path value="url" />
147         </discriminator>
148         <rules value="open" />
149     </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152 nomed">
153     <path value="Observation.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <short value="anzeigenameCodeSnomed" />
156     <definition value="Annotation des Snomed CT Codes mit einem deutschen
157 Bezeichner." />
158     <min value="1" />
159     <max value="1" />
160     <type>
161         <code value="Extension" />
162         <profile value="https://fhir.kbv.de/StructureDefinition/
163 KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
168 nomed.extension">
169     <path value="Observation.code.coding.display.extension.extension" />
170     <slicing>
171         <discriminator>
172             <type value="value" />
173             <path value="url" />
174         </discriminator>
175         <rules value="open" />
176     </slicing>
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179 nomed.extension:content">
180     <path value="Observation.code.coding.display.extension.extension" />
181     <sliceName value="content" />
182 </element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
184 nomed.extension:content.value[x]">
185     <path value="Observation.code.coding.display.extension.extension.valu
186 e[x]" />
187     <slicing><discriminator><type value="type" /><path value="$this" /></
188 discriminator><rules value="closed" /></slicing>
189     <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
192 nomed.extension:content.value[x]:valueString">
193     <path value="Observation.code.coding.display.extension.extension.valu
194 e[x]" />
195     <sliceName value="valueString" />
196     <min value="1" />
197     <fixedString value="Untersuchungsergebnisse und ggf. erforderliche
198 Therapie mit den Eltern besprochen am:" />
199     <mustSupport value="true" />
200 </element>
201 <element id="Observation.code.coding.userSelected">
202     <path value="Observation.code.coding.userSelected" />
203     <max value="0" />
204 </element>

```

```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```

```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.valueBoolean" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.interpretation.coding">
342   <path value="Observation.interpretation.coding" />
343   <min value="1" />
344   <max value="1" />
345 </element>
346 <element id="Observation.interpretation.coding.system">
347   <path value="Observation.interpretation.coding.system" />
348   <min value="1" />
349 </element>
350 <element id="Observation.interpretation.coding.code">
351   <path value="Observation.interpretation.coding.code" />
352   <min value="1" />
353 </element>
354 <element id="Observation.interpretation.coding.display">
355   <path value="Observation.interpretation.coding.display" />
356   <min value="1" />
357 </element>
358 <element id="Observation.interpretation.text">
359   <path value="Observation.interpretation.text" />
360   <max value="0" />
361 </element>
362 <element id="Observation.note">
363   <path value="Observation.note" />
364   <max value="0" />
365 </element>
366 <element id="Observation.bodySite">
367   <path value="Observation.bodySite" />
368   <max value="0" />
369 </element>
370 <element id="Observation.method">

```

```
371     <path value="Observation.method" />
372     <max value="0" />
373 </element>
374 <element id="Observation.specimen">
375     <path value="Observation.specimen" />
376     <max value="0" />
377 </element>
378 <element id="Observation.device">
379     <path value="Observation.device" />
380     <max value="0" />
381 </element>
382 <element id="Observation.referenceRange">
383     <path value="Observation.referenceRange" />
384     <max value="0" />
385 </element>
386 <element id="Observation.hasMember">
387     <path value="Observation.hasMember" />
388     <max value="0" />
389 </element>
390 <element id="Observation.derivedFrom">
391     <path value="Observation.derivedFrom" />
392     <max value="0" />
393 </element>
394 <element id="Observation.component">
395     <path value="Observation.component" />
396     <max value="0" />
397 </element>
398 </differential>
399 </StructureDefinition>
```

## 303. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U1\_U5\_NEONATAL\_HEARSCREENING

## KBV\_PR\_MIO\_CMR\_Observation\_U1\_U5\_Neonatal\_Hearscreening

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U5_Neonatal_Hearscreening" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U1_U5_Neonatal_Hearscreening" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet das Neugeborenenh rscreening
ab." />
49     <constraint>
50       <key value="obs-1" />
51       <severity value="error" />
52       <human value="At least year, month and day are needed" />
53       <expression value="effective.toString().length() >= 10" />
54       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U5_Neonatal_Hearscreening" />
55     </constraint>
56   </element>
57   <element id="Observation.meta">
58     <path value="Observation.meta" />
59     <min value="1" />
60   </element>
61   <element id="Observation.meta.versionId">
62     <path value="Observation.meta.versionId" />
63     <max value="0" />
64   </element>
65   <element id="Observation.meta.lastUpdated">
66     <path value="Observation.meta.lastUpdated" />
67     <max value="0" />
68   </element>
69   <element id="Observation.meta.source">
70     <path value="Observation.meta.source" />
71     <max value="0" />
72   </element>
73   <element id="Observation.meta.profile">
74     <path value="Observation.meta.profile" />
75     <min value="1" />
76     <max value="1" />
77     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U1_U5_Neonatal_Hearscreening|1.0.1" />
78   </element>
79   <element id="Observation.meta.security">
80     <path value="Observation.meta.security" />
81     <max value="0" />
82   </element>
83   <element id="Observation.meta.tag">
84     <path value="Observation.meta.tag" />
85     <max value="0" />

```

```

86 </element>
87 <element id="Observation.implicitRules">
88   <path value="Observation.implicitRules" />
89   <max value="0" />
90 </element>
91 <element id="Observation.language">
92   <path value="Observation.language" />
93   <max value="0" />
94 </element>
95 <element id="Observation.contained">
96   <path value="Observation.contained" />
97   <max value="0" />
98 </element>
99 <element id="Observation.identifier">
100  <path value="Observation.identifier" />
101  <max value="0" />
102 </element>
103 <element id="Observation.basedOn">
104  <path value="Observation.basedOn" />
105  <max value="0" />
106 </element>
107 <element id="Observation.partOf">
108  <path value="Observation.partOf" />
109  <max value="0" />
110 </element>
111 <element id="Observation.status">
112  <path value="Observation.status" />
113  <binding>
114    <strength value="required" />
115    <description value="Cancelled, Final" />
116    <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Observation_Status" />
117  </binding>
118 </element>
119 <element id="Observation.category">
120  <path value="Observation.category" />
121  <max value="0" />
122 </element>
123 <element id="Observation.code">
124  <path value="Observation.code" />
125  <mustSupport value="true" />
126  <binding>
127    <strength value="required" />
128    <description value="First AABR, Control AABR, TEOAE" />
129    <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Hearscreening_Method" />
130  </binding>
131 </element>
132 <element id="Observation.code.coding">
133  <path value="Observation.code.coding" />
134  <min value="1" />
135  <max value="1" />
136  <mustSupport value="true" />
137 </element>
138 <element id="Observation.code.coding.system">
139  <path value="Observation.code.coding.system" />
140  <min value="1" />
141 </element>
142 <element id="Observation.code.coding.version">
143  <path value="Observation.code.coding.version" />

```

```

144     <min value="1" />
145 </element>
146 <element id="Observation.code.coding.code">
147   <path value="Observation.code.coding.code" />
148   <min value="1" />
149 </element>
150 <element id="Observation.code.coding.display">
151   <path value="Observation.code.coding.display" />
152   <min value="1" />
153 </element>
154 <element id="Observation.code.coding.display.extension">
155   <path value="Observation.code.coding.display.extension" />
156   <slicing>
157     <discriminator>
158       <type value="value" />
159       <path value="url" />
160     </discriminator>
161     <rules value="open" />
162   </slicing>
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
165 nomed">
166   <path value="Observation.code.coding.display.extension" />
167   <sliceName value="anzeigenameCodeSnomed" />
168   <min value="1" />
169   <max value="1" />
170   <type>
171     <code value="Extension" />
172     <profile value="https://fhir.kbv.de/StructureDefinition/
173 KBV_EX_Base_Terminology_German" />
174   </type>
175   <mustSupport value="true" />
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178 nomed.extension">
179   <path value="Observation.code.coding.display.extension.extension" />
180   <slicing>
181     <discriminator>
182       <type value="value" />
183       <path value="url" />
184     </discriminator>
185     <rules value="open" />
186   </slicing>
187 </element>
188 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
189 nomed.extension:content">
190   <path value="Observation.code.coding.display.extension.extension" />
191   <sliceName value="content" />
192 </element>
193 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
194 nomed.extension:content.value[x]">
195   <path value="Observation.code.coding.display.extension.extension.valu
196 e[x]" />
197   <slicing>
198     <discriminator>
199       <type value="type" />
200       <path value="$this" />
201     </discriminator>
202     <rules value="closed" />
203   </slicing>

```

```

198     <mustSupport value="true" />
199   </element>
200   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
201     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
202     <sliceName value="valueString" />
203     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_Hearscreening_Method_German|1.0.1" />
204     <min value="1" />
205     <mustSupport value="true" />
206   </element>
207   <element id="Observation.code.coding.userSelected">
208     <path value="Observation.code.coding.userSelected" />
209     <max value="0" />
210   </element>
211   <element id="Observation.code.text">
212     <path value="Observation.code.text" />
213     <max value="0" />
214   </element>
215   <element id="Observation.subject">
216     <path value="Observation.subject" />
217     <min value="1" />
218     <type>
219       <code value="Reference" />
220       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
221     </type>
222     <mustSupport value="true" />
223   </element>
224   <element id="Observation.subject.reference">
225     <path value="Observation.subject.reference" />
226     <min value="1" />
227     <mustSupport value="true" />
228   </element>
229   <element id="Observation.subject.type">
230     <path value="Observation.subject.type" />
231     <max value="0" />
232   </element>
233   <element id="Observation.subject.identifrier">
234     <path value="Observation.subject.identifrier" />
235     <max value="0" />
236   </element>
237   <element id="Observation.subject.display">
238     <path value="Observation.subject.display" />
239     <max value="0" />
240   </element>
241   <element id="Observation.focus">
242     <path value="Observation.focus" />
243     <max value="0" />
244   </element>
245   <element id="Observation.encounter">
246     <path value="Observation.encounter" />
247     <min value="1" />
248     <type>
249       <code value="Reference" />

```

```

250     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
251   </type>
252   <mustSupport value="true" />
253 </element>
254 <element id="Observation.encounter.reference">
255   <path value="Observation.encounter.reference" />
256   <min value="1" />
257   <mustSupport value="true" />
258 </element>
259 <element id="Observation.encounter.type">
260   <path value="Observation.encounter.type" />
261   <max value="0" />
262 </element>
263 <element id="Observation.encounter.identifier">
264   <path value="Observation.encounter.identifier" />
265   <max value="0" />
266 </element>
267 <element id="Observation.encounter.display">
268   <path value="Observation.encounter.display" />
269   <max value="0" />
270 </element>
271 <element id="Observation.effective[x]">
272   <path value="Observation.effective[x]" />
273   <slicing>
274     <discriminator>
275       <type value="type" />
276       <path value="$this" />
277     </discriminator>
278     <rules value="closed" />
279   </slicing>
280   <min value="1" />
281   <type>
282     <code value="dateTime" />
283   </type>
284   <mustSupport value="true" />
285 </element>
286 <element id="Observation.effective[x]:effectiveDateTime">
287   <path value="Observation.effective[x]" />
288   <sliceName value="effectiveDateTime" />
289   <min value="1" />
290   <type>
291     <code value="dateTime" />
292   </type>
293   <mustSupport value="true" />
294 </element>
295 <element id="Observation.issued">
296   <path value="Observation.issued" />
297   <max value="0" />
298 </element>
299 <element id="Observation.performer">
300   <path value="Observation.performer" />
301   <max value="1" />
302   <type>
303     <code value="Reference" />
304     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
305   </type>
306   <mustSupport value="true" />
307 </element>

```

```

308 <element id="Observation.performer.reference">
309   <path value="Observation.performer.reference" />
310   <min value="1" />
311   <mustSupport value="true" />
312 </element>
313 <element id="Observation.performer.type">
314   <path value="Observation.performer.type" />
315   <max value="0" />
316 </element>
317 <element id="Observation.performer.identifier">
318   <path value="Observation.performer.identifier" />
319   <max value="0" />
320 </element>
321 <element id="Observation.performer.display">
322   <path value="Observation.performer.display" />
323   <max value="0" />
324 </element>
325 <element id="Observation.value[x]">
326   <path value="Observation.value[x]" />
327   <licing>
328     <discriminator>
329       <type value="type" />
330       <path value="$this" />
331     </discriminator>
332     <rules value="closed" />
333   </licing>
334   <type>
335     <code value="CodeableConcept" />
336   </type>
337   <mustSupport value="true" />
338 </element>
339 <element id="Observation.value[x]:valueCodeableConcept">
340   <path value="Observation.value[x]" />
341   <sliceName value="valueCodeableConcept" />
342   <type>
343     <code value="CodeableConcept" />
344   </type>
345   <mustSupport value="true" />
346 </element>
347 <element id="Observation.value[x]:valueCodeableConcept.coding">
348   <path value="Observation.value[x].coding" />
349   <min value="1" />
350   <max value="1" />
351   <mustSupport value="true" />
352   <binding>
353     <strength value="required" />
354     <description value="Auffällig, Unauffällig" />
355     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CM_R_Hearscreening_Result" />
356   </binding>
357 </element>
358 <element id="Observation.value[x]:valueCodeableConcept.coding.system">
359   <path value="Observation.value[x].coding.system" />
360   <min value="1" />
361 </element>
362 <element id="Observation.value[x]:valueCodeableConcept.coding.version">
363   <path value="Observation.value[x].coding.version" />
364   <min value="1" />
365 </element>
366 <element id="Observation.value[x]:valueCodeableConcept.coding.code">

```

```

367     <path value="Observation.value[x].coding.code" />
368     <min value="1" />
369 </element>
370 <element id="Observation.value[x]:valueCodeableConcept.coding.display">
371     <path value="Observation.value[x].coding.display" />
372     <min value="1" />
373 </element>
374 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension">
375     <path value="Observation.value[x].coding.display.extension" />
376     <slicing>
377         <discriminator>
378             <type value="value" />
379             <path value="url" />
380         </discriminator>
381         <rules value="open" />
382     </slicing>
383 </element>
384 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed">
385     <path value="Observation.value[x].coding.display.extension" />
386     <sliceName value="anzeigenameValueSnomed" />
387     <min value="1" />
388     <max value="1" />
389     <type>
390         <code value="Extension" />
391         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
392     </type>
393     <mustSupport value="true" />
394 </element>
395 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension">
396     <path value="Observation.value[x].coding.display.extension.extension"
/>
397     <slicing>
398         <discriminator>
399             <type value="value" />
400             <path value="url" />
401         </discriminator>
402         <rules value="open" />
403     </slicing>
404 </element>
405 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content">
406     <path value="Observation.value[x].coding.display.extension.extension"
/>
407     <sliceName value="content" />
408 </element>
409 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]">
410     <path value="Observation.value[x].coding.display.extension.extension.
value[x]" />
411     <slicing>
412         <discriminator>
413             <type value="type" />
414             <path value="$this" />
415         </discriminator>
416         <rules value="closed" />
417     </slicing>

```

```

418     <mustSupport value="true" />
419   </element>
420   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]:valueString">
421     <path value="Observation.value[x].coding.display.extension.extension.
value[x]" />
422     <sliceName value="valueString" />
423     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_CMR\_Hearscreening\_Result|
1.0.1" />
424     <mustSupport value="true" />
425   </element>
426   <element id="Observation.value[x]:valueCodeableConcept.coding.userSelec
ted">
427     <path value="Observation.value[x].coding.userSelected" />
428     <max value="0" />
429   </element>
430   <element id="Observation.value[x]:valueCodeableConcept.text">
431     <path value="Observation.value[x].text" />
432     <max value="0" />
433   </element>
434   <element id="Observation.dataAbsentReason">
435     <path value="Observation.dataAbsentReason" />
436     <mustSupport value="true" />
437   </element>
438   <element id="Observation.dataAbsentReason.coding">
439     <path value="Observation.dataAbsentReason.coding" />
440     <min value="1" />
441     <max value="1" />
442     <mustSupport value="true" />
443   </element>
444   <element id="Observation.dataAbsentReason.coding.system">
445     <path value="Observation.dataAbsentReason.coding.system" />
446     <min value="1" />
447     <fixedUri value="http://snomed.info/sct" />
448   </element>
449   <element id="Observation.dataAbsentReason.coding.version">
450     <path value="Observation.dataAbsentReason.coding.version" />
451     <min value="1" />
452     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
453   </element>
454   <element id="Observation.dataAbsentReason.coding.code">
455     <path value="Observation.dataAbsentReason.coding.code" />
456     <min value="1" />
457     <fixedCode value="183948000:363589002=417491009" />
458   </element>
459   <element id="Observation.dataAbsentReason.coding.display">
460     <path value="Observation.dataAbsentReason.coding.display" />
461     <min value="1" />
462   </element>
463   <element id="Observation.dataAbsentReason.coding.display.extension">
464     <path value="Observation.dataAbsentReason.coding.display.extension" /
>
465   < slicing>
466     < discriminator>
467       < type value="value" />
468       < path value="url" />

```



```

469         </discriminator>
470         <rules value="open" />
471     </slicing>
472 </element>
473     <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed">
474         <path value="Observation.dataAbsentReason.coding.display.extension" /
>
475         <sliceName value="anzeigennameDataAbsentReasonSnomed" />
476         <short value="anzeigennameDataAbsentReasonSnomed" />
477         <definition value="Annotation des Snomed CT Codes mit einem deutschen
Bezeichner." />
478         <min value="1" />
479         <max value="1" />
480         <type>
481             <code value="Extension" />
482             <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
483         </type>
484         <mustSupport value="true" />
485     </element>
486     <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension">
487         <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension" />
488         <slicing>
489             <discriminator>
490                 <type value="value" />
491                 <path value="url" />
492             </discriminator>
493             <rules value="open" />
494         </slicing>
495     </element>
496     <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content">
497         <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension" />
498         <sliceName value="content" />
499     </element>
500     <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content.value[x]">
501         <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension.value[x]" />
502         <slicing>
503             <discriminator>
504                 <type value="type" />
505                 <path value="$this" />
506             </discriminator>
507             <rules value="closed" />
508         </slicing>
509         <mustSupport value="true" />
510     </element>
511     <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content.value[x]:valueString">
512         <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension.value[x]" />
513         <sliceName value="valueString" />
514         <min value="1" />
515         <fixedString value="Eltern wünschen keine Untersuchung" />
516         <mustSupport value="true" />

```

```

517 </element>
518 <element id="Observation.dataAbsentReason.coding.userSelected">
519   <path value="Observation.dataAbsentReason.coding.userSelected" />
520   <max value="0" />
521 </element>
522 <element id="Observation.dataAbsentReason.text">
523   <path value="Observation.dataAbsentReason.text" />
524   <max value="0" />
525 </element>
526 <element id="Observation.interpretation">
527   <path value="Observation.interpretation" />
528   <max value="0" />
529 </element>
530 <element id="Observation.interpretation.coding">
531   <path value="Observation.interpretation.coding" />
532   <min value="1" />
533   <max value="1" />
534 </element>
535 <element id="Observation.interpretation.coding.system">
536   <path value="Observation.interpretation.coding.system" />
537   <min value="1" />
538 </element>
539 <element id="Observation.interpretation.coding.code">
540   <path value="Observation.interpretation.coding.code" />
541   <min value="1" />
542 </element>
543 <element id="Observation.interpretation.coding.display">
544   <path value="Observation.interpretation.coding.display" />
545   <min value="1" />
546 </element>
547 <element id="Observation.interpretation.text">
548   <path value="Observation.interpretation.text" />
549   <max value="0" />
550 </element>
551 <element id="Observation.note">
552   <path value="Observation.note" />
553   <max value="0" />
554 </element>
555 <element id="Observation.bodySite">
556   <path value="Observation.bodySite" />
557   <max value="0" />
558 </element>
559 <element id="Observation.method">
560   <path value="Observation.method" />
561   <max value="0" />
562 </element>
563 <element id="Observation.specimen">
564   <path value="Observation.specimen" />
565   <max value="0" />
566 </element>
567 <element id="Observation.device">
568   <path value="Observation.device" />
569   <max value="0" />
570 </element>
571 <element id="Observation.referenceRange">
572   <path value="Observation.referenceRange" />
573   <max value="0" />
574 </element>
575 <element id="Observation.hasMember">
576   <path value="Observation.hasMember" />

```

```
577     <max value="0" />
578   </element>
579   <element id="Observation.derivedFrom">
580     <path value="Observation.derivedFrom" />
581     <max value="0" />
582   </element>
583   <element id="Observation.component">
584     <path value="Observation.component" />
585     <max value="0" />
586   </element>
587 </differential>
588 </StructureDefinition>
```

## 304. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U1\_U5\_PEDIATRIC\_DIAGNOSTIC\_AUDIOLOGY\_SERVICE

## KBV\_PR\_MIO\_CMV\_Observation\_U1\_U5\_Pediatric\_Diagnostic\_Audiology\_Service

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U1_U5_Pediatric_Diagnostic_Audiology_Service" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U1_U5_Pediatric_Diagnostic_Audiology_Service" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die pädaudiologische Diagnostik
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U5_Pediatric_Diagnostic_Audiology_Service|
1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <binding>
107         <strength value="required" />
108         <description value="final, cancelled" />
109         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Observation_Status" />
110     </binding>
111 </element>
112 <element id="Observation.category">
113     <path value="Observation.category" />
114     <max value="0" />
115 </element>
116 <element id="Observation.code">
117     <path value="Observation.code" />
118     <mustSupport value="true" />
119 </element>
120 <element id="Observation.code.coding">
121     <path value="Observation.code.coding" />
122     <min value="1" />
123     <max value="1" />
124     <mustSupport value="true" />
125 </element>
126 <element id="Observation.code.coding.system">
127     <path value="Observation.code.coding.system" />
128     <min value="1" />
129     <fixedUri value="http://snomed.info/sct" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
135 </element>
136 <element id="Observation.code.coding.code">
137     <path value="Observation.code.coding.code" />
138     <min value="1" />
139     <fixedCode value="306210008" />
140 </element>
141 <element id="Observation.code.coding.display">
142     <path value="Observation.code.coding.display" />

```

```

143     <min value="1" />
144 </element>
145 <element id="Observation.code.coding.display.extension">
146   <path value="Observation.code.coding.display.extension" />
147   <slicing>
148     <discriminator>
149       <type value="value" />
150       <path value="url" />
151     </discriminator>
152     <rules value="open" />
153   </slicing>
154 </element>
155 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
156   <path value="Observation.code.coding.display.extension" />
157   <sliceName value="anzeigenameCodeSnomed" />
158   <short value="anzeigenameCodeSnomed" />
159   <definition value="Annotation des Snomed CT Codes mit einem deutschen
160     <min value="1" />
161     <max value="1" />
162     <type>
163       <code value="Extension" />
164       <profile value="https://fhir.kbv.de/StructureDefinition/
165     </type>
166     <mustSupport value="true" />
167   </element>
168 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
169   <path value="Observation.code.coding.display.extension.extension" />
170   <slicing>
171     <discriminator>
172       <type value="value" />
173       <path value="url" />
174     </discriminator>
175     <rules value="open" />
176   </slicing>
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179   <path value="Observation.code.coding.display.extension.extension" />
180   <sliceName value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183   <path value="Observation.code.coding.display.extension.extension.valu
184   <slicing><discriminator><type value="type" /><path value="$this" /></
185   <discriminator><rules value="closed" /></slicing>
186   <mustSupport value="true" />
187 </element>
188 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
189   <path value="Observation.code.coding.display.extension.extension.valu
190   <sliceName value="valueString" />
191   <min value="1" />
192   <fixedString value="Pädaudiologische Diagnostik" />
193   <mustSupport value="true" />

```

```

193 </element>
194 <element id="Observation.code.coding.userSelected">
195   <path value="Observation.code.coding.userSelected" />
196   <max value="0" />
197 </element>
198 <element id="Observation.code.text">
199   <path value="Observation.code.text" />
200   <max value="0" />
201 </element>
202 <element id="Observation.subject">
203   <path value="Observation.subject" />
204   <min value="1" />
205   <type>
206     <code value="Reference" />
207     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
208   </type>
209   <mustSupport value="true" />
210 </element>
211 <element id="Observation.subject.reference">
212   <path value="Observation.subject.reference" />
213   <min value="1" />
214   <mustSupport value="true" />
215 </element>
216 <element id="Observation.subject.type">
217   <path value="Observation.subject.type" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.identifier">
221   <path value="Observation.subject.identifier" />
222   <max value="0" />
223 </element>
224 <element id="Observation.subject.display">
225   <path value="Observation.subject.display" />
226   <max value="0" />
227 </element>
228 <element id="Observation.focus">
229   <path value="Observation.focus" />
230   <max value="0" />
231 </element>
232 <element id="Observation.encounter">
233   <path value="Observation.encounter" />
234   <min value="1" />
235   <type>
236     <code value="Reference" />
237     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
238   </type>
239   <mustSupport value="true" />
240 </element>
241 <element id="Observation.encounter.reference">
242   <path value="Observation.encounter.reference" />
243   <min value="1" />
244   <mustSupport value="true" />
245 </element>
246 <element id="Observation.encounter.type">
247   <path value="Observation.encounter.type" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.identifier">

```



```

251     <path value="Observation.encounter.identifier" />
252     <max value="0" />
253 </element>
254 <element id="Observation.encounter.display">
255     <path value="Observation.encounter.display" />
256     <max value="0" />
257 </element>
258 <element id="Observation.effective[x]">
259     <path value="Observation.effective[x]" />
260     <slicing>
261         <discriminator>
262             <type value="type" />
263             <path value="$this" />
264         </discriminator>
265         <rules value="closed" />
266     </slicing>
267     <min value="1" />
268     <type>
269         <code value="dateTime" />
270     </type>
271     <mustSupport value="true" />
272 </element>
273 <element id="Observation.effective[x]:effectiveDateTime">
274     <path value="Observation.effective[x]" />
275     <sliceName value="effectiveDateTime" />
276     <min value="1" />
277     <type>
278         <code value="dateTime" />
279     </type>
280     <mustSupport value="true" />
281 </element>
282 <element id="Observation.issued">
283     <path value="Observation.issued" />
284     <max value="0" />
285 </element>
286 <element id="Observation.performer">
287     <path value="Observation.performer" />
288     <max value="1" />
289     <type>
290         <code value="Reference" />
291         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
292     </type>
293     <mustSupport value="true" />
294 </element>
295 <element id="Observation.performer.reference">
296     <path value="Observation.performer.reference" />
297     <min value="1" />
298     <mustSupport value="true" />
299 </element>
300 <element id="Observation.performer.type">
301     <path value="Observation.performer.type" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.identifier">
305     <path value="Observation.performer.identifier" />
306     <max value="0" />
307 </element>
308 <element id="Observation.performer.display">
309     <path value="Observation.performer.display" />

```

```

310     <max value="0" />
311 </element>
312 <element id="Observation.value[x]">
313   <path value="Observation.value[x]" />
314   <slicing>
315     <discriminator>
316       <type value="type" />
317       <path value="$this" />
318     </discriminator>
319     <rules value="closed" />
320   </slicing>
321   <type>
322     <code value="CodeableConcept" />
323   </type>
324   <mustSupport value="true" />
325 </element>
326 <element id="Observation.value[x]:valueCodeableConcept">
327   <path value="Observation.value[x]" />
328   <sliceName value="valueCodeableConcept" />
329   <min value="1" />
330   <max value="1" />
331   <type>
332     <code value="CodeableConcept" />
333   </type>
334   <mustSupport value="true" />
335 </element>
336 <element id="Observation.value[x]:valueCodeableConcept.coding">
337   <path value="Observation.value[x].coding" />
338   <min value="1" />
339   <max value="1" />
340   <mustSupport value="true" />
341   <binding>
342     <strength value="required" />
343     <description value="Unauffällig beidseits, Auffällig links,
344     Auffällig Rechts" />
345     <valueSet value="https://fhir.kbv.de/ValueSet/
346     KBV_VS_MIO_CMV_Hearscreening_Result" />
347   </binding>
348 </element>
349 <element id="Observation.value[x]:valueCodeableConcept.coding.system">
350   <path value="Observation.value[x].coding.system" />
351   <min value="1" />
352 </element>
353 <element id="Observation.value[x]:valueCodeableConcept.coding.version">
354   <path value="Observation.value[x].coding.version" />
355   <min value="1" />
356 </element>
357 <element id="Observation.value[x]:valueCodeableConcept.coding.code">
358   <path value="Observation.value[x].coding.code" />
359   <min value="1" />
360 </element>
361 <element id="Observation.value[x]:valueCodeableConcept.coding.display">
362   <path value="Observation.value[x].coding.display" />
363   <min value="1" />
364 </element>
365 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
366   xtension">
367   <path value="Observation.value[x].coding.display.extension" />
368   <slicing>
369     <discriminator>

```

```

367         <type value="value" />
368         <path value="url" />
369     </discriminator>
370     <rules value="open" />
371 </slicing>
372 </element>
373     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed">
374         <path value="Observation.value[x].coding.display.extension" />
375         <sliceName value="anzeigenameValueSnomed" />
376         <min value="1" />
377         <max value="1" />
378         <type>
379             <code value="Extension" />
380             <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
381         </type>
382         <mustSupport value="true" />
383     </element>
384     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension">
385         <path value="Observation.value[x].coding.display.extension.extension"
/>
386         <slicing>
387             <discriminator>
388                 <type value="value" />
389                 <path value="url" />
390             </discriminator>
391             <rules value="open" />
392         </slicing>
393     </element>
394     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content">
395         <path value="Observation.value[x].coding.display.extension.extension"
/>
396         <sliceName value="content" />
397     </element>
398     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]">
399         <path value="Observation.value[x].coding.display.extension.extension.
value[x]" />
400         <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
401         <mustSupport value="true" />
402     </element>
403     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]:valueString">
404         <path value="Observation.value[x].coding.display.extension.extension.
valueString" />
405         <sliceName value="valueString" />
406         <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CM_Hearscreening_Result_German|1.0.1" />
407         <min value="1" />
408         <mustSupport value="true" />
409     </element>
410     <element id="Observation.value[x]:valueCodeableConcept.userSelecte
d">

```

```

411     <path value="Observation.value[x].coding.userSelected" />
412     <max value="0" />
413 </element>
414 <element id="Observation.value[x]:valueCodeableConcept.text">
415     <path value="Observation.value[x].text" />
416     <max value="0" />
417 </element>
418 <element id="Observation.dataAbsentReason">
419     <path value="Observation.dataAbsentReason" />
420     <mustSupport value="true" />
421 </element>
422 <element id="Observation.dataAbsentReason.coding">
423     <path value="Observation.dataAbsentReason.coding" />
424     <min value="1" />
425     <max value="1" />
426     <mustSupport value="true" />
427 </element>
428 <element id="Observation.dataAbsentReason.coding.system">
429     <path value="Observation.dataAbsentReason.coding.system" />
430     <min value="1" />
431     <fixedUri value="http://snomed.info/sct" />
432 </element>
433 <element id="Observation.dataAbsentReason.coding.version">
434     <path value="Observation.dataAbsentReason.coding.version" />
435     <min value="1" />
436     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
437 </element>
438 <element id="Observation.dataAbsentReason.coding.code">
439     <path value="Observation.dataAbsentReason.coding.code" />
440     <min value="1" />
441     <fixedCode value="183948000:363589002=417491009" />
442 </element>
443 <element id="Observation.dataAbsentReason.coding.display">
444     <path value="Observation.dataAbsentReason.coding.display" />
445     <min value="1" />
446 </element>
447 <element id="Observation.dataAbsentReason.coding.display.extension">
448     <path value="Observation.dataAbsentReason.coding.display.extension" /
>
449     <slicing>
450         <discriminator>
451             <type value="value" />
452             <path value="url" />
453         </discriminator>
454         <rules value="open" />
455     </slicing>
456 </element>
457 <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed">
458     <path value="Observation.dataAbsentReason.coding.display.extension" /
>
459     <sliceName value="anzeigennameDataAbsentReasonSnomed" />
460     <short value="anzeigennameDataAbsentReasonSnomed" />
461     <definition value="Annotation des Snomed CT Codes mit einem deutschen
Bezeichner." />
462     <min value="1" />
463     <max value="1" />
464     <type>
465         <code value="Extension" />

```

```

466     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
467   </type>
468   <mustSupport value="true" />
469 </element>
470   <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension">
471     <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension" />
472     <slicing>
473       <discriminator>
474         <type value="value" />
475         <path value="url" />
476       </discriminator>
477       <rules value="open" />
478     </slicing>
479   </element>
480   <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content">
481     <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension" />
482     <sliceName value="content" />
483   </element>
484   <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content.value[x]">
485     <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension.value[x]" />
486     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
487     <mustSupport value="true" />
488   </element>
489   <element id="Observation.dataAbsentReason.coding.display.extension:anze
igennameDataAbsentReasonSnomed.extension:content.value[x]:valueString">
490     <path value="Observation.dataAbsentReason.coding.display.extension.ex
tension.value[x]" />
491     <sliceName value="valueString" />
492     <min value="1" />
493     <fixedString value="Eltern wünschen keine Untersuchung" />
494     <mustSupport value="true" />
495   </element>
496   <element id="Observation.dataAbsentReason.coding.userSelected">
497     <path value="Observation.dataAbsentReason.coding.userSelected" />
498     <max value="0" />
499   </element>
500   <element id="Observation.dataAbsentReason.text">
501     <path value="Observation.dataAbsentReason.text" />
502     <max value="0" />
503   </element>
504   <element id="Observation.interpretation">
505     <path value="Observation.interpretation" />
506     <max value="0" />
507   </element>
508   <element id="Observation.interpretation.coding">
509     <path value="Observation.interpretation.coding" />
510     <min value="1" />
511     <max value="1" />
512   </element>
513   <element id="Observation.interpretation.coding.system">
514     <path value="Observation.interpretation.coding.system" />
515     <min value="1" />

```

```

516 </element>
517 <element id="Observation.interpretation.coding.code">
518   <path value="Observation.interpretation.coding.code" />
519   <min value="1" />
520 </element>
521 <element id="Observation.interpretation.coding.display">
522   <path value="Observation.interpretation.coding.display" />
523   <min value="1" />
524 </element>
525 <element id="Observation.interpretation.text">
526   <path value="Observation.interpretation.text" />
527   <max value="0" />
528 </element>
529 <element id="Observation.note">
530   <path value="Observation.note" />
531   <max value="0" />
532 </element>
533 <element id="Observation.bodySite">
534   <path value="Observation.bodySite" />
535   <max value="0" />
536 </element>
537 <element id="Observation.method">
538   <path value="Observation.method" />
539   <max value="0" />
540 </element>
541 <element id="Observation.specimen">
542   <path value="Observation.specimen" />
543   <max value="0" />
544 </element>
545 <element id="Observation.device">
546   <path value="Observation.device" />
547   <max value="0" />
548 </element>
549 <element id="Observation.referenceRange">
550   <path value="Observation.referenceRange" />
551   <max value="0" />
552 </element>
553 <element id="Observation.hasMember">
554   <path value="Observation.hasMember" />
555   <max value="0" />
556 </element>
557 <element id="Observation.derivedFrom">
558   <path value="Observation.derivedFrom" />
559   <max value="0" />
560 </element>
561 <element id="Observation.component">
562   <path value="Observation.component" />
563   <max value="0" />
564 </element>
565 </differential>
566 </StructureDefinition>

```

## 305. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_CURRENT\_CHILD\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_Current\_Child\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Current_Child_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_Current_Child_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_Current_Child_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```



```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U2_Current_Child_History" />
118        </binding>
119    </element>
120    <element id="Observation.code.coding">
121        <path value="Observation.code.coding" />
122        <min value="1" />
123        <max value="1" />
124        <mustSupport value="true" />
125    </element>
126    <element id="Observation.code.coding.system">
127        <path value="Observation.code.coding.system" />
128        <min value="1" />
129    </element>
130    <element id="Observation.code.coding.version">
131        <path value="Observation.code.coding.version" />
132        <min value="1" />
133    </element>
134    <element id="Observation.code.coding.code">
135        <path value="Observation.code.coding.code" />
136        <min value="1" />
137    </element>
138    <element id="Observation.code.coding.display">
139        <path value="Observation.code.coding.display" />
140        <min value="1" />
141    </element>
142    <element id="Observation.code.coding.display.extension">
143        <path value="Observation.code.coding.display.extension" />
144        <slicing>
145            <discriminator>

```

```

146     <type value="value" />
147     <path value="url" />
148     </discriminator>
149     <rules value="open" />
150   </slicing>
151 </element>
152 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
153   <path value="Observation.code.coding.display.extension" />
154   <sliceName value="anzeigenameCodeSnomed" />
155   <min value="1" />
156   <max value="1" />
157   <type>
158     <code value="Extension" />
159     <profile value="https://fhir.kbv.de/StructureDefinition/
160 KBV_EX_Base_Terminology_German" />
161   </type>
162   <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179   <path value="Observation.code.coding.display.extension.extension.valu
180 e[x]" />
181   <slicing><discriminator><type value="type" /><path value="$this" /></
182 discriminator><rules value="closed" /></slicing>
183   <mustSupport value="true" />
184 </element>
185 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
186   <path value="Observation.code.coding.display.extension.extension.valu
187 eString" />
188   <sliceName value="valueString" />
189   <definition value="In diesem Attribut sollen die entsprechende
190 deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
191 &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
192 Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CM_U2_Current_Child_History_German|1.0.1" />

```

```

193 <element id="Observation.code.text">
194   <path value="Observation.code.text" />
195   <max value="0" />
196 </element>
197 <element id="Observation.subject">
198   <path value="Observation.subject" />
199   <min value="1" />
200   <type>
201     <code value="Reference" />
202     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
203   </type>
204   <mustSupport value="true" />
205 </element>
206 <element id="Observation.subject.reference">
207   <path value="Observation.subject.reference" />
208   <min value="1" />
209   <mustSupport value="true" />
210 </element>
211 <element id="Observation.subject.type">
212   <path value="Observation.subject.type" />
213   <max value="0" />
214 </element>
215 <element id="Observation.subject.identifier">
216   <path value="Observation.subject.identifier" />
217   <max value="0" />
218 </element>
219 <element id="Observation.subject.display">
220   <path value="Observation.subject.display" />
221   <max value="0" />
222 </element>
223 <element id="Observation.focus">
224   <path value="Observation.focus" />
225   <max value="0" />
226 </element>
227 <element id="Observation.encounter">
228   <path value="Observation.encounter" />
229   <min value="1" />
230   <type>
231     <code value="Reference" />
232     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233   </type>
234   <mustSupport value="true" />
235 </element>
236 <element id="Observation.encounter.reference">
237   <path value="Observation.encounter.reference" />
238   <min value="1" />
239   <mustSupport value="true" />
240 </element>
241 <element id="Observation.encounter.type">
242   <path value="Observation.encounter.type" />
243   <max value="0" />
244 </element>
245 <element id="Observation.encounter.identifier">
246   <path value="Observation.encounter.identifier" />
247   <max value="0" />
248 </element>
249 <element id="Observation.encounter.display">
250   <path value="Observation.encounter.display" />

```

```

251     <max value="0" />
252 </element>
253 <element id="Observation.effective[x]">
254   <path value="Observation.effective[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <type>
264     <code value="dateTime" />
265   </type>
266   <mustSupport value="true" />
267 </element>
268 <element id="Observation.effective[x]:effectiveDateTime">
269   <path value="Observation.effectiveDateTime" />
270   <sliceName value="effectiveDateTime" />
271   <min value="1" />
272   <type>
273     <code value="dateTime" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Observation.issued">
278   <path value="Observation.issued" />
279   <max value="0" />
280 </element>
281 <element id="Observation.performer">
282   <path value="Observation.performer" />
283   <max value="1" />
284   <type>
285     <code value="Reference" />
286     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
287   </type>
288   <mustSupport value="true" />
289 </element>
290 <element id="Observation.performer.reference">
291   <path value="Observation.performer.reference" />
292   <min value="1" />
293   <mustSupport value="true" />
294 </element>
295 <element id="Observation.performer.type">
296   <path value="Observation.performer.type" />
297   <max value="0" />
298 </element>
299 <element id="Observation.performer.identifier">
300   <path value="Observation.performer.identifier" />
301   <max value="0" />
302 </element>
303 <element id="Observation.performer.display">
304   <path value="Observation.performer.display" />
305   <max value="0" />
306 </element>
307 <element id="Observation.value[x]">
308   <path value="Observation.value[x]" />
309   <slicing>

```

```

310     <discriminator>
311       <type value="type" />
312       <path value="$this" />
313     </discriminator>
314     <rules value="closed" />
315   </slicing>
316   <min value="1" />
317   <type>
318     <code value="boolean" />
319   </type>
320   <mustSupport value="true" />
321 </element>
322 <element id="Observation.value[x]:valueBoolean">
323   <path value="Observation.value[x]" />
324   <sliceName value="valueBoolean" />
325   <min value="1" />
326   <type>
327     <code value="boolean" />
328   </type>
329   <fixedBoolean value="true" />
330   <mustSupport value="true" />
331 </element>
332 <element id="Observation.dataAbsentReason">
333   <path value="Observation.dataAbsentReason" />
334   <max value="0" />
335 </element>
336 <element id="Observation.interpretation">
337   <path value="Observation.interpretation" />
338   <max value="0" />
339 </element>
340 <element id="Observation.note">
341   <path value="Observation.note" />
342   <max value="0" />
343 </element>
344 <element id="Observation.bodySite">
345   <path value="Observation.bodySite" />
346   <max value="0" />
347 </element>
348 <element id="Observation.method">
349   <path value="Observation.method" />
350   <max value="0" />
351 </element>
352 <element id="Observation.specimen">
353   <path value="Observation.specimen" />
354   <max value="0" />
355 </element>
356 <element id="Observation.device">
357   <path value="Observation.device" />
358   <max value="0" />
359 </element>
360 <element id="Observation.referenceRange">
361   <path value="Observation.referenceRange" />
362   <max value="0" />
363 </element>
364 <element id="Observation.hasMember">
365   <path value="Observation.hasMember" />
366   <max value="0" />
367 </element>
368 <element id="Observation.derivedFrom">
369   <path value="Observation.derivedFrom" />

```

```
370     <max value="0" />
371   </element>
372   <element id="Observation.component">
373     <path value="Observation.component" />
374     <max value="0" />
375   </element>
376 </differential>
377 </StructureDefinition>
```

## 306. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_FAMILY\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_Family\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Family_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_Family_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Familienanamnese ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Family_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```



```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U2_Family_History" />
118   </binding>
119 </element>
120 <element id="Observation.code.coding">
121   <path value="Observation.code.coding" />
122   <min value="1" />
123   <max value="1" />
124   <mustSupport value="true" />
125 </element>
126 <element id="Observation.code.coding.system">
127   <path value="Observation.code.coding.system" />
128   <min value="1" />
129 </element>
130 <element id="Observation.code.coding.version">
131   <path value="Observation.code.coding.version" />
132   <min value="1" />
133 </element>
134 <element id="Observation.code.coding.code">
135   <path value="Observation.code.coding.code" />
136   <min value="1" />
137 </element>
138 <element id="Observation.code.coding.display">
139   <path value="Observation.code.coding.display" />
140   <min value="1" />
141 </element>
142 <element id="Observation.code.coding.display.extension">
143   <path value="Observation.code.coding.display.extension" />
144   <slicing>
145     <discriminator>
146       <type value="value" />

```

```

147     <path value="url" />
148   </discriminator>
149   <rules value="open" />
150 </slicing>
151 </element>
152 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
153   <path value="Observation.code.coding.display.extension" />
154   <sliceName value="anzeigenameCodeSnomed" />
155   <min value="1" />
156   <max value="1" />
157   <type>
158     <code value="Extension" />
159     <profile value="https://fhir.kbv.de/StructureDefinition/
160 KBV_EX_Base_Terminology_German" />
161   </type>
162   <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179   <path value="Observation.code.coding.display.extension.extension.valu
180 e[x]" />
181   <slicing><discriminator><type value="type" /><path value="$this" /></
182 discriminator><rules value="closed" /></slicing>
183   <mustSupport value="true" />
184 </element>
185 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
186   <path value="Observation.code.coding.display.extension.extension.valu
187 e[x]" />
188   <sliceName value="valueString" />
189   <definition value="In diesem Attribut sollen die entsprechende
190 deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
191 &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
192 Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
193 KBV_CM_MIO_CM_U2_Family_History_German|1.0.1" />
194   <min value="1" />
195   <mustSupport value="true" />
196 </element>
197 <element id="Observation.code.coding.userSelected">
198   <path value="Observation.code.coding.userSelected" />
199   <max value="0" />
200 </element>
201 <element id="Observation.code.text">

```

```

194     <path value="Observation.code.text" />
195     <max value="0" />
196 </element>
197 <element id="Observation.subject">
198     <path value="Observation.subject" />
199     <min value="1" />
200     <type>
201         <code value="Reference" />
202         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
203     </type>
204     <mustSupport value="true" />
205 </element>
206 <element id="Observation.subject.reference">
207     <path value="Observation.subject.reference" />
208     <min value="1" />
209     <mustSupport value="true" />
210 </element>
211 <element id="Observation.subject.type">
212     <path value="Observation.subject.type" />
213     <max value="0" />
214 </element>
215 <element id="Observation.subject.identifier">
216     <path value="Observation.subject.identifier" />
217     <max value="0" />
218 </element>
219 <element id="Observation.subject.display">
220     <path value="Observation.subject.display" />
221     <max value="0" />
222 </element>
223 <element id="Observation.focus">
224     <path value="Observation.focus" />
225     <max value="0" />
226 </element>
227 <element id="Observation.encounter">
228     <path value="Observation.encounter" />
229     <min value="1" />
230     <type>
231         <code value="Reference" />
232         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233     </type>
234     <mustSupport value="true" />
235 </element>
236 <element id="Observation.encounter.reference">
237     <path value="Observation.encounter.reference" />
238     <min value="1" />
239     <mustSupport value="true" />
240 </element>
241 <element id="Observation.encounter.type">
242     <path value="Observation.encounter.type" />
243     <max value="0" />
244 </element>
245 <element id="Observation.encounter.identifier">
246     <path value="Observation.encounter.identifier" />
247     <max value="0" />
248 </element>
249 <element id="Observation.encounter.display">
250     <path value="Observation.encounter.display" />
251     <max value="0" />

```

```

252 </element>
253 <element id="Observation.effective[x]">
254   <path value="Observation.effective[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <type>
264     <code value="dateTime" />
265   </type>
266   <mustSupport value="true" />
267 </element>
268 <element id="Observation.effective[x]:effectiveDateTime">
269   <path value="Observation.effective[x]" />
270   <sliceName value="effectiveDateTime" />
271   <min value="1" />
272   <type>
273     <code value="dateTime" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Observation.issued">
278   <path value="Observation.issued" />
279   <max value="0" />
280 </element>
281 <element id="Observation.performer">
282   <path value="Observation.performer" />
283   <max value="1" />
284   <type>
285     <code value="Reference" />
286     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
287   </type>
288   <mustSupport value="true" />
289 </element>
290 <element id="Observation.performer.reference">
291   <path value="Observation.performer.reference" />
292   <min value="1" />
293   <mustSupport value="true" />
294 </element>
295 <element id="Observation.performer.type">
296   <path value="Observation.performer.type" />
297   <max value="0" />
298 </element>
299 <element id="Observation.performer.identifier">
300   <path value="Observation.performer.identifier" />
301   <max value="0" />
302 </element>
303 <element id="Observation.performer.display">
304   <path value="Observation.performer.display" />
305   <max value="0" />
306 </element>
307 <element id="Observation.value[x]">
308   <path value="Observation.value[x]" />
309   <slicing>
310     <discriminator>

```

```

311     <type value="type" />
312     <path value="$this" />
313   </discriminator>
314   <rules value="closed" />
315 </slicing>
316 <min value="1" />
317 <type>
318   <code value="boolean" />
319 </type>
320 <mustSupport value="true" />
321 </element>
322 <element id="Observation.value[x]:valueBoolean">
323   <path value="Observation.value[x]" />
324   <sliceName value="valueBoolean" />
325   <min value="1" />
326   <type>
327     <code value="boolean" />
328   </type>
329   <fixedBoolean value="true" />
330   <mustSupport value="true" />
331 </element>
332 <element id="Observation.dataAbsentReason">
333   <path value="Observation.dataAbsentReason" />
334   <max value="0" />
335 </element>
336 <element id="Observation.interpretation">
337   <path value="Observation.interpretation" />
338   <max value="0" />
339 </element>
340 <element id="Observation.note">
341   <path value="Observation.note" />
342   <max value="0" />
343 </element>
344 <element id="Observation.bodySite">
345   <path value="Observation.bodySite" />
346   <max value="0" />
347 </element>
348 <element id="Observation.method">
349   <path value="Observation.method" />
350   <max value="0" />
351 </element>
352 <element id="Observation.specimen">
353   <path value="Observation.specimen" />
354   <max value="0" />
355 </element>
356 <element id="Observation.device">
357   <path value="Observation.device" />
358   <max value="0" />
359 </element>
360 <element id="Observation.referenceRange">
361   <path value="Observation.referenceRange" />
362   <max value="0" />
363 </element>
364 <element id="Observation.hasMember">
365   <path value="Observation.hasMember" />
366   <max value="0" />
367 </element>
368 <element id="Observation.derivedFrom">
369   <path value="Observation.derivedFrom" />
370   <max value="0" />

```

```
371     </element>
372     <element id="Observation.component">
373         <path value="Observation.component" />
374         <max value="0" />
375     </element>
376 </differential>
377 </StructureDefinition>
```

## 307. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Head" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die Untersuchung des Kopfes ab." /
50 >
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMRObservation_U2_Physical_Exam_Head|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />
89     <max value="0" />

```



```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Observation Codes Head" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U2_Physical_Exam_Head" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <path value="Observation.code.coding.display.extension.extension.valu
182     <path value="$this" /></
183     <discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187     <path value="Observation.code.coding.display.extension.extension:valu
188     <path value="Observation.code.coding.display.extension.extension.valu
189     <path value="valueString" />
190     <definition value="In diesem Attribut sollen die entsprechende
191     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
192     Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
193     KBV_CM_MIO_CM_U2_Physical_Exam_Head_German|1.0.1" />
194     <min value="1" />
195     <mustSupport value="true" />
196 </element>
197 <element id="Observation.code.coding.userSelected">
198     <path value="Observation.code.coding.userSelected" />
199     <max value="0" />

```

```

193     </element>
194     <element id="Observation.code.text">
195       <path value="Observation.code.text" />
196       <max value="0" />
197     </element>
198     <element id="Observation.subject">
199       <path value="Observation.subject" />
200       <min value="1" />
201       <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204       </type>
205       <mustSupport value="true" />
206     </element>
207     <element id="Observation.subject.reference">
208       <path value="Observation.subject.reference" />
209       <min value="1" />
210       <mustSupport value="true" />
211     </element>
212     <element id="Observation.subject.type">
213       <path value="Observation.subject.type" />
214       <max value="0" />
215     </element>
216     <element id="Observation.subject.identifier">
217       <path value="Observation.subject.identifier" />
218       <max value="0" />
219     </element>
220     <element id="Observation.subject.display">
221       <path value="Observation.subject.display" />
222       <max value="0" />
223     </element>
224     <element id="Observation.focus">
225       <path value="Observation.focus" />
226       <max value="0" />
227     </element>
228     <element id="Observation.encounter">
229       <path value="Observation.encounter" />
230       <min value="1" />
231       <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234       </type>
235       <mustSupport value="true" />
236     </element>
237     <element id="Observation.encounter.reference">
238       <path value="Observation.encounter.reference" />
239       <min value="1" />
240       <mustSupport value="true" />
241     </element>
242     <element id="Observation.encounter.type">
243       <path value="Observation.encounter.type" />
244       <max value="0" />
245     </element>
246     <element id="Observation.encounter.identifier">
247       <path value="Observation.encounter.identifier" />
248       <max value="0" />
249     </element>
250     <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 308. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Mouth_Nose" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Mundhöhle, Kiefer, Nase ab." /
>
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_Physical_Exam_Mouth_Nose|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```



```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Mouth and Nose" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U2_Physical_Exam_Mouth_Nose" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <path value="Observation.code.coding.display.extension.extension.valu
182     <path value="Observation.code.coding.display.extension.extension.valu
183     <path value="Observation.code.coding.display.extension.extension.valu
184     <path value="Observation.code.coding.display.extension.extension.valu
185     <path value="Observation.code.coding.display.extension.extension.valu
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <path value="Observation.code.coding.display.extension.extension.valu
188     <path value="Observation.code.coding.display.extension.extension.valu
189     <path value="Observation.code.coding.display.extension.extension.valu
190     <path value="Observation.code.coding.display.extension.extension.valu
191     <path value="Observation.code.coding.display.extension.extension.valu
192     <path value="Observation.code.coding.display.extension.extension.valu

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 309. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U2\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Observation\_U2\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U2_Physical_Exam_Musculoskeletal_System" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U2_Physical_Exam_Musculoskeletal_
System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des
Bewegungsapparates ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```



```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Musculoskeletal System" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U2_Physical_Exam_Musculoskeletal_System" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">

```

```

144     <path value="Observation.code.coding.display.extension" />
145     <slicing>
146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154 nomed">
155     <path value="Observation.code.coding.display.extension" />
156     <sliceName value="anzeigenameCodeSnomed" />
157     <min value="1" />
158     <max value="1" />
159     <type>
160         <code value="Extension" />
161         <profile value="https://fhir.kbv.de/StructureDefinition/
162 KBV_EX_Base_Terminology_German" />
163     </type>
164     <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167 nomed.extension">
168     <path value="Observation.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178 nomed.extension:content">
179     <path value="Observation.code.coding.display.extension.extension" />
180     <sliceName value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183 nomed.extension:content.value[x]">
184     <path value="Observation.code.coding.display.extension.extension.valu
185 e[x]" />
186     <slicing><discriminator><type value="type" /><path value="$this" /></
187 discriminator><rules value="closed" /></slicing>
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
191 nomed.extension:content.value[x]:valueString">
192     <path value="Observation.code.coding.display.extension.extension.valu
193 e[x]" />
194     <sliceName value="valueString" />
195     <definition value="In diesem Attribut sollen die entsprechende
196 deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
197 &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
198 Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
199 KBV_CM_MIO_CM_U2_Physical_Exam_Musculoskeletal_System_German|1.0.1" />
200     <min value="1" />
201     <mustSupport value="true" />
202 </element>
203 </element id="Observation.code.coding.userSelected">

```

```

191     <path value="Observation.code.coding.userSelected" />
192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />

```

```

249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>

```

```

308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />

```

```
368     </element>
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 310. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U2\_PHYSICAL\_EXAM\_SKIN

## KBV\_PR\_MIO\_CMV\_Observation\_U2\_Physical\_Exam\_Skin

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U2_Physical_Exam_Skin" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U2_Physical_Exam_Skin" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung der Haut ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Physical_Exam_Skin|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```



```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Skin Observations" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U2_Physical_Exam_Skin" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
194   KBV_CM_MIO_CM_U2_Physical_Exam_Skin_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />
201 </element>

```

```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```

```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />

```

```
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

### 311. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_SOCIAL\_HISTORY

#### KBV\_PR\_MIO\_CMR\_Observation\_U2\_Social\_History

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Social_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_Social_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Sozialanamnese ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_Social_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```



```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="281575007" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />
146       <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <short value="anzeigenameCodeSnomed" />
155   <definition value="Annotation des Snomed CT Codes mit einem deutschen
156   Bezeichner." />
157   <min value="1" />
158   <max value="1" />
159   <type>
160     <code value="Extension" />
161     <profile value="https://fhir.kbv.de/StructureDefinition/
162     KBV_EX_Base_Terminology_German" />
163   </type>
164   <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   nomed.extension">
168   <path value="Observation.code.coding.display.extension.extension" />
169   <slicing>
170     <discriminator>
171       <type value="value" />
172       <path value="url" />
173     </discriminator>
174     <rules value="open" />
175   </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   nomed.extension:content">
179   <path value="Observation.code.coding.display.extension.extension" />
180   <sliceName value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183   nomed.extension:content.value[x]">
184   <path value="Observation.code.coding.display.extension.extension.valu
185   e[x]" />
186   <slicing><discriminator><type value="type" /><path value="$this" /></
187   discriminator><rules value="closed" /></slicing>
188   <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
191   nomed.extension:content.value[x]:valueString">
192   <path value="Observation.code.coding.display.extension.extension.valu
193   e[x]" />
194   <sliceName value="valueString" />
195   <min value="1" />
196   <fixedString value="(unter Berücksichtigung der Schwangerschafts und
197   Geburtsanamnese):" />
198   <mustSupport value="true" />
199 </element>
200 <element id="Observation.code.coding.userSelected">
201   <path value="Observation.code.coding.userSelected" />
202   <max value="0" />
203 </element>
204 <element id="Observation.code.text">
205   <path value="Observation.code.text" />

```

```

196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>

```

```

254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <licing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </licing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <licing>
311     <discriminator>
312       <type value="type" />

```

```

313     <path value="$this" />
314   </discriminator>
315   <rules value="closed" />
316 </slicing>
317 <min value="1" />
318 <type>
319   <code value="boolean" />
320 </type>
321 <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />
371   <max value="0" />
372 </element>

```

```
373     <element id="Observation.component">
374         <path value="Observation.component" />
375         <max value="0" />
376     </element>
377 </differential>
378 </StructureDefinition>
```

### 312. KBV\_PR\_MIO\_CMROBSERVATION\_U2\_U3\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

#### KBV\_PR\_MIO\_CMRObservation\_U2\_U3\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U3_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMRObservation_U2_U3_Physical_Exam_Abdomen_Genit
als" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des Abdomens und
der Genitale ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U3_Physical_Exam_Abdomen_Genitals|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```



```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Abdomen and Genitals Observations" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146       < discriminator >
147         < type value="value" />
148         < path value="url" />
149       < / discriminator >
150       < rules value="open" />
151     < / slicing >
152   < / element >
153   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159       < code value="Extension" />
160       < profile value="https://fhir.kbv.de/StructureDefinition/
161     < / type >
162     < mustSupport value="true" />
163   < / element >
164   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
165     < path value="Observation.code.coding.display.extension.extension" />
166     < slicing >
167       < discriminator >
168         < type value="value" />
169         < path value="url" />
170       < / discriminator >
171       < rules value="open" />
172     < / slicing >
173   < / element >
174   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
175     < path value="Observation.code.coding.display.extension.extension" />
176     < sliceName value="content" />
177   < / element >
178   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
179     < path value="Observation.code.coding.display.extension.extension.valu
180     < slicing>< discriminator>< type value="type" />< path value="$this" />< /
181     < discriminator>< rules value="closed" />< / slicing >
182     < mustSupport value="true" />
183   < / element >
184   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
185     < path value="Observation.code.coding.display.extension.extension.valu
186     < sliceName value="valueString" />
187     < definition value="In diesem Attribut sollen die entsprechende
188     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
189     Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
190     KBV_CM_MIO_CMU_U2_U3_Physical_Exam_Abdomen_Genitals_German|1.0.1" />
191     < min value="1" />
192     < mustSupport value="true" />
193   < / element >
194   < element id="Observation.code.coding.userSelected">
195     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

### 313. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_U3\_PHYSICAL\_EXAM\_EARS

#### KBV\_PR\_MIO\_CMR\_Observation\_U2\_U3\_Physical\_Exam\_Ears

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U3_Physical_Exam_Ears" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_U3_Physical_Exam_Ears" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung der Ohren ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U3_Physical_Exam_Ears|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```



```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Ear Observation Codes" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Ears" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
194   KBV_CM_MIO_CM_U2_U3_Physical_Exam_Ears_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />
201 </element>

```

```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```

```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />

```

```
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 314. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_U3\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_U3\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U3_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_U3_Physical_Exam_Eyes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung der Augen ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U3_Physical_Exam_Eyes|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```



```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Physical Exam Eyes" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Eyes" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
194   KBV_CM_MIO_CM_U2_U3_Physical_Exam_Eyes_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />
201 </element>

```

```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```

```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />

```

```
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 315. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_U4\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_U4\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract
" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_U4_Physical_Exam_Chest_Lung_Re
spiratory_Tract" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />

```

```

28     <name value="RIM Mapping" />
29 </mapping>
30 <mapping>
31     <identity value="w5" />
32     <uri value="http://hl7.org/fhir/fivews" />
33     <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36     <identity value="sct-attr" />
37     <uri value="http://snomed.org/attributebinding" />
38     <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46     <element id="Observation">
47         <path value="Observation" />
48         <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der körperlichen Untersuchung von Thorax, Lunge und Atemwege
im Rahmen der U2 bis U4." />
49     </element>
50     <element id="Observation.meta">
51         <path value="Observation.meta" />
52         <min value="1" />
53     </element>
54     <element id="Observation.meta.versionId">
55         <path value="Observation.meta.versionId" />
56         <max value="0" />
57     </element>
58     <element id="Observation.meta.lastUpdated">
59         <path value="Observation.meta.lastUpdated" />
60         <max value="0" />
61     </element>
62     <element id="Observation.meta.source">
63         <path value="Observation.meta.source" />
64         <max value="0" />
65     </element>
66     <element id="Observation.meta.profile">
67         <path value="Observation.meta.profile" />
68         <min value="1" />
69         <max value="1" />
70         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract
|1.0.1" />
71     </element>
72     <element id="Observation.meta.security">
73         <path value="Observation.meta.security" />
74         <max value="0" />
75     </element>
76     <element id="Observation.meta.tag">
77         <path value="Observation.meta.tag" />
78         <max value="0" />
79     </element>
80     <element id="Observation.implicitRules">
81         <path value="Observation.implicitRules" />
82         <max value="0" />

```



```

83 </element>
84 <element id="Observation.language">
85   <path value="Observation.language" />
86   <max value="0" />
87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Chest, Lung and Respiratory Tract" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />

```

```

142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   eString" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
194   KBV_CM_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract_German|
195   1.0.1" />
196   <min value="1" />

```

```

188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>

```

```

246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">

```

```

305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>

```

```
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />
371   <max value="0" />
372 </element>
373 <element id="Observation.component">
374   <path value="Observation.component" />
375   <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 316. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_U6\_BODY\_WEIGHT

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_U6\_Body\_Weight

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U6_Body_Weight" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_U6_Body_Weight" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Weight|1.1.3" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet das Körpergewicht des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U6_Body_Weight|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```



```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="closed" />
124   </slicing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeSnomed">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeSnomed" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeSnomed.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Observation.code.coding:codeSnomed.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="http://snomed.info/sct/900000000000207008/
145   version/20210131" />
</element>

```

```

146 <element id="Observation.code.coding:codeSnomed.code">
147   <path value="Observation.code.coding.code" />
148   <min value="1" />
149   <fixedCode value="27113001" />
150 </element>
151 <element id="Observation.code.coding:codeSnomed.display">
152   <path value="Observation.code.coding.display" />
153   <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension">
156   <path value="Observation.code.coding.display.extension" />
157   <slicing>
158     <discriminator>
159       <type value="value" />
160       <path value="url" />
161     </discriminator>
162     <rules value="open" />
163   </slicing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
166   <path value="Observation.code.coding.display.extension" />
167   <sliceName value="anzeigenameCodeSnomed" />
168   <min value="1" />
169   <max value="1" />
170   <type>
171     <code value="Extension" />
172     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173   </type>
174   <mustSupport value="true" />
175 </element>
176 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
177   <path value="Observation.code.coding.display.extension.extension" />
178   <slicing>
179     <discriminator>
180       <type value="value" />
181       <path value="url" />
182     </discriminator>
183     <rules value="open" />
184   </slicing>
185 </element>
186 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
187   <path value="Observation.code.coding.display.extension.extension" />
188   <sliceName value="content" />
189 </element>
190 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
191   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
192   <slicing>
193     <discriminator><type value="type" /><path value="$this" /
></discriminator>
194     <rules value="closed" />
195   </slicing>
196   <mustSupport value="true" />
197 </element>

```

```

198     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
199     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
200     <sliceName value="valueString" />
201     <min value="1" />
202     <fixedString value="Körpergewicht in g" />
203     <mustSupport value="true" />
204 </element>
205 <element id="Observation.code.coding:codeSnomed.userSelected">
206     <path value="Observation.code.coding.userSelected" />
207     <max value="0" />
208 </element>
209 <element id="Observation.code.coding:codeLoinc">
210     <path value="Observation.code.coding" />
211     <sliceName value="codeLoinc" />
212     <min value="1" />
213     <max value="1" />
214     <mustSupport value="true" />
215 </element>
216 <element id="Observation.code.coding:codeLoinc.system">
217     <path value="Observation.code.coding.system" />
218     <min value="1" />
219     <fixedUri value="http://loinc.org" />
220 </element>
221 <element id="Observation.code.coding:codeLoinc.version">
222     <path value="Observation.code.coding.version" />
223     <min value="1" />
224     <fixedString value="2.69" />
225 </element>
226 <element id="Observation.code.coding:codeLoinc.code">
227     <path value="Observation.code.coding.code" />
228     <min value="1" />
229     <fixedCode value="29463-7" />
230 </element>
231 <element id="Observation.code.coding:codeLoinc.display">
232     <path value="Observation.code.coding.display" />
233     <min value="1" />
234 </element>
235 <element id="Observation.code.coding:codeLoinc.display.extension">
236     <path value="Observation.code.coding.display.extension" />
237     <licing>
238         <discriminator>
239             <type value="value" />
240             <path value="url" />
241         </discriminator>
242         <rules value="open" />
243     </licing>
244 </element>
245 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
246     <path value="Observation.code.coding.display.extension" />
247     <sliceName value="anzeigenameCodeLoinc" />
248     <min value="1" />
249     <max value="1" />
250     <type>
251         <code value="Extension" />
252         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
253     </type>

```

```

254     <mustSupport value="true" />
255 </element>
256 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
257   <path value="Observation.code.coding.display.extension.extension" />
258   <slicing>
259     <discriminator>
260       <type value="value" />
261       <path value="url" />
262     </discriminator>
263     <rules value="open" />
264   </slicing>
265 </element>
266 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
267   <path value="Observation.code.coding.display.extension.extension" />
268   <sliceName value="content" />
269 </element>
270 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">
271   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
272   <slicing>
273     <discriminator><type value="type" /><path value="$this" /
></discriminator>
274     <rules value="closed" />
275   </slicing>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
279   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
280   <sliceName value="valueString" />
281   <min value="1" />
282   <fixedString value="Körpergewicht in g" />
283   <mustSupport value="true" />
284 </element>
285 <element id="Observation.code.coding:codeLoinc.userSelected">
286   <path value="Observation.code.coding.userSelected" />
287   <max value="0" />
288 </element>
289 <element id="Observation.code.text">
290   <path value="Observation.code.text" />
291   <max value="0" />
292 </element>
293 <element id="Observation.subject">
294   <path value="Observation.subject" />
295   <min value="1" />
296   <type>
297     <code value="Reference" />
298     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
299   </type>
300   <mustSupport value="true" />
301 </element>
302 <element id="Observation.subject.reference">
303   <path value="Observation.subject.reference" />
304   <min value="1" />
305   <mustSupport value="true" />

```

```

306 </element>
307 <element id="Observation.subject.type">
308   <path value="Observation.subject.type" />
309   <max value="0" />
310 </element>
311 <element id="Observation.subject.identifier">
312   <path value="Observation.subject.identifier" />
313   <max value="0" />
314 </element>
315 <element id="Observation.subject.display">
316   <path value="Observation.subject.display" />
317   <max value="0" />
318 </element>
319 <element id="Observation.focus">
320   <path value="Observation.focus" />
321   <max value="0" />
322 </element>
323 <element id="Observation.encounter">
324   <path value="Observation.encounter" />
325   <min value="1" />
326   <type>
327     <code value="Reference" />
328     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
329   </type>
330   <mustSupport value="true" />
331 </element>
332 <element id="Observation.encounter.reference">
333   <path value="Observation.encounter.reference" />
334   <min value="1" />
335   <mustSupport value="true" />
336 </element>
337 <element id="Observation.encounter.type">
338   <path value="Observation.encounter.type" />
339   <max value="0" />
340 </element>
341 <element id="Observation.encounter.identifier">
342   <path value="Observation.encounter.identifier" />
343   <max value="0" />
344 </element>
345 <element id="Observation.encounter.display">
346   <path value="Observation.encounter.display" />
347   <max value="0" />
348 </element>
349 <element id="Observation.effective[x]">
350   <path value="Observation.effective[x]" />
351   <slicing>
352     <discriminator>
353       <type value="type" />
354       <path value="$this" />
355     </discriminator>
356     <rules value="closed" />
357   </slicing>
358   <min value="1" />
359   <type>
360     <code value="dateTime" />
361   </type>
362   <mustSupport value="true" />
363 </element>
364 <element id="Observation.effective[x]:effectiveDateTime">

```

```

365     <path value="Observation.effective[x]" />
366     <sliceName value="effectiveDateTime" />
367     <min value="1" />
368     <type>
369         <code value="dateTime" />
370     </type>
371     <mustSupport value="true" />
372 </element>
373 <element id="Observation.issued">
374     <path value="Observation.issued" />
375     <max value="0" />
376 </element>
377 <element id="Observation.performer">
378     <path value="Observation.performer" />
379     <max value="1" />
380     <type>
381         <code value="Reference" />
382         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
383     </type>
384     <mustSupport value="true" />
385 </element>
386 <element id="Observation.performer.reference">
387     <path value="Observation.performer.reference" />
388     <min value="1" />
389     <mustSupport value="true" />
390 </element>
391 <element id="Observation.performer.type">
392     <path value="Observation.performer.type" />
393     <max value="0" />
394 </element>
395 <element id="Observation.performer.identifier">
396     <path value="Observation.performer.identifier" />
397     <max value="0" />
398 </element>
399 <element id="Observation.performer.display">
400     <path value="Observation.performer.display" />
401     <max value="0" />
402 </element>
403 <element id="Observation.value[x]">
404     <path value="Observation.value[x]" />
405     <licing>
406         <discriminator>
407             <type value="type" />
408             <path value="$this" />
409         </discriminator>
410         <rules value="closed" />
411     </licing>
412     <min value="1" />
413     <type>
414         <code value="Quantity" />
415     </type>
416     <mustSupport value="true" />
417 </element>
418 <element id="Observation.value[x]:valueQuantity">
419     <path value="Observation.valueQuantity" />
420     <sliceName value="valueQuantity" />
421     <min value="1" />
422     <type>
423         <code value="Quantity" />

```

```

424     </type>
425 </element>
426 <element id="Observation.value[x]:valueQuantity.value">
427   <path value="Observation.valueQuantity.value" />
428   <min value="1" />
429 </element>
430 <element id="Observation.value[x]:valueQuantity.comparator">
431   <path value="Observation.valueQuantity.comparator" />
432   <max value="0" />
433 </element>
434 <element id="Observation.value[x]:valueQuantity.unit">
435   <path value="Observation.valueQuantity.unit" />
436   <min value="1" />
437   <fixedString value="g" />
438 </element>
439 <element id="Observation.value[x]:valueQuantity.system">
440   <path value="Observation.valueQuantity.system" />
441   <min value="1" />
442   <fixedUri value="http://unitsofmeasure.org" />
443 </element>
444 <element id="Observation.value[x]:valueQuantity.code">
445   <path value="Observation.valueQuantity.code" />
446   <min value="1" />
447   <fixedCode value="g" />
448 </element>
449 <element id="Observation.dataAbsentReason">
450   <path value="Observation.dataAbsentReason" />
451   <max value="0" />
452 </element>
453 <element id="Observation.interpretation">
454   <path value="Observation.interpretation" />
455   <max value="0" />
456 </element>
457 <element id="Observation.note">
458   <path value="Observation.note" />
459   <max value="0" />
460 </element>
461 <element id="Observation.bodySite">
462   <path value="Observation.bodySite" />
463   <max value="0" />
464 </element>
465 <element id="Observation.method">
466   <path value="Observation.method" />
467   <max value="0" />
468 </element>
469 <element id="Observation.specimen">
470   <path value="Observation.specimen" />
471   <max value="0" />
472 </element>
473 <element id="Observation.device">
474   <path value="Observation.device" />
475   <max value="0" />
476 </element>
477 <element id="Observation.referenceRange">
478   <path value="Observation.referenceRange" />
479   <max value="0" />
480 </element>
481 <element id="Observation.hasMember">
482   <path value="Observation.hasMember" />
483   <max value="0" />

```

```
484     </element>
485     <element id="Observation.derivedFrom">
486       <path value="Observation.derivedFrom" />
487       <max value="0" />
488     </element>
489     <element id="Observation.component">
490       <path value="Observation.component" />
491       <max value="0" />
492     </element>
493   </differential>
494 </StructureDefinition>
```



## 317. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U2\_U6\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION

## KBV\_PR\_MIO\_CMV\_Observation\_U2\_U6\_Physical\_Exam\_Heart\_Blood\_Circulation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U2_U6_Physical_Exam_Heart_Blood_Circulation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U2_U6_Physical_Exam_Heart_Blood_C
irculation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des Herz-
Kreislaufsystems ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U6_Physical_Exam_Heart_Blood_Circulation|
1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Observations concerning Heart and Blood
Circulation" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U2_U6_Physical_Exam_Heart_Blood_Circulation" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>

```

```

143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
194   KBV_CM_MIO_CM_U2_U6_Physical_Exam_Heart_Blood_Circulation_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>

```

```

190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />

```

```

248     <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />

```

```

307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />

```

```
367     <max value="0" />
368   </element>
369   <element id="Observation.derivedFrom">
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```



## 318. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_U9\_BODY\_HEIGHT\_MEASURE

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_U9\_Body\_Height\_Measure

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Body_Height_Measure" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U2_U9_Body_Height_Measure" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Height|1.1.3" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Körpergröße ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Body_Height_Measure|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <licing>
119     <discriminator>
120       <type value="value" />
121       <path value="system" />
122     </discriminator>
123     <rules value="closed" />
124   </licing>
125   <min value="2" />
126   <max value="2" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeSnomed">
130   <path value="Observation.code.coding" />
131   <sliceName value="codeSnomed" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Observation.code.coding:codeSnomed.system">
137   <path value="Observation.code.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </element>
141 <element id="Observation.code.coding:codeSnomed.version">
142   <path value="Observation.code.coding.version" />
143   <min value="1" />
144   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
145 </element>
146 <element id="Observation.code.coding:codeSnomed.code">

```

```

147     <path value="Observation.code.coding.code" />
148     <min value="1" />
149     <fixedCode value="248334005" />
150 </element>
151 <element id="Observation.code.coding:codeSnomed.display">
152     <path value="Observation.code.coding.display" />
153     <min value="1" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension">
156     <path value="Observation.code.coding.display.extension" />
157     <slicing>
158         <discriminator>
159             <type value="value" />
160             <path value="url" />
161         </discriminator>
162         <rules value="open" />
163     </slicing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
166     <path value="Observation.code.coding.display.extension" />
167     <sliceName value="anzeigenameCodeSnomed" />
168     <min value="1" />
169     <max value="1" />
170     <type>
171         <code value="Extension" />
172         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
173     </type>
174     <mustSupport value="true" />
175 </element>
176 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
177     <path value="Observation.code.coding.display.extension.extension" />
178     <slicing>
179         <discriminator>
180             <type value="value" />
181             <path value="url" />
182         </discriminator>
183         <rules value="open" />
184     </slicing>
185 </element>
186 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
187     <path value="Observation.code.coding.display.extension.extension" />
188     <sliceName value="content" />
189 </element>
190 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
191     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
192     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
196     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
197     <sliceName value="valueString" />

```

```

198     <min value="1" />
199     <fixedString value="Körperlänge in cm" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Observation.code.coding:codeSnomed.userSelected">
203   <path value="Observation.code.coding.userSelected" />
204   <max value="0" />
205 </element>
206 <element id="Observation.code.coding:codeLoinc">
207   <path value="Observation.code.coding" />
208   <sliceName value="codeLoinc" />
209   <min value="1" />
210   <max value="1" />
211   <mustSupport value="true" />
212 </element>
213 <element id="Observation.code.coding:codeLoinc.system">
214   <path value="Observation.code.coding.system" />
215   <min value="1" />
216   <fixedUri value="http://loinc.org" />
217 </element>
218 <element id="Observation.code.coding:codeLoinc.version">
219   <path value="Observation.code.coding.version" />
220   <min value="1" />
221   <fixedString value="2.69" />
222 </element>
223 <element id="Observation.code.coding:codeLoinc.code">
224   <path value="Observation.code.coding.code" />
225   <min value="1" />
226   <fixedCode value="8302-2" />
227 </element>
228 <element id="Observation.code.coding:codeLoinc.display">
229   <path value="Observation.code.coding.display" />
230   <min value="1" />
231 </element>
232 <element id="Observation.code.coding:codeLoinc.display.extension">
233   <path value="Observation.code.coding.display.extension" />
234   <licing>
235     <discriminator>
236       <type value="value" />
237       <path value="url" />
238     </discriminator>
239     <rules value="open" />
240   </licing>
241 </element>
242 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
243   <path value="Observation.code.coding.display.extension" />
244   <sliceName value="anzeigenameCodeLoinc" />
245   <min value="1" />
246   <max value="1" />
247   <type>
248     <code value="Extension" />
249     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
250   </type>
251   <mustSupport value="true" />
252 </element>
253 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
254   <path value="Observation.code.coding.display.extension.extension" />

```

```

255     < slicing >
256         < discriminator >
257             < type value="value" />
258             < path value="url" />
259         < / discriminator >
260         < rules value="open" />
261     < / slicing >
262 < / element >
263 < element id="Observation.code.coding:codeLoinc.display.extension:anzeigenCodeLoinc.extension:content" >
264     < path value="Observation.code.coding.display.extension.extension" />
265     < sliceName value="content" />
266 < / element >
267 < element id="Observation.code.coding:codeLoinc.display.extension:anzeigenCodeLoinc.extension:content.value[x]" >
268     < path value="Observation.code.coding.display.extension.extension.value[x]" />
269     < slicing >< discriminator >< type value="type" />< path value="$this" />< / discriminator >< rules value="closed" />< / slicing >
270     < mustSupport value="true" />
271 < / element >
272 < element id="Observation.code.coding:codeLoinc.display.extension:anzeigenCodeLoinc.extension:content.value[x]:valueString" >
273     < path value="Observation.code.coding.display.extension.extension.value[x]" />
274     < sliceName value="valueString" />
275     < min value="1" />
276     < fixedString value="Körperlänge in cm" />
277     < mustSupport value="true" />
278 < / element >
279 < element id="Observation.code.coding:codeLoinc.userSelected" >
280     < path value="Observation.code.coding.userSelected" />
281     < max value="0" />
282 < / element >
283 < element id="Observation.code.text" >
284     < path value="Observation.code.text" />
285     < max value="0" />
286 < / element >
287 < element id="Observation.subject" >
288     < path value="Observation.subject" />
289     < min value="1" />
290     < type >
291         < code value="Reference" />
292         < targetProfile value="https://fhir.kbv.de/StructureDefinition/KBV_PR_MIO_CM_R_Patient|1.0.1" />
293     < / type >
294     < mustSupport value="true" />
295 < / element >
296 < element id="Observation.subject.reference" >
297     < path value="Observation.subject.reference" />
298     < min value="1" />
299     < mustSupport value="true" />
300 < / element >
301 < element id="Observation.subject.type" >
302     < path value="Observation.subject.type" />
303     < max value="0" />
304 < / element >
305 < element id="Observation.subject.identifler" >
306     < path value="Observation.subject.identifler" />
307     < max value="0" />

```

```

308 </element>
309 <element id="Observation.subject.display">
310   <path value="Observation.subject.display" />
311   <max value="0" />
312 </element>
313 <element id="Observation.focus">
314   <path value="Observation.focus" />
315   <max value="0" />
316 </element>
317 <element id="Observation.encounter">
318   <path value="Observation.encounter" />
319   <min value="1" />
320   <type>
321     <code value="Reference" />
322     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
323   </type>
324   <mustSupport value="true" />
325 </element>
326 <element id="Observation.encounter.reference">
327   <path value="Observation.encounter.reference" />
328   <min value="1" />
329   <mustSupport value="true" />
330 </element>
331 <element id="Observation.encounter.type">
332   <path value="Observation.encounter.type" />
333   <max value="0" />
334 </element>
335 <element id="Observation.encounter.identifier">
336   <path value="Observation.encounter.identifier" />
337   <max value="0" />
338 </element>
339 <element id="Observation.encounter.display">
340   <path value="Observation.encounter.display" />
341   <max value="0" />
342 </element>
343 <element id="Observation.effective[x]">
344   <path value="Observation.effective[x]" />
345   <slicing>
346     <discriminator>
347       <type value="type" />
348       <path value="$this" />
349     </discriminator>
350     <rules value="closed" />
351   </slicing>
352   <min value="1" />
353   <type>
354     <code value="dateTime" />
355   </type>
356   <mustSupport value="true" />
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359   <path value="Observation.effectiveDateTime" />
360   <sliceName value="effectiveDateTime" />
361   <min value="1" />
362   <type>
363     <code value="dateTime" />
364   </type>
365   <mustSupport value="true" />
366 </element>

```

```

367 <element id="Observation.issued">
368   <path value="Observation.issued" />
369   <max value="0" />
370 </element>
371 <element id="Observation.performer">
372   <path value="Observation.performer" />
373   <max value="1" />
374   <type>
375     <code value="Reference" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
377   </type>
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.performer.reference">
381   <path value="Observation.performer.reference" />
382   <min value="1" />
383   <mustSupport value="true" />
384 </element>
385 <element id="Observation.performer.type">
386   <path value="Observation.performer.type" />
387   <max value="0" />
388 </element>
389 <element id="Observation.performer.identifier">
390   <path value="Observation.performer.identifier" />
391   <max value="0" />
392 </element>
393 <element id="Observation.performer.display">
394   <path value="Observation.performer.display" />
395   <max value="0" />
396 </element>
397 <element id="Observation.value[x]">
398   <path value="Observation.value[x]" />
399   <slicing>
400     <discriminator>
401       <type value="type" />
402       <path value="$this" />
403     </discriminator>
404     <rules value="closed" />
405   </slicing>
406   <min value="1" />
407   <type>
408     <code value="Quantity" />
409   </type>
410   <mustSupport value="true" />
411 </element>
412 <element id="Observation.value[x]:valueQuantity">
413   <path value="Observation.valueQuantity" />
414   <sliceName value="valueQuantity" />
415   <min value="1" />
416   <type>
417     <code value="Quantity" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Observation.value[x]:valueQuantity.value">
422   <path value="Observation.valueQuantity.value" />
423   <min value="1" />
424 </element>
425 <element id="Observation.value[x]:valueQuantity.comparator">

```



```

426     <path value="Observation.valueQuantity.comparator" />
427     <max value="0" />
428 </element>
429 <element id="Observation.value[x]:valueQuantity.unit">
430     <path value="Observation.valueQuantity.unit" />
431     <min value="1" />
432     <fixedString value="cm" />
433 </element>
434 <element id="Observation.value[x]:valueQuantity.system">
435     <path value="Observation.valueQuantity.system" />
436     <min value="1" />
437     <fixedUri value="http://unitsofmeasure.org" />
438 </element>
439 <element id="Observation.value[x]:valueQuantity.code">
440     <path value="Observation.valueQuantity.code" />
441     <min value="1" />
442     <fixedCode value="cm" />
443 </element>
444 <element id="Observation.dataAbsentReason">
445     <path value="Observation.dataAbsentReason" />
446     <max value="0" />
447 </element>
448 <element id="Observation.interpretation">
449     <path value="Observation.interpretation" />
450     <max value="0" />
451 </element>
452 <element id="Observation.note">
453     <path value="Observation.note" />
454     <max value="0" />
455 </element>
456 <element id="Observation.bodySite">
457     <path value="Observation.bodySite" />
458     <max value="0" />
459 </element>
460 <element id="Observation.method">
461     <path value="Observation.method" />
462     <max value="0" />
463 </element>
464 <element id="Observation.specimen">
465     <path value="Observation.specimen" />
466     <max value="0" />
467 </element>
468 <element id="Observation.device">
469     <path value="Observation.device" />
470     <max value="0" />
471 </element>
472 <element id="Observation.referenceRange">
473     <path value="Observation.referenceRange" />
474     <max value="0" />
475 </element>
476 <element id="Observation.hasMember">
477     <path value="Observation.hasMember" />
478     <max value="0" />
479 </element>
480 <element id="Observation.derivedFrom">
481     <path value="Observation.derivedFrom" />
482     <max value="0" />
483 </element>
484 <element id="Observation.component">
485     <path value="Observation.component" />

```

```
486     <max value="0" />
487   </element>
488 </differential>
489 </StructureDefinition>
```

## 319. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_U9\_NO\_ABNORMALITY\_DETECTED

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_U9\_No\_Abnormality\_Detected

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_U9_No_Abnormality_Detected" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil ermöglicht die Angabe, dass keine
Auffälligkeiten vorliegen, wie sie im Ergebnisteil des Papier-U-Hefts
vorgesehen ist." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U2_U9_No_Abnormality_Detected|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117     <path value="Observation.code.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123     <path value="Observation.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128     <path value="Observation.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133     <path value="Observation.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="281900007" />
136 </element>
137 <element id="Observation.code.coding.display">
138     <path value="Observation.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142     <path value="Observation.code.coding.display.extension" />
143     <slicing>
144         <discriminator>

```

```

145         <type value="value" />
146         <path value="url" />
147     </discriminator>
148     <rules value="open" />
149 </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152 nomed">
153     <path value="Observation.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <short value="anzeigenameCodeSnomed" />
156     <definition value="Annotation des Snomed CT Codes mit einem deutschen
157 Bezeichner." />
158     <min value="1" />
159     <max value="1" />
160     <type>
161         <code value="Extension" />
162         <profile value="https://fhir.kbv.de/StructureDefinition/
163 KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
168 nomed.extension">
169     <path value="Observation.code.coding.display.extension.extension" />
170     <slicing>
171         <discriminator>
172             <type value="value" />
173             <path value="url" />
174         </discriminator>
175         <rules value="open" />
176     </slicing>
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179 nomed.extension:content">
180     <path value="Observation.code.coding.display.extension.extension" />
181     <sliceName value="content" />
182 </element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
184 nomed.extension:content.value[x]">
185     <path value="Observation.code.coding.display.extension.extension.valu
186 e[x]" />
187     <slicing><discriminator><type value="type" /><path value="$this" /></
188 discriminator><rules value="closed" /></slicing>
189     <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
192 nomed.extension:content.value[x]:valueString">
193     <path value="Observation.code.coding.display.extension.extension.valu
194 e[x]" />
195     <sliceName value="valueString" />
196     <min value="1" />
197     <fixedString value="keine Auffälligkeiten" />
198     <mustSupport value="true" />
199 </element>
200 <element id="Observation.code.coding.userSelected">
201     <path value="Observation.code.coding.userSelected" />
202     <max value="0" />
203 </element>
204 <element id="Observation.code.text">

```

```

195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251     <path value="Observation.encounter.display" />
252     <max value="0" />

```

```

253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>

```



```

312     <type value="type" />
313     <path value="$this" />
314   </discriminator>
315   <rules value="closed" />
316 </slicing>
317 <min value="1" />
318 <type>
319   <code value="boolean" />
320 </type>
321 <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />
371   <max value="0" />

```

```
372     </element>
373     <element id="Observation.component">
374         <path value="Observation.component" />
375         <max value="0" />
376     </element>
377 </differential>
378 </StructureDefinition>
```

## 320. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U2\_U9\_RELEVANT\_HISTORY\_RESULTS

## KBV\_PR\_MIO\_CMR\_Observation\_U2\_U9\_Relevant\_History\_Results

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U2_U9_Relevant_History_Results" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die relevanten anamnestischen
50 Ergebnisse ab wie sie im Ergebnisbereich des Papier-U-Hefts vorgesehen
51 sind." />
52   </element>
53   <element id="Observation.meta">
54     <path value="Observation.meta" />
55     <min value="1" />
56   </element>
57   <element id="Observation.meta.versionId">
58     <path value="Observation.meta.versionId" />
59     <max value="0" />
60   </element>
61   <element id="Observation.meta.lastUpdated">
62     <path value="Observation.meta.lastUpdated" />
63     <max value="0" />
64   </element>
65   <element id="Observation.meta.source">
66     <path value="Observation.meta.source" />
67     <max value="0" />
68   </element>
69   <element id="Observation.meta.profile">
70     <path value="Observation.meta.profile" />
71     <min value="1" />
72     <max value="1" />
73     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
74 KBV_PR_MIO_CMRObservation_U2_U9_Relevant_History_Results|1.0.1" />
75   </element>
76   <element id="Observation.meta.security">
77     <path value="Observation.meta.security" />
78     <max value="0" />
79   </element>
80   <element id="Observation.meta.tag">
81     <path value="Observation.meta.tag" />
82     <max value="0" />
83   </element>
84   <element id="Observation.implicitRules">
85     <path value="Observation.implicitRules" />
86     <max value="0" />
87   </element>
88   <element id="Observation.language">
89     <path value="Observation.language" />
90     <max value="1" />
91   </element>
92 </differential>
93 </resource>
94 </StructureDefinition>

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117     <path value="Observation.code.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123     <path value="Observation.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128     <path value="Observation.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133     <path value="Observation.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="365854008" />
136 </element>
137 <element id="Observation.code.coding.display">
138     <path value="Observation.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142     <path value="Observation.code.coding.display.extension" />
143     <slicing>

```

```

144     <discriminator>
145       <type value="value" />
146       <path value="url" />
147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   nomed">
153   <path value="Observation.code.coding.display.extension" />
154   <sliceName value="anzeigenameCodeSnomed" />
155   <short value="anzeigenameCodeSnomed" />
156   <definition value="Annotation des Snomed CT Codes mit einem deutschen
157   Bezeichner." />
158   <min value="1" />
159   <max value="1" />
160   <type>
161     <code value="Extension" />
162     <profile value="https://fhir.kbv.de/StructureDefinition/
163     KBV_EX_Base_Terminology_German" />
164   </type>
165   <mustSupport value="true" />
166 </element>
167 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
168   nomed.extension">
169   <path value="Observation.code.coding.display.extension.extension" />
170   <slicing>
171     <discriminator>
172       <type value="value" />
173       <path value="url" />
174     </discriminator>
175     <rules value="open" />
176   </slicing>
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179   nomed.extension:content">
180   <path value="Observation.code.coding.display.extension.extension" />
181   <sliceName value="content" />
182 </element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
184   nomed.extension:content.value[x]">
185   <path value="Observation.code.coding.display.extension.extension.valu
186   e[x]" />
187   <slicing><discriminator><type value="type" /><path value="$this" /></
188   discriminator><rules value="closed" /></slicing>
189   <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
192   nomed.extension:content.value[x]:valueString">
193   <path value="Observation.code.coding.display.extension.extension.valu
194   e[x]" />
195   <sliceName value="valueString" />
196   <min value="1" />
197   <fixedString value="Relevante anamnestische Ergebnisse:" />
198   <mustSupport value="true" />
199 </element>
200 <element id="Observation.code.coding.userSelected">
201   <path value="Observation.code.coding.userSelected" />
202   <max value="0" />
203 </element>

```

```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```



```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="string" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueString">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueString" />
326   <min value="1" />
327   <type>
328     <code value="string" />
329   </type>
330   <mustSupport value="true" />
331 </element>
332 <element id="Observation.dataAbsentReason">
333   <path value="Observation.dataAbsentReason" />
334   <max value="0" />
335 </element>
336 <element id="Observation.interpretation">
337   <path value="Observation.interpretation" />
338   <max value="0" />
339 </element>
340 <element id="Observation.note">
341   <path value="Observation.note" />
342   <max value="0" />
343 </element>
344 <element id="Observation.bodySite">
345   <path value="Observation.bodySite" />
346   <max value="0" />
347 </element>
348 <element id="Observation.method">
349   <path value="Observation.method" />
350   <max value="0" />
351 </element>
352 <element id="Observation.specimen">
353   <path value="Observation.specimen" />
354   <max value="0" />
355 </element>
356 <element id="Observation.device">
357   <path value="Observation.device" />
358   <max value="0" />
359 </element>
360 <element id="Observation.referenceRange">
361   <path value="Observation.referenceRange" />
362   <max value="0" />
363 </element>
364 <element id="Observation.hasMember">
365   <path value="Observation.hasMember" />
366   <max value="0" />
367 </element>
368 <element id="Observation.derivedFrom">
369   <path value="Observation.derivedFrom" />
370   <max value="0" />

```

```
371     </element>
372     <element id="Observation.component">
373         <path value="Observation.component" />
374         <max value="0" />
375     </element>
376 </differential>
377 </StructureDefinition>
```

### 321. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_CURRENT\_CHILD\_HISTORY

#### KBV\_PR\_MIO\_CMR\_Observation\_U3\_Current\_Child\_History

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_Current_Child_History" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U3_Current_Child_History" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
50 ab." />
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMRObservation_U3_Current_Child_History|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />
89     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.base0n">
97         <path value="Observation.base0n" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161   </type>
162   <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.url">
179   <path value="Observation.code.coding.display.extension.extension.url"
/>
180   <fixedUri value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
183   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
184   <slicing>
185     <discriminator>
186       <type value="type" />
187       <path value="$this" />
188     </discriminator>
189     <rules value="closed" />
190   </slicing>
191   <mustSupport value="true" />
192 </element>
193 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
194   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
195   <sliceName value="valueString" />

```

```

196     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMR_U3_Current_Child_History_German|1.0.1" />
197     <min value="1" />
198     <mustSupport value="true" />
199   </element>
200   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.url">
201     <path value="Observation.code.coding.display.extension.url" />
202     <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
203   </element>
204   <element id="Observation.code.coding.userSelected">
205     <path value="Observation.code.coding.userSelected" />
206     <max value="0" />
207   </element>
208   <element id="Observation.code.text">
209     <path value="Observation.code.text" />
210     <max value="0" />
211   </element>
212   <element id="Observation.subject">
213     <path value="Observation.subject" />
214     <min value="1" />
215     <type>
216       <code value="Reference" />
217       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
218     </type>
219     <mustSupport value="true" />
220   </element>
221   <element id="Observation.subject.reference">
222     <path value="Observation.subject.reference" />
223     <min value="1" />
224     <mustSupport value="true" />
225   </element>
226   <element id="Observation.subject.type">
227     <path value="Observation.subject.type" />
228     <max value="0" />
229   </element>
230   <element id="Observation.subject.identifier">
231     <path value="Observation.subject.identifier" />
232     <max value="0" />
233   </element>
234   <element id="Observation.subject.display">
235     <path value="Observation.subject.display" />
236     <max value="0" />
237   </element>
238   <element id="Observation.focus">
239     <path value="Observation.focus" />
240     <max value="0" />
241   </element>
242   <element id="Observation.encounter">
243     <path value="Observation.encounter" />
244     <min value="1" />
245     <type>
246       <code value="Reference" />
247       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />

```

```

248     </type>
249     <mustSupport value="true" />
250 </element>
251 <element id="Observation.encounter.reference">
252   <path value="Observation.encounter.reference" />
253   <min value="1" />
254   <mustSupport value="true" />
255 </element>
256 <element id="Observation.encounter.type">
257   <path value="Observation.encounter.type" />
258   <max value="0" />
259 </element>
260 <element id="Observation.encounter.identifier">
261   <path value="Observation.encounter.identifier" />
262   <max value="0" />
263 </element>
264 <element id="Observation.encounter.display">
265   <path value="Observation.encounter.display" />
266   <max value="0" />
267 </element>
268 <element id="Observation.effective[x]">
269   <path value="Observation.effective[x]" />
270   <slicing>
271     <discriminator>
272       <type value="type" />
273       <path value="$this" />
274     </discriminator>
275     <rules value="closed" />
276   </slicing>
277   <min value="1" />
278   <type>
279     <code value="dateTime" />
280   </type>
281   <mustSupport value="true" />
282 </element>
283 <element id="Observation.effective[x]:effectiveDateTime">
284   <path value="Observation.effective[x]" />
285   <sliceName value="effectiveDateTime" />
286   <min value="1" />
287   <type>
288     <code value="dateTime" />
289   </type>
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.issued">
293   <path value="Observation.issued" />
294   <max value="0" />
295 </element>
296 <element id="Observation.performer">
297   <path value="Observation.performer" />
298   <max value="1" />
299   <type>
300     <code value="Reference" />
301     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
302   </type>
303   <mustSupport value="true" />
304 </element>
305 <element id="Observation.performer.reference">
306   <path value="Observation.performer.reference" />

```



```

307     <min value="1" />
308     <mustSupport value="true" />
309 </element>
310 <element id="Observation.performer.type">
311     <path value="Observation.performer.type" />
312     <max value="0" />
313 </element>
314 <element id="Observation.performer.identifier">
315     <path value="Observation.performer.identifier" />
316     <max value="0" />
317 </element>
318 <element id="Observation.performer.display">
319     <path value="Observation.performer.display" />
320     <max value="0" />
321 </element>
322 <element id="Observation.value[x]">
323     <path value="Observation.value[x]" />
324     <licing>
325         <discriminator>
326             <type value="type" />
327             <path value="$this" />
328         </discriminator>
329         <rules value="closed" />
330     </licing>
331     <min value="1" />
332     <type>
333         <code value="boolean" />
334     </type>
335     <mustSupport value="true" />
336 </element>
337 <element id="Observation.value[x]:valueBoolean">
338     <path value="Observation.value[x]" />
339     <sliceName value="valueBoolean" />
340     <min value="1" />
341     <type>
342         <code value="boolean" />
343     </type>
344     <fixedBoolean value="true" />
345     <mustSupport value="true" />
346 </element>
347 <element id="Observation.dataAbsentReason">
348     <path value="Observation.dataAbsentReason" />
349     <max value="0" />
350 </element>
351 <element id="Observation.interpretation">
352     <path value="Observation.interpretation" />
353     <max value="0" />
354 </element>
355 <element id="Observation.note">
356     <path value="Observation.note" />
357     <max value="0" />
358 </element>
359 <element id="Observation.bodySite">
360     <path value="Observation.bodySite" />
361     <max value="0" />
362 </element>
363 <element id="Observation.method">
364     <path value="Observation.method" />
365     <max value="0" />
366 </element>

```

```
367 <element id="Observation.specimen">
368   <path value="Observation.specimen" />
369   <max value="0" />
370 </element>
371 <element id="Observation.device">
372   <path value="Observation.device" />
373   <max value="0" />
374 </element>
375 <element id="Observation.referenceRange">
376   <path value="Observation.referenceRange" />
377   <max value="0" />
378 </element>
379 <element id="Observation.hasMember">
380   <path value="Observation.hasMember" />
381   <max value="0" />
382 </element>
383 <element id="Observation.derivedFrom">
384   <path value="Observation.derivedFrom" />
385   <max value="0" />
386 </element>
387 <element id="Observation.component">
388   <path value="Observation.component" />
389   <max value="0" />
390 </element>
391 </differential>
392 </StructureDefinition>
```

## 322. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_DEVELOPMENT\_ASSESSMENT

### KBV\_PR\_MIO\_CMR\_Observation\_U3\_Development\_Assessment

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_Development_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_Development_Assessment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMR_U3_Development_Assessment" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
190     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
191     Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
192     KBV_CM_MIO_CMU_U3_Development_Assessment_German|1.0.1" />
193     < min value="1" />
194     < mustSupport value="true" />
195 < / element >
196 < element id="Observation.code.coding.userSelected">
197     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```



```

309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

### 323. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_FAMILY\_HISTORY

#### KBV\_PR\_MIO\_CMR\_Observation\_U3\_Family\_History

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_Family_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_Family_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Familienanamnese ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_Family_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Codes identifying the family history" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_Family_History" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161   </type>
162   <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
179   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
180   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
181   <mustSupport value="true" />
182 </element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
184   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
185   <sliceName value="valueString" />
186   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CM_U3_Family_History_German|1.0.1" />
187   <min value="1" />
188   <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>

```

```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```



```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />

```

```
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 324. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMR\_Observation\_U3\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_Physical_Exam_Head" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die Untersuchung des Kopfes ab." /
50 >
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMRObservation_U3_Physical_Exam_Head|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />
89     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Head Observation Codes" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U3_Physical_Exam_Head" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <path value="Observation.code.coding.display.extension.extension.valu
182     <path value="Observation.code.coding.display.extension.extension.valu
183     <path value="Observation.code.coding.display.extension.extension.valu
184     <path value="Observation.code.coding.display.extension.extension.valu
185     <path value="Observation.code.coding.display.extension.extension.valu
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <path value="Observation.code.coding.display.extension.extension.valu
188     <path value="Observation.code.coding.display.extension.extension.valu
189     <path value="Observation.code.coding.display.extension.extension.valu
190     <path value="Observation.code.coding.display.extension.extension.valu
191     <path value="Observation.code.coding.display.extension.extension.valu
192     <path value="Observation.code.coding.display.extension.extension.valu

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```



```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 325. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U3\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Observation\_U3\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U3_Physical_Exam_Musculoskeletal_System" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U3_Physical_Exam_Musculoskeletal_
System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des
Bewegungsapparates ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Musculoskeletal System" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U3_Physical_Exam_Musculoskeletal_System" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">

```

```

144     <path value="Observation.code.coding.display.extension" />
145     <slicing>
146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161     </type>
162     <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165     <path value="Observation.code.coding.display.extension.extension" />
166     <slicing>
167         <discriminator>
168             <type value="value" />
169             <path value="url" />
170         </discriminator>
171         <rules value="open" />
172     </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175     <path value="Observation.code.coding.display.extension.extension" />
176     <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
179     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
180     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
181     <mustSupport value="true" />
182 </element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
184     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
185     <sliceName value="valueString" />
186     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CM_R_U3_Physical_Exam_Musculoskeletal_System_German|1.0.1" />
187     <min value="1" />
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">

```

```

191     <path value="Observation.code.coding.userSelected" />
192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />

```

```

249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>

```



```

308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />

```

```
368     </element>
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 326. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_U4\_HIP\_SCREENING\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U3\_U4\_Hip\_Screening\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Hip_Screening_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_U4_Hip_Screening_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Anamnese der Hüftgelenke
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U4_Hip_Screening_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Hip History Findings" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CM_R_Hip_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <path value="Observation.code.coding.display.extension.extension.valu
182     <path value="Observation.code.coding.display.extension.extension.valu
183     <path value="Observation.code.coding.display.extension.extension.valu
184     <path value="Observation.code.coding.display.extension.extension.valu
185     <path value="Observation.code.coding.display.extension.extension.valu
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <path value="Observation.code.coding.display.extension.extension.valu
188     <path value="Observation.code.coding.display.extension.extension.valu
189     <path value="Observation.code.coding.display.extension.extension.valu
190     <path value="Observation.code.coding.display.extension.extension.valu
191     <path value="Observation.code.coding.display.extension.extension.valu
192     <path value="Observation.code.coding.display.extension.extension.valu

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```



```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 327. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_U4\_HIP\_SCREENING\_RESULT

## KBV\_PR\_MIO\_CMR\_Observation\_U3\_U4\_Hip\_Screening\_Result

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Hip_Screening_Result" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_U4_Hip_Screening_Result" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet das Ergebnis des Screening der
Hüftgelenke ab." />
49     <constraint>
50       <key value="obs-1" />
51       <severity value="error" />
52       <human value="For previous findings a string is needed. For finding
value set is needed" />
53       <expression value="((code.coding.code = '129125009:
{363589002=241503003,408730004=398166005,408731000=410588008}' or
code.coding.code = '129125009:
{363589002=241503003,408730004=385660001,408731000=410588008}' or
code.coding.code = '129125009:
{363589002=241503003,408730004=410537005,408731000=410588008}') and value
is string) xor (code.coding.code = '129125009:
{363589002=241503003,408730004=398166005,408731000=410584005}' and value is
CodeableConcept)" />
54       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U4_Hip_Screening_Result" />
55     </constraint>
56     <constraint>
57       <key value="obs-2" />
58       <severity value="error" />
59       <human value="At least year, month and day are needed" />
60       <expression value="effective.toString().length() >= 10" />
61       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U4_Hip_Screening_Result" />
62     </constraint>
63   </element>
64   <element id="Observation.meta">
65     <path value="Observation.meta" />
66     <min value="1" />
67   </element>
68   <element id="Observation.meta.versionId">
69     <path value="Observation.meta.versionId" />
70     <max value="0" />
71   </element>
72   <element id="Observation.meta.lastUpdated">
73     <path value="Observation.meta.lastUpdated" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.source">

```

```

77     <path value="Observation.meta.source" />
78     <max value="0" />
79 </element>
80 <element id="Observation.meta.profile">
81     <path value="Observation.meta.profile" />
82     <min value="1" />
83     <max value="1" />
84     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Hip_Screening_Result|1.0.1" />
85 </element>
86 <element id="Observation.meta.security">
87     <path value="Observation.meta.security" />
88     <max value="0" />
89 </element>
90 <element id="Observation.meta.tag">
91     <path value="Observation.meta.tag" />
92     <max value="0" />
93 </element>
94 <element id="Observation.implicitRules">
95     <path value="Observation.implicitRules" />
96     <max value="0" />
97 </element>
98 <element id="Observation.language">
99     <path value="Observation.language" />
100    <max value="0" />
101 </element>
102 <element id="Observation.contained">
103     <path value="Observation.contained" />
104     <max value="0" />
105 </element>
106 <element id="Observation.identifier">
107     <path value="Observation.identifier" />
108     <max value="0" />
109 </element>
110 <element id="Observation.basedOn">
111     <path value="Observation.basedOn" />
112     <max value="0" />
113 </element>
114 <element id="Observation.partOf">
115     <path value="Observation.partOf" />
116     <max value="0" />
117 </element>
118 <element id="Observation.status">
119     <path value="Observation.status" />
120     <fixedCode value="final" />
121 </element>
122 <element id="Observation.category">
123     <path value="Observation.category" />
124     <max value="0" />
125 </element>
126 <element id="Observation.code">
127     <path value="Observation.code" />
128     <mustSupport value="true" />
129     <binding>
130         <strength value="required" />
131         <description value="Typ der Hüftuntersuchung" />
132         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Hip_Screening_Method" />
133     </binding>
134 </element>

```

```

135 <element id="Observation.code.coding">
136   <path value="Observation.code.coding" />
137   <min value="1" />
138   <max value="1" />
139   <mustSupport value="true" />
140 </element>
141 <element id="Observation.code.coding.system">
142   <path value="Observation.code.coding.system" />
143   <min value="1" />
144 </element>
145 <element id="Observation.code.coding.version">
146   <path value="Observation.code.coding.version" />
147   <min value="1" />
148 </element>
149 <element id="Observation.code.coding.code">
150   <path value="Observation.code.coding.code" />
151   <min value="1" />
152 </element>
153 <element id="Observation.code.coding.display">
154   <path value="Observation.code.coding.display" />
155   <min value="1" />
156 </element>
157 <element id="Observation.code.coding.display.extension">
158   <path value="Observation.code.coding.display.extension" />
159   <slicing>
160     <discriminator>
161       <type value="value" />
162       <path value="url" />
163     </discriminator>
164     <rules value="open" />
165   </slicing>
166 </element>
167 <element id="Observation.code.coding.display.extension:anzeigennameCodeS
168   <path value="Observation.code.coding.display.extension" />
169   <sliceName value="anzeigennameCodeSnomed" />
170   <min value="1" />
171   <max value="1" />
172   <type>
173     <code value="Extension" />
174     <profile value="https://fhir.kbv.de/StructureDefinition/
175     KBV_EX_Base_Terminology_German" />
176   </type>
177   <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigennameCodeS
180   <path value="Observation.code.coding.display.extension.extension" />
181   <slicing>
182     <discriminator>
183       <type value="value" />
184       <path value="url" />
185     </discriminator>
186     <rules value="open" />
187   </slicing>
188 </element>
189 <element id="Observation.code.coding.display.extension:anzeigennameCodeS
190   <path value="Observation.code.coding.display.extension.extension" />
191   <sliceName value="content" />

```

```

191     </element>
192     <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
193       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
194       <slicing>
195         <discriminator>
196           <type value="type" />
197           <path value="$this" />
198         </discriminator>
199         <rules value="closed" />
200       </slicing>
201       <mustSupport value="true" />
202     </element>
203     <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
204       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
205       <sliceName value="valueString" />
206       <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_CMR\_Hip\_Screening\_Method\_German|1.0.1" />
207       <min value="1" />
208       <mustSupport value="true" />
209     </element>
210     <element id="Observation.code.coding.userSelected">
211       <path value="Observation.code.coding.userSelected" />
212       <max value="0" />
213     </element>
214     <element id="Observation.code.text">
215       <path value="Observation.code.text" />
216       <max value="0" />
217     </element>
218     <element id="Observation.subject">
219       <path value="Observation.subject" />
220       <min value="1" />
221       <type>
222         <code value="Reference" />
223         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
224       </type>
225       <mustSupport value="true" />
226     </element>
227     <element id="Observation.subject.reference">
228       <path value="Observation.subject.reference" />
229       <min value="1" />
230       <mustSupport value="true" />
231     </element>
232     <element id="Observation.subject.type">
233       <path value="Observation.subject.type" />
234       <max value="0" />
235     </element>
236     <element id="Observation.subject.identifrier">
237       <path value="Observation.subject.identifrier" />
238       <max value="0" />
239     </element>
240     <element id="Observation.subject.display">
241       <path value="Observation.subject.display" />

```

```

242     <max value="0" />
243 </element>
244 <element id="Observation.focus">
245   <path value="Observation.focus" />
246   <max value="0" />
247 </element>
248 <element id="Observation.encounter">
249   <path value="Observation.encounter" />
250   <min value="1" />
251   <type>
252     <code value="Reference" />
253     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
254   </type>
255   <mustSupport value="true" />
256 </element>
257 <element id="Observation.encounter.reference">
258   <path value="Observation.encounter.reference" />
259   <min value="1" />
260   <mustSupport value="true" />
261 </element>
262 <element id="Observation.encounter.type">
263   <path value="Observation.encounter.type" />
264   <max value="0" />
265 </element>
266 <element id="Observation.encounter.identifier">
267   <path value="Observation.encounter.identifier" />
268   <max value="0" />
269 </element>
270 <element id="Observation.encounter.display">
271   <path value="Observation.encounter.display" />
272   <max value="0" />
273 </element>
274 <element id="Observation.effective[x]">
275   <path value="Observation.effective[x]" />
276   <licing>
277     <discriminator>
278       <type value="type" />
279       <path value="$this" />
280     </discriminator>
281     <rules value="closed" />
282   </licing>
283   <min value="1" />
284   <type>
285     <code value="dateTime" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Observation.effective[x]:effectiveDateTime">
290   <path value="Observation.effective[x]" />
291   <sliceName value="effectiveDateTime" />
292   <min value="1" />
293   <type>
294     <code value="dateTime" />
295   </type>
296   <mustSupport value="true" />
297 </element>
298 <element id="Observation.issued">
299   <path value="Observation.issued" />
300   <max value="0" />

```



```

301 </element>
302 <element id="Observation.performer">
303   <path value="Observation.performer" />
304   <max value="1" />
305   <type>
306     <code value="Reference" />
307     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
308   </type>
309   <mustSupport value="true" />
310 </element>
311 <element id="Observation.performer.reference">
312   <path value="Observation.performer.reference" />
313   <min value="1" />
314   <mustSupport value="true" />
315 </element>
316 <element id="Observation.performer.type">
317   <path value="Observation.performer.type" />
318   <max value="0" />
319 </element>
320 <element id="Observation.performer.identifier">
321   <path value="Observation.performer.identifier" />
322   <max value="0" />
323 </element>
324 <element id="Observation.performer.display">
325   <path value="Observation.performer.display" />
326   <max value="0" />
327 </element>
328 <element id="Observation.value[x]">
329   <path value="Observation.value[x]" />
330   <licing>
331     <discriminator>
332       <type value="type" />
333       <path value="$this" />
334     </discriminator>
335     <rules value="closed" />
336   </licing>
337   <min value="1" />
338   <type>
339     <code value="CodeableConcept" />
340   </type>
341   <type>
342     <code value="string" />
343   </type>
344   <mustSupport value="true" />
345 </element>
346 <element id="Observation.value[x]:valueCodeableConcept">
347   <path value="Observation.value[x]" />
348   <sliceName value="valueCodeableConcept" />
349   <type>
350     <code value="CodeableConcept" />
351   </type>
352   <mustSupport value="true" />
353 </element>
354 <element id="Observation.value[x]:valueCodeableConcept.coding">
355   <path value="Observation.value[x].coding" />
356   <min value="1" />
357   <max value="1" />
358   <mustSupport value="true" />
359   <binding>

```

```

360     <strength value="required" />
361     <description value="Graf Hip ultrasound Classification" />
362     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Graf_Hip_Ultrasound_Classification" />
363     </binding>
364   </element>
365   <element id="Observation.value[x]:valueCodeableConcept.coding.system">
366     <path value="Observation.value[x].coding.system" />
367     <min value="1" />
368   </element>
369   <element id="Observation.value[x]:valueCodeableConcept.coding.version">
370     <path value="Observation.value[x].coding.version" />
371     <min value="1" />
372   </element>
373   <element id="Observation.value[x]:valueCodeableConcept.coding.code">
374     <path value="Observation.value[x].coding.code" />
375     <min value="1" />
376   </element>
377   <element id="Observation.value[x]:valueCodeableConcept.coding.display">
378     <path value="Observation.value[x].coding.display" />
379     <min value="1" />
380   </element>
381   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension">
382     <path value="Observation.value[x].coding.display.extension" />
383     <licing>
384       <discriminator>
385         <type value="value" />
386         <path value="url" />
387       </discriminator>
388       <rules value="open" />
389     </licing>
390   </element>
391   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigeNameValueSnomed">
392     <path value="Observation.value[x].coding.display.extension" />
393     <sliceName value="anzeigeNameValueSnomed" />
394     <min value="1" />
395     <max value="1" />
396     <type>
397       <code value="Extension" />
398       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
399     </type>
400     <mustSupport value="true" />
401   </element>
402   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigeNameValueSnomed.extension">
403     <path value="Observation.value[x].coding.display.extension.extension"
/>
404     <licing>
405       <discriminator>
406         <type value="value" />
407         <path value="url" />
408       </discriminator>
409       <rules value="open" />
410     </licing>
411   </element>
412   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigeNameValueSnomed.extension:content">

```

```

413     <path value="Observation.value[x].coding.display.extension.extension"
/>
414     <sliceName value="content" />
415   </element>
416   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]">
417     <path value="Observation.value[x].coding.display.extension.extension.
value[x]" />
418     < slicing>
419       < discriminator>
420         < type value="type" />
421         < path value="$this" />
422       </ discriminator>
423       < rules value="closed" />
424     </ slicing>
425     < mustSupport value="true" />
426   </ element>
427   <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]:valueString">
428     <path value="Observation.value[x].coding.display.extension.extension.
valueString" />
429     <sliceName value="valueString" />
430     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_CMR\_Graf\_Hip\_Ultrasound\_Classification\_German|1.0.1" />
431     <min value="1" />
432     <mustSupport value="true" />
433   </element>
434   <element id="Observation.value[x]:valueCodeableConcept.coding.userSelec
ted">
435     <path value="Observation.value[x].coding.userSelected" />
436     <max value="0" />
437   </element>
438   <element id="Observation.value[x]:valueCodeableConcept.text">
439     <path value="Observation.value[x].text" />
440     <max value="0" />
441   </element>
442   <element id="Observation.value[x]:valueString">
443     <path value="Observation.value[x]" />
444     <sliceName value="valueString" />
445     <type>
446       <code value="string" />
447     </type>
448     <mustSupport value="true" />
449   </element>
450   <element id="Observation.dataAbsentReason">
451     <path value="Observation.dataAbsentReason" />
452     <max value="0" />
453   </element>
454   <element id="Observation.dataAbsentReason.coding">
455     <path value="Observation.dataAbsentReason.coding" />
456     <max value="1" />
457   </element>
458   <element id="Observation.dataAbsentReason.coding.system">
459     <path value="Observation.dataAbsentReason.coding.system" />
460     <mustSupport value="false" />
461   </element>
462   <element id="Observation.dataAbsentReason.coding.display">

```

```

463     <path value="Observation.dataAbsentReason.coding.display" />
464     <fixedString value="Unknown" />
465 </element>
466 <element id="Observation.interpretation">
467     <path value="Observation.interpretation" />
468     <max value="0" />
469 </element>
470 <element id="Observation.note">
471     <path value="Observation.note" />
472     <max value="0" />
473 </element>
474 <element id="Observation.bodySite">
475     <path value="Observation.bodySite" />
476     <min value="1" />
477     <mustSupport value="true" />
478     <binding>
479         <strength value="required" />
480         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Bodysite_Hip" />
481     </binding>
482 </element>
483 <element id="Observation.bodySite.coding">
484     <path value="Observation.bodySite.coding" />
485     <min value="1" />
486     <max value="1" />
487     <mustSupport value="true" />
488 </element>
489 <element id="Observation.bodySite.coding.system">
490     <path value="Observation.bodySite.coding.system" />
491     <min value="1" />
492 </element>
493 <element id="Observation.bodySite.coding.version">
494     <path value="Observation.bodySite.coding.version" />
495     <min value="1" />
496 </element>
497 <element id="Observation.bodySite.coding.code">
498     <path value="Observation.bodySite.coding.code" />
499     <min value="1" />
500 </element>
501 <element id="Observation.bodySite.coding.display">
502     <path value="Observation.bodySite.coding.display" />
503     <min value="1" />
504 </element>
505 <element id="Observation.bodySite.coding.display.extension">
506     <path value="Observation.bodySite.coding.display.extension" />
507     <slicing>
508         <discriminator>
509             <type value="value" />
510             <path value="url" />
511         </discriminator>
512         <rules value="open" />
513     </slicing>
514 </element>
515 <element id="Observation.bodySite.coding.display.extension:anzeigenameB
odySiteSnomed">
516     <path value="Observation.bodySite.coding.display.extension" />
517     <sliceName value="anzeigenameBodySiteSnomed" />
518     <min value="1" />
519     <max value="1" />
520     <type>

```

```

521     <code value="Extension" />
522     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
523   </type>
524   <mustSupport value="true" />
525 </element>
526   <element id="Observation.bodySite.coding.display.extension:anzeigenameB
odySiteSnomed.extension">
527     <path value="Observation.bodySite.coding.display.extension.extension"
/>
528     <slicing>
529       <discriminator>
530         <type value="value" />
531         <path value="url" />
532       </discriminator>
533       <rules value="open" />
534     </slicing>
535   </element>
536   <element id="Observation.bodySite.coding.display.extension:anzeigenameB
odySiteSnomed.extension:content">
537     <path value="Observation.bodySite.coding.display.extension.extension"
/>
538     <sliceName value="content" />
539   </element>
540   <element id="Observation.bodySite.coding.display.extension:anzeigenameB
odySiteSnomed.extension:content.value[x]">
541     <path value="Observation.bodySite.coding.display.extension.extension.
value[x]" />
542     <slicing>
543       <discriminator>
544         <type value="type" />
545         <path value="$this" />
546       </discriminator>
547       <rules value="closed" />
548     </slicing>
549     <mustSupport value="true" />
550   </element>
551   <element id="Observation.bodySite.coding.display.extension:anzeigenameB
odySiteSnomed.extension:content.value[x]:valueString">
552     <path value="Observation.bodySite.coding.display.extension.extension.
valueString" />
553     <sliceName value="valueString" />
554     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_CMR\_Bodysite\_Hip\_German|
1.0.1" />
555     <min value="1" />
556     <mustSupport value="true" />
557   </element>
558   <element id="Observation.bodySite.coding.userSelected">
559     <path value="Observation.bodySite.coding.userSelected" />
560     <max value="0" />
561   </element>
562   <element id="Observation.bodySite.text">
563     <path value="Observation.bodySite.text" />
564     <max value="0" />
565   </element>
566   <element id="Observation.method">
567     <path value="Observation.method" />

```

```

568     <max value="0" />
569 </element>
570 <element id="Observation.specimen">
571     <path value="Observation.specimen" />
572     <max value="0" />
573 </element>
574 <element id="Observation.device">
575     <path value="Observation.device" />
576     <max value="0" />
577 </element>
578 <element id="Observation.referenceRange">
579     <path value="Observation.referenceRange" />
580     <max value="0" />
581 </element>
582 <element id="Observation.hasMember">
583     <path value="Observation.hasMember" />
584     <max value="0" />
585 </element>
586 <element id="Observation.derivedFrom">
587     <path value="Observation.derivedFrom" />
588     <max value="0" />
589 </element>
590 <element id="Observation.component">
591     <path value="Observation.component" />
592     <slicing>
593         <discriminator>
594             <type value="value" />
595             <path value="code.coding.code" />
596         </discriminator>
597         <rules value="closed" />
598     </slicing>
599     <min value="2" />
600     <max value="2" />
601     <mustSupport value="true" />
602 </element>
603 <element id="Observation.component:betaWinkel">
604     <path value="Observation.component" />
605     <sliceName value="betaWinkel" />
606     <min value="1" />
607     <max value="1" />
608     <mustSupport value="true" />
609 </element>
610 <element id="Observation.component:betaWinkel.code">
611     <path value="Observation.component.code" />
612     <mustSupport value="true" />
613 </element>
614 <element id="Observation.component:betaWinkel.code.coding">
615     <path value="Observation.component.code.coding" />
616     <min value="1" />
617     <max value="1" />
618     <mustSupport value="true" />
619 </element>
620 <element id="Observation.component:betaWinkel.code.coding.system">
621     <path value="Observation.component.code.coding.system" />
622     <min value="1" />
623     <fixedUri value="http://snomed.info/sct" />
624 </element>
625 <element id="Observation.component:betaWinkel.code.coding.version">
626     <path value="Observation.component.code.coding.version" />
627     <min value="1" />

```

```

628     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
629   </element>
630   <element id="Observation.component:betaWinkel.code.coding.code">
631     <path value="Observation.component.code.coding.code" />
632     <min value="1" />
633     <fixedCode value="364501006:
{704321009=241503003,246501002=278395004,246514001=259046004,718497002=9168
5003}" />
634   </element>
635   <element id="Observation.component:betaWinkel.code.coding.display">
636     <path value="Observation.component.code.coding.display" />
637     <min value="1" />
638   </element>
639   <element id="Observation.component:betaWinkel.code.coding.display.exten
sion">
640     <path value="Observation.component.code.coding.display.extension" />
641     <licing>
642       <discriminator>
643         <type value="value" />
644         <path value="url" />
645       </discriminator>
646       <rules value="open" />
647     </licing>
648   </element>
649   <element id="Observation.component:betaWinkel.code.coding.display.exten
sion:anzeigenamenComponentSnomed">
650     <path value="Observation.component.code.coding.display.extension" />
651     <sliceName value="anzeigenamenComponentSnomed" />
652     <min value="1" />
653     <max value="1" />
654     <type>
655       <code value="Extension" />
656       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
657     </type>
658     <mustSupport value="true" />
659   </element>
660   <element id="Observation.component:betaWinkel.code.coding.display.exten
sion:anzeigenamenComponentSnomed.extension">
661     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
662     <licing>
663       <discriminator>
664         <type value="value" />
665         <path value="url" />
666       </discriminator>
667       <rules value="open" />
668     </licing>
669   </element>
670   <element id="Observation.component:betaWinkel.code.coding.display.exten
sion:anzeigenamenComponentSnomed.extension:content">
671     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
672     <sliceName value="content" />
673   </element>
674   <element id="Observation.component:betaWinkel.code.coding.display.exten
sion:anzeigenamenComponentSnomed.extension:content.value[x]">
675     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />

```

```

676     < slicing >
677         < discriminator >
678             < type value="type" />
679             < path value="$this" />
680         < / discriminator >
681         < rules value="closed" />
682     < / slicing >
683     < mustSupport value="true" />
684 < / element >
685     < element id="Observation.component:betaWinkel.code.coding.display.extension:anzeigenameComponentSnomed.extension:content.value[x]:valueString" >
686         < path value="Observation.component.code.coding.display.extension.extension.value[x]" />
687         < sliceName value="valueString" />
688         < min value="1" />
689         < fixedString value="Beta-Winkel (Grad)" />
690         < mustSupport value="true" />
691     < / element >
692     < element id="Observation.component:betaWinkel.code.coding.userSelected" >
693         < path value="Observation.component.code.coding.userSelected" />
694         < max value="0" />
695     < / element >
696     < element id="Observation.component:betaWinkel.code.text" >
697         < path value="Observation.component.code.text" />
698         < max value="0" />
699     < / element >
700     < element id="Observation.component:betaWinkel.value[x]" >
701         < path value="Observation.component.value[x]" />
702         < slicing >
703             < discriminator >
704                 < type value="type" />
705                 < path value="$this" />
706             < / discriminator >
707             < rules value="closed" />
708         < / slicing >
709         < min value="1" />
710         < type >
711             < code value="Quantity" />
712         < / type >
713         < mustSupport value="true" />
714     < / element >
715     < element id="Observation.component:betaWinkel.value[x]:valueQuantity" >
716         < path value="Observation.component.value[x]" />
717         < sliceName value="valueQuantity" />
718         < min value="1" />
719         < type >
720             < code value="Quantity" />
721         < / type >
722         < mustSupport value="true" />
723     < / element >
724     < element id="Observation.component:betaWinkel.value[x]:valueQuantity.value" >
725         < path value="Observation.component.value[x].value" />
726         < min value="1" />
727     < / element >
728     < element id="Observation.component:betaWinkel.value[x]:valueQuantity.comparator" >
729         < path value="Observation.component.value[x].comparator" />
730         < max value="0" />
731     < / element >

```



```

732     <element id="Observation.component:betaWinkel.value[x]:valueQuantity.un
unit">
733         <path value="Observation.component.value[x].unit" />
734         <min value="1" />
735         <fixedString value="DegreesOfArc" />
736     </element>
737     <element id="Observation.component:betaWinkel.value[x]:valueQuantity.sy
stem">
738         <path value="Observation.component.value[x].system" />
739         <min value="1" />
740         <fixedUri value="http://unitsofmeasure.org" />
741     </element>
742     <element id="Observation.component:betaWinkel.value[x]:valueQuantity.co
de">
743         <path value="Observation.component.value[x].code" />
744         <min value="1" />
745         <fixedCode value="deg" />
746     </element>
747     <element id="Observation.component:betaWinkel.dataAbsentReason">
748         <path value="Observation.component.dataAbsentReason" />
749         <max value="0" />
750     </element>
751     <element id="Observation.component:betaWinkel.interpretation">
752         <path value="Observation.component.interpretation" />
753         <max value="0" />
754     </element>
755     <element id="Observation.component:betaWinkel.referenceRange">
756         <path value="Observation.component.referenceRange" />
757         <max value="0" />
758     </element>
759     <element id="Observation.component:alphaWinkel">
760         <path value="Observation.component" />
761         <sliceName value="alphaWinkel" />
762         <min value="1" />
763         <max value="1" />
764         <mustSupport value="true" />
765     </element>
766     <element id="Observation.component:alphaWinkel.code">
767         <path value="Observation.component.code" />
768         <mustSupport value="true" />
769     </element>
770     <element id="Observation.component:alphaWinkel.code.coding">
771         <path value="Observation.component.code.coding" />
772         <min value="1" />
773         <max value="1" />
774         <mustSupport value="true" />
775     </element>
776     <element id="Observation.component:alphaWinkel.code.coding.system">
777         <path value="Observation.component.code.coding.system" />
778         <min value="1" />
779         <fixedUri value="http://snomed.info/sct" />
780     </element>
781     <element id="Observation.component:alphaWinkel.code.coding.version">
782         <path value="Observation.component.code.coding.version" />
783         <min value="1" />
784         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
785     </element>
786     <element id="Observation.component:alphaWinkel.code.coding.code">
787         <path value="Observation.component.code.coding.code" />

```

```

788     <min value="1" />
789     <fixedCode value="364501006:
{704321009=241503003,246501002=278395004,246514001=259046004,718497002=5882
3008}" />
790   </element>
791   <element id="Observation.component:alphaWinkel.code.coding.display">
792     <path value="Observation.component.code.coding.display" />
793     <min value="1" />
794   </element>
795   <element id="Observation.component:alphaWinkel.code.coding.display.exte
nsion">
796     <path value="Observation.component.code.coding.display.extension" />
797     <slicing>
798       <discriminator>
799         <type value="value" />
800         <path value="url" />
801       </discriminator>
802       <rules value="open" />
803     </slicing>
804   </element>
805   <element id="Observation.component:alphaWinkel.code.coding.display.exte
nsion:anzeigenameComponentSnomed">
806     <path value="Observation.component.code.coding.display.extension" />
807     <sliceName value="anzeigenameComponentSnomed" />
808     <min value="1" />
809     <max value="1" />
810     <type>
811       <code value="Extension" />
812       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
813     </type>
814     <mustSupport value="true" />
815   </element>
816   <element id="Observation.component:alphaWinkel.code.coding.display.exte
nsion:anzeigenameComponentSnomed.extension">
817     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
818     <slicing>
819       <discriminator>
820         <type value="value" />
821         <path value="url" />
822       </discriminator>
823       <rules value="open" />
824     </slicing>
825   </element>
826   <element id="Observation.component:alphaWinkel.code.coding.display.exte
nsion:anzeigenameComponentSnomed.extension:content">
827     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
828     <sliceName value="content" />
829   </element>
830   <element id="Observation.component:alphaWinkel.code.coding.display.exte
nsion:anzeigenameComponentSnomed.extension:content.value[x]">
831     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
832     <slicing>
833       <discriminator>
834         <type value="type" />
835         <path value="$this" />
836       </discriminator>

```

```

837     <rules value="closed" />
838   </slicing>
839   <mustSupport value="true" />
840 </element>
841 <element id="Observation.component:alphaWinkel.code.coding.display.extension:anzeigenameComponentSnomed.extension:content.value[x]:valueString">
842   <path value="Observation.component.code.coding.display.extension.extension.value[x]" />
843   <sliceName value="valueString" />
844   <min value="1" />
845   <fixedString value="Alpha-Winkel (Grad)" />
846   <mustSupport value="true" />
847 </element>
848 <element id="Observation.component:alphaWinkel.code.coding.userSelected">
849   <path value="Observation.component.code.coding.userSelected" />
850   <max value="0" />
851 </element>
852 <element id="Observation.component:alphaWinkel.code.text">
853   <path value="Observation.component.code.text" />
854   <max value="0" />
855 </element>
856 <element id="Observation.component:alphaWinkel.value[x]">
857   <path value="Observation.component.value[x]" />
858   <slicing>
859     <discriminator>
860       <type value="type" />
861       <path value="$this" />
862     </discriminator>
863     <rules value="closed" />
864   </slicing>
865   <min value="1" />
866   <type>
867     <code value="Quantity" />
868   </type>
869   <mustSupport value="true" />
870 </element>
871 <element id="Observation.component:alphaWinkel.value[x]:valueQuantity">
872   <path value="Observation.component.value[x]" />
873   <sliceName value="valueQuantity" />
874   <min value="1" />
875   <type>
876     <code value="Quantity" />
877   </type>
878   <mustSupport value="true" />
879 </element>
880 <element id="Observation.component:alphaWinkel.value[x]:valueQuantity.value">
881   <path value="Observation.component.value[x].value" />
882   <min value="1" />
883 </element>
884 <element id="Observation.component:alphaWinkel.value[x]:valueQuantity.comparator">
885   <path value="Observation.component.value[x].comparator" />
886   <max value="0" />
887 </element>
888 <element id="Observation.component:alphaWinkel.value[x]:valueQuantity.unit">
889   <path value="Observation.component.value[x].unit" />
890   <min value="1" />

```

```

891     <fixedString value="DegreesOfArc" />
892 </element>
893 <element id="Observation.component:alphaWinkel.value[x]:valueQuantity.s
ystem">
894     <path value="Observation.component.value[x].system" />
895     <min value="1" />
896     <fixedUri value="http://unitsofmeasure.org" />
897 </element>
898 <element id="Observation.component:alphaWinkel.value[x]:valueQuantity.c
ode">
899     <path value="Observation.component.value[x].code" />
900     <min value="1" />
901     <fixedCode value="deg" />
902 </element>
903 <element id="Observation.component:alphaWinkel.dataAbsentReason">
904     <path value="Observation.component.dataAbsentReason" />
905     <max value="0" />
906 </element>
907 <element id="Observation.component:alphaWinkel.interpretation">
908     <path value="Observation.component.interpretation" />
909     <max value="0" />
910 </element>
911 <element id="Observation.component:alphaWinkel.referenceRange">
912     <path value="Observation.component.referenceRange" />
913     <max value="0" />
914 </element>
915 </differential>
916 </StructureDefinition>

```

## 328. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_U4\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMR\_Observation\_U3\_U4\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_U4_Physical_Exam_Mouth_Nose" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die diagnostischen Informationen
der körperlichen Untersuchung von Mundhöhle, Kiefer und Nase ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Physical_Exam_Mouth_Nose|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Mouth and Nose Codes" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U3_U4_Physical_Exam_Mouth_Nose" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146       < discriminator >
147         < type value="value" />
148         < path value="url" />
149       < / discriminator >
150       < rules value="open" />
151     < / slicing >
152   < / element >
153   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159       < code value="Extension" />
160       < profile value="https://fhir.kbv.de/StructureDefinition/
161     < / type >
162     < mustSupport value="true" />
163   < / element >
164   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
165     < path value="Observation.code.coding.display.extension.extension" />
166     < slicing >
167       < discriminator >
168         < type value="value" />
169         < path value="url" />
170       < / discriminator >
171       < rules value="open" />
172     < / slicing >
173   < / element >
174   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
175     < path value="Observation.code.coding.display.extension.extension" />
176     < sliceName value="content" />
177   < / element >
178   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
179     < path value="Observation.code.coding.display.extension.extension.valu
180     < slicing>< discriminator>< type value="type" />< path value="$this" />< /
181     < discriminator>< rules value="closed" />< / slicing >
182     < mustSupport value="true" />
183   < / element >
184   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
185     < path value="Observation.code.coding.display.extension.extension.valu
186     < sliceName value="valueString" />
187     < definition value="In diesem Attribut sollen die entsprechende
188     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
189     Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
190     KBV_CM_MIO_CM_R_U3_U4_Physical_Exam_Mouth_Nose_German|1.0.1" />
191     < min value="1" />
192     < mustSupport value="true" />
193   < / element >
194   < element id="Observation.code.coding.userSelected">
195     < path value="Observation.code.coding.userSelected" />

```



```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < / discriminator>
315         < rules value="closed" />
316     < / slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < / type>
321     < mustSupport value="true" />
322 < / element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < / type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < / element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < / element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < / element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < / element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < / element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < / element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < / element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < / element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < / element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < / element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 329. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_U4\_PHYSICAL\_EXAM\_SKIN

## KBV\_PR\_MIO\_CMR\_Observation\_U3\_U4\_Physical\_Exam\_Skin

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Physical_Exam_Skin" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_U4_Physical_Exam_Skin" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung der Haut ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Physical_Exam_Skin|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Skin Observations" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_U4_Physical_Exam_Skin" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```

```

147     <type value="value" />
148     <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
194   KBV_CM_MIO_CM_U3_U4_Physical_Exam_Skin_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />
201 </element>

```



```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```

```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />

```

```
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 330. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_U4\_PROBLEM\_OF\_HIP

## KBV\_PR\_MIO\_CMR\_Observation\_U3\_U4\_Problem\_Of\_Hip

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Problem_Of_Hip" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_U4_Problem_Of_Hip" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil dient der Abbildung von Problemen der
Hüfte." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U4_Problem_Of_Hip|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="364501006" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />

```

```

146     <path value="url" />
147   </discriminator>
148   <rules value="open" />
149 </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <short value="anzeigenameCodeSnomed" />
155   <definition value="Annotation des Snomed CT Codes mit einem deutschen
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     </type>
162     <mustSupport value="true" />
163   </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179   <path value="Observation.code.coding.display.extension.extension.valu
180   <slicing><discriminator><type value="type" /><path value="$this" /></
181   <discriminator><rules value="closed" /></slicing>
182   <mustSupport value="true" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185   <path value="Observation.code.coding.display.extension.extension.valu
186   <sliceName value="valueString" />
187   <min value="1" />
188   <fixedString value="Klinische Zeichen:" />
189   <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192   <path value="Observation.code.coding.userSelected" />
193   <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196   <path value="Observation.code.text" />

```



```

196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>

```

```

254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />

```

```

313     <path value="$this" />
314   </discriminator>
315   <rules value="closed" />
316 </slicing>
317 <min value="1" />
318 <type>
319   <code value="string" />
320 </type>
321 <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueString">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueString" />
326   <min value="1" />
327   <type>
328     <code value="string" />
329   </type>
330   <mustSupport value="true" />
331 </element>
332 <element id="Observation.dataAbsentReason">
333   <path value="Observation.dataAbsentReason" />
334   <max value="0" />
335 </element>
336 <element id="Observation.interpretation">
337   <path value="Observation.interpretation" />
338   <max value="0" />
339 </element>
340 <element id="Observation.note">
341   <path value="Observation.note" />
342   <max value="0" />
343 </element>
344 <element id="Observation.bodySite">
345   <path value="Observation.bodySite" />
346   <max value="0" />
347 </element>
348 <element id="Observation.method">
349   <path value="Observation.method" />
350   <max value="0" />
351 </element>
352 <element id="Observation.specimen">
353   <path value="Observation.specimen" />
354   <max value="0" />
355 </element>
356 <element id="Observation.device">
357   <path value="Observation.device" />
358   <max value="0" />
359 </element>
360 <element id="Observation.referenceRange">
361   <path value="Observation.referenceRange" />
362   <max value="0" />
363 </element>
364 <element id="Observation.hasMember">
365   <path value="Observation.hasMember" />
366   <max value="0" />
367 </element>
368 <element id="Observation.derivedFrom">
369   <path value="Observation.derivedFrom" />
370   <max value="0" />
371 </element>
372 <element id="Observation.component">

```

```
373     <path value="Observation.component" />
374     <max value="0" />
375   </element>
376 </differential>
377 </StructureDefinition>
```

## 331. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_U6\_INDICATION\_FOR\_ABNORMALITY

## KBV\_PR\_MIO\_CMR\_Observation\_U3\_U6\_Indication\_for\_Abnormality

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U6_Indication_for_Abnormality" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U3_U6_Indication_for_Abnormality"
/>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die Dokumentation von Hinweisen
50 auf festgestellte Auffälligkeiten während der U-Untersuchungen U3 bis U9
51 ab." />
52     <definition value="Hinweise zu Auffälligkeiten der kindlichen
53 Entwicklung können als Freitext dokumentiert werden." />
54   </element>
55   <element id="Observation.meta">
56     <path value="Observation.meta" />
57     <min value="1" />
58   </element>
59   <element id="Observation.meta.versionId">
60     <path value="Observation.meta.versionId" />
61     <max value="0" />
62   </element>
63   <element id="Observation.meta.lastUpdated">
64     <path value="Observation.meta.lastUpdated" />
65     <max value="0" />
66   </element>
67   <element id="Observation.meta.source">
68     <path value="Observation.meta.source" />
69     <max value="0" />
70   </element>
71   <element id="Observation.meta.profile">
72     <path value="Observation.meta.profile" />
73     <min value="1" />
74     <max value="1" />
75     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
76 KBV_PR_MIO_CMR_Observation_U3_U6_Indication_for_Abnormality|1.0.1" />
77   </element>
78   <element id="Observation.meta.security">
79     <path value="Observation.meta.security" />
80     <max value="0" />
81   </element>
82   <element id="Observation.meta.tag">
83     <path value="Observation.meta.tag" />
84     <max value="0" />
85   </element>
86   <element id="Observation.implicitRules">
87     <path value="Observation.implicitRules" />
88     <max value="0" />
89   </element>
90 </differential>
91 </mapping>

```

```

84 </element>
85 <element id="Observation.language">
86   <path value="Observation.language" />
87   <max value="0" />
88 </element>
89 <element id="Observation.contained">
90   <path value="Observation.contained" />
91   <max value="0" />
92 </element>
93 <element id="Observation.identifier">
94   <path value="Observation.identifier" />
95   <max value="0" />
96 </element>
97 <element id="Observation.base0n">
98   <path value="Observation.base0n" />
99   <max value="0" />
100 </element>
101 <element id="Observation.part0f">
102   <path value="Observation.part0f" />
103   <max value="0" />
104 </element>
105 <element id="Observation.status">
106   <path value="Observation.status" />
107   <fixedCode value="final" />
108 </element>
109 <element id="Observation.category">
110   <path value="Observation.category" />
111   <max value="0" />
112 </element>
113 <element id="Observation.code">
114   <path value="Observation.code" />
115   <mustSupport value="true" />
116 </element>
117 <element id="Observation.code.coding">
118   <path value="Observation.code.coding" />
119   <min value="1" />
120   <max value="1" />
121   <mustSupport value="true" />
122 </element>
123 <element id="Observation.code.coding.system">
124   <path value="Observation.code.coding.system" />
125   <min value="1" />
126   <fixedUri value="http://snomed.info/sct" />
127 </element>
128 <element id="Observation.code.coding.version">
129   <path value="Observation.code.coding.version" />
130   <min value="1" />
131   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
132 </element>
133 <element id="Observation.code.coding.code">
134   <path value="Observation.code.coding.code" />
135   <min value="1" />
136   <fixedCode value="406207000" />
137 </element>
138 <element id="Observation.code.coding.display">
139   <path value="Observation.code.coding.display" />
140   <min value="1" />
141 </element>
142 <element id="Observation.code.coding.display.extension">

```

```

143     <path value="Observation.code.coding.display.extension" />
144     <slicing>
145         <discriminator>
146             <type value="value" />
147             <path value="url" />
148         </discriminator>
149         <rules value="open" />
150     </slicing>
151 </element>
152 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
153     <path value="Observation.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <short value="anzeigenameCodeSnomed" />
156     <definition value="Annotation des Snomed CT Codes mit einem deutschen
157     <min value="1" />
158     <max value="1" />
159     <type>
160         <code value="Extension" />
161         <profile value="https://fhir.kbv.de/StructureDefinition/
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <slicing><discriminator><type value="type" /><path value="$this" /></
182     <discriminator><rules value="closed" /></slicing>
183     <mustSupport value="true" />
184 </element>
185 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <sliceName value="valueString" />
188         <min value="1" />
189         <fixedString value="Hinweise auf Auffälligkeiten" />
190     <mustSupport value="true" />
191 </element>
192 <element id="Observation.code.coding.userSelected">
193     <path value="Observation.code.coding.userSelected" />

```



```

193     <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196   <path value="Observation.code.text" />
197   <max value="0" />
198 </element>
199 <element id="Observation.subject">
200   <path value="Observation.subject" />
201   <min value="1" />
202   <type>
203     <code value="Reference" />
204     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
205   </type>
206   <mustSupport value="true" />
207 </element>
208 <element id="Observation.subject.reference">
209   <path value="Observation.subject.reference" />
210   <min value="1" />
211   <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.type">
214   <path value="Observation.subject.type" />
215   <max value="0" />
216 </element>
217 <element id="Observation.subject.identifier">
218   <path value="Observation.subject.identifier" />
219   <max value="0" />
220 </element>
221 <element id="Observation.subject.display">
222   <path value="Observation.subject.display" />
223   <max value="0" />
224 </element>
225 <element id="Observation.focus">
226   <path value="Observation.focus" />
227   <max value="0" />
228 </element>
229 <element id="Observation.encounter">
230   <path value="Observation.encounter" />
231   <min value="1" />
232   <type>
233     <code value="Reference" />
234     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
235   </type>
236   <mustSupport value="true" />
237 </element>
238 <element id="Observation.encounter.reference">
239   <path value="Observation.encounter.reference" />
240   <min value="1" />
241   <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.type">
244   <path value="Observation.encounter.type" />
245   <max value="0" />
246 </element>
247 <element id="Observation.encounter.identifier">
248   <path value="Observation.encounter.identifier" />
249   <max value="0" />
250 </element>

```

```

251 <element id="Observation.encounter.display">
252   <path value="Observation.encounter.display" />
253   <max value="0" />
254 </element>
255 <element id="Observation.effective[x]">
256   <path value="Observation.effective[x]" />
257   <slicing>
258     <discriminator>
259       <type value="type" />
260       <path value="$this" />
261     </discriminator>
262     <rules value="closed" />
263   </slicing>
264   <min value="1" />
265   <type>
266     <code value="dateTime" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="Observation.effective[x]:effectiveDateTime">
271   <path value="Observation.effective[x]" />
272   <sliceName value="effectiveDateTime" />
273   <min value="1" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.issued">
280   <path value="Observation.issued" />
281   <max value="0" />
282 </element>
283 <element id="Observation.performer">
284   <path value="Observation.performer" />
285   <max value="1" />
286   <type>
287     <code value="Reference" />
288     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
289   </type>
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.performer.reference">
293   <path value="Observation.performer.reference" />
294   <min value="1" />
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.type">
298   <path value="Observation.performer.type" />
299   <max value="0" />
300 </element>
301 <element id="Observation.performer.identifier">
302   <path value="Observation.performer.identifier" />
303   <max value="0" />
304 </element>
305 <element id="Observation.performer.display">
306   <path value="Observation.performer.display" />
307   <max value="0" />
308 </element>
309 <element id="Observation.value[x]">

```

```

310     <path value="Observation.value[x]" />
311     < slicing>
312         < discriminator>
313             < type value="type" />
314             < path value="$this" />
315         </ discriminator>
316         < rules value="closed" />
317     </ slicing>
318     < min value="1" />
319     < type>
320         < code value="string" />
321     </ type>
322     < mustSupport value="true" />
323 </ element>
324 < element id="Observation.value[x]:valueString">
325     < path value="Observation.value[x]" />
326     < sliceName value="valueString" />
327     < min value="1" />
328     < type>
329         < code value="string" />
330     </ type>
331     < mustSupport value="true" />
332 </ element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 </ element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 </ element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 </ element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 </ element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 </ element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 </ element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 </ element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 </ element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 </ element>
369 < element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

### 332. KBV\_PR\_MIO\_CMROBSERVATION\_U3\_U9\_AGE\_APPROPRIATE\_DEVELOPMENT

#### KBV\_PR\_MIO\_CMRObservation\_U3\_U9\_Age\_Appropriate\_Development

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U3_U9_Age_Appropriate_Development" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMRObservation_U3_U9_Age_Appropriate_Development
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet als Ergebnis einer Untersuchung
ab, ob eine altersgemäÙe Entwicklung des Kindes stattfand." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Age_Appropriate_Development|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117     <path value="Observation.code.coding" />
118     <min value="1" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123     <path value="Observation.code.coding.system" />
124     <min value="1" />
125     <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128     <path value="Observation.code.coding.version" />
129     <min value="1" />
130     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133     <path value="Observation.code.coding.code" />
134     <min value="1" />
135     <fixedCode value="406207000" />
136 </element>
137 <element id="Observation.code.coding.display">
138     <path value="Observation.code.coding.display" />
139     <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142     <path value="Observation.code.coding.display.extension" />
143     <slicing>
144         <discriminator>

```

```

145     <type value="value" />
146     <path value="url" />
147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <min value="1" />
155   <max value="1" />
156   <type>
157     <code value="Extension" />
158     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
159   </type>
160   <mustSupport value="true" />
161 </element>
162 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
163   <path value="Observation.code.coding.display.extension.extension" />
164   <slicing>
165     <discriminator>
166       <type value="value" />
167       <path value="url" />
168     </discriminator>
169     <rules value="open" />
170   </slicing>
171 </element>
172 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
173   <path value="Observation.code.coding.display.extension.extension" />
174   <sliceName value="content" />
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
177   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
178   <slicing>
179     <discriminator>
180       <type value="type" />
181       <path value="$this" />
182     </discriminator>
183     <rules value="closed" />
184   </slicing>
185   <mustSupport value="true" />
186 </element>
187 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
188   <path value="Observation.code.coding.display.extension.extension.valu
eString" />
189   <sliceName value="valueString" />
190   <min value="1" />
191   <fixedString value="Orientierende Beurteilung der Entwicklung
altersgemäß:" />
192   <mustSupport value="true" />
193 </element>
194 <element id="Observation.code.coding.userSelected">
195   <path value="Observation.code.coding.userSelected" />

```



```

196     <max value="0" />
197 </element>
198 <element id="Observation.code.text">
199     <path value="Observation.code.text" />
200     <max value="0" />
201 </element>
202 <element id="Observation.subject">
203     <path value="Observation.subject" />
204     <min value="1" />
205     <type>
206         <code value="Reference" />
207         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
208     </type>
209     <mustSupport value="true" />
210 </element>
211 <element id="Observation.subject.reference">
212     <path value="Observation.subject.reference" />
213     <min value="1" />
214     <mustSupport value="true" />
215 </element>
216 <element id="Observation.subject.type">
217     <path value="Observation.subject.type" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.identifier">
221     <path value="Observation.subject.identifier" />
222     <max value="0" />
223 </element>
224 <element id="Observation.subject.display">
225     <path value="Observation.subject.display" />
226     <max value="0" />
227 </element>
228 <element id="Observation.focus">
229     <path value="Observation.focus" />
230     <max value="0" />
231 </element>
232 <element id="Observation.encounter">
233     <path value="Observation.encounter" />
234     <min value="1" />
235     <type>
236         <code value="Reference" />
237         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
238     </type>
239     <mustSupport value="true" />
240 </element>
241 <element id="Observation.encounter.reference">
242     <path value="Observation.encounter.reference" />
243     <min value="1" />
244     <mustSupport value="true" />
245 </element>
246 <element id="Observation.encounter.type">
247     <path value="Observation.encounter.type" />
248     <max value="0" />
249 </element>
250 <element id="Observation.encounter.identifier">
251     <path value="Observation.encounter.identifier" />
252     <max value="0" />
253 </element>

```

```

254 <element id="Observation.encounter.display">
255   <path value="Observation.encounter.display" />
256   <max value="0" />
257 </element>
258 <element id="Observation.effective[x]">
259   <path value="Observation.effective[x]" />
260   <slicing>
261     <discriminator>
262       <type value="type" />
263       <path value="$this" />
264     </discriminator>
265     <rules value="closed" />
266   </slicing>
267   <min value="1" />
268   <type>
269     <code value="dateTime" />
270   </type>
271   <mustSupport value="true" />
272 </element>
273 <element id="Observation.effective[x]:effectiveDateTime">
274   <path value="Observation.effective[x]" />
275   <sliceName value="effectiveDateTime" />
276   <min value="1" />
277   <type>
278     <code value="dateTime" />
279   </type>
280   <mustSupport value="true" />
281 </element>
282 <element id="Observation.issued">
283   <path value="Observation.issued" />
284   <max value="0" />
285 </element>
286 <element id="Observation.performer">
287   <path value="Observation.performer" />
288   <max value="1" />
289   <type>
290     <code value="Reference" />
291     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
292   </type>
293   <mustSupport value="true" />
294 </element>
295 <element id="Observation.performer.reference">
296   <path value="Observation.performer.reference" />
297   <min value="1" />
298   <mustSupport value="true" />
299 </element>
300 <element id="Observation.performer.type">
301   <path value="Observation.performer.type" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.identifier">
305   <path value="Observation.performer.identifier" />
306   <max value="0" />
307 </element>
308 <element id="Observation.performer.display">
309   <path value="Observation.performer.display" />
310   <max value="0" />
311 </element>
312 <element id="Observation.value[x]">

```

```

313     <path value="Observation.value[x]" />
314     <slicing>
315         <discriminator>
316             <type value="type" />
317             <path value="$this" />
318         </discriminator>
319         <rules value="closed" />
320     </slicing>
321     <min value="1" />
322     <type>
323         <code value="CodeableConcept" />
324     </type>
325     <mustSupport value="true" />
326 </element>
327 <element id="Observation.value[x]:valueCodeableConcept">
328     <path value="Observation.value[x]" />
329     <sliceName value="valueCodeableConcept" />
330     <min value="1" />
331     <type>
332         <code value="CodeableConcept" />
333     </type>
334     <mustSupport value="true" />
335 </element>
336 <element id="Observation.value[x]:valueCodeableConcept.coding">
337     <path value="Observation.value[x].coding" />
338     <min value="1" />
339     <max value="1" />
340     <mustSupport value="true" />
341     <binding>
342         <strength value="required" />
343         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U3_U9_Age_Appropriate_Development" />
344     </binding>
345 </element>
346 <element id="Observation.value[x]:valueCodeableConcept.coding.system">
347     <path value="Observation.value[x].coding.system" />
348     <min value="1" />
349 </element>
350 <element id="Observation.value[x]:valueCodeableConcept.coding.version">
351     <path value="Observation.value[x].coding.version" />
352     <min value="1" />
353 </element>
354 <element id="Observation.value[x]:valueCodeableConcept.coding.code">
355     <path value="Observation.value[x].coding.code" />
356     <min value="1" />
357 </element>
358 <element id="Observation.value[x]:valueCodeableConcept.coding.display">
359     <path value="Observation.value[x].coding.display" />
360     <min value="1" />
361 </element>
362 <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension">
363     <path value="Observation.value[x].coding.display.extension" />
364     <slicing>
365         <discriminator>
366             <type value="value" />
367             <path value="url" />
368         </discriminator>
369         <rules value="open" />
370     </slicing>

```

```

371     </element>
372     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed">
373         <path value="Observation.value[x].coding.display.extension" />
374         <sliceName value="anzeigenameValueSnomed" />
375         <min value="1" />
376         <max value="1" />
377         <type>
378             <code value="Extension" />
379             <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
380         </type>
381         <mustSupport value="true" />
382     </element>
383     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension">
384         <path value="Observation.value[x].coding.display.extension.extension"
/>
385         <licing>
386             <discriminator>
387                 <type value="value" />
388                 <path value="url" />
389             </discriminator>
390             <rules value="open" />
391         </licing>
392     </element>
393     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content">
394         <path value="Observation.value[x].coding.display.extension.extension"
/>
395         <sliceName value="content" />
396     </element>
397     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]">
398         <path value="Observation.value[x].coding.display.extension.extension.
value[x]" />
399         <licing>
400             <discriminator>
401                 <type value="type" />
402                 <path value="$this" />
403             </discriminator>
404             <rules value="closed" />
405         </licing>
406         <mustSupport value="true" />
407     </element>
408     <element id="Observation.value[x]:valueCodeableConcept.coding.display.e
xtension:anzeigenameValueSnomed.extension:content.value[x]:valueString">
409         <path value="Observation.value[x].coding.display.extension.extension.
valueString" />
410         <sliceName value="valueString" />
411         <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CMU_U3_U9_Age_Appropriate_Development_German|1.0.1" />
412         <min value="1" />
413         <mustSupport value="true" />
414     </element>
415     <element id="Observation.value[x]:valueCodeableConcept.coding.userSelec
ted">

```

```

416     <path value="Observation.value[x].coding.userSelected" />
417     <max value="0" />
418 </element>
419 <element id="Observation.value[x]:valueCodeableConcept.text">
420     <path value="Observation.value[x].text" />
421     <max value="0" />
422 </element>
423 <element id="Observation.dataAbsentReason">
424     <path value="Observation.dataAbsentReason" />
425     <max value="0" />
426 </element>
427 <element id="Observation.interpretation">
428     <path value="Observation.interpretation" />
429     <max value="0" />
430 </element>
431 <element id="Observation.note">
432     <path value="Observation.note" />
433     <max value="0" />
434 </element>
435 <element id="Observation.bodySite">
436     <path value="Observation.bodySite" />
437     <max value="0" />
438 </element>
439 <element id="Observation.method">
440     <path value="Observation.method" />
441     <max value="0" />
442 </element>
443 <element id="Observation.specimen">
444     <path value="Observation.specimen" />
445     <max value="0" />
446 </element>
447 <element id="Observation.device">
448     <path value="Observation.device" />
449     <max value="0" />
450 </element>
451 <element id="Observation.referenceRange">
452     <path value="Observation.referenceRange" />
453     <max value="0" />
454 </element>
455 <element id="Observation.hasMember">
456     <path value="Observation.hasMember" />
457     <max value="0" />
458 </element>
459 <element id="Observation.derivedFrom">
460     <path value="Observation.derivedFrom" />
461     <max value="0" />
462 </element>
463 <element id="Observation.component">
464     <path value="Observation.component" />
465     <max value="0" />
466 </element>
467 </differential>
468 </StructureDefinition>

```

### 333. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U3\_U9\_SOCIAL\_HISTORY

#### KBV\_PR\_MIO\_CMR\_Observation\_U3\_U9\_Social\_History

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Social_History" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U3_U9_Social_History" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Sozialanamnese ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U3_U9_Social_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Codes identifying the social history" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_U9_Social_History" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>

```



```

147     <type value="value" />
148     <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   eString" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
194   KBV_CM_MIO_CMU_U3_U9_Social_History_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />
201 </element>

```

```

194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />

```

```

252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>

```

```

311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />

```

```
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 334. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U4\_CURRENT\_CHILD\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U4\_Current\_Child\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Current_Child_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U4_Current_Child_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Current_Child_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U4_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```



```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <path value="Observation.code.coding.display.extension.extension.valu
182     <path value="Observation.code.coding.display.extension.extension.valu
183     <path value="Observation.code.coding.display.extension.extension.valu
184     <path value="Observation.code.coding.display.extension.extension.valu
185     <path value="Observation.code.coding.display.extension.extension.valu
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <path value="Observation.code.coding.display.extension.extension.valu
188     <path value="Observation.code.coding.display.extension.extension.valu
189     <path value="Observation.code.coding.display.extension.extension.valu
190     <path value="Observation.code.coding.display.extension.extension.valu
191     <path value="Observation.code.coding.display.extension.extension.valu
192     <path value="Observation.code.coding.display.extension.extension.valu

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 335. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U4\_DEVELOPMENT\_ASSESSMENT

## KBV\_PR\_MIO\_CMR\_Observation\_U4\_Development\_Assessment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Development_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U4_Development_Assessment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung des Kindes ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMU_U4_Development_Assessment" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```



```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CMR_U4_Development_Assessment_German|1.0.1" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < /discriminator>
315         < rules value="closed" />
316     < /slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < /type>
321     < mustSupport value="true" />
322 < /element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < /type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < /element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < /element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < /element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < /element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < /element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < /element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < /element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < /element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < /element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < /element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 336. KBV\_PR\_MIO\_CMROBSERVATION\_U4\_PHYSICAL\_EXAM ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMRObservation\_U4\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMRObservation_U4_Physical_Exam_Abdomen_Genitals
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des Abdomen und
der Genitale ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Physical_Exam_Abdomen_Genitals|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Abdomen and Genitals Observations" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U4_Physical_Exam_Abdomen_Genitals" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125 </element>
126 <element id="Observation.code.coding.system">
127     <path value="Observation.code.coding.system" />
128     <min value="1" />
129 </element>
130 <element id="Observation.code.coding.version">
131     <path value="Observation.code.coding.version" />
132     <min value="1" />
133 </element>
134 <element id="Observation.code.coding.code">
135     <path value="Observation.code.coding.code" />
136     <min value="1" />
137 </element>
138 <element id="Observation.code.coding.display">
139     <path value="Observation.code.coding.display" />
140     <min value="1" />
141 </element>
142 <element id="Observation.code.coding.display.extension">
143     <path value="Observation.code.coding.display.extension" />
144     <slicing>

```



```

145         <discriminator>
146             <type value="value" />
147             <path value="url" />
148         </discriminator>
149         <rules value="open" />
150     </slicing>
151 </element>
152 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
153     <path value="Observation.code.coding.display.extension" />
154     <sliceName value="anzeigenameCodeSnomed" />
155     <short value="anzeigenameCodeSnomed" />
156     <definition value="Annotation des Snomed CT Codes mit einem deutschen
157     <min value="1" />
158     <max value="1" />
159     <type>
160         <code value="Extension" />
161         <profile value="https://fhir.kbv.de/StructureDefinition/
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <slicing><discriminator><type value="type" /><path value="$this" /></
182     <discriminator><rules value="closed" /></slicing>
183     <mustSupport value="true" />
184 </element>
185 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <sliceName value="valueString" />
188     <definition value="In diesem Attribut sollen die entsprechende
189     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
190     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
191     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
192     ConceptMap/KBV_CM_MIO_CMU_U4_Physical_Exam_Abdomen_Genitals_German|1.0.1" /
193     >
194     <min value="1" />

```

```

189     <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192     <path value="Observation.code.coding.userSelected" />
193     <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196     <path value="Observation.code.text" />
197     <max value="0" />
198 </element>
199 <element id="Observation.subject">
200     <path value="Observation.subject" />
201     <min value="1" />
202     <type>
203         <code value="Reference" />
204         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
205     </type>
206     <mustSupport value="true" />
207 </element>
208 <element id="Observation.subject.reference">
209     <path value="Observation.subject.reference" />
210     <min value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.type">
214     <path value="Observation.subject.type" />
215     <max value="0" />
216 </element>
217 <element id="Observation.subject.identifier">
218     <path value="Observation.subject.identifier" />
219     <max value="0" />
220 </element>
221 <element id="Observation.subject.display">
222     <path value="Observation.subject.display" />
223     <max value="0" />
224 </element>
225 <element id="Observation.focus">
226     <path value="Observation.focus" />
227     <max value="0" />
228 </element>
229 <element id="Observation.encounter">
230     <path value="Observation.encounter" />
231     <min value="1" />
232     <type>
233         <code value="Reference" />
234         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
235     </type>
236     <mustSupport value="true" />
237 </element>
238 <element id="Observation.encounter.reference">
239     <path value="Observation.encounter.reference" />
240     <min value="1" />
241     <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.type">
244     <path value="Observation.encounter.type" />
245     <max value="0" />
246 </element>

```

```

247 <element id="Observation.encounter.identifier">
248   <path value="Observation.encounter.identifier" />
249   <max value="0" />
250 </element>
251 <element id="Observation.encounter.display">
252   <path value="Observation.encounter.display" />
253   <max value="0" />
254 </element>
255 <element id="Observation.effective[x]">
256   <path value="Observation.effective[x]" />
257   <slicing>
258     <discriminator>
259       <type value="type" />
260       <path value="$this" />
261     </discriminator>
262     <rules value="closed" />
263   </slicing>
264   <min value="1" />
265   <type>
266     <code value="dateTime" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="Observation.effective[x]:effectiveDateTime">
271   <path value="Observation.effective[x]" />
272   <sliceName value="effectiveDateTime" />
273   <min value="1" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.issued">
280   <path value="Observation.issued" />
281   <max value="0" />
282 </element>
283 <element id="Observation.performer">
284   <path value="Observation.performer" />
285   <max value="1" />
286   <type>
287     <code value="Reference" />
288     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
289   </type>
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.performer.reference">
293   <path value="Observation.performer.reference" />
294   <min value="1" />
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.type">
298   <path value="Observation.performer.type" />
299   <max value="0" />
300 </element>
301 <element id="Observation.performer.identifier">
302   <path value="Observation.performer.identifier" />
303   <max value="0" />
304 </element>
305 <element id="Observation.performer.display">

```

```

306     <path value="Observation.performer.display" />
307     <max value="0" />
308 </element>
309 <element id="Observation.value[x]">
310     <path value="Observation.value[x]" />
311     <slicing>
312         <discriminator>
313             <type value="type" />
314             <path value="$this" />
315         </discriminator>
316         <rules value="closed" />
317     </slicing>
318     <min value="1" />
319     <type>
320         <code value="boolean" />
321     </type>
322     <mustSupport value="true" />
323 </element>
324 <element id="Observation.value[x]:valueBoolean">
325     <path value="Observation.valueBoolean" />
326     <sliceName value="valueBoolean" />
327     <min value="1" />
328     <type>
329         <code value="boolean" />
330     </type>
331     <fixedBoolean value="true" />
332     <mustSupport value="true" />
333 </element>
334 <element id="Observation.dataAbsentReason">
335     <path value="Observation.dataAbsentReason" />
336     <max value="0" />
337 </element>
338 <element id="Observation.interpretation">
339     <path value="Observation.interpretation" />
340     <max value="0" />
341 </element>
342 <element id="Observation.note">
343     <path value="Observation.note" />
344     <max value="0" />
345 </element>
346 <element id="Observation.bodySite">
347     <path value="Observation.bodySite" />
348     <max value="0" />
349 </element>
350 <element id="Observation.method">
351     <path value="Observation.method" />
352     <max value="0" />
353 </element>
354 <element id="Observation.specimen">
355     <path value="Observation.specimen" />
356     <max value="0" />
357 </element>
358 <element id="Observation.device">
359     <path value="Observation.device" />
360     <max value="0" />
361 </element>
362 <element id="Observation.referenceRange">
363     <path value="Observation.referenceRange" />
364     <max value="0" />
365 </element>

```

```
366 <element id="Observation.hasMember">
367   <path value="Observation.hasMember" />
368   <max value="0" />
369 </element>
370 <element id="Observation.derivedFrom">
371   <path value="Observation.derivedFrom" />
372   <max value="0" />
373 </element>
374 <element id="Observation.component">
375   <path value="Observation.component" />
376   <max value="0" />
377 </element>
378 </differential>
379 </StructureDefinition>
```

## 337. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U4\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMR\_Observation\_U4\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U4_Physical_Exam_Head" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des Kopfes ab." /
>
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_Physical_Exam_Head|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Head Observation Codes" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U4_Physical_Exam_Head" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```



```

146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181 e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183 discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188 e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191 deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192 &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193 Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194 ConceptMap/KBV_CM_MIO_CMR_U4_Physical_Exam_Head_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     <slicing>
311       <discriminator>
312         <type value="type" />
313         <path value="$this" />
314       </discriminator>
315       <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319       <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322   </element>
323   <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.valueBoolean" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328       <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332   </element>
333   <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336   </element>
337   <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340   </element>
341   <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344   </element>
345   <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348   </element>
349   <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352   </element>
353   <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356   </element>
357   <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360   </element>
361   <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364   </element>
365   <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368   </element>
369   <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 338. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U4\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Observation\_U4\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U4_Physical_Exam_Musculoskeletal_System" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U4_Physical_Exam_Musculoskeletal_
System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des
Bewegungsapparates ab." />
49     <definition value="Inspektion des ganzen Körpers in Rücken- und
Bauchlage und aufrecht gehalten." />
50   </element>
51   <element id="Observation.meta">
52     <path value="Observation.meta" />
53     <min value="1" />
54   </element>
55   <element id="Observation.meta.versionId">
56     <path value="Observation.meta.versionId" />
57     <max value="0" />
58   </element>
59   <element id="Observation.meta.lastUpdated">
60     <path value="Observation.meta.lastUpdated" />
61     <max value="0" />
62   </element>
63   <element id="Observation.meta.source">
64     <path value="Observation.meta.source" />
65     <max value="0" />
66   </element>
67   <element id="Observation.meta.profile">
68     <path value="Observation.meta.profile" />
69     <min value="1" />
70     <max value="1" />
71     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
72   </element>
73   <element id="Observation.meta.security">
74     <path value="Observation.meta.security" />
75     <max value="0" />
76   </element>
77   <element id="Observation.meta.tag">
78     <path value="Observation.meta.tag" />
79     <max value="0" />
80   </element>
81   <element id="Observation.implicitRules">
82     <path value="Observation.implicitRules" />
83     <max value="0" />

```

```

84 </element>
85 <element id="Observation.language">
86   <path value="Observation.language" />
87   <max value="0" />
88 </element>
89 <element id="Observation.contained">
90   <path value="Observation.contained" />
91   <max value="0" />
92 </element>
93 <element id="Observation.identifier">
94   <path value="Observation.identifier" />
95   <max value="0" />
96 </element>
97 <element id="Observation.basedOn">
98   <path value="Observation.basedOn" />
99   <max value="0" />
100 </element>
101 <element id="Observation.partOf">
102   <path value="Observation.partOf" />
103   <max value="0" />
104 </element>
105 <element id="Observation.status">
106   <path value="Observation.status" />
107   <fixedCode value="final" />
108 </element>
109 <element id="Observation.category">
110   <path value="Observation.category" />
111   <max value="0" />
112 </element>
113 <element id="Observation.code">
114   <path value="Observation.code" />
115   <mustSupport value="true" />
116   <binding>
117     <strength value="required" />
118     <description value="Musculoskeletal System" />
119     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U4_Physical_Exam_Musculoskeletal_System" />
120   </binding>
121 </element>
122 <element id="Observation.code.coding">
123   <path value="Observation.code.coding" />
124   <min value="1" />
125   <max value="1" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.code.coding.system">
129   <path value="Observation.code.coding.system" />
130   <min value="1" />
131 </element>
132 <element id="Observation.code.coding.version">
133   <path value="Observation.code.coding.version" />
134   <min value="1" />
135 </element>
136 <element id="Observation.code.coding.code">
137   <path value="Observation.code.coding.code" />
138   <min value="1" />
139 </element>
140 <element id="Observation.code.coding.display">
141   <path value="Observation.code.coding.display" />
142   <min value="1" />

```



```

143 </element>
144 <element id="Observation.code.coding.display.extension">
145   <path value="Observation.code.coding.display.extension" />
146   <slicing>
147     <discriminator>
148       <type value="value" />
149       <path value="url" />
150     </discriminator>
151     <rules value="open" />
152   </slicing>
153 </element>
154 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
155   <path value="Observation.code.coding.display.extension" />
156   <sliceName value="anzeigenameCodeSnomed" />
157   <min value="1" />
158   <max value="1" />
159   <type>
160     <code value="Extension" />
161     <profile value="https://fhir.kbv.de/StructureDefinition/
162     KBV_EX_Base_Terminology_German" />
163   </type>
164   <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   <path value="Observation.code.coding.display.extension.extension" />
168   <slicing>
169     <discriminator>
170       <type value="value" />
171       <path value="url" />
172     </discriminator>
173     <rules value="open" />
174   </slicing>
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
177   <path value="Observation.code.coding.display.extension.extension" />
178   <sliceName value="content" />
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
181   <path value="Observation.code.coding.display.extension.extension.valu
182   e[x]" />
183   <slicing><discriminator><type value="type" /><path value="$this" /></
184   discriminator><rules value="closed" /></slicing>
185   <mustSupport value="true" />
186 </element>
187 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
188   <path value="Observation.code.coding.display.extension.extension.valu
189   e[x]" />
190   <sliceName value="valueString" />
191   <definition value="In diesem Attribut sollen die entsprechende
192   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
193   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
194   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
195   ConceptMap/KBV_CM_MIO_CM_U4_Physical_Exam_Musculoskeletal_System_German|
196   1.0.1" />
197   <min value="1" />

```

```

189     <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192     <path value="Observation.code.coding.userSelected" />
193     <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196     <path value="Observation.code.text" />
197     <max value="0" />
198 </element>
199 <element id="Observation.subject">
200     <path value="Observation.subject" />
201     <min value="1" />
202     <type>
203         <code value="Reference" />
204         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
205     </type>
206     <mustSupport value="true" />
207 </element>
208 <element id="Observation.subject.reference">
209     <path value="Observation.subject.reference" />
210     <min value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.type">
214     <path value="Observation.subject.type" />
215     <max value="0" />
216 </element>
217 <element id="Observation.subject.identifier">
218     <path value="Observation.subject.identifier" />
219     <max value="0" />
220 </element>
221 <element id="Observation.subject.display">
222     <path value="Observation.subject.display" />
223     <max value="0" />
224 </element>
225 <element id="Observation.focus">
226     <path value="Observation.focus" />
227     <max value="0" />
228 </element>
229 <element id="Observation.encounter">
230     <path value="Observation.encounter" />
231     <min value="1" />
232     <type>
233         <code value="Reference" />
234         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
235     </type>
236     <mustSupport value="true" />
237 </element>
238 <element id="Observation.encounter.reference">
239     <path value="Observation.encounter.reference" />
240     <min value="1" />
241     <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.type">
244     <path value="Observation.encounter.type" />
245     <max value="0" />
246 </element>

```

```

247 <element id="Observation.encounter.identifier">
248   <path value="Observation.encounter.identifier" />
249   <max value="0" />
250 </element>
251 <element id="Observation.encounter.display">
252   <path value="Observation.encounter.display" />
253   <max value="0" />
254 </element>
255 <element id="Observation.effective[x]">
256   <path value="Observation.effective[x]" />
257   <slicing>
258     <discriminator>
259       <type value="type" />
260       <path value="$this" />
261     </discriminator>
262     <rules value="closed" />
263   </slicing>
264   <min value="1" />
265   <type>
266     <code value="dateTime" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="Observation.effective[x]:effectiveDateTime">
271   <path value="Observation.effective[x]" />
272   <sliceName value="effectiveDateTime" />
273   <min value="1" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.issued">
280   <path value="Observation.issued" />
281   <max value="0" />
282 </element>
283 <element id="Observation.performer">
284   <path value="Observation.performer" />
285   <max value="1" />
286   <type>
287     <code value="Reference" />
288     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
289   </type>
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.performer.reference">
293   <path value="Observation.performer.reference" />
294   <min value="1" />
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.type">
298   <path value="Observation.performer.type" />
299   <max value="0" />
300 </element>
301 <element id="Observation.performer.identifier">
302   <path value="Observation.performer.identifier" />
303   <max value="0" />
304 </element>
305 <element id="Observation.performer.display">

```

```

306     <path value="Observation.performer.display" />
307     <max value="0" />
308 </element>
309 <element id="Observation.value[x]">
310     <path value="Observation.value[x]" />
311     <slicing>
312         <discriminator>
313             <type value="type" />
314             <path value="$this" />
315         </discriminator>
316         <rules value="closed" />
317     </slicing>
318     <min value="1" />
319     <type>
320         <code value="boolean" />
321     </type>
322     <mustSupport value="true" />
323 </element>
324 <element id="Observation.value[x]:valueBoolean">
325     <path value="Observation.value[x]" />
326     <sliceName value="valueBoolean" />
327     <min value="1" />
328     <type>
329         <code value="boolean" />
330     </type>
331     <fixedBoolean value="true" />
332     <mustSupport value="true" />
333 </element>
334 <element id="Observation.dataAbsentReason">
335     <path value="Observation.dataAbsentReason" />
336     <max value="0" />
337 </element>
338 <element id="Observation.interpretation">
339     <path value="Observation.interpretation" />
340     <max value="0" />
341 </element>
342 <element id="Observation.note">
343     <path value="Observation.note" />
344     <max value="0" />
345 </element>
346 <element id="Observation.bodySite">
347     <path value="Observation.bodySite" />
348     <max value="0" />
349 </element>
350 <element id="Observation.method">
351     <path value="Observation.method" />
352     <max value="0" />
353 </element>
354 <element id="Observation.specimen">
355     <path value="Observation.specimen" />
356     <max value="0" />
357 </element>
358 <element id="Observation.device">
359     <path value="Observation.device" />
360     <max value="0" />
361 </element>
362 <element id="Observation.referenceRange">
363     <path value="Observation.referenceRange" />
364     <max value="0" />
365 </element>

```

```
366 <element id="Observation.hasMember">
367   <path value="Observation.hasMember" />
368   <max value="0" />
369 </element>
370 <element id="Observation.derivedFrom">
371   <path value="Observation.derivedFrom" />
372   <max value="0" />
373 </element>
374 <element id="Observation.component">
375   <path value="Observation.component" />
376   <max value="0" />
377 </element>
378 </differential>
379 </StructureDefinition>
```

## 339. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U4\_U5\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMR\_Observation\_U4\_U5\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_U5_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U4_U5_Physical_Exam_Eyes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung der Augen ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U4_U5_Physical_Exam_Eyes|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Codes Identifying the the observed eye
symptoms" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U4_U5_Physical_Exam_Eyes" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>

```



```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   nomed">
155     <path value="Observation.code.coding.display.extension" />
156     <sliceName value="anzeigenameCodeSnomed" />
157     <min value="1" />
158     <max value="1" />
159     <type>
160         <code value="Extension" />
161         <profile value="https://fhir.kbv.de/StructureDefinition/
162   KBV_EX_Base_Terminology_German" />
163     </type>
164     <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   nomed.extension">
168     <path value="Observation.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   nomed.extension:content">
179     <path value="Observation.code.coding.display.extension.extension" />
180     <sliceName value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183   nomed.extension:content.value[x]">
184     <path value="Observation.code.coding.display.extension.extension.valu
185   e[x]" />
186     <slicing><discriminator><type value="type" /><path value="$this" /></
187   discriminator><rules value="closed" /></slicing>
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
191   nomed.extension:content.value[x]:valueString">
192     <path value="Observation.code.coding.display.extension.extension.valu
193   e[x]" />
194     <sliceName value="valueString" />
195     <definition value="In diesem Attribut sollen die entsprechende
196   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
197   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
198   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
199   ConceptMap/KBV_CM_MIO_CMR_U4_U5_Physical_Exam_Eyes_German|1.0.1" />
200     <min value="1" />
201     <mustSupport value="true" />
202 </element>
203 <element id="Observation.code.coding.userSelected">
204     <path value="Observation.code.coding.userSelected" />
205     <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     <slicing>
311       <discriminator>
312         <type value="type" />
313         <path value="$this" />
314       </discriminator>
315       <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319       <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

### 340. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U4\_U9\_STATUS\_OF\_IMMUNIZATION

#### KBV\_PR\_MIO\_CMR\_Observation\_U4\_U9\_Status\_Of\_Immunization

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_U9_Status_Of_Immunization" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U4_U9_Status_Of_Immunization" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet den Impfstatus ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U4_U9_Status_Of_Immunization|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="171258008" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />
146       <path value="url" />

```



```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <min value="1" />
155   <max value="1" />
156   <type>
157     <code value="Extension" />
158     <profile value="https://fhir.kbv.de/StructureDefinition/
159     KBV_EX_Base_Terminology_German" />
160   </type>
161   <mustSupport value="true" />
162 </element>
163 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
164   <path value="Observation.code.coding.display.extension.extension" />
165   <slicing>
166     <discriminator>
167       <type value="value" />
168       <path value="url" />
169     </discriminator>
170     <rules value="open" />
171   </slicing>
172 </element>
173 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
174   <path value="Observation.code.coding.display.extension.extension" />
175   <sliceName value="content" />
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   <path value="Observation.code.coding.display.extension.extension.valu
179   e[x]" />
180   <slicing><discriminator><type value="type" /><path value="$this" /></
181   discriminator><rules value="closed" /></slicing>
182   <mustSupport value="true" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185   <path value="Observation.code.coding.display.extension.extension.valu
186   e[x]" />
187   <sliceName value="valueString" />
188   <min value="1" />
189   <fixedString value="Impfstatus beim Verlassen der Praxis
190   vollstandig:" />
191   <mustSupport value="true" />
192 </element>
193 <element id="Observation.code.coding.userSelected">
194   <path value="Observation.code.coding.userSelected" />
195   <max value="0" />
196 </element>
197 <element id="Observation.code.text">
198   <path value="Observation.code.text" />
199   <max value="0" />
200 </element>
201 <element id="Observation.subject">

```

```

197     <path value="Observation.subject" />
198     <min value="1" />
199     <type>
200         <code value="Reference" />
201         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
202     </type>
203     <mustSupport value="true" />
204 </element>
205 <element id="Observation.subject.reference">
206     <path value="Observation.subject.reference" />
207     <min value="1" />
208     <mustSupport value="true" />
209 </element>
210 <element id="Observation.subject.type">
211     <path value="Observation.subject.type" />
212     <max value="0" />
213 </element>
214 <element id="Observation.subject.identifier">
215     <path value="Observation.subject.identifier" />
216     <max value="0" />
217 </element>
218 <element id="Observation.subject.display">
219     <path value="Observation.subject.display" />
220     <max value="0" />
221 </element>
222 <element id="Observation.focus">
223     <path value="Observation.focus" />
224     <max value="0" />
225 </element>
226 <element id="Observation.encounter">
227     <path value="Observation.encounter" />
228     <min value="1" />
229     <type>
230         <code value="Reference" />
231         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
232     </type>
233     <mustSupport value="true" />
234 </element>
235 <element id="Observation.encounter.reference">
236     <path value="Observation.encounter.reference" />
237     <min value="1" />
238     <mustSupport value="true" />
239 </element>
240 <element id="Observation.encounter.type">
241     <path value="Observation.encounter.type" />
242     <max value="0" />
243 </element>
244 <element id="Observation.encounter.identifier">
245     <path value="Observation.encounter.identifier" />
246     <max value="0" />
247 </element>
248 <element id="Observation.encounter.display">
249     <path value="Observation.encounter.display" />
250     <max value="0" />
251 </element>
252 <element id="Observation.effective[x]">
253     <path value="Observation.effective[x]" />
254     <slicing>

```

```

255     <discriminator>
256       <type value="type" />
257       <path value="$this" />
258     </discriminator>
259     <rules value="closed" />
260   </slicing>
261   <min value="1" />
262   <type>
263     <code value="dateTime" />
264   </type>
265   <mustSupport value="true" />
266 </element>
267 <element id="Observation.effective[x]:effectiveDateTime">
268   <path value="Observation.effective[x]" />
269   <sliceName value="effectiveDateTime" />
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <mustSupport value="true" />
275 </element>
276 <element id="Observation.issued">
277   <path value="Observation.issued" />
278   <max value="0" />
279 </element>
280 <element id="Observation.performer">
281   <path value="Observation.performer" />
282   <max value="1" />
283   <type>
284     <code value="Reference" />
285     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Observation.performer.reference">
290   <path value="Observation.performer.reference" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="Observation.performer.type">
295   <path value="Observation.performer.type" />
296   <max value="0" />
297 </element>
298 <element id="Observation.performer.identifier">
299   <path value="Observation.performer.identifier" />
300   <max value="0" />
301 </element>
302 <element id="Observation.performer.display">
303   <path value="Observation.performer.display" />
304   <max value="0" />
305 </element>
306 <element id="Observation.value[x]">
307   <path value="Observation.value[x]" />
308   <slicing>
309     <discriminator>
310       <type value="type" />
311       <path value="$this" />
312     </discriminator>
313     <rules value="closed" />

```

```

314     </slicing>
315     <min value="1" />
316     <type>
317         <code value="boolean" />
318     </type>
319     <mustSupport value="true" />
320 </element>
321 <element id="Observation.value[x]:valueBoolean">
322     <path value="Observation.value[x]" />
323     <sliceName value="valueBoolean" />
324     <min value="1" />
325     <type>
326         <code value="boolean" />
327     </type>
328     <mustSupport value="true" />
329 </element>
330 <element id="Observation.dataAbsentReason">
331     <path value="Observation.dataAbsentReason" />
332     <max value="0" />
333 </element>
334 <element id="Observation.interpretation">
335     <path value="Observation.interpretation" />
336     <max value="0" />
337 </element>
338 <element id="Observation.note">
339     <path value="Observation.note" />
340     <max value="0" />
341 </element>
342 <element id="Observation.bodySite">
343     <path value="Observation.bodySite" />
344     <max value="0" />
345 </element>
346 <element id="Observation.method">
347     <path value="Observation.method" />
348     <max value="0" />
349 </element>
350 <element id="Observation.specimen">
351     <path value="Observation.specimen" />
352     <max value="0" />
353 </element>
354 <element id="Observation.device">
355     <path value="Observation.device" />
356     <max value="0" />
357 </element>
358 <element id="Observation.referenceRange">
359     <path value="Observation.referenceRange" />
360     <max value="0" />
361 </element>
362 <element id="Observation.hasMember">
363     <path value="Observation.hasMember" />
364     <max value="0" />
365 </element>
366 <element id="Observation.derivedFrom">
367     <path value="Observation.derivedFrom" />
368     <max value="0" />
369 </element>
370 <element id="Observation.component">
371     <path value="Observation.component" />
372     <max value="1" />
373     <mustSupport value="true" />

```

```

374 </element>
375 <element id="Observation.component.code">
376   <path value="Observation.component.code" />
377   <mustSupport value="true" />
378 </element>
379 <element id="Observation.component.code.coding">
380   <path value="Observation.component.code.coding" />
381   <min value="1" />
382   <max value="1" />
383   <mustSupport value="true" />
384 </element>
385 <element id="Observation.component.code.coding.system">
386   <path value="Observation.component.code.coding.system" />
387   <min value="1" />
388   <fixedUri value="http://snomed.info/sct" />
389   <mustSupport value="false" />
390 </element>
391 <element id="Observation.component.code.coding.version">
392   <path value="Observation.component.code.coding.version" />
393   <min value="1" />
394   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
395   <mustSupport value="false" />
396 </element>
397 <element id="Observation.component.code.coding.code">
398   <path value="Observation.component.code.coding.code" />
399   <min value="1" />
400   <fixedCode value="171279008" />
401   <mustSupport value="false" />
402 </element>
403 <element id="Observation.component.code.coding.display">
404   <path value="Observation.component.code.coding.display" />
405   <min value="1" />
406 </element>
407 <element id="Observation.component.code.coding.display.extension">
408   <path value="Observation.component.code.coding.display.extension" />
409   <slicing>
410     <discriminator>
411       <type value="value" />
412       <path value="url" />
413     </discriminator>
414     <rules value="open" />
415   </slicing>
416 </element>
417 <element id="Observation.component.code.coding.display.extension:anzeigenamenComponentSnomed">
418   <path value="Observation.component.code.coding.display.extension" />
419   <sliceName value="anzeigenamenComponentSnomed" />
420   <min value="1" />
421   <max value="1" />
422   <type>
423     <code value="Extension" />
424     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
425   </type>
426   <mustSupport value="true" />
427 </element>
428 <element id="Observation.component.code.coding.display.extension:anzeigenamenComponentSnomed.extension">

```

```

429     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
430     <licing>
431         <discriminator>
432             <type value="value" />
433             <path value="url" />
434         </discriminator>
435         <rules value="open" />
436     </licing>
437 </element>
438 <element id="Observation.component.code.coding.display.extension:anzeig
enameComponentSnomed.extension:content">
439     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
440     <sliceName value="content" />
441 </element>
442 <element id="Observation.component.code.coding.display.extension:anzeig
enameComponentSnomed.extension:content.value[x]">
443     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
444     <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
445     <mustSupport value="true" />
446 </element>
447 <element id="Observation.component.code.coding.display.extension:anzeig
enameComponentSnomed.extension:content.value[x]:valueString">
448     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
449     <sliceName value="valueString" />
450     <min value="1" />
451         <fixedString value="fehlende Impfungen" />
452     <mustSupport value="true" />
453 </element>
454 <element id="Observation.component.code.coding.userSelected">
455     <path value="Observation.component.code.coding.userSelected" />
456     <max value="0" />
457 </element>
458 <element id="Observation.component.code.text">
459     <path value="Observation.component.code.text" />
460     <max value="0" />
461 </element>
462 <element id="Observation.component.value[x]">
463     <path value="Observation.component.value[x]" />
464     <licing>
465         <discriminator>
466             <type value="type" />
467             <path value="$this" />
468         </discriminator>
469         <rules value="closed" />
470     </licing>
471     <min value="1" />
472     <type>
473         <code value="string" />
474     </type>
475     <mustSupport value="true" />
476 </element>
477 <element id="Observation.component.value[x]:valueString">
478     <path value="Observation.component.value[x]" />
479     <sliceName value="valueString" />
480     <min value="1" />

```

```
481     <type>
482       <code value="string" />
483     </type>
484     <mustSupport value="true" />
485   </element>
486   <element id="Observation.component.dataAbsentReason">
487     <path value="Observation.component.dataAbsentReason" />
488     <max value="0" />
489   </element>
490   <element id="Observation.component.interpretation">
491     <path value="Observation.component.interpretation" />
492     <max value="0" />
493   </element>
494   <element id="Observation.component.referenceRange">
495     <path value="Observation.component.referenceRange" />
496     <max value="0" />
497   </element>
498 </differential>
499 </StructureDefinition>
```

## 341. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U5\_CURRENT\_CHILD\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U5\_Current\_Child\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_Current_Child_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U5_Current_Child_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
50 ab." />
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMRObservation_U5_Current_Child_History|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />
89     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U5_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181 e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183 discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188 e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191 deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192 &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193 Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194 ConceptMap/KBV_CM_MIO_CMR_U5_Current_Child_History_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     < slicing >
311         < discriminator >
312             < type value="type" />
313             < path value="$this" />
314         < / discriminator >
315         < rules value="closed" />
316     < / slicing >
317     < min value="1" />
318     < type >
319         < code value="boolean" />
320     < / type >
321     < mustSupport value="true" />
322 < / element >
323 < element id="Observation.value[x]:valueBoolean" >
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type >
328         < code value="boolean" />
329     < / type >
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < / element >
333 < element id="Observation.dataAbsentReason" >
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < / element >
337 < element id="Observation.interpretation" >
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < / element >
341 < element id="Observation.note" >
342     < path value="Observation.note" />
343     < max value="0" />
344 < / element >
345 < element id="Observation.bodySite" >
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < / element >
349 < element id="Observation.method" >
350     < path value="Observation.method" />
351     < max value="0" />
352 < / element >
353 < element id="Observation.specimen" >
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < / element >
357 < element id="Observation.device" >
358     < path value="Observation.device" />
359     < max value="0" />
360 < / element >
361 < element id="Observation.referenceRange" >
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < / element >
365 < element id="Observation.hasMember" >
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < / element >
369 < element id="Observation.derivedFrom" >

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 342. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U5\_DEVELOPMENT\_ASSESSMENT

## KBV\_PR\_MIO\_CMR\_Observation\_U5\_Development\_Assessment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_Development_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U5_Development_Assessment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung des Kindes ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U5_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMU_U5_Development_Assessment" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CMR_U5_Development_Assessment_German|1.0.1" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < /discriminator>
315         < rules value="closed" />
316     < /slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < /type>
321     < mustSupport value="true" />
322 < /element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < /type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < /element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < /element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < /element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < /element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < /element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < /element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < /element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < /element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < /element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < /element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 343. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U5\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_PR\_MIO\_CMR\_Observation\_U5\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_Physical_Exam_Chest_Lung_Respiratory_Tract" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U5_Physical_Exam_Chest_Lung_Respi
ratory_Tract" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />

```



```

28     <name value="RIM Mapping" />
29 </mapping>
30 <mapping>
31     <identity value="w5" />
32     <uri value="http://hl7.org/fhir/fivews" />
33     <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36     <identity value="sct-attr" />
37     <uri value="http://snomed.org/attributebinding" />
38     <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47     <element id="Observation">
48         <path value="Observation" />
49         <short value="Dieses Profil bildet die Untersuchung der Thorax, Lunge
50 und Atemwege des Kindes ab." />
51     </element>
52     <element id="Observation.meta">
53         <path value="Observation.meta" />
54         <min value="1" />
55     </element>
56     <element id="Observation.meta.versionId">
57         <path value="Observation.meta.versionId" />
58         <max value="0" />
59     </element>
60     <element id="Observation.meta.lastUpdated">
61         <path value="Observation.meta.lastUpdated" />
62         <max value="0" />
63     </element>
64     <element id="Observation.meta.source">
65         <path value="Observation.meta.source" />
66         <max value="0" />
67     </element>
68     <element id="Observation.meta.profile">
69         <path value="Observation.meta.profile" />
70         <min value="1" />
71         <max value="1" />
72         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CM_R_Observation_U5_Physical_Exam_Chest_Lung_Respiratory_Tract|
74 1.0.1" />
75     </element>
76     <element id="Observation.meta.security">
77         <path value="Observation.meta.security" />
78         <max value="0" />
79     </element>
80     <element id="Observation.meta.tag">
81         <path value="Observation.meta.tag" />
82         <max value="0" />
83     </element>
84     <element id="Observation.implicitRules">
85         <path value="Observation.implicitRules" />
86         <max value="0" />
87     </element>

```

```

84 <element id="Observation.language">
85   <path value="Observation.language" />
86   <max value="0" />
87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Chest, Lung and Respiratory Tract" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U5_Physical_Exam_Chest_Lung_Respiratory_Tract" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />
142 </element>

```

```

143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161   </type>
162   <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
179   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
180   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
181   <mustSupport value="true" />
182 </element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
184   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
185   <sliceName value="valueString" />
186   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/
KBV_CM_MIO_CMU_U5_Physical_Exam_Chest_Lung_Respiratory_Tract_German|1.0.1"
/>
187   <min value="1" />

```

```

188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>

```

```

246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">

```

```

305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>

```

```
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />
371   <max value="0" />
372 </element>
373 <element id="Observation.component">
374   <path value="Observation.component" />
375   <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 344. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U5\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMR\_Observation\_U5\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U5_Physical_Exam_Mouth_Nose" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung von Mundhöhle,
Kiefer und Nase des Kindes ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U5_Physical_Exam_Mouth_Nose|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Mouth and Nose Codes" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U5_Physical_Exam_Mouth_Nose" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <short value="anzeigenameCodeSnomed" />
157   <definition value="Annotation des Snomed CT Codes mit einem deutschen
Bezeichner. In der Beschreibung sollte die entsprechende Conceptmap erwahnt
werden." />
158   <min value="1" />
159   <max value="1" />
160   <type>
161     <code value="Extension" />
162     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
163   </type>
164   <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
167   <path value="Observation.code.coding.display.extension.extension" />
168   <slicing>
169     <discriminator>
170       <type value="value" />
171       <path value="url" />
172     </discriminator>
173     <rules value="open" />
174   </slicing>
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
177   <path value="Observation.code.coding.display.extension.extension" />
178   <sliceName value="content" />
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
181   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
183   <mustSupport value="true" />
184 </element>
185 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
186   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
187   <sliceName value="valueString" />
188   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/KBV_CM_MIO_CMR_U5_Physical_Exam_Mouth_Nose_German|1.0.1" />
189   <min value="1" />
190   <mustSupport value="true" />

```

```

191 </element>
192 <element id="Observation.code.coding.userSelected">
193   <path value="Observation.code.coding.userSelected" />
194   <max value="0" />
195 </element>
196 <element id="Observation.code.text">
197   <path value="Observation.code.text" />
198   <max value="0" />
199 </element>
200 <element id="Observation.subject">
201   <path value="Observation.subject" />
202   <min value="1" />
203   <type>
204     <code value="Reference" />
205     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
206   </type>
207   <mustSupport value="true" />
208 </element>
209 <element id="Observation.subject.reference">
210   <path value="Observation.subject.reference" />
211   <min value="1" />
212   <mustSupport value="true" />
213 </element>
214 <element id="Observation.subject.type">
215   <path value="Observation.subject.type" />
216   <max value="0" />
217 </element>
218 <element id="Observation.subject.identifier">
219   <path value="Observation.subject.identifier" />
220   <max value="0" />
221 </element>
222 <element id="Observation.subject.display">
223   <path value="Observation.subject.display" />
224   <max value="0" />
225 </element>
226 <element id="Observation.focus">
227   <path value="Observation.focus" />
228   <max value="0" />
229 </element>
230 <element id="Observation.encounter">
231   <path value="Observation.encounter" />
232   <min value="1" />
233   <type>
234     <code value="Reference" />
235     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="Observation.encounter.reference">
240   <path value="Observation.encounter.reference" />
241   <min value="1" />
242   <mustSupport value="true" />
243 </element>
244 <element id="Observation.encounter.type">
245   <path value="Observation.encounter.type" />
246   <max value="0" />
247 </element>
248 <element id="Observation.encounter.identifier">

```

```

249     <path value="Observation.encounter.identifier" />
250     <max value="0" />
251 </element>
252 <element id="Observation.encounter.display">
253     <path value="Observation.encounter.display" />
254     <max value="0" />
255 </element>
256 <element id="Observation.effective[x]">
257     <path value="Observation.effective[x]" />
258     <slicing>
259         <discriminator>
260             <type value="type" />
261             <path value="$this" />
262         </discriminator>
263         <rules value="closed" />
264     </slicing>
265     <min value="1" />
266     <type>
267         <code value="dateTime" />
268     </type>
269     <mustSupport value="true" />
270 </element>
271 <element id="Observation.effective[x]:effectiveDateTime">
272     <path value="Observation.effective[x]" />
273     <sliceName value="effectiveDateTime" />
274     <min value="1" />
275     <type>
276         <code value="dateTime" />
277     </type>
278     <mustSupport value="true" />
279 </element>
280 <element id="Observation.issued">
281     <path value="Observation.issued" />
282     <max value="0" />
283 </element>
284 <element id="Observation.performer">
285     <path value="Observation.performer" />
286     <max value="1" />
287     <type>
288         <code value="Reference" />
289         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
290     </type>
291     <mustSupport value="true" />
292 </element>
293 <element id="Observation.performer.reference">
294     <path value="Observation.performer.reference" />
295     <min value="1" />
296     <mustSupport value="true" />
297 </element>
298 <element id="Observation.performer.type">
299     <path value="Observation.performer.type" />
300     <max value="0" />
301 </element>
302 <element id="Observation.performer.identifier">
303     <path value="Observation.performer.identifier" />
304     <max value="0" />
305 </element>
306 <element id="Observation.performer.display">
307     <path value="Observation.performer.display" />

```

```

308     <max value="0" />
309 </element>
310 <element id="Observation.value[x]">
311   <path value="Observation.value[x]" />
312   <slicing>
313     <discriminator>
314       <type value="type" />
315       <path value="$this" />
316     </discriminator>
317     <rules value="closed" />
318   </slicing>
319   <min value="1" />
320   <type>
321     <code value="boolean" />
322   </type>
323   <mustSupport value="true" />
324 </element>
325 <element id="Observation.value[x]:valueBoolean">
326   <path value="Observation.value[x]" />
327   <sliceName value="valueBoolean" />
328   <min value="1" />
329   <type>
330     <code value="boolean" />
331   </type>
332   <fixedBoolean value="true" />
333   <mustSupport value="true" />
334 </element>
335 <element id="Observation.dataAbsentReason">
336   <path value="Observation.dataAbsentReason" />
337   <max value="0" />
338 </element>
339 <element id="Observation.interpretation">
340   <path value="Observation.interpretation" />
341   <max value="0" />
342 </element>
343 <element id="Observation.note">
344   <path value="Observation.note" />
345   <max value="0" />
346 </element>
347 <element id="Observation.bodySite">
348   <path value="Observation.bodySite" />
349   <max value="0" />
350 </element>
351 <element id="Observation.method">
352   <path value="Observation.method" />
353   <max value="0" />
354 </element>
355 <element id="Observation.specimen">
356   <path value="Observation.specimen" />
357   <max value="0" />
358 </element>
359 <element id="Observation.device">
360   <path value="Observation.device" />
361   <max value="0" />
362 </element>
363 <element id="Observation.referenceRange">
364   <path value="Observation.referenceRange" />
365   <max value="0" />
366 </element>
367 <element id="Observation.hasMember">

```

```
368     <path value="Observation.hasMember" />
369     <max value="0" />
370 </element>
371 <element id="Observation.derivedFrom">
372     <path value="Observation.derivedFrom" />
373     <max value="0" />
374 </element>
375 <element id="Observation.component">
376     <path value="Observation.component" />
377     <max value="0" />
378 </element>
379 </differential>
380 </StructureDefinition>
```

## 345. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U5\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Observation\_U5\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U5_Physical_Exam_Musculoskeletal_System" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U5_Physical_Exam_Musculoskeletal_
System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```



```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die Untersuchung des
50 Bewegungsapparates ab." />
51     <definition value="Inspektion des ganzen Körpers in Rücken- und
52 Bauchlage und aufrecht gehalten." />
53   </element>
54   <element id="Observation.meta">
55     <path value="Observation.meta" />
56     <min value="1" />
57   </element>
58   <element id="Observation.meta.versionId">
59     <path value="Observation.meta.versionId" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.lastUpdated">
63     <path value="Observation.meta.lastUpdated" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.source">
67     <path value="Observation.meta.source" />
68     <max value="0" />
69   </element>
70   <element id="Observation.meta.profile">
71     <path value="Observation.meta.profile" />
72     <min value="1" />
73     <max value="1" />
74     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
75 KBV_PR_MIO_CMRObservation_U5_Physical_Exam_Musculoskeletal_System|1.0.1" /
76 >
77   </element>
78   <element id="Observation.meta.security">
79     <path value="Observation.meta.security" />
80     <max value="0" />
81   </element>
82   <element id="Observation.meta.tag">
83     <path value="Observation.meta.tag" />
84     <max value="0" />
85   </element>
86   <element id="Observation.implicitRules">
87     <path value="Observation.implicitRules" />
88     <max value="0" />
89   </element>
90 </differential>
91 </Observation>

```

```

84 </element>
85 <element id="Observation.language">
86   <path value="Observation.language" />
87   <max value="0" />
88 </element>
89 <element id="Observation.contained">
90   <path value="Observation.contained" />
91   <max value="0" />
92 </element>
93 <element id="Observation.identifier">
94   <path value="Observation.identifier" />
95   <max value="0" />
96 </element>
97 <element id="Observation.basedOn">
98   <path value="Observation.basedOn" />
99   <max value="0" />
100 </element>
101 <element id="Observation.partOf">
102   <path value="Observation.partOf" />
103   <max value="0" />
104 </element>
105 <element id="Observation.status">
106   <path value="Observation.status" />
107   <fixedCode value="final" />
108 </element>
109 <element id="Observation.category">
110   <path value="Observation.category" />
111   <max value="0" />
112 </element>
113 <element id="Observation.code">
114   <path value="Observation.code" />
115   <mustSupport value="true" />
116   <binding>
117     <strength value="required" />
118     <description value="Musculoskeletal System" />
119     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U5_Physical_Exam_Musculoskeletal_System" />
120   </binding>
121 </element>
122 <element id="Observation.code.coding">
123   <path value="Observation.code.coding" />
124   <min value="1" />
125   <max value="1" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.code.coding.system">
129   <path value="Observation.code.coding.system" />
130   <min value="1" />
131 </element>
132 <element id="Observation.code.coding.version">
133   <path value="Observation.code.coding.version" />
134   <min value="1" />
135 </element>
136 <element id="Observation.code.coding.code">
137   <path value="Observation.code.coding.code" />
138   <min value="1" />
139 </element>
140 <element id="Observation.code.coding.display">
141   <path value="Observation.code.coding.display" />
142   <min value="1" />

```

```

143 </element>
144 <element id="Observation.code.coding.display.extension">
145   <path value="Observation.code.coding.display.extension" />
146   <slicing>
147     <discriminator>
148       <type value="value" />
149       <path value="url" />
150     </discriminator>
151     <rules value="open" />
152   </slicing>
153 </element>
154 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
155   <path value="Observation.code.coding.display.extension" />
156   <sliceName value="anzeigenameCodeSnomed" />
157   <min value="1" />
158   <max value="1" />
159   <type>
160     <code value="Extension" />
161     <profile value="https://fhir.kbv.de/StructureDefinition/
162     KBV_EX_Base_Terminology_German" />
163   </type>
164   <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   <path value="Observation.code.coding.display.extension.extension" />
168   <slicing>
169     <discriminator>
170       <type value="value" />
171       <path value="url" />
172     </discriminator>
173     <rules value="open" />
174   </slicing>
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
177   <path value="Observation.code.coding.display.extension.extension" />
178   <sliceName value="content" />
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
181   <path value="Observation.code.coding.display.extension.extension.valu
182   e[x]" />
183   <slicing><discriminator><type value="type" /><path value="$this" /></
184   discriminator><rules value="closed" /></slicing>
185   <mustSupport value="true" />
186 </element>
187 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
188   <path value="Observation.code.coding.display.extension.extension.valu
189   e[x]" />
190   <sliceName value="valueString" />
191   <definition value="In diesem Attribut sollen die entsprechende
192   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
193   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
194   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
195   ConceptMap/KBV_CM_MIO_CM_U5_Physical_Exam_Musculoskeletal_System_German|
196   1.0.1" />
197   <min value="1" />

```

```

189     <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192     <path value="Observation.code.coding.userSelected" />
193     <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196     <path value="Observation.code.text" />
197     <max value="0" />
198 </element>
199 <element id="Observation.subject">
200     <path value="Observation.subject" />
201     <min value="1" />
202     <type>
203         <code value="Reference" />
204         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
205     </type>
206     <mustSupport value="true" />
207 </element>
208 <element id="Observation.subject.reference">
209     <path value="Observation.subject.reference" />
210     <min value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.type">
214     <path value="Observation.subject.type" />
215     <max value="0" />
216 </element>
217 <element id="Observation.subject.identifier">
218     <path value="Observation.subject.identifier" />
219     <max value="0" />
220 </element>
221 <element id="Observation.subject.display">
222     <path value="Observation.subject.display" />
223     <max value="0" />
224 </element>
225 <element id="Observation.focus">
226     <path value="Observation.focus" />
227     <max value="0" />
228 </element>
229 <element id="Observation.encounter">
230     <path value="Observation.encounter" />
231     <min value="1" />
232     <type>
233         <code value="Reference" />
234         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
235     </type>
236     <mustSupport value="true" />
237 </element>
238 <element id="Observation.encounter.reference">
239     <path value="Observation.encounter.reference" />
240     <min value="1" />
241     <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.type">
244     <path value="Observation.encounter.type" />
245     <max value="0" />
246 </element>

```

```

247 <element id="Observation.encounter.identifier">
248   <path value="Observation.encounter.identifier" />
249   <max value="0" />
250 </element>
251 <element id="Observation.encounter.display">
252   <path value="Observation.encounter.display" />
253   <max value="0" />
254 </element>
255 <element id="Observation.effective[x]">
256   <path value="Observation.effective[x]" />
257   <slicing>
258     <discriminator>
259       <type value="type" />
260       <path value="$this" />
261     </discriminator>
262     <rules value="closed" />
263   </slicing>
264   <min value="1" />
265   <type>
266     <code value="dateTime" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="Observation.effective[x]:effectiveDateTime">
271   <path value="Observation.effective[x]" />
272   <sliceName value="effectiveDateTime" />
273   <min value="1" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.issued">
280   <path value="Observation.issued" />
281   <max value="0" />
282 </element>
283 <element id="Observation.performer">
284   <path value="Observation.performer" />
285   <max value="1" />
286   <type>
287     <code value="Reference" />
288     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
289   </type>
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.performer.reference">
293   <path value="Observation.performer.reference" />
294   <min value="1" />
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.type">
298   <path value="Observation.performer.type" />
299   <max value="0" />
300 </element>
301 <element id="Observation.performer.identifier">
302   <path value="Observation.performer.identifier" />
303   <max value="0" />
304 </element>
305 <element id="Observation.performer.display">

```

```

306     <path value="Observation.performer.display" />
307     <max value="0" />
308 </element>
309 <element id="Observation.value[x]">
310     <path value="Observation.value[x]" />
311     <slicing>
312         <discriminator>
313             <type value="type" />
314             <path value="$this" />
315         </discriminator>
316         <rules value="closed" />
317     </slicing>
318     <min value="1" />
319     <type>
320         <code value="boolean" />
321     </type>
322     <mustSupport value="true" />
323 </element>
324 <element id="Observation.value[x]:valueBoolean">
325     <path value="Observation.value[x]" />
326     <sliceName value="valueBoolean" />
327     <min value="1" />
328     <type>
329         <code value="boolean" />
330     </type>
331     <fixedBoolean value="true" />
332     <mustSupport value="true" />
333 </element>
334 <element id="Observation.dataAbsentReason">
335     <path value="Observation.dataAbsentReason" />
336     <max value="0" />
337 </element>
338 <element id="Observation.interpretation">
339     <path value="Observation.interpretation" />
340     <max value="0" />
341 </element>
342 <element id="Observation.note">
343     <path value="Observation.note" />
344     <max value="0" />
345 </element>
346 <element id="Observation.bodySite">
347     <path value="Observation.bodySite" />
348     <max value="0" />
349 </element>
350 <element id="Observation.method">
351     <path value="Observation.method" />
352     <max value="0" />
353 </element>
354 <element id="Observation.specimen">
355     <path value="Observation.specimen" />
356     <max value="0" />
357 </element>
358 <element id="Observation.device">
359     <path value="Observation.device" />
360     <max value="0" />
361 </element>
362 <element id="Observation.referenceRange">
363     <path value="Observation.referenceRange" />
364     <max value="0" />
365 </element>

```

```
366 <element id="Observation.hasMember">
367   <path value="Observation.hasMember" />
368   <max value="0" />
369 </element>
370 <element id="Observation.derivedFrom">
371   <path value="Observation.derivedFrom" />
372   <max value="0" />
373 </element>
374 <element id="Observation.component">
375   <path value="Observation.component" />
376   <max value="0" />
377 </element>
378 </differential>
379 </StructureDefinition>
```

## 346. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U5\_U6\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Observation\_U5\_U6\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_U6_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U5_U6_Physical_Exam_Abdomen_Genit
als" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```



```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Untersuchung des Abdomens und
der Genitale ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_U6_Physical_Exam_Abdomen_Genitals|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Abdomen and Genitals Observations" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U5_U6_Physical_Exam_Abdomen_Genitals" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < short value="anzeigenameCodeSnomed" />
157     < definition value="Annotation des Snomed CT Codes mit einem deutschen
158     < min value="1" />
159     < max value="1" />
160     < type >
161         < code value="Extension" />
162         < profile value="https://fhir.kbv.de/StructureDefinition/
163     < / type >
164     < mustSupport value="true" />
165 < / element >
166 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
167     < path value="Observation.code.coding.display.extension.extension" />
168     < slicing >
169         < discriminator >
170             < type value="value" />
171             < path value="url" />
172         < / discriminator >
173         < rules value="open" />
174     < / slicing >
175 < / element >
176 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
177     < path value="Observation.code.coding.display.extension.extension" />
178     < sliceName value="content" />
179 < / element >
180 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
181     < path value="Observation.code.coding.display.extension.extension.valu
182     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
183     < discriminator >< rules value="closed" />< / slicing >
184     < mustSupport value="true" />
185 < / element >
186 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
187     < path value="Observation.code.coding.display.extension.extension.valu
188     < sliceName value="valueString" />
189     < definition value="In diesem Attribut sollen die entsprechende
190     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
191     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
192     ConceptMap/KBV_CM_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals_German|
193     1.0.1" />

```

```

189     <min value="1" />
190     <mustSupport value="true" />
191 </element>
192 <element id="Observation.code.coding.userSelected">
193     <path value="Observation.code.coding.userSelected" />
194     <max value="0" />
195 </element>
196 <element id="Observation.code.text">
197     <path value="Observation.code.text" />
198     <max value="0" />
199 </element>
200 <element id="Observation.subject">
201     <path value="Observation.subject" />
202     <min value="1" />
203     <type>
204         <code value="Reference" />
205         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
206     </type>
207     <mustSupport value="true" />
208 </element>
209 <element id="Observation.subject.reference">
210     <path value="Observation.subject.reference" />
211     <min value="1" />
212     <mustSupport value="true" />
213 </element>
214 <element id="Observation.subject.type">
215     <path value="Observation.subject.type" />
216     <max value="0" />
217 </element>
218 <element id="Observation.subject.identifier">
219     <path value="Observation.subject.identifier" />
220     <max value="0" />
221 </element>
222 <element id="Observation.subject.display">
223     <path value="Observation.subject.display" />
224     <max value="0" />
225 </element>
226 <element id="Observation.focus">
227     <path value="Observation.focus" />
228     <max value="0" />
229 </element>
230 <element id="Observation.encounter">
231     <path value="Observation.encounter" />
232     <min value="1" />
233     <type>
234         <code value="Reference" />
235         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
236     </type>
237     <mustSupport value="true" />
238 </element>
239 <element id="Observation.encounter.reference">
240     <path value="Observation.encounter.reference" />
241     <min value="1" />
242     <mustSupport value="true" />
243 </element>
244 <element id="Observation.encounter.type">
245     <path value="Observation.encounter.type" />
246     <max value="0" />

```

```

247 </element>
248 <element id="Observation.encounter.identifier">
249   <path value="Observation.encounter.identifier" />
250   <max value="0" />
251 </element>
252 <element id="Observation.encounter.display">
253   <path value="Observation.encounter.display" />
254   <max value="0" />
255 </element>
256 <element id="Observation.effective[x]">
257   <path value="Observation.effective[x]" />
258   <slicing>
259     <discriminator>
260       <type value="type" />
261       <path value="$this" />
262     </discriminator>
263     <rules value="closed" />
264   </slicing>
265   <min value="1" />
266   <type>
267     <code value="dateTime" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="Observation.effective[x]:effectiveDateTime">
272   <path value="Observation.effective[x]" />
273   <sliceName value="effectiveDateTime" />
274   <min value="1" />
275   <type>
276     <code value="dateTime" />
277   </type>
278   <mustSupport value="true" />
279 </element>
280 <element id="Observation.issued">
281   <path value="Observation.issued" />
282   <max value="0" />
283 </element>
284 <element id="Observation.performer">
285   <path value="Observation.performer" />
286   <max value="1" />
287   <type>
288     <code value="Reference" />
289     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
290   </type>
291   <mustSupport value="true" />
292 </element>
293 <element id="Observation.performer.reference">
294   <path value="Observation.performer.reference" />
295   <min value="1" />
296   <mustSupport value="true" />
297 </element>
298 <element id="Observation.performer.type">
299   <path value="Observation.performer.type" />
300   <max value="0" />
301 </element>
302 <element id="Observation.performer.identifier">
303   <path value="Observation.performer.identifier" />
304   <max value="0" />
305 </element>

```

```

306 <element id="Observation.performer.display">
307   <path value="Observation.performer.display" />
308   <max value="0" />
309 </element>
310 <element id="Observation.value[x]">
311   <path value="Observation.value[x]" />
312   <slicing>
313     <discriminator>
314       <type value="type" />
315       <path value="$this" />
316     </discriminator>
317     <rules value="closed" />
318   </slicing>
319   <min value="1" />
320   <type>
321     <code value="boolean" />
322   </type>
323   <mustSupport value="true" />
324 </element>
325 <element id="Observation.value[x]:valueBoolean">
326   <path value="Observation.value[x]" />
327   <sliceName value="valueBoolean" />
328   <min value="1" />
329   <type>
330     <code value="boolean" />
331   </type>
332   <fixedBoolean value="true" />
333   <mustSupport value="true" />
334 </element>
335 <element id="Observation.dataAbsentReason">
336   <path value="Observation.dataAbsentReason" />
337   <max value="0" />
338 </element>
339 <element id="Observation.interpretation">
340   <path value="Observation.interpretation" />
341   <max value="0" />
342 </element>
343 <element id="Observation.note">
344   <path value="Observation.note" />
345   <max value="0" />
346 </element>
347 <element id="Observation.bodySite">
348   <path value="Observation.bodySite" />
349   <max value="0" />
350 </element>
351 <element id="Observation.method">
352   <path value="Observation.method" />
353   <max value="0" />
354 </element>
355 <element id="Observation.specimen">
356   <path value="Observation.specimen" />
357   <max value="0" />
358 </element>
359 <element id="Observation.device">
360   <path value="Observation.device" />
361   <max value="0" />
362 </element>
363 <element id="Observation.referenceRange">
364   <path value="Observation.referenceRange" />
365   <max value="0" />

```

```
366     </element>
367     <element id="Observation.hasMember">
368         <path value="Observation.hasMember" />
369         <max value="0" />
370     </element>
371     <element id="Observation.derivedFrom">
372         <path value="Observation.derivedFrom" />
373         <max value="0" />
374     </element>
375     <element id="Observation.component">
376         <path value="Observation.component" />
377         <max value="0" />
378     </element>
379 </differential>
380 </StructureDefinition>
```

## 347. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U5\_U6\_PHYSICAL\_EXAM\_HEAD

## KBV\_PR\_MIO\_CMR\_Observation\_U5\_U6\_Physical\_Exam\_Head

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_U6_Physical_Exam_Head" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U5_U6_Physical_Exam_Head" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Kopfes im Rahmen der U5 und
U6." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_U6_Physical_Exam_Head|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Head Observation Codes" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_U6_Physical_Exam_Head" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing > < discriminator > < type value="type" /> < path value="$this" /> < /
182     < discriminator > < rules value="closed" /> < / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CMR_U5_U6_Physical_Exam_Head_German|1.0.1" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < /discriminator>
315         < rules value="closed" />
316     < /slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < /type>
321     < mustSupport value="true" />
322 < /element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < /type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < /element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < /element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < /element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < /element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < /element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < /element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < /element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < /element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < /element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < /element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 348. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U5\_U9\_PHYSICAL\_EXAM\_SKIN

## KBV\_PR\_MIO\_CMR\_Observation\_U5\_U9\_Physical\_Exam\_Skin

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_U9_Physical_Exam_Skin" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U5_U9_Physical_Exam_Skin" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Haut im Rahmen der U5 bis
U9." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U5_U9_Physical_Exam_Skin|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Codes Identifying Skin Observations" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U5_U9_Physical_Exam_Skin" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CMR_U5_U9_Physical_Exam_Skin_German|1.0.1" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 349. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U6\_CURRENT\_CHILD\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U6\_Current\_Child\_History

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Current_Child_History" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U6_Current_Child_History" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Current_Child_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181 e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183 discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188 eString" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194     ConceptMap/KBV_CM_MIO_CMR_U6_Current_Child_History_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

### 350. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U6\_DEVELOPMENT\_ASSESSMENT

#### KBV\_PR\_MIO\_CMR\_Observation\_U6\_Development\_Assessment

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Development_Assessment" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U6_Development_Assessment" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />
27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29   </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
119 KBV_VS_MIO_CMU_U6_Development_Assessment" />
120        </binding>
121    </element>
122    <element id="Observation.code.coding">
123        <path value="Observation.code.coding" />
124        <min value="1" />
125        <max value="1" />
126        <mustSupport value="true" />
127    </element>
128    <element id="Observation.code.coding.system">
129        <path value="Observation.code.coding.system" />
130        <min value="1" />
131    </element>
132    <element id="Observation.code.coding.version">
133        <path value="Observation.code.coding.version" />
134        <min value="1" />
135    </element>
136    <element id="Observation.code.coding.code">
137        <path value="Observation.code.coding.code" />
138        <min value="1" />
139    </element>
140    <element id="Observation.code.coding.display">
141        <path value="Observation.code.coding.display" />
142        <min value="1" />
143    </element>
144    <element id="Observation.code.coding.display.extension">
145        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CMR_U6_Development_Assessment_German|1.0.1" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 351. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U6\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMR\_Observation\_U6\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U6_Physical_Exam_Eyes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U6_Physical_Exam_Eyes|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes Identifying the the observed eye
118 symptoms" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMU_U6_Physical_Exam_Eyes" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146       < discriminator >
147         < type value="value" />
148         < path value="url" />
149       < / discriminator >
150       < rules value="open" />
151     < / slicing >
152   < / element >
153   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159       < code value="Extension" />
160       < profile value="https://fhir.kbv.de/StructureDefinition/
161     < / type >
162     < mustSupport value="true" />
163   < / element >
164   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
165     < path value="Observation.code.coding.display.extension.extension" />
166     < slicing >
167       < discriminator >
168         < type value="value" />
169         < path value="url" />
170       < / discriminator >
171       < rules value="open" />
172     < / slicing >
173   < / element >
174   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
175     < path value="Observation.code.coding.display.extension.extension" />
176     < sliceName value="content" />
177   < / element >
178   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
179     < path value="Observation.code.coding.display.extension.extension.valu
180     < slicing>< discriminator>< type value="type" />< path value="$this" />< /
181     < discriminator>< rules value="closed" />< / slicing >
182     < mustSupport value="true" />
183   < / element >
184   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
185     < path value="Observation.code.coding.display.extension.extension.valu
186     < sliceName value="valueString" />
187     < definition value="In diesem Attribut sollen die entsprechende
188     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
189     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
190     ConceptMap/KBV_CM_MIO_CMR_U6_Physical_Exam_Eyes_German|1.0.1" />
191     < min value="1" />
192     < mustSupport value="true" />
193   < / element >
194   < element id="Observation.code.coding.userSelected">
195     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310   < slicing>
311     < discriminator>
312       < type value="type" />
313       < path value="$this" />
314     < /discriminator>
315     < rules value="closed" />
316   < /slicing>
317   < min value="1" />
318   < type>
319     < code value="boolean" />
320   < /type>
321   < mustSupport value="true" />
322 < /element>
323 < element id="Observation.value[x]:valueBoolean">
324   < path value="Observation.value[x]" />
325   < sliceName value="valueBoolean" />
326   < min value="1" />
327   < type>
328     < code value="boolean" />
329   < /type>
330   < fixedBoolean value="true" />
331   < mustSupport value="true" />
332 < /element>
333 < element id="Observation.dataAbsentReason">
334   < path value="Observation.dataAbsentReason" />
335   < max value="0" />
336 < /element>
337 < element id="Observation.interpretation">
338   < path value="Observation.interpretation" />
339   < max value="0" />
340 < /element>
341 < element id="Observation.note">
342   < path value="Observation.note" />
343   < max value="0" />
344 < /element>
345 < element id="Observation.bodySite">
346   < path value="Observation.bodySite" />
347   < max value="0" />
348 < /element>
349 < element id="Observation.method">
350   < path value="Observation.method" />
351   < max value="0" />
352 < /element>
353 < element id="Observation.specimen">
354   < path value="Observation.specimen" />
355   < max value="0" />
356 < /element>
357 < element id="Observation.device">
358   < path value="Observation.device" />
359   < max value="0" />
360 < /element>
361 < element id="Observation.referenceRange">
362   < path value="Observation.referenceRange" />
363   < max value="0" />
364 < /element>
365 < element id="Observation.hasMember">
366   < path value="Observation.hasMember" />
367   < max value="0" />
368 < /element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 352. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U6\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMR\_Observation\_U6\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U6_Physical_Exam_Mouth_Nose" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und Nase
im Rahmen der U6." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U6_Physical_Exam_Mouth_Nose|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Mouth and Nose Codes" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U6_Physical_Exam_Mouth_Nose" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146       < discriminator >
147         < type value="value" />
148         < path value="url" />
149       < / discriminator >
150       < rules value="open" />
151     < / slicing >
152   < / element >
153   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159       < code value="Extension" />
160       < profile value="https://fhir.kbv.de/StructureDefinition/
161     < / type >
162     < mustSupport value="true" />
163   < / element >
164   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
165     < path value="Observation.code.coding.display.extension.extension" />
166     < slicing >
167       < discriminator >
168         < type value="value" />
169         < path value="url" />
170       < / discriminator >
171       < rules value="open" />
172     < / slicing >
173   < / element >
174   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
175     < path value="Observation.code.coding.display.extension.extension" />
176     < sliceName value="content" />
177   < / element >
178   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
179     < path value="Observation.code.coding.display.extension.extension.valu
180     < slicing>< discriminator>< type value="type" />< path value="$this" />< /
181     < discriminator>< rules value="closed" />< / slicing >
182     < mustSupport value="true" />
183   < / element >
184   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
185     < path value="Observation.code.coding.display.extension.extension.valu
186     < sliceName value="valueString" />
187     < definition value="In diesem Attribut sollen die entsprechende
188     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
189     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
190     ConceptMap/KBV_CM_MIO_CMR_U6_Physical_Exam_Mouth_Nose_German|1.0.1" />
191     < min value="1" />
192     < mustSupport value="true" />
193   < / element >
194   < element id="Observation.code.coding.userSelected">
195     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < /discriminator>
315         < rules value="closed" />
316     < /slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < /type>
321     < mustSupport value="true" />
322 < /element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < /type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < /element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < /element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < /element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < /element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < /element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < /element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < /element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < /element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < /element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < /element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 353. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U6\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Observation\_U6\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U6_Physical_Exam_Musculoskeletal_System" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U6_Physical_Exam_Musculoskeletal_
System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```



```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats im Rahmen
der U6." />
49     <definition value="Inspektion des ganzen Körpers in Rücken- und
Bauchlage und aufrecht gehalten." />
50   </element>
51   <element id="Observation.meta">
52     <path value="Observation.meta" />
53     <min value="1" />
54   </element>
55   <element id="Observation.meta.versionId">
56     <path value="Observation.meta.versionId" />
57     <max value="0" />
58   </element>
59   <element id="Observation.meta.lastUpdated">
60     <path value="Observation.meta.lastUpdated" />
61     <max value="0" />
62   </element>
63   <element id="Observation.meta.source">
64     <path value="Observation.meta.source" />
65     <max value="0" />
66   </element>
67   <element id="Observation.meta.profile">
68     <path value="Observation.meta.profile" />
69     <min value="1" />
70     <max value="1" />
71     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U6_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
72   </element>
73   <element id="Observation.meta.security">
74     <path value="Observation.meta.security" />
75     <max value="0" />
76   </element>
77   <element id="Observation.meta.tag">
78     <path value="Observation.meta.tag" />
79     <max value="0" />
80   </element>
81   <element id="Observation.implicitRules">
82     <path value="Observation.implicitRules" />

```

```

83     <max value="0" />
84 </element>
85 <element id="Observation.language">
86     <path value="Observation.language" />
87     <max value="0" />
88 </element>
89 <element id="Observation.contained">
90     <path value="Observation.contained" />
91     <max value="0" />
92 </element>
93 <element id="Observation.identifier">
94     <path value="Observation.identifier" />
95     <max value="0" />
96 </element>
97 <element id="Observation.basedOn">
98     <path value="Observation.basedOn" />
99     <max value="0" />
100 </element>
101 <element id="Observation.partOf">
102     <path value="Observation.partOf" />
103     <max value="0" />
104 </element>
105 <element id="Observation.status">
106     <path value="Observation.status" />
107     <fixedCode value="final" />
108 </element>
109 <element id="Observation.category">
110     <path value="Observation.category" />
111     <max value="0" />
112 </element>
113 <element id="Observation.code">
114     <path value="Observation.code" />
115     <mustSupport value="true" />
116     <binding>
117         <strength value="required" />
118         <description value="Musculoskeletal System" />
119         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U6_Physical_Exam_Musculoskeletal_System" />
120     </binding>
121 </element>
122 <element id="Observation.code.coding">
123     <path value="Observation.code.coding" />
124     <min value="1" />
125     <max value="1" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.code.coding.system">
129     <path value="Observation.code.coding.system" />
130     <min value="1" />
131 </element>
132 <element id="Observation.code.coding.version">
133     <path value="Observation.code.coding.version" />
134     <min value="1" />
135 </element>
136 <element id="Observation.code.coding.code">
137     <path value="Observation.code.coding.code" />
138     <min value="1" />
139 </element>
140 <element id="Observation.code.coding.display">
141     <path value="Observation.code.coding.display" />

```

```

142     <min value="1" />
143 </element>
144 <element id="Observation.code.coding.display.extension">
145   <path value="Observation.code.coding.display.extension" />
146   <slicing>
147     <discriminator>
148       <type value="value" />
149       <path value="url" />
150     </discriminator>
151     <rules value="open" />
152   </slicing>
153 </element>
154 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
155   <path value="Observation.code.coding.display.extension" />
156   <sliceName value="anzeigenameCodeSnomed" />
157   <min value="1" />
158   <max value="1" />
159   <type>
160     <code value="Extension" />
161     <profile value="https://fhir.kbv.de/StructureDefinition/
162     KBV_EX_Base_Terminology_German" />
163   </type>
164   <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   <path value="Observation.code.coding.display.extension.extension" />
168   <slicing>
169     <discriminator>
170       <type value="value" />
171       <path value="url" />
172     </discriminator>
173     <rules value="open" />
174   </slicing>
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
177   <path value="Observation.code.coding.display.extension.extension" />
178   <sliceName value="content" />
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
181   <path value="Observation.code.coding.display.extension.extension.valu
182   e[x]" />
183   <slicing><discriminator><type value="type" /><path value="$this" /></
184   discriminator><rules value="closed" /></slicing>
185   <mustSupport value="true" />
186 </element>
187 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
188   <path value="Observation.code.coding.display.extension.extension.valu
189   e[x]" />
190   <sliceName value="valueString" />
191   <definition value="In diesem Attribut sollen die entsprechende
192   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
193   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
194   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
195   ConceptMap/KBV_CM_MIO_CM_U6_Physical_Exam_Musculoskeletal_System_German|
196   1.0.1" />

```

```

188     <min value="1" />
189     <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192     <path value="Observation.code.coding.userSelected" />
193     <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196     <path value="Observation.code.text" />
197     <max value="0" />
198 </element>
199 <element id="Observation.subject">
200     <path value="Observation.subject" />
201     <min value="1" />
202     <type>
203         <code value="Reference" />
204         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
205     </type>
206     <mustSupport value="true" />
207 </element>
208 <element id="Observation.subject.reference">
209     <path value="Observation.subject.reference" />
210     <min value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.type">
214     <path value="Observation.subject.type" />
215     <max value="0" />
216 </element>
217 <element id="Observation.subject.identifier">
218     <path value="Observation.subject.identifier" />
219     <max value="0" />
220 </element>
221 <element id="Observation.subject.display">
222     <path value="Observation.subject.display" />
223     <max value="0" />
224 </element>
225 <element id="Observation.focus">
226     <path value="Observation.focus" />
227     <max value="0" />
228 </element>
229 <element id="Observation.encounter">
230     <path value="Observation.encounter" />
231     <min value="1" />
232     <type>
233         <code value="Reference" />
234         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
235     </type>
236     <mustSupport value="true" />
237 </element>
238 <element id="Observation.encounter.reference">
239     <path value="Observation.encounter.reference" />
240     <min value="1" />
241     <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.type">
244     <path value="Observation.encounter.type" />
245     <max value="0" />

```

```

246 </element>
247 <element id="Observation.encounter.identifier">
248   <path value="Observation.encounter.identifier" />
249   <max value="0" />
250 </element>
251 <element id="Observation.encounter.display">
252   <path value="Observation.encounter.display" />
253   <max value="0" />
254 </element>
255 <element id="Observation.effective[x]">
256   <path value="Observation.effective[x]" />
257   <slicing>
258     <discriminator>
259       <type value="type" />
260       <path value="$this" />
261     </discriminator>
262     <rules value="closed" />
263   </slicing>
264   <min value="1" />
265   <type>
266     <code value="dateTime" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="Observation.effective[x]:effectiveDateTime">
271   <path value="Observation.effective[x]" />
272   <sliceName value="effectiveDateTime" />
273   <min value="1" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.issued">
280   <path value="Observation.issued" />
281   <max value="0" />
282 </element>
283 <element id="Observation.performer">
284   <path value="Observation.performer" />
285   <max value="1" />
286   <type>
287     <code value="Reference" />
288     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
289   </type>
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.performer.reference">
293   <path value="Observation.performer.reference" />
294   <min value="1" />
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.type">
298   <path value="Observation.performer.type" />
299   <max value="0" />
300 </element>
301 <element id="Observation.performer.identifier">
302   <path value="Observation.performer.identifier" />
303   <max value="0" />
304 </element>

```

```

305 <element id="Observation.performer.display">
306   <path value="Observation.performer.display" />
307   <max value="0" />
308 </element>
309 <element id="Observation.value[x]">
310   <path value="Observation.value[x]" />
311   <slicing>
312     <discriminator>
313       <type value="type" />
314       <path value="$this" />
315     </discriminator>
316     <rules value="closed" />
317   </slicing>
318   <min value="1" />
319   <type>
320     <code value="boolean" />
321   </type>
322   <mustSupport value="true" />
323 </element>
324 <element id="Observation.value[x]:valueBoolean">
325   <path value="Observation.value[x]" />
326   <sliceName value="valueBoolean" />
327   <min value="1" />
328   <type>
329     <code value="boolean" />
330   </type>
331   <fixedBoolean value="true" />
332   <mustSupport value="true" />
333 </element>
334 <element id="Observation.dataAbsentReason">
335   <path value="Observation.dataAbsentReason" />
336   <max value="0" />
337 </element>
338 <element id="Observation.interpretation">
339   <path value="Observation.interpretation" />
340   <max value="0" />
341 </element>
342 <element id="Observation.note">
343   <path value="Observation.note" />
344   <max value="0" />
345 </element>
346 <element id="Observation.bodySite">
347   <path value="Observation.bodySite" />
348   <max value="0" />
349 </element>
350 <element id="Observation.method">
351   <path value="Observation.method" />
352   <max value="0" />
353 </element>
354 <element id="Observation.specimen">
355   <path value="Observation.specimen" />
356   <max value="0" />
357 </element>
358 <element id="Observation.device">
359   <path value="Observation.device" />
360   <max value="0" />
361 </element>
362 <element id="Observation.referenceRange">
363   <path value="Observation.referenceRange" />
364   <max value="0" />

```

```
365     </element>
366     <element id="Observation.hasMember">
367       <path value="Observation.hasMember" />
368       <max value="0" />
369     </element>
370     <element id="Observation.derivedFrom">
371       <path value="Observation.derivedFrom" />
372       <max value="0" />
373     </element>
374     <element id="Observation.component">
375       <path value="Observation.component" />
376       <max value="0" />
377     </element>
378   </differential>
379 </StructureDefinition>
```

## 354. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U6\_U7\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_PR\_MIO\_CMR\_Observation\_U6\_U7\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract
" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U6_U7_Physical_Exam_Chest_Lung_Re
spiratory_Tract" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />

```



```

28     <name value="RIM Mapping" />
29 </mapping>
30 <mapping>
31     <identity value="w5" />
32     <uri value="http://hl7.org/fhir/fivews" />
33     <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36     <identity value="sct-attr" />
37     <uri value="http://snomed.org/attributebinding" />
38     <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46     <element id="Observation">
47         <path value="Observation" />
48         <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der körperlichen Untersuchung von Thorax, Lunge und Atemwegen
im Rahmen der U6 und U7." />
49     </element>
50     <element id="Observation.meta">
51         <path value="Observation.meta" />
52         <min value="1" />
53     </element>
54     <element id="Observation.meta.versionId">
55         <path value="Observation.meta.versionId" />
56         <max value="0" />
57     </element>
58     <element id="Observation.meta.lastUpdated">
59         <path value="Observation.meta.lastUpdated" />
60         <max value="0" />
61     </element>
62     <element id="Observation.meta.source">
63         <path value="Observation.meta.source" />
64         <max value="0" />
65     </element>
66     <element id="Observation.meta.profile">
67         <path value="Observation.meta.profile" />
68         <min value="1" />
69         <max value="1" />
70         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract
|1.0.1" />
71     </element>
72     <element id="Observation.meta.security">
73         <path value="Observation.meta.security" />
74         <max value="0" />
75     </element>
76     <element id="Observation.meta.tag">
77         <path value="Observation.meta.tag" />
78         <max value="0" />
79     </element>
80     <element id="Observation.implicitRules">
81         <path value="Observation.implicitRules" />
82         <max value="0" />

```

```

83 </element>
84 <element id="Observation.language">
85   <path value="Observation.language" />
86   <max value="0" />
87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Chest, Lung and Respiratory Tract" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />

```

```

142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194   ConceptMap/
195   KBV_CM_MIO_CMU_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract_German|
196   1.0.1" />

```

```

187     <min value="1" />
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">
191     <path value="Observation.code.coding.userSelected" />
192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />

```

```

245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>

```

```

304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />

```

```
364     </element>
365     <element id="Observation.hasMember">
366       <path value="Observation.hasMember" />
367       <max value="0" />
368     </element>
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 355. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7\_CURRENT\_CHILD\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U7\_Current\_Child\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_Current_Child_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7_Current_Child_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
44 Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
48     <path value="Observation" />
49     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
50 ab." />
51   </element>
52   <element id="Observation.meta">
53     <path value="Observation.meta" />
54     <min value="1" />
55   </element>
56   <element id="Observation.meta.versionId">
57     <path value="Observation.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="Observation.meta.lastUpdated">
61     <path value="Observation.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="Observation.meta.source">
65     <path value="Observation.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="Observation.meta.profile">
69     <path value="Observation.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
73 KBV_PR_MIO_CMRObservation_U7_Current_Child_History|1.0.1" />
74   </element>
75   <element id="Observation.meta.security">
76     <path value="Observation.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Observation.meta.tag">
80     <path value="Observation.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Observation.implicitRules">
84     <path value="Observation.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Observation.language">
88     <path value="Observation.language" />
89     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U7_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <path value="Observation.code.coding.display.extension.extension.valu
182     <path value="Observation.code.coding.display.extension.extension.valu
183     <path value="Observation.code.coding.display.extension.extension.valu
184     <path value="Observation.code.coding.display.extension.extension.valu
185     <path value="Observation.code.coding.display.extension.extension.valu
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <path value="Observation.code.coding.display.extension.extension.valu
188     <path value="Observation.code.coding.display.extension.extension.valu
189     <path value="Observation.code.coding.display.extension.extension.valu
190     <path value="Observation.code.coding.display.extension.extension.valu
191     <path value="Observation.code.coding.display.extension.extension.valu
192     <path value="Observation.code.coding.display.extension.extension.valu

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```

```

310     < slicing >
311         < discriminator >
312             < type value="type" />
313             < path value="$this" />
314         < / discriminator >
315         < rules value="closed" />
316     < / slicing >
317     < min value="1" />
318     < type >
319         < code value="boolean" />
320     < / type >
321     < mustSupport value="true" />
322 < / element >
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type >
328         < code value="boolean" />
329     < / type >
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < / element >
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < / element >
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < / element >
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < / element >
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < / element >
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < / element >
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < / element >
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < / element >
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < / element >
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < / element >
369 < element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 356. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7\_DEVELOPMENT\_ASSESSMENT

## KBV\_PR\_MIO\_CMR\_Observation\_U7\_Development\_Assessment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_Development_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7_Development_Assessment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMU_U7_Development_Assessment" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CMR_U7_Development_Assessment_German|1.0.1" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < /discriminator>
315         < rules value="closed" />
316     < /slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < /type>
321     < mustSupport value="true" />
322 < /element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < /type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < /element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < /element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < /element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < /element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < /element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < /element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < /element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < /element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < /element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < /element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 357. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMR\_Observation\_U7\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7_Physical_Exam_Eyes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_Physical_Exam_Eyes|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes Identifying the the observed eye
118 symptoms" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMU_U7_Physical_Exam_Eyes" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CMR_U7_Physical_Exam_Eyes_German|1.0.1" />
192     < min value="1" />
193     < mustSupport value="true" />
194 < / element >
195 < element id="Observation.code.coding.userSelected">
196     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 358. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMR\_Observation\_U7\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7_Physical_Exam_Mouth_Nose" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und Nase
im Rahmen der U7." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_Physical_Exam_Mouth_Nose|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Mouth and Nose Codes" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7_Physical_Exam_Mouth_Nose" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
190     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
191     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
192     ConceptMap/KBV_CM_MIO_CMR_U7_Physical_Exam_Mouth_Nose_German|1.0.1" />
193     < min value="1" />
194     < mustSupport value="true" />
195 < / element >
196 < element id="Observation.code.coding.userSelected">
197     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```

```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < /discriminator>
315         < rules value="closed" />
316     < /slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < /type>
321     < mustSupport value="true" />
322 < /element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < /type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < /element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < /element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < /element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < /element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < /element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < /element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < /element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < /element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < /element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < /element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 359. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U7\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Observation\_U7\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U7_Physical_Exam_Musculoskeletal_System" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U7_Physical_Exam_Musculoskeletal_
System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```



```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats im Rahmen
der U7." />
49     <definition value="Inspektion des ganzen Körpers in Rücken- und
Bauchlage und aufrecht gehalten." />
50   </element>
51   <element id="Observation.meta">
52     <path value="Observation.meta" />
53     <min value="1" />
54   </element>
55   <element id="Observation.meta.versionId">
56     <path value="Observation.meta.versionId" />
57     <max value="0" />
58   </element>
59   <element id="Observation.meta.lastUpdated">
60     <path value="Observation.meta.lastUpdated" />
61     <max value="0" />
62   </element>
63   <element id="Observation.meta.source">
64     <path value="Observation.meta.source" />
65     <max value="0" />
66   </element>
67   <element id="Observation.meta.profile">
68     <path value="Observation.meta.profile" />
69     <min value="1" />
70     <max value="1" />
71     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
72   </element>
73   <element id="Observation.meta.security">
74     <path value="Observation.meta.security" />
75     <max value="0" />
76   </element>
77   <element id="Observation.meta.tag">
78     <path value="Observation.meta.tag" />
79     <max value="0" />
80   </element>
81   <element id="Observation.implicitRules">
82     <path value="Observation.implicitRules" />

```

```

83     <max value="0" />
84 </element>
85 <element id="Observation.language">
86     <path value="Observation.language" />
87     <max value="0" />
88 </element>
89 <element id="Observation.text">
90     <path value="Observation.text" />
91     <max value="0" />
92 </element>
93 <element id="Observation.contained">
94     <path value="Observation.contained" />
95     <max value="0" />
96 </element>
97 <element id="Observation.identifier">
98     <path value="Observation.identifier" />
99     <max value="0" />
100 </element>
101 <element id="Observation.basedOn">
102     <path value="Observation.basedOn" />
103     <max value="0" />
104 </element>
105 <element id="Observation.partOf">
106     <path value="Observation.partOf" />
107     <max value="0" />
108 </element>
109 <element id="Observation.status">
110     <path value="Observation.status" />
111     <fixedCode value="final" />
112 </element>
113 <element id="Observation.category">
114     <path value="Observation.category" />
115     <max value="0" />
116 </element>
117 <element id="Observation.code">
118     <path value="Observation.code" />
119     <mustSupport value="true" />
120     <binding>
121         <strength value="required" />
122         <description value="Musculoskeletal System" />
123         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7_Physical_Exam_Musculoskeletal_System" />
124     </binding>
125 </element>
126 <element id="Observation.code.coding">
127     <path value="Observation.code.coding" />
128     <min value="1" />
129     <max value="1" />
130     <mustSupport value="true" />
131 </element>
132 <element id="Observation.code.coding.system">
133     <path value="Observation.code.coding.system" />
134     <min value="1" />
135 </element>
136 <element id="Observation.code.coding.version">
137     <path value="Observation.code.coding.version" />
138     <min value="1" />
139 </element>
140 <element id="Observation.code.coding.code">
141     <path value="Observation.code.coding.code" />

```

```

142     <min value="1" />
143 </element>
144 <element id="Observation.code.coding.display">
145   <path value="Observation.code.coding.display" />
146   <min value="1" />
147 </element>
148 <element id="Observation.code.coding.display.extension">
149   <path value="Observation.code.coding.display.extension" />
150   <slicing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </slicing>
157 </element>
158 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
159   <path value="Observation.code.coding.display.extension" />
160   <sliceName value="anzeigenameCodeSnomed" />
161   <min value="1" />
162   <max value="1" />
163   <type>
164     <code value="Extension" />
165     <profile value="https://fhir.kbv.de/StructureDefinition/
166     KBV_EX_Base_Terminology_German" />
167     </type>
168     <mustSupport value="true" />
169 </element>
170 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
171   <path value="Observation.code.coding.display.extension.extension" />
172   <slicing>
173     <discriminator>
174       <type value="value" />
175       <path value="url" />
176     </discriminator>
177     <rules value="open" />
178   </slicing>
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
181   <path value="Observation.code.coding.display.extension.extension" />
182   <sliceName value="content" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185   <path value="Observation.code.coding.display.extension.extension.valu
186   e[x]" />
187   <slicing><discriminator><type value="type" /><path value="$this" /></
188   discriminator><rules value="closed" /></slicing>
189   <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
192   <path value="Observation.code.coding.display.extension.extension.valu
193   e[x]" />
194   <sliceName value="valueString" />

```

```

191     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/KBV_CM_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System_German|
1.0.1" />
192     <min value="1" />
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding.userSelected">
196   <path value="Observation.code.coding.userSelected" />
197   <max value="0" />
198 </element>
199 <element id="Observation.code.text">
200   <path value="Observation.code.text" />
201   <max value="0" />
202 </element>
203 <element id="Observation.subject">
204   <path value="Observation.subject" />
205   <min value="1" />
206   <type>
207     <code value="Reference" />
208     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
209   </type>
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.reference">
213   <path value="Observation.subject.reference" />
214   <min value="1" />
215   <mustSupport value="true" />
216 </element>
217 <element id="Observation.subject.type">
218   <path value="Observation.subject.type" />
219   <max value="0" />
220 </element>
221 <element id="Observation.subject.identifier">
222   <path value="Observation.subject.identifier" />
223   <max value="0" />
224 </element>
225 <element id="Observation.subject.display">
226   <path value="Observation.subject.display" />
227   <max value="0" />
228 </element>
229 <element id="Observation.focus">
230   <path value="Observation.focus" />
231   <max value="0" />
232 </element>
233 <element id="Observation.encounter">
234   <path value="Observation.encounter" />
235   <min value="1" />
236   <type>
237     <code value="Reference" />
238     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
239   </type>
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.reference">
243   <path value="Observation.encounter.reference" />

```

```

244     <min value="1" />
245     <mustSupport value="true" />
246   </element>
247   <element id="Observation.encounter.type">
248     <path value="Observation.encounter.type" />
249     <max value="0" />
250   </element>
251   <element id="Observation.encounter.identifier">
252     <path value="Observation.encounter.identifier" />
253     <max value="0" />
254   </element>
255   <element id="Observation.encounter.display">
256     <path value="Observation.encounter.display" />
257     <max value="0" />
258   </element>
259   <element id="Observation.effective[x]">
260     <path value="Observation.effective[x]" />
261     <slicing>
262       <discriminator>
263         <type value="type" />
264         <path value="$this" />
265       </discriminator>
266       <rules value="closed" />
267     </slicing>
268     <min value="1" />
269     <type>
270       <code value="dateTime" />
271     </type>
272     <mustSupport value="true" />
273   </element>
274   <element id="Observation.effective[x]:effectiveDateTime">
275     <path value="Observation.effective[x]" />
276     <sliceName value="effectiveDateTime" />
277     <min value="1" />
278     <type>
279       <code value="dateTime" />
280     </type>
281     <mustSupport value="true" />
282   </element>
283   <element id="Observation.issued">
284     <path value="Observation.issued" />
285     <max value="0" />
286   </element>
287   <element id="Observation.performer">
288     <path value="Observation.performer" />
289     <max value="1" />
290     <type>
291       <code value="Reference" />
292       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
293     </type>
294     <mustSupport value="true" />
295   </element>
296   <element id="Observation.performer.reference">
297     <path value="Observation.performer.reference" />
298     <min value="1" />
299     <mustSupport value="true" />
300   </element>
301   <element id="Observation.performer.type">
302     <path value="Observation.performer.type" />

```

```

303     <max value="0" />
304 </element>
305 <element id="Observation.performer.identifier">
306     <path value="Observation.performer.identifier" />
307     <max value="0" />
308 </element>
309 <element id="Observation.performer.display">
310     <path value="Observation.performer.display" />
311     <max value="0" />
312 </element>
313 <element id="Observation.value[x]">
314     <path value="Observation.value[x]" />
315     <slicing>
316         <discriminator>
317             <type value="type" />
318             <path value="$this" />
319         </discriminator>
320         <rules value="closed" />
321     </slicing>
322     <min value="1" />
323     <type>
324         <code value="boolean" />
325     </type>
326     <mustSupport value="true" />
327 </element>
328 <element id="Observation.value[x]:valueBoolean">
329     <path value="Observation.value[x]" />
330     <sliceName value="valueBoolean" />
331     <min value="1" />
332     <type>
333         <code value="boolean" />
334     </type>
335     <fixedBoolean value="true" />
336     <mustSupport value="true" />
337 </element>
338 <element id="Observation.dataAbsentReason">
339     <path value="Observation.dataAbsentReason" />
340     <max value="0" />
341 </element>
342 <element id="Observation.interpretation">
343     <path value="Observation.interpretation" />
344     <max value="0" />
345 </element>
346 <element id="Observation.note">
347     <path value="Observation.note" />
348     <max value="0" />
349 </element>
350 <element id="Observation.bodySite">
351     <path value="Observation.bodySite" />
352     <max value="0" />
353 </element>
354 <element id="Observation.method">
355     <path value="Observation.method" />
356     <max value="0" />
357 </element>
358 <element id="Observation.specimen">
359     <path value="Observation.specimen" />
360     <max value="0" />
361 </element>
362 <element id="Observation.device">

```

```
363     <path value="Observation.device" />
364     <max value="0" />
365 </element>
366 <element id="Observation.referenceRange">
367     <path value="Observation.referenceRange" />
368     <max value="0" />
369 </element>
370 <element id="Observation.hasMember">
371     <path value="Observation.hasMember" />
372     <max value="0" />
373 </element>
374 <element id="Observation.derivedFrom">
375     <path value="Observation.derivedFrom" />
376     <max value="0" />
377 </element>
378 <element id="Observation.component">
379     <path value="Observation.component" />
380     <max value="0" />
381 </element>
382 </differential>
383 </StructureDefinition>
```

## 360. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7\_U7a\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Observation\_U7\_U7a\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_U7a_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7_U7a_Physical_Exam_Abdomen_Geni
tals" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```



```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale
im Rahmen der U7 und U7a." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_U7a_Physical_Exam_Abdomen_Genitals|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Abdomen and Genitals Observations" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7_U7a_Physical_Exam_Abdomen_Genitals" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">

```

```

144     <path value="Observation.code.coding.display.extension" />
145     <slicing>
146       <discriminator>
147         <type value="value" />
148         <path value="url" />
149       </discriminator>
150       <rules value="open" />
151     </slicing>
152   </element>
153   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   nomed">
155     <path value="Observation.code.coding.display.extension" />
156     <sliceName value="anzeigenameCodeSnomed" />
157     <min value="1" />
158     <max value="1" />
159     <type>
160       <code value="Extension" />
161       <profile value="https://fhir.kbv.de/StructureDefinition/
162       KBV_EX_Base_Terminology_German" />
163     </type>
164     <mustSupport value="true" />
165   </element>
166   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   nomed.extension">
168     <path value="Observation.code.coding.display.extension.extension" />
169     <slicing>
170       <discriminator>
171         <type value="value" />
172         <path value="url" />
173       </discriminator>
174       <rules value="open" />
175     </slicing>
176   </element>
177   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   nomed.extension:content">
179     <path value="Observation.code.coding.display.extension.extension" />
180     <sliceName value="content" />
181   </element>
182   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183   nomed.extension:content.value[x]">
184     <path value="Observation.code.coding.display.extension.extension.valu
185     e[x]" />
186     <slicing><discriminator><type value="type" /><path value="$this" /></
187     discriminator><rules value="closed" /></slicing>
188     <mustSupport value="true" />
189   </element>
190   <element id="Observation.code.coding.display.extension:anzeigenameCodeS
191   nomed.extension:content.value[x]:valueString">
192     <path value="Observation.code.coding.display.extension.extension.valu
193     e[x]" />
194     <sliceName value="valueString" />
195     <definition value="In diesem Attribut sollen die entsprechende
196     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
197     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
198     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
199     ConceptMap/KBV_CM_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals_German|
200     1.0.1" />
201     <min value="1" />
202     <mustSupport value="true" />
203   </element>

```

```

190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />

```

```

248     <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />

```

```

307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />

```

```
367     <max value="0" />
368   </element>
369   <element id="Observation.derivedFrom">
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 361. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7\_U9\_BMI

## KBV\_PR\_MIO\_CMR\_Observation\_U7\_U9\_BMI

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_U9_BMI" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7_U9_BMI" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```



```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bietet die Möglichkeit zur Abbildung
eines BMI Wertes." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_BMI|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86   </element>

```

```

87     <max value="0" />
88 </element>
89 <element id="Observation.contained">
90     <path value="Observation.contained" />
91     <max value="0" />
92 </element>
93 <element id="Observation.identifier">
94     <path value="Observation.identifier" />
95     <max value="0" />
96 </element>
97 <element id="Observation.basedOn">
98     <path value="Observation.basedOn" />
99     <max value="0" />
100 </element>
101 <element id="Observation.partOf">
102     <path value="Observation.partOf" />
103     <max value="0" />
104 </element>
105     <element id="Observation.status">
106     <path value="Observation.status" />
107     <fixedCode value="final" />
108 </element>
109 <element id="Observation.category">
110     <path value="Observation.category" />
111     <max value="0" />
112 </element>
113 <element id="Observation.code">
114     <path value="Observation.code" />
115     <mustSupport value="true" />
116 </element>
117 <element id="Observation.code.coding">
118     <path value="Observation.code.coding" />
119     <slicing>
120         <discriminator>
121             <type value="value" />
122             <path value="system" />
123         </discriminator>
124         <rules value="closed" />
125     </slicing>
126     <min value="2" />
127     <max value="2" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Observation.code.coding:codeSnomed">
131     <path value="Observation.code.coding" />
132     <sliceName value="codeSnomed" />
133     <min value="1" />
134     <max value="1" />
135     <mustSupport value="true" />
136 </element>
137 <element id="Observation.code.coding:codeSnomed.system">
138     <path value="Observation.code.coding.system" />
139     <min value="1" />
140     <fixedUri value="http://snomed.info/sct" />
141 </element>
142 <element id="Observation.code.coding:codeSnomed.version">
143     <path value="Observation.code.coding.version" />
144     <min value="1" />
145     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />

```

```

146 </element>
147 <element id="Observation.code.coding:codeSnomed.code">
148   <path value="Observation.code.coding.code" />
149   <min value="1" />
150   <fixedCode value="60621009" />
151 </element>
152 <element id="Observation.code.coding:codeSnomed.display">
153   <path value="Observation.code.coding.display" />
154   <min value="1" />
155 </element>
156 <element id="Observation.code.coding:codeSnomed.display.extension">
157   <path value="Observation.code.coding.display.extension" />
158   <slicing>
159     <discriminator>
160       <type value="value" />
161       <path value="url" />
162     </discriminator>
163     <rules value="open" />
164   </slicing>
165 </element>
166 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
167   <path value="Observation.code.coding.display.extension" />
168   <sliceName value="anzeigennameCodeSnomed" />
169   <min value="1" />
170   <max value="1" />
171   <type>
172     <code value="Extension" />
173     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
174   </type>
175   <mustSupport value="true" />
176 </element>
177 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
178   <path value="Observation.code.coding.display.extension.extension" />
179   <slicing>
180     <discriminator>
181       <type value="value" />
182       <path value="url" />
183     </discriminator>
184     <rules value="open" />
185   </slicing>
186 </element>
187 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
188   <path value="Observation.code.coding.display.extension.extension" />
189   <sliceName value="content" />
190 </element>
191 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
192   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
193   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
194   <mustSupport value="true" />
195 </element>
196 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">

```

```

197     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
198     <sliceName value="valueString" />
199     <min value="1" />
200     <fixedString value="BMI in kg/m2" />
201     <mustSupport value="true" />
202 </element>
203 <element id="Observation.code.coding:codeSnomed.userSelected">
204     <path value="Observation.code.coding.userSelected" />
205     <max value="0" />
206 </element>
207 <element id="Observation.code.coding:codeLoinc">
208     <path value="Observation.code.coding" />
209     <sliceName value="codeLoinc" />
210     <min value="1" />
211     <max value="1" />
212     <mustSupport value="true" />
213 </element>
214 <element id="Observation.code.coding:codeLoinc.system">
215     <path value="Observation.code.coding.system" />
216     <min value="1" />
217     <fixedUri value="http://loinc.org" />
218 </element>
219 <element id="Observation.code.coding:codeLoinc.version">
220     <path value="Observation.code.coding.version" />
221     <min value="1" />
222     <fixedString value="2.69" />
223 </element>
224 <element id="Observation.code.coding:codeLoinc.code">
225     <path value="Observation.code.coding.code" />
226     <min value="1" />
227     <fixedCode value="39156-5" />
228 </element>
229 <element id="Observation.code.coding:codeLoinc.display">
230     <path value="Observation.code.coding.display" />
231     <min value="1" />
232 </element>
233 <element id="Observation.code.coding:codeLoinc.display.extension">
234     <path value="Observation.code.coding.display.extension" />
235     <licing>
236         <discriminator>
237             <type value="value" />
238             <path value="url" />
239         </discriminator>
240         <rules value="open" />
241     </licing>
242 </element>
243 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
244     <path value="Observation.code.coding.display.extension" />
245     <sliceName value="anzeigenameCodeLoinc" />
246     <min value="1" />
247     <max value="1" />
248     <type>
249         <code value="Extension" />
250         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
251     </type>
252     <mustSupport value="true" />
253 </element>

```

```

254     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
255       <path value="Observation.code.coding.display.extension.extension" />
256       <slicing>
257         <discriminator>
258           <type value="value" />
259           <path value="url" />
260         </discriminator>
261         <rules value="open" />
262       </slicing>
263     </element>
264     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
265       <path value="Observation.code.coding.display.extension.extension" />
266       <sliceName value="content" />
267     </element>
268     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">
269       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
270       <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
271       <mustSupport value="true" />
272     </element>
273     <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
274       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
275       <sliceName value="valueString" />
276       <min value="1" />
277       <fixedString value="BMI in kg/m2" />
278       <mustSupport value="true" />
279     </element>
280     <element id="Observation.code.coding:codeLoinc.userSelected">
281       <path value="Observation.code.coding.userSelected" />
282       <max value="0" />
283     </element>
284     <element id="Observation.code.text">
285       <path value="Observation.code.text" />
286       <max value="0" />
287     </element>
288     <element id="Observation.subject">
289       <path value="Observation.subject" />
290       <min value="1" />
291       <type>
292         <code value="Reference" />
293         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
294       </type>
295       <mustSupport value="true" />
296     </element>
297     <element id="Observation.subject.reference">
298       <path value="Observation.subject.reference" />
299       <min value="1" />
300       <mustSupport value="true" />
301     </element>
302     <element id="Observation.subject.type">
303       <path value="Observation.subject.type" />
304       <max value="0" />
305     </element>

```

```

306 <element id="Observation.subject.identifier">
307   <path value="Observation.subject.identifier" />
308   <max value="0" />
309 </element>
310 <element id="Observation.subject.display">
311   <path value="Observation.subject.display" />
312   <max value="0" />
313 </element>
314 <element id="Observation.focus">
315   <path value="Observation.focus" />
316   <max value="0" />
317 </element>
318 <element id="Observation.encounter">
319   <path value="Observation.encounter" />
320   <min value="1" />
321   <type>
322     <code value="Reference" />
323     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
324   </type>
325   <mustSupport value="true" />
326 </element>
327 <element id="Observation.encounter.reference">
328   <path value="Observation.encounter.reference" />
329   <min value="1" />
330   <mustSupport value="true" />
331 </element>
332 <element id="Observation.encounter.type">
333   <path value="Observation.encounter.type" />
334   <max value="0" />
335 </element>
336 <element id="Observation.encounter.identifier">
337   <path value="Observation.encounter.identifier" />
338   <max value="0" />
339 </element>
340 <element id="Observation.encounter.display">
341   <path value="Observation.encounter.display" />
342   <max value="0" />
343 </element>
344 <element id="Observation.effective[x]">
345   <path value="Observation.effective[x]" />
346   <licing>
347     <discriminator>
348       <type value="type" />
349       <path value="$this" />
350     </discriminator>
351     <rules value="open" />
352   </licing>
353   <min value="1" />
354   <type>
355     <code value="dateTime" />
356   </type>
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359   <path value="Observation.effective[x]" />
360   <sliceName value="effectiveDateTime" />
361   <min value="1" />
362   <type>
363     <code value="dateTime" />
364   </type>

```

```

365     <mustSupport value="true" />
366 </element>
367 <element id="Observation.issued">
368   <path value="Observation.issued" />
369   <max value="0" />
370 </element>
371 <element id="Observation.performer">
372   <path value="Observation.performer" />
373   <max value="1" />
374   <type>
375     <code value="Reference" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
377   </type>
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.performer.reference">
381   <path value="Observation.performer.reference" />
382   <min value="1" />
383   <mustSupport value="true" />
384 </element>
385 <element id="Observation.performer.type">
386   <path value="Observation.performer.type" />
387   <max value="0" />
388 </element>
389 <element id="Observation.performer.identifier">
390   <path value="Observation.performer.identifier" />
391   <max value="0" />
392 </element>
393 <element id="Observation.performer.display">
394   <path value="Observation.performer.display" />
395   <max value="0" />
396 </element>
397 <element id="Observation.value[x]">
398   <path value="Observation.value[x]" />
399   <slicing>
400     <discriminator>
401       <type value="type" />
402       <path value="$this" />
403     </discriminator>
404     <rules value="closed" />
405   </slicing>
406   <min value="1" />
407   <type>
408     <code value="Quantity" />
409   </type>
410   <mustSupport value="true" />
411 </element>
412 <element id="Observation.value[x]:valueQuantity">
413   <path value="Observation.valueQuantity" />
414   <sliceName value="valueQuantity" />
415   <min value="1" />
416   <type>
417     <code value="Quantity" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Observation.value[x]:valueQuantity.value">
422   <path value="Observation.valueQuantity.value" />
423   <min value="1" />

```

```

424 </element>
425 <element id="Observation.value[x]:valueQuantity.comparator">
426   <path value="Observation.valueQuantity.comparator" />
427   <max value="0" />
428 </element>
429 <element id="Observation.value[x]:valueQuantity.unit">
430   <path value="Observation.valueQuantity.unit" />
431   <min value="1" />
432   <fixedString value="kg/m2" />
433 </element>
434 <element id="Observation.value[x]:valueQuantity.system">
435   <path value="Observation.valueQuantity.system" />
436   <min value="1" />
437   <fixedUri value="http://unitsofmeasure.org" />
438 </element>
439 <element id="Observation.value[x]:valueQuantity.code">
440   <path value="Observation.valueQuantity.code" />
441   <min value="1" />
442   <fixedCode value="kg/m2" />
443 </element>
444 <element id="Observation.dataAbsentReason">
445   <path value="Observation.dataAbsentReason" />
446   <max value="0" />
447 </element>
448 <element id="Observation.interpretation">
449   <path value="Observation.interpretation" />
450   <max value="0" />
451 </element>
452 <element id="Observation.note">
453   <path value="Observation.note" />
454   <max value="0" />
455 </element>
456 <element id="Observation.bodySite">
457   <path value="Observation.bodySite" />
458   <max value="0" />
459 </element>
460 <element id="Observation.method">
461   <path value="Observation.method" />
462   <max value="0" />
463 </element>
464 <element id="Observation.specimen">
465   <path value="Observation.specimen" />
466   <max value="0" />
467 </element>
468 <element id="Observation.device">
469   <path value="Observation.device" />
470   <max value="0" />
471 </element>
472 <element id="Observation.referenceRange">
473   <path value="Observation.referenceRange" />
474   <max value="0" />
475 </element>
476 <element id="Observation.hasMember">
477   <path value="Observation.hasMember" />
478   <max value="0" />
479 </element>
480 <element id="Observation.derivedFrom">
481   <path value="Observation.derivedFrom" />
482   <max value="0" />
483 </element>

```



```
484     <element id="Observation.component">
485       <path value="Observation.component" />
486       <max value="0" />
487     </element>
488   </differential>
489 </StructureDefinition>
```

## 362. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7\_U9\_BODY\_WEIGHT

## KBV\_PR\_MIO\_CMR\_Observation\_U7\_U9\_Body\_Weight

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7_U9_Body_Weight" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7_U9_Body_Weight" />
5   <status value="draft" />
6   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
7   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
8   <fhirVersion value="4.0.1" />
9   <mapping>
10    <identity value="workflow" />
11    <uri value="http://hl7.org/fhir/workflow" />
12    <name value="Workflow Pattern" />
13  </mapping>
14  <mapping>
15    <identity value="sct-concept" />
16    <uri value="http://snomed.info/conceptdomain" />
17    <name value="SNOMED CT Concept Domain Binding" />
18  </mapping>
19  <mapping>
20    <identity value="v2" />
21    <uri value="http://hl7.org/v2" />
22    <name value="HL7 v2 Mapping" />
23  </mapping>
24  <mapping>
25    <identity value="rim" />
26    <uri value="http://hl7.org/v3" />
27    <name value="RIM Mapping" />
28  </mapping>
29  </mapping>

```

```

30     <identity value="w5" />
31     <uri value="http://hl7.org/fhir/fivews" />
32     <name value="FiveWs Pattern Mapping" />
33 </mapping>
34 <mapping>
35     <identity value="sct-attr" />
36     <uri value="http://snomed.org/attributebinding" />
37     <name value="SNOMED CT Attribute Binding" />
38 </mapping>
39 <kind value="resource" />
40 <abstract value="false" />
41 <type value="Observation" />
42 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Weight|1.1.3" />
43 <derivation value="constraint" />
44 <differential>
45     <element id="Observation">
46         <path value="Observation" />
47         <short value="Dieses Profil beinhaltet das Körpergewicht gemessen in
Kg." />
48     </element>
49     <element id="Observation.meta">
50         <path value="Observation.meta" />
51         <min value="1" />
52     </element>
53     <element id="Observation.meta.versionId">
54         <path value="Observation.meta.versionId" />
55         <max value="0" />
56     </element>
57     <element id="Observation.meta.lastUpdated">
58         <path value="Observation.meta.lastUpdated" />
59         <max value="0" />
60     </element>
61     <element id="Observation.meta.source">
62         <path value="Observation.meta.source" />
63         <max value="0" />
64     </element>
65     <element id="Observation.meta.profile">
66         <path value="Observation.meta.profile" />
67         <min value="1" />
68         <max value="1" />
69         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_Body_Weight|1.0.1" />
70     </element>
71     <element id="Observation.meta.security">
72         <path value="Observation.meta.security" />
73         <max value="0" />
74     </element>
75     <element id="Observation.meta.tag">
76         <path value="Observation.meta.tag" />
77         <max value="0" />
78     </element>
79     <element id="Observation.implicitRules">
80         <path value="Observation.implicitRules" />
81         <max value="0" />
82     </element>
83     <element id="Observation.language">
84         <path value="Observation.language" />
85         <max value="0" />
86     </element>

```

```

87 <element id="Observation.contained">
88   <path value="Observation.contained" />
89   <max value="0" />
90 </element>
91 <element id="Observation.identifier">
92   <path value="Observation.identifier" />
93   <max value="0" />
94 </element>
95 <element id="Observation.basedOn">
96   <path value="Observation.basedOn" />
97   <max value="0" />
98 </element>
99 <element id="Observation.partOf">
100   <path value="Observation.partOf" />
101   <max value="0" />
102 </element>
103 <element id="Observation.category">
104   <path value="Observation.category" />
105   <max value="0" />
106 </element>
107 <element id="Observation.code">
108   <path value="Observation.code" />
109   <mustSupport value="true" />
110 </element>
111 <element id="Observation.code.coding">
112   <path value="Observation.code.coding" />
113   <licing>
114     <discriminator>
115       <type value="value" />
116       <path value="system" />
117     </discriminator>
118     <rules value="closed" />
119   </licing>
120   <min value="2" />
121   <max value="2" />
122   <mustSupport value="true" />
123 </element>
124 <element id="Observation.code.coding:codeSnomed">
125   <path value="Observation.code.coding" />
126   <sliceName value="codeSnomed" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Observation.code.coding:codeSnomed.version">
130   <path value="Observation.code.coding.version" />
131   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
132 </element>
133 <element id="Observation.code.coding:codeSnomed.code">
134   <path value="Observation.code.coding.code" />
135   <fixedCode value="27113001" />
136 </element>
137 <element id="Observation.code.coding:codeSnomed.display">
138   <path value="Observation.code.coding.display" />
139 </element>
140 <element id="Observation.code.coding:codeSnomed.display.extension">
141   <path value="Observation.code.coding.display.extension" />
142   <licing>
143     <discriminator>
144       <type value="value" />
145       <path value="url" />

```

```

146         </discriminator>
147         <rules value="open" />
148     </slicing>
149 </element>
150 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
151     <path value="Observation.code.coding.display.extension" />
152     <sliceName value="anzeigenameCodeSnomed" />
153     <mustSupport value="true" />
154 </element>
155 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
156     <path value="Observation.code.coding.display.extension.extension" />
157     <slicing>
158         <discriminator>
159             <type value="value" />
160             <path value="url" />
161         </discriminator>
162         <rules value="open" />
163     </slicing>
164 </element>
165 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
166     <path value="Observation.code.coding.display.extension.extension" />
167     <sliceName value="content" />
168 </element>
169 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
170     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
171     <slicing>
172         <discriminator>
173             <type value="type" />
174             <path value="$this" />
175         </discriminator>
176         <rules value="closed" />
177     </slicing>
178     <mustSupport value="true" />
179 </element>
180 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
181     <path value="Observation.code.coding.display.extension.extension.valu
eString" />
182     <sliceName value="valueString" />
183     <min value="1" />
184     <fixedString value="Körpergewicht in kg" />
185     <mustSupport value="true" />
186 </element>
187 <element id="Observation.code.coding:codeSnomed.userSelected">
188     <path value="Observation.code.coding.userSelected" />
189     <max value="0" />
190 </element>
191 <element id="Observation.code.coding:codeLoinc">
192     <path value="Observation.code.coding" />
193     <sliceName value="codeLoinc" />
194     <min value="1" />
195     <max value="1" />
196     <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding:codeLoinc.system">

```

```

199     <path value="Observation.code.coding.system" />
200     <min value="1" />
201     <fixedUri value="http://loinc.org" />
202 </element>
203 <element id="Observation.code.coding:codeLoinc.version">
204     <path value="Observation.code.coding.version" />
205     <min value="1" />
206     <fixedString value="2.69" />
207 </element>
208 <element id="Observation.code.coding:codeLoinc.code">
209     <path value="Observation.code.coding.code" />
210     <min value="1" />
211     <fixedCode value="29463-7" />
212 </element>
213 <element id="Observation.code.coding:codeLoinc.display">
214     <path value="Observation.code.coding.display" />
215     <min value="1" />
216 </element>
217 <element id="Observation.code.coding:codeLoinc.display.extension">
218     <path value="Observation.code.coding.display.extension" />
219     <licing>
220         <discriminator>
221             <type value="value" />
222             <path value="url" />
223         </discriminator>
224         <rules value="open" />
225     </licing>
226 </element>
227 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc">
228     <path value="Observation.code.coding.display.extension" />
229     <sliceName value="anzeigenameCodeLoinc" />
230     <min value="1" />
231     <max value="1" />
232     <type>
233         <code value="Extension" />
234         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
235     </type>
236     <mustSupport value="true" />
237 </element>
238 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension">
239     <path value="Observation.code.coding.display.extension.extension" />
240     <licing>
241         <discriminator>
242             <type value="value" />
243             <path value="url" />
244         </discriminator>
245         <rules value="open" />
246     </licing>
247 </element>
248 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content">
249     <path value="Observation.code.coding.display.extension.extension" />
250     <sliceName value="content" />
251 </element>
252 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]">

```

```

253     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
254     <slicing>
255         <discriminator>
256             <type value="type" />
257             <path value="$this" />
258         </discriminator>
259         <rules value="closed" />
260     </slicing>
261     <mustSupport value="true" />
262 </element>
263 <element id="Observation.code.coding:codeLoinc.display.extension:anzeig
enameCodeLoinc.extension:content.value[x]:valueString">
264     <path value="Observation.code.coding.display.extension.extension.valu
eString" />
265     <sliceName value="valueString" />
266     <min value="1" />
267     <fixedString value="Körpergewicht in kg" />
268 </element>
269 <element id="Observation.code.coding:codeLoinc.userSelected">
270     <path value="Observation.code.coding.userSelected" />
271     <max value="0" />
272 </element>
273 <element id="Observation.code.text">
274     <path value="Observation.code.text" />
275     <max value="0" />
276 </element>
277 <element id="Observation.subject">
278     <path value="Observation.subject" />
279     <type>
280         <code value="Reference" />
281         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
282     </type>
283     <mustSupport value="true" />
284 </element>
285 <element id="Observation.subject.reference">
286     <path value="Observation.subject.reference" />
287     <min value="1" />
288     <mustSupport value="true" />
289 </element>
290 <element id="Observation.subject.type">
291     <path value="Observation.subject.type" />
292     <max value="0" />
293 </element>
294 <element id="Observation.subject.identififier">
295     <path value="Observation.subject.identififier" />
296     <max value="0" />
297 </element>
298 <element id="Observation.subject.display">
299     <path value="Observation.subject.display" />
300     <max value="0" />
301 </element>
302 <element id="Observation.encounter">
303     <path value="Observation.encounter" />
304     <min value="1" />
305     <type>
306         <code value="Reference" />
307         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />

```

```

308     </type>
309     <mustSupport value="true" />
310 </element>
311 <element id="Observation.encounter.reference">
312     <path value="Observation.encounter.reference" />
313     <min value="1" />
314     <mustSupport value="true" />
315 </element>
316 <element id="Observation.encounter.type">
317     <path value="Observation.encounter.type" />
318     <max value="0" />
319 </element>
320 <element id="Observation.encounter.identifier">
321     <path value="Observation.encounter.identifier" />
322     <max value="0" />
323 </element>
324 <element id="Observation.encounter.display">
325     <path value="Observation.encounter.display" />
326     <max value="0" />
327 </element>
328 <element id="Observation.effective[x]">
329     <path value="Observation.effective[x]" />
330     <min value="1" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.effective[x]:effectiveDateTime">
334     <path value="Observation.effectiveDateTime" />
335     <sliceName value="effectiveDateTime" />
336     <min value="1" />
337     <mustSupport value="true" />
338 </element>
339 <element id="Observation.issued">
340     <path value="Observation.issued" />
341     <max value="0" />
342 </element>
343 <element id="Observation.performer">
344     <path value="Observation.performer" />
345     <max value="1" />
346     <type>
347         <code value="Reference" />
348         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
349     </type>
350     <mustSupport value="true" />
351 </element>
352 <element id="Observation.performer.reference">
353     <path value="Observation.performer.reference" />
354     <min value="1" />
355     <mustSupport value="true" />
356 </element>
357 <element id="Observation.performer.type">
358     <path value="Observation.performer.type" />
359     <max value="0" />
360 </element>
361 <element id="Observation.performer.identifier">
362     <path value="Observation.performer.identifier" />
363     <max value="0" />
364 </element>
365 <element id="Observation.performer.display">
366     <path value="Observation.performer.display" />

```



```

367     <max value="0" />
368 </element>
369 <element id="Observation.value[x]">
370   <path value="Observation.value[x]" />
371   <min value="1" />
372   <mustSupport value="true" />
373 </element>
374 <element id="Observation.value[x]:valueQuantity">
375   <path value="Observation.valueQuantity" />
376   <sliceName value="valueQuantity" />
377   <min value="1" />
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.value[x]:valueQuantity.comparator">
381   <path value="Observation.valueQuantity.comparator" />
382   <max value="0" />
383 </element>
384 <element id="Observation.value[x]:valueQuantity.unit">
385   <path value="Observation.valueQuantity.unit" />
386   <fixedString value="kg" />
387 </element>
388 <element id="Observation.value[x]:valueQuantity.code">
389   <path value="Observation.valueQuantity.code" />
390   <fixedCode value="kg" />
391 </element>
392 <element id="Observation.dataAbsentReason">
393   <path value="Observation.dataAbsentReason" />
394   <max value="0" />
395 </element>
396 <element id="Observation.interpretation">
397   <path value="Observation.interpretation" />
398   <max value="0" />
399 </element>
400 <element id="Observation.note">
401   <path value="Observation.note" />
402   <max value="0" />
403 </element>
404 <element id="Observation.bodySite">
405   <path value="Observation.bodySite" />
406   <max value="0" />
407 </element>
408 <element id="Observation.method">
409   <path value="Observation.method" />
410   <max value="0" />
411 </element>
412 <element id="Observation.device">
413   <path value="Observation.device" />
414   <max value="0" />
415 </element>
416 <element id="Observation.referenceRange">
417   <path value="Observation.referenceRange" />
418   <max value="0" />
419 </element>
420 <element id="Observation.hasMember">
421   <path value="Observation.hasMember" />
422   <max value="0" />
423 </element>
424 <element id="Observation.derivedFrom">
425   <path value="Observation.derivedFrom" />
426   <max value="0" />

```

```
427     </element>
428   </differential>
429 </StructureDefinition>
```

## 363. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U7\_U9\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION

## KBV\_PR\_MIO\_CMV\_Observation\_U7\_U9\_Physical\_Exam\_Heart\_Blood\_Circulation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U7_U9_Physical_Exam_Heart_Blood_Circulation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U7_U9_Physical_Exam_Heart_Blood_C
irculation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Herz-Kreislaufsystems im
Rahmen der U7 bis U9." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7_U9_Physical_Exam_Heart_Blood_Circulation|
1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>

```

```

84 <element id="Observation.language">
85   <path value="Observation.language" />
86   <max value="0" />
87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.base0n">
97   <path value="Observation.base0n" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Observations concerning Heart and Blood
Circulation" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7_U9_Physical_Exam_Heart_Blood_Circulation" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />

```

```

142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194   ConceptMap/
195   KBV_CM_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation_German|1.0.1" />
196   <min value="1" />

```

```

188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>

```

```

246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">

```



```

305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>

```

```
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />
371   <max value="0" />
372 </element>
373 <element id="Observation.component">
374   <path value="Observation.component" />
375   <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

364. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

KBV\_PR\_MIO\_CMR\_Observation\_U7a\_and\_U9\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_
Tract" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMR_Observation_U7a_and_U9_Physical_Exam_Chest_Lu
ng_Respiratory_Tract" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="sct-concept" />
17     <uri value="http://snomed.info/conceptdomain" />
18     <name value="SNOMED CT Concept Domain Binding" />
19   </mapping>
20   <mapping>
21     <identity value="v2" />
22     <uri value="http://hl7.org/v2" />
23     <name value="HL7 v2 Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="rim" />

```

```

27     <uri value="http://hl7.org/v3" />
28     <name value="RIM Mapping" />
29 </mapping>
30 <mapping>
31     <identity value="w5" />
32     <uri value="http://hl7.org/fhir/fivews" />
33     <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36     <identity value="sct-attr" />
37     <uri value="http://snomed.org/attributebinding" />
38     <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46     <element id="Observation">
47         <path value="Observation" />
48         <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der körperlichen Untersuchung von Thorax, Lunge und Atemwege
im Rahmen der U7a und U9." />
49     </element>
50     <element id="Observation.meta">
51         <path value="Observation.meta" />
52         <min value="1" />
53     </element>
54     <element id="Observation.meta.versionId">
55         <path value="Observation.meta.versionId" />
56         <max value="0" />
57     </element>
58     <element id="Observation.meta.lastUpdated">
59         <path value="Observation.meta.lastUpdated" />
60         <max value="0" />
61     </element>
62     <element id="Observation.meta.source">
63         <path value="Observation.meta.source" />
64         <max value="0" />
65     </element>
66     <element id="Observation.meta.profile">
67         <path value="Observation.meta.profile" />
68         <min value="1" />
69         <max value="1" />
70         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_
Tract|1.0.1" />
71     </element>
72     <element id="Observation.meta.security">
73         <path value="Observation.meta.security" />
74         <max value="0" />
75     </element>
76     <element id="Observation.meta.tag">
77         <path value="Observation.meta.tag" />
78         <max value="0" />
79     </element>
80     <element id="Observation.implicitRules">
81         <path value="Observation.implicitRules" />

```

```

82     <max value="0" />
83 </element>
84 <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Chest, Lung and Respiratory Tract" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_Tract" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />

```

```

141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   < slicing>
146     < discriminator>
147       < type value="value" />
148       < path value="url" />
149     </ discriminator>
150     < rules value="open" />
151   </ slicing>
152 </ element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154   < path value="Observation.code.coding.display.extension" />
155   < sliceName value="anzeigenameCodeSnomed" />
156   < min value="1" />
157   < max value="1" />
158   < type>
159     < code value="Extension" />
160     < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161   </ type>
162   < mustSupport value="true" />
163 </ element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165   < path value="Observation.code.coding.display.extension.extension" />
166   < slicing>
167     < discriminator>
168       < type value="value" />
169       < path value="url" />
170     </ discriminator>
171     < rules value="open" />
172   </ slicing>
173 </ element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175   < path value="Observation.code.coding.display.extension.extension" />
176   < sliceName value="content" />
177 </ element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
179   < path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
180   < slicing>< discriminator>< type value="type" />< path value="$this" /></
discriminator>< rules value="closed" /></ slicing>
181   < mustSupport value="true" />
182 </ element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
184   < path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
185   < sliceName value="valueString" />

```

```

186     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/
KBV_CM_MIO_CMR_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_Tract_German
|1.0.1" />
187     <min value="1" />
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">
191     <path value="Observation.code.coding.userSelected" />
192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">

```

```

238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">

```



```

297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>

```

```
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">
370   <path value="Observation.derivedFrom" />
371   <max value="0" />
372 </element>
373 <element id="Observation.component">
374   <path value="Observation.component" />
375   <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 365. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMR\_Observation\_U7a\_and\_U9\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_and_U9_Physical_Exam_Musculoskeletal_System"
   />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7a_and_U9_Physical_Exam_Musculos
keletal_System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />

```

```

28     <name value="RIM Mapping" />
29 </mapping>
30 <mapping>
31     <identity value="w5" />
32     <uri value="http://hl7.org/fhir/fivews" />
33     <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36     <identity value="sct-attr" />
37     <uri value="http://snomed.org/attributebinding" />
38     <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46     <element id="Observation">
47         <path value="Observation" />
48         <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats im Rahmen
der U7a und U9." />
49         <definition value="Inspektion des ganzen Körpers in Rücken- und
Bauchlage und aufrecht gehalten." />
50     </element>
51     <element id="Observation.meta">
52         <path value="Observation.meta" />
53         <min value="1" />
54     </element>
55     <element id="Observation.meta.versionId">
56         <path value="Observation.meta.versionId" />
57         <max value="0" />
58     </element>
59     <element id="Observation.meta.lastUpdated">
60         <path value="Observation.meta.lastUpdated" />
61         <max value="0" />
62     </element>
63     <element id="Observation.meta.source">
64         <path value="Observation.meta.source" />
65         <max value="0" />
66     </element>
67     <element id="Observation.meta.profile">
68         <path value="Observation.meta.profile" />
69         <min value="1" />
70         <max value="1" />
71         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7a_and_U9_Physical_Exam_Musculoskeletal_System|
1.0.1" />
72     </element>
73     <element id="Observation.meta.security">
74         <path value="Observation.meta.security" />
75         <max value="0" />
76     </element>
77     <element id="Observation.meta.tag">
78         <path value="Observation.meta.tag" />
79         <max value="0" />
80     </element>
81     <element id="Observation.implicitRules">

```

```

82     <path value="Observation.implicitRules" />
83     <max value="0" />
84 </element>
85 <element id="Observation.language">
86     <path value="Observation.language" />
87     <max value="0" />
88 </element>
89 <element id="Observation.text">
90     <path value="Observation.text" />
91     <max value="0" />
92 </element>
93 <element id="Observation.contained">
94     <path value="Observation.contained" />
95     <max value="0" />
96 </element>
97 <element id="Observation.identifier">
98     <path value="Observation.identifier" />
99     <max value="0" />
100 </element>
101 <element id="Observation.basedOn">
102     <path value="Observation.basedOn" />
103     <max value="0" />
104 </element>
105 <element id="Observation.partOf">
106     <path value="Observation.partOf" />
107     <max value="0" />
108 </element>
109 <element id="Observation.status">
110     <path value="Observation.status" />
111     <fixedCode value="final" />
112 </element>
113 <element id="Observation.category">
114     <path value="Observation.category" />
115     <max value="0" />
116 </element>
117 <element id="Observation.code">
118     <path value="Observation.code" />
119     <mustSupport value="true" />
120     <binding>
121         <strength value="required" />
122         <description value="Musculoskeletal System" />
123         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7a_and_U9_Physical_Exam_Musculoskeletal_System" />
124     </binding>
125 </element>
126 <element id="Observation.code.coding">
127     <path value="Observation.code.coding" />
128     <min value="1" />
129     <max value="1" />
130     <mustSupport value="true" />
131 </element>
132 <element id="Observation.code.coding.system">
133     <path value="Observation.code.coding.system" />
134     <min value="1" />
135 </element>
136 <element id="Observation.code.coding.version">
137     <path value="Observation.code.coding.version" />
138     <min value="1" />
139 </element>
140 <element id="Observation.code.coding.code">

```

```

141     <path value="Observation.code.coding.code" />
142     <min value="1" />
143 </element>
144 <element id="Observation.code.coding.display">
145     <path value="Observation.code.coding.display" />
146     <min value="1" />
147 </element>
148 <element id="Observation.code.coding.display.extension">
149     <path value="Observation.code.coding.display.extension" />
150     <slicing>
151         <discriminator>
152             <type value="value" />
153             <path value="url" />
154         </discriminator>
155         <rules value="open" />
156     </slicing>
157 </element>
158 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
159 nomed">
160     <path value="Observation.code.coding.display.extension" />
161     <sliceName value="anzeigenameCodeSnomed" />
162     <min value="1" />
163     <max value="1" />
164     <type>
165         <code value="Extension" />
166         <profile value="https://fhir.kbv.de/StructureDefinition/
167 KBV_EX_Base_Terminology_German" />
168     </type>
169     <mustSupport value="true" />
170 </element>
171 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
172 nomed.extension">
173     <path value="Observation.code.coding.display.extension.extension" />
174     <slicing>
175         <discriminator>
176             <type value="value" />
177             <path value="url" />
178         </discriminator>
179         <rules value="open" />
180     </slicing>
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183 nomed.extension:content">
184     <path value="Observation.code.coding.display.extension.extension" />
185     <sliceName value="content" />
186 </element>
187 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
188 nomed.extension:content.value[x]">
189     <path value="Observation.code.coding.display.extension.extension.valu
190 e[x]" />
191     <slicing><discriminator><type value="type" /><path value="$this" /></
192 discriminator><rules value="closed" /></slicing>
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
196 nomed.extension:content.value[x]:valueString">
197     <path value="Observation.code.coding.display.extension.extension.valu
198 e[x]" />
199     <sliceName value="valueString" />

```

```

191     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/
KBV_CM_MIO_CMR_U7a_and_U9_Physical_Exam_Musculoskeletal_System_German|
1.0.1" />
192     <min value="1" />
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding.userSelected">
196     <path value="Observation.code.coding.userSelected" />
197     <max value="0" />
198 </element>
199 <element id="Observation.code.text">
200     <path value="Observation.code.text" />
201     <max value="0" />
202 </element>
203 <element id="Observation.subject">
204     <path value="Observation.subject" />
205     <min value="1" />
206     <type>
207         <code value="Reference" />
208         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
209     </type>
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.reference">
213     <path value="Observation.subject.reference" />
214     <min value="1" />
215     <mustSupport value="true" />
216 </element>
217 <element id="Observation.subject.type">
218     <path value="Observation.subject.type" />
219     <max value="0" />
220 </element>
221 <element id="Observation.subject.identifier">
222     <path value="Observation.subject.identifier" />
223     <max value="0" />
224 </element>
225 <element id="Observation.subject.display">
226     <path value="Observation.subject.display" />
227     <max value="0" />
228 </element>
229 <element id="Observation.focus">
230     <path value="Observation.focus" />
231     <max value="0" />
232 </element>
233 <element id="Observation.encounter">
234     <path value="Observation.encounter" />
235     <min value="1" />
236     <type>
237         <code value="Reference" />
238         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
239     </type>
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.reference">

```

```

243     <path value="Observation.encounter.reference" />
244     <min value="1" />
245     <mustSupport value="true" />
246 </element>
247 <element id="Observation.encounter.type">
248     <path value="Observation.encounter.type" />
249     <max value="0" />
250 </element>
251 <element id="Observation.encounter.identifier">
252     <path value="Observation.encounter.identifier" />
253     <max value="0" />
254 </element>
255 <element id="Observation.encounter.display">
256     <path value="Observation.encounter.display" />
257     <max value="0" />
258 </element>
259 <element id="Observation.effective[x]">
260     <path value="Observation.effective[x]" />
261     <licing>
262         <discriminator>
263             <type value="type" />
264             <path value="$this" />
265         </discriminator>
266         <rules value="closed" />
267     </licing>
268     <min value="1" />
269     <type>
270         <code value="dateTime" />
271     </type>
272     <mustSupport value="true" />
273 </element>
274 <element id="Observation.effective[x]:effectiveDateTime">
275     <path value="Observation.effective[x]" />
276     <sliceName value="effectiveDateTime" />
277     <min value="1" />
278     <type>
279         <code value="dateTime" />
280     </type>
281     <mustSupport value="true" />
282 </element>
283 <element id="Observation.issued">
284     <path value="Observation.issued" />
285     <max value="0" />
286 </element>
287 <element id="Observation.performer">
288     <path value="Observation.performer" />
289     <max value="1" />
290     <type>
291         <code value="Reference" />
292         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
293     </type>
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.reference">
297     <path value="Observation.performer.reference" />
298     <min value="1" />
299     <mustSupport value="true" />
300 </element>
301 <element id="Observation.performer.type">

```



```

302     <path value="Observation.performer.type" />
303     <max value="0" />
304 </element>
305 <element id="Observation.performer.identifier">
306     <path value="Observation.performer.identifier" />
307     <max value="0" />
308 </element>
309 <element id="Observation.performer.display">
310     <path value="Observation.performer.display" />
311     <max value="0" />
312 </element>
313 <element id="Observation.value[x]">
314     <path value="Observation.value[x]" />
315     <slicing>
316         <discriminator>
317             <type value="type" />
318             <path value="$this" />
319         </discriminator>
320         <rules value="closed" />
321     </slicing>
322     <min value="1" />
323     <type>
324         <code value="boolean" />
325     </type>
326     <mustSupport value="true" />
327 </element>
328 <element id="Observation.value[x]:valueBoolean">
329     <path value="Observation.value[x]" />
330     <sliceName value="valueBoolean" />
331     <min value="1" />
332     <type>
333         <code value="boolean" />
334     </type>
335     <fixedBoolean value="true" />
336     <mustSupport value="true" />
337 </element>
338 <element id="Observation.dataAbsentReason">
339     <path value="Observation.dataAbsentReason" />
340     <max value="0" />
341 </element>
342 <element id="Observation.interpretation">
343     <path value="Observation.interpretation" />
344     <max value="0" />
345 </element>
346 <element id="Observation.note">
347     <path value="Observation.note" />
348     <max value="0" />
349 </element>
350 <element id="Observation.bodySite">
351     <path value="Observation.bodySite" />
352     <max value="0" />
353 </element>
354 <element id="Observation.method">
355     <path value="Observation.method" />
356     <max value="0" />
357 </element>
358 <element id="Observation.specimen">
359     <path value="Observation.specimen" />
360     <max value="0" />
361 </element>

```

```
362 <element id="Observation.device">
363   <path value="Observation.device" />
364   <max value="0" />
365 </element>
366 <element id="Observation.referenceRange">
367   <path value="Observation.referenceRange" />
368   <max value="0" />
369 </element>
370 <element id="Observation.hasMember">
371   <path value="Observation.hasMember" />
372   <max value="0" />
373 </element>
374 <element id="Observation.derivedFrom">
375   <path value="Observation.derivedFrom" />
376   <max value="0" />
377 </element>
378 <element id="Observation.component">
379   <path value="Observation.component" />
380   <max value="0" />
381 </element>
382 </differential>
383 </StructureDefinition>
```

## 366. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7A\_CURRENT\_CHILD\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U7a\_Current\_Child\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_Current_Child_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7a_Current_Child_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7a_Current_Child_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7a_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <path value="Observation.code.coding.display.extension.extension.valu
182     <path value="Observation.code.coding.display.extension.extension.valu
183     <path value="Observation.code.coding.display.extension.extension.valu
184     <path value="Observation.code.coding.display.extension.extension.valu
185     <path value="Observation.code.coding.display.extension.extension.valu
186     <path value="Observation.code.coding.display.extension.extension.valu
187     <path value="Observation.code.coding.display.extension.extension.valu
188     <path value="Observation.code.coding.display.extension.extension.valu
189     <path value="Observation.code.coding.display.extension.extension.valu
190     <path value="Observation.code.coding.display.extension.extension.valu
191     <path value="Observation.code.coding.display.extension.extension.valu
192     <path value="Observation.code.coding.display.extension.extension.valu

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```



```

310     < slicing >
311         < discriminator >
312             < type value="type" />
313             < path value="$this" />
314         < / discriminator >
315         < rules value="closed" />
316     < / slicing >
317     < min value="1" />
318     < type >
319         < code value="boolean" />
320     < / type >
321     < mustSupport value="true" />
322 < / element >
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type >
328         < code value="boolean" />
329     < / type >
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < / element >
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < / element >
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < / element >
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < / element >
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < / element >
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < / element >
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < / element >
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < / element >
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < / element >
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < / element >
369 < element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 367. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7A\_DEVELOPMENT\_ASSESSMENT

## KBV\_PR\_MIO\_CMR\_Observation\_U7a\_Development\_Assessment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_Development_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7a_Development_Assessment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung des Kindes ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7a_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMU_U7a_Development_Assessment" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146       < discriminator >
147         < type value="value" />
148         < path value="url" />
149       < / discriminator >
150       < rules value="open" />
151     < / slicing >
152   < / element >
153   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159       < code value="Extension" />
160       < profile value="https://fhir.kbv.de/StructureDefinition/
161     < / type >
162     < mustSupport value="true" />
163   < / element >
164   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
165     < path value="Observation.code.coding.display.extension.extension" />
166     < slicing >
167       < discriminator >
168         < type value="value" />
169         < path value="url" />
170       < / discriminator >
171       < rules value="open" />
172     < / slicing >
173   < / element >
174   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
175     < path value="Observation.code.coding.display.extension.extension" />
176     < sliceName value="content" />
177   < / element >
178   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
179     < path value="Observation.code.coding.display.extension.extension.valu
180     < slicing>< discriminator>< type value="type" />< path value="$this" />< /
181     < discriminator>< rules value="closed" />< / slicing >
182     < mustSupport value="true" />
183   < / element >
184   < element id="Observation.code.coding.display.extension:anzeigenameCodeS
185     < path value="Observation.code.coding.display.extension.extension.valu
186     < sliceName value="valueString" />
187     < definition value="In diesem Attribut sollen die entsprechende
188     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
189     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
190     ConceptMap/KBV_CM_MIO_CMR_U7a_Development_Assessment_German|1.0.1" />
191     < min value="1" />
192     < mustSupport value="true" />
193   < / element >
194   < element id="Observation.code.coding.userSelected">
195     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```



```

309     <path value="Observation.value[x]" />
310     < slicing>
311         < discriminator>
312             < type value="type" />
313             < path value="$this" />
314         < / discriminator>
315         < rules value="closed" />
316     < / slicing>
317     < min value="1" />
318     < type>
319         < code value="boolean" />
320     < / type>
321     < mustSupport value="true" />
322 < / element>
323 < element id="Observation.value[x]:valueBoolean">
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type>
328         < code value="boolean" />
329     < / type>
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < / element>
333 < element id="Observation.dataAbsentReason">
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < / element>
337 < element id="Observation.interpretation">
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < / element>
341 < element id="Observation.note">
342     < path value="Observation.note" />
343     < max value="0" />
344 < / element>
345 < element id="Observation.bodySite">
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < / element>
349 < element id="Observation.method">
350     < path value="Observation.method" />
351     < max value="0" />
352 < / element>
353 < element id="Observation.specimen">
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < / element>
357 < element id="Observation.device">
358     < path value="Observation.device" />
359     < max value="0" />
360 < / element>
361 < element id="Observation.referenceRange">
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < / element>
365 < element id="Observation.hasMember">
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < / element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 368. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7A\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMR\_Observation\_U7a\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7a_Physical_Exam_Mouth_Nose" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und
Nase." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_Physical_Exam_Mouth_Nose|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Mouth and Nose Codes" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7a_Physical_Exam_Mouth_Nose" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">
144     <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
190     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
191     ConceptMap/KBV_CM_MIO_CM_U7a_Physical_Exam_Mouth_Nose_German|1.0.1" />

```

```

192 </element>
193 <element id="Observation.code.text">
194   <path value="Observation.code.text" />
195   <max value="0" />
196 </element>
197 <element id="Observation.subject">
198   <path value="Observation.subject" />
199   <min value="1" />
200   <type>
201     <code value="Reference" />
202     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
203   </type>
204   <mustSupport value="true" />
205 </element>
206 <element id="Observation.subject.reference">
207   <path value="Observation.subject.reference" />
208   <min value="1" />
209   <mustSupport value="true" />
210 </element>
211 <element id="Observation.subject.type">
212   <path value="Observation.subject.type" />
213   <max value="0" />
214 </element>
215 <element id="Observation.subject.identifier">
216   <path value="Observation.subject.identifier" />
217   <max value="0" />
218 </element>
219 <element id="Observation.subject.display">
220   <path value="Observation.subject.display" />
221   <max value="0" />
222 </element>
223 <element id="Observation.focus">
224   <path value="Observation.focus" />
225   <max value="0" />
226 </element>
227 <element id="Observation.encounter">
228   <path value="Observation.encounter" />
229   <min value="1" />
230   <type>
231     <code value="Reference" />
232     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233   </type>
234   <mustSupport value="true" />
235 </element>
236 <element id="Observation.encounter.reference">
237   <path value="Observation.encounter.reference" />
238   <min value="1" />
239   <mustSupport value="true" />
240 </element>
241 <element id="Observation.encounter.type">
242   <path value="Observation.encounter.type" />
243   <max value="0" />
244 </element>
245 <element id="Observation.encounter.identifier">
246   <path value="Observation.encounter.identifier" />
247   <max value="0" />
248 </element>
249 <element id="Observation.encounter.display">

```

```

250     <path value="Observation.encounter.display" />
251     <max value="0" />
252 </element>
253 <element id="Observation.effective[x]">
254     <path value="Observation.effective[x]" />
255     <slicing>
256         <discriminator>
257             <type value="type" />
258             <path value="$this" />
259         </discriminator>
260         <rules value="closed" />
261     </slicing>
262     <min value="1" />
263     <type>
264         <code value="dateTime" />
265     </type>
266     <mustSupport value="true" />
267 </element>
268 <element id="Observation.effective[x]:effectiveDateTime">
269     <path value="Observation.effective[x]" />
270     <sliceName value="effectiveDateTime" />
271     <min value="1" />
272     <type>
273         <code value="dateTime" />
274     </type>
275     <mustSupport value="true" />
276 </element>
277 <element id="Observation.issued">
278     <path value="Observation.issued" />
279     <max value="0" />
280 </element>
281 <element id="Observation.performer">
282     <path value="Observation.performer" />
283     <max value="1" />
284     <type>
285         <code value="Reference" />
286         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
287     </type>
288     <mustSupport value="true" />
289 </element>
290 <element id="Observation.performer.reference">
291     <path value="Observation.performer.reference" />
292     <min value="1" />
293     <mustSupport value="true" />
294 </element>
295 <element id="Observation.performer.type">
296     <path value="Observation.performer.type" />
297     <max value="0" />
298 </element>
299 <element id="Observation.performer.identifier">
300     <path value="Observation.performer.identifier" />
301     <max value="0" />
302 </element>
303 <element id="Observation.performer.display">
304     <path value="Observation.performer.display" />
305     <max value="0" />
306 </element>
307 <element id="Observation.value[x]">
308     <path value="Observation.value[x]" />

```



```

309     < slicing >
310         < discriminator >
311             < type value="type" />
312             < path value="$this" />
313         < / discriminator >
314         < rules value="closed" />
315     < / slicing >
316     < min value="1" />
317     < type >
318         < code value="boolean" />
319     < / type >
320     < mustSupport value="true" />
321 < / element >
322 < element id="Observation.value[x]:valueBoolean">
323     < path value="Observation.value[x]" />
324     < sliceName value="valueBoolean" />
325     < min value="1" />
326     < type >
327         < code value="boolean" />
328     < / type >
329     < fixedBoolean value="true" />
330     < mustSupport value="true" />
331 < / element >
332 < element id="Observation.dataAbsentReason">
333     < path value="Observation.dataAbsentReason" />
334     < max value="0" />
335 < / element >
336 < element id="Observation.interpretation">
337     < path value="Observation.interpretation" />
338     < max value="0" />
339 < / element >
340 < element id="Observation.note">
341     < path value="Observation.note" />
342     < max value="0" />
343 < / element >
344 < element id="Observation.bodySite">
345     < path value="Observation.bodySite" />
346     < max value="0" />
347 < / element >
348 < element id="Observation.method">
349     < path value="Observation.method" />
350     < max value="0" />
351 < / element >
352 < element id="Observation.specimen">
353     < path value="Observation.specimen" />
354     < max value="0" />
355 < / element >
356 < element id="Observation.device">
357     < path value="Observation.device" />
358     < max value="0" />
359 < / element >
360 < element id="Observation.referenceRange">
361     < path value="Observation.referenceRange" />
362     < max value="0" />
363 < / element >
364 < element id="Observation.hasMember">
365     < path value="Observation.hasMember" />
366     < max value="0" />
367 < / element >
368 < element id="Observation.derivedFrom">

```

```
369     <path value="Observation.derivedFrom" />
370     <max value="0" />
371 </element>
372 <element id="Observation.component">
373     <path value="Observation.component" />
374     <max value="0" />
375 </element>
376 </differential>
377 </StructureDefinition>
```

## 369. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U7A\_U9\_PHYSICAL\_EXAM\_EYES

## KBV\_PR\_MIO\_CMR\_Observation\_U7a\_U9\_Physical\_Exam\_Eyes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U7a_U9_Physical_Exam_Eyes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U7a_U9_Physical_Exam_Eyes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Augen im Rahmen der U7a bis
U9." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U7a_U9_Physical_Exam_Eyes|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />

```

```

86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Codes Identifying the the observed eye
symptoms" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7a_U9_Physical_Exam_Eyes" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">

```

```

144     <path value="Observation.code.coding.display.extension" />
145     <slicing>
146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed">
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
161     </type>
162     <mustSupport value="true" />
163 </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension">
165     <path value="Observation.code.coding.display.extension.extension" />
166     <slicing>
167         <discriminator>
168             <type value="value" />
169             <path value="url" />
170         </discriminator>
171         <rules value="open" />
172     </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content">
175     <path value="Observation.code.coding.display.extension.extension" />
176     <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]">
179     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
180     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
181     <mustSupport value="true" />
182 </element>
183 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
nomed.extension:content.value[x]:valueString">
184     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
185     <sliceName value="valueString" />
186     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
ConceptMap/KBV_CM_MIO_CMR_U7a_U9_Physical_Exam_Eyes_German|1.0.1" />
187     <min value="1" />
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">

```

```

191     <path value="Observation.code.coding.userSelected" />
192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />

```

```

249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>

```



```

308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />

```

```
368     </element>
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

### 370. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U8\_CURRENT\_CHILD\_HISTORY

#### KBV\_PR\_MIO\_CMR\_Observation\_U8\_Current\_Child\_History

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U8_Current_Child_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U8_Current_Child_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U8_Current_Child_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U8_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     e[x]" />
182     <slicing><discriminator><type value="type" /><path value="$this" /></
183     discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187     <path value="Observation.code.coding.display.extension.extension.valu
188     eString" />
189     <sliceName value="valueString" />
190     <definition value="In diesem Attribut sollen die entsprechende
191     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194     ConceptMap/KBV_CM_MIO_CMR_U8_Current_Child_History_German|1.0.1" />
195     <min value="1" />
196     <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199     <path value="Observation.code.coding.userSelected" />
200     <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```



```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 371. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U8\_DEVELOPMENT\_ASSESSMENT

## KBV\_PR\_MIO\_CMR\_Observation\_U8\_Development\_Assessment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U8_Development_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U8_Development_Assessment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U8_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
119 KBV_VS_MIO_CMU_U8_Development_Assessment" />
120        </binding>
121    </element>
122    <element id="Observation.code.coding">
123        <path value="Observation.code.coding" />
124        <min value="1" />
125        <max value="1" />
126        <mustSupport value="true" />
127    </element>
128    <element id="Observation.code.coding.system">
129        <path value="Observation.code.coding.system" />
130        <min value="1" />
131    </element>
132    <element id="Observation.code.coding.version">
133        <path value="Observation.code.coding.version" />
134        <min value="1" />
135    </element>
136    <element id="Observation.code.coding.code">
137        <path value="Observation.code.coding.code" />
138        <min value="1" />
139    </element>
140    <element id="Observation.code.coding.display">
141        <path value="Observation.code.coding.display" />
142        <min value="1" />
143    </element>
144    <element id="Observation.code.coding.display.extension">
145        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     e[x]" />
182     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
183     discriminator >< rules value="closed" />< / slicing >
184     < mustSupport value="true" />
185 < / element >
186 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
187     < path value="Observation.code.coding.display.extension.extension.valu
188     e[x]:valueString" />
189     < sliceName value="valueString" />
190     < definition value="In diesem Attribut sollen die entsprechende
191     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
    &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
    Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
    ConceptMap/KBV_CM_MIO_CMR_U8_Development_Assessment_German|1.0.1" />
    < min value="1" />
    < mustSupport value="true" />
< / element >
< element id="Observation.code.coding.userSelected">
    < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```



```

309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 372. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U8\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Observation\_U8\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U8_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U8_Physical_Exam_Abdomen_Genitals
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale."
/>
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U8_Physical_Exam_Abdomen_Genitals|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Abdomen and Genitals Observations" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U8_Physical_Exam_Abdomen_Genitals" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">

```

```

144     <path value="Observation.code.coding.display.extension" />
145     <slicing>
146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   nomed">
155     <path value="Observation.code.coding.display.extension" />
156     <sliceName value="anzeigenameCodeSnomed" />
157     <min value="1" />
158     <max value="1" />
159     <type>
160         <code value="Extension" />
161         <profile value="https://fhir.kbv.de/StructureDefinition/
162   KBV_EX_Base_Terminology_German" />
163     </type>
164     <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   nomed.extension">
168     <path value="Observation.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   nomed.extension:content">
179     <path value="Observation.code.coding.display.extension.extension" />
180     <sliceName value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183   nomed.extension:content.value[x]">
184     <path value="Observation.code.coding.display.extension.extension.valu
185   e[x]" />
186     <slicing><discriminator><type value="type" /><path value="$this" /></
187   discriminator><rules value="closed" /></slicing>
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
191   nomed.extension:content.value[x]:valueString">
192     <path value="Observation.code.coding.display.extension.extension.valu
193   e[x]" />
194     <sliceName value="valueString" />
195     <definition value="In diesem Attribut sollen die entsprechende
196   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
197   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
198   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
199   ConceptMap/KBV_CM_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals_German|1.0.1" /
200   >
201     <min value="1" />
202     <mustSupport value="true" />
203 </element>

```

```

190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />

```

```

248     <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />

```



```

307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />

```

```
367     <max value="0" />
368   </element>
369   <element id="Observation.derivedFrom">
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 373. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U8\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_PR\_MIO\_CMV\_Observation\_U8\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U8_Physical_Exam_Chest_Lung_Respiratory_Tract" /
>
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U8_Physical_Exam_Chest_Lung_Respi
ratory_Tract" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />

```

```

28     <name value="RIM Mapping" />
29 </mapping>
30 <mapping>
31     <identity value="w5" />
32     <uri value="http://hl7.org/fhir/fivews" />
33     <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36     <identity value="sct-attr" />
37     <uri value="http://snomed.org/attributebinding" />
38     <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46     <element id="Observation">
47         <path value="Observation" />
48         <short value="Dieses Profil beinhaltet die diagnostischen
Informationen der körperlichen Untersuchung von Thorax, Lunge und Atemwege
im Rahmen der U8." />
49     </element>
50     <element id="Observation.meta">
51         <path value="Observation.meta" />
52         <min value="1" />
53     </element>
54     <element id="Observation.meta.versionId">
55         <path value="Observation.meta.versionId" />
56         <max value="0" />
57     </element>
58     <element id="Observation.meta.lastUpdated">
59         <path value="Observation.meta.lastUpdated" />
60         <max value="0" />
61     </element>
62     <element id="Observation.meta.source">
63         <path value="Observation.meta.source" />
64         <max value="0" />
65     </element>
66     <element id="Observation.meta.profile">
67         <path value="Observation.meta.profile" />
68         <min value="1" />
69         <max value="1" />
70         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U8_Physical_Exam_Chest_Lung_Respiratory_Tract|
1.0.1" />
71     </element>
72     <element id="Observation.meta.security">
73         <path value="Observation.meta.security" />
74         <max value="0" />
75     </element>
76     <element id="Observation.meta.tag">
77         <path value="Observation.meta.tag" />
78         <max value="0" />
79     </element>
80     <element id="Observation.implicitRules">
81         <path value="Observation.implicitRules" />
82         <max value="0" />

```

```

83 </element>
84 <element id="Observation.language">
85   <path value="Observation.language" />
86   <max value="0" />
87 </element>
88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115   <binding>
116     <strength value="required" />
117     <description value="Chest, Lung and Respiratory Tract" />
118     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Physical_Exam_Chest_Lung_Respiratory_Tract" />
119   </binding>
120 </element>
121 <element id="Observation.code.coding">
122   <path value="Observation.code.coding" />
123   <min value="1" />
124   <max value="1" />
125   <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128   <path value="Observation.code.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132   <path value="Observation.code.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136   <path value="Observation.code.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140   <path value="Observation.code.coding.display" />
141   <min value="1" />

```

```

142 </element>
143 <element id="Observation.code.coding.display.extension">
144   <path value="Observation.code.coding.display.extension" />
145   <slicing>
146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181   e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183   discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188   e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194   ConceptMap/
195   KBV_CM_MIO_CMU_U8_Physical_Exam_Chest_Lung_Respiratory_Tract_German|1.0.1"
196 </>

```

```

187     <min value="1" />
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.userSelected">
191     <path value="Observation.code.coding.userSelected" />
192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />

```

```

245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>

```



```

304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />

```

```
364     </element>
365     <element id="Observation.hasMember">
366       <path value="Observation.hasMember" />
367       <max value="0" />
368     </element>
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 374. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U8\_PHYSICAL\_EXAM\_EARS

## KBV\_PR\_MIO\_CMR\_Observation\_U8\_Physical\_Exam\_Ears

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U8_Physical_Exam_Ears" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U8_Physical_Exam_Ears" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung der Ohren im Rahmen der U8." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U8_Physical_Exam_Ears|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Ear Observation Codes" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U8_Physical_Exam_Ears" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     <path value="Observation.code.coding.display.extension" />
155     <sliceName value="anzeigenameCodeSnomed" />
156     <min value="1" />
157     <max value="1" />
158     <type>
159         <code value="Extension" />
160         <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     </type>
163     <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     <path value="Observation.code.coding.display.extension.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     <path value="Observation.code.coding.display.extension.extension" />
177     <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     <path value="Observation.code.coding.display.extension.extension.valu
181     <min value="1" />
182     <mustSupport value="true" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185     <path value="Observation.code.coding.display.extension.extension.valu
186     <sliceName value="valueString" />
187     <definition value="In diesem Attribut sollen die entsprechende
188     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
189     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
190     ConceptMap/KBV_CM_MIO_CMR_U8_Physical_Exam_Ears_German|1.0.1" />
191     <min value="1" />
192     <mustSupport value="true" />
193 </element>
194 <element id="Observation.code.coding.userSelected">
195     <path value="Observation.code.coding.userSelected" />
196     <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```



```

310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>
369 <element id="Observation.derivedFrom">

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 375. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U8\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_PR\_MIO\_CMV\_Observation\_U8\_Physical\_Exam\_Musculoskeletal\_System

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U8_Physical_Exam_Musculoskeletal_System" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U8_Physical_Exam_Musculoskeletal_
System" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Bewegungsapparats im Rahmen
der U8." />
49     <definition value="Inspektion des ganzen Körpers in Rücken- und
Bauchlage und aufrecht gehalten." />
50   </element>
51   <element id="Observation.meta">
52     <path value="Observation.meta" />
53     <min value="1" />
54   </element>
55   <element id="Observation.meta.versionId">
56     <path value="Observation.meta.versionId" />
57     <max value="0" />
58   </element>
59   <element id="Observation.meta.lastUpdated">
60     <path value="Observation.meta.lastUpdated" />
61     <max value="0" />
62   </element>
63   <element id="Observation.meta.source">
64     <path value="Observation.meta.source" />
65     <max value="0" />
66   </element>
67   <element id="Observation.meta.profile">
68     <path value="Observation.meta.profile" />
69     <min value="1" />
70     <max value="1" />
71     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U8_Physical_Exam_Musculoskeletal_System|1.0.1" /
>
72   </element>
73   <element id="Observation.meta.security">
74     <path value="Observation.meta.security" />
75     <max value="0" />
76   </element>
77   <element id="Observation.meta.tag">
78     <path value="Observation.meta.tag" />
79     <max value="0" />
80   </element>
81   <element id="Observation.implicitRules">
82     <path value="Observation.implicitRules" />

```

```

83     <max value="0" />
84 </element>
85 <element id="Observation.language">
86     <path value="Observation.language" />
87     <max value="0" />
88 </element>
89 <element id="Observation.contained">
90     <path value="Observation.contained" />
91     <max value="0" />
92 </element>
93 <element id="Observation.identifier">
94     <path value="Observation.identifier" />
95     <max value="0" />
96 </element>
97 <element id="Observation.basedOn">
98     <path value="Observation.basedOn" />
99     <max value="0" />
100 </element>
101 <element id="Observation.partOf">
102     <path value="Observation.partOf" />
103     <max value="0" />
104 </element>
105 <element id="Observation.status">
106     <path value="Observation.status" />
107     <fixedCode value="final" />
108 </element>
109 <element id="Observation.category">
110     <path value="Observation.category" />
111     <max value="0" />
112 </element>
113 <element id="Observation.code">
114     <path value="Observation.code" />
115     <mustSupport value="true" />
116     <binding>
117         <strength value="required" />
118         <description value="Musculoskeletal System" />
119         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U8_Physical_Exam_Musculoskeletal_System" />
120     </binding>
121 </element>
122 <element id="Observation.code.coding">
123     <path value="Observation.code.coding" />
124     <min value="1" />
125     <max value="1" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.code.coding.system">
129     <path value="Observation.code.coding.system" />
130     <min value="1" />
131 </element>
132 <element id="Observation.code.coding.version">
133     <path value="Observation.code.coding.version" />
134     <min value="1" />
135 </element>
136 <element id="Observation.code.coding.code">
137     <path value="Observation.code.coding.code" />
138     <min value="1" />
139 </element>
140 <element id="Observation.code.coding.display">
141     <path value="Observation.code.coding.display" />

```

```

142     <min value="1" />
143 </element>
144 <element id="Observation.code.coding.display.extension">
145   <path value="Observation.code.coding.display.extension" />
146   <slicing>
147     <discriminator>
148       <type value="value" />
149       <path value="url" />
150     </discriminator>
151     <rules value="open" />
152   </slicing>
153 </element>
154 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
155   <path value="Observation.code.coding.display.extension" />
156   <sliceName value="anzeigenameCodeSnomed" />
157   <min value="1" />
158   <max value="1" />
159   <type>
160     <code value="Extension" />
161     <profile value="https://fhir.kbv.de/StructureDefinition/
162     KBV_EX_Base_Terminology_German" />
163   </type>
164   <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   <path value="Observation.code.coding.display.extension.extension" />
168   <slicing>
169     <discriminator>
170       <type value="value" />
171       <path value="url" />
172     </discriminator>
173     <rules value="open" />
174   </slicing>
175 </element>
176 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
177   <path value="Observation.code.coding.display.extension.extension" />
178   <sliceName value="content" />
179 </element>
180 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
181   <path value="Observation.code.coding.display.extension.extension.valu
182   e[x]" />
183   <slicing><discriminator><type value="type" /><path value="$this" /></
184   discriminator><rules value="closed" /></slicing>
185   <mustSupport value="true" />
186 </element>
187 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
188   <path value="Observation.code.coding.display.extension.extension.valu
189   e[x]" />
190   <sliceName value="valueString" />
191   <definition value="In diesem Attribut sollen die entsprechende
192   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
193   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
194   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
195   ConceptMap/KBV_CM_MIO_CM_U8_Physical_Exam_Musculoskeletal_System_German|
196   1.0.1" />

```

```

188     <min value="1" />
189     <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192     <path value="Observation.code.coding.userSelected" />
193     <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196     <path value="Observation.code.text" />
197     <max value="0" />
198 </element>
199 <element id="Observation.subject">
200     <path value="Observation.subject" />
201     <min value="1" />
202     <type>
203         <code value="Reference" />
204         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
205     </type>
206     <mustSupport value="true" />
207 </element>
208 <element id="Observation.subject.reference">
209     <path value="Observation.subject.reference" />
210     <min value="1" />
211     <mustSupport value="true" />
212 </element>
213 <element id="Observation.subject.type">
214     <path value="Observation.subject.type" />
215     <max value="0" />
216 </element>
217 <element id="Observation.subject.identifier">
218     <path value="Observation.subject.identifier" />
219     <max value="0" />
220 </element>
221 <element id="Observation.subject.display">
222     <path value="Observation.subject.display" />
223     <max value="0" />
224 </element>
225 <element id="Observation.focus">
226     <path value="Observation.focus" />
227     <max value="0" />
228 </element>
229 <element id="Observation.encounter">
230     <path value="Observation.encounter" />
231     <min value="1" />
232     <type>
233         <code value="Reference" />
234         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
235     </type>
236     <mustSupport value="true" />
237 </element>
238 <element id="Observation.encounter.reference">
239     <path value="Observation.encounter.reference" />
240     <min value="1" />
241     <mustSupport value="true" />
242 </element>
243 <element id="Observation.encounter.type">
244     <path value="Observation.encounter.type" />
245     <max value="0" />

```

```

246 </element>
247 <element id="Observation.encounter.identifier">
248   <path value="Observation.encounter.identifier" />
249   <max value="0" />
250 </element>
251 <element id="Observation.encounter.display">
252   <path value="Observation.encounter.display" />
253   <max value="0" />
254 </element>
255 <element id="Observation.effective[x]">
256   <path value="Observation.effective[x]" />
257   <slicing>
258     <discriminator>
259       <type value="type" />
260       <path value="$this" />
261     </discriminator>
262     <rules value="closed" />
263   </slicing>
264   <min value="1" />
265   <type>
266     <code value="dateTime" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="Observation.effective[x]:effectiveDateTime">
271   <path value="Observation.effective[x]" />
272   <sliceName value="effectiveDateTime" />
273   <min value="1" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.issued">
280   <path value="Observation.issued" />
281   <max value="0" />
282 </element>
283 <element id="Observation.performer">
284   <path value="Observation.performer" />
285   <max value="1" />
286   <type>
287     <code value="Reference" />
288     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
289   </type>
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.performer.reference">
293   <path value="Observation.performer.reference" />
294   <min value="1" />
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.performer.type">
298   <path value="Observation.performer.type" />
299   <max value="0" />
300 </element>
301 <element id="Observation.performer.identifier">
302   <path value="Observation.performer.identifier" />
303   <max value="0" />
304 </element>

```



```

305 <element id="Observation.performer.display">
306   <path value="Observation.performer.display" />
307   <max value="0" />
308 </element>
309 <element id="Observation.value[x]">
310   <path value="Observation.value[x]" />
311   <slicing>
312     <discriminator>
313       <type value="type" />
314       <path value="$this" />
315     </discriminator>
316     <rules value="closed" />
317   </slicing>
318   <min value="1" />
319   <type>
320     <code value="boolean" />
321   </type>
322   <mustSupport value="true" />
323 </element>
324 <element id="Observation.value[x]:valueBoolean">
325   <path value="Observation.value[x]" />
326   <sliceName value="valueBoolean" />
327   <min value="1" />
328   <type>
329     <code value="boolean" />
330   </type>
331   <fixedBoolean value="true" />
332   <mustSupport value="true" />
333 </element>
334 <element id="Observation.dataAbsentReason">
335   <path value="Observation.dataAbsentReason" />
336   <max value="0" />
337 </element>
338 <element id="Observation.interpretation">
339   <path value="Observation.interpretation" />
340   <max value="0" />
341 </element>
342 <element id="Observation.note">
343   <path value="Observation.note" />
344   <max value="0" />
345 </element>
346 <element id="Observation.bodySite">
347   <path value="Observation.bodySite" />
348   <max value="0" />
349 </element>
350 <element id="Observation.method">
351   <path value="Observation.method" />
352   <max value="0" />
353 </element>
354 <element id="Observation.specimen">
355   <path value="Observation.specimen" />
356   <max value="0" />
357 </element>
358 <element id="Observation.device">
359   <path value="Observation.device" />
360   <max value="0" />
361 </element>
362 <element id="Observation.referenceRange">
363   <path value="Observation.referenceRange" />
364   <max value="0" />

```

```
365     </element>
366     <element id="Observation.hasMember">
367       <path value="Observation.hasMember" />
368       <max value="0" />
369     </element>
370     <element id="Observation.derivedFrom">
371       <path value="Observation.derivedFrom" />
372       <max value="0" />
373     </element>
374     <element id="Observation.component">
375       <path value="Observation.component" />
376       <max value="0" />
377     </element>
378   </differential>
379 </StructureDefinition>
```

## 376. KBV\_PR\_MIO\_CMV\_OBSERVATION\_U8\_U9\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_PR\_MIO\_CMV\_Observation\_U8\_U9\_Physical\_Exam\_Mouth\_Nose

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Observation_U8_U9_Physical_Exam_Mouth_Nose" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Observation_U8_U9_Physical_Exam_Mouth_Nose" /
>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung von Mundhöhle, Kiefer und
Nase." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U8_U9_Physical_Exam_Mouth_Nose|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Mouth and Nose Codes" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U8_U9_Physical_Exam_Mouth_Nose" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">

```

```

144     <path value="Observation.code.coding.display.extension" />
145     <slicing>
146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154 nomed">
155     <path value="Observation.code.coding.display.extension" />
156     <sliceName value="anzeigenameCodeSnomed" />
157     <min value="1" />
158     <max value="1" />
159     <type>
160         <code value="Extension" />
161         <profile value="https://fhir.kbv.de/StructureDefinition/
162 KBV_EX_Base_Terminology_German" />
163     </type>
164     <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167 nomed.extension">
168     <path value="Observation.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178 nomed.extension:content">
179     <path value="Observation.code.coding.display.extension.extension" />
180     <sliceName value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183 nomed.extension:content.value[x]">
184     <path value="Observation.code.coding.display.extension.extension.valu
185 e[x]" />
186     <slicing><discriminator><type value="type" /><path value="$this" /></
187 discriminator><rules value="closed" /></slicing>
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
191 nomed.extension:content.value[x]:valueString">
192     <path value="Observation.code.coding.display.extension.extension.valu
193 e[x]" />
194     <sliceName value="valueString" />
195     <definition value="In diesem Attribut sollen die entsprechende
196 deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
197 &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
198 Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
199 ConceptMap/KBV_CM_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose_German|1.0.1" />
200     <min value="1" />
201     <mustSupport value="true" />
202 </element>
203 </element id="Observation.code.coding.userSelected">

```

```

191     <path value="Observation.code.coding.userSelected" />
192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195     <path value="Observation.code.text" />
196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199     <path value="Observation.subject" />
200     <min value="1" />
201     <type>
202         <code value="Reference" />
203         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204     </type>
205     <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208     <path value="Observation.subject.reference" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213     <path value="Observation.subject.type" />
214     <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217     <path value="Observation.subject.identifier" />
218     <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221     <path value="Observation.subject.display" />
222     <max value="0" />
223 </element>
224 <element id="Observation.focus">
225     <path value="Observation.focus" />
226     <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229     <path value="Observation.encounter" />
230     <min value="1" />
231     <type>
232         <code value="Reference" />
233         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238     <path value="Observation.encounter.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243     <path value="Observation.encounter.type" />
244     <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247     <path value="Observation.encounter.identifier" />
248     <max value="0" />

```

```

249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>

```



```

308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />
367   <max value="0" />

```

```
368     </element>
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 377. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U9\_CURRENT\_CHILD\_HISTORY

## KBV\_PR\_MIO\_CMR\_Observation\_U9\_Current\_Child\_History

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U9_Current_Child_History" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U9_Current_Child_History" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die aktuelle Anamnese des Kindes
ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U9_Current_Child_History|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the current child history" />
118            <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U9_Current_Child_History" />
119        </binding>
120    </element>
121    <element id="Observation.code.coding">
122        <path value="Observation.code.coding" />
123        <min value="1" />
124        <max value="1" />
125        <mustSupport value="true" />
126    </element>
127    <element id="Observation.code.coding.system">
128        <path value="Observation.code.coding.system" />
129        <min value="1" />
130    </element>
131    <element id="Observation.code.coding.version">
132        <path value="Observation.code.coding.version" />
133        <min value="1" />
134    </element>
135    <element id="Observation.code.coding.code">
136        <path value="Observation.code.coding.code" />
137        <min value="1" />
138    </element>
139    <element id="Observation.code.coding.display">
140        <path value="Observation.code.coding.display" />
141        <min value="1" />
142    </element>
143    <element id="Observation.code.coding.display.extension">
144        <path value="Observation.code.coding.display.extension" />
145        <slicing>

```

```

146     <discriminator>
147       <type value="value" />
148       <path value="url" />
149     </discriminator>
150     <rules value="open" />
151   </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   <path value="Observation.code.coding.display.extension" />
155   <sliceName value="anzeigenameCodeSnomed" />
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
166   <path value="Observation.code.coding.display.extension.extension" />
167   <slicing>
168     <discriminator>
169       <type value="value" />
170       <path value="url" />
171     </discriminator>
172     <rules value="open" />
173   </slicing>
174 </element>
175 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
176   <path value="Observation.code.coding.display.extension.extension" />
177   <sliceName value="content" />
178 </element>
179 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
180   <path value="Observation.code.coding.display.extension.extension.valu
181 e[x]" />
182   <slicing><discriminator><type value="type" /><path value="$this" /></
183 discriminator><rules value="closed" /></slicing>
184   <mustSupport value="true" />
185 </element>
186 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
187   <path value="Observation.code.coding.display.extension.extension.valu
188 e[x]" />
189   <sliceName value="valueString" />
190   <definition value="In diesem Attribut sollen die entsprechende
191 deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
192 &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
193 Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
194 ConceptMap/KBV_CM_MIO_CMR_U9_Current_Child_History_German|1.0.1" />
195   <min value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding.userSelected">
199   <path value="Observation.code.coding.userSelected" />
200   <max value="0" />

```

```

193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">

```

```

251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />
307 </element>
308 <element id="Observation.value[x]">
309     <path value="Observation.value[x]" />

```



```

310     < slicing >
311         < discriminator >
312             < type value="type" />
313             < path value="$this" />
314         < / discriminator >
315         < rules value="closed" />
316     < / slicing >
317     < min value="1" />
318     < type >
319         < code value="boolean" />
320     < / type >
321     < mustSupport value="true" />
322 < / element >
323 < element id="Observation.value[x]:valueBoolean" >
324     < path value="Observation.value[x]" />
325     < sliceName value="valueBoolean" />
326     < min value="1" />
327     < type >
328         < code value="boolean" />
329     < / type >
330     < fixedBoolean value="true" />
331     < mustSupport value="true" />
332 < / element >
333 < element id="Observation.dataAbsentReason" >
334     < path value="Observation.dataAbsentReason" />
335     < max value="0" />
336 < / element >
337 < element id="Observation.interpretation" >
338     < path value="Observation.interpretation" />
339     < max value="0" />
340 < / element >
341 < element id="Observation.note" >
342     < path value="Observation.note" />
343     < max value="0" />
344 < / element >
345 < element id="Observation.bodySite" >
346     < path value="Observation.bodySite" />
347     < max value="0" />
348 < / element >
349 < element id="Observation.method" >
350     < path value="Observation.method" />
351     < max value="0" />
352 < / element >
353 < element id="Observation.specimen" >
354     < path value="Observation.specimen" />
355     < max value="0" />
356 < / element >
357 < element id="Observation.device" >
358     < path value="Observation.device" />
359     < max value="0" />
360 < / element >
361 < element id="Observation.referenceRange" >
362     < path value="Observation.referenceRange" />
363     < max value="0" />
364 < / element >
365 < element id="Observation.hasMember" >
366     < path value="Observation.hasMember" />
367     < max value="0" />
368 < / element >
369 < element id="Observation.derivedFrom" >

```

```
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372 </element>
373 <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376 </element>
377 </differential>
378 </StructureDefinition>
```

## 378. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U9\_DEVELOPMENT\_ASSESSMENT

## KBV\_PR\_MIO\_CMR\_Observation\_U9\_Development\_Assessment

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U9_Development_Assessment" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U9_Development_Assessment" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die orientierende Beurteilung der
Entwicklung ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U9_Development_Assessment|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />

```

```

87     </element>
88     <element id="Observation.contained">
89         <path value="Observation.contained" />
90         <max value="0" />
91     </element>
92     <element id="Observation.identifier">
93         <path value="Observation.identifier" />
94         <max value="0" />
95     </element>
96     <element id="Observation.basedOn">
97         <path value="Observation.basedOn" />
98         <max value="0" />
99     </element>
100    <element id="Observation.partOf">
101        <path value="Observation.partOf" />
102        <max value="0" />
103    </element>
104    <element id="Observation.status">
105        <path value="Observation.status" />
106        <fixedCode value="final" />
107    </element>
108    <element id="Observation.category">
109        <path value="Observation.category" />
110        <max value="0" />
111    </element>
112    <element id="Observation.code">
113        <path value="Observation.code" />
114        <mustSupport value="true" />
115        <binding>
116            <strength value="required" />
117            <description value="Codes identifying the development of the
118 child" />
119            <valueSet value="https://fhir.kbv.de/ValueSet/
120 KBV_VS_MIO_CMU_U9_Development_Assessment" />
121        </binding>
122    </element>
123    <element id="Observation.code.coding">
124        <path value="Observation.code.coding" />
125        <min value="1" />
126        <max value="1" />
127        <mustSupport value="true" />
128    </element>
129    <element id="Observation.code.coding.system">
130        <path value="Observation.code.coding.system" />
131        <min value="1" />
132    </element>
133    <element id="Observation.code.coding.version">
134        <path value="Observation.code.coding.version" />
135        <min value="1" />
136    </element>
137    <element id="Observation.code.coding.code">
138        <path value="Observation.code.coding.code" />
139        <min value="1" />
140    </element>
141    <element id="Observation.code.coding.display">
142        <path value="Observation.code.coding.display" />
143        <min value="1" />
144    </element>
145    <element id="Observation.code.coding.display.extension">
146        <path value="Observation.code.coding.display.extension" />

```

```

145     < slicing >
146         < discriminator >
147             < type value="value" />
148             < path value="url" />
149         < / discriminator >
150         < rules value="open" />
151     < / slicing >
152 < / element >
153 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
154     < path value="Observation.code.coding.display.extension" />
155     < sliceName value="anzeigenameCodeSnomed" />
156     < min value="1" />
157     < max value="1" />
158     < type >
159         < code value="Extension" />
160         < profile value="https://fhir.kbv.de/StructureDefinition/
161 KBV_EX_Base_Terminology_German" />
162     < / type >
163     < mustSupport value="true" />
164 < / element >
165 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
166     < path value="Observation.code.coding.display.extension.extension" />
167     < slicing >
168         < discriminator >
169             < type value="value" />
170             < path value="url" />
171         < / discriminator >
172         < rules value="open" />
173     < / slicing >
174 < / element >
175 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
176     < path value="Observation.code.coding.display.extension.extension" />
177     < sliceName value="content" />
178 < / element >
179 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
180     < path value="Observation.code.coding.display.extension.extension.valu
181     < slicing >< discriminator >< type value="type" />< path value="$this" />< /
182     < discriminator >< rules value="closed" />< / slicing >
183     < mustSupport value="true" />
184 < / element >
185 < element id="Observation.code.coding.display.extension:anzeigenameCodeS
186     < path value="Observation.code.coding.display.extension.extension.valu
187     < sliceName value="valueString" />
188     < definition value="In diesem Attribut sollen die entsprechende
189     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
190     &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
191     Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
192     ConceptMap/KBV_CM_MIO_CMR_U9_Development_Assessment_German|1.0.1" />
193     < min value="1" />
194     < mustSupport value="true" />
195 < / element >
196 < element id="Observation.code.coding.userSelected">
197     < path value="Observation.code.coding.userSelected" />

```

```

192     <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>

```

```

250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="1" />
285   <type>
286     <code value="Reference" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288   </type>
289   <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292   <path value="Observation.performer.reference" />
293   <min value="1" />
294   <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297   <path value="Observation.performer.type" />
298   <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301   <path value="Observation.performer.identifier" />
302   <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305   <path value="Observation.performer.display" />
306   <max value="0" />
307 </element>
308 <element id="Observation.value[x]">

```



```

309     <path value="Observation.value[x]" />
310     <slicing>
311         <discriminator>
312             <type value="type" />
313             <path value="$this" />
314         </discriminator>
315         <rules value="closed" />
316     </slicing>
317     <min value="1" />
318     <type>
319         <code value="boolean" />
320     </type>
321     <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324     <path value="Observation.value[x]" />
325     <sliceName value="valueBoolean" />
326     <min value="1" />
327     <type>
328         <code value="boolean" />
329     </type>
330     <fixedBoolean value="true" />
331     <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334     <path value="Observation.dataAbsentReason" />
335     <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338     <path value="Observation.interpretation" />
339     <max value="0" />
340 </element>
341 <element id="Observation.note">
342     <path value="Observation.note" />
343     <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346     <path value="Observation.bodySite" />
347     <max value="0" />
348 </element>
349 <element id="Observation.method">
350     <path value="Observation.method" />
351     <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354     <path value="Observation.specimen" />
355     <max value="0" />
356 </element>
357 <element id="Observation.device">
358     <path value="Observation.device" />
359     <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362     <path value="Observation.referenceRange" />
363     <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366     <path value="Observation.hasMember" />
367     <max value="0" />
368 </element>

```

```
369     <element id="Observation.derivedFrom">
370       <path value="Observation.derivedFrom" />
371       <max value="0" />
372     </element>
373     <element id="Observation.component">
374       <path value="Observation.component" />
375       <max value="0" />
376     </element>
377   </differential>
378 </StructureDefinition>
```

## 379. KBV\_PR\_MIO\_CMR\_OBSERVATION\_U9\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_PR\_MIO\_CMR\_Observation\_U9\_Physical\_Exam\_Abdomen\_Genitals

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U9_Physical_Exam_Abdomen_Genitals" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Observation_U9_Physical_Exam_Abdomen_Genitals
" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from loinc (http://
loinc.org). loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil beinhaltet die diagnostische
Informationen der körperlichen Untersuchung des Abdomens und der Genitale."
/>
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMRObservation_U9_Physical_Exam_Abdomen_Genitals|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">

```

```

85     <path value="Observation.language" />
86     <max value="0" />
87 </element>
88 <element id="Observation.contained">
89     <path value="Observation.contained" />
90     <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93     <path value="Observation.identifier" />
94     <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97     <path value="Observation.basedOn" />
98     <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101     <path value="Observation.partOf" />
102     <max value="0" />
103 </element>
104 <element id="Observation.status">
105     <path value="Observation.status" />
106     <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109     <path value="Observation.category" />
110     <max value="0" />
111 </element>
112 <element id="Observation.code">
113     <path value="Observation.code" />
114     <mustSupport value="true" />
115     <binding>
116         <strength value="required" />
117         <description value="Abdomen and Genitals Observations" />
118         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U9_Physical_Exam_Abdomen_Genitals" />
119     </binding>
120 </element>
121 <element id="Observation.code.coding">
122     <path value="Observation.code.coding" />
123     <min value="1" />
124     <max value="1" />
125     <mustSupport value="true" />
126 </element>
127 <element id="Observation.code.coding.system">
128     <path value="Observation.code.coding.system" />
129     <min value="1" />
130 </element>
131 <element id="Observation.code.coding.version">
132     <path value="Observation.code.coding.version" />
133     <min value="1" />
134 </element>
135 <element id="Observation.code.coding.code">
136     <path value="Observation.code.coding.code" />
137     <min value="1" />
138 </element>
139 <element id="Observation.code.coding.display">
140     <path value="Observation.code.coding.display" />
141     <min value="1" />
142 </element>
143 <element id="Observation.code.coding.display.extension">

```

```

144     <path value="Observation.code.coding.display.extension" />
145     <slicing>
146         <discriminator>
147             <type value="value" />
148             <path value="url" />
149         </discriminator>
150         <rules value="open" />
151     </slicing>
152 </element>
153 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
154   nomed">
155     <path value="Observation.code.coding.display.extension" />
156     <sliceName value="anzeigenameCodeSnomed" />
157     <min value="1" />
158     <max value="1" />
159     <type>
160         <code value="Extension" />
161         <profile value="https://fhir.kbv.de/StructureDefinition/
162   KBV_EX_Base_Terminology_German" />
163     </type>
164     <mustSupport value="true" />
165 </element>
166 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
167   nomed.extension">
168     <path value="Observation.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
178   nomed.extension:content">
179     <path value="Observation.code.coding.display.extension.extension" />
180     <sliceName value="content" />
181 </element>
182 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
183   nomed.extension:content.value[x]">
184     <path value="Observation.code.coding.display.extension.extension.valu
185   e[x]" />
186     <slicing><discriminator><type value="type" /><path value="$this" /></
187   discriminator><rules value="closed" /></slicing>
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
191   nomed.extension:content.value[x]:valueString">
192     <path value="Observation.code.coding.display.extension.extension.valu
193   eString" />
194     <sliceName value="valueString" />
195     <definition value="In diesem Attribut sollen die entsprechende
196   deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
197   &#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
198   Displaynamen des Targetsystems aus &#xD;&#xA;https://fhir.kbv.de/
199   ConceptMap/KBV_CM_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals_German|1.0.1" /
200   >
201     <min value="1" />
202     <mustSupport value="true" />
203 </element>

```

```

190 <element id="Observation.code.coding.userSelected">
191   <path value="Observation.code.coding.userSelected" />
192   <max value="0" />
193 </element>
194 <element id="Observation.code.text">
195   <path value="Observation.code.text" />
196   <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />

```

```

248     <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251     <path value="Observation.encounter.display" />
252     <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255     <path value="Observation.effective[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270     <path value="Observation.effective[x]" />
271     <sliceName value="effectiveDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279     <path value="Observation.issued" />
280     <max value="0" />
281 </element>
282 <element id="Observation.performer">
283     <path value="Observation.performer" />
284     <max value="1" />
285     <type>
286         <code value="Reference" />
287         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
288     </type>
289     <mustSupport value="true" />
290 </element>
291 <element id="Observation.performer.reference">
292     <path value="Observation.performer.reference" />
293     <min value="1" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Observation.performer.type">
297     <path value="Observation.performer.type" />
298     <max value="0" />
299 </element>
300 <element id="Observation.performer.identifier">
301     <path value="Observation.performer.identifier" />
302     <max value="0" />
303 </element>
304 <element id="Observation.performer.display">
305     <path value="Observation.performer.display" />
306     <max value="0" />

```



```

307 </element>
308 <element id="Observation.value[x]">
309   <path value="Observation.value[x]" />
310   <slicing>
311     <discriminator>
312       <type value="type" />
313       <path value="$this" />
314     </discriminator>
315     <rules value="closed" />
316   </slicing>
317   <min value="1" />
318   <type>
319     <code value="boolean" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.value[x]:valueBoolean">
324   <path value="Observation.value[x]" />
325   <sliceName value="valueBoolean" />
326   <min value="1" />
327   <type>
328     <code value="boolean" />
329   </type>
330   <fixedBoolean value="true" />
331   <mustSupport value="true" />
332 </element>
333 <element id="Observation.dataAbsentReason">
334   <path value="Observation.dataAbsentReason" />
335   <max value="0" />
336 </element>
337 <element id="Observation.interpretation">
338   <path value="Observation.interpretation" />
339   <max value="0" />
340 </element>
341 <element id="Observation.note">
342   <path value="Observation.note" />
343   <max value="0" />
344 </element>
345 <element id="Observation.bodySite">
346   <path value="Observation.bodySite" />
347   <max value="0" />
348 </element>
349 <element id="Observation.method">
350   <path value="Observation.method" />
351   <max value="0" />
352 </element>
353 <element id="Observation.specimen">
354   <path value="Observation.specimen" />
355   <max value="0" />
356 </element>
357 <element id="Observation.device">
358   <path value="Observation.device" />
359   <max value="0" />
360 </element>
361 <element id="Observation.referenceRange">
362   <path value="Observation.referenceRange" />
363   <max value="0" />
364 </element>
365 <element id="Observation.hasMember">
366   <path value="Observation.hasMember" />

```

```
367     <max value="0" />
368   </element>
369   <element id="Observation.derivedFrom">
370     <path value="Observation.derivedFrom" />
371     <max value="0" />
372   </element>
373   <element id="Observation.component">
374     <path value="Observation.component" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

### 380. KBV\_PR\_MIO\_CMR\_ORGANIZATION

#### KBV\_PR\_MIO\_CMR\_Organization

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Organization" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="v2" />
12    <uri value="http://hl7.org/v2" />
13    <name value="HL7 v2 Mapping" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="servd" />
22    <uri value="http://www.omg.org/spec/ServD/1.0/" />
23    <name value="ServD" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Organization" />
33 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Organization|1.1.3" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Organization">
37 <path value="Organization" />
38 <short value="In diesem Profil können Angaben zur Einrichtung der
behandelnden Person dokumentiert werden." />
39 </element>
40 <element id="Organization.meta">
41 <path value="Organization.meta" />
42 <min value="1" />
43 </element>
44 <element id="Organization.meta.versionId">
45 <path value="Organization.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Organization.meta.lastUpdated">
49 <path value="Organization.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Organization.meta.source">
53 <path value="Organization.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Organization.meta.profile">
57 <path value="Organization.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMROrganization|1.0.1" />
61 </element>
62 <element id="Organization.meta.security">
63 <path value="Organization.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Organization.meta.tag">
67 <path value="Organization.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Organization.implicitRules">
71 <path value="Organization.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Organization.language">
75 <path value="Organization.language" />
76 <max value="0" />
77 </element>
78 <element id="Organization.text">
79 <path value="Organization.text" />
80 <max value="0" />
81 </element>
82 <element id="Organization.contained">
83 <path value="Organization.contained" />
84 <max value="0" />
85 </element>
86 <element id="Organization.extension">

```

```

87     <path value="Organization.extension" />
88     <slicing>
89         <discriminator>
90             <type value="value" />
91             <path value="url" />
92         </discriminator>
93         <rules value="open" />
94     </slicing>
95 </element>
96 <element id="Organization.extension:ergaenzende_Angaben">
97     <path value="Organization.extension" />
98     <sliceName value="ergaenzende_Angaben" />
99     <mustSupport value="true" />
100 </element>
101 <element id="Organization.extension:ergaenzende_Angaben.value[x]">
102     <path value="Organization.extension.value[x]" />
103     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
104     <mustSupport value="true" />
105 </element>
106 <element id="Organization.extension:ergaenzende_Angaben.value[x]:valueS
tring">
107     <path value="Organization.extension.value[x]" />
108     <sliceName value="valueString" />
109     <mustSupport value="true" />
110 </element>
111 <element id="Organization.identifier">
112     <path value="Organization.identifier" />
113     <mustSupport value="true" />
114 </element>
115 <element id="Organization.identifier:Institutionskennzeichen">
116     <path value="Organization.identifier" />
117     <sliceName value="Institutionskennzeichen" />
118     <max value="1" />
119     <mustSupport value="true" />
120 </element>
121 <element id="Organization.identifier:Institutionskennzeichen.type">
122     <path value="Organization.identifier.type" />
123     <mustSupport value="true" />
124 </element>
125 <element id="Organization.identifier:Institutionskennzeichen.type.codin
g">
126     <path value="Organization.identifier.type.coding" />
127
128     <min value="1" />
129     <mustSupport value="true" />
130 </element>
131
132 <element id="Organization.identifier:Institutionskennzeichen.type.codin
g.display">
133     <path value="Organization.identifier.type.coding.display" />
134
135     <min value="1" />
136     <fixedString value="Organisations-ID" />
137     <mustSupport value="true" />
138 </element>
139
140 <element id="Organization.identifier:Institutionskennzeichen.system">
141     <path value="Organization.identifier.system" />
142     <mustSupport value="true" />

```

```

143 </element>
144 <element id="Organization.identifier:Institutionskennzeichen.value">
145   <path value="Organization.identifier.value" />
146   <mustSupport value="true" />
147 </element>
148 <element id="Organization.identifier:Betriebsstaettennummer">
149   <path value="Organization.identifier" />
150   <sliceName value="Betriebsstaettennummer" />
151   <max value="1" />
152   <mustSupport value="true" />
153 </element>
154 <element id="Organization.identifier:Betriebsstaettennummer.type">
155   <path value="Organization.identifier.type" />
156   <mustSupport value="true" />
157 </element>
158 <element id="Organization.identifier:Betriebsstaettennummer.type.coding
">
159   <path value="Organization.identifier.type.coding" />
160   <mustSupport value="true" />
161 </element>
162
163   <element id="Organization.identifier:Betriebsstaettennummer.type.coding
.display">
164     <path value="Organization.identifier.type.coding.display" />
165
166     <min value="1" />
167     <fixedString value="Betriebsstättennummer" />
168     <mustSupport value="true" />
169   </element>
170
171   <element id="Organization.identifier:Betriebsstaettennummer.system">
172     <path value="Organization.identifier.system" />
173     <mustSupport value="true" />
174   </element>
175   <element id="Organization.identifier:Betriebsstaettennummer.value">
176     <path value="Organization.identifier.value" />
177     <mustSupport value="true" />
178   </element>
179   <element id="Organization.identifier:VKNR">
180     <path value="Organization.identifier" />
181     <sliceName value="VKNR" />
182     <max value="0" />
183     <mustSupport value="true" />
184   </element>
185   <element id="Organization.identifier:KZV-Abrechnungsnummer">
186     <path value="Organization.identifier" />
187     <sliceName value="KZV-Abrechnungsnummer" />
188     <max value="0" />
189   </element>
190   <element id="Organization.active">
191     <path value="Organization.active" />
192     <max value="0" />
193   </element>
194   <element id="Organization.type">
195     <path value="Organization.type" />
196     <max value="0" />
197   </element>
198   <element id="Organization.name">
199     <path value="Organization.name" />
200     <mustSupport value="true" />

```

```

201 </element>
202 <element id="Organization.alias">
203   <path value="Organization.alias" />
204   <max value="0" />
205 </element>
206 <element id="Organization.telecom">
207   <path value="Organization.telecom" />
208   <mustSupport value="true" />
209 </element>
210 <element id="Organization.telecom.system">
211   <path value="Organization.telecom.system" />
212 </element>
213 <element id="Organization.telecom.value">
214   <path value="Organization.telecom.value" />
215 </element>
216 <element id="Organization.telecom.use">
217   <path value="Organization.telecom.use" />
218   <max value="0" />
219 </element>
220 <element id="Organization.telecom.rank">
221   <path value="Organization.telecom.rank" />
222   <max value="0" />
223 </element>
224 <element id="Organization.telecom.period">
225   <path value="Organization.telecom.period" />
226   <max value="0" />
227 </element>
228 <element id="Organization.address">
229   <path value="Organization.address" />
230   <max value="1" />
231   <mustSupport value="true" />
232 </element>
233 <element id="Organization.address:Strassenanschrift">
234   <path value="Organization.address" />
235   <sliceName value="Strassenanschrift" />
236   <mustSupport value="true" />
237 </element>
238 <element id="Organization.address:Strassenanschrift.extension">
239   <path value="Organization.address.extension" />
240   <licing>
241     <discriminator>
242       <type value="value" />
243       <path value="url" />
244     </discriminator>
245     <rules value="open" />
246   </licing>
247 </element>
248 <element id="Organization.address:Strassenanschrift.extension:Stadtteil
">
249   <path value="Organization.address.extension" />
250   <sliceName value="Stadtteil" />
251   <mustSupport value="true" />
252 </element>
253 <element id="Organization.address:Strassenanschrift.extension:Stadtteil
.value[x]">
254   <path value="Organization.address.extension.value[x]" />
255   <mustSupport value="true" />
256 </element>
257 <element id="Organization.address:Strassenanschrift.line">
258   <path value="Organization.address.line" />

```

```

259     <mustSupport value="true" />
260 </element>
261 <element id="Organization.address.Strassenanschrift.line.extension">
262   <path value="Organization.address.line.extension" />
263   <slicing>
264     <discriminator>
265       <type value="value" />
266       <path value="url" />
267     </discriminator>
268     <rules value="open" />
269   </slicing>
270 </element>
271 <element id="Organization.address.Strassenanschrift.line.extension:Strasse">
272   <path value="Organization.address.line.extension" />
273   <sliceName value="Strasse" />
274   <mustSupport value="true" />
275 </element>
276 <element id="Organization.address.Strassenanschrift.line.extension:Strasse.value[x]">
277   <path value="Organization.address.line.extension.value[x]" />
278   <mustSupport value="true" />
279 </element>
280 <element id="Organization.address.Strassenanschrift.line.extension:Strasse.value[x]:valueString">
281   <path value="Organization.address.line.extension.valueString" />
282   <sliceName value="valueString" />
283   <min value="1" />
284   <mustSupport value="true" />
285 </element>
286 <element id="Organization.address.Strassenanschrift.line.extension:Hausnummer">
287   <path value="Organization.address.line.extension" />
288   <sliceName value="Hausnummer" />
289   <mustSupport value="true" />
290 </element>
291 <element id="Organization.address.Strassenanschrift.line.extension:Hausnummer.value[x]">
292   <path value="Organization.address.line.extension.value[x]" />
293   <mustSupport value="true" />
294 </element>
295 <element id="Organization.address.Strassenanschrift.line.extension:Hausnummer.value[x]:valueString">
296   <path value="Organization.address.line.extension.valueString" />
297   <sliceName value="valueString" />
298   <min value="1" />
299   <mustSupport value="true" />
300 </element>
301 <element id="Organization.address.Strassenanschrift.line.extension:Adresszusatz">
302   <path value="Organization.address.line.extension" />
303   <sliceName value="Adresszusatz" />
304   <mustSupport value="true" />
305 </element>
306 <element id="Organization.address.Strassenanschrift.line.extension:Adresszusatz.value[x]">
307   <path value="Organization.address.line.extension.value[x]" />
308   <mustSupport value="true" />
309 </element>

```



```

310     <element id="Organization.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]:valueString">
311         <path value="Organization.address.line.extension.valueString" />
312         <sliceName value="valueString" />
313         <min value="1" />
314         <mustSupport value="true" />
315     </element>
316     <element id="Organization.address:Strassenanschrift.city">
317         <path value="Organization.address.city" />
318         <min value="1" />
319         <mustSupport value="true" />
320     </element>
321     <element id="Organization.address:Strassenanschrift.country">
322         <path value="Organization.address.country" />
323         <min value="1" />
324         <mustSupport value="true" />
325     </element>
326     <element id="Organization.address:Strassenanschrift.period">
327         <path value="Organization.address.period" />
328         <max value="0" />
329     </element>
330     <element id="Organization.address:Postfach">
331         <path value="Organization.address" />
332         <sliceName value="Postfach" />
333         <mustSupport value="true" />
334     </element>
335     <element id="Organization.address:Postfach.extension">
336         <path value="Organization.address.extension" />
337         <licing>
338             <discriminator>
339                 <type value="value" />
340                 <path value="url" />
341             </discriminator>
342             <rules value="open" />
343         </licing>
344     </element>
345     <element id="Organization.address:Postfach.extension:Stadtteil">
346         <path value="Organization.address.extension" />
347         <sliceName value="Stadtteil" />
348         <mustSupport value="true" />
349     </element>
350     <element id="Organization.address:Postfach.extension:Stadtteil.value[x]
">
351         <path value="Organization.address.extension.value[x]" />
352         <mustSupport value="true" />
353     </element>
354     <element id="Organization.address:Postfach.use">
355         <path value="Organization.address.use" />
356         <max value="0" />
357     </element>
358     <element id="Organization.address:Postfach.type">
359         <path value="Organization.address.type" />
360         <mustSupport value="true" />
361     </element>
362     <element id="Organization.address:Postfach.line">
363         <path value="Organization.address.line" />
364         <mustSupport value="true" />
365     </element>
366     <element id="Organization.address:Postfach.line.extension">
367         <path value="Organization.address.line.extension" />

```

```

368     < slicing >
369         < discriminator >
370             < type value="value" />
371             < path value="url" />
372         < / discriminator >
373         < rules value="open" />
374     < / slicing >
375 < / element >
376 < element id="Organization.address.Postfach.line.extension.Postfach">
377     < path value="Organization.address.line.extension" />
378     < sliceName value="Postfach" />
379     < mustSupport value="true" />
380 < / element >
381 < element id="Organization.address.Postfach.line.extension.Postfach.valu
e[x]">
382     < path value="Organization.address.line.extension.value[x]" />
383     < mustSupport value="true" />
384 < / element >
385 < element id="Organization.address.Postfach.line.extension.Postfach.valu
e[x]:valueString">
386     < path value="Organization.address.line.extension.valueString" />
387     < sliceName value="valueString" />
388     < min value="1" />
389     < mustSupport value="true" />
390 < / element >
391 < element id="Organization.address.Postfach.state">
392     < path value="Organization.address.state" />
393     < max value="0" />
394 < / element >
395 < element id="Organization.address.Postfach.country">
396     < path value="Organization.address.country" />
397     < min value="1" />
398     < mustSupport value="true" />
399 < / element >
400 < element id="Organization.address.Postfach.period">
401     < path value="Organization.address.period" />
402     < max value="0" />
403 < / element >
404 < element id="Organization.partOf">
405     < path value="Organization.partOf" />
406     < max value="0" />
407 < / element >
408 < element id="Organization.contact">
409     < path value="Organization.contact" />
410     < max value="0" />
411 < / element >
412 < element id="Organization.endpoint">
413     < path value="Organization.endpoint" />
414     < max value="0" />
415 < / element >
416 < / differential >
417 < / StructureDefinition >

```

### 381. KBV\_PR\_MIO\_CMV\_PATIENT

#### KBV\_PR\_MIO\_CMV\_Patient

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Patient" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Patient" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="rim" />
12    <uri value="http://hl7.org/v3" />
13    <name value="RIM Mapping" />
14  </mapping>
15  <mapping>
16    <identity value="cda" />
17    <uri value="http://hl7.org/v3/cda" />
18    <name value="CDA (R2)" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="loinc" />
32   <uri value="http://loinc.org" />
33   <name value="loinc code for the element" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Patient" />
38 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Patient|1.1.3" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Patient">
42     <path value="Patient" />
43     <short value="In diesem Profil können Angaben zum Patienten
dokumentiert werden." />
44   </element>
45   <element id="Patient.meta">
46     <path value="Patient.meta" />
47     <min value="1" />
48   </element>
49   <element id="Patient.meta.versionId">
50     <path value="Patient.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Patient.meta.lastUpdated">
54     <path value="Patient.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Patient.meta.source">
58     <path value="Patient.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Patient.meta.profile">
62     <path value="Patient.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Patient|1.0.1" />
66   </element>
67   <element id="Patient.meta.security">
68     <path value="Patient.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Patient.meta.tag">
72     <path value="Patient.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Patient.implicitRules">
76     <path value="Patient.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Patient.language">
80     <path value="Patient.language" />
81     <max value="0" />
82   </element>
83   <element id="Patient.contained">
84     <path value="Patient.contained" />
85     <max value="0" />
86   </element>

```

```

87 <element id="Patient.identifrier">
88   <path value="Patient.identifrier" />
89   <mustSupport value="true" />
90 </element>
91 <element id="Patient.identifrier:pid">
92   <path value="Patient.identifrier" />
93   <sliceName value="pid" />
94   <mustSupport value="true" />
95 </element>
96 <element id="Patient.identifrier:pid.use">
97   <path value="Patient.identifrier.use" />
98   <max value="0" />
99 </element>
100 <element id="Patient.identifrier:pid.type">
101   <path value="Patient.identifrier.type" />
102   <mustSupport value="true" />
103 </element>
104 <element id="Patient.identifrier:pid.type.coding">
105   <path value="Patient.identifrier.type.coding" />
106   <mustSupport value="true" />
107 </element>
108 <element id="Patient.identifrier:pid.type.coding.display">
109   <path value="Patient.identifrier.type.coding.display" />
110   <min value="1" />
111   <fixedString value="Medical record number" />
112 </element>
113 <element id="Patient.identifrier:pid.value">
114   <path value="Patient.identifrier.value" />
115   <mustSupport value="true" />
116 </element>
117 <element id="Patient.identifrier:versichertenId_GKV">
118   <path value="Patient.identifrier" />
119   <sliceName value="versichertenId_GKV" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Patient.identifrier:versichertenId_GKV.use">
123   <path value="Patient.identifrier.use" />
124   <max value="0" />
125 </element>
126 <element id="Patient.identifrier:versichertenId_GKV.type">
127   <path value="Patient.identifrier.type" />
128   <mustSupport value="true" />
129 </element>
130 <element id="Patient.identifrier:versichertenId_GKV.type.coding">
131   <path value="Patient.identifrier.type.coding" />
132   <mustSupport value="true" />
133 </element>
134 <element id="Patient.identifrier:versichertenId_GKV.type.coding.display">
135   <path value="Patient.identifrier.type.coding.display" />
136   <min value="1" />
137   <fixedString value="Gesetzliche Krankenversicherung" />
138 </element>
139 <element id="Patient.identifrier:versichertenId_GKV.value">
140   <path value="Patient.identifrier.value" />
141   <mustSupport value="true" />
142 </element>
143
144
145
146 <element id="Patient.identifrier:versichertennummer_pkv">

```

```

147     <path value="Patient.identifier" />
148     <sliceName value="versichertennummer_pkv" />
149     <mustSupport value="true" />
150 </element>
151 <element id="Patient.identifier:versichertennummer_pkv.use">
152     <path value="Patient.identifier.use" />
153     <max value="0" />
154 </element>
155 <element id="Patient.identifier:versichertennummer_pkv.type">
156     <path value="Patient.identifier.type" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Patient.identifier:versichertennummer_pkv.type.coding">
160     <path value="Patient.identifier.type.coding" />
161     <mustSupport value="true" />
162 </element>
163 <element id="Patient.identifier:versichertennummer_pkv.type.coding.display">
164     <path value="Patient.identifier.type.coding.display" />
165     <min value="1" />
166     <fixedString value="Private Krankenversicherung" />
167 </element>
168 <element id="Patient.identifier:versichertennummer_pkv.value">
169     <path value="Patient.identifier.value" />
170     <mustSupport value="true" />
171 </element>
172 <element id="Patient.identifier:versichertennummer_pkv.assigner">
173     <path value="Patient.identifier.assigner" />
174     <mustSupport value="true" />
175 </element>
176 <element id="Patient.identifier:reisepassnummer">
177     <path value="Patient.identifier" />
178     <sliceName value="reisepassnummer" />
179     <max value="0" />
180 </element>
181 <element id="Patient.identifier:versichertennummer_kvkv">
182     <path value="Patient.identifier" />
183     <sliceName value="versichertennummer_kvkv" />
184     <mustSupport value="true" />
185 </element>
186 <element id="Patient.identifier:versichertennummer_kvkv.use">
187     <path value="Patient.identifier.use" />
188     <max value="0" />
189 </element>
190 <element id="Patient.identifier:versichertennummer_kvkv.type">
191     <path value="Patient.identifier.type" />
192     <mustSupport value="true" />
193 </element>
194 <element id="Patient.identifier:versichertennummer_kvkv.type.coding">
195     <path value="Patient.identifier.type.coding" />
196     <mustSupport value="true" />
197 </element>
198
199 <element id="Patient.identifier:versichertennummer_kvkv.type.coding.display">
200     <path value="Patient.identifier.type.coding.display" />
201     <min value="1" />
202     <fixedString value="Krankenversichertenkarte" />
203 </element>
204

```

```

205 <element id="Patient.identifrier:versichertennummer_kv.k.value">
206   <path value="Patient.identifrier.value" />
207   <mustSupport value="true" />
208 </element>
209 <element id="Patient.active">
210   <path value="Patient.active" />
211   <max value="0" />
212 </element>
213 <element id="Patient.name">
214   <path value="Patient.name" />
215   <mustSupport value="true" />
216 </element>
217 <element id="Patient.name:name">
218   <path value="Patient.name" />
219   <sliceName value="name" />
220   <mustSupport value="true" />
221 </element>
222 <element id="Patient.name:name.family">
223   <path value="Patient.name.family" />
224   <mustSupport value="true" />
225 </element>
226 <element id="Patient.name:name.family.extension">
227   <path value="Patient.name.family.extension" />
228   <licing>
229     <discriminator>
230       <type value="value" />
231       <path value="url" />
232     </discriminator>
233     <rules value="open" />
234   </licing>
235 </element>
236 <element id="Patient.name:name.family.extension:namenszusatz">
237   <path value="Patient.name.family.extension" />
238   <sliceName value="namenszusatz" />
239   <mustSupport value="true" />
240 </element>
241 <element id="Patient.name:name.family.extension:namenszusatz.value[x]">
242   <path value="Patient.name.family.extension.value[x]" />
243   <mustSupport value="true" />
244 </element>
245 <element id="Patient.name:name.family.extension:nachname">
246   <path value="Patient.name.family.extension" />
247   <sliceName value="nachname" />
248   <min value="1" />
249   <mustSupport value="true" />
250 </element>
251 <element id="Patient.name:name.family.extension:nachname.value[x]">
252   <path value="Patient.name.family.extension.value[x]" />
253   <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
254   <mustSupport value="true" />
255 </element>
256 <element id="Patient.name:name.family.extension:nachname.value[x]:value
String">
257   <path value="Patient.name.family.extension.value[x]" />
258   <sliceName value="valueString" />
259   <mustSupport value="true" />
260 </element>
261 <element id="Patient.name:name.family.extension:vorsatzwort">
262   <path value="Patient.name.family.extension" />

```

```

263     <sliceName value="vorsatzwort" />
264     <mustSupport value="true" />
265   </element>
266   <element id="Patient.name:name.family.extension:vorsatzwort.value[x]">
267     <path value="Patient.name.family.extension.value[x]" />
268     <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
269     <mustSupport value="true" />
270   </element>
271   <element id="Patient.name:name.family.extension:vorsatzwort.value[x]:va
alueString">
272     <path value="Patient.name.family.extension.value[x]" />
273     <sliceName value="valueString" />
274     <mustSupport value="true" />
275   </element>
276   <element id="Patient.name:name.given">
277     <path value="Patient.name.given" />
278     <mustSupport value="true" />
279   </element>
280   <element id="Patient.name:name.prefix">
281     <path value="Patient.name.prefix" />
282     <max value="0" />
283   </element>
284   <element id="Patient.name:name.suffix">
285     <path value="Patient.name.suffix" />
286     <max value="0" />
287   </element>
288   <element id="Patient.name:name.period">
289     <path value="Patient.name.period" />
290     <max value="0" />
291   </element>
292   <element id="Patient.name:geburtsname">
293     <path value="Patient.name" />
294     <sliceName value="geburtsname" />
295     <mustSupport value="true" />
296   </element>
297   <element id="Patient.name:geburtsname.family">
298     <path value="Patient.name.family" />
299     <mustSupport value="true" />
300   </element>
301   <element id="Patient.name:geburtsname.family.extension">
302     <path value="Patient.name.family.extension" />
303     <licing>
304       <discriminator>
305         <type value="value" />
306         <path value="url" />
307       </discriminator>
308       <rules value="open" />
309     </licing>
310   </element>
311   <element id="Patient.name:geburtsname.family.extension:namenszusatz">
312     <path value="Patient.name.family.extension" />
313     <sliceName value="namenszusatz" />
314     <mustSupport value="true" />
315   </element>
316   <element id="Patient.name:geburtsname.family.extension:namenszusatz.val
ue[x]">
317     <path value="Patient.name.family.extension.value[x]" />
318     <mustSupport value="true" />
319   </element>

```



```

320 <element id="Patient.name.geburtsname.family.extension.nachname">
321   <path value="Patient.name.family.extension" />
322   <sliceName value="nachname" />
323   <min value="1" />
324   <mustSupport value="true" />
325 </element>
326 <element id="Patient.name.geburtsname.family.extension.nachname.value[x
]">
327   <path value="Patient.name.family.extension.value[x]" />
328   <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
329   <mustSupport value="true" />
330 </element>
331 <element id="Patient.name.geburtsname.family.extension.nachname.value[x
]:valueString">
332   <path value="Patient.name.family.extension.value[x]" />
333   <sliceName value="valueString" />
334   <mustSupport value="true" />
335 </element>
336 <element id="Patient.name.geburtsname.family.extension.vorsatzwort">
337   <path value="Patient.name.family.extension" />
338   <sliceName value="vorsatzwort" />
339   <mustSupport value="true" />
340 </element>
341 <element id="Patient.name.geburtsname.family.extension.vorsatzwort.valu
e[x]">
342   <path value="Patient.name.family.extension.value[x]" />
343   <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
344   <mustSupport value="true" />
345 </element>
346 <element id="Patient.name.geburtsname.family.extension.vorsatzwort.valu
e[x]:valueString">
347   <path value="Patient.name.family.extension.value[x]" />
348   <sliceName value="valueString" />
349   <mustSupport value="true" />
350 </element>
351 <element id="Patient.name.geburtsname.suffix">
352   <path value="Patient.name.suffix" />
353   <max value="0" />
354 </element>
355 <element id="Patient.name.geburtsname.period">
356   <path value="Patient.name.period" />
357   <max value="0" />
358 </element>
359 <element id="Patient.telecom">
360   <path value="Patient.telecom" />
361   <max value="0" />
362 </element>
363 <element id="Patient.gender">
364   <path value="Patient.gender" />
365   <max value="0" />
366 </element>
367 <element id="Patient.birthDate">
368   <path value="Patient.birthDate" />
369   <mustSupport value="true" />
370 </element>
371 <element id="Patient.birthDate.extension">
372   <path value="Patient.birthDate.extension" />
373   <licing>

```

```

374     <discriminator>
375       <type value="value" />
376       <path value="url" />
377     </discriminator>
378     <rules value="open" />
379   </slicing>
380 </element>
381 <element id="Patient.birthDate.extension:data-absent-reason">
382   <path value="Patient.birthDate.extension" />
383   <sliceName value="data-absent-reason" />
384   <mustSupport value="true" />
385 </element>
386 <element id="Patient.birthDate.extension:data-absent-reason.value[x]">
387   <path value="Patient.birthDate.extension.value[x]" />
388   <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
389   <mustSupport value="true" />
390 </element>
391 <element id="Patient.birthDate.extension:data-absent-
reason.value[x]:valueCode">
392   <path value="Patient.birthDate.extension.value[x]" />
393   <sliceName value="valueCode" />
394   <mustSupport value="true" />
395 </element>
396 <element id="Patient.deceased[x]">
397   <path value="Patient.deceased[x]" />
398   <max value="0" />
399 </element>
400 <element id="Patient.address">
401   <path value="Patient.address" />
402   <max value="0" />
403 </element>
404 <element id="Patient.maritalStatus">
405   <path value="Patient.maritalStatus" />
406   <max value="0" />
407 </element>
408 <element id="Patient.multipleBirth[x]">
409   <path value="Patient.multipleBirth[x]" />
410   <max value="0" />
411 </element>
412 <element id="Patient.photo">
413   <path value="Patient.photo" />
414   <max value="0" />
415 </element>
416 <element id="Patient.contact">
417   <path value="Patient.contact" />
418   <max value="0" />
419 </element>
420 <element id="Patient.communication">
421   <path value="Patient.communication" />
422   <max value="0" />
423 </element>
424 <element id="Patient.generalPractitioner">
425   <path value="Patient.generalPractitioner" />
426   <max value="0" />
427 </element>
428 <element id="Patient.managingOrganization">
429   <path value="Patient.managingOrganization" />
430   <max value="0" />
431 </element>

```

```
432     <element id="Patient.link">
433       <path value="Patient.link" />
434       <max value="0" />
435     </element>
436   </differential>
437 </StructureDefinition>
```

## 382. KBV\_PR\_MIO\_CMR\_PRACTITIONER

### KBV\_PR\_MIO\_CMR\_Practitioner

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Practitioner" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="v2" />
12    <uri value="http://hl7.org/v2" />
13    <name value="HL7 v2 Mapping" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="servd" />
22    <uri value="http://www.omg.org/spec/ServD/1.0/" />
23    <name value="ServD" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Practitioner" />
33 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Practitioner|1.1.3" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Practitioner">
37 <path value="Practitioner" />
38 <short value="In diesem Profil können Angaben zur behandelnden Person
dokumentiert werden." />
39 </element>
40 <element id="Practitioner.meta">
41 <path value="Practitioner.meta" />
42 <min value="1" />
43 </element>
44 <element id="Practitioner.meta.versionId">
45 <path value="Practitioner.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Practitioner.meta.lastUpdated">
49 <path value="Practitioner.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Practitioner.meta.source">
53 <path value="Practitioner.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Practitioner.meta.profile">
57 <path value="Practitioner.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
61 </element>
62 <element id="Practitioner.meta.security">
63 <path value="Practitioner.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Practitioner.meta.tag">
67 <path value="Practitioner.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Practitioner.implicitRules">
71 <path value="Practitioner.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Practitioner.language">
75 <path value="Practitioner.language" />
76 <max value="0" />
77 </element>
78 <element id="Practitioner.contained">
79 <path value="Practitioner.contained" />
80 <max value="0" />
81 </element>
82
83 <element id="Practitioner.extension">
84 <path value="Practitioner.extension" />
85 <licing>
86 <discriminator>

```

```

87     <type value="value" />
88     <path value="url" />
89     </discriminator>
90     <rules value="open" />
91   </slicing>
92 </element>
93 <element id="Practitioner.extension:ergaenzende_Angaben">
94   <path value="Practitioner.extension" />
95   <sliceName value="ergaenzende_Angaben" />
96   <mustSupport value="true" />
97 </element>
98 <element id="Practitioner.extension:ergaenzende_Angaben.value[x]">
99   <path value="Practitioner.extension.value[x]" />
100  <mustSupport value="true" />
101 </element>
102 <element id="Practitioner.extension:ergaenzende_Angaben.value[x]:valueS
tring">
103   <path value="Practitioner.extension.value[x]" />
104   <sliceName value="valueString" />
105   <mustSupport value="true" />
106 </element>
107
108 <element id="Practitioner.identifier">
109   <path value="Practitioner.identifier" />
110   <min value="1" />
111   <mustSupport value="true" />
112 </element>
113 <element id="Practitioner.identifier:ANR">
114   <path value="Practitioner.identifier" />
115   <sliceName value="ANR" />
116   <max value="1" />
117   <mustSupport value="true" />
118 </element>
119 <element id="Practitioner.identifier:ANR.type">
120   <path value="Practitioner.identifier.type" />
121   <mustSupport value="true" />
122 </element>
123 <element id="Practitioner.identifier:ANR.type.coding">
124   <path value="Practitioner.identifier.type.coding" />
125
126   <min value="1" />
127   <mustSupport value="true" />
128 </element>
129
130   <element id="Practitioner.identifier:ANR.type.coding.display">
131     <path value="Practitioner.identifier.type.coding.display" />
132
133     <min value="1" />
134     <fixedString value="Lifelong physician number" />
135     <mustSupport value="true" />
136   </element>
137
138 <element id="Practitioner.identifier:EFN">
139   <path value="Practitioner.identifier" />
140   <sliceName value="EFN" />
141   <mustSupport value="true" />
142 </element>
143 <element id="Practitioner.identifier:EFN.type">
144   <path value="Practitioner.identifier.type" />
145   <mustSupport value="true" />

```

```

146 </element>
147 <element id="Practitioner.identifier:EFN.type.coding">
148   <path value="Practitioner.identifier.type.coding" />
149
150   <min value="1" />
151   <mustSupport value="true" />
152 </element>
153 <element id="Practitioner.identifier:EFN.type.coding.display">
154   <path value="Practitioner.identifier.type.coding.display" />
155
156   <min value="1" />
157   <fixedString value="Medical License number" />
158   <mustSupport value="true" />
159 </element>
160
161 <element id="Practitioner.identifier:ZANR">
162   <path value="Practitioner.identifier" />
163   <sliceName value="ZANR" />
164   <max value="0" />
165
166 </element>
167 <element id="Practitioner.identifier:HebammenIK">
168   <path value="Practitioner.identifier" />
169   <sliceName value="HebammenIK" />
170   <max value="1" />
171   <type>
172     <code value="Identifier" />
173     <profile value="http://fhir.de/StructureDefinition/
174 identifier-iknr|0.9.13" />
175   </type>
176   <mustSupport value="true" />
177 </element>
178 <element id="Practitioner.identifier:HebammenIK.type">
179   <path value="Practitioner.identifier.type" />
180   <mustSupport value="true" />
181 </element>
182 <element id="Practitioner.identifier:HebammenIK.type.coding">
183   <path value="Practitioner.identifier.type.coding" />
184   <mustSupport value="true" />
185 </element>
186 <element id="Practitioner.identifier:HebammenIK.type.coding.system
187 ">
188   <path value="Practitioner.identifier.type.coding.system" />
189   <min value="1" />
190   <fixedUri value="http://terminology.hl7.org/CodeSystem/
191 v2-0203" />
192 </element>
193 <element id="Practitioner.identifier:HebammenIK.type.coding.code">
194   <path value="Practitioner.identifier.type.coding.code" />
195   <min value="1" />
196   <fixedCode value="XX" />
197 </element>
198 <element id="Practitioner.identifier:HebammenIK.type.coding.display
199 ">
200   <path value="Practitioner.identifier.type.coding.display" />
201   <min value="1" />
202   <fixedString value="Organisations-ID" />
203 </element>
204 <element id="Practitioner.identifier:HebammenIK.assigner.display">
205   <path value="Practitioner.identifier.assigner.display" />

```

```

202     <min value="1" />
203     </element>
204
205 <element id="Practitioner.active">
206   <path value="Practitioner.active" />
207   <max value="0" />
208 </element>
209 <element id="Practitioner.name">
210   <path value="Practitioner.name" />
211   <max value="1" />
212   <mustSupport value="true" />
213 </element>
214 <element id="Practitioner.name:name">
215   <path value="Practitioner.name" />
216   <sliceName value="name" />
217   <min value="1" />
218   <mustSupport value="true" />
219 </element>
220 <element id="Practitioner.name:name.family">
221   <path value="Practitioner.name.family" />
222   <mustSupport value="true" />
223 </element>
224 <element id="Practitioner.name:name.family.extension">
225   <path value="Practitioner.name.family.extension" />
226   <slicing>
227     <discriminator>
228       <type value="value" />
229       <path value="url" />
230     </discriminator>
231     <rules value="open" />
232   </slicing>
233 </element>
234 <element id="Practitioner.name:name.family.extension:namenszusatz">
235   <path value="Practitioner.name.family.extension" />
236   <sliceName value="namenszusatz" />
237   <mustSupport value="true" />
238 </element>
239 <element id="Practitioner.name:name.family.extension:namenszusatz.value
[x]">
240   <path value="Practitioner.name.family.extension.value[x]" />
241   <mustSupport value="true" />
242 </element>
243 <element id="Practitioner.name:name.family.extension:nachname">
244   <path value="Practitioner.name.family.extension" />
245   <sliceName value="nachname" />
246   <min value="1" />
247   <mustSupport value="true" />
248 </element>
249 <element id="Practitioner.name:name.family.extension:nachname.value[x]">
250   <path value="Practitioner.name.family.extension.value[x]" />
251   <mustSupport value="true" />
252 </element>
253 <element id="Practitioner.name:name.family.extension:nachname.value[x]:
valueString">
254   <path value="Practitioner.name.family.extension.value[x]" />
255   <sliceName value="valueString" />
256   <mustSupport value="true" />
257 </element>
258 <element id="Practitioner.name:name.family.extension:vorsatzwort">
259   <path value="Practitioner.name.family.extension" />

```



```

260     <sliceName value="vorsatzwort" />
261     <mustSupport value="true" />
262   </element>
263   <element id="Practitioner.name:name.family.extension:vorsatzwort.value[
x]">
264     <path value="Practitioner.name.family.extension.value[x]" />
265     <mustSupport value="true" />
266   </element>
267   <element id="Practitioner.name:name.family.extension:vorsatzwort.value[
x]:valueString">
268     <path value="Practitioner.name.family.extension.value[x]" />
269     <sliceName value="valueString" />
270     <mustSupport value="true" />
271   </element>
272   <element id="Practitioner.name:name.given">
273     <path value="Practitioner.name.given" />
274     <min value="1" />
275     <mustSupport value="true" />
276   </element>
277   <element id="Practitioner.name:name.prefix">
278     <path value="Practitioner.name.prefix" />
279     <mustSupport value="true" />
280   </element>
281   <element id="Practitioner.name:name.prefix.extension">
282     <path value="Practitioner.name.prefix.extension" />
283     <licing>
284       <discriminator>
285         <type value="value" />
286         <path value="url" />
287       </discriminator>
288       <rules value="open" />
289     </licing>
290   </element>
291   <element id="Practitioner.name:name.prefix.extension:prefix-qualifier">
292     <path value="Practitioner.name.prefix.extension" />
293     <sliceName value="prefix-qualifier" />
294     <mustSupport value="true" />
295   </element>
296   <element id="Practitioner.name:name.prefix.extension:prefix-
qualifier.value[x]">
297     <path value="Practitioner.name.prefix.extension.value[x]" />
298     <licing>
299       <discriminator>
300         <type value="type" />
301         <path value="$this" />
302       </discriminator>
303       <rules value="closed" />
304     </licing>
305     <mustSupport value="true" />
306   </element>
307   <element id="Practitioner.name:name.prefix.extension:prefix-
qualifier.value[x]:valueCode">
308     <path value="Practitioner.name.prefix.extension.value[x]" />
309     <sliceName value="valueCode" />
310     <mustSupport value="true" />
311   </element>
312   <element id="Practitioner.name:name.suffix">
313     <path value="Practitioner.name.suffix" />
314     <max value="0" />
315   </element>

```

```

316 <element id="Practitioner.name:name.period">
317   <path value="Practitioner.name.period" />
318   <max value="0" />
319 </element>
320 <element id="Practitioner.name:geburtsname">
321   <path value="Practitioner.name" />
322   <sliceName value="geburtsname" />
323   <max value="0" />
324 </element>
325 <element id="Practitioner.telecom">
326   <path value="Practitioner.telecom" />
327   <mustSupport value="true" />
328 </element>
329 <element id="Practitioner.telecom.rank">
330   <path value="Practitioner.telecom.rank" />
331   <max value="0" />
332 </element>
333 <element id="Practitioner.telecom.period">
334   <path value="Practitioner.telecom.period" />
335   <max value="0" />
336 </element>
337 <element id="Practitioner.address">
338   <path value="Practitioner.address" />
339   <max value="1" />
340   <mustSupport value="true" />
341 </element>
342 <element id="Practitioner.address:Strassenanschrift">
343   <path value="Practitioner.address" />
344   <sliceName value="Strassenanschrift" />
345   <mustSupport value="true" />
346 </element>
347 <element id="Practitioner.address:Strassenanschrift.extension">
348   <path value="Practitioner.address.extension" />
349   <licing>
350     <discriminator>
351       <type value="value" />
352       <path value="url" />
353     </discriminator>
354     <rules value="open" />
355   </licing>
356 </element>
357 <element id="Practitioner.address:Strassenanschrift.extension:Stadtteil
">
358   <path value="Practitioner.address.extension" />
359   <sliceName value="Stadtteil" />
360   <mustSupport value="true" />
361 </element>
362 <element id="Practitioner.address:Strassenanschrift.extension:Stadtteil
.value[x]">
363   <path value="Practitioner.address.extension.value[x]" />
364   <mustSupport value="true" />
365 </element>
366 <element id="Practitioner.address:Strassenanschrift.line">
367   <path value="Practitioner.address.line" />
368   <mustSupport value="true" />
369 </element>
370 <element id="Practitioner.address:Strassenanschrift.line.extension">
371   <path value="Practitioner.address.line.extension" />
372   <licing>
373     <discriminator>

```

```

374         <type value="value" />
375         <path value="url" />
376     </discriminator>
377     <rules value="open" />
378 </slicing>
379 </element>
380 <element id="Practitioner.address.Strassenanschrift.line.extension.Strasse">
381     <path value="Practitioner.address.line.extension" />
382     <sliceName value="Strasse" />
383     <mustSupport value="true" />
384 </element>
385 <element id="Practitioner.address.Strassenanschrift.line.extension.Strasse.value[x]">
386     <path value="Practitioner.address.line.extension.value[x]" />
387     <slicing>
388         <discriminator>
389             <type value="type" />
390             <path value="$this" />
391         </discriminator>
392         <rules value="closed" />
393     </slicing>
394     <mustSupport value="true" />
395 </element>
396 <element id="Practitioner.address.Strassenanschrift.line.extension.Strasse.value[x]:valueString">
397     <path value="Practitioner.address.line.extension.value[x]" />
398     <sliceName value="valueString" />
399     <mustSupport value="true" />
400 </element>
401 <element id="Practitioner.address.Strassenanschrift.line.extension.Hausnummer">
402     <path value="Practitioner.address.line.extension" />
403     <sliceName value="Hausnummer" />
404     <mustSupport value="true" />
405 </element>
406 <element id="Practitioner.address.Strassenanschrift.line.extension.Hausnummer.value[x]">
407     <path value="Practitioner.address.line.extension.value[x]" />
408     <slicing>
409         <discriminator>
410             <type value="type" />
411             <path value="$this" />
412         </discriminator>
413         <rules value="closed" />
414     </slicing>
415     <mustSupport value="true" />
416 </element>
417 <element id="Practitioner.address.Strassenanschrift.line.extension.Hausnummer.value[x]:valueString">
418     <path value="Practitioner.address.line.extension.value[x]" />
419     <sliceName value="valueString" />
420     <mustSupport value="true" />
421 </element>
422 <element id="Practitioner.address.Strassenanschrift.line.extension.Adresszusatz">
423     <path value="Practitioner.address.line.extension" />
424     <sliceName value="Adresszusatz" />
425     <mustSupport value="true" />
426 </element>

```

```

427     <element id="Practitioner.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]">
428         <path value="Practitioner.address.line.extension.value[x]" />
429         <licing>
430             <discriminator>
431                 <type value="type" />
432                 <path value="$this" />
433             </discriminator>
434             <rules value="closed" />
435         </licing>
436         <mustSupport value="true" />
437     </element>
438     <element id="Practitioner.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]:valueString">
439         <path value="Practitioner.address.line.extension.value[x]" />
440         <sliceName value="valueString" />
441         <mustSupport value="true" />
442     </element>
443     <element id="Practitioner.address:Strassenanschrift.city">
444         <path value="Practitioner.address.city" />
445         <min value="1" />
446         <mustSupport value="true" />
447     </element>
448     <element id="Practitioner.address:Strassenanschrift.postalCode">
449         <path value="Practitioner.address.postalCode" />
450         <mustSupport value="true" />
451     </element>
452     <element id="Practitioner.address:Strassenanschrift.country">
453         <path value="Practitioner.address.country" />
454         <min value="1" />
455         <mustSupport value="true" />
456     </element>
457     <element id="Practitioner.address:Strassenanschrift.period">
458         <path value="Practitioner.address.period" />
459         <max value="0" />
460     </element>
461     <element id="Practitioner.address:Postfach">
462         <path value="Practitioner.address" />
463         <sliceName value="Postfach" />
464         <mustSupport value="true" />
465     </element>
466     <element id="Practitioner.address:Postfach.extension">
467         <path value="Practitioner.address.extension" />
468         <licing>
469             <discriminator>
470                 <type value="value" />
471                 <path value="url" />
472             </discriminator>
473             <rules value="open" />
474         </licing>
475     </element>
476     <element id="Practitioner.address:Postfach.extension:Stadtteil">
477         <path value="Practitioner.address.extension" />
478         <sliceName value="Stadtteil" />
479         <mustSupport value="true" />
480     </element>
481     <element id="Practitioner.address:Postfach.extension:Stadtteil.value[x]
">
482         <path value="Practitioner.address.extension.value[x]" />
483         <mustSupport value="true" />

```

```

484 </element>
485 <element id="Practitioner.address.Postfach.line">
486   <path value="Practitioner.address.line" />
487   <mustSupport value="true" />
488 </element>
489 <element id="Practitioner.address.Postfach.line.extension">
490   <path value="Practitioner.address.line.extension" />
491   <licing>
492     <discriminator>
493       <type value="value" />
494       <path value="url" />
495     </discriminator>
496     <rules value="open" />
497   </licing>
498 </element>
499 <element id="Practitioner.address.Postfach.line.extension.Postfach">
500   <path value="Practitioner.address.line.extension" />
501   <sliceName value="Postfach" />
502   <mustSupport value="true" />
503 </element>
504 <element id="Practitioner.address.Postfach.line.extension.Postfach.valu
e[x]">
505   <path value="Practitioner.address.line.extension.value[x]" />
506   <licing>
507     <discriminator>
508       <type value="type" />
509       <path value="$this" />
510     </discriminator>
511     <rules value="closed" />
512   </licing>
513   <mustSupport value="true" />
514 </element>
515 <element id="Practitioner.address.Postfach.line.extension.Postfach.valu
e[x]:valueString">
516   <path value="Practitioner.address.line.extension.value[x]" />
517   <sliceName value="valueString" />
518   <mustSupport value="true" />
519 </element>
520 <element id="Practitioner.gender">
521   <path value="Practitioner.gender" />
522   <max value="0" />
523 </element>
524 <element id="Practitioner.birthDate">
525   <path value="Practitioner.birthDate" />
526   <max value="0" />
527 </element>
528 <element id="Practitioner.photo">
529   <path value="Practitioner.photo" />
530   <max value="0" />
531 </element>
532 <element id="Practitioner.qualification">
533   <path value="Practitioner.qualification" />
534   <mustSupport value="true" />
535 </element>
536 <element id="Practitioner.qualification.identifier">
537   <path value="Practitioner.qualification.identifier" />
538   <max value="0" />
539 </element>
540 <element id="Practitioner.qualification.code">
541   <path value="Practitioner.qualification.code" />

```

```

542     <mustSupport value="true" />
543     <binding>
544         <strength value="required" />
545         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Practitioner_Speciality" />
546     </binding>
547 </element>
548 <element id="Practitioner.qualification.code.coding">
549     <path value="Practitioner.qualification.code.coding" />
550     <min value="1" />
551     <max value="1" />
552     <mustSupport value="true" />
553 </element>
554 <element id="Practitioner.qualification.code.coding.system">
555     <path value="Practitioner.qualification.code.coding.system" />
556     <min value="1" />
557 </element>
558 <element id="Practitioner.qualification.code.coding.version">
559     <path value="Practitioner.qualification.code.coding.version" />
560     <min value="1" />
561 </element>
562 <element id="Practitioner.qualification.code.coding.code">
563     <path value="Practitioner.qualification.code.coding.code" />
564     <min value="1" />
565 </element>
566 <element id="Practitioner.qualification.code.coding.display">
567     <path value="Practitioner.qualification.code.coding.display" />
568     <min value="1" />
569 </element>
570 <element id="Practitioner.qualification.code.coding.display.extension">
571     <path value="Practitioner.qualification.code.coding.display.extension
" />
572     <slicing>
573         <discriminator>
574             <type value="value" />
575             <path value="url" />
576         </discriminator>
577         <rules value="open" />
578     </slicing>
579 </element>
580 <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation">
581     <path value="Practitioner.qualification.code.coding.display.extension
" />
582     <sliceName value="anzeigennameQualifikation" />
583     <min value="1" />
584     <max value="1" />
585     <mustSupport value="true" />
586 </element>
587 <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension">
588     <path value="Practitioner.qualification.code.coding.display.extension
.extension" />
589     <slicing>
590         <discriminator>
591             <type value="value" />
592             <path value="url" />
593         </discriminator>
594         <rules value="open" />
595     </slicing>

```

```

596     </element>
597     <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension:content">
598         <path value="Practitioner.qualification.code.coding.display.extension
.extension" />
599         <sliceName value="content" />
600     </element>
601     <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension:content.value[x]">
602         <path value="Practitioner.qualification.code.coding.display.extension
.extension.value[x]" />
603         <licing>
604             <discriminator>
605                 <type value="type" />
606                 <path value="$this" />
607             </discriminator>
608             <rules value="closed" />
609         </licing>
610         <mustSupport value="true" />
611     </element>
612     <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension:content.value[x]:valueString">
613         <path value="Practitioner.qualification.code.coding.display.extension
.extension.valueString" />
614         <sliceName value="valueString" />
615         <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Snomed-Codes aus der Conceptmap eingetragen
werden, also in diesem Fall den Displaynamen des Targetsystems aus https://
fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_CMR\_Practitioner\_Speciality\_German" />
616         <min value="1" />
617         <mustSupport value="true" />
618     </element>
619     <element id="Practitioner.qualification.code.coding.userSelected">
620         <path value="Practitioner.qualification.code.coding.userSelected" />
621         <max value="0" />
622     </element>
623     <element id="Practitioner.qualification.code.text">
624         <path value="Practitioner.qualification.code.text" />
625         <max value="0" />
626     </element>
627     <element id="Practitioner.communication">
628         <path value="Practitioner.communication" />
629         <max value="0" />
630     </element>
631 </differential>
632 </StructureDefinition>

```

### 383. KBV\_PR\_MIO\_CMR\_PROCEDURE\_CONSULTATION\_ANNOTATION

#### KBV\_PR\_MIO\_CMR\_Procedure\_Consultation\_Annotation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_Consultation_Annotation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```



```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil bildet die Bemerkung bzgl. der Beratung
ab." />
39 <mapping>
40 <identity value="MIO-U-Heft" />
41 <map value="Kindervorsorgeuntersuchung.Beratung" />
42 </mapping>
43 </element>
44 <element id="Procedure.meta">
45 <path value="Procedure.meta" />
46 <min value="1" />
47 </element>
48 <element id="Procedure.meta.versionId">
49 <path value="Procedure.meta.versionId" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.lastUpdated">
53 <path value="Procedure.meta.lastUpdated" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.source">
57 <path value="Procedure.meta.source" />
58 <max value="0" />
59 </element>
60 <element id="Procedure.meta.profile">
61 <path value="Procedure.meta.profile" />
62 <min value="1" />
63 <max value="1" />
64 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_Consultation_Annotation|1.0.1" />
65 </element>
66 <element id="Procedure.meta.security">
67 <path value="Procedure.meta.security" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.meta.tag">
71 <path value="Procedure.meta.tag" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.implicitRules">
75 <path value="Procedure.implicitRules" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.language">
79 <path value="Procedure.language" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.contained">
83 <path value="Procedure.contained" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.identifier">

```

```

87     <path value="Procedure.identifier" />
88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesCanonical">
91     <path value="Procedure.instantiatesCanonical" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.instantiatesUri">
95     <path value="Procedure.instantiatesUri" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.basedOn">
99     <path value="Procedure.basedOn" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.partOf">
103     <path value="Procedure.partOf" />
104     <max value="0" />
105 </element>
106 <element id="Procedure.status">
107     <path value="Procedure.status" />
108     <fixedCode value="completed" />
109 </element>
110 <element id="Procedure.statusReason">
111     <path value="Procedure.statusReason" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.category">
115     <path value="Procedure.category" />
116     <max value="0" />
117 </element>
118 <element id="Procedure.code">
119     <path value="Procedure.code" />
120     <min value="1" />
121     <mustSupport value="true" />
122 </element>
123 <element id="Procedure.code.coding">
124     <path value="Procedure.code.coding" />
125     <min value="1" />
126     <max value="1" />
127     <mustSupport value="true" />
128 </element>
129 <element id="Procedure.code.coding.system">
130     <path value="Procedure.code.coding.system" />
131     <min value="1" />
132     <fixedUri value="http://snomed.info/sct" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137     <fixedString value="http://snomed.info/sct/900000000000207008/
138     version/20210131" />
139 </element>
140 <element id="Procedure.code.coding.code">
141     <path value="Procedure.code.coding.code" />
142     <min value="1" />
143     <fixedCode value="408991007" />
144 </element>
145 <element id="Procedure.code.coding.display">
    <path value="Procedure.code.coding.display" />

```

```

146     <min value="1" />
147 </element>
148 <element id="Procedure.code.coding.display.extension">
149   <path value="Procedure.code.coding.display.extension" />
150   <licing>
151     <discriminator>
152       <type value="value" />
153       <path value="url" />
154     </discriminator>
155     <rules value="open" />
156   </licing>
157 </element>
158 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
159   <path value="Procedure.code.coding.display.extension" />
160   <sliceName value="anzeigenameCodeSnomed" />
161   <min value="1" />
162   <max value="1" />
163   <type>
164     <code value="Extension" />
165     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
166   </type>
167   <mustSupport value="true" />
168 </element>
169 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
170   <path value="Procedure.code.coding.display.extension.extension" />
171   <licing>
172     <discriminator>
173       <type value="value" />
174       <path value="url" />
175     </discriminator>
176     <rules value="open" />
177   </licing>
178 </element>
179 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
180   <path value="Procedure.code.coding.display.extension.extension" />
181   <sliceName value="content" />
182 </element>
183 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
184   <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
185   <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
186   <mustSupport value="true" />
187 </element>
188 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
189   <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
190   <sliceName value="valueString" />
191   <min value="1" />
192   <fixedString value="Bemerkung" />
193   <mustSupport value="true" />
194 </element>
195 <element id="Procedure.code.coding.userSelected">
196   <path value="Procedure.code.coding.userSelected" />

```

```

197     <max value="0" />
198 </element>
199 <element id="Procedure.code.text">
200   <path value="Procedure.code.text" />
201   <max value="0" />
202 </element>
203 <element id="Procedure.subject">
204   <path value="Procedure.subject" />
205   <type>
206     <code value="Reference" />
207     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
208   </type>
209   <mustSupport value="true" />
210 </element>
211 <element id="Procedure.subject.reference">
212   <path value="Procedure.subject.reference" />
213   <min value="1" />
214   <mustSupport value="true" />
215 </element>
216 <element id="Procedure.subject.type">
217   <path value="Procedure.subject.type" />
218   <max value="0" />
219 </element>
220 <element id="Procedure.subject.identifier">
221   <path value="Procedure.subject.identifier" />
222   <max value="0" />
223 </element>
224 <element id="Procedure.subject.display">
225   <path value="Procedure.subject.display" />
226   <max value="0" />
227 </element>
228 <element id="Procedure.encounter">
229   <path value="Procedure.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Procedure.encounter.reference">
238   <path value="Procedure.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Procedure.encounter.type">
243   <path value="Procedure.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Procedure.encounter.identifier">
247   <path value="Procedure.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Procedure.encounter.display">
251   <path value="Procedure.encounter.display" />
252   <max value="0" />
253 </element>
254 <element id="Procedure.performed[x]">

```

```

255     <path value="Procedure.performed[x]" />
256     <slicing>
257         <discriminator>
258             <type value="type" />
259             <path value="$this" />
260         </discriminator>
261         <rules value="closed" />
262     </slicing>
263     <min value="1" />
264     <type>
265         <code value="dateTime" />
266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="Procedure.performed[x]:performedDateTime">
270     <path value="Procedure.performed[x]" />
271     <sliceName value="performedDateTime" />
272     <min value="1" />
273     <type>
274         <code value="dateTime" />
275     </type>
276     <mustSupport value="true" />
277 </element>
278 <element id="Procedure.recorder">
279     <path value="Procedure.recorder" />
280     <max value="0" />
281 </element>
282 <element id="Procedure.asserter">
283     <path value="Procedure.asserter" />
284     <type>
285         <code value="Reference" />
286         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
287     </type>
288     <mustSupport value="true" />
289 </element>
290 <element id="Procedure.asserter.reference">
291     <path value="Procedure.asserter.reference" />
292     <min value="1" />
293     <mustSupport value="true" />
294 </element>
295 <element id="Procedure.asserter.type">
296     <path value="Procedure.asserter.type" />
297     <max value="0" />
298 </element>
299 <element id="Procedure.asserter.identififier">
300     <path value="Procedure.asserter.identififier" />
301     <max value="0" />
302 </element>
303 <element id="Procedure.asserter.display">
304     <path value="Procedure.asserter.display" />
305     <max value="0" />
306 </element>
307 <element id="Procedure.performer">
308     <path value="Procedure.performer" />
309     <max value="0" />
310 </element>
311 <element id="Procedure.location">
312     <path value="Procedure.location" />
313     <max value="0" />

```

```

314 </element>
315 <element id="Procedure.reasonCode">
316   <path value="Procedure.reasonCode" />
317   <max value="0" />
318 </element>
319 <element id="Procedure.reasonReference">
320   <path value="Procedure.reasonReference" />
321   <max value="0" />
322 </element>
323 <element id="Procedure.bodySite">
324   <path value="Procedure.bodySite" />
325   <max value="0" />
326 </element>
327 <element id="Procedure.outcome">
328   <path value="Procedure.outcome" />
329   <max value="0" />
330 </element>
331 <element id="Procedure.report">
332   <path value="Procedure.report" />
333   <max value="0" />
334 </element>
335 <element id="Procedure.complication">
336   <path value="Procedure.complication" />
337   <max value="0" />
338 </element>
339 <element id="Procedure.complicationDetail">
340   <path value="Procedure.complicationDetail" />
341   <max value="0" />
342 </element>
343 <element id="Procedure.followUp">
344   <path value="Procedure.followUp" />
345   <max value="0" />
346 </element>
347 <element id="Procedure.note">
348   <path value="Procedure.note" />
349   <min value="1" />
350   <max value="1" />
351   <mustSupport value="true" />
352 </element>
353 <element id="Procedure.note.author[x]">
354   <path value="Procedure.note.author[x]" />
355   <max value="0" />
356 </element>
357 <element id="Procedure.note.time">
358   <path value="Procedure.note.time" />
359   <max value="0" />
360 </element>
361 <element id="Procedure.note.text">
362   <path value="Procedure.note.text" />
363   <mustSupport value="true" />
364 </element>
365 <element id="Procedure.focalDevice">
366   <path value="Procedure.focalDevice" />
367   <max value="0" />
368 </element>
369 <element id="Procedure.usedReference">
370   <path value="Procedure.usedReference" />
371   <max value="0" />
372 </element>
373 <element id="Procedure.usedCode">

```

```
374     <path value="Procedure.usedCode" />
375     <max value="0" />
376   </element>
377 </differential>
378 </StructureDefinition>
```

## 384. KBV\_PR\_MIO\_CMV\_PROCEDURE\_U1\_U3\_CYSTIC\_FIBROSIS\_SCREENING

## KBV\_PR\_MIO\_CMV\_Procedure\_U1\_U3\_Cystic\_Fibrosis\_Screening

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Procedure_U1_U3_Cystic_Fibrosis_Screening" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_CMV_Procedure_U1_U3_Cystic_Fibrosis_Screening" />
5    <status value="draft" />
6    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
7    <fhirVersion value="4.0.1" />
8    <mapping>
9      <identity value="workflow" />
10     <uri value="http://hl7.org/fhir/workflow" />
11     <name value="Workflow Pattern" />
12   </mapping>
13   <mapping>
14     <identity value="rim" />
15     <uri value="http://hl7.org/v3" />
16     <name value="RIM Mapping" />
17   </mapping>
18   <mapping>
19     <identity value="w5" />
20     <uri value="http://hl7.org/fhir/fivews" />
21     <name value="FiveWs Pattern Mapping" />
22   </mapping>
23   <mapping>
24     <identity value="v2" />
25     <uri value="http://hl7.org/v2" />
26     <name value="HL7 v2 Mapping" />
27   </mapping>
28   <kind value="resource" />
29   <abstract value="false" />
30   <type value="Procedure" />
31   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
32   <derivation value="constraint" />
33   <differential>
34     <element id="Procedure">
35       <path value="Procedure" />
36       <short value="Dieses Profil bildet das Mukoviszidose-Screening ab." /
>
37       <constraint>
38         <key value="proc-0" />
39         <severity value="error" />
40         <human value="Year, month, day, hour, minute and second are
needed" />
41         <expression value="performed.exists() implies
performed.toString().length() &gt;=16" />
42       </constraint>
43       <constraint>
44         <key value="proc-1" />
45         <severity value="error" />
46         <human value="If partOf is given, must be completed" />
47         <expression value="partOf.exists() implies (status = 'completed'
and performed.exists().not())" />
48       </constraint>

```



```

49     <constraint>
50       <key value="proc-2" />
51       <severity value="error" />
52       <human value="If status is not-done, partOf must be empty" />
53       <expression value="status = 'not-done' implies
partOf.exists().not()" />
54     </constraint>
55     <constraint>
56       <key value="proc-3" />
57       <severity value="error" />
58       <human value="If statusReason is given, partOf must be empty" />
59       <expression value="statusReason.exists() implies
partOf.exists().not()" />
60     </constraint>
61     <constraint>
62       <key value="proc-4" />
63       <severity value="error" />
64       <human value="If status is not-done, statusReason must exist" />
65       <expression value="status = 'not-done' implies
statusReason.exists()" />
66     </constraint>
67   </element>
68   <element id="Procedure.meta">
69     <path value="Procedure.meta" />
70     <min value="1" />
71   </element>
72   <element id="Procedure.meta.versionId">
73     <path value="Procedure.meta.versionId" />
74     <max value="0" />
75   </element>
76   <element id="Procedure.meta.lastUpdated">
77     <path value="Procedure.meta.lastUpdated" />
78     <max value="0" />
79   </element>
80   <element id="Procedure.meta.source">
81     <path value="Procedure.meta.source" />
82     <max value="0" />
83   </element>
84   <element id="Procedure.meta.profile">
85     <path value="Procedure.meta.profile" />
86     <min value="1" />
87     <max value="1" />
88     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U1_U3_Cystic_Fibrosis_Screening|1.0.1" />
89   </element>
90   <element id="Procedure.meta.security">
91     <path value="Procedure.meta.security" />
92     <max value="0" />
93   </element>
94   <element id="Procedure.meta.tag">
95     <path value="Procedure.meta.tag" />
96     <max value="0" />
97   </element>
98   <element id="Procedure.implicitRules">
99     <path value="Procedure.implicitRules" />
100    <max value="0" />
101  </element>
102  <element id="Procedure.language">
103    <path value="Procedure.language" />
104    <max value="0" />

```

```

105 </element>
106 <element id="Procedure.contained">
107   <path value="Procedure.contained" />
108   <max value="0" />
109 </element>
110 <element id="Procedure.extension">
111   <path value="Procedure.extension" />
112   <slicing>
113     <discriminator>
114       <type value="value" />
115       <path value="url" />
116     </discriminator>
117     <rules value="open" />
118   </slicing>
119 </element>
120 <element id="Procedure.extension:screeninglabor">
121   <path value="Procedure.extension" />
122   <sliceName value="screeninglabor" />
123   <min value="1" />
124   <max value="1" />
125   <type>
126     <code value="Extension" />
127     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CM_Executing_Laboratory" />
128   </type>
129   <mustSupport value="true" />
130 </element>
131 <element id="Procedure.extension:screeninglabor.value[x]:valueReference
">
132   <path value="Procedure.extension.valueReference" />
133   <sliceName value="valueReference" />
134   <mustSupport value="true" />
135 </element>
136 <element id="Procedure.extension:screeninglabor.value[x]:valueReference
.reference">
137   <path value="Procedure.extension.valueReference.reference" />
138   <mustSupport value="true" />
139 </element>
140 <element id="Procedure.extension:screeninglabor.value[x]:valueReference
.display">
141   <path value="Procedure.extension.valueReference.display" />
142   <mustSupport value="true" />
143 </element>
144 <element id="Procedure.identifier">
145   <path value="Procedure.identifier" />
146   <max value="0" />
147 </element>
148 <element id="Procedure.instantiatesCanonical">
149   <path value="Procedure.instantiatesCanonical" />
150   <max value="0" />
151 </element>
152 <element id="Procedure.instantiatesUri">
153   <path value="Procedure.instantiatesUri" />
154   <max value="0" />
155 </element>
156 <element id="Procedure.basedOn">
157   <path value="Procedure.basedOn" />
158   <max value="0" />
159 </element>
160 <element id="Procedure.partOf">

```

```

161     <path value="Procedure.partOf" />
162     <max value="1" />
163     <type>
164         <code value="Reference" />
165         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening|1.0.1" />
166     </type>
167     <mustSupport value="true" />
168 </element>
169 <element id="Procedure.partOf.reference">
170     <path value="Procedure.partOf.reference" />
171
172     <mustSupport value="true" />
173 </element>
174 <element id="Procedure.partOf.type">
175     <path value="Procedure.partOf.type" />
176     <max value="0" />
177 </element>
178 <element id="Procedure.partOf.identifrier">
179     <path value="Procedure.partOf.identifrier" />
180     <max value="0" />
181 </element>
182 <element id="Procedure.partOf.display">
183     <path value="Procedure.partOf.display" />
184     <patternString value="Blutabnahme für das Mukoviszidose-Screening
gemeinsam mit dem Erweiterten Neugeborenen-Screening erfolgt:" />
185 </element>
186 <element id="Procedure.status">
187     <path value="Procedure.status" />
188     <mustSupport value="true" />
189     <binding>
190         <strength value="required" />
191         <description value="Completed, Not-doned" />
192         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Procedure_Status" />
193     </binding>
194 </element>
195 <element id="Procedure.statusReason">
196     <path value="Procedure.statusReason" />
197     <mustSupport value="true" />
198 </element>
199 <element id="Procedure.statusReason.coding">
200     <path value="Procedure.statusReason.coding" />
201     <min value="1" />
202     <max value="1" />
203     <mustSupport value="true" />
204 </element>
205 <element id="Procedure.statusReason.coding.system">
206     <path value="Procedure.statusReason.coding.system" />
207     <min value="1" />
208     <fixedUri value="http://snomed.info/sct" />
209 </element>
210 <element id="Procedure.statusReason.coding.version">
211     <path value="Procedure.statusReason.coding.version" />
212     <min value="1" />
213     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
214 </element>
215 <element id="Procedure.statusReason.coding.code">
216     <path value="Procedure.statusReason.coding.code" />

```

```

217     <min value="1" />
218     <fixedCode value="428841003" />
219 </element>
220 <element id="Procedure.statusReason.coding.display">
221   <path value="Procedure.statusReason.coding.display" />
222   <min value="1" />
223 </element>
224 <element id="Procedure.statusReason.coding.display.extension">
225   <path value="Procedure.statusReason.coding.display.extension" />
226   < slicing>
227     < discriminator>
228       < type value="value" />
229       < path value="url" />
230     </ discriminator>
231     < rules value="open" />
232   </ slicing>
233 </element>
234 <element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed">
235   < path value="Procedure.statusReason.coding.display.extension" />
236   < sliceName value="anzeigenameStatusReasonSnomed" />
237   < min value="1" />
238   < max value="1" />
239   < type>
240     < code value="Extension" />
241     < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
242   </ type>
243   < mustSupport value="true" />
244 </element>
245 <element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension">
246   < path value="Procedure.statusReason.coding.display.extension.extensio
n" />
247   < slicing>
248     < discriminator>
249       < type value="value" />
250       < path value="url" />
251     </ discriminator>
252     < rules value="open" />
253   </ slicing>
254 </element>
255 <element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension:content">
256   < path value="Procedure.statusReason.coding.display.extension.extensio
n" />
257   < sliceName value="content" />
258 </element>
259 <element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension:content.value[x]">
260   < path value="Procedure.statusReason.coding.display.extension.extensio
n.value[x]" />
261   < slicing>
262     < discriminator>
263       < type value="type" />
264       < path value="$this" />
265     </ discriminator>
266     < rules value="closed" />
267   </ slicing>
268   < mustSupport value="true" />

```

```

269     </element>
270     <element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension:content.value[x]:valueString">
271         <path value="Procedure.statusReason.coding.display.extension.extensio
n.valueString" />
272         <sliceName value="valueString" />
273         <min value="1" />
274         <fixedString value="Eltern wünschen keine Untersuchung" />
275         <mustSupport value="true" />
276     </element>
277     <element id="Procedure.statusReason.coding.userSelected">
278         <path value="Procedure.statusReason.coding.userSelected" />
279         <max value="0" />
280     </element>
281     <element id="Procedure.statusReason.text">
282         <path value="Procedure.statusReason.text" />
283         <max value="0" />
284     </element>
285     <element id="Procedure.category">
286         <path value="Procedure.category" />
287         <max value="0" />
288     </element>
289     <element id="Procedure.code">
290         <path value="Procedure.code" />
291         <min value="1" />
292         <mustSupport value="true" />
293     </element>
294     <element id="Procedure.code.coding">
295         <path value="Procedure.code.coding" />
296         <min value="1" />
297         <max value="1" />
298         <mustSupport value="true" />
299     </element>
300     <element id="Procedure.code.coding.system">
301         <path value="Procedure.code.coding.system" />
302         <min value="1" />
303         <fixedUri value="http://snomed.info/sct" />
304     </element>
305     <element id="Procedure.code.coding.version">
306         <path value="Procedure.code.coding.version" />
307         <min value="1" />
308         <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
309     </element>
310     <element id="Procedure.code.coding.code">
311         <path value="Procedure.code.coding.code" />
312         <min value="1" />
313         <fixedCode value="738796001:363702006=171191008" />
314     </element>
315     <element id="Procedure.code.coding.display">
316         <path value="Procedure.code.coding.display" />
317         <min value="1" />
318     </element>
319     <element id="Procedure.code.coding.display.extension">
320         <path value="Procedure.code.coding.display.extension" />
321         <slicing>
322             <discriminator>
323                 <type value="value" />
324                 <path value="url" />
325             </discriminator>

```

```

326     <rules value="open" />
327   </slicing>
328 </element>
329 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
330   <path value="Procedure.code.coding.display.extension" />
331   <sliceName value="anzeigenameCodeSnomed" />
332   <min value="1" />
333   <max value="1" />
334   <type>
335     <code value="Extension" />
336     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
337   </type>
338   <mustSupport value="true" />
339 </element>
340 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
341   <path value="Procedure.code.coding.display.extension.extension" />
342   <slicing>
343     <discriminator>
344       <type value="value" />
345       <path value="url" />
346     </discriminator>
347     <rules value="open" />
348   </slicing>
349 </element>
350 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
351   <path value="Procedure.code.coding.display.extension.extension" />
352   <sliceName value="content" />
353 </element>
354 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
355   <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
356   <slicing>
357     <discriminator>
358       <type value="type" />
359       <path value="$this" />
360     </discriminator>
361     <rules value="closed" />
362   </slicing>
363   <mustSupport value="true" />
364 </element>
365 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
366   <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
367   <sliceName value="valueString" />
368   <min value="1" />
369   <fixedString value="Screening auf Mukoviszidose" />
370   <mustSupport value="true" />
371 </element>
372 <element id="Procedure.code.coding.userSelected">
373   <path value="Procedure.code.coding.userSelected" />
374   <max value="0" />
375 </element>
376 <element id="Procedure.code.text">
377   <path value="Procedure.code.text" />

```

```

378     <max value="0" />
379 </element>
380 <element id="Procedure.subject">
381   <path value="Procedure.subject" />
382   <type>
383     <code value="Reference" />
384     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
385   </type>
386   <mustSupport value="true" />
387 </element>
388 <element id="Procedure.subject.reference">
389   <path value="Procedure.subject.reference" />
390   <min value="1" />
391   <mustSupport value="true" />
392 </element>
393 <element id="Procedure.subject.type">
394   <path value="Procedure.subject.type" />
395   <max value="0" />
396 </element>
397 <element id="Procedure.subject.identifier">
398   <path value="Procedure.subject.identifier" />
399   <max value="0" />
400 </element>
401 <element id="Procedure.subject.display">
402   <path value="Procedure.subject.display" />
403   <max value="0" />
404 </element>
405 <element id="Procedure.encounter">
406   <path value="Procedure.encounter" />
407   <min value="1" />
408   <type>
409     <code value="Reference" />
410     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
411   </type>
412   <mustSupport value="true" />
413 </element>
414 <element id="Procedure.encounter.reference">
415   <path value="Procedure.encounter.reference" />
416   <min value="1" />
417   <mustSupport value="true" />
418 </element>
419 <element id="Procedure.encounter.type">
420   <path value="Procedure.encounter.type" />
421   <max value="0" />
422 </element>
423 <element id="Procedure.encounter.identifier">
424   <path value="Procedure.encounter.identifier" />
425   <max value="0" />
426 </element>
427 <element id="Procedure.encounter.display">
428   <path value="Procedure.encounter.display" />
429   <max value="0" />
430 </element>
431 <element id="Procedure.performed[x]">
432   <path value="Procedure.performed[x]" />
433   <slicing>
434     <discriminator>
435       <type value="type" />

```

```

436     <path value="$this" />
437   </discriminator>
438   <rules value="closed" />
439 </slicing>
440
441   <type>
442     <code value="dateTime" />
443   </type>
444 </element>
445 <element id="Procedure.performed[x]:performedDateTime">
446   <path value="Procedure.performedDateTime" />
447   <sliceName value="performedDateTime" />
448
449   <type>
450     <code value="dateTime" />
451   </type>
452   <mustSupport value="true" />
453 </element>
454 <element id="Procedure.recorder">
455   <path value="Procedure.recorder" />
456   <max value="0" />
457 </element>
458 <element id="Procedure.asserter">
459   <path value="Procedure.asserter" />
460   <min value="1" />
461   <type>
462     <code value="Reference" />
463     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
464   </type>
465   <mustSupport value="true" />
466 </element>
467 <element id="Procedure.asserter.reference">
468   <path value="Procedure.asserter.reference" />
469   <min value="1" />
470   <mustSupport value="true" />
471 </element>
472 <element id="Procedure.asserter.type">
473   <path value="Procedure.asserter.type" />
474   <max value="0" />
475 </element>
476 <element id="Procedure.asserter.identifiler">
477   <path value="Procedure.asserter.identifiler" />
478   <max value="0" />
479 </element>
480 <element id="Procedure.asserter.display">
481   <path value="Procedure.asserter.display" />
482   <max value="0" />
483 </element>
484 <element id="Procedure.performer">
485   <path value="Procedure.performer" />
486   <max value="0" />
487 </element>
488 <element id="Procedure.location">
489   <path value="Procedure.location" />
490   <max value="0" />
491 </element>
492 <element id="Procedure.reasonCode">
493   <path value="Procedure.reasonCode" />
494   <max value="0" />

```



```

495 </element>
496 <element id="Procedure.reasonReference">
497   <path value="Procedure.reasonReference" />
498   <max value="0" />
499 </element>
500 <element id="Procedure.bodySite">
501   <path value="Procedure.bodySite" />
502   <max value="0" />
503 </element>
504 <element id="Procedure.outcome">
505   <path value="Procedure.outcome" />
506   <max value="0" />
507 </element>
508 <element id="Procedure.report">
509   <path value="Procedure.report" />
510   <max value="0" />
511 </element>
512 <element id="Procedure.complication">
513   <path value="Procedure.complication" />
514   <max value="0" />
515 </element>
516 <element id="Procedure.complicationDetail">
517   <path value="Procedure.complicationDetail" />
518   <max value="0" />
519 </element>
520 <element id="Procedure.followUp">
521   <path value="Procedure.followUp" />
522   <max value="0" />
523 </element>
524 <element id="Procedure.note">
525   <path value="Procedure.note" />
526   <max value="0" />
527 </element>
528 <element id="Procedure.focalDevice">
529   <path value="Procedure.focalDevice" />
530   <max value="0" />
531 </element>
532 <element id="Procedure.usedReference">
533   <path value="Procedure.usedReference" />
534   <max value="0" />
535 </element>
536 <element id="Procedure.usedCode">
537   <path value="Procedure.usedCode" />
538   <max value="0" />
539 </element>
540 </differential>
541 </StructureDefinition>

```

## 385. KBV\_PR\_MIO\_CMV\_PROCEDURE\_U1\_U3\_NEWBORN\_BLOOD\_SPOT\_SCREENING

## KBV\_PR\_MIO\_CMV\_Procedure\_U1\_U3\_Newborn\_Blood\_Spot\_Screening

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Procedure_U1_U3_Newborn_Blood_Spot_Screening" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Procedure_U1_U3_Newborn_Blood_Spot_Screening"
/>
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />

```

```

29     </mapping>
30     <kind value="resource" />
31     <abstract value="false" />
32     <type value="Procedure" />
33     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34     <derivation value="constraint" />
35     <differential>
36         <element id="Procedure">
37             <path value="Procedure" />
38             <short value="Dieses Profil bildet die Blutabnahme im Rahmen des
erweiterten Neugeborenen Screenings ab." />
39             <constraint>
40                 <key value="proc-0" />
41                 <severity value="error" />
42                 <human value="statusReason SHALL only be present, if performed[x]
is empty" />
43                 <expression value="statusReason.empty() or performed.empty()" />
44                 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening|1.0.1" />
45             </constraint>
46             <constraint>
47                 <key value="proc-1" />
48                 <severity value="error" />
49                 <human value="Extension may be chosen if first blood sampling is
chosen" />
50                 <expression value="extension.where(url = 'https://fhir.kbv.de/
StructureDefinition/KBV_Ex_MIO_CMR_Early_Collection_Of_Blood').exists()
implies (code.coding.code = '425758004:246513007=261422002')" />
51                 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening" />
52             </constraint>
53             <constraint>
54                 <key value="proc-2" />
55                 <severity value="error" />
56                 <human value="Year, month, day, hour, minute and second are needed
for first sampling" />
57                 <expression value="code.coding.code =
'425758004:246513007=261426002' implies performed.toString().length() &gt;=
22" />
58                 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening" />
59             </constraint>
60                 <constraint>
61                     <key value="proc-3" />
62                     <severity value="error" />
63                     <human value="Year, month and day are needed for second sampling" /
>
64                 <expression value="(code.coding.code =
'425758004:246513007=261426004' or code.coding.code =
'425758004:246513007=261429006') implies performed.toString().length() =
10" />
65                 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening" />
66             </constraint>
67             <constraint>
68                 <key value="proc-4" />
69                 <severity value="error" />
70                 <human value="If status is not-done, statusReason must exist" />

```

```

71     <expression value="status ='not-done' implies
statusReason.exists()" />
72   </constraint>
73 </element>
74 <element id="Procedure.meta">
75   <path value="Procedure.meta" />
76   <min value="1" />
77 </element>
78 <element id="Procedure.meta.versionId">
79   <path value="Procedure.meta.versionId" />
80   <max value="0" />
81 </element>
82 <element id="Procedure.meta.lastUpdated">
83   <path value="Procedure.meta.lastUpdated" />
84   <max value="0" />
85 </element>
86 <element id="Procedure.meta.source">
87   <path value="Procedure.meta.source" />
88   <max value="0" />
89 </element>
90 <element id="Procedure.meta.profile">
91   <path value="Procedure.meta.profile" />
92   <min value="1" />
93   <max value="1" />
94   <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U1_U3_Newborn_Blood_Spot_Screening|1.0.1" />
95 </element>
96 <element id="Procedure.meta.security">
97   <path value="Procedure.meta.security" />
98   <max value="0" />
99 </element>
100 <element id="Procedure.meta.tag">
101   <path value="Procedure.meta.tag" />
102   <max value="0" />
103 </element>
104 <element id="Procedure.implicitRules">
105   <path value="Procedure.implicitRules" />
106   <max value="0" />
107 </element>
108 <element id="Procedure.language">
109   <path value="Procedure.language" />
110   <max value="0" />
111 </element>
112 <element id="Procedure.contained">
113   <path value="Procedure.contained" />
114   <max value="0" />
115 </element>
116 <element id="Procedure.extension">
117   <path value="Procedure.extension" />
118   <slicing>
119     <discriminator>
120       <type value="value" />
121       <path value="url" />
122     </discriminator>
123     <rules value="open" />
124   </slicing>
125 </element>
126 <element id="Procedure.extension:screeninglabor">
127   <path value="Procedure.extension" />
128   <sliceName value="screeninglabor" />

```

```

129     <max value="1" />
130     <type>
131         <code value="Extension" />
132         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Executing_Laboratory" />
133     </type>
134     <mustSupport value="true" />
135 </element>
136 <element id="Procedure.extension:screeninglabor.value[x]">
137     <path value="Procedure.extension.value[x]" />
138     <mustSupport value="true" />
139 </element>
140 <element id="Procedure.extension:screeninglabor.value[x]:valueReference
">
141     <path value="Procedure.extension.value[x]" />
142     <sliceName value="valueReference" />
143     <mustSupport value="true" />
144 </element>
145 <element id="Procedure.extension:screeninglabor.value[x]:valueReference
.reference">
146     <path value="Procedure.extension.value[x].reference" />
147     <mustSupport value="true" />
148 </element>
149 <element id="Procedure.extension:screeninglabor.value[x]:valueReference
.display">
150     <path value="Procedure.extension.value[x].display" />
151     <mustSupport value="true" />
152 </element>
153 <element id="Procedure.extension:erstabnahmeVorVollendeter36Lebensstund
e">
154     <path value="Procedure.extension" />
155     <sliceName value="erstabnahmeVorVollendeter36Lebensstunde" />
156     <max value="1" />
157     <type>
158         <code value="Extension" />
159         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Early_Collection_Of_Blood" />
160     </type>
161     <mustSupport value="true" />
162 </element>
163 <element id="Procedure.extension:erstabnahmeVorVollendeter36Lebensstund
e.value[x]">
164     <path value="Procedure.extension.value[x]" />
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.extension:erstabnahmeVorVollendeter36Lebensstund
e.value[x]:valueCodeableConcept">
168     <path value="Procedure.extension.value[x]" />
169     <sliceName value="valueCodeableConcept" />
170     <mustSupport value="true" />
171 </element>
172 <element id="Procedure.extension:erstabnahmeVorVollendeter36Lebensstund
e.value[x]:valueCodeableConcept.coding">
173     <path value="Procedure.extension.value[x].coding" />
174     <mustSupport value="true" />
175 </element>
176 <element id="Procedure.extension:erstabnahmeVorVollendeter36Lebensstund
e.value[x]:valueCodeableConcept.text">
177     <path value="Procedure.extension.value[x].text" />
178     <max value="0" />

```

```

179 </element>
180 <element id="Procedure.identifier">
181   <path value="Procedure.identifier" />
182   <max value="0" />
183 </element>
184 <element id="Procedure.instantiatesCanonical">
185   <path value="Procedure.instantiatesCanonical" />
186   <max value="0" />
187 </element>
188 <element id="Procedure.instantiatesUri">
189   <path value="Procedure.instantiatesUri" />
190   <max value="0" />
191 </element>
192 <element id="Procedure.basedOn">
193   <path value="Procedure.basedOn" />
194   <max value="0" />
195 </element>
196 <element id="Procedure.partOf">
197   <path value="Procedure.partOf" />
198   <max value="0" />
199 </element>
200 <element id="Procedure.partOf.reference">
201   <path value="Procedure.partOf.reference" />
202   <max value="0" />
203 </element>
204 <element id="Procedure.status">
205   <path value="Procedure.status" />
206   <short value="not-done | completed" />
207   <mustSupport value="true" />
208   <binding>
209     <strength value="required" />
210     <description value="Completed, Not-Done" />
211     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMIR_Procedure_Status" />
212   </binding>
213 </element>
214 <element id="Procedure.statusReason">
215   <path value="Procedure.statusReason" />
216   <mustSupport value="true" />
217 </element>
218 <element id="Procedure.statusReason.coding">
219   <path value="Procedure.statusReason.coding" />
220   <min value="1" />
221   <max value="1" />
222   <mustSupport value="true" />
223 </element>
224 <element id="Procedure.statusReason.coding.system">
225   <path value="Procedure.statusReason.coding.system" />
226   <min value="1" />
227   <fixedUri value="http://snomed.info/sct" />
228 </element>
229 <element id="Procedure.statusReason.coding.version">
230   <path value="Procedure.statusReason.coding.version" />
231   <min value="1" />
232   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
233 </element>
234 <element id="Procedure.statusReason.coding.code">
235   <path value="Procedure.statusReason.coding.code" />
236   <min value="1" />

```

```

237     <fixedCode value="183948000:363589002=428447008" />
238 </element>
239 <element id="Procedure.statusReason.coding.display">
240   <path value="Procedure.statusReason.coding.display" />
241   <min value="1" />
242 </element>
243 <element id="Procedure.statusReason.coding.display.extension">
244   <path value="Procedure.statusReason.coding.display.extension" />
245   < slicing>
246     < discriminator>
247       < type value="value" />
248       < path value="url" />
249     </ discriminator>
250     < rules value="open" />
251   </ slicing>
252 </ element>
253 < element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed">
254   < path value="Procedure.statusReason.coding.display.extension" />
255   < sliceName value="anzeigenameStatusReasonSnomed" />
256   < min value="1" />
257   < max value="1" />
258   < type>
259     < code value="Extension" />
260     < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
261   </ type>
262   < mustSupport value="true" />
263 </ element>
264 < element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension">
265   < path value="Procedure.statusReason.coding.display.extension.extensio
n" />
266   < slicing>
267     < discriminator>
268       < type value="value" />
269       < path value="url" />
270     </ discriminator>
271     < rules value="open" />
272   </ slicing>
273 </ element>
274 < element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension:content">
275   < path value="Procedure.statusReason.coding.display.extension.extensio
n" />
276   < sliceName value="content" />
277 </ element>
278 < element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension:content.value[x]">
279   < path value="Procedure.statusReason.coding.display.extension.extensio
n.value[x]" />
280   < slicing>
281     < discriminator>
282       < type value="type" />
283       < path value="$this" />
284     </ discriminator>
285     < rules value="closed" />
286   </ slicing>
287   < mustSupport value="true" />
288 </ element>

```

```

289     <element id="Procedure.statusReason.coding.display.extension:anzeigenam
eStatusReasonSnomed.extension:content.value[x]:valueString">
290       <path value="Procedure.statusReason.coding.display.extension.extensio
n.value[x]" />
291       <sliceName value="valueString" />
292       <min value="1" />
293       <fixedString value="Eltern wünschen keine Untersuchung" />
294       <mustSupport value="true" />
295     </element>
296     <element id="Procedure.statusReason.coding.userSelected">
297       <path value="Procedure.statusReason.coding.userSelected" />
298       <max value="0" />
299     </element>
300     <element id="Procedure.statusReason.text">
301       <path value="Procedure.statusReason.text" />
302       <max value="0" />
303     </element>
304     <element id="Procedure.category">
305       <path value="Procedure.category" />
306       <max value="0" />
307     </element>
308     <element id="Procedure.code">
309       <path value="Procedure.code" />
310       <min value="1" />
311       <mustSupport value="true" />
312       <binding>
313         <strength value="required" />
314         <description value="Type of Blood Spot Screening" />
315         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMN_Newborn_Blood_Spot_Screening_Type" />
316       </binding>
317     </element>
318     <element id="Procedure.code.coding">
319       <path value="Procedure.code.coding" />
320       <min value="1" />
321       <max value="1" />
322       <mustSupport value="true" />
323     </element>
324     <element id="Procedure.code.coding.system">
325       <path value="Procedure.code.coding.system" />
326       <min value="1" />
327     </element>
328     <element id="Procedure.code.coding.version">
329       <path value="Procedure.code.coding.version" />
330       <min value="1" />
331     </element>
332     <element id="Procedure.code.coding.code">
333       <path value="Procedure.code.coding.code" />
334       <min value="1" />
335     </element>
336     <element id="Procedure.code.coding.display">
337       <path value="Procedure.code.coding.display" />
338       <min value="1" />
339     </element>
340     <element id="Procedure.code.coding.display.extension">
341       <path value="Procedure.code.coding.display.extension" />
342       <slicing>
343         <discriminator>
344           <type value="value" />
345           <path value="url" />

```



```

346     </discriminator>
347     <rules value="open" />
348   </slicing>
349 </element>
350 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
351   <path value="Procedure.code.coding.display.extension" />
352   <sliceName value="anzeigenameCodeSnomed" />
353   <min value="1" />
354   <max value="1" />
355   <type>
356     <code value="Extension" />
357     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
358   </type>
359   <mustSupport value="true" />
360 </element>
361 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
362   <path value="Procedure.code.coding.display.extension.extension" />
363   <slicing>
364     <discriminator>
365       <type value="value" />
366       <path value="url" />
367     </discriminator>
368     <rules value="open" />
369   </slicing>
370 </element>
371 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
372   <path value="Procedure.code.coding.display.extension.extension" />
373   <sliceName value="content" />
374 </element>
375 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
376   <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
377   <slicing>
378     <discriminator>
379       <type value="type" />
380       <path value="$this" />
381     </discriminator>
382     <rules value="closed" />
383   </slicing>
384   <mustSupport value="true" />
385 </element>
386 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
387   <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
388   <sliceName value="valueString" />
389   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_CM_R_Newborn_Bloodspot_Screening_Type_German" />
390   <min value="1" />
391   <mustSupport value="true" />
392 </element>
393 <element id="Procedure.code.coding.userSelected">

```

```

394     <path value="Procedure.code.coding.userSelected" />
395     <max value="0" />
396 </element>
397 <element id="Procedure.code.text">
398     <path value="Procedure.code.text" />
399     <max value="0" />
400 </element>
401 <element id="Procedure.subject">
402     <path value="Procedure.subject" />
403     <type>
404         <code value="Reference" />
405         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
406     </type>
407     <mustSupport value="true" />
408 </element>
409 <element id="Procedure.subject.reference">
410     <path value="Procedure.subject.reference" />
411     <min value="1" />
412     <mustSupport value="true" />
413 </element>
414 <element id="Procedure.subject.type">
415     <path value="Procedure.subject.type" />
416     <max value="0" />
417 </element>
418 <element id="Procedure.subject.identifier">
419     <path value="Procedure.subject.identifier" />
420     <max value="0" />
421 </element>
422 <element id="Procedure.subject.display">
423     <path value="Procedure.subject.display" />
424     <max value="0" />
425 </element>
426 <element id="Procedure.encounter">
427     <path value="Procedure.encounter" />
428     <min value="1" />
429     <type>
430         <code value="Reference" />
431         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
432     </type>
433     <mustSupport value="true" />
434 </element>
435 <element id="Procedure.encounter.reference">
436     <path value="Procedure.encounter.reference" />
437     <min value="1" />
438     <mustSupport value="true" />
439 </element>
440 <element id="Procedure.encounter.type">
441     <path value="Procedure.encounter.type" />
442     <max value="0" />
443 </element>
444 <element id="Procedure.encounter.identifier">
445     <path value="Procedure.encounter.identifier" />
446     <max value="0" />
447 </element>
448 <element id="Procedure.encounter.display">
449     <path value="Procedure.encounter.display" />
450     <max value="0" />
451 </element>

```

```

452 <element id="Procedure.performed[x]">
453   <path value="Procedure.performed[x]" />
454   <slicing>
455     <discriminator>
456       <type value="type" />
457       <path value="$this" />
458     </discriminator>
459     <rules value="closed" />
460   </slicing>
461   <type>
462     <code value="dateTime" />
463   </type>
464   <mustSupport value="true" />
465 </element>
466 <element id="Procedure.performed[x]:performedDateTime">
467   <path value="Procedure.performed[x]" />
468   <sliceName value="performedDateTime" />
469
470   <type>
471     <code value="dateTime" />
472   </type>
473   <mustSupport value="true" />
474 </element>
475 <element id="Procedure.recorder">
476   <path value="Procedure.recorder" />
477   <max value="0" />
478 </element>
479 <element id="Procedure.asserter">
480   <path value="Procedure.asserter" />
481   <type>
482     <code value="Reference" />
483     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
484   </type>
485   <mustSupport value="true" />
486 </element>
487 <element id="Procedure.asserter.reference">
488   <path value="Procedure.asserter.reference" />
489   <min value="1" />
490   <mustSupport value="true" />
491 </element>
492 <element id="Procedure.asserter.type">
493   <path value="Procedure.asserter.type" />
494   <max value="0" />
495 </element>
496 <element id="Procedure.asserter.identifrier">
497   <path value="Procedure.asserter.identifrier" />
498   <max value="0" />
499 </element>
500 <element id="Procedure.asserter.display">
501   <path value="Procedure.asserter.display" />
502   <max value="0" />
503 </element>
504 <element id="Procedure.performer">
505   <path value="Procedure.performer" />
506   <max value="0" />
507   <mustSupport value="true" />
508 </element>
509 <element id="Procedure.performer.function">
510   <path value="Procedure.performer.function" />

```

```

511     <max value="0" />
512 </element>
513 <element id="Procedure.performer.actor.type">
514     <path value="Procedure.performer.actor.type" />
515     <max value="0" />
516 </element>
517 <element id="Procedure.performer.actor.identifrier">
518     <path value="Procedure.performer.actor.identifrier" />
519     <max value="0" />
520 </element>
521 <element id="Procedure.performer.actor.display">
522     <path value="Procedure.performer.actor.display" />
523     <max value="0" />
524 </element>
525 <element id="Procedure.performer.onBehalfOf">
526     <path value="Procedure.performer.onBehalfOf" />
527     <max value="0" />
528 </element>
529 <element id="Procedure.location">
530     <path value="Procedure.location" />
531     <max value="0" />
532 </element>
533 <element id="Procedure.reasonCode">
534     <path value="Procedure.reasonCode" />
535     <max value="0" />
536 </element>
537 <element id="Procedure.reasonReference">
538     <path value="Procedure.reasonReference" />
539     <max value="0" />
540 </element>
541 <element id="Procedure.bodySite">
542     <path value="Procedure.bodySite" />
543     <max value="0" />
544 </element>
545 <element id="Procedure.outcome">
546     <path value="Procedure.outcome" />
547     <max value="0" />
548 </element>
549 <element id="Procedure.report">
550     <path value="Procedure.report" />
551     <max value="0" />
552 </element>
553 <element id="Procedure.complication">
554     <path value="Procedure.complication" />
555     <max value="0" />
556 </element>
557 <element id="Procedure.complicationDetail">
558     <path value="Procedure.complicationDetail" />
559     <max value="0" />
560 </element>
561 <element id="Procedure.followUp">
562     <path value="Procedure.followUp" />
563     <max value="0" />
564 </element>
565 <element id="Procedure.note">
566     <path value="Procedure.note" />
567     <max value="0" />
568 </element>
569 <element id="Procedure.focalDevice">
570     <path value="Procedure.focalDevice" />

```

```
571     <max value="0" />
572 </element>
573 <element id="Procedure.usedReference">
574     <path value="Procedure.usedReference" />
575     <max value="0" />
576 </element>
577 <element id="Procedure.usedCode">
578     <path value="Procedure.usedCode" />
579     <max value="0" />
580 </element>
581 </differential>
582 </StructureDefinition>
```

## 386. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U2\_CONSULTATION

## KBV\_PR\_MIO\_CMR\_Procedure\_U2\_Consultation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U2_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U2_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U2_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U2_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```



```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigenameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U2_Consultation_German|
1.0.1" />
190     <min value="1" />
191     <mustSupport value="true" />
192 </element>
193     <element id="Procedure.code.coding.userSelected" >

```

```

194     <path value="Procedure.code.coding.userSelected" />
195     <max value="0" />
196   </element>
197 <element id="Procedure.code.text">
198   <path value="Procedure.code.text" />
199   <max value="0" />
200 </element>
201 <element id="Procedure.subject">
202   <path value="Procedure.subject" />
203   <type>
204     <code value="Reference" />
205     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
206   </type>
207   <mustSupport value="true" />
208 </element>
209 <element id="Procedure.subject.reference">
210   <path value="Procedure.subject.reference" />
211   <min value="1" />
212   <mustSupport value="true" />
213 </element>
214 <element id="Procedure.subject.type">
215   <path value="Procedure.subject.type" />
216   <max value="0" />
217 </element>
218 <element id="Procedure.subject.identifier">
219   <path value="Procedure.subject.identifier" />
220   <max value="0" />
221 </element>
222 <element id="Procedure.subject.display">
223   <path value="Procedure.subject.display" />
224   <max value="0" />
225 </element>
226 <element id="Procedure.encounter">
227   <path value="Procedure.encounter" />
228   <min value="1" />
229   <type>
230     <code value="Reference" />
231     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
232   </type>
233   <mustSupport value="true" />
234 </element>
235 <element id="Procedure.encounter.reference">
236   <path value="Procedure.encounter.reference" />
237   <min value="1" />
238   <mustSupport value="true" />
239 </element>
240 <element id="Procedure.encounter.type">
241   <path value="Procedure.encounter.type" />
242   <max value="0" />
243 </element>
244 <element id="Procedure.encounter.identifier">
245   <path value="Procedure.encounter.identifier" />
246   <max value="0" />
247 </element>
248 <element id="Procedure.encounter.display">
249   <path value="Procedure.encounter.display" />
250   <max value="0" />
251 </element>

```

```

252 <element id="Procedure.performed[x]">
253   <path value="Procedure.performed[x]" />
254   <slicing>
255     <discriminator>
256       <type value="type" />
257       <path value="$this" />
258     </discriminator>
259     <rules value="closed" />
260   </slicing>
261   <min value="1" />
262   <type>
263     <code value="dateTime" />
264   </type>
265   <mustSupport value="true" />
266 </element>
267 <element id="Procedure.performed[x]:performedDateTime">
268   <path value="Procedure.performed[x]" />
269   <sliceName value="performedDateTime" />
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <mustSupport value="true" />
275 </element>
276 <element id="Procedure.recorder">
277   <path value="Procedure.recorder" />
278   <max value="0" />
279 </element>
280 <element id="Procedure.asserter">
281   <path value="Procedure.asserter" />
282   <type>
283     <code value="Reference" />
284     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
285   </type>
286   <mustSupport value="true" />
287 </element>
288 <element id="Procedure.asserter.reference">
289   <path value="Procedure.asserter.reference" />
290   <min value="1" />
291   <mustSupport value="true" />
292 </element>
293 <element id="Procedure.asserter.type">
294   <path value="Procedure.asserter.type" />
295   <max value="0" />
296 </element>
297 <element id="Procedure.asserter.identifier">
298   <path value="Procedure.asserter.identifier" />
299   <max value="0" />
300 </element>
301 <element id="Procedure.asserter.display">
302   <path value="Procedure.asserter.display" />
303   <max value="0" />
304 </element>
305 <element id="Procedure.performer">
306   <path value="Procedure.performer" />
307   <max value="0" />
308 </element>
309 <element id="Procedure.location">
310   <path value="Procedure.location" />

```

```

311     <max value="0" />
312 </element>
313 <element id="Procedure.reasonCode">
314     <path value="Procedure.reasonCode" />
315     <max value="0" />
316 </element>
317 <element id="Procedure.reasonReference">
318     <path value="Procedure.reasonReference" />
319     <max value="0" />
320 </element>
321 <element id="Procedure.bodySite">
322     <path value="Procedure.bodySite" />
323     <max value="0" />
324 </element>
325 <element id="Procedure.outcome">
326     <path value="Procedure.outcome" />
327     <max value="0" />
328 </element>
329 <element id="Procedure.report">
330     <path value="Procedure.report" />
331     <max value="0" />
332 </element>
333 <element id="Procedure.complication">
334     <path value="Procedure.complication" />
335     <max value="0" />
336 </element>
337 <element id="Procedure.complicationDetail">
338     <path value="Procedure.complicationDetail" />
339     <max value="0" />
340 </element>
341 <element id="Procedure.followUp">
342     <path value="Procedure.followUp" />
343     <max value="0" />
344 </element>
345 <element id="Procedure.note">
346     <path value="Procedure.note" />
347     <max value="0" />
348 </element>
349 <element id="Procedure.focalDevice">
350     <path value="Procedure.focalDevice" />
351     <max value="0" />
352 </element>
353 <element id="Procedure.usedReference">
354     <path value="Procedure.usedReference" />
355     <max value="0" />
356 </element>
357 <element id="Procedure.usedCode">
358     <path value="Procedure.usedCode" />
359     <max value="0" />
360 </element>
361 </differential>
362 </StructureDefinition>

```

## 387. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U3\_CONSULTATION

## KBV\_PR\_MIO\_CMR\_Procedure\_U3\_Consultation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U3_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U3_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U3_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U3_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```

```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigenameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U3_Consultation_German|
1.0.1" />
190     <min value="1" />
191     <mustSupport value="true" />
192 </element>
193     <element id="Procedure.code.coding.userSelected" >

```



```

194         <path value="Procedure.code.coding.userSelected" />
195         <max value="0" />
196     </element>
197 <element id="Procedure.code.text">
198     <path value="Procedure.code.text" />
199     <max value="0" />
200 </element>
201 <element id="Procedure.subject">
202     <path value="Procedure.subject" />
203     <type>
204         <code value="Reference" />
205         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
206     </type>
207     <mustSupport value="true" />
208 </element>
209 <element id="Procedure.subject.reference">
210     <path value="Procedure.subject.reference" />
211     <min value="1" />
212     <mustSupport value="true" />
213 </element>
214 <element id="Procedure.subject.type">
215     <path value="Procedure.subject.type" />
216     <max value="0" />
217 </element>
218 <element id="Procedure.subject.identifier">
219     <path value="Procedure.subject.identifier" />
220     <max value="0" />
221 </element>
222 <element id="Procedure.subject.display">
223     <path value="Procedure.subject.display" />
224     <max value="0" />
225 </element>
226 <element id="Procedure.encounter">
227     <path value="Procedure.encounter" />
228     <min value="1" />
229     <type>
230         <code value="Reference" />
231         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
232     </type>
233     <mustSupport value="true" />
234 </element>
235 <element id="Procedure.encounter.reference">
236     <path value="Procedure.encounter.reference" />
237     <min value="1" />
238     <mustSupport value="true" />
239 </element>
240 <element id="Procedure.encounter.type">
241     <path value="Procedure.encounter.type" />
242     <max value="0" />
243 </element>
244 <element id="Procedure.encounter.identifier">
245     <path value="Procedure.encounter.identifier" />
246     <max value="0" />
247 </element>
248 <element id="Procedure.encounter.display">
249     <path value="Procedure.encounter.display" />
250     <max value="0" />
251 </element>

```

```

252 <element id="Procedure.performed[x]">
253   <path value="Procedure.performed[x]" />
254   <slicing>
255     <discriminator>
256       <type value="type" />
257       <path value="$this" />
258     </discriminator>
259     <rules value="closed" />
260   </slicing>
261   <min value="1" />
262   <type>
263     <code value="dateTime" />
264   </type>
265   <mustSupport value="true" />
266 </element>
267 <element id="Procedure.performed[x]:performedDateTime">
268   <path value="Procedure.performed[x]" />
269   <sliceName value="performedDateTime" />
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <mustSupport value="true" />
275 </element>
276 <element id="Procedure.recorder">
277   <path value="Procedure.recorder" />
278   <max value="0" />
279 </element>
280 <element id="Procedure.asserter">
281   <path value="Procedure.asserter" />
282   <type>
283     <code value="Reference" />
284     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
285   </type>
286   <mustSupport value="true" />
287 </element>
288 <element id="Procedure.asserter.reference">
289   <path value="Procedure.asserter.reference" />
290   <min value="1" />
291   <mustSupport value="true" />
292 </element>
293 <element id="Procedure.asserter.type">
294   <path value="Procedure.asserter.type" />
295   <max value="0" />
296 </element>
297 <element id="Procedure.asserter.identifier">
298   <path value="Procedure.asserter.identifier" />
299   <max value="0" />
300 </element>
301 <element id="Procedure.asserter.display">
302   <path value="Procedure.asserter.display" />
303   <max value="0" />
304 </element>
305 <element id="Procedure.performer">
306   <path value="Procedure.performer" />
307   <max value="0" />
308 </element>
309 <element id="Procedure.location">
310   <path value="Procedure.location" />

```

```

311     <max value="0" />
312 </element>
313 <element id="Procedure.reasonCode">
314     <path value="Procedure.reasonCode" />
315     <max value="0" />
316 </element>
317 <element id="Procedure.reasonReference">
318     <path value="Procedure.reasonReference" />
319     <max value="0" />
320 </element>
321 <element id="Procedure.bodySite">
322     <path value="Procedure.bodySite" />
323     <max value="0" />
324 </element>
325 <element id="Procedure.outcome">
326     <path value="Procedure.outcome" />
327     <max value="0" />
328 </element>
329 <element id="Procedure.report">
330     <path value="Procedure.report" />
331     <max value="0" />
332 </element>
333 <element id="Procedure.complication">
334     <path value="Procedure.complication" />
335     <max value="0" />
336 </element>
337 <element id="Procedure.complicationDetail">
338     <path value="Procedure.complicationDetail" />
339     <max value="0" />
340 </element>
341 <element id="Procedure.followUp">
342     <path value="Procedure.followUp" />
343     <max value="0" />
344 </element>
345 <element id="Procedure.note">
346     <path value="Procedure.note" />
347     <max value="0" />
348 </element>
349 <element id="Procedure.focalDevice">
350     <path value="Procedure.focalDevice" />
351     <max value="0" />
352 </element>
353 <element id="Procedure.usedReference">
354     <path value="Procedure.usedReference" />
355     <max value="0" />
356 </element>
357 <element id="Procedure.usedCode">
358     <path value="Procedure.usedCode" />
359     <max value="0" />
360 </element>
361 </differential>
362 </StructureDefinition>

```

## 388. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U4\_CONSULTATION

### KBV\_PR\_MIO\_CMR\_Procedure\_U4\_Consultation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U4_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U4_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U4_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U4_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```

```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigenameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U4_Consultation_German|
1.0.1" />
190     <min value="1" />
191     <mustSupport value="true" />
192 </element>
193     <element id="Procedure.code.coding.userSelected" >

```

```

194     <path value="Procedure.code.coding.userSelected" />
195     <max value="0" />
196   </element>
197
198   <element id="Procedure.code.text">
199     <path value="Procedure.code.text" />
200     <max value="0" />
201   </element>
202   <element id="Procedure.subject">
203     <path value="Procedure.subject" />
204     <type>
205       <code value="Reference" />
206       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
207     </type>
208     <mustSupport value="true" />
209   </element>
210   <element id="Procedure.subject.reference">
211     <path value="Procedure.subject.reference" />
212     <min value="1" />
213     <mustSupport value="true" />
214   </element>
215   <element id="Procedure.subject.type">
216     <path value="Procedure.subject.type" />
217     <max value="0" />
218   </element>
219   <element id="Procedure.subject.identifier">
220     <path value="Procedure.subject.identifier" />
221     <max value="0" />
222   </element>
223   <element id="Procedure.subject.display">
224     <path value="Procedure.subject.display" />
225     <max value="0" />
226   </element>
227   <element id="Procedure.encounter">
228     <path value="Procedure.encounter" />
229     <min value="1" />
230     <type>
231       <code value="Reference" />
232       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233     </type>
234     <mustSupport value="true" />
235   </element>
236   <element id="Procedure.encounter.reference">
237     <path value="Procedure.encounter.reference" />
238     <min value="1" />
239     <mustSupport value="true" />
240   </element>
241   <element id="Procedure.encounter.type">
242     <path value="Procedure.encounter.type" />
243     <max value="0" />
244   </element>
245   <element id="Procedure.encounter.identifier">
246     <path value="Procedure.encounter.identifier" />
247     <max value="0" />
248   </element>
249   <element id="Procedure.encounter.display">
250     <path value="Procedure.encounter.display" />
251     <max value="0" />

```



```

252 </element>
253 <element id="Procedure.performed[x]">
254   <path value="Procedure.performed[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <type>
264     <code value="dateTime" />
265   </type>
266   <mustSupport value="true" />
267 </element>
268 <element id="Procedure.performed[x]:performedDateTime">
269   <path value="Procedure.performed[x]" />
270   <sliceName value="performedDateTime" />
271   <min value="1" />
272   <type>
273     <code value="dateTime" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Procedure.recorder">
278   <path value="Procedure.recorder" />
279   <max value="0" />
280 </element>
281 <element id="Procedure.asserter">
282   <path value="Procedure.asserter" />
283   <type>
284     <code value="Reference" />
285     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Procedure.asserter.reference">
290   <path value="Procedure.asserter.reference" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="Procedure.asserter.type">
295   <path value="Procedure.asserter.type" />
296   <max value="0" />
297 </element>
298 <element id="Procedure.asserter.identifrier">
299   <path value="Procedure.asserter.identifrier" />
300   <max value="0" />
301 </element>
302 <element id="Procedure.asserter.display">
303   <path value="Procedure.asserter.display" />
304   <max value="0" />
305 </element>
306 <element id="Procedure.performer">
307   <path value="Procedure.performer" />
308   <max value="0" />
309 </element>
310 <element id="Procedure.location">

```

```

311     <path value="Procedure.location" />
312     <max value="0" />
313 </element>
314 <element id="Procedure.reasonCode">
315     <path value="Procedure.reasonCode" />
316     <max value="0" />
317 </element>
318 <element id="Procedure.reasonReference">
319     <path value="Procedure.reasonReference" />
320     <max value="0" />
321 </element>
322 <element id="Procedure.bodySite">
323     <path value="Procedure.bodySite" />
324     <max value="0" />
325 </element>
326 <element id="Procedure.outcome">
327     <path value="Procedure.outcome" />
328     <max value="0" />
329 </element>
330 <element id="Procedure.report">
331     <path value="Procedure.report" />
332     <max value="0" />
333 </element>
334 <element id="Procedure.complication">
335     <path value="Procedure.complication" />
336     <max value="0" />
337 </element>
338 <element id="Procedure.complicationDetail">
339     <path value="Procedure.complicationDetail" />
340     <max value="0" />
341 </element>
342 <element id="Procedure.followUp">
343     <path value="Procedure.followUp" />
344     <max value="0" />
345 </element>
346 <element id="Procedure.note">
347     <path value="Procedure.note" />
348     <max value="0" />
349 </element>
350 <element id="Procedure.focalDevice">
351     <path value="Procedure.focalDevice" />
352     <max value="0" />
353 </element>
354 <element id="Procedure.usedReference">
355     <path value="Procedure.usedReference" />
356     <max value="0" />
357 </element>
358 <element id="Procedure.usedCode">
359     <path value="Procedure.usedCode" />
360     <max value="0" />
361 </element>
362 </differential>
363 </StructureDefinition>

```

### 389. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U5\_CONSULTATION

#### KBV\_PR\_MIO\_CMR\_Procedure\_U5\_Consultation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U5_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U5_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U5_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```

```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigenameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U5_Consultation_German|
1.0.1" />
190     <mustSupport value="true" />
191 </element>
192     <element id="Procedure.code.coding.userSelected" >
193         <path value="Procedure.code.coding.userSelected" />

```

```

194         <max value="0" />
195     </element>
196
197     <element id="Procedure.code.text">
198         <path value="Procedure.code.text" />
199         <max value="0" />
200     </element>
201     <element id="Procedure.subject">
202         <path value="Procedure.subject" />
203         <type>
204             <code value="Reference" />
205             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
206         </type>
207         <mustSupport value="true" />
208     </element>
209     <element id="Procedure.subject.reference">
210         <path value="Procedure.subject.reference" />
211         <min value="1" />
212         <mustSupport value="true" />
213     </element>
214     <element id="Procedure.subject.type">
215         <path value="Procedure.subject.type" />
216         <max value="0" />
217     </element>
218     <element id="Procedure.subject.identifier">
219         <path value="Procedure.subject.identifier" />
220         <max value="0" />
221     </element>
222     <element id="Procedure.subject.display">
223         <path value="Procedure.subject.display" />
224         <max value="0" />
225     </element>
226     <element id="Procedure.encounter">
227         <path value="Procedure.encounter" />
228         <min value="1" />
229         <type>
230             <code value="Reference" />
231             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
232         </type>
233         <mustSupport value="true" />
234     </element>
235     <element id="Procedure.encounter.reference">
236         <path value="Procedure.encounter.reference" />
237         <min value="1" />
238         <mustSupport value="true" />
239     </element>
240     <element id="Procedure.encounter.type">
241         <path value="Procedure.encounter.type" />
242         <max value="0" />
243     </element>
244     <element id="Procedure.encounter.identifier">
245         <path value="Procedure.encounter.identifier" />
246         <max value="0" />
247     </element>
248     <element id="Procedure.encounter.display">
249         <path value="Procedure.encounter.display" />
250         <max value="0" />
251     </element>

```

```

252 <element id="Procedure.performed[x]">
253   <path value="Procedure.performed[x]" />
254   <slicing>
255     <discriminator>
256       <type value="type" />
257       <path value="$this" />
258     </discriminator>
259     <rules value="closed" />
260   </slicing>
261   <min value="1" />
262   <type>
263     <code value="dateTime" />
264   </type>
265   <mustSupport value="true" />
266 </element>
267 <element id="Procedure.performed[x]:performedDateTime">
268   <path value="Procedure.performed[x]" />
269   <sliceName value="performedDateTime" />
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <mustSupport value="true" />
275 </element>
276 <element id="Procedure.recorder">
277   <path value="Procedure.recorder" />
278   <max value="0" />
279 </element>
280 <element id="Procedure.asserter">
281   <path value="Procedure.asserter" />
282   <type>
283     <code value="Reference" />
284     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
285   </type>
286   <mustSupport value="true" />
287 </element>
288 <element id="Procedure.asserter.reference">
289   <path value="Procedure.asserter.reference" />
290   <min value="1" />
291   <mustSupport value="true" />
292 </element>
293 <element id="Procedure.asserter.type">
294   <path value="Procedure.asserter.type" />
295   <max value="0" />
296 </element>
297 <element id="Procedure.asserter.identififier">
298   <path value="Procedure.asserter.identififier" />
299   <max value="0" />
300 </element>
301 <element id="Procedure.asserter.display">
302   <path value="Procedure.asserter.display" />
303   <max value="0" />
304 </element>
305 <element id="Procedure.performer">
306   <path value="Procedure.performer" />
307   <max value="0" />
308 </element>
309 <element id="Procedure.location">
310   <path value="Procedure.location" />

```



```

311     <max value="0" />
312 </element>
313 <element id="Procedure.reasonCode">
314     <path value="Procedure.reasonCode" />
315     <max value="0" />
316 </element>
317 <element id="Procedure.reasonReference">
318     <path value="Procedure.reasonReference" />
319     <max value="0" />
320 </element>
321 <element id="Procedure.bodySite">
322     <path value="Procedure.bodySite" />
323     <max value="0" />
324 </element>
325 <element id="Procedure.outcome">
326     <path value="Procedure.outcome" />
327     <max value="0" />
328 </element>
329 <element id="Procedure.report">
330     <path value="Procedure.report" />
331     <max value="0" />
332 </element>
333 <element id="Procedure.complication">
334     <path value="Procedure.complication" />
335     <max value="0" />
336 </element>
337 <element id="Procedure.complicationDetail">
338     <path value="Procedure.complicationDetail" />
339     <max value="0" />
340 </element>
341 <element id="Procedure.followUp">
342     <path value="Procedure.followUp" />
343     <max value="0" />
344 </element>
345 <element id="Procedure.note">
346     <path value="Procedure.note" />
347     <max value="0" />
348 </element>
349 <element id="Procedure.focalDevice">
350     <path value="Procedure.focalDevice" />
351     <max value="0" />
352 </element>
353 <element id="Procedure.usedReference">
354     <path value="Procedure.usedReference" />
355     <max value="0" />
356 </element>
357 <element id="Procedure.usedCode">
358     <path value="Procedure.usedCode" />
359     <max value="0" />
360 </element>
361 </differential>
362 </StructureDefinition>

```

### 390. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U6\_CONSULTATION

#### KBV\_PR\_MIO\_CMR\_Procedure\_U6\_Consultation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U6_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U6_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U6_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U6_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```

```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigennameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U6_Consultation_German|
1.0.1" />
190     <min value="1" />
191     <mustSupport value="true" />
192 </element>
193     <element id="Procedure.code.coding.userSelected" >

```

```

194     <path value="Procedure.code.coding.userSelected" />
195     <max value="0" />
196   </element>
197
198   <element id="Procedure.code.text">
199     <path value="Procedure.code.text" />
200     <max value="0" />
201   </element>
202   <element id="Procedure.subject">
203     <path value="Procedure.subject" />
204     <type>
205       <code value="Reference" />
206       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
207     </type>
208     <mustSupport value="true" />
209   </element>
210   <element id="Procedure.subject.reference">
211     <path value="Procedure.subject.reference" />
212     <min value="1" />
213     <mustSupport value="true" />
214   </element>
215   <element id="Procedure.subject.type">
216     <path value="Procedure.subject.type" />
217     <max value="0" />
218   </element>
219   <element id="Procedure.subject.identifier">
220     <path value="Procedure.subject.identifier" />
221     <max value="0" />
222   </element>
223   <element id="Procedure.subject.display">
224     <path value="Procedure.subject.display" />
225     <max value="0" />
226   </element>
227   <element id="Procedure.encounter">
228     <path value="Procedure.encounter" />
229     <min value="1" />
230     <type>
231       <code value="Reference" />
232       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233     </type>
234     <mustSupport value="true" />
235   </element>
236   <element id="Procedure.encounter.reference">
237     <path value="Procedure.encounter.reference" />
238     <min value="1" />
239     <mustSupport value="true" />
240   </element>
241   <element id="Procedure.encounter.type">
242     <path value="Procedure.encounter.type" />
243     <max value="0" />
244   </element>
245   <element id="Procedure.encounter.identifier">
246     <path value="Procedure.encounter.identifier" />
247     <max value="0" />
248   </element>
249   <element id="Procedure.encounter.display">
250     <path value="Procedure.encounter.display" />
251     <max value="0" />

```

```

252 </element>
253 <element id="Procedure.performed[x]">
254   <path value="Procedure.performed[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <type>
264     <code value="dateTime" />
265   </type>
266   <mustSupport value="true" />
267 </element>
268 <element id="Procedure.performed[x]:performedDateTime">
269   <path value="Procedure.performed[x]" />
270   <sliceName value="performedDateTime" />
271   <min value="1" />
272   <type>
273     <code value="dateTime" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Procedure.recorder">
278   <path value="Procedure.recorder" />
279   <max value="0" />
280 </element>
281 <element id="Procedure.asserter">
282   <path value="Procedure.asserter" />
283   <type>
284     <code value="Reference" />
285     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Procedure.asserter.reference">
290   <path value="Procedure.asserter.reference" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="Procedure.asserter.type">
295   <path value="Procedure.asserter.type" />
296   <max value="0" />
297 </element>
298 <element id="Procedure.asserter.identifiler">
299   <path value="Procedure.asserter.identifiler" />
300   <max value="0" />
301 </element>
302 <element id="Procedure.asserter.display">
303   <path value="Procedure.asserter.display" />
304   <max value="0" />
305 </element>
306 <element id="Procedure.performer">
307   <path value="Procedure.performer" />
308   <max value="0" />
309 </element>
310 <element id="Procedure.location">

```

```

311     <path value="Procedure.location" />
312     <max value="0" />
313 </element>
314 <element id="Procedure.reasonCode">
315     <path value="Procedure.reasonCode" />
316     <max value="0" />
317 </element>
318 <element id="Procedure.reasonReference">
319     <path value="Procedure.reasonReference" />
320     <max value="0" />
321 </element>
322 <element id="Procedure.bodySite">
323     <path value="Procedure.bodySite" />
324     <max value="0" />
325 </element>
326 <element id="Procedure.outcome">
327     <path value="Procedure.outcome" />
328     <max value="0" />
329 </element>
330 <element id="Procedure.report">
331     <path value="Procedure.report" />
332     <max value="0" />
333 </element>
334 <element id="Procedure.complication">
335     <path value="Procedure.complication" />
336     <max value="0" />
337 </element>
338 <element id="Procedure.complicationDetail">
339     <path value="Procedure.complicationDetail" />
340     <max value="0" />
341 </element>
342 <element id="Procedure.followUp">
343     <path value="Procedure.followUp" />
344     <max value="0" />
345 </element>
346 <element id="Procedure.note">
347     <path value="Procedure.note" />
348     <max value="0" />
349 </element>
350 <element id="Procedure.focalDevice">
351     <path value="Procedure.focalDevice" />
352     <max value="0" />
353 </element>
354 <element id="Procedure.usedReference">
355     <path value="Procedure.usedReference" />
356     <max value="0" />
357 </element>
358 <element id="Procedure.usedCode">
359     <path value="Procedure.usedCode" />
360     <max value="0" />
361 </element>
362 </differential>
363 </StructureDefinition>

```



## 391. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U7\_CONSULTATION

### KBV\_PR\_MIO\_CMR\_Procedure\_U7\_Consultation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U7_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U7_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U7_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMUR_U7_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```

```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigenameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U7_Consultation_German|
1.0.1" />
190     <min value="1" />
191     <mustSupport value="true" />
192 </element>
193     <element id="Procedure.code.coding.userSelected" >

```

```

194     <path value="Procedure.code.coding.userSelected" />
195     <max value="0" />
196   </element>
197
198   <element id="Procedure.code.text">
199     <path value="Procedure.code.text" />
200     <max value="0" />
201   </element>
202   <element id="Procedure.subject">
203     <path value="Procedure.subject" />
204     <type>
205       <code value="Reference" />
206       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
207     </type>
208     <mustSupport value="true" />
209   </element>
210   <element id="Procedure.subject.reference">
211     <path value="Procedure.subject.reference" />
212     <min value="1" />
213     <mustSupport value="true" />
214   </element>
215   <element id="Procedure.subject.type">
216     <path value="Procedure.subject.type" />
217     <max value="0" />
218   </element>
219   <element id="Procedure.subject.identifier">
220     <path value="Procedure.subject.identifier" />
221     <max value="0" />
222   </element>
223   <element id="Procedure.subject.display">
224     <path value="Procedure.subject.display" />
225     <max value="0" />
226   </element>
227   <element id="Procedure.encounter">
228     <path value="Procedure.encounter" />
229     <min value="1" />
230     <type>
231       <code value="Reference" />
232       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233     </type>
234     <mustSupport value="true" />
235   </element>
236   <element id="Procedure.encounter.reference">
237     <path value="Procedure.encounter.reference" />
238     <min value="1" />
239     <mustSupport value="true" />
240   </element>
241   <element id="Procedure.encounter.type">
242     <path value="Procedure.encounter.type" />
243     <max value="0" />
244   </element>
245   <element id="Procedure.encounter.identifier">
246     <path value="Procedure.encounter.identifier" />
247     <max value="0" />
248   </element>
249   <element id="Procedure.encounter.display">
250     <path value="Procedure.encounter.display" />
251     <max value="0" />

```

```

252 </element>
253 <element id="Procedure.performed[x]">
254   <path value="Procedure.performed[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <type>
264     <code value="dateTime" />
265   </type>
266   <mustSupport value="true" />
267 </element>
268 <element id="Procedure.performed[x]:performedDateTime">
269   <path value="Procedure.performed[x]" />
270   <sliceName value="performedDateTime" />
271   <min value="1" />
272   <type>
273     <code value="dateTime" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Procedure.recorder">
278   <path value="Procedure.recorder" />
279   <max value="0" />
280 </element>
281 <element id="Procedure.asserter">
282   <path value="Procedure.asserter" />
283   <type>
284     <code value="Reference" />
285     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Procedure.asserter.reference">
290   <path value="Procedure.asserter.reference" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="Procedure.asserter.type">
295   <path value="Procedure.asserter.type" />
296   <max value="0" />
297 </element>
298 <element id="Procedure.asserter.identifiler">
299   <path value="Procedure.asserter.identifiler" />
300   <max value="0" />
301 </element>
302 <element id="Procedure.asserter.display">
303   <path value="Procedure.asserter.display" />
304   <max value="0" />
305 </element>
306 <element id="Procedure.performer">
307   <path value="Procedure.performer" />
308   <max value="0" />
309 </element>
310 <element id="Procedure.location">

```

```

311     <path value="Procedure.location" />
312     <max value="0" />
313 </element>
314 <element id="Procedure.reasonCode">
315     <path value="Procedure.reasonCode" />
316     <max value="0" />
317 </element>
318 <element id="Procedure.reasonReference">
319     <path value="Procedure.reasonReference" />
320     <max value="0" />
321 </element>
322 <element id="Procedure.bodySite">
323     <path value="Procedure.bodySite" />
324     <max value="0" />
325 </element>
326 <element id="Procedure.outcome">
327     <path value="Procedure.outcome" />
328     <max value="0" />
329 </element>
330 <element id="Procedure.report">
331     <path value="Procedure.report" />
332     <max value="0" />
333 </element>
334 <element id="Procedure.complication">
335     <path value="Procedure.complication" />
336     <max value="0" />
337 </element>
338 <element id="Procedure.complicationDetail">
339     <path value="Procedure.complicationDetail" />
340     <max value="0" />
341 </element>
342 <element id="Procedure.followUp">
343     <path value="Procedure.followUp" />
344     <max value="0" />
345 </element>
346 <element id="Procedure.note">
347     <path value="Procedure.note" />
348     <max value="0" />
349 </element>
350 <element id="Procedure.focalDevice">
351     <path value="Procedure.focalDevice" />
352     <max value="0" />
353 </element>
354 <element id="Procedure.usedReference">
355     <path value="Procedure.usedReference" />
356     <max value="0" />
357 </element>
358 <element id="Procedure.usedCode">
359     <path value="Procedure.usedCode" />
360     <max value="0" />
361 </element>
362 </differential>
363 </StructureDefinition>

```

## 392. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U7A\_CONSULTATION

### KBV\_PR\_MIO\_CMR\_Procedure\_U7a\_Consultation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U7a_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U7a_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```



```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U7a_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7a_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```

```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigenameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U7a_Consultation_German|
1.0.1" />
190     <min value="1" />
191     <mustSupport value="true" />
192 </element>
193     <element id="Procedure.code.coding.userSelected" >

```

```

194     <path value="Procedure.code.coding.userSelected" />
195     <max value="0" />
196   </element>
197
198   <element id="Procedure.code.text">
199     <path value="Procedure.code.text" />
200     <max value="0" />
201   </element>
202   <element id="Procedure.subject">
203     <path value="Procedure.subject" />
204     <type>
205       <code value="Reference" />
206       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
207     </type>
208     <mustSupport value="true" />
209   </element>
210   <element id="Procedure.subject.reference">
211     <path value="Procedure.subject.reference" />
212     <min value="1" />
213     <mustSupport value="true" />
214   </element>
215   <element id="Procedure.subject.type">
216     <path value="Procedure.subject.type" />
217     <max value="0" />
218   </element>
219   <element id="Procedure.subject.identifier">
220     <path value="Procedure.subject.identifier" />
221     <max value="0" />
222   </element>
223   <element id="Procedure.subject.display">
224     <path value="Procedure.subject.display" />
225     <max value="0" />
226   </element>
227   <element id="Procedure.encounter">
228     <path value="Procedure.encounter" />
229     <min value="1" />
230     <type>
231       <code value="Reference" />
232       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233     </type>
234     <mustSupport value="true" />
235   </element>
236   <element id="Procedure.encounter.reference">
237     <path value="Procedure.encounter.reference" />
238     <min value="1" />
239     <mustSupport value="true" />
240   </element>
241   <element id="Procedure.encounter.type">
242     <path value="Procedure.encounter.type" />
243     <max value="0" />
244   </element>
245   <element id="Procedure.encounter.identifier">
246     <path value="Procedure.encounter.identifier" />
247     <max value="0" />
248   </element>
249   <element id="Procedure.encounter.display">
250     <path value="Procedure.encounter.display" />
251     <max value="0" />

```

```

252 </element>
253 <element id="Procedure.performed[x]">
254   <path value="Procedure.performed[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <type>
264     <code value="dateTime" />
265   </type>
266   <mustSupport value="true" />
267 </element>
268 <element id="Procedure.performed[x]:performedDateTime">
269   <path value="Procedure.performed[x]" />
270   <sliceName value="performedDateTime" />
271   <min value="1" />
272   <type>
273     <code value="dateTime" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Procedure.recorder">
278   <path value="Procedure.recorder" />
279   <max value="0" />
280 </element>
281 <element id="Procedure.asserter">
282   <path value="Procedure.asserter" />
283   <type>
284     <code value="Reference" />
285     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Procedure.asserter.reference">
290   <path value="Procedure.asserter.reference" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="Procedure.asserter.type">
295   <path value="Procedure.asserter.type" />
296   <max value="0" />
297 </element>
298 <element id="Procedure.asserter.identifrier">
299   <path value="Procedure.asserter.identifrier" />
300   <max value="0" />
301 </element>
302 <element id="Procedure.asserter.display">
303   <path value="Procedure.asserter.display" />
304   <max value="0" />
305 </element>
306 <element id="Procedure.performer">
307   <path value="Procedure.performer" />
308   <max value="0" />
309 </element>
310 <element id="Procedure.location">

```

```

311     <path value="Procedure.location" />
312     <max value="0" />
313 </element>
314 <element id="Procedure.reasonCode">
315     <path value="Procedure.reasonCode" />
316     <max value="0" />
317 </element>
318 <element id="Procedure.reasonReference">
319     <path value="Procedure.reasonReference" />
320     <max value="0" />
321 </element>
322 <element id="Procedure.bodySite">
323     <path value="Procedure.bodySite" />
324     <max value="0" />
325 </element>
326 <element id="Procedure.outcome">
327     <path value="Procedure.outcome" />
328     <max value="0" />
329 </element>
330 <element id="Procedure.report">
331     <path value="Procedure.report" />
332     <max value="0" />
333 </element>
334 <element id="Procedure.complication">
335     <path value="Procedure.complication" />
336     <max value="0" />
337 </element>
338 <element id="Procedure.complicationDetail">
339     <path value="Procedure.complicationDetail" />
340     <max value="0" />
341 </element>
342 <element id="Procedure.followUp">
343     <path value="Procedure.followUp" />
344     <max value="0" />
345 </element>
346 <element id="Procedure.note">
347     <path value="Procedure.note" />
348     <max value="0" />
349 </element>
350 <element id="Procedure.focalDevice">
351     <path value="Procedure.focalDevice" />
352     <max value="0" />
353 </element>
354 <element id="Procedure.usedReference">
355     <path value="Procedure.usedReference" />
356     <max value="0" />
357 </element>
358 <element id="Procedure.usedCode">
359     <path value="Procedure.usedCode" />
360     <max value="0" />
361 </element>
362 </differential>
363 </StructureDefinition>

```

### 393. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U8\_CONSULTATION

#### KBV\_PR\_MIO\_CMR\_Procedure\_U8\_Consultation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U8_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U8_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U8_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```



```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```

```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigenameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigenameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U8_Consultation_German|
1.0.1" />
190     <min value="1" />
191     <mustSupport value="true" />
192 </element>
193     <element id="Procedure.code.coding.userSelected" >

```

```

194     <path value="Procedure.code.coding.userSelected" />
195     <max value="0" />
196   </element>
197
198   <element id="Procedure.code.text">
199     <path value="Procedure.code.text" />
200     <max value="0" />
201   </element>
202   <element id="Procedure.subject">
203     <path value="Procedure.subject" />
204     <type>
205       <code value="Reference" />
206       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
207     </type>
208     <mustSupport value="true" />
209   </element>
210   <element id="Procedure.subject.reference">
211     <path value="Procedure.subject.reference" />
212     <min value="1" />
213     <mustSupport value="true" />
214   </element>
215   <element id="Procedure.subject.type">
216     <path value="Procedure.subject.type" />
217     <max value="0" />
218   </element>
219   <element id="Procedure.subject.identifier">
220     <path value="Procedure.subject.identifier" />
221     <max value="0" />
222   </element>
223   <element id="Procedure.subject.display">
224     <path value="Procedure.subject.display" />
225     <max value="0" />
226   </element>
227   <element id="Procedure.encounter">
228     <path value="Procedure.encounter" />
229     <min value="1" />
230     <type>
231       <code value="Reference" />
232       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
233     </type>
234     <mustSupport value="true" />
235   </element>
236   <element id="Procedure.encounter.reference">
237     <path value="Procedure.encounter.reference" />
238     <min value="1" />
239     <mustSupport value="true" />
240   </element>
241   <element id="Procedure.encounter.type">
242     <path value="Procedure.encounter.type" />
243     <max value="0" />
244   </element>
245   <element id="Procedure.encounter.identifier">
246     <path value="Procedure.encounter.identifier" />
247     <max value="0" />
248   </element>
249   <element id="Procedure.encounter.display">
250     <path value="Procedure.encounter.display" />
251     <max value="0" />

```

```

252 </element>
253 <element id="Procedure.performed[x]">
254   <path value="Procedure.performed[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <type>
264     <code value="dateTime" />
265   </type>
266   <mustSupport value="true" />
267 </element>
268 <element id="Procedure.performed[x]:performedDateTime">
269   <path value="Procedure.performed[x]" />
270   <sliceName value="performedDateTime" />
271   <min value="1" />
272   <type>
273     <code value="dateTime" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Procedure.recorder">
278   <path value="Procedure.recorder" />
279   <max value="0" />
280 </element>
281 <element id="Procedure.asserter">
282   <path value="Procedure.asserter" />
283   <type>
284     <code value="Reference" />
285     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
286   </type>
287   <mustSupport value="true" />
288 </element>
289 <element id="Procedure.asserter.reference">
290   <path value="Procedure.asserter.reference" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="Procedure.asserter.type">
295   <path value="Procedure.asserter.type" />
296   <max value="0" />
297 </element>
298 <element id="Procedure.asserter.identifrier">
299   <path value="Procedure.asserter.identifrier" />
300   <max value="0" />
301 </element>
302 <element id="Procedure.asserter.display">
303   <path value="Procedure.asserter.display" />
304   <max value="0" />
305 </element>
306 <element id="Procedure.performer">
307   <path value="Procedure.performer" />
308   <max value="0" />
309 </element>
310 <element id="Procedure.location">

```

```

311     <path value="Procedure.location" />
312     <max value="0" />
313 </element>
314 <element id="Procedure.reasonCode">
315     <path value="Procedure.reasonCode" />
316     <max value="0" />
317 </element>
318 <element id="Procedure.reasonReference">
319     <path value="Procedure.reasonReference" />
320     <max value="0" />
321 </element>
322 <element id="Procedure.bodySite">
323     <path value="Procedure.bodySite" />
324     <max value="0" />
325 </element>
326 <element id="Procedure.outcome">
327     <path value="Procedure.outcome" />
328     <max value="0" />
329 </element>
330 <element id="Procedure.report">
331     <path value="Procedure.report" />
332     <max value="0" />
333 </element>
334 <element id="Procedure.complication">
335     <path value="Procedure.complication" />
336     <max value="0" />
337 </element>
338 <element id="Procedure.complicationDetail">
339     <path value="Procedure.complicationDetail" />
340     <max value="0" />
341 </element>
342 <element id="Procedure.followUp">
343     <path value="Procedure.followUp" />
344     <max value="0" />
345 </element>
346 <element id="Procedure.note">
347     <path value="Procedure.note" />
348     <max value="0" />
349 </element>
350 <element id="Procedure.focalDevice">
351     <path value="Procedure.focalDevice" />
352     <max value="0" />
353 </element>
354 <element id="Procedure.usedReference">
355     <path value="Procedure.usedReference" />
356     <max value="0" />
357 </element>
358 <element id="Procedure.usedCode">
359     <path value="Procedure.usedCode" />
360     <max value="0" />
361 </element>
362 </differential>
363 </StructureDefinition>

```

## 394. KBV\_PR\_MIO\_CMR\_PROCEDURE\_U9\_CONSULTATION

## KBV\_PR\_MIO\_CMR\_Procedure\_U9\_Consultation

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Procedure_U9_Consultation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Procedure_U9_Consultation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Procedure" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Procedure">
37 <path value="Procedure" />
38 <short value="Dieses Profil umfasst die Beratung." />
39 </element>
40 <element id="Procedure.meta">
41 <path value="Procedure.meta" />
42 <min value="1" />
43 </element>
44 <element id="Procedure.meta.versionId">
45 <path value="Procedure.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Procedure.meta.lastUpdated">
49 <path value="Procedure.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Procedure.meta.source">
53 <path value="Procedure.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Procedure.meta.profile">
57 <path value="Procedure.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Procedure_U9_Consultation|1.0.1" />
61 </element>
62 <element id="Procedure.meta.security">
63 <path value="Procedure.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Procedure.meta.tag">
67 <path value="Procedure.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Procedure.implicitRules">
71 <path value="Procedure.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Procedure.language">
75 <path value="Procedure.language" />
76 <max value="0" />
77 </element>
78 <element id="Procedure.contained">
79 <path value="Procedure.contained" />
80 <max value="0" />
81 </element>
82 <element id="Procedure.identifier">
83 <path value="Procedure.identifier" />
84 <max value="0" />
85 </element>
86 <element id="Procedure.instantiatesCanonical">
87 <path value="Procedure.instantiatesCanonical" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Procedure.instantiatesUri">
91     <path value="Procedure.instantiatesUri" />
92     <max value="0" />
93 </element>
94 <element id="Procedure.basedOn">
95     <path value="Procedure.basedOn" />
96     <max value="0" />
97 </element>
98 <element id="Procedure.partOf">
99     <path value="Procedure.partOf" />
100    <max value="0" />
101 </element>
102 <element id="Procedure.status">
103     <path value="Procedure.status" />
104     <fixedCode value="completed" />
105 </element>
106 <element id="Procedure.statusReason">
107     <path value="Procedure.statusReason" />
108     <max value="0" />
109 </element>
110 <element id="Procedure.category">
111     <path value="Procedure.category" />
112     <max value="0" />
113 </element>
114 <element id="Procedure.code">
115     <path value="Procedure.code" />
116     <min value="1" />
117     <mustSupport value="true" />
118     <binding>
119         <strength value="required" />
120         <description value="Consultation Code" />
121         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U9_Consultation" />
122     </binding>
123 </element>
124 <element id="Procedure.code.coding">
125     <path value="Procedure.code.coding" />
126     <min value="1" />
127     <max value="1" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Procedure.code.coding.system">
131     <path value="Procedure.code.coding.system" />
132     <min value="1" />
133 </element>
134 <element id="Procedure.code.coding.version">
135     <path value="Procedure.code.coding.version" />
136     <min value="1" />
137 </element>
138 <element id="Procedure.code.coding.code">
139     <path value="Procedure.code.coding.code" />
140     <min value="1" />
141 </element>
142 <element id="Procedure.code.coding.display">
143     <path value="Procedure.code.coding.display" />
144     <min value="1" />
145 </element>
146 <element id="Procedure.code.coding.display.extension">

```



```

147     <path value="Procedure.code.coding.display.extension" />
148     <slicing>
149         <discriminator>
150             <type value="value" />
151             <path value="url" />
152         </discriminator>
153         <rules value="open" />
154     </slicing>
155 </element>
156 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med">
157     <path value="Procedure.code.coding.display.extension" />
158     <sliceName value="anzeigennameCodeSnomed" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension">
168     <path value="Procedure.code.coding.display.extension.extension" />
169     <slicing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </slicing>
176 </element>
177 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension:content">
178     <path value="Procedure.code.coding.display.extension.extension" />
179     <sliceName value="content" />
180 </element>
181 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension:content.value[x]">
182     <path value="Procedure.code.coding.display.extension.extension.value[
x]" />
183     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
184     <mustSupport value="true" />
185 </element>
186 <element id="Procedure.code.coding.display.extension:anzeigennameCodeSno
med.extension:content.value[x]:valueString">
187     <path value="Procedure.code.coding.display.extension.extension.valueS
tring" />
188     <sliceName value="valueString" />
189     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV_CM_MIO_CMR_U9_Consultation_German|
1.0.1" />
190     <mustSupport value="true" />
191 </element>
192     <element id="Procedure.code.coding.userSelected" >
193         <path value="Procedure.code.coding.userSelected" />

```

```

194         <max value="0" />
195     </element>
196
197     <element id="Procedure.code.text">
198         <path value="Procedure.code.text" />
199         <max value="0" />
200     </element>
201     <element id="Procedure.subject">
202         <path value="Procedure.subject" />
203         <type>
204             <code value="Reference" />
205             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
206         </type>
207         <mustSupport value="true" />
208     </element>
209     <element id="Procedure.subject.reference">
210         <path value="Procedure.subject.reference" />
211         <min value="1" />
212         <mustSupport value="true" />
213     </element>
214     <element id="Procedure.subject.type">
215         <path value="Procedure.subject.type" />
216         <max value="0" />
217     </element>
218     <element id="Procedure.subject.identifier">
219         <path value="Procedure.subject.identifier" />
220         <max value="0" />
221     </element>
222     <element id="Procedure.subject.display">
223         <path value="Procedure.subject.display" />
224         <max value="0" />
225     </element>
226     <element id="Procedure.encounter">
227         <path value="Procedure.encounter" />
228         <min value="1" />
229         <type>
230             <code value="Reference" />
231             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
232         </type>
233         <mustSupport value="true" />
234     </element>
235     <element id="Procedure.encounter.reference">
236         <path value="Procedure.encounter.reference" />
237         <min value="1" />
238         <mustSupport value="true" />
239     </element>
240     <element id="Procedure.encounter.type">
241         <path value="Procedure.encounter.type" />
242         <max value="0" />
243     </element>
244     <element id="Procedure.encounter.identifier">
245         <path value="Procedure.encounter.identifier" />
246         <max value="0" />
247     </element>
248     <element id="Procedure.encounter.display">
249         <path value="Procedure.encounter.display" />
250         <max value="0" />
251     </element>

```

```

252 <element id="Procedure.performed[x]">
253   <path value="Procedure.performed[x]" />
254   <slicing>
255     <discriminator>
256       <type value="type" />
257       <path value="$this" />
258     </discriminator>
259     <rules value="closed" />
260   </slicing>
261   <min value="1" />
262   <type>
263     <code value="dateTime" />
264   </type>
265   <mustSupport value="true" />
266 </element>
267 <element id="Procedure.performed[x]:performedDateTime">
268   <path value="Procedure.performed[x]" />
269   <sliceName value="performedDateTime" />
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <mustSupport value="true" />
275 </element>
276 <element id="Procedure.recorder">
277   <path value="Procedure.recorder" />
278   <max value="0" />
279 </element>
280 <element id="Procedure.asserter">
281   <path value="Procedure.asserter" />
282   <type>
283     <code value="Reference" />
284     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
285   </type>
286   <mustSupport value="true" />
287 </element>
288 <element id="Procedure.asserter.reference">
289   <path value="Procedure.asserter.reference" />
290   <min value="1" />
291   <mustSupport value="true" />
292 </element>
293 <element id="Procedure.asserter.type">
294   <path value="Procedure.asserter.type" />
295   <max value="0" />
296 </element>
297 <element id="Procedure.asserter.identififier">
298   <path value="Procedure.asserter.identififier" />
299   <max value="0" />
300 </element>
301 <element id="Procedure.asserter.display">
302   <path value="Procedure.asserter.display" />
303   <max value="0" />
304 </element>
305 <element id="Procedure.performer">
306   <path value="Procedure.performer" />
307   <max value="0" />
308 </element>
309 <element id="Procedure.location">
310   <path value="Procedure.location" />

```

```

311     <max value="0" />
312 </element>
313 <element id="Procedure.reasonCode">
314     <path value="Procedure.reasonCode" />
315     <max value="0" />
316 </element>
317 <element id="Procedure.reasonReference">
318     <path value="Procedure.reasonReference" />
319     <max value="0" />
320 </element>
321 <element id="Procedure.bodySite">
322     <path value="Procedure.bodySite" />
323     <max value="0" />
324 </element>
325 <element id="Procedure.outcome">
326     <path value="Procedure.outcome" />
327     <max value="0" />
328 </element>
329 <element id="Procedure.report">
330     <path value="Procedure.report" />
331     <max value="0" />
332 </element>
333 <element id="Procedure.complication">
334     <path value="Procedure.complication" />
335     <max value="0" />
336 </element>
337 <element id="Procedure.complicationDetail">
338     <path value="Procedure.complicationDetail" />
339     <max value="0" />
340 </element>
341 <element id="Procedure.followUp">
342     <path value="Procedure.followUp" />
343     <max value="0" />
344 </element>
345 <element id="Procedure.note">
346     <path value="Procedure.note" />
347     <max value="0" />
348 </element>
349 <element id="Procedure.focalDevice">
350     <path value="Procedure.focalDevice" />
351     <max value="0" />
352 </element>
353 <element id="Procedure.usedReference">
354     <path value="Procedure.usedReference" />
355     <max value="0" />
356 </element>
357 <element id="Procedure.usedCode">
358     <path value="Procedure.usedCode" />
359     <max value="0" />
360 </element>
361 </differential>
362 </StructureDefinition>

```

## 395. KBV\_PR\_MIO\_CMV\_SCREENING\_LABORATORY

## KBV\_PR\_MIO\_CMV\_Screening\_Laboratory

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Organization_Screening_Laboratory" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Screening_Laboratory" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="v2" />
12    <uri value="http://hl7.org/v2" />
13    <name value="HL7 v2 Mapping" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="servd" />
22    <uri value="http://www.omg.org/spec/ServD/1.0/" />
23    <name value="ServD" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Organization" />
33 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Organization|1.1.3" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Organization">
37 <path value="Organization" />
38 <short value="Dieses Profil umfasst die Organisation, die die
labormedizinischen Screeninguntersuchungen durchföhrt." />
39 </element>
40 <element id="Organization.meta">
41 <path value="Organization.meta" />
42 <min value="1" />
43 </element>
44 <element id="Organization.meta.versionId">
45 <path value="Organization.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Organization.meta.lastUpdated">
49 <path value="Organization.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Organization.meta.source">
53 <path value="Organization.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Organization.meta.profile">
57 <path value="Organization.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMROrganization_Screening_Laboratory|1.0.1" />
61 </element>
62 <element id="Organization.meta.security">
63 <path value="Organization.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Organization.meta.tag">
67 <path value="Organization.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Organization.implicitRules">
71 <path value="Organization.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Organization.language">
75 <path value="Organization.language" />
76 <max value="0" />
77 </element>
78 <element id="Organization.text">
79 <path value="Organization.text" />
80 <max value="0" />
81 </element>
82 <element id="Organization.contained">
83 <path value="Organization.contained" />
84 <max value="0" />
85 </element>
86 <element id="Organization.extension">

```

```

87     <path value="Organization.extension" />
88     <slicing>
89         <discriminator>
90             <type value="value" />
91             <path value="url" />
92         </discriminator>
93         <rules value="open" />
94     </slicing>
95 </element>
96 <element id="Organization.extension:ergaenzende_Angaben">
97     <path value="Organization.extension" />
98     <sliceName value="ergaenzende_Angaben" />
99     <max value="0" />
100 </element>
101 <element id="Organization.identifier">
102     <path value="Organization.identifier" />
103     <mustSupport value="true" />
104 </element>
105 <element id="Organization.identifier:Institutionskennzeichen">
106     <path value="Organization.identifier" />
107     <sliceName value="Institutionskennzeichen" />
108     <mustSupport value="true" />
109 </element>
110 <element id="Organization.identifier:Institutionskennzeichen.type.coding">
111     <path value="Organization.identifier.type.coding" />
112
113     <min value="1" />
114     <mustSupport value="true" />
115 </element>
116
117 <element id="Organization.identifier:Betriebsstaettennummer">
118     <path value="Organization.identifier" />
119     <sliceName value="Betriebsstaettennummer" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Organization.identifier:Betriebsstaettennummer.type.coding">
123     <path value="Organization.identifier.type.coding" />
124     <mustSupport value="true" />
125 </element>
126
127 <element id="Organization.identifier:VKNR">
128     <path value="Organization.identifier" />
129     <sliceName value="VKNR" />
130     <max value="0" />
131 </element>
132 <element id="Organization.identifier:KZV-Abrechnungsnummer">
133     <path value="Organization.identifier" />
134     <sliceName value="KZV-Abrechnungsnummer" />
135     <max value="0" />
136 </element>
137 <element id="Organization.active">
138     <path value="Organization.active" />
139     <max value="0" />
140 </element>
141 <element id="Organization.type">
142     <path value="Organization.type" />
143     <max value="0" />
144 </element>

```

```

145 <element id="Organization.name">
146   <path value="Organization.name" />
147   <min value="1" />
148   <mustSupport value="true" />
149 </element>
150 <element id="Organization.alias">
151   <path value="Organization.alias" />
152   <max value="0" />
153 </element>
154 <element id="Organization.telecom">
155   <path value="Organization.telecom" />
156   <max value="0" />
157 </element>
158 <element id="Organization.address">
159   <path value="Organization.address" />
160   <min value="1" />
161   <max value="1" />
162   <mustSupport value="true" />
163 </element>
164 <element id="Organization.address:Strassenanschrift">
165   <path value="Organization.address" />
166   <sliceName value="Strassenanschrift" />
167   <mustSupport value="true" />
168 </element>
169 <element id="Organization.address:Strassenanschrift.extension">
170   <path value="Organization.address.extension" />
171   <licing>
172     <discriminator>
173       <type value="value" />
174       <path value="url" />
175     </discriminator>
176     <rules value="open" />
177   </licing>
178 </element>
179 <element id="Organization.address:Strassenanschrift.extension:Stadtteil
">
180   <path value="Organization.address.extension" />
181   <sliceName value="Stadtteil" />
182 </element>
183 <element id="Organization.address:Strassenanschrift.extension:Stadtteil
.value[x]">
184   <path value="Organization.address.extension.value[x]" />
185   <mustSupport value="true" />
186 </element>
187 <element id="Organization.address:Strassenanschrift.use">
188   <path value="Organization.address.use" />
189   <max value="0" />
190 </element>
191 <element id="Organization.address:Strassenanschrift.line">
192   <path value="Organization.address.line" />
193   <mustSupport value="true" />
194 </element>
195 <element id="Organization.address:Strassenanschrift.line.extension">
196   <path value="Organization.address.line.extension" />
197   <licing>
198     <discriminator>
199       <type value="value" />
200       <path value="url" />
201     </discriminator>
202     <rules value="open" />

```



```

203     </slicing>
204 </element>
205 <element id="Organization.address:Strassenanschrift.line.extension:Strasse">
206     <path value="Organization.address.line.extension" />
207     <sliceName value="Strasse" />
208     <mustSupport value="true" />
209 </element>
210 <element id="Organization.address:Strassenanschrift.line.extension:Strasse.value[x]">
211     <path value="Organization.address.line.extension.value[x]" />
212     <mustSupport value="true" />
213 </element>
214 <element id="Organization.address:Strassenanschrift.line.extension:Strasse.value[x]:valueString">
215     <path value="Organization.address.line.extension.value[x]" />
216     <sliceName value="valueString" />
217     <min value="1" />
218     <mustSupport value="true" />
219 </element>
220 <element id="Organization.address:Strassenanschrift.line.extension:Hausnummer">
221     <path value="Organization.address.line.extension" />
222     <sliceName value="Hausnummer" />
223     <mustSupport value="true" />
224 </element>
225 <element id="Organization.address:Strassenanschrift.line.extension:Hausnummer.value[x]">
226     <path value="Organization.address.line.extension.value[x]" />
227     <mustSupport value="true" />
228 </element>
229 <element id="Organization.address:Strassenanschrift.line.extension:Hausnummer.value[x]:valueString">
230     <path value="Organization.address.line.extension.value[x]" />
231     <sliceName value="valueString" />
232     <min value="1" />
233     <mustSupport value="true" />
234 </element>
235 <element id="Organization.address:Strassenanschrift.line.extension:Adresszusatz">
236     <path value="Organization.address.line.extension" />
237     <sliceName value="Adresszusatz" />
238     <mustSupport value="true" />
239 </element>
240 <element id="Organization.address:Strassenanschrift.line.extension:Adresszusatz.value[x]">
241     <path value="Organization.address.line.extension.value[x]" />
242     <mustSupport value="true" />
243 </element>
244 <element id="Organization.address:Strassenanschrift.line.extension:Adresszusatz.value[x]:valueString">
245     <path value="Organization.address.line.extension.value[x]" />
246     <sliceName value="valueString" />
247     <min value="1" />
248     <mustSupport value="true" />
249 </element>
250 <element id="Organization.address:Postfach">
251     <path value="Organization.address" />
252     <sliceName value="Postfach" />
253     <mustSupport value="true" />

```

```

254 </element>
255 <element id="Organization.address.Postfach.use">
256   <path value="Organization.address.use" />
257   <max value="0" />
258 </element>
259 <element id="Organization.address.Postfach.line">
260   <path value="Organization.address.line" />
261   <mustSupport value="true" />
262 </element>
263 <element id="Organization.address.Postfach.line.extension">
264   <path value="Organization.address.line.extension" />
265   <slicing>
266     <discriminator>
267       <type value="value" />
268       <path value="url" />
269     </discriminator>
270     <rules value="open" />
271   </slicing>
272 </element>
273 <element id="Organization.address.Postfach.line.extension.Postfach">
274   <path value="Organization.address.line.extension" />
275   <sliceName value="Postfach" />
276 </element>
277 <element id="Organization.address.Postfach.line.extension.Postfach.valu
e[x]">
278   <path value="Organization.address.line.extension.value[x]" />
279   <mustSupport value="true" />
280 </element>
281 <element id="Organization.address.Postfach.line.extension.Postfach.valu
e[x]:valueString">
282   <path value="Organization.address.line.extension.valueString" />
283   <sliceName value="valueString" />
284   <min value="1" />
285   <mustSupport value="true" />
286 </element>
287 <element id="Organization.partOf">
288   <path value="Organization.partOf" />
289   <max value="0" />
290 </element>
291 <element id="Organization.contact">
292   <path value="Organization.contact" />
293   <mustSupport value="true" />
294 </element>
295 <element id="Organization.contact.purpose">
296   <path value="Organization.contact.purpose" />
297   <max value="0" />
298 </element>
299 <element id="Organization.contact.telecom">
300   <path value="Organization.contact.telecom" />
301   <mustSupport value="true" />
302 </element>
303 <element id="Organization.contact.telecom.system">
304   <path value="Organization.contact.telecom.system" />
305   <min value="1" />
306   <mustSupport value="true" />
307 </element>
308 <element id="Organization.contact.telecom.value">
309   <path value="Organization.contact.telecom.value" />
310   <min value="1" />
311   <mustSupport value="true" />

```

```
312     </element>
313     <element id="Organization.contact.address">
314         <path value="Organization.contact.address" />
315         <max value="0" />
316     </element>
317     <element id="Organization.endpoint">
318         <path value="Organization.endpoint" />
319         <max value="0" />
320     </element>
321 </differential>
322 </StructureDefinition>
```

## 396. KBV\_PR\_MIO\_CMR\_SERVICE\_REQUEST\_DENTAL\_REFERRAL

## KBV\_PR\_MIO\_CMR\_Service\_Request\_Dental\_Referral

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_Dental_Referral" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Service_Request_Dental_Referral" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="quick" />
32   <uri value="http://siframework.org/cqf" />
33   <name value="Quality Improvement and Clinical Knowledge (QUICK)" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="ServiceRequest" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
ServiceRequest" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="ServiceRequest">
42     <path value="ServiceRequest" />
43     <short value="Dieses Profil bildet die Überweisung zum Zahnarzt bzw.
zur Zahnärztin zur zahnärztlichen Früherkennungsuntersuchung ab." />
44   </element>
45   <element id="ServiceRequest.meta">
46     <path value="ServiceRequest.meta" />
47     <min value="1" />
48   </element>
49   <element id="ServiceRequest.meta.versionId">
50     <path value="ServiceRequest.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="ServiceRequest.meta.lastUpdated">
54     <path value="ServiceRequest.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="ServiceRequest.meta.source">
58     <path value="ServiceRequest.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="ServiceRequest.meta.profile">
62     <path value="ServiceRequest.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_Dental_Referral|1.0.1" />
66   </element>
67   <element id="ServiceRequest.meta.security">
68     <path value="ServiceRequest.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="ServiceRequest.meta.tag">
72     <path value="ServiceRequest.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="ServiceRequest.implicitRules">
76     <path value="ServiceRequest.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="ServiceRequest.language">
80     <path value="ServiceRequest.language" />
81     <max value="0" />
82   </element>
83   <element id="ServiceRequest.text">
84     <path value="ServiceRequest.text" />
85     <max value="0" />
86   </element>

```

```

87 <element id="ServiceRequest.contained">
88   <path value="ServiceRequest.contained" />
89   <max value="0" />
90 </element>
91 <element id="ServiceRequest.identifrier">
92   <path value="ServiceRequest.identifrier" />
93   <max value="0" />
94 </element>
95 <element id="ServiceRequest.instantiatesCanonical">
96   <path value="ServiceRequest.instantiatesCanonical" />
97   <max value="0" />
98 </element>
99 <element id="ServiceRequest.instantiatesUri">
100   <path value="ServiceRequest.instantiatesUri" />
101   <max value="0" />
102 </element>
103 <element id="ServiceRequest.basedOn">
104   <path value="ServiceRequest.basedOn" />
105   <max value="0" />
106 </element>
107 <element id="ServiceRequest.replaces">
108   <path value="ServiceRequest.replaces" />
109   <max value="0" />
110 </element>
111 <element id="ServiceRequest.requisition">
112   <path value="ServiceRequest.requisition" />
113   <max value="0" />
114 </element>
115 <element id="ServiceRequest.status">
116   <path value="ServiceRequest.status" />
117   <fixedCode value="active" />
118 </element>
119 <element id="ServiceRequest.intent">
120   <path value="ServiceRequest.intent" />
121   <fixedCode value="order" />
122 </element>
123 <element id="ServiceRequest.category">
124   <path value="ServiceRequest.category" />
125   <max value="0" />
126 </element>
127 <element id="ServiceRequest.priority">
128   <path value="ServiceRequest.priority" />
129   <max value="0" />
130 </element>
131 <element id="ServiceRequest.doNotPerform">
132   <path value="ServiceRequest.doNotPerform" />
133   <max value="0" />
134 </element>
135 <element id="ServiceRequest.code">
136   <path value="ServiceRequest.code" />
137   <min value="1" />
138   <mustSupport value="true" />
139 </element>
140 <element id="ServiceRequest.code.coding">
141   <path value="ServiceRequest.code.coding" />
142   <min value="1" />
143   <max value="1" />
144   <mustSupport value="true" />
145 </element>
146 <element id="ServiceRequest.code.coding.system">

```

```

147     <path value="ServiceRequest.code.coding.system" />
148     <min value="1" />
149     <fixedUri value="http://snomed.info/sct" />
150 </element>
151 <element id="ServiceRequest.code.coding.version">
152     <path value="ServiceRequest.code.coding.version" />
153     <min value="1" />
154     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
155 </element>
156 <element id="ServiceRequest.code.coding.code">
157     <path value="ServiceRequest.code.coding.code" />
158     <min value="1" />
159     <fixedCode value="274410002" />
160 </element>
161 <element id="ServiceRequest.code.coding.display">
162     <path value="ServiceRequest.code.coding.display" />
163     <min value="1" />
164 </element>
165 <element id="ServiceRequest.code.coding.display.extension">
166     <path value="ServiceRequest.code.coding.display.extension" />
167     <slicing>
168         <discriminator>
169             <type value="value" />
170             <path value="url" />
171         </discriminator>
172         <rules value="open" />
173     </slicing>
174 </element>
175 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed">
176     <path value="ServiceRequest.code.coding.display.extension" />
177     <sliceName value="anzeigenameCodeSnomed" />
178     <min value="1" />
179     <max value="1" />
180     <type>
181         <code value="Extension" />
182         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
183     </type>
184 </element>
185 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension">
186     <path value="ServiceRequest.code.coding.display.extension.extension"
/>
187     <slicing>
188         <discriminator>
189             <type value="value" />
190             <path value="url" />
191         </discriminator>
192         <rules value="open" />
193     </slicing>
194 </element>
195 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension:content">
196     <path value="ServiceRequest.code.coding.display.extension.extension"
/>
197     <sliceName value="content" />
198 </element>

```

```

199     <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension:content.value[x]">
200       <path value="ServiceRequest.code.coding.display.extension.extension.v
alue[x]" />
201       <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
202       <mustSupport value="true" />
203     </element>
204     <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension:content.value[x]:valueString">
205       <path value="ServiceRequest.code.coding.display.extension.extension.v
alue[x]" />
206       <sliceName value="valueString" />
207       <min value="1" />
208       <fixedString value="Verweis zur Zahnärztin oder zum Zahnarzt" />
209       <mustSupport value="true" />
210     </element>
211     <element id="ServiceRequest.code.coding.userSelected">
212       <path value="ServiceRequest.code.coding.userSelected" />
213       <max value="0" />
214     </element>
215     <element id="ServiceRequest.code.text">
216       <path value="ServiceRequest.code.text" />
217       <max value="0" />
218     </element>
219     <element id="ServiceRequest.orderDetail">
220       <path value="ServiceRequest.orderDetail" />
221       <max value="0" />
222     </element>
223     <element id="ServiceRequest.quantity[x]">
224       <path value="ServiceRequest.quantity[x]" />
225       <max value="0" />
226     </element>
227     <element id="ServiceRequest.subject">
228       <path value="ServiceRequest.subject" />
229       <type>
230         <code value="Reference" />
231         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMAR_Patient|1.0.1" />
232       </type>
233       <mustSupport value="true" />
234     </element>
235     <element id="ServiceRequest.subject.reference">
236       <path value="ServiceRequest.subject.reference" />
237       <min value="1" />
238       <mustSupport value="true" />
239     </element>
240     <element id="ServiceRequest.subject.type">
241       <path value="ServiceRequest.subject.type" />
242       <max value="0" />
243     </element>
244     <element id="ServiceRequest.subject.identifier">
245       <path value="ServiceRequest.subject.identifier" />
246       <max value="0" />
247     </element>
248     <element id="ServiceRequest.subject.display">
249       <path value="ServiceRequest.subject.display" />
250       <max value="0" />
251     </element>
252     <element id="ServiceRequest.encounter">

```



```

253     <path value="ServiceRequest.encounter" />
254     <min value="1" />
255     <type>
256         <code value="Reference" />
257         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
258     </type>
259     <mustSupport value="true" />
260 </element>
261 <element id="ServiceRequest.encounter.reference">
262     <path value="ServiceRequest.encounter.reference" />
263     <min value="1" />
264     <mustSupport value="true" />
265 </element>
266 <element id="ServiceRequest.encounter.type">
267     <path value="ServiceRequest.encounter.type" />
268     <max value="0" />
269 </element>
270 <element id="ServiceRequest.encounter.identifier">
271     <path value="ServiceRequest.encounter.identifier" />
272     <max value="0" />
273 </element>
274 <element id="ServiceRequest.encounter.display">
275     <path value="ServiceRequest.encounter.display" />
276     <max value="0" />
277 </element>
278 <element id="ServiceRequest.occurrence[x]">
279     <path value="ServiceRequest.occurrence[x]" />
280     <max value="0" />
281 </element>
282 <element id="ServiceRequest.asNeeded[x]">
283     <path value="ServiceRequest.asNeeded[x]" />
284     <max value="0" />
285 </element>
286 <element id="ServiceRequest.authoredOn">
287     <path value="ServiceRequest.authoredOn" />
288     <min value="1" />
289     <mustSupport value="true" />
290 </element>
291 <element id="ServiceRequest.requester">
292     <path value="ServiceRequest.requester" />
293     <type>
294         <code value="Reference" />
295         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
296     </type>
297     <mustSupport value="true" />
298 </element>
299 <element id="ServiceRequest.requester.reference">
300     <path value="ServiceRequest.requester.reference" />
301     <min value="1" />
302     <mustSupport value="true" />
303 </element>
304 <element id="ServiceRequest.requester.type">
305     <path value="ServiceRequest.requester.type" />
306     <max value="0" />
307 </element>
308 <element id="ServiceRequest.requester.identifier">
309     <path value="ServiceRequest.requester.identifier" />
310     <max value="0" />

```

```

311 </element>
312 <element id="ServiceRequest.requester.display">
313   <path value="ServiceRequest.requester.display" />
314   <max value="0" />
315 </element>
316 <element id="ServiceRequest.performerType">
317   <path value="ServiceRequest.performerType" />
318   <max value="0" />
319 </element>
320 <element id="ServiceRequest.performer">
321   <path value="ServiceRequest.performer" />
322   <max value="0" />
323 </element>
324 <element id="ServiceRequest.locationCode">
325   <path value="ServiceRequest.locationCode" />
326   <max value="0" />
327 </element>
328 <element id="ServiceRequest.locationReference">
329   <path value="ServiceRequest.locationReference" />
330   <max value="0" />
331 </element>
332 <element id="ServiceRequest.reasonCode">
333   <path value="ServiceRequest.reasonCode" />
334   <max value="0" />
335 </element>
336 <element id="ServiceRequest.reasonReference">
337   <path value="ServiceRequest.reasonReference" />
338   <max value="0" />
339 </element>
340 <element id="ServiceRequest.insurance">
341   <path value="ServiceRequest.insurance" />
342   <max value="0" />
343 </element>
344 <element id="ServiceRequest.supportingInfo">
345   <path value="ServiceRequest.supportingInfo" />
346   <max value="0" />
347 </element>
348 <element id="ServiceRequest.specimen">
349   <path value="ServiceRequest.specimen" />
350   <max value="0" />
351 </element>
352 <element id="ServiceRequest.bodySite">
353   <path value="ServiceRequest.bodySite" />
354   <max value="0" />
355 </element>
356 <element id="ServiceRequest.note">
357   <path value="ServiceRequest.note" />
358   <max value="0" />
359 </element>
360 <element id="ServiceRequest.patientInstruction">
361   <path value="ServiceRequest.patientInstruction" />
362   <max value="0" />
363 </element>
364 <element id="ServiceRequest.relevantHistory">
365   <path value="ServiceRequest.relevantHistory" />
366   <max value="0" />
367 </element>
368 </differential>
369 </StructureDefinition>

```

## 397. KBV\_PR\_MIO\_CMR\_SERVICE\_REQUEST\_U1\_U3\_PULSE\_OXYMETRY\_CLARIFICATION

## KBV\_PR\_MIO\_CMR\_Service\_Request\_U1\_U3\_Pulse\_Oxymetry\_Clarification

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_U1_U3_Pulse_Oxymetry_Clarification" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMR_Service_Request_U1_U3_Pulse_Oxymetry_Clarific
ation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />

```

```

29 </mapping>
30 <mapping>
31   <identity value="quick" />
32   <uri value="http://siframework.org/cqf" />
33   <name value="Quality Improvement and Clinical Knowledge (QUICK)" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="ServiceRequest" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
ServiceRequest" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="ServiceRequest">
42     <path value="ServiceRequest" />
43     <short value="Dieses Profil bildet die Dokumentation bzgl. der
Initiierung einer weiteren Abklärung ab." />
44     <constraint>
45       <key value="serv-1" />
46       <severity value="error" />
47       <human value="At least year, month and day are needed" />
48       <expression value="authoredOn.toString().length() >= 10" />
49       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U3_Pulse_Oxymetry_Clarification" />
50     </constraint>
51   </element>
52   <element id="ServiceRequest.meta">
53     <path value="ServiceRequest.meta" />
54     <min value="1" />
55   </element>
56   <element id="ServiceRequest.meta.versionId">
57     <path value="ServiceRequest.meta.versionId" />
58     <max value="0" />
59   </element>
60   <element id="ServiceRequest.meta.lastUpdated">
61     <path value="ServiceRequest.meta.lastUpdated" />
62     <max value="0" />
63   </element>
64   <element id="ServiceRequest.meta.source">
65     <path value="ServiceRequest.meta.source" />
66     <max value="0" />
67   </element>
68   <element id="ServiceRequest.meta.profile">
69     <path value="ServiceRequest.meta.profile" />
70     <min value="1" />
71     <max value="1" />
72     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Service_Request_U1_U3_Pulse_Oxymetry_Clarification|1.0.1" />
73   </element>
74   <element id="ServiceRequest.meta.security">
75     <path value="ServiceRequest.meta.security" />
76     <max value="0" />
77   </element>
78   <element id="ServiceRequest.meta.tag">
79     <path value="ServiceRequest.meta.tag" />
80     <max value="0" />
81   </element>
82   <element id="ServiceRequest.implicitRules">
83     <path value="ServiceRequest.implicitRules" />
84     <max value="0" />

```

```

85 </element>
86 <element id="ServiceRequest.language">
87   <path value="ServiceRequest.language" />
88   <max value="0" />
89 </element>
90 <element id="ServiceRequest.contained">
91   <path value="ServiceRequest.contained" />
92   <max value="0" />
93 </element>
94 <element id="ServiceRequest.identifier">
95   <path value="ServiceRequest.identifier" />
96   <max value="0" />
97 </element>
98 <element id="ServiceRequest.instantiatesCanonical">
99   <path value="ServiceRequest.instantiatesCanonical" />
100  <max value="0" />
101 </element>
102 <element id="ServiceRequest.instantiatesUri">
103   <path value="ServiceRequest.instantiatesUri" />
104   <max value="0" />
105 </element>
106 <element id="ServiceRequest.basedOn">
107   <path value="ServiceRequest.basedOn" />
108   <max value="0" />
109 </element>
110 <element id="ServiceRequest.replaces">
111   <path value="ServiceRequest.replaces" />
112   <max value="0" />
113 </element>
114 <element id="ServiceRequest.requisition">
115   <path value="ServiceRequest.requisition" />
116   <max value="0" />
117 </element>
118 <element id="ServiceRequest.status">
119   <path value="ServiceRequest.status" />
120   <fixedCode value="active" />
121 </element>
122 <element id="ServiceRequest.intent">
123   <path value="ServiceRequest.intent" />
124   <fixedCode value="order" />
125 </element>
126 <element id="ServiceRequest.category">
127   <path value="ServiceRequest.category" />
128   <max value="0" />
129 </element>
130 <element id="ServiceRequest.priority">
131   <path value="ServiceRequest.priority" />
132   <max value="0" />
133 </element>
134 <element id="ServiceRequest.doNotPerform">
135   <path value="ServiceRequest.doNotPerform" />
136   <max value="0" />
137 </element>
138 <element id="ServiceRequest.code">
139   <path value="ServiceRequest.code" />
140   <min value="1" />
141   <mustSupport value="true" />
142 </element>
143 <element id="ServiceRequest.code.coding">
144   <path value="ServiceRequest.code.coding" />

```

```

145     <min value="1" />
146     <max value="1" />
147     <mustSupport value="true" />
148 </element>
149 <element id="ServiceRequest.code.coding.system">
150   <path value="ServiceRequest.code.coding.system" />
151   <min value="1" />
152   <fixedUri value="http://snomed.info/sct" />
153 </element>
154 <element id="ServiceRequest.code.coding.version">
155   <path value="ServiceRequest.code.coding.version" />
156   <min value="1" />
157   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
158 </element>
159 <element id="ServiceRequest.code.coding.code">
160   <path value="ServiceRequest.code.coding.code" />
161   <min value="1" />
162   <fixedCode value="417311009" />
163 </element>
164 <element id="ServiceRequest.code.coding.display">
165   <path value="ServiceRequest.code.coding.display" />
166   <min value="1" />
167 </element>
168 <element id="ServiceRequest.code.coding.display.extension">
169   <path value="ServiceRequest.code.coding.display.extension" />
170   <licing>
171     <discriminator>
172       <type value="value" />
173       <path value="url" />
174     </discriminator>
175     <rules value="open" />
176   </licing>
177 </element>
178 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed">
179   <path value="ServiceRequest.code.coding.display.extension" />
180   <sliceName value="anzeigenameCodeSnomed" />
181   <min value="1" />
182   <max value="1" />
183   <type>
184     <code value="Extension" />
185     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
186   </type>
187   <mustSupport value="true" />
188 </element>
189 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension">
190   <path value="ServiceRequest.code.coding.display.extension.extension"
/>
191   <licing>
192     <discriminator>
193       <type value="value" />
194       <path value="url" />
195     </discriminator>
196     <rules value="open" />
197   </licing>
198 </element>

```

```

199     <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension:content">
200       <path value="ServiceRequest.code.coding.display.extension.extension"
/>
201       <sliceName value="content" />
202     </element>
203     <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension:content.value[x]">
204       <path value="ServiceRequest.code.coding.display.extension.extension.v
alue[x]" />
205       <licing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></licing>
206       <mustSupport value="true" />
207     </element>
208     <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension:content.value[x]:valueString">
209       <path value="ServiceRequest.code.coding.display.extension.extension.v
alueString" />
210       <sliceName value="valueString" />
211       <min value="1" />
212       <fixedString value="Abklärung veranlasst" />
213       <mustSupport value="true" />
214     </element>
215     <element id="ServiceRequest.code.coding.userSelected">
216       <path value="ServiceRequest.code.coding.userSelected" />
217       <max value="0" />
218     </element>
219     <element id="ServiceRequest.code.text">
220       <path value="ServiceRequest.code.text" />
221       <max value="0" />
222     </element>
223     <element id="ServiceRequest.orderDetail">
224       <path value="ServiceRequest.orderDetail" />
225       <max value="0" />
226     </element>
227     <element id="ServiceRequest.quantity[x]">
228       <path value="ServiceRequest.quantity[x]" />
229       <max value="0" />
230     </element>
231     <element id="ServiceRequest.subject">
232       <path value="ServiceRequest.subject" />
233       <type>
234         <code value="Reference" />
235         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
236       </type>
237       <mustSupport value="true" />
238     </element>
239     <element id="ServiceRequest.subject.reference">
240       <path value="ServiceRequest.subject.reference" />
241       <min value="1" />
242       <mustSupport value="true" />
243     </element>
244     <element id="ServiceRequest.subject.type">
245       <path value="ServiceRequest.subject.type" />
246       <max value="0" />
247     </element>
248     <element id="ServiceRequest.subject.identifier">
249       <path value="ServiceRequest.subject.identifier" />
250       <max value="0" />

```

```

251 </element>
252 <element id="ServiceRequest.subject.display">
253   <path value="ServiceRequest.subject.display" />
254   <max value="0" />
255 </element>
256 <element id="ServiceRequest.encounter">
257   <path value="ServiceRequest.encounter" />
258   <min value="1" />
259   <type>
260     <code value="Reference" />
261     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Encounter|1.0.1" />
262   </type>
263   <mustSupport value="true" />
264 </element>
265 <element id="ServiceRequest.encounter.reference">
266   <path value="ServiceRequest.encounter.reference" />
267   <min value="1" />
268   <mustSupport value="true" />
269 </element>
270 <element id="ServiceRequest.encounter.type">
271   <path value="ServiceRequest.encounter.type" />
272   <max value="0" />
273 </element>
274 <element id="ServiceRequest.encounter.identifier">
275   <path value="ServiceRequest.encounter.identifier" />
276   <max value="0" />
277 </element>
278 <element id="ServiceRequest.encounter.display">
279   <path value="ServiceRequest.encounter.display" />
280   <max value="0" />
281 </element>
282 <element id="ServiceRequest.occurrence[x]">
283   <path value="ServiceRequest.occurrence[x]" />
284   <max value="0" />
285 </element>
286 <element id="ServiceRequest.asNeeded[x]">
287   <path value="ServiceRequest.asNeeded[x]" />
288   <max value="0" />
289 </element>
290 <element id="ServiceRequest.authoredOn">
291   <path value="ServiceRequest.authoredOn" />
292   <min value="1" />
293   <mustSupport value="true" />
294 </element>
295 <element id="ServiceRequest.requester">
296   <path value="ServiceRequest.requester" />
297   <type>
298     <code value="Reference" />
299     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
300   </type>
301   <mustSupport value="true" />
302 </element>
303 <element id="ServiceRequest.requester.reference">
304   <path value="ServiceRequest.requester.reference" />
305   <min value="1" />
306 </element>
307 <element id="ServiceRequest.requester.type">
308   <path value="ServiceRequest.requester.type" />

```



```

309     <max value="0" />
310 </element>
311 <element id="ServiceRequest.requester.identifier">
312     <path value="ServiceRequest.requester.identifier" />
313     <max value="0" />
314 </element>
315 <element id="ServiceRequest.requester.display">
316     <path value="ServiceRequest.requester.display" />
317     <max value="0" />
318 </element>
319 <element id="ServiceRequest.performerType">
320     <path value="ServiceRequest.performerType" />
321     <max value="0" />
322 </element>
323 <element id="ServiceRequest.performer">
324     <path value="ServiceRequest.performer" />
325     <max value="0" />
326 </element>
327 <element id="ServiceRequest.locationCode">
328     <path value="ServiceRequest.locationCode" />
329     <max value="0" />
330 </element>
331 <element id="ServiceRequest.locationReference">
332     <path value="ServiceRequest.locationReference" />
333     <max value="0" />
334 </element>
335 <element id="ServiceRequest.reasonCode">
336     <path value="ServiceRequest.reasonCode" />
337     <max value="0" />
338 </element>
339 <element id="ServiceRequest.reasonCode.coding">
340     <path value="ServiceRequest.reasonCode.coding" />
341     <max value="0" />
342     <mustSupport value="false" />
343 </element>
344 <element id="ServiceRequest.reasonCode.coding.system">
345     <path value="ServiceRequest.reasonCode.coding.system" />
346     <max value="0" />
347 </element>
348 <element id="ServiceRequest.reasonCode.coding.version">
349     <path value="ServiceRequest.reasonCode.coding.version" />
350     <max value="0" />
351 </element>
352 <element id="ServiceRequest.reasonCode.coding.code">
353     <path value="ServiceRequest.reasonCode.coding.code" />
354     <max value="0" />
355 </element>
356 <element id="ServiceRequest.reasonCode.coding.display">
357     <path value="ServiceRequest.reasonCode.coding.display" />
358     <max value="0" />
359 </element>
360 <element id="ServiceRequest.reasonCode.coding.userSelected">
361     <path value="ServiceRequest.reasonCode.coding.userSelected" />
362     <max value="0" />
363 </element>
364 <element id="ServiceRequest.reasonCode.text">
365     <path value="ServiceRequest.reasonCode.text" />
366     <max value="0" />
367 </element>
368 <element id="ServiceRequest.reasonReference">

```

```

369     <path value="ServiceRequest.reasonReference" />
370     <min value="1" />
371     <max value="1" />
372     <type>
373         <code value="Reference" />
374         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Observation_U1_U3_Pulse_Oxymetry_Measurement|1.0.1" />
375     </type>
376     <mustSupport value="true" />
377 </element>
378 <element id="ServiceRequest.reasonReference.reference">
379     <path value="ServiceRequest.reasonReference.reference" />
380     <min value="1" />
381     <mustSupport value="true" />
382 </element>
383 <element id="ServiceRequest.reasonReference.type">
384     <path value="ServiceRequest.reasonReference.type" />
385     <max value="0" />
386 </element>
387 <element id="ServiceRequest.reasonReference.identifier">
388     <path value="ServiceRequest.reasonReference.identifier" />
389     <max value="0" />
390 </element>
391 <element id="ServiceRequest.reasonReference.display">
392     <path value="ServiceRequest.reasonReference.display" />
393     <max value="0" />
394 </element>
395 <element id="ServiceRequest.insurance">
396     <path value="ServiceRequest.insurance" />
397     <max value="0" />
398 </element>
399 <element id="ServiceRequest.supportingInfo">
400     <path value="ServiceRequest.supportingInfo" />
401     <max value="0" />
402 </element>
403 <element id="ServiceRequest.specimen">
404     <path value="ServiceRequest.specimen" />
405     <max value="0" />
406 </element>
407 <element id="ServiceRequest.bodySite">
408     <path value="ServiceRequest.bodySite" />
409     <max value="0" />
410 </element>
411 <element id="ServiceRequest.note">
412     <path value="ServiceRequest.note" />
413     <max value="0" />
414 </element>
415 <element id="ServiceRequest.patientInstruction">
416     <path value="ServiceRequest.patientInstruction" />
417     <max value="0" />
418 </element>
419 <element id="ServiceRequest.relevantHistory">
420     <path value="ServiceRequest.relevantHistory" />
421     <max value="0" />
422 </element>
423 </differential>
424 </StructureDefinition>

```

## 398. KBV\_PR\_MIO\_CMV\_SERVICE\_REQUEST\_U1\_U5\_REFERRAL\_PEDIATRIC\_AUDIOLOGY\_SERVICE

## KBV\_PR\_MIO\_CMV\_Service\_Request\_U1\_U5\_Referral\_Pediatric\_Audiology\_Service

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMV_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service"
   />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_CMV_Service_Request_U1_U5_Referral_Pediatric_Audi
ology_Service" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="v2" />
17    <uri value="http://hl7.org/v2" />
18    <name value="HL7 v2 Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="rim" />
22    <uri value="http://hl7.org/v3" />
23    <name value="RIM Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />

```

```

28     <name value="FiveWs Pattern Mapping" />
29 </mapping>
30 <mapping>
31     <identity value="quick" />
32     <uri value="http://siframework.org/cqf" />
33     <name value="Quality Improvement and Clinical Knowledge (QUICK)" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="ServiceRequest" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
ServiceRequest" />
39 <derivation value="constraint" />
40 <differential>
41     <element id="ServiceRequest">
42         <path value="ServiceRequest" />
43         <short value="Dieses Profil bildet die Dokumentation der Veranlassung
einer pädaudiologische Diagnostik ab." />
44
45         <constraint>
46             <key value="serv-0" />
47             <severity value="error" />
48             <human value="At least year, month and day are needed" />
49             <expression value="authoredOn.toString().length() >= 10" />
50         </constraint>
51     </element>
52     <element id="ServiceRequest.meta">
53         <path value="ServiceRequest.meta" />
54         <min value="1" />
55     </element>
56     <element id="ServiceRequest.meta.versionId">
57         <path value="ServiceRequest.meta.versionId" />
58         <max value="0" />
59     </element>
60     <element id="ServiceRequest.meta.lastUpdated">
61         <path value="ServiceRequest.meta.lastUpdated" />
62         <max value="0" />
63     </element>
64     <element id="ServiceRequest.meta.source">
65         <path value="ServiceRequest.meta.source" />
66         <max value="0" />
67     </element>
68     <element id="ServiceRequest.meta.profile">
69         <path value="ServiceRequest.meta.profile" />
70         <min value="1" />
71         <max value="1" />
72         <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Service_Request_U1_U5_Referral_Pediatric_Audiology_Service|
1.0.1" />
73     </element>
74     <element id="ServiceRequest.meta.security">
75         <path value="ServiceRequest.meta.security" />
76         <max value="0" />
77     </element>
78     <element id="ServiceRequest.meta.tag">
79         <path value="ServiceRequest.meta.tag" />
80         <max value="0" />
81     </element>
82     <element id="ServiceRequest.implicitRules">
83         <path value="ServiceRequest.implicitRules" />

```

```

84     <max value="0" />
85 </element>
86 <element id="ServiceRequest.language">
87     <path value="ServiceRequest.language" />
88     <max value="0" />
89 </element>
90 <element id="ServiceRequest.contained">
91     <path value="ServiceRequest.contained" />
92     <max value="0" />
93 </element>
94 <element id="ServiceRequest.identifier">
95     <path value="ServiceRequest.identifier" />
96     <max value="0" />
97 </element>
98 <element id="ServiceRequest.instantiatesCanonical">
99     <path value="ServiceRequest.instantiatesCanonical" />
100    <max value="0" />
101 </element>
102 <element id="ServiceRequest.instantiatesUri">
103     <path value="ServiceRequest.instantiatesUri" />
104     <max value="0" />
105 </element>
106 <element id="ServiceRequest.basedOn">
107     <path value="ServiceRequest.basedOn" />
108     <max value="0" />
109 </element>
110 <element id="ServiceRequest.replaces">
111     <path value="ServiceRequest.replaces" />
112     <max value="0" />
113 </element>
114 <element id="ServiceRequest.requisition">
115     <path value="ServiceRequest.requisition" />
116     <max value="0" />
117 </element>
118 <element id="ServiceRequest.status">
119     <path value="ServiceRequest.status" />
120     <binding>
121         <strength value="required" />
122         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Service_Request_Status" />
123     </binding>
124 </element>
125 <element id="ServiceRequest.intent">
126     <path value="ServiceRequest.intent" />
127     <fixedCode value="order" />
128 </element>
129 <element id="ServiceRequest.category">
130     <path value="ServiceRequest.category" />
131     <max value="0" />
132 </element>
133 <element id="ServiceRequest.priority">
134     <path value="ServiceRequest.priority" />
135     <max value="0" />
136 </element>
137 <element id="ServiceRequest.doNotPerform">
138     <path value="ServiceRequest.doNotPerform" />
139     <max value="0" />
140 </element>
141 <element id="ServiceRequest.code">
142     <path value="ServiceRequest.code" />

```

```

143     <min value="1" />
144     <mustSupport value="true" />
145 </element>
146 <element id="ServiceRequest.code.coding">
147     <path value="ServiceRequest.code.coding" />
148     <min value="1" />
149     <max value="1" />
150     <mustSupport value="true" />
151 </element>
152 <element id="ServiceRequest.code.coding.system">
153     <path value="ServiceRequest.code.coding.system" />
154     <min value="1" />
155     <fixedUri value="http://snomed.info/sct" />
156 </element>
157 <element id="ServiceRequest.code.coding.version">
158     <path value="ServiceRequest.code.coding.version" />
159     <min value="1" />
160     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
161 </element>
162 <element id="ServiceRequest.code.coding.code">
163     <path value="ServiceRequest.code.coding.code" />
164     <min value="1" />
165     <fixedCode value="306210008" />
166 </element>
167 <element id="ServiceRequest.code.coding.display">
168     <path value="ServiceRequest.code.coding.display" />
169     <min value="1" />
170 </element>
171 <element id="ServiceRequest.code.coding.display.extension">
172     <path value="ServiceRequest.code.coding.display.extension" />
173     <licing>
174         <discriminator>
175             <type value="value" />
176             <path value="url" />
177         </discriminator>
178         <rules value="open" />
179     </licing>
180 </element>
181 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed">
182     <path value="ServiceRequest.code.coding.display.extension" />
183     <sliceName value="anzeigenameCodeSnomed" />
184     <min value="1" />
185     <max value="1" />
186     <type>
187         <code value="Extension" />
188         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
189     </type>
190     <mustSupport value="true" />
191 </element>
192 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCo
deSnomed.extension">
193     <path value="ServiceRequest.code.coding.display.extension.extension"
/>
194     <licing>
195         <discriminator>
196             <type value="value" />
197             <path value="url" />

```

```

198     </discriminator>
199     <rules value="open" />
200 </slicing>
201 </element>
202 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCodeSnomed.extension:content">
203   <path value="ServiceRequest.code.coding.display.extension.extension" />
204   <sliceName value="content" />
205 </element>
206 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCodeSnomed.extension:content.value[x]">
207   <path value="ServiceRequest.code.coding.display.extension.extension.value[x]" />
208   <slicing><discriminator><type value="type" /><path value="$this" /></discriminator><rules value="closed" /></slicing>
209   <mustSupport value="true" />
210 </element>
211 <element id="ServiceRequest.code.coding.display.extension:anzeigenameCodeSnomed.extension:content.value[x]:valueString">
212   <path value="ServiceRequest.code.coding.display.extension.extension.value[x]" />
213   <sliceName value="valueString" />
214   <min value="1" />
215   <fixedString value="Päaudiologische Diagnostik bei auffälliger Kontroll-AABR veranlasst am:" />
216   <mustSupport value="true" />
217 </element>
218 <element id="ServiceRequest.code.coding.userSelected">
219   <path value="ServiceRequest.code.coding.userSelected" />
220   <max value="0" />
221 </element>
222 <element id="ServiceRequest.code.text">
223   <path value="ServiceRequest.code.text" />
224   <max value="0" />
225 </element>
226 <element id="ServiceRequest.orderDetail">
227   <path value="ServiceRequest.orderDetail" />
228   <max value="0" />
229 </element>
230 <element id="ServiceRequest.quantity[x]">
231   <path value="ServiceRequest.quantity[x]" />
232   <max value="0" />
233 </element>
234 <element id="ServiceRequest.subject">
235   <path value="ServiceRequest.subject" />
236   <type>
237     <code value="Reference" />
238     <targetProfile value="https://fhir.kbv.de/StructureDefinition/KBV_PR_MIO_CM_R_Patient|1.0.1" />
239   </type>
240   <mustSupport value="true" />
241 </element>
242 <element id="ServiceRequest.subject.reference">
243   <path value="ServiceRequest.subject.reference" />
244   <min value="1" />
245   <mustSupport value="true" />
246 </element>
247 <element id="ServiceRequest.subject.type">
248   <path value="ServiceRequest.subject.type" />

```

```

249     <max value="0" />
250 </element>
251 <element id="ServiceRequest.subject.identifier">
252     <path value="ServiceRequest.subject.identifier" />
253     <max value="0" />
254 </element>
255 <element id="ServiceRequest.subject.display">
256     <path value="ServiceRequest.subject.display" />
257     <max value="0" />
258 </element>
259 <element id="ServiceRequest.encounter">
260     <path value="ServiceRequest.encounter" />
261     <min value="1" />
262     <type>
263         <code value="Reference" />
264         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Encounter|1.0.1" />
265     </type>
266     <mustSupport value="true" />
267 </element>
268 <element id="ServiceRequest.encounter.reference">
269     <path value="ServiceRequest.encounter.reference" />
270     <min value="1" />
271     <mustSupport value="true" />
272 </element>
273 <element id="ServiceRequest.encounter.type">
274     <path value="ServiceRequest.encounter.type" />
275     <max value="0" />
276 </element>
277 <element id="ServiceRequest.encounter.identifier">
278     <path value="ServiceRequest.encounter.identifier" />
279     <max value="0" />
280 </element>
281 <element id="ServiceRequest.encounter.display">
282     <path value="ServiceRequest.encounter.display" />
283     <max value="0" />
284 </element>
285 <element id="ServiceRequest.occurrence[x]">
286     <path value="ServiceRequest.occurrence[x]" />
287     <max value="0" />
288 </element>
289 <element id="ServiceRequest.asNeeded[x]">
290     <path value="ServiceRequest.asNeeded[x]" />
291     <max value="0" />
292 </element>
293 <element id="ServiceRequest.authoredOn">
294     <path value="ServiceRequest.authoredOn" />
295     <min value="1" />
296     <mustSupport value="true" />
297 </element>
298 <element id="ServiceRequest.requester">
299     <path value="ServiceRequest.requester" />
300     <type>
301         <code value="Reference" />
302         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_Practitioner|1.0.1" />
303     </type>
304     <mustSupport value="true" />
305 </element>
306 <element id="ServiceRequest.requester.reference">

```



```

307     <path value="ServiceRequest.requester.reference" />
308     <min value="1" />
309     <mustSupport value="true" />
310 </element>
311 <element id="ServiceRequest.requester.type">
312     <path value="ServiceRequest.requester.type" />
313     <max value="0" />
314 </element>
315 <element id="ServiceRequest.requester.identifier">
316     <path value="ServiceRequest.requester.identifier" />
317     <max value="0" />
318 </element>
319 <element id="ServiceRequest.requester.display">
320     <path value="ServiceRequest.requester.display" />
321     <max value="0" />
322 </element>
323 <element id="ServiceRequest.performerType">
324     <path value="ServiceRequest.performerType" />
325     <max value="0" />
326 </element>
327 <element id="ServiceRequest.performer">
328     <path value="ServiceRequest.performer" />
329     <max value="0" />
330 </element>
331 <element id="ServiceRequest.locationCode">
332     <path value="ServiceRequest.locationCode" />
333     <max value="0" />
334 </element>
335 <element id="ServiceRequest.locationReference">
336     <path value="ServiceRequest.locationReference" />
337     <max value="0" />
338 </element>
339 <element id="ServiceRequest.reasonCode">
340     <path value="ServiceRequest.reasonCode" />
341     <max value="0" />
342 </element>
343 <element id="ServiceRequest.reasonReference">
344     <path value="ServiceRequest.reasonReference" />
345     <max value="0" />
346 </element>
347 <element id="ServiceRequest.insurance">
348     <path value="ServiceRequest.insurance" />
349     <max value="0" />
350 </element>
351 <element id="ServiceRequest.supportingInfo">
352     <path value="ServiceRequest.supportingInfo" />
353     <max value="0" />
354 </element>
355 <element id="ServiceRequest.specimen">
356     <path value="ServiceRequest.specimen" />
357     <max value="0" />
358 </element>
359 <element id="ServiceRequest.bodySite">
360     <path value="ServiceRequest.bodySite" />
361     <max value="0" />
362 </element>
363 <element id="ServiceRequest.note">
364     <path value="ServiceRequest.note" />
365     <max value="0" />
366 </element>

```

```
367     <element id="ServiceRequest.patientInstruction">
368       <path value="ServiceRequest.patientInstruction" />
369       <max value="0" />
370     </element>
371     <element id="ServiceRequest.relevantHistory">
372       <path value="ServiceRequest.relevantHistory" />
373       <max value="0" />
374     </element>
375   </differential>
376 </StructureDefinition>
```

### 399. KBV\_PR\_MIO\_PC\_COMPOSITION\_EXAMINATION\_PARTICIPATION

#### KBV\_PR\_MIO\_PC\_Composition\_Examination\_Participation

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PC_Composition_Examination_Participation" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_PC_Composition_Examination_Participation" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>
```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Dieses Profil dient der Abbildung der
Teilnahmekarte." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PC_Composition_Examination_Participation|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87     <element id="Composition.extension">
88     <path value="Composition.extension" />
89     <slicing>
90         <discriminator>
91             <type value="value" />
92             <path value="url" />
93         </discriminator>
94         <rules value="open" />
95     </slicing>
96 </element>
97 <element id="Composition.extension:einleitungsText">
98     <path value="Composition.extension" />
99     <sliceName value="einleitungsText" />
100    <min value="1" />
101    <max value="1" />
102    <type>
103        <code value="Extension" />
104        <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Note" />
105    </type>
106    <mustSupport value="true" />
107 </element>
108 <element id="Composition.extension:einleitungsText.value[x]:valueString
">
109     <path value="Composition.extension.value[x]" />
110     <sliceName value="valueString" />
111     <fixedString value="Liebe Eltern! Schützen Sie die Daten Ihres
Kindes! Mit dieser herausnehmbaren Karte können Sie bei Behörden,
Kindertragesstätten, Schulen und Jugendämtern den Nachweis erbringen, dass
Ihr Kind an den Untersuchungen teilgenommen hat." />
112     <mustSupport value="true" />
113 </element>
114 <element id="Composition.extension:hinweisText">
115     <path value="Composition.extension" />
116     <sliceName value="hinweisText" />
117     <min value="1" />
118     <max value="1" />
119     <type>
120         <code value="Extension" />
121         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_CMR_Instruction" />
122     </type>
123     <mustSupport value="true" />
124 </element>
125 <element id="Composition.extension:hinweisText.value[x]:valueString">
126     <path value="Composition.extension.value[x]" />
127     <sliceName value="valueString" />
128     <fixedString value="* Die Untersuchung beinhaltet eine ärztliche
Beratung in Bezug auf einen vollständigen altersgemäßen, entsprechend der
Schutzimpfungs-Richtlinie des G-BA ausreichenden Impfschutz." />
129     <mustSupport value="true" />
130 </element>
131 <element id="Composition.identifizier">
132     <path value="Composition.identifizier" />
133     <max value="0" />
134 </element>
135
136 <element id="Composition.status">
137     <path value="Composition.status" />
138     <fixedCode value="final" />

```

```

139 </element>
140 <element id="Composition.type">
141   <path value="Composition.type" />
142   <mustSupport value="true" />
143 </element>
144 <element id="Composition.type.coding">
145   <path value="Composition.type.coding" />
146   <min value="1" />
147   <max value="1" />
148   <mustSupport value="true" />
149 </element>
150 <element id="Composition.type.coding.system">
151   <path value="Composition.type.coding.system" />
152   <min value="1" />
153   <fixedUri value="http://snomed.info/sct" />
154 </element>
155 <element id="Composition.type.coding.version">
156   <path value="Composition.type.coding.version" />
157   <min value="1" />
158   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
159 </element>
160 <element id="Composition.type.coding.code">
161   <path value="Composition.type.coding.code" />
162   <min value="1" />
163   <fixedCode value="314845004" />
164 </element>
165 <element id="Composition.type.coding.display">
166   <path value="Composition.type.coding.display" />
167   <min value="1" />
168   <fixedString value="Patient participation status (finding)" />
169 </element>
170 <element id="Composition.type.coding.userSelected">
171   <path value="Composition.type.coding.userSelected" />
172   <max value="0" />
173 </element>
174 <element id="Composition.type.text">
175   <path value="Composition.type.text" />
176   <max value="0" />
177 </element>
178 <element id="Composition.category">
179   <path value="Composition.category" />
180   <max value="0" />
181 </element>
182 <element id="Composition.subject">
183   <path value="Composition.subject" />
184   <min value="1" />
185   <type>
186     <code value="Reference" />
187     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient|1.0.1" />
188   </type>
189   <mustSupport value="true" />
190 </element>
191 <element id="Composition.subject.reference">
192   <path value="Composition.subject.reference" />
193   <min value="1" />
194   <mustSupport value="true" />
195 </element>
196 <element id="Composition.subject.type">

```

```

197     <path value="Composition.subject.type" />
198     <max value="0" />
199 </element>
200 <element id="Composition.subject.identifier">
201     <path value="Composition.subject.identifier" />
202     <max value="0" />
203 </element>
204 <element id="Composition.subject.display">
205     <path value="Composition.subject.display" />
206     <max value="0" />
207 </element>
208 <element id="Composition.encounter">
209     <path value="Composition.encounter" />
210     <min value="1" />
211     <type>
212         <code value="Reference" />
213         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PC_Encounter|1.0.1" />
214     </type>
215     <mustSupport value="true" />
216 </element>
217 <element id="Composition.encounter.reference">
218     <path value="Composition.encounter.reference" />
219     <min value="1" />
220 </element>
221 <element id="Composition.encounter.type">
222     <path value="Composition.encounter.type" />
223     <max value="0" />
224 </element>
225 <element id="Composition.encounter.identifier">
226     <path value="Composition.encounter.identifier" />
227     <max value="0" />
228 </element>
229 <element id="Composition.encounter.display">
230     <path value="Composition.encounter.display" />
231     <max value="0" />
232 </element>
233 <element id="Composition.date">
234     <path value="Composition.date" />
235     <mustSupport value="true" />
236 </element>
237 <element id="Composition.author">
238     <path value="Composition.author" />
239     <max value="2" />
240     <type>
241         <code value="Reference" />
242         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Practitioner|1.0.1" />
243         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Organization|1.0.1" />
244     </type>
245     <mustSupport value="true" />
246 </element>
247 <element id="Composition.author.reference">
248     <path value="Composition.author.reference" />
249     <min value="1" />
250     <mustSupport value="true" />
251 </element>
252 <element id="Composition.author.type">
253     <path value="Composition.author.type" />

```

```
254     <max value="0" />
255 </element>
256 <element id="Composition.author.identifler">
257     <path value="Composition.author.identifler" />
258     <max value="0" />
259 </element>
260 <element id="Composition.author.display">
261     <path value="Composition.author.display" />
262     <max value="0" />
263 </element>
264 <element id="Composition.title">
265     <path value="Composition.title" />
266     <fixedString value="Teilnahmekarte" />
267     <mustSupport value="true" />
268 </element>
269 <element id="Composition.confidentiality">
270     <path value="Composition.confidentiality" />
271     <max value="0" />
272 </element>
273 <element id="Composition.attester">
274     <path value="Composition.attester" />
275     <max value="0" />
276 </element>
277 <element id="Composition.custodian">
278     <path value="Composition.custodian" />
279     <max value="0" />
280 </element>
281 <element id="Composition.relatesTo">
282     <path value="Composition.relatesTo" />
283     <max value="0" />
284 </element>
285 <element id="Composition.event">
286     <path value="Composition.event" />
287     <max value="0" />
288 </element>
289 <element id="Composition.section">
290     <path value="Composition.section" />
291     <max value="0" />
292 </element>
293 </differential>
294 </StructureDefinition>
```



#### 400. KBV\_PR\_MIO\_PC\_ENCOUNTER

##### KBV\_PR\_MIO\_PC\_Encounter

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PC_Encounter" />
3    <version value="1.0.1" />
4    <name value="KBV_PR_MIO_PC_Encounter" />
5    <status value="draft" />
6
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9    <fhirVersion value="4.0.1" />
10   <mapping>
11     <identity value="workflow" />
12     <uri value="http://hl7.org/fhir/workflow" />
13     <name value="Workflow Pattern" />
14   </mapping>
15   <mapping>
16     <identity value="rim" />
17     <uri value="http://hl7.org/v3" />
18     <name value="RIM Mapping" />
19   </mapping>
20   <mapping>
21     <identity value="w5" />
22     <uri value="http://hl7.org/fhir/fivews" />
23     <name value="FiveWs Pattern Mapping" />
24   </mapping>
25   <mapping>
26     <identity value="v2" />
27     <uri value="http://hl7.org/v2" />
28     <name value="HL7 v2 Mapping" />
29   </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Encounter" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Encounter" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Encounter">
37 <path value="Encounter" />
38 <short value="Dieses Profil bildet das Untersuchungsdatum ab." />
39 </element>
40 <element id="Encounter.meta">
41 <path value="Encounter.meta" />
42 <min value="1" />
43 </element>
44 <element id="Encounter.meta.versionId">
45 <path value="Encounter.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Encounter.meta.lastUpdated">
49 <path value="Encounter.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Encounter.meta.source">
53 <path value="Encounter.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Encounter.meta.profile">
57 <path value="Encounter.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PC_Encounter|1.0.1" />
61 </element>
62 <element id="Encounter.meta.security">
63 <path value="Encounter.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Encounter.meta.tag">
67 <path value="Encounter.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Encounter.implicitRules">
71 <path value="Encounter.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Encounter.language">
75 <path value="Encounter.language" />
76 <max value="0" />
77 </element>
78 <element id="Encounter.text">
79 <path value="Encounter.text" />
80 <max value="0" />
81 </element>
82 <element id="Encounter.contained">
83 <path value="Encounter.contained" />
84 <max value="0" />
85 </element>
86 <element id="Encounter.identifier">
87 <path value="Encounter.identifier" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Encounter.status">
91     <path value="Encounter.status" />
92     <fixedCode value="finished" />
93 </element>
94 <element id="Encounter.statusHistory">
95     <path value="Encounter.statusHistory" />
96     <max value="0" />
97 </element>
98 <element id="Encounter.class">
99     <path value="Encounter.class" />
100    <mustSupport value="true" />
101 </element>
102 <element id="Encounter.class.system">
103     <path value="Encounter.class.system" />
104     <min value="1" />
105     <fixedUri value="http://terminology.hl7.org/CodeSystem/v3-ActCode" />
106 </element>
107 <element id="Encounter.class.version">
108     <path value="Encounter.class.version" />
109     <min value="1" />
110     <fixedString value="2.0.0" />
111 </element>
112 <element id="Encounter.class.code">
113     <path value="Encounter.class.code" />
114     <min value="1" />
115     <fixedCode value="AMB" />
116 </element>
117 <element id="Encounter.class.display">
118     <path value="Encounter.class.display" />
119     <min value="1" />
120     <fixedString value="ambulatory" />
121 </element>
122 <element id="Encounter.class.userSelected">
123     <path value="Encounter.class.userSelected" />
124     <max value="0" />
125 </element>
126 <element id="Encounter.classHistory">
127     <path value="Encounter.classHistory" />
128     <max value="0" />
129 </element>
130 <element id="Encounter.type">
131     <path value="Encounter.type" />
132     <min value="1" />
133     <max value="1" />
134     <mustSupport value="true" />
135     <binding>
136         <strength value="required" />
137         <description value="Examination Number" />
138         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_PC_PN_Examination_Number" />
139     </binding>
140 </element>
141 <element id="Encounter.type.coding">
142     <path value="Encounter.type.coding" />
143     <min value="1" />
144     <max value="1" />
145     <mustSupport value="true" />
146 </element>

```

```

147 <element id="Encounter.type.coding.system">
148   <path value="Encounter.type.coding.system" />
149   <min value="1" />
150 </element>
151 <element id="Encounter.type.coding.version">
152   <path value="Encounter.type.coding.version" />
153   <min value="1" />
154 </element>
155 <element id="Encounter.type.coding.code">
156   <path value="Encounter.type.coding.code" />
157   <min value="1" />
158 </element>
159 <element id="Encounter.type.coding.display">
160   <path value="Encounter.type.coding.display" />
161   <min value="1" />
162 </element>
163 <element id="Encounter.type.coding.display.extension">
164   <path value="Encounter.type.coding.display.extension" />
165   <licing>
166     <discriminator>
167       <type value="value" />
168       <path value="url" />
169     </discriminator>
170     <rules value="open" />
171   </licing>
172 </element>
173 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med">
174   <path value="Encounter.type.coding.display.extension" />
175   <sliceName value="anzeigenameTypeSnomed" />
176   <min value="1" />
177   <max value="1" />
178   <type>
179     <code value="Extension" />
180     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
181   </type>
182 </element>
183 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension">
184   <path value="Encounter.type.coding.display.extension.extension" />
185   <licing>
186     <discriminator>
187       <type value="value" />
188       <path value="url" />
189     </discriminator>
190     <rules value="open" />
191   </licing>
192 </element>
193 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content">
194   <path value="Encounter.type.coding.display.extension.extension" />
195   <sliceName value="content" />
196 </element>
197 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content.value[x]:valueString">
198   <path value="Encounter.type.coding.display.extension.extension.value[
x]" />
199   <sliceName value="valueString" />

```

```

200     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_PC_PN_Examination_Number_German|1.0.1" />
201     <min value="1" />
202   </element>
203     <element id="Encounter.type.coding.userSelected" >
204       <path value="Encounter.type.coding.userSelected" />
205       <max value="0" />
206     </element>
207   <element id="Encounter.type.text">
208     <path value="Encounter.type.text" />
209     <max value="0" />
210   </element>
211   <element id="Encounter.serviceType">
212     <path value="Encounter.serviceType" />
213     <max value="0" />
214   </element>
215   <element id="Encounter.priority">
216     <path value="Encounter.priority" />
217     <max value="0" />
218   </element>
219   <element id="Encounter.subject">
220     <path value="Encounter.subject" />
221     <min value="1" />
222     <type>
223       <code value="Reference" />
224       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
225     </type>
226     <mustSupport value="true" />
227   </element>
228   <element id="Encounter.subject.reference">
229     <path value="Encounter.subject.reference" />
230     <min value="1" />
231     <mustSupport value="true" />
232   </element>
233   <element id="Encounter.subject.type">
234     <path value="Encounter.subject.type" />
235     <max value="0" />
236   </element>
237   <element id="Encounter.subject.identifier">
238     <path value="Encounter.subject.identifier" />
239     <max value="0" />
240   </element>
241   <element id="Encounter.subject.display">
242     <path value="Encounter.subject.display" />
243     <max value="0" />
244   </element>
245   <element id="Encounter.episodeOfCare">
246     <path value="Encounter.episodeOfCare" />
247     <max value="0" />
248   </element>
249   <element id="Encounter.basedOn">
250     <path value="Encounter.basedOn" />
251     <max value="0" />
252   </element>
253   <element id="Encounter.participant">
254     <path value="Encounter.participant" />

```

```

255     <min value="1" />
256     <max value="1" />
257     <mustSupport value="true" />
258 </element>
259 <element id="Encounter.participant.type">
260   <path value="Encounter.participant.type" />
261   <min value="1" />
262   <max value="1" />
263   <mustSupport value="true" />
264 </element>
265 <element id="Encounter.participant.type.coding">
266   <path value="Encounter.participant.type.coding" />
267   <min value="1" />
268   <max value="1" />
269   <mustSupport value="true" />
270 </element>
271 <element id="Encounter.participant.type.coding.system">
272   <path value="Encounter.participant.type.coding.system" />
273   <min value="1" />
274   <fixedUri value="http://terminology.hl7.org/CodeSystem/v3-
ParticipationType" />
275 </element>
276 <element id="Encounter.participant.type.coding.version">
277   <path value="Encounter.participant.type.coding.version" />
278   <min value="1" />
279   <fixedString value="2.0.0" />
280 </element>
281 <element id="Encounter.participant.type.coding.code">
282   <path value="Encounter.participant.type.coding.code" />
283   <min value="1" />
284   <fixedCode value="PPRF" />
285 </element>
286 <element id="Encounter.participant.type.coding.display">
287   <path value="Encounter.participant.type.coding.display" />
288   <min value="1" />
289   <fixedString value="primary performer" />
290 </element>
291 <element id="Encounter.participant.type.coding.userSelected">
292   <path value="Encounter.participant.type.coding.userSelected" />
293   <max value="0" />
294 </element>
295 <element id="Encounter.participant.type.text">
296   <path value="Encounter.participant.type.text" />
297   <max value="0" />
298 </element>
299 <element id="Encounter.participant.period">
300   <path value="Encounter.participant.period" />
301   <max value="0" />
302 </element>
303 <element id="Encounter.participant.individual">
304   <path value="Encounter.participant.individual" />
305   <min value="1" />
306   <type>
307     <code value="Reference" />
308     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Practitioner|1.0.1" />
309   </type>
310   <mustSupport value="true" />
311 </element>
312 <element id="Encounter.participant.individual.reference">

```

```

313     <path value="Encounter.participant.individual.reference" />
314     <min value="1" />
315     <mustSupport value="true" />
316 </element>
317 <element id="Encounter.participant.individual.type">
318     <path value="Encounter.participant.individual.type" />
319     <max value="0" />
320 </element>
321 <element id="Encounter.participant.individual.identifier">
322     <path value="Encounter.participant.individual.identifier" />
323     <max value="0" />
324 </element>
325 <element id="Encounter.participant.individual.display">
326     <path value="Encounter.participant.individual.display" />
327     <max value="0" />
328 </element>
329 <element id="Encounter.appointment">
330     <path value="Encounter.appointment" />
331     <max value="0" />
332 </element>
333 <element id="Encounter.period">
334     <path value="Encounter.period" />
335     <min value="1" />
336     <mustSupport value="true" />
337 </element>
338 <element id="Encounter.period.start">
339     <path value="Encounter.period.start" />
340     <min value="1" />
341     <mustSupport value="true" />
342 </element>
343 <element id="Encounter.period.end">
344     <path value="Encounter.period.end" />
345     <max value="0" />
346 </element>
347 <element id="Encounter.length">
348     <path value="Encounter.length" />
349     <max value="0" />
350 </element>
351 <element id="Encounter.reasonCode">
352     <path value="Encounter.reasonCode" />
353     <max value="0" />
354 </element>
355 <element id="Encounter.reasonReference">
356     <path value="Encounter.reasonReference" />
357     <max value="0" />
358 </element>
359 <element id="Encounter.diagnosis">
360     <path value="Encounter.diagnosis" />
361     <max value="0" />
362 </element>
363 <element id="Encounter.account">
364     <path value="Encounter.account" />
365     <max value="0" />
366 </element>
367 <element id="Encounter.hospitalization">
368     <path value="Encounter.hospitalization" />
369     <max value="0" />
370 </element>
371 <element id="Encounter.location">
372     <path value="Encounter.location" />

```

```

373     <max value="0" />
374 </element>
375 <element id="Encounter.serviceProvider">
376   <path value="Encounter.serviceProvider" />
377   <type>
378     <code value="Reference" />
379     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Organization|1.0.1" />
380   </type>
381   <mustSupport value="true" />
382 </element>
383 <element id="Encounter.serviceProvider.reference">
384   <path value="Encounter.serviceProvider.reference" />
385   <min value="1" />
386   <mustSupport value="true" />
387 </element>
388 <element id="Encounter.serviceProvider.type">
389   <path value="Encounter.serviceProvider.type" />
390   <max value="0" />
391 </element>
392 <element id="Encounter.serviceProvider.identifier">
393   <path value="Encounter.serviceProvider.identifier" />
394   <max value="0" />
395 </element>
396 <element id="Encounter.serviceProvider.display">
397   <path value="Encounter.serviceProvider.display" />
398   <max value="0" />
399 </element>
400 <element id="Encounter.partOf">
401   <path value="Encounter.partOf" />
402   <max value="0" />
403 </element>
404 </differential>
405 </StructureDefinition>

```



## 401. KBV\_PR\_MIO\_PN\_BUNDLE

### KBV\_PR\_MIO\_PN\_Bundle

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Bundle" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_PN_Bundle" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="v2" />
12    <uri value="http://hl7.org/v2" />
13    <name value="HL7 v2 Mapping" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="w5" />
27    <uri value="http://hl7.org/fhir/fivews" />
28    <name value="FiveWs Pattern Mapping" />
29  </mapping>
```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Bundle" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/Bundle" />
34 <derivation value="constraint" />
35 <differential>
36   <element id="Bundle">
37     <path value="Bundle" />
38     <short value="Dieses Profil Dieses Profil dient als bündelndes
Element. Das Bundle kann als Klammer-Ressource verstanden werden, die die
notwendigen Ressourcen zusammenfügt. Diese Ressource und die darin
gebündelten Ressourcen können dann mit einer Signatur versehen werden." />
39     <constraint>
40       <key value="TypeComposition" />
41       <severity value="error" />
42       <human value="Es dürfen nur Compositions der U-Untersuchungen bzw.
der speziellen Früherkennungsuntersuchungen vorhanden sein" />
43       <expression value="entry.where(meta.profile='https://fhir.kbv.de/
StructureDefinition/
KBV_PR_MIO_PN_Composition_Parental_Notes').isDistinct()" />
44       <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Bundle" />
45     </constraint>
46     <constraint>
47       <key value="OneComposition" />
48       <severity value="error" />
49       <human value="Es darf genau eine Composition geben" />
50       <expression value="entry.where(ofType(Composition)).isDistinct()" /
>
51     <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Bundle" />
52   </constraint>
53 </element>
54 <element id="Bundle.meta">
55   <path value="Bundle.meta" />
56   <min value="1" />
57 </element>
58 <element id="Bundle.meta.versionId">
59   <path value="Bundle.meta.versionId" />
60   <max value="0" />
61 </element>
62 <element id="Bundle.meta.lastUpdated">
63   <path value="Bundle.meta.lastUpdated" />
64   <max value="0" />
65 </element>
66 <element id="Bundle.meta.source">
67   <path value="Bundle.meta.source" />
68   <max value="0" />
69 </element>
70 <element id="Bundle.meta.profile">
71   <path value="Bundle.meta.profile" />
72   <min value="1" />
73   <max value="1" />
74   <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Bundle|1.0.1" />
75 </element>
76 <element id="Bundle.meta.security">
77   <path value="Bundle.meta.security" />
78   <max value="0" />
79 </element>

```

```

80 <element id="Bundle.meta.tag">
81   <path value="Bundle.meta.tag" />
82   <max value="0" />
83 </element>
84 <element id="Bundle.implicitRules">
85   <path value="Bundle.implicitRules" />
86   <max value="0" />
87 </element>
88 <element id="Bundle.language">
89   <path value="Bundle.language" />
90   <max value="0" />
91 </element>
92 <element id="Bundle.identifier">
93   <path value="Bundle.identifier" />
94   <min value="1" />
95   <mustSupport value="true" />
96 </element>
97 <element id="Bundle.identifier.use">
98   <path value="Bundle.identifier.use" />
99   <max value="0" />
100 </element>
101 <element id="Bundle.identifier.type">
102   <path value="Bundle.identifier.type" />
103   <max value="0" />
104 </element>
105 <element id="Bundle.identifier.system">
106   <path value="Bundle.identifier.system" />
107   <min value="1" />
108   <fixedUri value="urn:ietf:rhc:3938" />
109   <mustSupport value="true" />
110 </element>
111 <element id="Bundle.identifier.value">
112   <path value="Bundle.identifier.value" />
113   <min value="1" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Bundle.identifier.period">
117   <path value="Bundle.identifier.period" />
118   <max value="0" />
119 </element>
120 <element id="Bundle.identifier.assigner">
121   <path value="Bundle.identifier.assigner" />
122   <max value="0" />
123 </element>
124 <element id="Bundle.type">
125   <path value="Bundle.type" />
126   <fixedCode value="document" />
127   <mustSupport value="true" />
128 </element>
129 <element id="Bundle.timestamp">
130   <path value="Bundle.timestamp" />
131   <min value="1" />
132   <mustSupport value="true" />
133 </element>
134 <element id="Bundle.total">
135   <path value="Bundle.total" />
136   <max value="0" />
137 </element>
138 <element id="Bundle.link">
139   <path value="Bundle.link" />

```

```
140     <max value="0" />
141 </element>
142 <element id="Bundle.entry">
143     <path value="Bundle.entry" />
144     <min value="1" />
145     <mustSupport value="true" />
146 </element>
147 <element id="Bundle.entry.link">
148     <path value="Bundle.entry.link" />
149     <max value="0" />
150 </element>
151 <element id="Bundle.entry.fullUrl">
152     <path value="Bundle.entry.fullUrl" />
153     <min value="1" />
154     <mustSupport value="true" />
155 </element>
156 <element id="Bundle.entry.resource">
157     <path value="Bundle.entry.resource" />
158     <min value="1" />
159     <mustSupport value="true" />
160 </element>
161 <element id="Bundle.entry.search">
162     <path value="Bundle.entry.search" />
163     <max value="0" />
164 </element>
165 <element id="Bundle.entry.request">
166     <path value="Bundle.entry.request" />
167     <max value="0" />
168 </element>
169 <element id="Bundle.entry.response">
170     <path value="Bundle.entry.response" />
171     <max value="0" />
172 </element>
173 <element id="Bundle.signature">
174     <path value="Bundle.signature" />
175     <max value="0" />
176 </element>
177 </differential>
178 </StructureDefinition>
```

## 402. KBV\_PR\_MIO\_PN\_COMPOSITION\_PARENTAL\_NOTES

### KBV\_PR\_MIO\_PN\_Composition\_Parental\_Notes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Composition_Parental_Notes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_PN_Composition_Parental_Notes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="cda" />
22    <uri value="http://hl7.org/v3/cda" />
23    <name value="CDA (R2)" />
24  </mapping>
25  <mapping>
26    <identity value="fhirdocumentreference" />
27    <uri value="http://hl7.org/fhir/documentreference" />
28    <name value="FHIR DocumentReference" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <kind value="resource" />
36 <abstract value="false" />
37 <type value="Composition" />
38 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
39 <derivation value="constraint" />
40 <differential>
41   <element id="Composition">
42     <path value="Composition" />
43     <short value="Diese Composition bildet alle Ressourcen ab, die im
Zusammenhang mit den elterlichen Notizen stehen." />
44   </element>
45   <element id="Composition.meta">
46     <path value="Composition.meta" />
47     <min value="1" />
48   </element>
49   <element id="Composition.meta.versionId">
50     <path value="Composition.meta.versionId" />
51     <max value="0" />
52   </element>
53   <element id="Composition.meta.lastUpdated">
54     <path value="Composition.meta.lastUpdated" />
55     <max value="0" />
56   </element>
57   <element id="Composition.meta.source">
58     <path value="Composition.meta.source" />
59     <max value="0" />
60   </element>
61   <element id="Composition.meta.profile">
62     <path value="Composition.meta.profile" />
63     <min value="1" />
64     <max value="1" />
65     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Composition_Parental_Notes|1.0.1" />
66   </element>
67   <element id="Composition.meta.security">
68     <path value="Composition.meta.security" />
69     <max value="0" />
70   </element>
71   <element id="Composition.meta.tag">
72     <path value="Composition.meta.tag" />
73     <max value="0" />
74   </element>
75   <element id="Composition.implicitRules">
76     <path value="Composition.implicitRules" />
77     <max value="0" />
78   </element>
79   <element id="Composition.language">
80     <path value="Composition.language" />
81     <max value="0" />
82   </element>
83   <element id="Composition.contained">
84     <path value="Composition.contained" />
85     <max value="0" />
86   </element>

```

```

87 <element id="Composition.extension">
88   <path value="Composition.extension" />
89   < slicing>
90     < discriminator>
91       < type value="value" />
92       < path value="url" />
93     </ discriminator>
94     < rules value="open" />
95   </ slicing>
96 </ element>
97 <element id="Composition.extension:notizenEinleitung">
98   <path value="Composition.extension" />
99   < sliceName value="notizenEinleitung" />
100  <min value="1" />
101  <max value="1" />
102  <type>
103    <code value="Extension" />
104    <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Additional_Comment" />
105  </type>
106  <mustSupport value="true" />
107 </element>
108 <element id="Composition.extension:notizenEinleitung.value[x]">
109   <path value="Composition.extension.value[x]" />
110   <mustSupport value="true" />
111 </element>
112 <element id="Composition.extension:notizenEinleitung.value[x]:valueString">
113   <path value="Composition.extension.value[x]" />
114   < sliceName value="valueString" />
115   < fixedString value="Tipp: Ist Ihnen bei Ihrem Baby etwas aufgefallen,
das Sie ungewöhnlich finden? Am besten notieren Sie sich vor der
Untersuchung, was Sie beobachtet haben und worüber Sie mit Ihrer Ärztin
oder Ihrem Arzt sprechen möchten." />
116   < mustSupport value="true" />
117 </ element>
118 <element id="Composition.identifier">
119   <path value="Composition.identifier" />
120   <max value="0" />
121 </ element>
122 <element id="Composition.status">
123   <path value="Composition.status" />
124   <fixedCode value="final" />
125 </ element>
126 <element id="Composition.type">
127   <path value="Composition.type" />
128   <mustSupport value="true" />
129 </ element>
130 <element id="Composition.type.coding">
131   <path value="Composition.type.coding" />
132   <min value="1" />
133   <max value="1" />
134   <mustSupport value="true" />
135 </ element>
136 <element id="Composition.type.coding.system">
137   <path value="Composition.type.coding.system" />
138   <min value="1" />
139   <fixedUri value="http://snomed.info/sct" />
140 </ element>
141 <element id="Composition.type.coding.version">

```

```

142     <path value="Composition.type.coding.version" />
143     <min value="1" />
144     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
145 </element>
146 <element id="Composition.type.coding.code">
147     <path value="Composition.type.coding.code" />
148     <min value="1" />
149     <fixedCode value="401141001" />
150 </element>
151 <element id="Composition.type.coding.display">
152     <path value="Composition.type.coding.display" />
153     <min value="1" />
154     <fixedString value="Parental concern about child (finding)" />
155 </element>
156 <element id="Composition.type.coding.userSelected">
157     <path value="Composition.type.coding.userSelected" />
158     <max value="0" />
159 </element>
160 <element id="Composition.type.text">
161     <path value="Composition.type.text" />
162     <max value="0" />
163 </element>
164 <element id="Composition.category">
165     <path value="Composition.category" />
166     <min value="1" />
167     <max value="1" />
168     <mustSupport value="true" />
169 </element>
170 <element id="Composition.category.coding">
171     <path value="Composition.category.coding" />
172     <min value="1" />
173     <max value="1" />
174     <mustSupport value="true" />
175 </element>
176 <element id="Composition.category.coding.system">
177     <path value="Composition.category.coding.system" />
178     <min value="1" />
179     <fixedUri value="http://snomed.info/sct" />
180 </element>
181 <element id="Composition.category.coding.version">
182     <path value="Composition.category.coding.version" />
183     <min value="1" />
184     <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
185 </element>
186 <element id="Composition.category.coding.code">
187     <path value="Composition.category.coding.code" />
188     <min value="1" />
189     <fixedCode value="243788004" />
190 </element>
191 <element id="Composition.category.coding.display">
192     <path value="Composition.category.coding.display" />
193     <min value="1" />
194     <fixedString value="Child examination (procedure)" />
195 </element>
196 <element id="Composition.category.coding.userSelected">
197     <path value="Composition.category.coding.userSelected" />
198     <max value="0" />
199 </element>

```



```

200 <element id="Composition.category.text">
201   <path value="Composition.category.text" />
202   <max value="0" />
203 </element>
204 <element id="Composition.subject">
205   <path value="Composition.subject" />
206   <min value="1" />
207   <type>
208     <code value="Reference" />
209     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient|1.0.1" />
210   </type>
211   <mustSupport value="true" />
212 </element>
213 <element id="Composition.subject.reference">
214   <path value="Composition.subject.reference" />
215   <min value="1" />
216   <mustSupport value="true" />
217 </element>
218 <element id="Composition.subject.type">
219   <path value="Composition.subject.type" />
220   <max value="0" />
221 </element>
222 <element id="Composition.subject.identifier">
223   <path value="Composition.subject.identifier" />
224   <max value="0" />
225 </element>
226 <element id="Composition.subject.display">
227   <path value="Composition.subject.display" />
228   <max value="0" />
229 </element>
230 <element id="Composition.encounter">
231   <path value="Composition.encounter" />
232   <min value="1" />
233   <type>
234     <code value="Reference" />
235     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Encounter|1.0.1" />
236   </type>
237   <mustSupport value="true" />
238 </element>
239 <element id="Composition.encounter.reference">
240   <path value="Composition.encounter.reference" />
241   <min value="1" />
242   <mustSupport value="true" />
243 </element>
244 <element id="Composition.encounter.type">
245   <path value="Composition.encounter.type" />
246   <max value="0" />
247 </element>
248 <element id="Composition.encounter.identifier">
249   <path value="Composition.encounter.identifier" />
250   <max value="0" />
251 </element>
252 <element id="Composition.encounter.display">
253   <path value="Composition.encounter.display" />
254   <max value="0" />
255 </element>
256 <element id="Composition.author">
257   <path value="Composition.author" />

```

```

258     <mustSupport value="true" />
259 </element>
260 <element id="Composition.author.reference">
261     <path value="Composition.author.reference" />
262     <max value="0" />
263 </element>
264 <element id="Composition.author.type">
265     <path value="Composition.author.type" />
266     <max value="0" />
267 </element>
268 <element id="Composition.author.identifrier">
269     <path value="Composition.author.identifrier" />
270     <max value="0" />
271 </element>
272 <element id="Composition.author.display">
273     <path value="Composition.author.display" />
274     <min value="1" />
275     <mustSupport value="true" />
276 </element>
277 <element id="Composition.title">
278     <path value="Composition.title" />
279     <fixedString value="Hier können Sie Ihre Notizen eintragen:" />
280     <mustSupport value="true" />
281 </element>
282 <element id="Composition.confidentiality">
283     <path value="Composition.confidentiality" />
284     <max value="0" />
285 </element>
286 <element id="Composition.attester">
287     <path value="Composition.attester" />
288     <max value="0" />
289 </element>
290 <element id="Composition.custodian">
291     <path value="Composition.custodian" />
292     <max value="0" />
293 </element>
294 <element id="Composition.relatesTo">
295     <path value="Composition.relatesTo" />
296     <max value="0" />
297 </element>
298 <element id="Composition.event">
299     <path value="Composition.event" />
300     <max value="0" />
301 </element>
302 <element id="Composition.section">
303     <path value="Composition.section" />
304     <min value="1" />
305     <max value="1" />
306     <mustSupport value="true" />
307 </element>
308 <element id="Composition.section.title">
309     <path value="Composition.section.title" />
310     <max value="0" />
311 </element>
312 <element id="Composition.section.code">
313     <path value="Composition.section.code" />
314     <max value="0" />
315 </element>
316 <element id="Composition.section.author">
317     <path value="Composition.section.author" />

```

```

318     <max value="0" />
319 </element>
320 <element id="Composition.section.focus">
321     <path value="Composition.section.focus" />
322     <max value="0" />
323 </element>
324 <element id="Composition.section.text">
325     <path value="Composition.section.text" />
326     <max value="0" />
327 </element>
328 <element id="Composition.section.mode">
329     <path value="Composition.section.mode" />
330     <max value="0" />
331 </element>
332 <element id="Composition.section.orderedBy">
333     <path value="Composition.section.orderedBy" />
334     <max value="0" />
335 </element>
336 <element id="Composition.section.entry">
337     <path value="Composition.section.entry" />
338     <min value="1" />
339     <max value="1" />
340     <type>
341         <code value="Reference" />
342         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Observation_Parental_Notes|1.0.1" />
343     </type>
344     <mustSupport value="true" />
345 </element>
346 <element id="Composition.section.entry.reference">
347     <path value="Composition.section.entry.reference" />
348     <min value="1" />
349     <mustSupport value="true" />
350 </element>
351 <element id="Composition.section.entry.type">
352     <path value="Composition.section.entry.type" />
353     <max value="0" />
354 </element>
355 <element id="Composition.section.entry.identifier">
356     <path value="Composition.section.entry.identifier" />
357     <max value="0" />
358 </element>
359 <element id="Composition.section.entry.display">
360     <path value="Composition.section.entry.display" />
361     <max value="0" />
362 </element>
363 <element id="Composition.section.emptyReason">
364     <path value="Composition.section.emptyReason" />
365     <max value="0" />
366 </element>
367 <element id="Composition.section.section">
368     <path value="Composition.section.section" />
369     <max value="0" />
370 </element>
371 </differential>
372 </StructureDefinition>

```

## 403. KBV\_PR\_MIO\_PN\_ENCOUNTER

## KBV\_PR\_MIO\_PN\_Encounter

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Encounter" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_PN_Encounter" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="rim" />
17    <uri value="http://hl7.org/v3" />
18    <name value="RIM Mapping" />
19  </mapping>
20  <mapping>
21    <identity value="w5" />
22    <uri value="http://hl7.org/fhir/fivews" />
23    <name value="FiveWs Pattern Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="v2" />
27    <uri value="http://hl7.org/v2" />
28    <name value="HL7 v2 Mapping" />
29  </mapping>

```

```

30 <kind value="resource" />
31 <abstract value="false" />
32 <type value="Encounter" />
33 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Encounter" />
34 <derivation value="constraint" />
35 <differential>
36 <element id="Encounter">
37 <path value="Encounter" />
38 <short value="Dieses Profil bildet das Untersuchungsdatum ab." />
39 </element>
40 <element id="Encounter.meta">
41 <path value="Encounter.meta" />
42 <min value="1" />
43 </element>
44 <element id="Encounter.meta.versionId">
45 <path value="Encounter.meta.versionId" />
46 <max value="0" />
47 </element>
48 <element id="Encounter.meta.lastUpdated">
49 <path value="Encounter.meta.lastUpdated" />
50 <max value="0" />
51 </element>
52 <element id="Encounter.meta.source">
53 <path value="Encounter.meta.source" />
54 <max value="0" />
55 </element>
56 <element id="Encounter.meta.profile">
57 <path value="Encounter.meta.profile" />
58 <min value="1" />
59 <max value="1" />
60 <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Encounter|1.0.1" />
61 </element>
62 <element id="Encounter.meta.security">
63 <path value="Encounter.meta.security" />
64 <max value="0" />
65 </element>
66 <element id="Encounter.meta.tag">
67 <path value="Encounter.meta.tag" />
68 <max value="0" />
69 </element>
70 <element id="Encounter.implicitRules">
71 <path value="Encounter.implicitRules" />
72 <max value="0" />
73 </element>
74 <element id="Encounter.language">
75 <path value="Encounter.language" />
76 <max value="0" />
77 </element>
78 <element id="Encounter.text">
79 <path value="Encounter.text" />
80 <max value="0" />
81 </element>
82 <element id="Encounter.contained">
83 <path value="Encounter.contained" />
84 <max value="0" />
85 </element>
86 <element id="Encounter.identifier">
87 <path value="Encounter.identifier" />

```

```

88     <max value="0" />
89 </element>
90 <element id="Encounter.status">
91     <path value="Encounter.status" />
92     <fixedCode value="finished" />
93 </element>
94 <element id="Encounter.statusHistory">
95     <path value="Encounter.statusHistory" />
96     <max value="0" />
97 </element>
98 <element id="Encounter.class">
99     <path value="Encounter.class" />
100    <mustSupport value="true" />
101 </element>
102 <element id="Encounter.class.system">
103     <path value="Encounter.class.system" />
104     <min value="1" />
105     <fixedUri value="http://terminology.hl7.org/CodeSystem/v3-ActCode" />
106 </element>
107 <element id="Encounter.class.version">
108     <path value="Encounter.class.version" />
109     <min value="1" />
110     <fixedString value="2.0.0" />
111 </element>
112 <element id="Encounter.class.code">
113     <path value="Encounter.class.code" />
114     <min value="1" />
115     <fixedCode value="AMB" />
116 </element>
117 <element id="Encounter.class.display">
118     <path value="Encounter.class.display" />
119     <min value="1" />
120     <fixedString value="ambulatory" />
121 </element>
122 <element id="Encounter.class.userSelected">
123     <path value="Encounter.class.userSelected" />
124     <max value="0" />
125 </element>
126 <element id="Encounter.classHistory">
127     <path value="Encounter.classHistory" />
128     <max value="0" />
129 </element>
130 <element id="Encounter.type">
131     <path value="Encounter.type" />
132     <min value="1" />
133     <max value="1" />
134     <mustSupport value="true" />
135     <binding>
136         <strength value="required" />
137         <description value="Examination Number" />
138         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_PC_PN_Examination_Number" />
139     </binding>
140 </element>
141 <element id="Encounter.type.coding">
142     <path value="Encounter.type.coding" />
143     <min value="1" />
144     <max value="1" />
145     <mustSupport value="true" />
146 </element>

```

```

147 <element id="Encounter.type.coding.system">
148   <path value="Encounter.type.coding.system" />
149   <min value="1" />
150 </element>
151 <element id="Encounter.type.coding.version">
152   <path value="Encounter.type.coding.version" />
153   <min value="1" />
154 </element>
155 <element id="Encounter.type.coding.code">
156   <path value="Encounter.type.coding.code" />
157   <min value="1" />
158 </element>
159 <element id="Encounter.type.coding.display">
160   <path value="Encounter.type.coding.display" />
161   <min value="1" />
162 </element>
163 <element id="Encounter.type.coding.display.extension">
164   <path value="Encounter.type.coding.display.extension" />
165   <licing>
166     <discriminator>
167       <type value="value" />
168       <path value="url" />
169     </discriminator>
170     <rules value="open" />
171   </licing>
172 </element>
173 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med">
174   <path value="Encounter.type.coding.display.extension" />
175   <sliceName value="anzeigenameTypeSnomed" />
176   <min value="1" />
177   <max value="1" />
178   <type>
179     <code value="Extension" />
180     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
181   </type>
182   <mustSupport value="true" />
183 </element>
184 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension">
185   <path value="Encounter.type.coding.display.extension.extension" />
186   <licing>
187     <discriminator>
188       <type value="value" />
189       <path value="url" />
190     </discriminator>
191     <rules value="open" />
192   </licing>
193 </element>
194 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content">
195   <path value="Encounter.type.coding.display.extension.extension" />
196   <sliceName value="content" />
197 </element>
198 <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content.value[x]">
199   <path value="Encounter.type.coding.display.extension.extension.value[
x]" />

```

```

200     <slicing><discriminator><type value="type" /><path value="$this" /></
discriminator><rules value="closed" /></slicing>
201     <mustSupport value="true" />
202 </element>
203     <element id="Encounter.type.coding.display.extension:anzeigenameTypeSno
med.extension:content.value[x]:valueString">
204     <path value="Encounter.type.coding.display.extension.extension.valueS
tring" />
205     <sliceName value="valueString" />
206     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der
&#xD;&#xA;Conceptmap eingetragen werden, also in diesem Fall den
Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_PC_PN_Examination_Number_German|1.0.1" />
207     <min value="1" />
208     <mustSupport value="true" />
209 </element>
210
211     <element id="Encounter.type.coding.userSelected" >
212     <path value="Encounter.type.coding.userSelected" />
213     <max value="0" />
214 </element>
215
216 <element id="Encounter.type.text">
217     <path value="Encounter.type.text" />
218     <max value="0" />
219 </element>
220 <element id="Encounter.serviceType">
221     <path value="Encounter.serviceType" />
222     <max value="0" />
223 </element>
224 <element id="Encounter.priority">
225     <path value="Encounter.priority" />
226     <max value="0" />
227 </element>
228 <element id="Encounter.subject">
229     <path value="Encounter.subject" />
230     <min value="1" />
231     <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CM_R_Patient" />
234     </type>
235     <mustSupport value="true" />
236 </element>
237 <element id="Encounter.subject.reference">
238     <path value="Encounter.subject.reference" />
239     <min value="1" />
240     <mustSupport value="true" />
241 </element>
242 <element id="Encounter.subject.type">
243     <path value="Encounter.subject.type" />
244     <max value="0" />
245 </element>
246 <element id="Encounter.subject.identifiier">
247     <path value="Encounter.subject.identifiier" />
248     <max value="0" />
249 </element>
250 <element id="Encounter.subject.display">
251     <path value="Encounter.subject.display" />

```



```

252     <max value="0" />
253 </element>
254 <element id="Encounter.episodeOfCare">
255     <path value="Encounter.episodeOfCare" />
256     <max value="0" />
257 </element>
258 <element id="Encounter.basedOn">
259     <path value="Encounter.basedOn" />
260     <max value="0" />
261 </element>
262 <element id="Encounter.participant">
263     <path value="Encounter.participant" />
264
265     <max value="0" />
266     <mustSupport value="true" />
267 </element>
268
269 <element id="Encounter.appointment">
270     <path value="Encounter.appointment" />
271     <max value="0" />
272 </element>
273 <element id="Encounter.period">
274     <path value="Encounter.period" />
275     <min value="1" />
276     <mustSupport value="true" />
277 </element>
278 <element id="Encounter.period.start">
279     <path value="Encounter.period.start" />
280     <min value="1" />
281     <mustSupport value="true" />
282 </element>
283 <element id="Encounter.period.end">
284     <path value="Encounter.period.end" />
285     <max value="0" />
286 </element>
287 <element id="Encounter.length">
288     <path value="Encounter.length" />
289     <max value="0" />
290 </element>
291 <element id="Encounter.reasonCode">
292     <path value="Encounter.reasonCode" />
293     <max value="0" />
294 </element>
295 <element id="Encounter.reasonReference">
296     <path value="Encounter.reasonReference" />
297     <max value="0" />
298 </element>
299 <element id="Encounter.diagnosis">
300     <path value="Encounter.diagnosis" />
301     <max value="0" />
302 </element>
303 <element id="Encounter.account">
304     <path value="Encounter.account" />
305     <max value="0" />
306 </element>
307 <element id="Encounter.hospitalization">
308     <path value="Encounter.hospitalization" />
309     <max value="0" />
310 </element>
311 <element id="Encounter.location">

```

```
312     <path value="Encounter.location" />
313     <max value="0" />
314 </element>
315 <element id="Encounter.serviceProvider">
316     <path value="Encounter.serviceProvider" />
317     <max value="0" />
318 </element>
319 <element id="Encounter.partOf">
320     <path value="Encounter.partOf" />
321     <max value="0" />
322 </element>
323 </differential>
324 </StructureDefinition>
```

## 404. KBV\_PR\_MIO\_PN\_OBSERVATION\_PARENTAL\_NOTES

## KBV\_PR\_MIO\_PN\_Observation\_Parental\_Notes

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Observation_Parental_Notes" />
3   <version value="1.0.1" />
4   <name value="KBV_PR_MIO_PN_Observation_Parental_Notes" />
5   <status value="draft" />
6
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc (http://
loinc.org). Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (Loinc) Committee and
is available at no cost under the license at http://loinc.org/license.
Loinc® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
9   <fhirVersion value="4.0.1" />
10  <mapping>
11    <identity value="workflow" />
12    <uri value="http://hl7.org/fhir/workflow" />
13    <name value="Workflow Pattern" />
14  </mapping>
15  <mapping>
16    <identity value="sct-concept" />
17    <uri value="http://snomed.info/conceptdomain" />
18    <name value="SNOMED CT Concept Domain Binding" />
19  </mapping>
20  <mapping>
21    <identity value="v2" />
22    <uri value="http://hl7.org/v2" />
23    <name value="HL7 v2 Mapping" />
24  </mapping>
25  <mapping>
26    <identity value="rim" />
27    <uri value="http://hl7.org/v3" />
28    <name value="RIM Mapping" />
29  </mapping>

```

```

30 <mapping>
31   <identity value="w5" />
32   <uri value="http://hl7.org/fhir/fivews" />
33   <name value="FiveWs Pattern Mapping" />
34 </mapping>
35 <mapping>
36   <identity value="sct-attr" />
37   <uri value="http://snomed.org/attributebinding" />
38   <name value="SNOMED CT Attribute Binding" />
39 </mapping>
40 <kind value="resource" />
41 <abstract value="false" />
42 <type value="Observation" />
43 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
44 <derivation value="constraint" />
45 <differential>
46   <element id="Observation">
47     <path value="Observation" />
48     <short value="Dieses Profil bildet die Notizen der Eltern ab." />
49   </element>
50   <element id="Observation.meta">
51     <path value="Observation.meta" />
52     <min value="1" />
53   </element>
54   <element id="Observation.meta.versionId">
55     <path value="Observation.meta.versionId" />
56     <max value="0" />
57   </element>
58   <element id="Observation.meta.lastUpdated">
59     <path value="Observation.meta.lastUpdated" />
60     <max value="0" />
61   </element>
62   <element id="Observation.meta.source">
63     <path value="Observation.meta.source" />
64     <max value="0" />
65   </element>
66   <element id="Observation.meta.profile">
67     <path value="Observation.meta.profile" />
68     <min value="1" />
69     <max value="1" />
70     <fixedCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Observation_Parental_Notes|1.0.1" />
71   </element>
72   <element id="Observation.meta.security">
73     <path value="Observation.meta.security" />
74     <max value="0" />
75   </element>
76   <element id="Observation.meta.tag">
77     <path value="Observation.meta.tag" />
78     <max value="0" />
79   </element>
80   <element id="Observation.implicitRules">
81     <path value="Observation.implicitRules" />
82     <max value="0" />
83   </element>
84   <element id="Observation.language">
85     <path value="Observation.language" />
86     <max value="0" />
87   </element>

```

```

88 <element id="Observation.contained">
89   <path value="Observation.contained" />
90   <max value="0" />
91 </element>
92 <element id="Observation.identifier">
93   <path value="Observation.identifier" />
94   <max value="0" />
95 </element>
96 <element id="Observation.basedOn">
97   <path value="Observation.basedOn" />
98   <max value="0" />
99 </element>
100 <element id="Observation.partOf">
101   <path value="Observation.partOf" />
102   <max value="0" />
103 </element>
104 <element id="Observation.status">
105   <path value="Observation.status" />
106   <fixedCode value="final" />
107 </element>
108 <element id="Observation.category">
109   <path value="Observation.category" />
110   <max value="0" />
111 </element>
112 <element id="Observation.code">
113   <path value="Observation.code" />
114   <mustSupport value="true" />
115 </element>
116 <element id="Observation.code.coding">
117   <path value="Observation.code.coding" />
118   <min value="1" />
119   <max value="1" />
120   <mustSupport value="true" />
121 </element>
122 <element id="Observation.code.coding.system">
123   <path value="Observation.code.coding.system" />
124   <min value="1" />
125   <fixedUri value="http://snomed.info/sct" />
126 </element>
127 <element id="Observation.code.coding.version">
128   <path value="Observation.code.coding.version" />
129   <min value="1" />
130   <fixedString value="http://snomed.info/sct/900000000000207008/
version/20210131" />
131 </element>
132 <element id="Observation.code.coding.code">
133   <path value="Observation.code.coding.code" />
134   <min value="1" />
135   <fixedCode value="401141001" />
136 </element>
137 <element id="Observation.code.coding.display">
138   <path value="Observation.code.coding.display" />
139   <min value="1" />
140 </element>
141 <element id="Observation.code.coding.display.extension">
142   <path value="Observation.code.coding.display.extension" />
143   <slicing>
144     <discriminator>
145       <type value="value" />
146       <path value="url" />

```

```

147     </discriminator>
148     <rules value="open" />
149   </slicing>
150 </element>
151 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
152   <path value="Observation.code.coding.display.extension" />
153   <sliceName value="anzeigenameCodeSnomed" />
154   <short value="anzeigenameCodeSnomed" />
155   <definition value="Annotation des Snomed CT Codes mit einem deutschen
156   <min value="1" />
157   <max value="1" />
158   <type>
159     <code value="Extension" />
160     <profile value="https://fhir.kbv.de/StructureDefinition/
161     </type>
162     <mustSupport value="true" />
163   </element>
164 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
165   <path value="Observation.code.coding.display.extension.extension" />
166   <slicing>
167     <discriminator>
168       <type value="value" />
169       <path value="url" />
170     </discriminator>
171     <rules value="open" />
172   </slicing>
173 </element>
174 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
175   <path value="Observation.code.coding.display.extension.extension" />
176   <sliceName value="content" />
177 </element>
178 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
179   <path value="Observation.code.coding.display.extension.extension.valu
180   <slicing><discriminator><type value="type" /><path value="$this" /></
181   <discriminator><rules value="closed" /></slicing>
182   <mustSupport value="true" />
183 </element>
184 <element id="Observation.code.coding.display.extension:anzeigenameCodeS
185   <path value="Observation.code.coding.display.extension.extension.valu
186   <sliceName value="valueString" />
187   <min value="1" />
188   <fixedString value="Hier können Sie Ihre Notizen eintragen:" />
189   <mustSupport value="true" />
190 </element>
191 <element id="Observation.code.coding.userSelected">
192   <path value="Observation.code.coding.userSelected" />
193   <max value="0" />
194 </element>
195 <element id="Observation.code.text">
196   <path value="Observation.code.text" />

```

```

196     <max value="0" />
197 </element>
198 <element id="Observation.subject">
199   <path value="Observation.subject" />
200   <min value="1" />
201   <type>
202     <code value="Reference" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_CMR_Patient" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="Observation.subject.reference">
208   <path value="Observation.subject.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.subject.type">
213   <path value="Observation.subject.type" />
214   <max value="0" />
215 </element>
216 <element id="Observation.subject.identifier">
217   <path value="Observation.subject.identifier" />
218   <max value="0" />
219 </element>
220 <element id="Observation.subject.display">
221   <path value="Observation.subject.display" />
222   <max value="0" />
223 </element>
224 <element id="Observation.focus">
225   <path value="Observation.focus" />
226   <max value="0" />
227 </element>
228 <element id="Observation.encounter">
229   <path value="Observation.encounter" />
230   <min value="1" />
231   <type>
232     <code value="Reference" />
233     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_PN_Encounter" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.encounter.reference">
238   <path value="Observation.encounter.reference" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.encounter.type">
243   <path value="Observation.encounter.type" />
244   <max value="0" />
245 </element>
246 <element id="Observation.encounter.identifier">
247   <path value="Observation.encounter.identifier" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter.display">
251   <path value="Observation.encounter.display" />
252   <max value="0" />
253 </element>

```

```

254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="open" />
262   </slicing>
263   <min value="1" />
264   <type>
265     <code value="dateTime" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectiveDateTime">
270   <path value="Observation.effective[x]" />
271   <sliceName value="effectiveDateTime" />
272   <min value="1" />
273   <type>
274     <code value="dateTime" />
275   </type>
276   <mustSupport value="true" />
277 </element>
278 <element id="Observation.issued">
279   <path value="Observation.issued" />
280   <max value="0" />
281 </element>
282 <element id="Observation.performer">
283   <path value="Observation.performer" />
284   <max value="0" />
285 </element>
286 <element id="Observation.value[x]">
287   <path value="Observation.value[x]" />
288   <slicing>
289     <discriminator>
290       <type value="type" />
291       <path value="$this" />
292     </discriminator>
293     <rules value="open" />
294   </slicing>
295   <min value="1" />
296   <type>
297     <code value="string" />
298   </type>
299   <mustSupport value="true" />
300 </element>
301 <element id="Observation.value[x]:valueString">
302   <path value="Observation.valueString" />
303   <sliceName value="valueString" />
304   <min value="1" />
305   <type>
306     <code value="string" />
307   </type>
308   <mustSupport value="true" />
309 </element>
310 <element id="Observation.dataAbsentReason">
311   <path value="Observation.dataAbsentReason" />
312   <max value="0" />
313 </element>

```



```

314 <element id="Observation.interpretation">
315   <path value="Observation.interpretation" />
316   <max value="0" />
317 </element>
318 <element id="Observation.note">
319   <path value="Observation.note" />
320   <max value="0" />
321 </element>
322 <element id="Observation.bodySite">
323   <path value="Observation.bodySite" />
324   <max value="0" />
325 </element>
326 <element id="Observation.method">
327   <path value="Observation.method" />
328   <max value="0" />
329 </element>
330 <element id="Observation.specimen">
331   <path value="Observation.specimen" />
332   <max value="0" />
333 </element>
334 <element id="Observation.device">
335   <path value="Observation.device" />
336   <max value="0" />
337 </element>
338 <element id="Observation.referenceRange">
339   <path value="Observation.referenceRange" />
340   <max value="0" />
341 </element>
342 <element id="Observation.hasMember">
343   <path value="Observation.hasMember" />
344   <max value="0" />
345 </element>
346 <element id="Observation.derivedFrom">
347   <path value="Observation.derivedFrom" />
348   <max value="0" />
349 </element>
350 <element id="Observation.component">
351   <path value="Observation.component" />
352   <max value="0" />
353 </element>
354 </differential>
355 </StructureDefinition>

```

## 405. KBV\_VS\_MIO\_CMR\_BASE\_EXCESS\_UNIT

## KBV\_VS\_MIO\_CMR\_Base\_Excess\_Unit

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Base_Excess_Unit"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Base_Excess_Unit"/>
5    <title value="Base Excess Einheit"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Base Excess Einheit"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19   <compose>
20     <include>
21       <system value="http://unitsofmeasure.org" />
22       <concept>
23         <code value="meq/L" />
24         <display value="MilliEquivalentsPerLiter" />
25       </concept>
26       <concept>
27         <code value="mmol/L" />
28         <display value="MilliMolesPerLiter" />
29       </concept>

```

```
30     </include>
31   </compose>
32 </ValueSet>
```

## 406. KBV\_VS\_MIO\_CMR\_BODYSITE\_HIP

## KBV\_VS\_MIO\_CMR\_Bodysite\_Hip

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/KBV_VS_MIO_CMR_Bodysite_Hip"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Bodysite_Hip"/>
5    <title value="Hüftlateralität"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Hüftlateralität"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="362906008"/>
25           <display value="Entire right hip joint (body structure)"/>
26         </concept>
27         <concept>
28           <code value="362905007"/>
29           <display value="Entire left hip joint (body structure)"/>

```

```
30         </concept>
31     </include>
32 </compose>
33 </ValueSet>
```

## 407. KBV\_VS\_MIO\_CMR\_EXAMINATION\_NUMBER

KBV_VS_MIO_CMR_Examination_Number	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_CMR_Examination_Number"/>
4	<version value="1.0.1"/>
5	<name value="KBV_VS_MIO_CMR_Examination_Number"/>
6	<title value="Untersuchungsnummer U-Heft"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Untersuchungsnummer U-Heft"/>
17	<immutable value="false"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http:// loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE."/>
19	<compose>
20	<include>
21	<system value="http://snomed.info/sct"/>
22	<version value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
23	<concept>
24	<code value="170099002"/>
25	<display value="Child examination - birth (procedure)"/>
26	</concept>
27	<concept>
28	<code value="170107008"/>

```

29         <display value="Child examination - 10 days (procedure)"/>
30     </concept>
31     <concept>
32         <code value="243788004:370131001=133931009"/>
33         <display value="Child examination (procedure) : Recipient
category = Infant (person)"/>
34     </concept>
35     <concept>
36         <code value="170250008"/>
37         <display value="Child 3 month examination (procedure)"/>
38     </concept>
39     <concept>
40         <code value="170263002"/>
41         <display value="Child 6 month examination (procedure)"/>
42     </concept>
43     <concept>
44         <code value="170254004"/>
45         <display value="Child 1 year examination (procedure)"/>
46     </concept>
47     <concept>
48         <code value="401140000"/>
49         <display value="Child 2 year examination (procedure)"/>
50     </concept>
51     <concept>
52         <code value="170281004"/>
53         <display value="Child 3 year examination (procedure)"/>
54     </concept>
55     <concept>
56         <code value="410635005"/>
57         <display value="Child 4 year examination (procedure)"/>
58     </concept>
59     <concept>
60         <code value="243788004:370131001=410602000"/>
61         <display value="Child examination (procedure) : Recipient
category (attribute) = Preschool child (person)"/>
62     </concept>
63     <concept>
64         <code value="738796001:363702006=171191008"/>
65         <display value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Cystic fibrosis screening
(procedure)"/>
66     </concept>
67     <concept>
68         <code value="738796001:363702006=428447008"/>
69         <display value="Collection of dried blood spot specimen
(procedure) : Has focus (attribute) = Newborn blood spot screening
(procedure)"/>
70     </concept>
71     <concept>
72         <code value="171241003"/>
73         <display value="Congenital dislocation of the hip screening
(procedure)"/>
74     </concept>
75     <concept>
76         <code value="252957005"/>
77         <display value="Children's hearing test (procedure)"/>
78     </concept>
79     <concept>
80         <code value="129822005"/>

```

```
81         <display value="Childhood growth AND/OR development finding
(finding)"/>
82     </concept>
83     <concept>
84         <code value="252465000:405813007=56459004"/>
85         <display value="Pulse oximetry (procedure) : Procedure site
- Direct (attribute) = Foot structure (body structure)"/>
86     </concept>
87 </include>
88 </compose>
89 </ValueSet>
```



## 408. KBV\_VS\_MIO\_CMR\_FOETAL\_POSITION

## KBV\_VS\_MIO\_CMR\_Foetal\_Position

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Foetal_Position"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Foetal_Position"/>
5    <title value="Kindslage aus Sicht d. Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Kindslage aus Sicht d. Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="394698008:246090004=70028003"/>
25           <display value="Birth history (situation) : Associated
finding (attribute) = Vertex presentation (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```
28         <code value="407613009"/>
29         <display value="Born by breech delivery (situation)"/>
30     </concept>
31     <concept>
32         <code value="394698008:246090004=199362007"/>
33         <display value="Birth history (situation) : Associated
finding (attribute) = Transverse lie - delivered (disorder)"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>
```

## 409. KBV\_VS\_MIO\_CMR\_GENDER\_BIRTH

## KBV\_VS\_MIO\_CMR\_Gender\_Birth

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/KBV_VS_MIO_CMR_Gender_Birth"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Gender_Birth"/>
5    <title value="Geschlecht"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Geschlecht"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19   <compose>
20     <include>
21       <system value="http://snomed.info/sct"/>
22       <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23     <concept>
24       <code value="703118005"/>
25       <display value="Feminine gender (finding)"/>
26     </concept>
27     <concept>
28       <code value="703117000"/>
29       <display value="Masculine gender (finding)"/>

```

```
30         </concept>
31         <concept>
32             <code value="394744001"/>
33             <display value="Gender unspecified (finding)"/>
34         </concept>
35     </include>
36 </compose>
37 </ValueSet>
```

#### 410. KBV\_VS\_MIO\_CMR\_GRAF\_HIP\_ULTRASOUND\_CLASSIFICATION

##### KBV\_VS\_MIO\_CMR\_Graf\_Hip\_Ultrasound\_Classification

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Graf_Hip_Ultrasound_Classification"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Graf_Hip_Ultrasound_Classification"/>
5    <title value="Hüfttyp nach Graf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Hüfttyp nach Graf"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_CMR_Graf_Hip_Ultrasound_Classification"/>
22         <version value="1.0.1"/>
23         <concept>
24           <code value="1a"/>
25           <display value="Graf Ia/Ib"/>
26         </concept>
27         <concept>
28           <code value="2a"/>

```

```
29         <math display="block">2cd</math>
30     </concept>
31     <concept>
32         <math display="block">2cd</math>
33         <math display="block">2cd</math>
34     </concept>
35     <concept>
36         <math display="block">3a</math>
37         <math display="block">3a</math>
38     </concept>
39     <concept>
40         <math display="block">3b</math>
41         <math display="block">3b</math>
42     </concept>
43     <concept>
44         <math display="block">4</math>
45         <math display="block">4</math>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>
```

#### 411. KBV\_VS\_MIO\_CMV\_HEARSCREENING\_METHOD

KBV_VS_MIO_CMV_Hearscreening_Method	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_CMV_Hearscreening_Method"/>
4	<version value="1.0.1"/>
5	<name value="KBV_VS_MIO_CMV_Hearscreening_Method"/>
6	<title value="Hörscreeningmethode"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Hörscreeningmethode"/>
17	<immutable value="false"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http:// loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE."/>
19	<compose>
20	<include>
21	<system value="http://snomed.info/sct"/>
22	<version value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
23	<concept>
24	<code value="446077009"/>
25	<display value="Automated otoacoustic emission test (procedure)"/>
26	</concept>
27	</include>
	</compose>

```
28         <code value="252616000:246513007=261422002"/>
29         <display value="Auditory brainstem electric response
audiometry (procedure) : Revision status (attribute) = First stage of
multistage procedure (qualifier value)"/>
30     </concept>
31     <concept>
32         <code value="252616000:246513007=261426004"/>
33         <display value="Auditory brainstem electric response
audiometry (procedure) : Revision status (attribute) = Second stage of
multistaged procedure (qualifier value)"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>
```



## 412. KBV\_VS\_MIO\_CMV\_HEARSCREENING\_RESULT

### KBV\_VS\_MIO\_CMV\_Hearscreening\_Result

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMV_Hearscreening_Result"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Hearscreening_Result"/>
5    <title value="Hörscreeningbefund Lokalisation"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Hörscreeningbefund Lokalisation"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="275727004"/>
25           <display value="Hearing test normal (finding)"/>
26         </concept>
27         <concept>
28           <code value="134376008"/>

```

```
29         <display value="Hearing test right abnormality (finding)"/>
30     </concept>
31     <concept>
32         <code value="134375007"/>
33         <display value="Hearing test left abnormality (finding)"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>
```

#### 413. KBV\_VS\_MIO\_CMV\_HIP\_HISTORY

##### KBV\_VS\_MIO\_CMV\_Hip\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/KBV_VS_MIO_CMV_Hip_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Hip_History"/>
5    <title value="Hüftanamnese"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Hüftanamnese"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="407613009"/>
25           <display value="Born by breech delivery (situation)"/>
26         </concept>
27         <concept>
28           <code value="700191004"/>

```

```
29         <display value="Family history of congenital hip dysplasia
(situation)"/>
30     </concept>
31     <concept>
32         <code value="73573004"/>
33         <display value="Congenital anomaly of musculoskeletal
system (disorder)"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>
```

## 414. KBV\_VS\_MIO\_CMV\_HIP\_PROCEEDING

## KBV\_VS\_MIO\_CMV\_Hip\_Proceeding

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/KBV_VS_MIO_CMV_Hip_Proceeding"
/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Hip_Proceeding"/>
5    <title value="Hüfte - weiteres Vorgehen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Hüfte - weiteres Vorgehen"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="440378000:704321009=241502008"/>
25           <display value="Referral for (observable entity) :
Characterizes (attribute) = Ultrasound scan of hip (procedure)"/>
26         </concept>
27       </include>
     </compose>
  </contact>
</ValueSet>

```

```

28         <code value="306228005"/>
29         <display value="Referral for diagnostic investigation
(procedure)"/>
30     </concept>
31     <concept>
32         <code value="243796009:
{363589002=112731004,408731000=410511007,408730004=410535002,408732007=4106
04004}"/>
33         <display value="Situation with explicit context
(situation) : { Associated procedure (attribute) = Reduction of congenital
hip dislocation by splint (procedure), Temporal context (attribute) =
Current or past (actual) (qualifier value), Procedure context (attribute) =
Indicated (qualifier value), Subject relationship context (attribute) =
Subject of record (person) }"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>

```

#### 415. KBV\_VS\_MIO\_CMR\_HIP\_SCREENING\_METHOD

KBV_VS_MIO_CMR_Hip_Screening_Method	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_CMR_Hip_Screening_Method"/>
4	<version value="1.0.1"/>
5	<name value="KBV_VS_MIO_CMR_Hip_Screening_Method"/>
6	<title value="Hüftscreening Methode"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Hüftscreening Methode"/>
17	<immutable value="false"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http:// loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE."/>
19	<compose>
20	<include>
21	<system value="http://snomed.info/sct"/>
22	<version value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
23	<concept>
24	<code value="129125009: {363589002=241503003,408730004=398166005,408731000=410588008}"/>

```

25         <display value="Procedure with explicit context
(situation) : { Associated procedure (attribute) = Ultrasound scan of
neonatal hip (procedure) , Procedure context (situation) = Performed
(qualifier value) , Temporal context (situation) = Past - time unspecified
(qualifier value) }"/>
26         </concept>
27         <concept>
28             <code value="129125009:
{363589002=241503003,408730004=385660001,408731000=410588008}"/>
29             <display value="Procedure with explicit context
(situation) : { Associated procedure (attribute) = Ultrasound scan of
neonatal hip (procedure) , Procedure context (situation) = Not done
(qualifier value) , Temporal context (situation) = Past - time unspecified
(qualifier value) }"/>
30             </concept>
31             <concept>
32                 <code value="129125009:
{363589002=241503003,408730004=410537005,408731000=410588008}"/>
33                 <display value="Procedure with explicit context
(situation) : { Associated procedure (attribute) = Ultrasound scan of
neonatal hip (procedure) , Procedure context (situation) = Action status
unknown (qualifier value) , Temporal context (situation) = Past - time
unspecified (qualifier value) }"/>
34                 </concept>
35                 <concept>
36                     <code value="129125009:
{363589002=241503003,408730004=398166005,408731000=410584005}"/>
37                     <display value="Procedure with explicit context
(situation) : { Associated procedure (attribute) = Ultrasound scan of
neonatal hip (procedure) , Procedure context (situation) = Performed
(qualifier value) , Temporal context (situation) = Current - time specified
(qualifier value) }"/>
38                     </concept>
39                 </include>
40             </compose>
41 </ValueSet>

```



## 416. KBV\_VS\_MIO\_CMR\_MEDICATION\_STATEMENT\_STATUS

## KBV\_VS\_MIO\_CMR\_Medication\_Statement\_Status

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Medication_Statement_Status"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Medication_Statement_Status"/>
5    <title value="Vitamin-K-Prophylaxe Status"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Vitamin-K-Prophylaxe Status"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://hl7.org/fhir/CodeSystem/medication-
statement-status"/>
22         <concept>
23           <code value="completed"/>
24           <display value="Completed"/>
25         </concept>
26         <concept>
27           <code value="not-taken"/>
28           <display value="Not-Taken"/>

```

```
29         </concept>
30     </include>
31 </compose>
32 </ValueSet>
```

## 417. KBV\_VS\_MIO\_CMV\_NEWBORN\_BLOOD\_SPOT\_SCREENING\_TYPE

## KBV\_VS\_MIO\_CMV\_Newborn\_Blood\_Spot\_Screening\_Type

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMV_Newborn_Blood_Spot_Screening_Type"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Newborn_Blood_Spot_Screening_Type"/>
5    <title value="Typ der Blutabnahme"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Typ der Blutabnahme"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="425758004:246513007=261422002"/>
25           <display value="Diagnostic blood test (procedure) :
Revision status (attribute) = First stage of multistage procedure
(qualifier value)"/>
26         </concept>

```

```
27         <concept>
28             <code value="425758004:246513007=261426004"/>
29             <display value="Diagnostic blood test
(procedure) : Revision status (attribute) = Second stage of multistaged
procedure (qualifier value)"/>
30         </concept>
31         <concept>
32             <code value="425758004:246513007=261429006"/>
33             <display value="Diagnostic blood test (procedure) :
Revision status (attribute) = Third stage of multistaged procedure
(qualifier value)"/>
34         </concept>
35     </include>
36 </compose>
37 </ValueSet>
```

## 418. KBV\_VS\_MIO\_CMR\_OBSERVATION\_STATUS

## KBV\_VS\_MIO\_CMR\_Observation\_Status

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Observation_Status" />
3    <version value="1.0.1" />
4    <name value="KBV_VS_MIO_CMR_Observation_Status" />
5    <title value="Observation Status" />
6    <status value="draft" />
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Status einer Observation. Kann die Werte final und
cancelled annehmen."/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://hl7.org/fhir/observation-status" />
22         <concept>
23           <code value="final" />
24           <display value="Final" />
25         </concept>
26         <concept>
27           <code value="cancelled" />
28           <display value="Cancelled" />

```

```
29         </concept>
30     </include>
31 </compose>
32 </ValueSet>
```

## 419. KBV\_VS\_MIO\_CMR\_PERCENTILE\_BODY\_MEASURE\_LOINC

## KBV\_VS\_MIO\_CMR\_Percentile\_Body\_Measure\_Loinc

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Percentile_Body_Measure_Loinc"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Percentile_Body_Measure_Loinc"/>
5    <title value="Perzentilkörpermaß LOINC"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Perzentilkörpermaß LOINC"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://loinc.org"/>
22         <version value="2.69"/>
23         <concept>
24           <code value="8336-0"/>
25           <display value="Body weight [Percentile] Per age"/>
26         </concept>
27         <concept>
28           <code value="8303-0"/>
29           <display value="Body height [Percentile]"/>

```

```
30         </concept>
31         <concept>
32             <code value="8289-1"/>
33             <display value="Head Occipital-frontal circumference
Percentile"/>
34         </concept>
35         <concept>
36             <code value="59574-4"/>
37             <display value="Body mass index (BMI) [Percentile]"/>
38         </concept>
39     </include>
40 </compose>
41 </ValueSet>
```



## 420. KBV\_VS\_MIO\_CMR\_PERCENTILE\_BODY\_MEASURE\_SNOMED

## KBV\_VS\_MIO\_CMR\_Percentile\_Body\_Measure\_Snomed

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Percentile_Body_Measure_Snomed"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Percentile_Body_Measure_Snomed"/>
5    <title value="Perzentilkörpermaß SNOMED"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Perzentilkörpermaß SNOMED"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="27113001:370130000=415068004"/>
25           <display value="Body weight (observable entity) : Property
(attribute) = Percentile value (qualifier value)"/>
26         </concept>
27       <concept>

```

```
28         <code value="50373000:370130000=415068004"/>
29         <display value="Body height measure (observable entity) :
Property (attribute) = Percentile value (qualifier value)"/>
30     </concept>
31     <concept>
32         <code value="363812007:370130000=415068004"/>
33         <display value="Head circumference (observable entity) :
Property (attribute) = Percentile value (qualifier value)"/>
34     </concept>
35     <concept>
36         <code value="60621009:370130000=415068004"/>
37         <display value="Body mass index (observable entity) :
Property (attribute) = Percentile value (qualifier value)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 421. KBV\_VS\_MIO\_CMR\_PRACTITIONER\_SPECIALITY

### KBV\_VS\_MIO\_CMR\_Practitioner\_Speciality

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_Practitioner_Speciality"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_Practitioner_Speciality"/>
5    <title value="Rolle des Behandelnden"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Rolle des Behandelnden"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct" />
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131" />
23         <concept>
24           <code value="309343006" />
25           <display value="Physician (occupation)" />
26         </concept>
27       </include>
28     </compose>

```

```

29     <system value="urn:oid:1.2.276.0.76.5.493" />
30     <concept>
31         <code value="1" />
32         <display value="Arzt in Facharztausbildung" />
33     </concept>
34     <concept>
35         <code value="3" />
36         <display value="Praktischer Arzt" />
37     </concept>
38 </include>
39 <include>
40     <system value="https://fhir.kbv.de/CodeSystem/
KBV_CS_SFHIR_BAR2_WBO" />
41     <concept>
42         <code value="010" />
43         <display value="FA Allgemeinmedizin" />
44     </concept>
45     <concept>
46         <code value="042" />
47         <display value="SP Unfallchirurgie" />
48     </concept>
49     <concept>
50         <code value="050" />
51         <display value="FA Frauenheilkunde und Geburtshilfe" />
52     </concept>
53     <concept>
54         <code value="060" />
55         <display value="FA Hals-, Nasen-, Ohrenheilkunde" />
56     </concept>
57     <concept>
58         <code value="070" />
59         <display value="FA Haut- und Geschlechtskrankheiten" />
60     </concept>
61     <concept>
62         <code value="080" />
63         <display value="FA Innere Medizin" />
64     </concept>
65     <concept>
66         <code value="091" />
67         <display value="SP Kinderkardiologie" />
68     </concept>
69     <concept>
70         <code value="093" />
71         <display value="SP Neonatologie" />
72     </concept>
73     <concept>
74         <code value="096" />
75         <display value="TG Kindernephrologie" />
76     </concept>
77     <concept>
78         <code value="097" />
79         <display value="TG Kinder-Lungen- u. Bronchialheilkunde" />
80     </concept>
81     <concept>
82         <code value="102" />
83         <display value="FA Kinder- und Jugendpsychiatrie und
-psychotherapie" />
84     </concept>
85     <concept>
86         <code value="110" />

```

```

87         <display value="FA Laboratoriumsmedizin" />
88     </concept>
89     <concept>
90         <code value="140" />
91         <display value="FA Nervenheilkunde" />
92     </concept>
93     <concept>
94         <code value="143" />
95         <display value="Psychotherapeutisch t&#228;tiger Arzt" />
96     </concept>
97     <concept>
98         <code value="160" />
99         <display value="FA Orthop&#228;die" />
100 </concept>
101 <concept>
102     <code value="161" />
103     <display value="SP Rheumatologie" />
104 </concept>
105 <concept>
106     <code value="171" />
107     <display value="TG Neuropathologie" />
108 </concept>
109 <concept>
110     <code value="192" />
111     <display value="TG Neuroradiologie" />
112 </concept>
113 <concept>
114     <code value="196" />
115     <display value="SP Kinderradiologie" />
116 </concept>
117 <concept>
118     <code value="230" />
119     <display value="FA &#214;ffentliches Gesundheitswesen" />
120 </concept>
121 <concept>
122     <code value="304" />
123     <display value="FA Kinderchirurgie" />
124 </concept>
125 <concept>
126     <code value="308" />
127     <display value="FA Physiologie" />
128 </concept>
129 <concept>
130     <code value="313" />
131     <display value="FA Herzchirurgie" />
132 </concept>
133 <concept>
134     <code value="314" />
135     <display value="FA Humangenetik" />
136 </concept>
137 <concept>
138     <code value="330" />
139     <display value="FA Physikalische und Rehabilitative
Medizin" />
140 </concept>
141 <concept>
142     <code value="341" />
143     <display value="FA Kinder-und Jugendmedizin" />
144 </concept>
145 <concept>

```

```

146         <code value="512" />
147         <display value="FA Orthop&#228;die und Unfallchirurgie" />
148     </concept>
149     <concept>
150         <code value="517" />
151         <display value="SP Spezielle Geburtshilfe und
Perinatalmedizin" />
152     </concept>
153     <concept>
154         <code value="518" />
155         <display value="FA Sprach-, Stimm- und kindliche
H&#246;rst&#246;rungen" />
156     </concept>
157     <concept>
158         <code value="521" />
159         <display value="FA Innere Medizin und (SP) Angiologie" />
160     </concept>
161     <concept>
162         <code value="522" />
163         <display value="FA Innere Medizin und (SP) Endokrinologie
und Diabetologie" />
164     </concept>
165     <concept>
166         <code value="523" />
167         <display value="FA Innere Medizin und (SP)
Gastroenterologie" />
168     </concept>
169     <concept>
170         <code value="524" />
171         <display value="FA Innere Medizin und (SP) H&#228;matologie
und Onkologie" />
172     </concept>
173     <concept>
174         <code value="525" />
175         <display value="FA Innere Medizin und (SP) Kardiologie" />
176     </concept>
177     <concept>
178         <code value="526" />
179         <display value="FA Innere Medizin und (SP) Nephrologie" />
180     </concept>
181     <concept>
182         <code value="527" />
183         <display value="FA Innere Medizin und (SP) Pneumologie" />
184     </concept>
185     <concept>
186         <code value="528" />
187         <display value="FA Innere Medizin und (SP) Rheumatologie" /
>
188     </concept>
189     <concept>
190         <code value="530" />
191         <display value="SP Kinder-H&#228;matologie und
-Onkologie" />
192     </concept>
193     <concept>
194         <code value="531" />
195         <display value="SP Neurop&#228;diatrie" />
196     </concept>
197     <concept>
198         <code value="535" />

```

```

199         <display value="FA Radiologie (neue (M-)WB0)" />
200     </concept>
201     <concept>
202         <code value="536" />
203         <display value="SP Kinder-Endokrinologie und
-Diabetologie" />
204     </concept>
205     <concept>
206         <code value="537" />
207         <display value="SP Kinder-Gastroenterologie" />
208     </concept>
209     <concept>
210         <code value="544" />
211         <display value="FA Allgemein Chirurgie" />
212     </concept>
213 </include>
214 <include>
215     <system value="urn:oid:1.3.6.1.4.1.19376.3.276.1.5.11" />
216     <concept>
217         <code value="2" />
218         <display value="Arzthilfe, Praxisorganisation,
-verwaltung" />
219     </concept>
220     <concept>
221         <code value="179" />
222         <display value="Physician Assistant" />
223     </concept>
224     <concept>
225         <code value="4" />
226         <display value="Medizinischer Fachangestellter" />
227     </concept>
228     <concept>
229         <code value="33" />
230         <display value="Kranken-, Altenpflege, Geburtshilfe" />
231     </concept>
232     <concept>
233         <code value="37" />
234         <display value="Gesundheits- und Kinderkrankenpfleger" />
235     </concept>
236     <concept>
237         <code value="38" />
238         <display value="Gesundheits- und Krankenpflegehelfer" />
239     </concept>
240     <concept>
241         <code value="39" />
242         <display value="Gesundheits- und Krankenpfleger" />
243     </concept>
244     <concept>
245         <code value="41" />
246         <display value="Hebamme / Entbindungspfleger" />
247     </concept>
248     <concept>
249         <code value="47" />
250         <display value="Nicht&#228;rztliche Behandlung, Therapie
(au&#223;er Psychotherapie)" />
251     </concept>
252     <concept>
253         <code value="76" />
254         <display value="Kinder- und Jugendpsychotherapeut" />
255     </concept>

```

```
256     <concept>
257         <code value="86" />
258         <display value="Rettungsdienst" />
259     </concept>
260     <concept>
261         <code value="88" />
262         <display value="Notfallsanit&#228;ter" />
263     </concept>
264     <concept>
265         <code value="89" />
266         <display value="Rettungsassistent" />
267     </concept>
268     <concept>
269         <code value="91" />
270         <display value="Rettungssanit&#228;ter" />
271     </concept>
272 </include>
273 </compose>
274 </ValueSet>
```



## 422. KBV\_VS\_MIO\_CMV\_PREGNANCY\_HISTORY

KBV_VS_MIO_CMV_Pregnancy_History	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_CMV_Pregnancy_History"/>
4	<version value="1.0.1"/>
5	<name value="KBV_VS_MIO_CMV_Pregnancy_History"/>
6	<title value="Schwangerschaftsanamnese"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="Schwangerschaftsanamnese"/>
17	<immutable value="false"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http:// loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE."/>
19	<compose>
20	<include>
21	<system value="http://snomed.info/sct"/>
22	<version value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
23	<concept>
24	<code value="721151003"/>
25	<display value="Maternal history of gestational diabetes (situation)"/>
26	</concept>
27	</include>
	</compose>

```

28         <code value="704144000"/>
29         <display value="Maternal history of diabetes mellitus
(situation)"/>
30     </concept>
31     <concept>
32         <code value="417451006+410684002:
{408731000=410512000,363589002=416608005,408730004=410525008,408732007=4443
01002}"/>
33         <display value="Procedure needed (situation) + Drug therapy
status (situation) : { Temporal context (attribute) = Current or specified
time (qualifier value) , Associated procedure (attribute) = Drug therapy
(procedure) , Procedure context (attribute) = Needed (qualifier value) ,
Subject relationship context (attribute) = Mother of subject (person) }"/>
34     </concept>
35     <concept>
36         <code value="160427003:246090004=40609001"/>
37         <display value="Family history with explicit context
pertaining to mother (situation) : Associated finding (attribute) =
Infectious disease in mother complicating pregnancy, childbirth AND/OR
puerperium (disorder)"/>
38     </concept>
39     <concept>
40         <code value="160427003:246090004=165775009"/>
41         <display value="Family history with explicit context
pertaining to mother (situation) : Associated finding (attribute) =
Indirect Coombs test positive (finding)"/>
42     </concept>
43     <concept>
44         <code value="160427003:246090004=120001000119107"/>
45         <display value="Family history with explicit context
pertaining to mother (situation) : Associated finding (attribute) = Group B
streptococcus infection in mother complicating childbirth (disorder)"/>
46     </concept>
47     <concept>
48         <code value="160427003:246090004=16356006"/>
49         <display value="Family history with explicit context
pertaining to mother (situation) : Associated finding (attribute) =
Multiple pregnancy (disorder)"/>
50     </concept>
51     <concept>
52         <code value="413350009:
{246090004=199646006,408732007=444301002}"/>
53         <display value="Finding with explicit context (situation) :
{ Associated finding (attribute) = Polyhydramnios - delivered (disorder),
Subject relationship context (attribute) = Mother of subject (person) }"/>
54     </concept>
55     <concept>
56         <code value="413350009:
{246090004=59566000,408732007=444301002}"/>
57         <display value="Finding with explicit context (situation) :
{ Associated finding (attribute) = Oligohydramnios (disorder), Subject
relationship context (attribute) = Mother of subject (person) }"/>
58     </concept>
59     <concept>
60         <code value="288256007"/>
61         <display value="History of maternal psychiatric problem
(situation)"/>
62     </concept>
63     <concept>

```

```
64         <code value="413350009:
{246090004=284465006,408732007=444301002}"/>
65         <display value="Finding with explicit context (situation) :
{ Associated finding (attribute) = Finding relating to psychosocial
functioning (finding), Subject relationship context (attribute) = Mother of
subject (person) }"/>
66     </concept>
67     <concept>
68         <code value="442080007"/>
69         <display value="Drug misuse by mother (situation)"/>
70     </concept>
71 </include>
72 </compose>
73 </ValueSet>
```

## 423. KBV\_VS\_MIO\_CMV\_PROCEDURE\_STATUS

## KBV\_VS\_MIO\_CMV\_Procedure\_Status

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMV_Procedure_Status"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Procedure_Status"/>
5    <title value="Status einer Procedure"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Status einer Procedure"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://hl7.org/fhir/event-status"/>
22         <concept>
23           <code value="completed"/>
24           <display value="Completed"/>
25         </concept>
26         <concept>
27           <code value="not-done"/>
28           <display value="Not Done"/>
29         </concept>

```

```
30     </include>
31   </compose>
32 </ValueSet>
```

#### 424. KBV\_VS\_MIO\_CMV\_PULSE\_OXYMETRY\_SCREENING\_DATA\_ABSENT\_REASON

##### KBV\_VS\_MIO\_CMV\_Pulse\_Oxymetry\_Screening\_Data\_Absent\_Reason

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMV_Pulse_Oxymetry_Screening_Data_Absent_Reason"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Pulse_Oxymetry_Screening_Data_Absent_Reason
"/>
5    <title value="Gründe zur Ablehnung des Pulsoxymetriescreenings"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Gründe zur Ablehnung des Pulsoxymetriescreenings"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="428119001:
{363589002=250554003,408730004=410534003}"/>

```

```
25         <display value="Procedure not indicated (situation) :  
{ Associated procedure (attribute) = Measurement of oxygen saturation at  
periphery (procedure) , Procedure context (attribute) = Not indicated  
(qualifier value) }"/>  
26     </concept>  
27     <concept>  
28         <code value="183948000:363589002=250554003"/>  
29         <display value="Refused procedure - parent's wish  
(situation) : Associated procedure (attribute) = Measurement of oxygen  
saturation at periphery (procedure)"/>  
30     </concept>  
31 </include>  
32 </compose>  
33 </ValueSet>
```

## 425. KBV\_VS\_MIO\_CMV\_PULSE\_OXYMETRY\_SCREENING\_MEASUREMENT\_TYPE

## KBV\_VS\_MIO\_CMV\_Pulse\_Oxymetry\_Screening\_Measurement\_Type

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMV_Pulse_Oxymetry_Screening_Measurement_Type"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Pulse_Oxymetry_Screening_Measurement_Type"/
>
5    <title value="Typ der Pulsoxymetriemessung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Typ der Pulsoxymetriemessung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23       <concept>
24         <code value="250554003:363703001=399455000"/>
25         <display value="Measurement of oxygen saturation at
periphery (procedure) : Has intent (attribute) = Primary procedure
(qualifier value)"/>

```



```
26         </concept>
27         <concept>
28             <code value="250554003:363703001=262134003"/>
29             <display value="Measurement of oxygen saturation at
periphery (procedure) : Has intent (attribute) = Secondary procedure
(peripheral procedure) : Has intent (attribute) = Secondary procedure
(qualifier value)"/>
30         </concept>
31     </include>
32 </compose>
33 </ValueSet>
```

## 426. KBV\_VS\_MIO\_CMV\_SERVICE\_REQUEST\_STATUS

### KBV\_VS\_MIO\_CMV\_Service\_Request\_Status

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMV_Service_Request_Status"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMV_Service_Request_Status"/>
5    <title value="Service-Request Status"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Service-Request Status"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19   <compose>
20     <include>
21       <system value="http://hl7.org/fhir/request-status"/>
22       <concept>
23         <code value="completed"/>
24         <display value="Completed"/>
25       </concept>
26       <concept>
27         <code value="active"/>
28         <display value="Active"/>
29       </concept>

```

```
30     </include>
31   </compose>
32 </ValueSet>
```

## 427. KBV\_VS\_MIO\_CMR\_U1\_APGAR\_SCORE\_IDENTIFIER

## KBV\_VS\_MIO\_CMR\_U1\_Apgar\_Score\_Identifier

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U1_Apgar_Score_Identifier"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U1_Apgar_Score_Identifier"/>
5    <title value="Apgar Score am Zeitpunkt"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Apgar Score am Zeitpunkt"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="169922007"/>
25           <display value="Apgar score at 10 minutes (observable
entity)"/>
26         </concept>
27       <concept>

```

```
28         <code value="169909004"/>
29         <display value="Apgar score at 5 minutes (observable
entity)"/>
30     </concept>
31 </include>
32 </compose>
33 </ValueSet>
```

## 428. KBV\_VS\_MIO\_CMR\_U1\_APGAR\_SCORE\_VALUE

## KBV\_VS\_MIO\_CMR\_U1\_Apgar\_Score\_Value

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U1_Apgar_Score_Value"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U1_Apgar_Score_Value"/>
5    <title value="Apgar-Score Wert"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Apgar-Score Wert"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="77714001"/>
25           <display value="Apgar score 0 (finding)"/>
26         </concept>
27         <concept>
28           <code value="43610007"/>

```

```
29         <display value="Apgar score 1 (finding)"/>
30     </concept>
31     <concept>
32         <code value="39910003"/>
33         <display value="Apgar score 2 (finding)"/>
34     </concept>
35     <concept>
36         <code value="26635001"/>
37         <display value="Apgar score 3 (finding)"/>
38     </concept>
39     <concept>
40         <code value="38107004"/>
41         <display value="Apgar score 4 (finding)"/>
42     </concept>
43     <concept>
44         <code value="24388001"/>
45         <display value="Apgar score 5 (finding)"/>
46     </concept>
47     <concept>
48         <code value="10318004"/>
49         <display value="Apgar score 6 (finding)"/>
50     </concept>
51     <concept>
52         <code value="13323003"/>
53         <display value="Apgar score 7 (finding)"/>
54     </concept>
55     <concept>
56         <code value="12431004"/>
57         <display value="Apgar score 8 (finding)"/>
58     </concept>
59     <concept>
60         <code value="64198003"/>
61         <display value="Apgar score 9 (finding)"/>
62     </concept>
63     <concept>
64         <code value="49544001"/>
65         <display value="Apgar score 10 (finding)"/>
66     </concept>
67 </include>
68 </compose>
69 </ValueSet>
```

## 429. KBV\_VS\_MIO\_CMU\_U1\_U3\_BIRTHMODE

## KBV\_VS\_MIO\_CMU\_U1\_U3\_Birthmode

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U1_U3_Birthmode"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U1_U3_Birthmode"/>
5    <title value="Geburtsmodus"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Geburtsmodus"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="395683001"/>
25           <display value="Born by normal vaginal delivery
(situation)"/>
26         </concept>
27       </include>
    </compose>
  </concept>
</ValueSet>

```



```
28         <code value="394699000"/>
29         <display value="Born by cesarean section (situation)"/>
30     </concept>
31     <concept>
32         <code value="407614003"/>
33         <display value="Born by ventouse delivery (situation)"/>
34     </concept>
35     <concept>
36         <code value="395681004"/>
37         <display value="Born by forceps delivery (situation)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 430. KBV\_VS\_MIO\_CMR\_U1\_U3\_PULSE\_OXYMETRY\_MEASUREMENT

## KBV\_VS\_MIO\_CMR\_U1\_U3\_Pulse\_Oxymetry\_Measurement

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U1_U3_Pulse_Oxymetry_Measurement"/>
5    <title value="Auffälligkeit Sauerstoffsättigung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Auffälligkeit Sauerstoffsättigung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="449171008"/>
25           <display value="Oxygen saturation below reference range
(finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```
28         <code value="448225001"/>
29         <display value="Oxygen saturation within reference range
(finding)"/>
30     </concept>
31     <concept>
32         <code value="129125009:
{363589002=250554003,408730004=385643006,408732007=410604004}"/>
33         <display value="Procedure with explicit context
(situation) : { Associated procedure (attribute) = Measurement of oxygen
saturation at periphery (prcedure) , Procedure context (attribute) = To be
done (qualifier value) }"/>
34     </concept>
35     </include>
36 </compose>
37 </ValueSet>
```

## 431. KBV\_VS\_MIO\_CMR\_U2\_CONSULTATION

## KBV\_VS\_MIO\_CMR\_U2\_Consultation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_Consultation"/>
5    <title value="U2 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="438650006"/>
25           <display value="Dietary education for breast feeding
(procedure)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```

28         <code value="408433001"/>
29         <display value="Recommendation to carer regarding
prevention of sudden infant death syndrome (procedure)"/>
30     </concept>
31     <concept>
32         <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
33         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
34     </concept>
35     <concept>
36         <code value="409066002:363702006=698350008"/>
37         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of vitamin K1 via oral
route (procedure)"/>
38     </concept>
39     <concept>
40         <code value="424673000"/>
41         <display value="Community resources education, guidance and
counseling (procedure)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>

```

## 432. KBV\_VS\_MIO\_CMR\_U2\_CURRENT\_CHILD\_HISTORY

## KBV\_VS\_MIO\_CMR\_U2\_Current\_Child\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_Current_Child_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_Current_Child_History"/>
5    <title value="U2 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2 - Aktuelle Anamnese des Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="715949008"/>
25           <display value="Serious physical health problem (finding)"/
>
26         </concept>
27       </concept>

```

```

28         <code value="399122003"/>
29         <display value="Swallowing problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="271863002"/>
33         <display value="Stool color abnormal (finding)"/>
34     </concept>
35     <concept>
36         <code value="162214009"/>
37         <display value="Crying infant (finding)"/>
38     </concept>
39     <concept>
40         <code value="413350009:
41 {408729009=410519009,408731000=410512000,408732007=410604004,246090004=5278
1008}"/>
42         <display value="Finding with explicit context (situation) :
43 { Finding context (attribute) = At risk context (qualifier value), Temporal
44 context (attribute) = Current or specified time (qualifier value), Subject
45 relationship context (attribute) = Subject of record (person), Associated
finding (attribute) = Congenital hip dysplasia (disorder) }"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>

```

## 433. KBV\_VS\_MIO\_CMR\_U2\_FAMILY\_HISTORY

## KBV\_VS\_MIO\_CMR\_U2\_Family\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_Family_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_Family_History"/>
5    <title value="U2 - Familienanamnese"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2 - Familienanamnese"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="160346003"/>
25           <display value="Family history: Eye disorder (situation)"/>
26         </concept>
27         <concept>
28           <code value="160352002"/>

```



```
29         <display value="Family history: Ear disorder (situation)"/>
30     </concept>
31     <concept>
32         <code value="737367001"/>
33         <display value="Family history of disorder of immune
function (situation)"/>
34     </concept>
35     <concept>
36         <code value="700191004"/>
37         <display value="Family history of congenital hip dysplasia
(situation)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 434. KBV\_VS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_HEAD

## KBV\_VS\_MIO\_CMR\_U2\_Physical\_Exam\_Head

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_Physical_Exam_Head"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_Physical_Exam_Head"/>
5    <title value="U2 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2 - Kopf"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="111235007"/>
25           <display value="Musculoskeletal disorder of the neck
(disorder)"/>
26         </concept>
27       <concept>

```

```

28         <code value="253978002"/>
29         <display value="Dysmorphic features (finding)"/>
30     </concept>
31     <concept>
32         <code value="248387005"/>
33         <display value="Cranial suture finding (finding)"/>
34     </concept>
35     <concept>
36         <code value="206200000"/>
37         <display value="Cephalhematoma due to birth trauma
(disorder)"/>
38     </concept>
39     <concept>
40         <code value="366372002"/>
41         <display value="Finding of level of fontanelle (finding)"/>
42     </concept>
43     <concept>
44         <code value="23149001:363698007=783207002"/>
45         <display value="Bone crepitus (finding) : Finding site
(attribute) = Bone and/or joint structure of cranium (body structure)"/>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>

```

## 435. KBV\_VS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_VS\_MIO\_CMR\_U2\_Physical\_Exam\_Mouth\_Nose

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_Physical_Exam_Mouth_Nose"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_Physical_Exam_Mouth_Nose"/>
5    <title value="U2 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2 - Mundhöhle, Kiefer, Nase"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="300255008"/>
25           <display value="Oral cavity problem (finding)"/>
26         </concept>
27         <concept>
28           <code value="449790007"/>

```

```
29         <display value="Orofacial cleft (disorder)"/>
30     </concept>
31     <concept>
32         <code value="125593007"/>
33         <display value="Injury of face (disorder)"/>
34     </concept>
35     <concept>
36         <code value="65476007:363698007=21974007"/>
37         <display value="Abnormal size (finding) : Finding site
(attribute) = Tongue structure (body structure)"/>
38     </concept>
39     <concept>
40         <code value="232209000"/>
41         <display value="Nasal obstruction (disorder)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 436. KBV\_VS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMR\_U2\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_Physical_Exam_Musculoskeletal_System"/>
5    <title value="U2 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="422949007"/>
25           <display value="Musculoskeletal asymmetry (finding)"/>
26         </concept>
27         <concept>
28           <code value="43029002"/>

```

```

29         <display value="Abnormal posture (finding)"/>
30     </concept>
31     <concept>
32         <code value="225606002"/>
33         <display value="Abnormal movement (finding)"/>
34     </concept>
35     <concept>
36         <code value="366725004"/>
37         <display value="Finding of muscle tone (finding)"/>
38     </concept>
39     <concept>
40         <code value="8652009"/>
41         <display value="Opisthotonus (finding)"/>
42     </concept>
43     <concept>
44         <code value="298180004"/>
45         <display value="Finding of range of joint movement
46 (finding)"/>
47     </concept>
48     <concept>
49         <code value="299742001+299743006"/>
50         <display value="Moro reflex absent (finding) + Moro reflex
51 equivocal (finding)"/>
52     </concept>
53     <concept>
54         <code value="299796002"/>
55         <display value="Galant's reflex absent (finding)"/>
56     </concept>
57     <concept>
58         <code value="299763004+299764005"/>
59         <display value="Stepping reflex absent (finding)+Stepping
60 reflex equivocal (finding)"/>
61     </concept>
62     <concept>
63         <code value="404684003:116676008=72704001"/>
64         <display value="Clinical finding (finding) : Associated
65 morphology (attribute) = Fracture (morphologic abnormality)"/>
66     </concept>
67 </include>
68 </compose>
69 </ValueSet>

```

## 437. KBV\_VS\_MIO\_CMR\_U2\_PHYSICAL\_EXAM\_SKIN

## KBV\_VS\_MIO\_CMR\_U2\_Physical\_Exam\_Skin

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_Physical_Exam_Skin"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_Physical_Exam_Skin"/>
5    <title value="U2 - Haut"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2 - Haut"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="267029006"/>
25           <display value="Pale - symptom (finding)"/>
26         </concept>
27         <concept>
28           <code value="3415004"/>

```



```

29         <display value="Cyanosis (finding)"/>
30     </concept>
31     <concept>
32         <code value="18165001"/>
33         <display value="Jaundice (finding)"/>
34     </concept>
35     <concept>
36         <code value="400210000"/>
37         <display value="Hemangioma (disorder)"/>
38     </concept>
39     <concept>
40         <code value="21119008"/>
41         <display value="Pigmented nevus, no International
Classification of Diseases for Oncology subtype (morphologic abnormality)"/
>
42     </concept>
43     <concept>
44         <code value="267038008"/>
45         <display value="Edema (finding)"/>
46     </concept>
47     <concept>
48         <code value="781645001"/>
49         <display value="Injury to skin caused by trauma (finding)"/
>
50     </concept>
51     <concept>
52         <code value="251839006"/>
53         <display value="Fluid balance finding (finding)"/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

## 438. KBV\_VS\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_VS\_MIO\_CMR\_U2\_U3\_Physical\_Exam\_Abdomen\_Genitals

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Abdomen_Genitals"/>
5    <title value="U2, U3 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2, U3 - Abdomen, Genitale"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="822987005:
{116676008=49755003,363698007=818987002}"/>

```

```

25         <display value="Finding of abdominopelvic segment of trunk
(finding) : {Associated morphology (attribute) = Developmental anomaly
(morphologic abnormality) , Finding site (attribute) = Structure of
abdominopelvic cavity (body structure) }"/>
26     </concept>
27     <concept>
28         <code value="249537008"/>
29         <display value="Umbilicus finding (finding)"/>
30     </concept>
31     <concept>
32         <code value="65476007:
{363698007=10200004,363698007=78961009}"/>
33         <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure) }"/>
34     </concept>
35     <concept>
36         <code value="128545000"/>
37         <display value="Hernia of abdominal wall (disorder)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>

```

## 439. KBV\_VS\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_EARS

## KBV\_VS\_MIO\_CMR\_U2\_U3\_Physical\_Exam\_Ears

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Ears"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Ears"/>
5    <title value="U2, U3 - Ohren"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2, U3 - Ohren"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="282038006"/>
25           <display value="Congenital abnormality of external ear
(disorder)"/>
26         </concept>
27       </include>

```

```
28     </compose>  
29 </ValueSet>
```

## 440. KBV\_VS\_MIO\_CMR\_U2\_U3\_PHYSICAL\_EXAM\_EYES

## KBV\_VS\_MIO\_CMR\_U2\_U3\_Physical\_Exam\_Eyes

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Eyes"/>
3   <version value="1.0.1"/>
4   <name value="KBV_VS_MIO_CMR_U2_U3_Physical_Exam_Eyes"/>
5   <title value="U2, U3 - Augen"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="U2, U3 - Augen"/>
17  <immutable value="false"/>
18  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19    <compose>
20      <include>
21        <system value="http://snomed.info/sct"/>
22        <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23        <concept>
24          <code value="737269000"/>
25          <display value="Eye appearance abnormal (finding)"/>
26        </concept>
27        <concept>
28          <code value="307699005"/>

```

```
29         <display value="Nystagmus present (finding)"/>
30     </concept>
31     <concept>
32         <code value="400964006"/>
33         <display value="Iris transillumination (finding)"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>
```

## 441. KBV\_VS\_MIO\_CMR\_U2\_U4\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_VS\_MIO\_CMR\_U2\_U4\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_Tract"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_U4_Physical_Exam_Chest_Lung_Respiratory_
Tract"/>
5    <title value="U2, U3, U4 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2, U3, U4 - Thorax, Lunge, Atemwege"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="301272007"/>
25           <display value="Chest auscultation finding (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```



```

28         <code value="301273002"/>
29         <display value="Abnormal breath sounds (finding)"/>
30     </concept>
31     <concept>
32         <code value="17077006"/>
33         <display value="Abnormal respiratory rate (finding)"/>
34     </concept>
35     <concept>
36         <code value="67909005"/>
37         <display value="Chest wall retraction (finding)"/>
38     </concept>
39     <concept>
40         <code value="298706004"/>
41         <display value="Finding of appearance of thorax (finding)"/
42     >
43     </concept>
44     <concept>
45         <code value="298761006"/>
46         <display value="Finding of clavicle structure (finding)"/>
47     </concept>
48 </include>
49 </compose>
</ValueSet>

```

## 442. KBV\_VS\_MIO\_CMR\_U2\_U6\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION

## KBV\_VS\_MIO\_CMR\_U2\_U6\_Physical\_Exam\_Heart\_Blood\_Circulation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U2_U6_Physical_Exam_Heart_Blood_Circulation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U2_U6_Physical_Exam_Heart_Blood_Circulation
"/>
5    <title value="U2, U3, U4, U5, U6 - Herz, Kreislauf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U2, U3, U4, U5, U6 - Herz, Kreislauf"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="361135004"/>
25           <display value="Abnormal cardiac rate (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```
28         <code value="698247007"/>
29         <display value="Cardiac arrhythmia (disorder)"/>
30     </concept>
31     <concept>
32         <code value="123824001"/>
33         <display value="Heart sounds abnormal (finding)"/>
34     </concept>
35     <concept>
36         <code value="88610006"/>
37         <display value="Heart murmur (finding)"/>
38     </concept>
39     <concept>
40         <code value="50178004"/>
41         <display value="Abnormal femoral pulse (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 443. KBV\_VS\_MIO\_CMR\_U3\_CONSULTATION

## KBV\_VS\_MIO\_CMR\_U3\_Consultation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U3_Consultation"/>
5    <title value="U3 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U3 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="438650006"/>
25           <display value="Dietary education for breast feeding
(procedure)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```

28         <code value="408433001"/>
29         <display value="Recommendation to caregiver regarding
prevention of sudden infant death syndrome (procedure)"/>
30     </concept>
31     <concept>
32         <code value="409066002:363702006=698350008"/>
33         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of vitamin K1 via oral
route (procedure)"/>
34     </concept>
35     <concept>
36         <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
37         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
38     </concept>
39     <concept>
40         <code value="424673000"/>
41         <display value="Community resources education, guidance and
counseling (procedure)"/>
42     </concept>
43     <concept>
44         <code value="409059003"/>
45         <display value="Safety education, guidance, and counseling
(procedure)"/>
46     </concept>
47     <concept>
48         <code value="702971000"/>
49         <display value="Counseling for childhood immunization
(procedure)"/>
50     </concept>
51     <concept>
52         <code value="409066002:363702006=162214009"/>
53         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Crying infant (finding)"/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

#### 444. KBV\_VS\_MIO\_CMR\_U3\_CURRENT\_CHILD\_HISTORY

KBV_VS_MIO_CMR_U3_Current_Child_History	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_CMR_U3_Current_Child_History"/>
4	<version value="1.0.1"/>
5	<name value="KBV_VS_MIO_CMR_U3_Current_Child_History"/>
6	<title value="U3 - Aktuelle Anamnese des Kindes"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="U3 - Aktuelle Anamnese des Kindes"/>
17	<immutable value="false"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http:// loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE."/>
19	<compose>
20	<include>
21	<system value="http://snomed.info/sct"/>
22	<version value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
23	<concept>
24	<code value="715949008"/>
25	<display value="Serious physical health problem (finding)"/
26	>
27	</concept>
	</include>
	</compose>

```
28         <code value="399122003"/>
29         <display value="Swallowing problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="162214009"/>
33         <display value="Crying infant (finding)"/>
34     </concept>
35     <concept>
36         <code value="271863002"/>
37         <display value="Stool color abnormal (finding)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

#### 445. KBV\_VS\_MIO\_CMU\_U3\_DEVELOPMENT\_ASSESSMENT

##### KBV\_VS\_MIO\_CMU\_U3\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U3_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U3_Development_Assessment"/>
5    <title value="U3 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U3 - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </ValueSet>

```



```

28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="285770005"/>
33         <display value="Finding of perceptual performance
(finding)"/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="106126000"/>
41         <display value="Emotional state finding (finding)"/>
42     </concept>
43     <concept>
44         <code value="365997002"/>
45         <display value="Finding related to ability to interact with
others (finding)"/>
46     </concept>
47     <concept>
48         <code value="106131003"/>
49         <display value="Mood finding (finding)"/>
50     </concept>
51 </include>
52 </compose>
53 </ValueSet>

```

## 446. KBV\_VS\_MIO\_CMR\_U3\_FAMILY\_HISTORY

## KBV\_VS\_MIO\_CMR\_U3\_Family\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_Family_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U3_Family_History"/>
5    <title value="U3 - Familienanamnese"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U3 - Familienanamnese"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="160346003"/>
25           <display value="Family history: Eye disorder (situation)"/>
26         </concept>
27         <concept>
28           <code value="160352002"/>

```

```
29         <display value="Family history: Ear disorder (situation)"/>
30     </concept>
31     <concept>
32         <code value="737367001"/>
33         <display value="Family history of disorder of immune
function (situation)"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>
```

## 447. KBV\_VS\_MIO\_CMR\_U3\_PHYSICAL\_EXAM\_HEAD

## KBV\_VS\_MIO\_CMR\_U3\_Physical\_Exam\_Head

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_Physical_Exam_Head"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U3_Physical_Exam_Head"/>
5    <title value="U3 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U3 - Kopf"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="111235007"/>
25           <display value="Musculoskeletal disorder of the neck
(disorder)"/>
26         </concept>
27       <concept>

```

```

28         <code value="253978002"/>
29         <display value="Dysmorphic features (finding)"/>
30     </concept>
31     <concept>
32         <code value="248387005"/>
33         <display value="Cranial suture finding (finding)"/>
34     </concept>
35     <concept>
36         <code value="206200000"/>
37         <display value="Cephalhematoma due to birth trauma
(disorder)"/>
38     </concept>
39     <concept>
40         <code value="366372002"/>
41         <display value="Finding of level of fontanelle (finding)"/>
42     </concept>
43     <concept>
44         <code value="23149001:363698007=783207002"/>
45         <display value="Bone crepitus (finding) : Finding site
(attribute) = Bone and/or joint structure of cranium (body structure)"/>
46     </concept>
47     <concept>
48         <code value="293291000119108"/>
49         <display value="Acquired postural plagiocephaly (disorder)"
/>
50     </concept>
51 </include>
52 </compose>
53 </ValueSet>

```

## 448. KBV\_VS\_MIO\_CMR\_U3\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMR\_U3\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U3_Physical_Exam_Musculoskeletal_System"/>
5    <title value="U3 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U3 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="422949007"/>
25           <display value="Musculoskeletal asymmetry (finding)"/>
26         </concept>
27         <concept>
28           <code value="43029002"/>

```

```

29         <display value="Abnormal posture (finding)"/>
30     </concept>
31     <concept>
32         <code value="225606002"/>
33         <display value="Abnormal movement (finding)"/>
34     </concept>
35     <concept>
36         <code value="366725004"/>
37         <display value="Finding of muscle tone (finding)"/>
38     </concept>
39     <concept>
40         <code value="8652009"/>
41         <display value="Opisthotonus (finding)"/>
42     </concept>
43     <concept>
44         <code value="298180004"/>
45         <display value="Finding of range of joint movement
(finding)"/>
46     </concept>
47     <concept>
48         <code value="366420008"/>
49         <display value="Peripheral reflex finding (finding)"/>
50     </concept>
51     <concept>
52         <code value="299745004+299746003"/>
53         <display value="Palmar reflex absent (finding) + Palmar
reflex equivocal (finding)"/>
54     </concept>
55     <concept>
56         <code value="299742001+299743006"/>
57         <display value="Moro reflex absent (finding) + Moro reflex
equivocal (finding)"/>
58     </concept>
59     <concept>
60         <code value="299757008+299758003"/>
61         <display value="Sucking reflex absent (finding) + Sucking
reflex equivocal (finding)"/>
62     </concept>
63     <concept>
64         <code value="404684003:116676008=72704001"/>
65         <display value="Clinical finding (finding) : Associated
morphology (attribute) = Fracture (morphologic abnormality)"/>
66     </concept>
67 </include>
68 </compose>
69 </ValueSet>

```

## 449. KBV\_VS\_MIO\_CMR\_U3\_U4\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_VS\_MIO\_CMR\_U3\_U4\_Physical\_Exam\_Mouth\_Nose

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U3_U4_Physical_Exam_Mouth_Nose"/>
5    <title value="U3, U4 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U3, U4 - Mundhöhle, Kiefer, Nase"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="300255008"/>
25           <display value="Oral cavity problem (finding)"/>
26         </concept>
27         <concept>
28           <code value="449790007"/>

```



```

29         <display value="Orofacial cleft (disorder)"/>
30     </concept>
31     <concept>
32         <code value="125593007"/>
33         <display value="Injury of face (disorder)"/>
34     </concept>
35     <concept>
36         <code value="65476007:363698007=21974007"/>
37         <display value="Abnormal size (finding) : Finding site
(attribute) = Tongue structure (body structure)"/>
38     </concept>
39     <concept>
40         <code value="232209000"/>
41         <display value="Nasal obstruction (disorder)"/>
42     </concept>
43     <concept>
44         <code value="367381002"/>
45         <display value="Weak mouth closure (finding)"/>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>

```

## 450. KBV\_VS\_MIO\_CMR\_U3\_U4\_PHYSICAL\_EXAM\_SKIN

## KBV\_VS\_MIO\_CMR\_U3\_U4\_Physical\_Exam\_Skin

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_U4_Physical_Exam_Skin"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U3_U4_Physical_Exam_Skin"/>
5    <title value="U3, U4 - Haut"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U3, U4 - Haut"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="267029006"/>
25           <display value="Pale - symptom (finding)"/>
26         </concept>
27         <concept>
28           <code value="3415004"/>

```

```

29         <display value="Cyanosis (finding)"/>
30     </concept>
31     <concept>
32         <code value="18165001"/>
33         <display value="Jaundice (finding)"/>
34     </concept>
35     <concept>
36         <code value="400210000"/>
37         <display value="Hemangioma (disorder)"/>
38     </concept>
39     <concept>
40         <code value="370172004"/>
41         <display value="Skin pigmentation (finding)"/>
42     </concept>
43     <concept>
44         <code value="267038008"/>
45         <display value="Edema (finding)"/>
46     </concept>
47     <concept>
48         <code value="781645001"/>
49         <display value="Injury to skin caused by trauma (finding)"/
>
50     </concept>
51     <concept>
52         <code value="106076001:116676008=708039003"/>
53         <display value="Skin finding (finding) : Associated
morphology (attribute) = Inflammatory lesion (morphologic abnormality)"/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

## 451. KBV\_VS\_MIO\_CMR\_U3\_U9\_AGE\_APPROPRIATE\_DEVELOPMENT

## KBV\_VS\_MIO\_CMR\_U3\_U9\_Age\_Appropriate\_Development

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U3_U9_Age_Appropriate_Development"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U3_U9_Age_Appropriate_Development"/>
5    <title value="AltersgemäÙe Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="AltersgemäÙe Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="23397005"/>
25           <display value="Normal growth and development for age
(finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```
28         <code value="409033001"/>
29         <display value="Altered growth and development (finding)"/>
30     </concept>
31 </include>
32 </compose>
33 </ValueSet>
```

## 452. KBV\_VS\_MIO\_CMR\_U3\_U9\_SOCIAL\_HISTORY

KBV_VS_MIO_CMR_U3_U9_Social_History	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_CMR_U3_U9_Social_History"/>
4	<version value="1.0.1"/>
5	<name value="KBV_VS_MIO_CMR_U3_U9_Social_History"/>
6	<title value="U3-U9 - Sozialanamnese"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="U3-U9 - Sozialanamnese"/>
17	<immutable value="false"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http:// loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE."/>
19	<compose>
20	<include>
21	<system value="http://snomed.info/sct"/>
22	<version value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
23	<concept>
24	<code value="105485001"/>
25	<display value="Family tension (finding)"/>
26	</concept>
27	<concept>
28	<code value="276104006"/>

```
29         <display value="Home unsettled (finding)"/>
30     </concept>
31 </include>
32 </compose>
33 </ValueSet>
```

453. KBV\_VS\_MIO\_CMR\_U4\_CONSULTATION

```

KBV_VS_MIO_CMR_U4_Consultation
1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U4_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U4_Consultation"/>
5    <title value="U4 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U4 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="438650006"/>
25           <display value="Dietary education for breast feeding
(procedure)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```



```

28         <code value="408433001"/>
29         <display value="Recommendation to caregiver regarding
prevention of sudden infant death syndrome (procedure)"/>
30     </concept>
31     <concept>
32         <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
33         <display value="Education, guidance and counseling
(procedure) : { Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
34     </concept>
35     <concept>
36         <code value="424673000"/>
37         <display value="Community resources education, guidance and
counseling (procedure)"/>
38     </concept>
39     <concept>
40         <code value="409059003"/>
41         <display value="Safety education, guidance, and counseling
(procedure)"/>
42     </concept>
43     <concept>
44         <code value="702971000"/>
45         <display value="Counseling for childhood immunization
(procedure)"/>
46     </concept>
47     <concept>
48         <code value="409066002:363702006=162214009"/>
49         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Crying infant (finding)"/>
50     </concept>
51     <concept>
52         <code value="424308004"/>
53         <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

#### 454. KBV\_VS\_MIO\_CMR\_U4\_CURRENT\_CHILD\_HISTORY

KBV_VS_MIO_CMR_U4_Current_Child_History	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_CMR_U4_Current_Child_History"/>
4	<version value="1.0.1"/>
5	<name value="KBV_VS_MIO_CMR_U4_Current_Child_History"/>
6	<title value="U4 - Aktuelle Anamnese des Kindes"/>
7	<status value="draft"/>
8	<experimental value="false"/>
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10	<contact>
11	<telecom>
12	<system value="url"/>
13	<value value="http://www.kbv.de"/>
14	</telecom>
15	</contact>
16	<description value="U4 - Aktuelle Anamnese des Kindes"/>
17	<immutable value="false"/>
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http:// loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http:// unitsofmeasure.org. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE."/>
19	<compose>
20	<include>
21	<system value="http://snomed.info/sct"/>
22	<version value="http://snomed.info/sct/900000000000207008/ version/20210131"/>
23	<concept>
24	<code value="715949008"/>
25	<display value="Serious physical health problem (finding)"/
26	>
27	</concept>
	</include>
	</compose>

```
28         <code value="399122003"/>
29         <display value="Swallowing problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="271840007+111360009"/>
33         <display value="Abnormal feces (finding)+Obstipation
(disorder)"/>
34     </concept>
35     <concept>
36         <code value="162214009"/>
37         <display value="Crying infant (finding)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 455. KBV\_VS\_MIO\_CMR\_U4\_DEVELOPMENT\_ASSESSMENT

### KBV\_VS\_MIO\_CMR\_U4\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U4_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U4_Development_Assessment"/>
5    <title value="U4 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U4 - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </ValueSet>

```

```

28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="285770005"/>
33         <display value="Finding of perceptual performance
(finding)"/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="106126000"/>
41         <display value="Emotional state finding (finding)"/>
42     </concept>
43     <concept>
44         <code value="365997002"/>
45         <display value="Finding related to ability to interact with
others (finding)"/>
46     </concept>
47     <concept>
48         <code value="106131003"/>
49         <display value="Mood finding (finding)"/>
50     </concept>
51 </include>
52 </compose>
53 </ValueSet>

```

## 456. KBV\_VS\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_VS\_MIO\_CMR\_U4\_Physical\_Exam\_Abdomen\_Genitals

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U4_Physical_Exam_Abdomen_Genitals"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U4_Physical_Exam_Abdomen_Genitals"/>
5    <title value="U4 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U4 - Abdomen, Genitale"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="822987005:
{116676008=49755003,363698007=818987002}"/>

```

```
25         <display value="Finding of abdominopelvic segment of trunk
(finding) : {Associated morphology (attribute) = Developmental anomaly
(morphologic abnormality) , Finding site (attribute) = Structure of
abdominopelvic cavity (body structure) }"/>
26         </concept>
27         <concept>
28             <code value="65476007:
{363698007=10200004,363698007=78961009}"/>
29             <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure) }"/>
30             </concept>
31             <concept>
32                 <code value="128545000"/>
33                 <display value="Hernia of abdominal wall (disorder)"/>
34             </concept>
35         </include>
36     </compose>
37 </ValueSet>
```

## 457. KBV\_VS\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_HEAD

## KBV\_VS\_MIO\_CMR\_U4\_Physical\_Exam\_Head

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U4_Physical_Exam_Head"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U4_Physical_Exam_Head"/>
5    <title value="U4 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U4 - Kopf"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="111235007"/>
25           <display value="Musculoskeletal disorder of the neck
(disorder)"/>
26         </concept>
27       <concept>

```



```
28         <code value="253978002"/>
29         <display value="Dysmorphic features (finding)"/>
30     </concept>
31     <concept>
32         <code value="248387005"/>
33         <display value="Cranial suture finding (finding)"/>
34     </concept>
35     <concept>
36         <code value="206200000"/>
37         <display value="Cephalhematoma due to birth trauma
38 (disorder)"/>
39     </concept>
40     <concept>
41         <code value="366372002"/>
42         <display value="Finding of level of fontanelle (finding)"/>
43     </concept>
44 </include>
45 </compose>
</ValueSet>
```

## 458. KBV\_VS\_MIO\_CMR\_U4\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMR\_U4\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U4_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U4_Physical_Exam_Musculoskeletal_System"/>
5    <title value="U4 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U4 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="422949007"/>
25           <display value="Musculoskeletal asymmetry (finding)"/>
26         </concept>
27         <concept>
28           <code value="43029002"/>

```

```

29         <display value="Abnormal posture (finding)"/>
30     </concept>
31     <concept>
32         <code value="225606002"/>
33         <display value="Abnormal movement (finding)"/>
34     </concept>
35     <concept>
36         <code value="366725004"/>
37         <display value="Finding of muscle tone (finding)"/>
38     </concept>
39     <concept>
40         <code value="8652009"/>
41         <display value="Opisthotonus (finding)"/>
42     </concept>
43     <concept>
44         <code value="298180004"/>
45         <display value="Finding of range of joint movement
(finding)"/>
46     </concept>
47     <concept>
48         <code value="366420008"/>
49         <display value="Peripheral reflex finding (finding)"/>
50     </concept>
51     <concept>
52         <code value="299745004+299746003"/>
53         <display value="Palmar reflex absent (finding) + Palmar
reflex equivocal (finding)"/>
54     </concept>
55     <concept>
56         <code value="246592003+246589002"/>
57         <display value="Absent plantar response (finding) +
Equivocal plantar response (finding)"/>
58     </concept>
59     <concept>
60         <code value="366121000"/>
61         <display value="Primitive reflex finding (finding)"/>
62     </concept>
63     <concept>
64         <code value="404684003:116676008=72704001"/>
65         <display value="Clinical finding (finding) : Associated
morphology (attribute) = Fracture (morphologic abnormality)"/>
66     </concept>
67 </include>
68 </compose>
69 </ValueSet>

```

## 459. KBV\_VS\_MIO\_CMR\_U4\_U5\_PHYSICAL\_EXAM\_EYES

## KBV\_VS\_MIO\_CMR\_U4\_U5\_Physical\_Exam\_Eyes

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U4_U5_Physical_Exam_Eyes"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U4_U5_Physical_Exam_Eyes"/>
5    <title value="U4, U5 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U4, U5 - Augen"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="737269000"/>
25           <display value="Eye appearance abnormal (finding)"/>
26         </concept>
27         <concept>
28           <code value="307699005"/>

```

```
29         <display value="Nystagmus present (finding)"/>
30     </concept>
31     <concept>
32         <code value="400964006"/>
33         <display value="Iris transillumination (finding)"/>
34     </concept>
35     <concept>
36         <code value="870705000"/>
37         <display value="Poor visual fixation (finding)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

460. KBV\_VS\_MIO\_CMR\_U5\_CONSULTATION

```

KBV_VS_MIO_CMR_U5_Consultation
1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_Consultation"/>
5    <title value="U5 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="438650006"/>
25           <display value="Dietary education for breast feeding
(procedure)"/>
26         </concept>
27       <concept>

```

```

28         <code value="408433001"/>
29         <display value="Recommendation to caregiver regarding
prevention of sudden infant death syndrome (procedure)"/>
30     </concept>
31     <concept>
32         <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
33         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
34     </concept>
35     <concept>
36         <code value="424673000"/>
37         <display value="Community resources education, guidance and
counseling (procedure)"/>
38     </concept>
39     <concept>
40         <code value="409059003"/>
41         <display value="Safety education, guidance, and counseling
(procedure)"/>
42     </concept>
43     <concept>
44         <code value="702971000"/>
45         <display value="Counseling for childhood immunization
(procedure)"/>
46     </concept>
47     <concept>
48         <code value="243085009"/>
49         <display value="Oral health education (procedure)"/>
50     </concept>
51     <concept>
52         <code value="424308004"/>
53         <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
54     </concept>
55     <concept>
56         <code value="274410002"/>
57         <display value="Dental referral - child (procedure)"/>
58     </concept>
59     <concept>
60         <code value="408935001"/>
61         <display value="Substance abuse prevention education
(procedure)"/>
62     </concept>
63     <concept>
64         <code value="410310007"/>
65         <display value="Skin care education, guidance, and
counseling (procedure)"/>
66     </concept>
67 </include>
68 </compose>
69 </ValueSet>

```

## 461. KBV\_VS\_MIO\_CMR\_U5\_CURRENT\_CHILD\_HISTORY

## KBV\_VS\_MIO\_CMR\_U5\_Current\_Child\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_Current_Child_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_Current_Child_History"/>
5    <title value="U5 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5 - Aktuelle Anamnese des Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="715949008"/>
25           <display value="Serious physical health problem (finding)"/
>
26         </concept>
27       </concept>

```



```
28         <code value="248124006"/>
29         <display value="Eating problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="271840007"/>
33         <display value="Abnormal feces (finding)"/>
34     </concept>
35     <concept>
36         <code value="162214009"/>
37         <display value="Crying infant (finding)"/>
38     </concept>
39     <concept>
40         <code value="162339002"/>
41         <display value="Hearing normal (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 462. KBV\_VS\_MIO\_CMR\_U5\_DEVELOPMENT\_ASSESSMENT

### KBV\_VS\_MIO\_CMR\_U5\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_Development_Assessment"/>
5    <title value="U5 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5 - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </ValueSet>

```

```

28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="365374008"/>
33         <display value="Finding related to ability to play
(finding)"/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="268672004"/>
41         <display value=" Disorder of speech and language
development (disorder)"/>
42     </concept>
43     <concept>
44         <code value="106126000"/>
45         <display value="Emotional state finding (finding)"/>
46     </concept>
47     <concept>
48         <code value="365997002"/>
49         <display value="Finding related to ability to interact with
others (finding)"/>
50     </concept>
51     <concept>
52         <code value="106131003"/>
53         <display value="Mood finding (finding)"/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

## 463. KBV\_VS\_MIO\_CMU\_U5\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_VS\_MIO\_CMU\_U5\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U5_Physical_Exam_Chest_Lung_Respiratory_Tract"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U5_Physical_Exam_Chest_Lung_Respiratory_Tra
ct"/>
5    <title value="U5 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5 - Thorax, Lunge, Atemwege"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="301272007"/>
25           <display value="Chest auscultation finding (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```
28         <code value="301273002"/>
29         <display value="Abnormal breath sounds (finding)"/>
30     </concept>
31     <concept>
32         <code value="17077006"/>
33         <display value="Abnormal respiratory rate (finding)"/>
34     </concept>
35     <concept>
36         <code value="67909005"/>
37         <display value="Chest wall retraction (finding)"/>
38     </concept>
39     <concept>
40         <code value="298706004"/>
41         <display value="Finding of appearance of thorax (finding)"/
42     >
43     </concept>
44 </include>
45 </compose>
</ValueSet>
```

## 464. KBV\_VS\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_VS\_MIO\_CMR\_U5\_Physical\_Exam\_Mouth\_Nose

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_Physical_Exam_Mouth_Nose"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_Physical_Exam_Mouth_Nose"/>
5    <title value="U5 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5 - Mundhöhle, Kiefer, Nase"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="125593007"/>
25           <display value="Injury of face (disorder)"/>
26         </concept>
27         <concept>
28           <code value="367381002"/>

```

```
29         <display value="Weak mouth closure (finding)"/>
30     </concept>
31 </include>
32 </compose>
33 </ValueSet>
```

## 465. KBV\_VS\_MIO\_CMR\_U5\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMR\_U5\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_Physical_Exam_Musculoskeletal_System"/>
5    <title value="U5 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="422949007"/>
25           <display value="Musculoskeletal asymmetry (finding)"/>
26         </concept>
27         <concept>
28           <code value="43029002"/>

```



```

29         <display value="Abnormal posture (finding)"/>
30     </concept>
31     <concept>
32         <code value="225606002"/>
33         <display value="Abnormal movement (finding)"/>
34     </concept>
35     <concept>
36         <code value="366725004"/>
37         <display value="Finding of muscle tone (finding)"/>
38     </concept>
39     <concept>
40         <code value="298180004"/>
41         <display value="Finding of range of joint movement
(finding)"/>
42     </concept>
43     <concept>
44         <code value="366420008"/>
45         <display value="Peripheral reflex finding (finding)"/>
46     </concept>
47     <concept>
48         <code value="404684003:116676008=72704001"/>
49         <display value="Clinical finding (finding) : Associated
morphology (attribute) = Fracture (morphologic abnormality)"/>
50     </concept>
51 </include>
52 </compose>
53 </ValueSet>

```

## 466. KBV\_VS\_MIO\_CMR\_U5\_U6\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_VS\_MIO\_CMR\_U5\_U6\_Physical\_Exam\_Abdomen\_Genitals

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_U6_Physical_Exam_Abdomen_Genitals"/>
5    <title value="U5, U6 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5, U6 - Abdomen, Genitale"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="822987005:
{116676008=49755003,363698007=818987002}"/>

```

```

25         <display value="Finding of abdominopelvic segment of trunk
(finding) : {Associated morphology (attribute) = Developmental anomaly
(morphologic abnormality) , Finding site (attribute) = Structure of
abdominopelvic cavity (body structure) }"/>
26     </concept>
27     <concept>
28         <code value="204878001"/>
29         <display value="Undescended testicle (disorder)"/>
30     </concept>
31     <concept>
32         <code value="128545000"/>
33         <display value="Hernia of abdominal wall (disorder)"/>
34     </concept>
35     <concept>
36         <code value="65476007:
{363698007=10200004,363698007=78961009}"/>
37         <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure) }"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>

```

467. KBV\_VS\_MIO\_CMR\_U5\_U6\_PHYSICAL\_EXAM\_HEAD

```

KBV_VS_MIO_CMR_U5_U6_Physical_Exam_Head
1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_U6_Physical_Exam_Head"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_U6_Physical_Exam_Head"/>
5    <title value="U5, U6 - Kopf"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5, U6 - Kopf"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="111235007"/>
25           <display value="Musculoskeletal disorder of the neck
(disorder)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```
28         <code value="253978002"/>
29         <display value="Dysmorphic features (finding)"/>
30     </concept>
31     <concept>
32         <code value="248387005"/>
33         <display value="Cranial suture finding (finding)"/>
34     </concept>
35     <concept>
36         <code value="366372002"/>
37         <display value="Finding of level of fontanelle (finding)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 468. KBV\_VS\_MIO\_CMR\_U5\_U9\_PHYSICAL\_EXAM\_SKIN

## KBV\_VS\_MIO\_CMR\_U5\_U9\_Physical\_Exam\_Skin

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U5_U9_Physical_Exam_Skin"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U5_U9_Physical_Exam_Skin"/>
5    <title value="U5, U6, U7, U7a, U8, U9 - Haut"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U5, U6, U7, U7a, U8, U9 - Haut"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="267029006"/>
25           <display value="Pale - symptom (finding)"/>
26         </concept>
27         <concept>
28           <code value="781645001"/>

```

```
29         <display value="Injury to skin caused by trauma (finding)"/
30     >
31         </concept>
32         <concept>
33             <code value="106076001:116676008=708039003"/>
34             <display value="Skin finding (finding) : Associated
morphology (attribute) = Inflammatory lesion (morphologic abnormality)"/>
35         </concept>
36     </include>
37 </compose>
</ValueSet>
```

## 469. KBV\_VS\_MIO\_CMR\_U6\_CONSULTATION

## KBV\_VS\_MIO\_CMR\_U6\_Consultation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U6_Consultation"/>
5    <title value="U6 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U6 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="441041000124100"/>
25           <display value="Counseling about nutrition (procedure)"/>
26         </concept>
27       </include>
    </compose>
  </valueSet>

```



```

28         <code value="409066002:
{363702006=444069008,363702006=426482000}"/>
29         <display value="Education, guidance and counseling
(procedure) : Has focus (attribute) = Administration of Vitamin D
supplement (procedure) , Has focus (attribute) = Prevention of dental
caries (procedure) }"/>
30     </concept>
31     <concept>
32         <code value="424673000"/>
33         <display value="Community resources education, guidance and
counseling (procedure)"/>
34     </concept>
35     <concept>
36         <code value="409059003"/>
37         <display value="Safety education, guidance, and counseling
(procedure)"/>
38     </concept>
39     <concept>
40         <code value="702971000"/>
41         <display value="Counseling for childhood immunization
(procedure)"/>
42     </concept>
43     <concept>
44         <code value="243085009"/>
45         <display value="Oral health education (procedure)"/>
46     </concept>
47     <concept>
48         <code value="424308004"/>
49         <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
50     </concept>
51     <concept>
52         <code value="274410002"/>
53         <display value="Dental referral - child (procedure)"/>
54     </concept>
55     <concept>
56         <code value="408935001"/>
57         <display value="Substance abuse prevention education
(procedure)"/>
58     </concept>
59 </include>
60 </compose>
61 </ValueSet>

```

## 470. KBV\_VS\_MIO\_CMR\_U6\_CURRENT\_CHILD\_HISTORY

## KBV\_VS\_MIO\_CMR\_U6\_Current\_Child\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_Current_Child_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U6_Current_Child_History"/>
5    <title value="U6 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U6 - Aktuelle Anamnese des Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="715949008"/>
25           <display value="Serious physical health problem (finding)"/
>
26         </concept>
27       </include>
    </compose>
  </concept>
</ValueSet>

```

```
28         <code value="248124006"/>
29         <display value="Eating problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="271840007"/>
33         <display value="Abnormal feces (finding)"/>
34     </concept>
35     <concept>
36         <code value="162339002"/>
37         <display value="Hearing normal (finding)"/>
38     </concept>
39     <concept>
40         <code value="72863001"/>
41         <display value="Snoring (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 471. KBV\_VS\_MIO\_CMR\_U6\_DEVELOPMENT\_ASSESSMENT

### KBV\_VS\_MIO\_CMR\_U6\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U6_Development_Assessment"/>
5    <title value="U6 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U6 - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </ValueSet>

```

```

28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="4941000175101"/>
33         <display value="Difficulty following instructions
(finding)"/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="268672004"/>
41         <display value="Disorder of speech and language development
(disorder)"/>
42     </concept>
43     <concept>
44         <code value="106126000"/>
45         <display value="Emotional state finding (finding)"/>
46     </concept>
47     <concept>
48         <code value="365997002"/>
49         <display value="Finding related to ability to interact with
others (finding)"/>
50     </concept>
51     <concept>
52         <code value="106131003"/>
53         <display value="Mood finding (finding)"/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

## 472. KBV\_VS\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_EYES

## KBV\_VS\_MIO\_CMR\_U6\_Physical\_Exam\_Eyes

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_Physical_Exam_Eyes"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U6_Physical_Exam_Eyes"/>
5    <title value="U6 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U6 - Augen"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="737269000"/>
25           <display value="Eye appearance abnormal (finding)"/>
26         </concept>
27         <concept>
28           <code value="307699005"/>

```

```
29         <display value="Nystagmus present (finding)"/>
30     </concept>
31     <concept>
32         <code value="400964006"/>
33         <display value="Iris transillumination (finding)"/>
34     </concept>
35     <concept>
36         <code value="870705000"/>
37         <display value="Poor visual fixation (finding)"/>
38     </concept>
39     <concept>
40         <code value="34241000119104"/>
41         <display value="Ocular torticollis (disorder)"/>
42     </concept>
43     <concept>
44         <code value="301937002"/>
45         <display value="Finding of appearance of pupil (finding)"/>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>
```

## 473. KBV\_VS\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_VS\_MIO\_CMR\_U6\_Physical\_Exam\_Mouth\_Nose

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_Physical_Exam_Mouth_Nose"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U6_Physical_Exam_Mouth_Nose"/>
5    <title value="U6 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U6 - Mundhöhle, Kiefer, Nase"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="125593007"/>
25           <display value="Injury of face (disorder)"/>
26         </concept>
27         <concept>
28           <code value="367381002"/>

```



```
29         <display value="Weak mouth closure (finding)"/>
30     </concept>
31     <concept>
32         <code value="300255008"/>
33         <display value="Oral cavity problem (finding)"/>
34     </concept>
35     <concept>
36         <code value="232209000"/>
37         <display value="Nasal obstruction (disorder)"/>
38     </concept>
39     <concept>
40         <code value="38160000"/>
41         <display value="Abnormal voice (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 474. KBV\_VS\_MIO\_CMR\_U6\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMR\_U6\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U6_Physical_Exam_Musculoskeletal_System"/>
5    <title value="U6 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U6 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="422949007"/>
25           <display value="Musculoskeletal asymmetry (finding)"/>
26         </concept>
27         <concept>
28           <code value="43029002"/>

```

```
29         <display value="Abnormal posture (finding)"/>
30     </concept>
31     <concept>
32         <code value="225606002"/>
33         <display value="Abnormal movement (finding)"/>
34     </concept>
35     <concept>
36         <code value="366725004"/>
37         <display value="Finding of muscle tone (finding)"/>
38     </concept>
39     <concept>
40         <code value="298180004"/>
41         <display value="Finding of range of joint movement
42 (finding)"/>
43     </concept>
44     <concept>
45         <code value="366420008"/>
46         <display value="Peripheral reflex finding (finding)"/>
47     </concept>
48 </include>
49 </compose>
</ValueSet>
```

## 475. KBV\_VS\_MIO\_CMR\_U6\_U7\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_VS\_MIO\_CMR\_U6\_U7\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_Tract"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U6_U7_Physical_Exam_Chest_Lung_Respiratory_
Tract"/>
5    <title value="U6, U7 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U6, U7 - Thorax, Lunge, Atemwege"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="301272007"/>
25           <display value="Chest auscultation finding (finding)"/>
26         </concept>
27       </include>
28     </compose>
29   </concept>

```

```
28         <code value="301273002"/>
29         <display value="Abnormal breath sounds (finding)"/>
30     </concept>
31     <concept>
32         <code value="17077006"/>
33         <display value="Abnormal respiratory rate (finding)"/>
34     </concept>
35     <concept>
36         <code value="67909005"/>
37         <display value="Chest wall retraction (finding)"/>
38     </concept>
39     <concept>
40         <code value="298706004"/>
41         <display value="Finding of appearance of thorax (finding)"/
42     >
43     </concept>
44     <concept>
45         <code value="423230008"/>
46         <display value="Wide spaced nipples (finding)"/>
47     </concept>
48 </include>
49 </compose>
</ValueSet>
```

## 476. KBV\_VS\_MIO\_CMU\_U7\_CONSULTATION

## KBV\_VS\_MIO\_CMU\_U7\_Consultation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U7_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U7_Consultation"/>
5    <title value="U7 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="408431004"/>
25           <display value="Recommendation to caregiver regarding
child's dental health (procedure)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```

28         <code value="409059003"/>
29         <display value="Safety education, guidance, and counseling
(procedure)"/>
30     </concept>
31     <concept>
32         <code value="424308004"/>
33         <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
34     </concept>
35     <concept>
36         <code value="304507003"/>
37         <display value="Exercise education (procedure)"/>
38     </concept>
39     <concept>
40         <code value="441041000124100"/>
41         <display value="Counseling about nutrition (procedure)"/>
42     </concept>
43     <concept>
44         <code value="702971000"/>
45         <display value="Counseling for childhood immunization
(procedure)"/>
46     </concept>
47     <concept>
48         <code value="274410002"/>
49         <display value="Dental referral - child (procedure)"/>
50     </concept>
51 </include>
52 </compose>
53 </ValueSet>

```

477. KBV\_VS\_MIO\_CMR\_U7\_CURRENT\_CHILD\_HISTORY

```

KBV_VS_MIO_CMR_U7_Current_Child_History
1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7_Current_Child_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7_Current_Child_History"/>
5    <title value="U7 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7 - Aktuelle Anamnese des Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="715949008"/>
25           <display value="Serious physical health problem (finding)"/
>
26         </concept>
27       </concept>

```



```

28         <code value="248124006"/>
29         <display value="Eating problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="271840007"/>
33         <display value="Abnormal feces (finding)"/>
34     </concept>
35     <concept>
36         <code value="416940007:363589002=234723000"/>
37         <display value="Past history of procedure (situation) :
Associated procedure (attribute = Topical application of fluoride - tooth
(procedure)"/>
38     </concept>
39     <concept>
40         <code value="162339002"/>
41         <display value="Hearing normal (finding)"/>
42     </concept>
43     <concept>
44         <code value="72863001"/>
45         <display value="Snoring (finding)"/>
46     </concept>
47     <concept>
48         <code value="425067005"/>
49         <display value="Speech and language development finding
(finding)"/>
50     </concept>
51     <concept>
52         <code value="288599003"/>
53         <display value="Able to use verbal communication (finding)"
/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

## 478. KBV\_VS\_MIO\_CMR\_U7\_DEVELOPMENT\_ASSESSMENT

### KBV\_VS\_MIO\_CMR\_U7\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7_Development_Assessment"/>
5    <title value="U7 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7 - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```

28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="365926000"/>
33         <display value="Finding of problem solving (finding)"/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="268672004"/>
41         <display value="Disorder of speech and language development
(disorder)"/>
42     </concept>
43     <concept>
44         <code value="365997002"/>
45         <display value="Finding related to ability to interact with
others (finding)"/>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>

```

## 479. KBV\_VS\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_EYES

## KBV\_VS\_MIO\_CMR\_U7\_Physical\_Exam\_Eyes

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7_Physical_Exam_Eyes"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7_Physical_Exam_Eyes"/>
5    <title value="U7 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7 - Augen"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="737269000"/>
25           <display value="Eye appearance abnormal (finding)"/>
26         </concept>
27         <concept>
28           <code value="307699005"/>

```

```
29         <display value="Nystagmus present (finding)"/>
30     </concept>
31     <concept>
32         <code value="400964006"/>
33         <display value="Iris transillumination (finding)"/>
34     </concept>
35     <concept>
36         <code value="34241000119104"/>
37         <display value="Ocular torticollis (disorder)"/>
38     </concept>
39     <concept>
40         <code value="301937002"/>
41         <display value="Finding of appearance of pupil (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 480. KBV\_VS\_MIO\_CMU\_U7\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_VS\_MIO\_CMU\_U7\_Physical\_Exam\_Mouth\_Nose

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U7_Physical_Exam_Mouth_Nose"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U7_Physical_Exam_Mouth_Nose"/>
5    <title value="U7 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7 - Mundhöhle, Kiefer, Nase"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="300255008"/>
25           <display value="Oral cavity problem (finding)"/>
26         </concept>
27         <concept>
28           <code value="125593007"/>

```

```
29         <display value="Injury of face (disorder)"/>
30     </concept>
31     <concept>
32         <code value="59140005"/>
33         <display value="Abnormal salivary secretion (finding)"/>
34     </concept>
35     <concept>
36         <code value="38160000"/>
37         <display value="Abnormal voice (finding)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 481. KBV\_VS\_MIO\_CMR\_U7\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMR\_U7\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7_Physical_Exam_Musculoskeletal_System"/>
5    <title value="U7 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="422949007"/>
25           <display value="Musculoskeletal asymmetry (finding)"/>
26         </concept>
27         <concept>
28           <code value="43029002"/>

```



```
29         <display value="Abnormal posture (finding)"/>
30     </concept>
31     <concept>
32         <code value="298180004"/>
33         <display value="Finding of range of joint movement
(finding)"/>
34     </concept>
35     <concept>
36         <code value="366420008"/>
37         <display value="Peripheral reflex finding (finding)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 482. KBV\_VS\_MIO\_CMR\_U7\_U7a\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_VS\_MIO\_CMR\_U7\_U7a\_Physical\_Exam\_Abdomen\_Genitals

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7_U7a_Physical_Exam_Abdomen_Genitals"/>
5    <title value="U7, U7a - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7, U7a - Abdomen, Genitale"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="204878001"/>
25           <display value="Undescended testicle (disorder)"/>
26         </concept>
27         <concept>
28           <code value="128545000"/>

```

```
29         <display value="Hernia of abdominal wall (disorder)"/>
30     </concept>
31     <concept>
32         <code value="65476007:
33 {363698007=10200004,363698007=78961009}"/>
34         <display value="Abnormal size (finding) : {Finding site
35 (attribute) = Liver structure (body structure) , Finding site (attribute) =
36 Splenic structure (body structure) }"/>
37     </concept>
38 </include>
39 </compose>
40 </ValueSet>
```

## 483. KBV\_VS\_MIO\_CMR\_U7\_U9\_PHYSICAL\_EXAM\_HEART\_BLOOD\_CIRCULATION

## KBV\_VS\_MIO\_CMR\_U7\_U9\_Physical\_Exam\_Heart\_Blood\_Circulation

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation"/>
3   <version value="1.0.1"/>
4   <name value="KBV_VS_MIO_CMR_U7_U9_Physical_Exam_Heart_Blood_Circulation
"/>
5   <title value="U7, U7a, U8, U9 - Herz, Kreislauf"/>
6   <status value="draft"/>
7   <experimental value="false"/>
8
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10  <contact>
11    <telecom>
12      <system value="url"/>
13      <value value="http://www.kbv.de"/>
14    </telecom>
15  </contact>
16  <description value="U7, U7a, U8, U9 - Herz, Kreislauf"/>
17  <immutable value="false"/>
18  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19    <compose>
20      <include>
21        <system value="http://snomed.info/sct"/>
22        <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23        <concept>
24          <code value="361135004"/>
25          <display value="Abnormal cardiac rate (finding)"/>
26        </concept>
27      </include>
    </compose>
  </contact>
</ValueSet>

```

```
28         <code value="698247007"/>
29         <display value="Cardiac arrhythmia (disorder)"/>
30     </concept>
31     <concept>
32         <code value="123824001"/>
33         <display value="Heart sounds abnormal (finding)"/>
34     </concept>
35     <concept>
36         <code value="88610006"/>
37         <display value="Heart murmur (finding)"/>
38     </concept>
39 </include>
40 </compose>
41 </ValueSet>
```

## 484. KBV\_VS\_MIO\_CMR\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_VS\_MIO\_CMR\_U7a\_and\_U9\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7a_and_U9_Physical_Exam_Chest_Lung_Respiratory_Tract"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7a_and_U9_Physical_Exam_Chest_Lung_Respira
tory_Tract"/>
5    <title value="U7a, U9 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7a, U9 - Thorax, Lunge, Atemwege"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="301272007"/>
25           <display value="Chest auscultation finding (finding)"/>
26         </concept>
27       </include>
28     </compose>
29   </concept>

```

```
28         <code value="301273002"/>
29         <display value="Abnormal breath sounds (finding)"/>
30     </concept>
31     <concept>
32         <code value="17077006"/>
33         <display value="Abnormal respiratory rate (finding)"/>
34     </concept>
35     <concept>
36         <code value="298706004"/>
37         <display value="Finding of appearance of thorax (finding)"/
>
38     </concept>
39     <concept>
40         <code value="423230008"/>
41         <display value="Wide spaced nipples (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 485. KBV\_VS\_MIO\_CMU\_U7A\_AND\_U9\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMU\_U7a\_and\_U9\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U7a_and_U9_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U7a_and_U9_Physical_Exam_Musculoskeletal_Sy
stem"/>
5    <title value="U7a, U9 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7a, U9 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="422949007"/>
25           <display value="Musculoskeletal asymmetry (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```



```
28         <code value="43029002"/>
29         <display value="Abnormal posture (finding)"/>
30     </concept>
31     <concept>
32         <code value="298180004"/>
33         <display value="Finding of range of joint movement
(finding)"/>
34     </concept>
35     <concept>
36         <code value="366420008"/>
37         <display value="Peripheral reflex finding (finding)"/>
38     </concept>
39     <concept>
40         <code value="366725004"/>
41         <display value="Finding of muscle tone (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 486. KBV\_VS\_MIO\_CMR\_U7A\_CONSULTATION

## KBV\_VS\_MIO\_CMR\_U7a\_Consultation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7a_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7a_Consultation"/>
5    <title value="U7a - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7a - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="409059003"/>
25           <display value="Safety education, guidance, and counseling
(procedure)"/>
26         </concept>
27       <concept>

```

```

28         <code value="424308004"/>
29         <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
30     </concept>
31     <concept>
32         <code value="441041000124100"/>
33         <display value="Counseling about nutrition (procedure)"/>
34     </concept>
35     <concept>
36         <code value="304507003"/>
37         <display value="Exercise education (procedure)"/>
38     </concept>
39     <concept>
40         <code value="709135003"/>
41         <display value="Video screen time education (procedure)"/>
42     </concept>
43     <concept>
44         <code value="410263001"/>
45         <display value="Medical/dental care education, guidance,
and counseling (procedure)"/>
46     </concept>
47     <concept>
48         <code value="702971000"/>
49         <display value="Counseling for childhood immunization
(procedure)"/>
50     </concept>
51     <concept>
52         <code value="274410002"/>
53         <display value="Dental referral - child (procedure)"/>
54     </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

## 487. KBV\_VS\_MIO\_CMU\_U7A\_CURRENT\_CHILD\_HISTORY

## KBV\_VS\_MIO\_CMU\_U7a\_Current\_Child\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U7a_Current_Child_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U7a_Current_Child_History"/>
5    <title value="U7a - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7a - Aktuelle Anamnese des Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="715949008"/>
25           <display value="Serious physical health problem (finding)"/
>
26         </concept>
27       </concept>

```

```

28         <code value="248124006"/>
29         <display value="Eating problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="271840007"/>
33         <display value="Abnormal feces (finding)"/>
34     </concept>
35     <concept>
36         <code value="416940007:363589002=234723000"/>
37         <display value="Past history of procedure (situation) :
Associated procedure (attribute = Topical application of fluoride - tooth
(procedure)"/>
38     </concept>
39     <concept>
40         <code value="162339002"/>
41         <display value="Hearing normal (finding)"/>
42     </concept>
43     <concept>
44         <code value="72863001"/>
45         <display value="Snoring (finding)"/>
46     </concept>
47     <concept>
48         <code value="288599003"/>
49         <display value="Able to use verbal communication (finding)"
/>
50     </concept>
51     <concept>
52         <code value="425067005"/>
53         <display value="Speech and language development finding
(finding)"/>
54     </concept>
55     <concept>
56         <code value="141441000119107"/>
57         <display value="Childhood onset stuttering (finding)"/>
58     </concept>
59 </include>
60 </compose>
61 </ValueSet>

```

## 488. KBV\_VS\_MIO\_CMU\_U7A\_DEVELOPMENT\_ASSESSMENT

## KBV\_VS\_MIO\_CMU\_U7a\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U7a_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U7a_Development_Assessment"/>
5    <title value="U7a - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7a - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </valueSet>

```

```

28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="304866004"/>
33         <display value="Psychodynamic attachment finding (finding)"
/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="268672004"/>
41         <display value="Disorder of speech and language development
(disorder)"/>
42     </concept>
43     <concept>
44         <code value="365997002"/>
45         <display value="Finding related to ability to interact with
others (finding)"/>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>

```

489. KBV\_VS\_MIO\_CMR\_U7A\_PHYSICAL\_EXAM\_MOUTH\_NOSE

```

KBV_VS_MIO_CMR_U7a_Physical_Exam_Mouth_Nose
1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
  KBV_VS_MIO_CMR_U7a_Physical_Exam_Mouth_Nose"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7a_Physical_Exam_Mouth_Nose"/>
5    <title value="U7a - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7a - Mundhöhle, Kiefer, Nase"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
  Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
  unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
  which is used by permission of SNOMED International. All rights reserved.
  SNOMED CT®, was originally created by The College of American Pathologists.
  SNOMED and SNOMED CT are registered trademarks of SNOMED International.
  Implementers of these artefacts must have the appropriate SNOMED CT
  Affiliate license. This material contains content from LOINC (http://
  loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
  the Logical Observation Identifiers Names and Codes (LOINC) Committee and
  is available at no cost under the license at http://loinc.org/license.
  LOINC® is a registered United States trademark of Regenstrief Institute,
  Inc. This product includes all or a portion of the UCUM table, UCUM codes,
  and UCUM definitions or is derived from it, subject to a license from
  Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
  table, UCUM codes, UCUM definitions also is subject to this license, a copy
  of which is available at http://unitsofmeasure.org. The current complete
  UCUM table, UCUM Specification are available for download at http://
  unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
  1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
  Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
  FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
  IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
  NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
  PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
  version/20210131"/>
23         <concept>
24           <code value="300255008"/>
25           <display value="Oral cavity problem (finding)"/>
26         </concept>
27         <concept>
28           <code value="125593007"/>

```



```
29         <display value="Injury of face (disorder)"/>
30     </concept>
31     <concept>
32         <code value="449790007"/>
33         <display value="Orofacial cleft (disorder)"/>
34     </concept>
35     <concept>
36         <code value="367381002"/>
37         <display value="Weak mouth closure (finding)"/>
38     </concept>
39     <concept>
40         <code value="232209000"/>
41         <display value="Nasal obstruction (disorder)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 490. KBV\_VS\_MIO\_CMR\_U7A\_U9\_PHYSICAL\_EXAM\_EYES

## KBV\_VS\_MIO\_CMR\_U7a\_U9\_Physical\_Exam\_Eyes

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U7a_U9_Physical_Exam_Eyes"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U7a_U9_Physical_Exam_Eyes"/>
5    <title value="U7a, U8, U9 - Augen"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U7a, U8, U9 - Augen"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="737269000"/>
25           <display value="Eye appearance abnormal (finding)"/>
26         </concept>
27         <concept>
28           <code value="307699005"/>

```

```

29         <display value="Nystagmus present (finding)"/>
30     </concept>
31     <concept>
32         <code value="22066006"/>
33         <display value="Strabismus (disorder)"/>
34     </concept>
35     <concept>
36         <code value="34241000119104"/>
37         <display value="Ocular torticollis (disorder)"/>
38     </concept>
39     <concept>
40         <code value="301937002"/>
41         <display value="Finding of appearance of pupil (finding)"/>
42     </concept>
43     <concept>
44         <code value="252853008:363713009=263654008"/>
45         <display value="Stereotests (procedure) : Has
interpretation (attribute) = Abnormal (qualifier value)"/>
46     </concept>
47     <concept>
48         <code value="342061000119102"/>
49         <display value="Amblyopia of left eye (disorder)"/>
50     </concept>
51     <concept>
52         <code value="336451000119108"/>
53         <display value="Amblyopia of right eye (disorder)"/>
54     </concept>
55     <concept>
56         <code value="3289004"/>
57         <display value="Anisometropia (disorder)"/>
58     </concept>
59 </include>
60 </compose>
61 </ValueSet>

```

## 491. KBV\_VS\_MIO\_CMR\_U8\_CONSULTATION

## KBV\_VS\_MIO\_CMR\_U8\_Consultation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U8_Consultation"/>
5    <title value="U8 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="409059003"/>
25           <display value="Safety education, guidance, and counseling
(procedure)"/>
26         </concept>
27       <concept>

```

```

28         <code value="424308004"/>
29         <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
30     </concept>
31     <concept>
32         <code value="441041000124100"/>
33         <display value="Counseling about nutrition (procedure)"/>
34     </concept>
35     <concept>
36         <code value="304507003"/>
37         <display value="Exercise education (procedure)"/>
38     </concept>
39     <concept>
40         <code value="709135003"/>
41         <display value="Video screen time education (procedure)"/>
42     </concept>
43     <concept>
44         <code value="702971000"/>
45         <display value="Counseling for childhood immunization
(procedure)"/>
46     </concept>
47     <concept>
48         <code value="274410002"/>
49         <display value="Dental referral - child (procedure)"/>
50     </concept>
51 </include>
52 </compose>
53 </ValueSet>

```

## 492. KBV\_VS\_MIO\_CMR\_U8\_CURRENT\_CHILD\_HISTORY

## KBV\_VS\_MIO\_CMR\_U8\_Current\_Child\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Current_Child_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U8_Current_Child_History"/>
5    <title value="U8 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8 - Aktuelle Anamnese des Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="715949008"/>
25           <display value="Serious physical health problem (finding)"/
>
26         </concept>
27       </concept>

```

```
28         <code value="72863001"/>
29         <display value="Snoring (finding)"/>
30     </concept>
31     <concept>
32         <code value="425067005"/>
33         <display value="Speech and language development finding
(finding)"/>
34     </concept>
35     <concept>
36         <code value="288599003"/>
37         <display value="Able to use verbal communication (finding)"
/>
38     </concept>
39     <concept>
40         <code value="141441000119107"/>
41         <display value="Childhood onset stuttering (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 493. KBV\_VS\_MIO\_CMR\_U8\_DEVELOPMENT\_ASSESSMENT

### KBV\_VS\_MIO\_CMR\_U8\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U8_Development_Assessment"/>
5    <title value="U8 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8 - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```



```
28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="365715000"/>
33         <display value="Finding related to ability to process
information (finding)"/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="268672004"/>
41         <display value="Disorder of speech and language development
(disorder)"/>
42     </concept>
43     <concept>
44         <code value="365997002"/>
45         <display value="Finding related to ability to interact with
others (finding)"/>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>
```

## 494. KBV\_VS\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_VS\_MIO\_CMR\_U8\_Physical\_Exam\_Abdomen\_Genitals

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U8_Physical_Exam_Abdomen_Genitals"/>
5    <title value="U8 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8 - Abdomen, Genitale"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="204878001"/>
25           <display value="Undescended testicle (disorder)"/>
26         </concept>
27         <concept>
28           <code value="128545000"/>

```

```
29         <display value="Hernia of abdominal wall (disorder)"/>
30     </concept>
31     <concept>
32         <code value="65476007:
33 {363698007=10200004,363698007=78961009}"/>
34         <display value="Abnormal size (finding) : {Finding site
35 (attribute) = Liver structure (body structure) , Finding site (attribute) =
36 Splenic structure (body structure)}/>
37     </concept>
38     <concept>
39         <code value="167222005"/>
40         <display value="Abnormal urinalysis (finding)"/>
41     </concept>
42 </include>
43 </compose>
44 </ValueSet>
```

## 495. KBV\_VS\_MIO\_CMU\_U8\_PHYSICAL\_EXAM\_CHEST\_LUNG\_RESPIRATORY\_TRACT

## KBV\_VS\_MIO\_CMU\_U8\_Physical\_Exam\_Chest\_Lung\_Respiratory\_Tract

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U8_Physical_Exam_Chest_Lung_Respiratory_Tract"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U8_Physical_Exam_Chest_Lung_Respiratory_Tra
ct"/>
5    <title value="U8 - Thorax, Lunge, Atemwege"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8 - Thorax, Lunge, Atemwege"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="301272007"/>
25           <display value="Chest auscultation finding (finding)"/>
26         </concept>
27       </include>
    </compose>
  </contact>
</ValueSet>

```

```

28         <code value="301273002"/>
29         <display value="Abnormal breath sounds (finding)"/>
30     </concept>
31     <concept>
32         <code value="17077006"/>
33         <display value="Abnormal respiratory rate (finding)"/>
34     </concept>
35     <concept>
36         <code value="298706004"/>
37         <display value="Finding of appearance of thorax (finding)"/
>
38     </concept>
39     <concept>
40         <code value="423230008"/>
41         <display value="Wide spaced nipples (finding)"/>
42     </concept>
43     <concept>
44         <code value="404684003:
45 {47429007=41345002,363698007=731726001}"/>
46         <display value="Clinical finding (finding) : { Associated
with (attribute) = Rickets (disorder), Finding site (attribute) = Entire
bone of thorax (body structure) }"/>
47     </concept>
48 </include>
49 </compose>
</ValueSet>

```

## 496. KBV\_VS\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_EARS

## KBV\_VS\_MIO\_CMR\_U8\_Physical\_Exam\_Ears

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Physical_Exam_Ears"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U8_Physical_Exam_Ears"/>
5    <title value="U8 - Ohren"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8 - Ohren"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="134376008"/>
25           <display value="Hearing test right abnormality (finding)"/>
26         </concept>
27         <concept>
28           <code value="134375007"/>

```

```
29         <display value="Hearing test left abnormality (finding)"/>
30     </concept>
31 </include>
32 </compose>
33 </ValueSet>
```

## 497. KBV\_VS\_MIO\_CMR\_U8\_PHYSICAL\_EXAM\_MUSCULOSKELETAL\_SYSTEM

## KBV\_VS\_MIO\_CMR\_U8\_Physical\_Exam\_Musculoskeletal\_System

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_Physical_Exam_Musculoskeletal_System"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U8_Physical_Exam_Musculoskeletal_System"/>
5    <title value="U8 - Bewegungsapparat"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8 - Bewegungsapparat"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="298380006"/>
25           <display value="Deformity of spine (finding)"/>
26         </concept>
27         <concept>
28           <code value="422949007"/>

```



```

29         <display value="Musculoskeletal asymmetry (finding)"/>
30     </concept>
31 <concept>
32     <code value="43029002"/>
33     <display value="Abnormal posture (finding)"/>
34 </concept>
35 <concept>
36     <code value="225606002"/>
37     <display value="Abnormal movement (finding)"/>
38 </concept>
39 <concept>
40     <code value="298180004"/>
41     <display value="Finding of range of joint movement
(finding)"/>
42 </concept>
43 <concept>
44     <code value="366725004"/>
45     <display value="Finding of muscle tone (finding)"/>
46 </concept>
47 <concept>
48     <code value="366420008"/>
49     <display value="Peripheral reflex finding (finding)"/>
50 </concept>
51 <concept>
52     <code value="404684003:
{47429007=41345002,363698007=2592007}"/>
53     <display value="Clinical finding (finding) : { Associated
with (attribute) = Rickets (disorder), Finding site (attribute) = All
extremities (body structure) }"/>
54 </concept>
55 </include>
56 </compose>
57 </ValueSet>

```

## 498. KBV\_VS\_MIO\_CMR\_U8\_U9\_PHYSICAL\_EXAM\_MOUTH\_NOSE

## KBV\_VS\_MIO\_CMR\_U8\_U9\_Physical\_Exam\_Mouth\_Nose

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U8_U9_Physical_Exam_Mouth_Nose"/>
5    <title value="U8, U9 - Mundhöhle, Kiefer, Nase"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U8, U9 - Mundhöhle, Kiefer, Nase"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="300255008"/>
25           <display value="Oral cavity problem (finding)"/>
26         </concept>
27         <concept>
28           <code value="449790007"/>

```

```
29         <display value="Orfacial cleft (disorder)"/>
30     </concept>
31     <concept>
32         <code value="125593007"/>
33         <display value="Injury of face (disorder)"/>
34     </concept>
35 </include>
36 </compose>
37 </ValueSet>
```

## 499. KBV\_VS\_MIO\_CMU\_U9\_CONSULTATION

## KBV\_VS\_MIO\_CMU\_U9\_Consultation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMU_U9_Consultation"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMU_U9_Consultation"/>
5    <title value="U9 - Beratung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U9 - Beratung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="409066002:
{363702006=426482000,260686004=360160009}"/>
25           <display value="Education, guidance and counseling
(procedure) : { Has focus (attribute) = Prevention of dental caries
(procedure) , Method (attribute) = Checking - action (qualifier value) }"/>

```

```

26         </concept>
27         <concept>
28             <code value="409059003"/>
29             <display value="Safety education, guidance, and counseling
(procedure)"/>
30         </concept>
31         <concept>
32             <code value="424308004"/>
33             <display value="Speech and language therapy education,
guidance, and counseling (procedure)"/>
34         </concept>
35         <concept>
36             <code value="284352003+304507003"/>
37             <display value="Obesity diet education (procedure) +
Exercise education (procedure)"/>
38         </concept>
39         <concept>
40             <code value="11816003"/>
41             <display value="Diet education (procedure)"/>
42         </concept>
43         <concept>
44             <code value="709135003"/>
45             <display value="Video screen time education (procedure)"/>
46         </concept>
47         <concept>
48             <code value="408935001"/>
49             <display value="Substance abuse prevention education
(procedure)"/>
50         </concept>
51         <concept>
52             <code value="702971000"/>
53             <display value="Counseling for childhood immunization
(procedure)"/>
54         </concept>
55         <concept>
56             <code value="274410002"/>
57             <display value="Dental referral - child (procedure)"/>
58         </concept>
59     </include>
60 </compose>
61 </ValueSet>

```

## 500. KBV\_VS\_MIO\_CMR\_U9\_CURRENT\_CHILD\_HISTORY

## KBV\_VS\_MIO\_CMR\_U9\_Current\_Child\_History

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U9_Current_Child_History"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U9_Current_Child_History"/>
5    <title value="U9 - Aktuelle Anamnese des Kindes"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U9 - Aktuelle Anamnese des Kindes"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="715949008"/>
25           <display value="Serious physical health problem (finding)"/
>
26         </concept>
27       </concept>

```

```
28         <code value="300228004"/>
29         <display value="Hearing problem (finding)"/>
30     </concept>
31     <concept>
32         <code value="425067005"/>
33         <display value="Speech and language development finding
(finding)"/>
34     </concept>
35     <concept>
36         <code value="288599003"/>
37         <display value="Able to use verbal communication (finding)"
/>
38     </concept>
39     <concept>
40         <code value="141441000119107"/>
41         <display value="Childhood onset stuttering (finding)"/>
42     </concept>
43 </include>
44 </compose>
45 </ValueSet>
```

## 501. KBV\_VS\_MIO\_CMR\_U9\_DEVELOPMENT\_ASSESSMENT

### KBV\_VS\_MIO\_CMR\_U9\_Development\_Assessment

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U9_Development_Assessment"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U9_Development_Assessment"/>
5    <title value="U9 - Orient. Beurt. Entwicklung"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U9 - Orient. Beurt. Entwicklung"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="364832000"/>
25           <display value="Finding related to ability to perform gross
motor function (finding)"/>
26         </concept>
27       </include>
    </compose>
  </ValueSet>

```



```
28         <code value="364944003"/>
29         <display value="Finding related to ability to perform fine
motor function (finding)"/>
30     </concept>
31     <concept>
32         <code value="106136008"/>
33         <display value="Memory finding (finding)"/>
34     </concept>
35     <concept>
36         <code value="284490008"/>
37         <display value="Finding relating to complex and social
behaviors (finding)"/>
38     </concept>
39     <concept>
40         <code value="268672004"/>
41         <display value="Disorder of speech and language development
(disorder)"/>
42     </concept>
43     <concept>
44         <code value="365997002"/>
45         <display value="Finding related to ability to interact with
others (finding)"/>
46     </concept>
47 </include>
48 </compose>
49 </ValueSet>
```

## 502. KBV\_VS\_MIO\_CMR\_U9\_PHYSICAL\_EXAM\_ABDOMEN\_GENITALS

## KBV\_VS\_MIO\_CMR\_U9\_Physical\_Exam\_Abdomen\_Genitals

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_CMR_U9_Physical_Exam_Abdomen_Genitals"/>
5    <title value="U9 - Abdomen, Genitale"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="U9 - Abdomen, Genitale"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="65476007:
{363698007=10200004,363698007=78961009}"/>
25           <display value="Abnormal size (finding) : {Finding site
(attribute) = Liver structure (body structure) , Finding site (attribute) =
Splenic structure (body structure)}/>

```

```
26         </concept>
27         <concept>
28             <code value="128545000"/>
29             <display value="Hernia of abdominal wall (disorder)"/>
30         </concept>
31     </include>
32 </compose>
33 </ValueSet>
```

## 503. KBV\_VS\_MIO\_PC\_PN\_EXAMINATION\_NUMBER

## KBV\_VS\_MIO\_PC\_PN\_Examination\_Number

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_PC_PN_Examination_Number"/>
3    <version value="1.0.1"/>
4    <name value="KBV_VS_MIO_PC_PN_Examination_Number"/>
5    <title value="Untersuchungsnummer Teilnahmekarte"/>
6    <status value="draft"/>
7    <experimental value="false"/>
8
9    <publisher value="Kassenärztliche Bundesvereinigung (KBV)"/>
10   <contact>
11     <telecom>
12       <system value="url"/>
13       <value value="http://www.kbv.de"/>
14     </telecom>
15   </contact>
16   <description value="Untersuchungsnummer Teilnahmekarte"/>
17   <immutable value="false"/>
18   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE."/>
19     <compose>
20       <include>
21         <system value="http://snomed.info/sct"/>
22         <version value="http://snomed.info/sct/900000000000207008/
version/20210131"/>
23         <concept>
24           <code value="170107008"/>
25           <display value="Child examination - 10 days (procedure)"/>
26         </concept>
27         <concept>
28           <code value="243788004:370131001=133931009"/>

```

```

29         <display value="Child examination (procedure) : Recipient
category = Infant (person)"/>
30     </concept>
31     <concept>
32         <code value="170250008"/>
33         <display value="Child 3 month examination (procedure)"/>
34     </concept>
35     <concept>
36         <code value="170263002"/>
37         <display value="Child 6 month examination (procedure)"/>
38     </concept>
39     <concept>
40         <code value="170254004"/>
41         <display value="Child 1 year examination (procedure)"/>
42     </concept>
43     <concept>
44         <code value="401140000"/>
45         <display value="Child 2 year examination (procedure)"/>
46     </concept>
47     <concept>
48         <code value="170281004"/>
49         <display value="Child 3 year examination (procedure)"/>
50     </concept>
51     <concept>
52         <code value="410635005"/>
53         <display value="Child 4 year examination (procedure)"/>
54     </concept>
55     <concept>
56         <code value="243788004:370131001=410602000"/>
57         <display value="Child examination (procedure) : Recipient
category (attribute) = Preschool child (person)"/>
58     </concept>
59 </include>
60 </compose>
61 </ValueSet>

```

## ARTIKEL 3 - FESTLEGUNGEN ZUR SIGNATUR

Wenn eine Signatur des medizinischen Informationsobjektes U-Heft notwendig ist, erfolgt dies mittels der CAAdES-Envelope Signaturfunktionalität des Konnektors der Telematikinfrastruktur. Die in diesem Zusammenhang vom Primärsystem (= eingesetztes IT-System) als Data To Be Signed Representation (DTBSR) zusammenzustellenden Daten bilden eine FHIR-XML-Datei und entsprechen dabei einer Bundle-Ressource gemäß dem Abschnitt In der ePA zu speichernde FHIR®-Ressourcen.

Für Einträge in folgende Bundles können Signaturen erzeugt werden:

- KBV\_PR\_MIO\_CMV\_Bundle für Einträge ins U-Heft selbst (U-Heft-Untersuchungen)
- KBV\_PR\_MIO\_PC\_Bundle für Einträge in die Teilnahmekarte (U-Heft-Teilnahmekarte)

Bei der Signatur handelt es sich um eine Qualifizierte elektronische Signatur (QES) mit einem elektronischen Heilberufsausweis oder eine non QES.

Einträge von Elternnotizen (1.8 Elternnotiz) werden nicht mit einer Signatur versehen (KBV\_PR\_MIO\_PN\_Bundle).

Das Verfahren zur Erstellung der Signatur wird die gematik im Dokument "Implementierungsleitfaden Primärsysteme - Elektronische Patientenakte (ePA)" (gemILF\_PS\_ePA) beschreiben.

## **ARTIKEL 4 - INKRAFTTRETEN, GELTUNG UND AUSSERKRAFTTRETEN**

Diese Festlegung tritt am Tag nach ihrer Veröffentlichung in Kraft. Sie gilt ab dem 01.01.2022.

Die MIO-Festlegung zum U-Heft in der Version 1.0.0 tritt am Tag der Veröffentlichung dieser Version außer Kraft.